

A DAY ON ONE STREET PASS

LIN LAN IS NOT A USER DEMO; SHE HELPS DECIDE EXPANSION OR EXIT

Lin Lan: a composite, non-identifying Dazhongsi commuter, caregiver and small-organisation collaborator | Wants clear multilingual transfer and accessible-arrival information for Exit A–1733–Exit D without uploading passenger identity.



07:30

PUBLIC BASE

The heritage park first guarantees ordinary arrival

No-app wayfinding, shaded seating, a physical map and human help work first.



09:30

PROVE

Zhongzhiyuan decides whether it may be tested

Boundary, emergency stop, near miss and exit route are clear; failure is a valid result.



12:30

TRANSLATE

AI Origin decides whether people can understand it

The stamp is given only if Lin can restate purpose, limits, human responsibility and withdrawal.



16:30

FIRST USE

Dazhongsi decides whether one real arrival works

A–1733–D works first through physical maps and people; AI remains optional, time-limited and switchable.



20:00

FEEDBACK

The public decides expansion, pause or exit

Success, pause and failure are recorded equally; ordinary transfer and commercial space continue after equipment leaves.

Each is a representative 100-m concept study window, not an official area boundary, road line, surveyed plan, engineering dimension, investment or delivery commitment. It requires official data, ownership, heritage, transport, fire, utility, operating-authority and professional review before development.

ONE OBSERVATION → CORRECTION

FIELD 01 / EVIDENCE → CORRECTION

FIELD EVIDENCE STOPPED AN OLD ASSUMPTION

AI MAIN STREET / v2.4



FIELD OBSERVATION | 2026-08-13 | ONE EVENING | NOT A SURVEY

FIELD-DZS-01 / 18:09


Surface route near Line 13 Exit A



FIELD OBSERVATION | 2026-08-13 | ONE EVENING | NOT A SURVEY

FIELD-DZS-02 / 19:36

1733 sunken commercial interface and Line 12 Exit D



FIELD OBSERVATION | 2026-08-13 | ONE EVENING | NOT A SURVEY

FIELD-DZS-03 / 19:33

Line 12 Exit D




FIELD OBSERVATION | 2026-08-13 | ONE EVENING | NOT A SURVEY

FIELD-DZS-04 / 19:42

Walking-micromobility interface under North Third Ring Road

A → 1733 → D

Line 13 Dazhongsi Exit A direction—surface route—1733 ground/B1/B2—Line 12 Dazhongsi Exit D—North Third Ring underpass



OLD PROTOTYPE PAUSED → FIRST-USE TRANSFER LOOP

FIELD-DZS-01 The first-use unit begins with physical direction, human help and verification of an accessible alternative, never an app-only route.

FIELD-DZS-02 Stop the former shopfront-market prototype; replace it with an A-1733-D First-use Transfer Loop and embed commercial first use in the existing layered interface.

FIELD-DZS-03 Make operating status a C1 on-site field verified by the rail operator before opening; the concept does not claim a new or relocated exit.


FIELD-DZS-04 First define parking/waiting edges and maintenance responsibility without occupying tactile paving or the commuting line, before any digital guidance or low-speed device.

One evening observation from public viewpoints; not a survey, footfall count, accessibility audit, ownership check or operator interview, and not generalisable to daily, weekday/weekend or long-term patterns.

PUBLIC FIRST-USE LINE

01 / OVERALL CONCEPT
ONE PASS THROUGH THREE FIRST-USE YARDS

AI MAIN STREET / v2.4



PROVE → TRANSLATE → FIRST USE → FEEDBACK
Not an AI showcase axis, but a public first-use line that people can pause.



01 PROVE
Zhongzhiyuan Validation Yard

Can it work safely without displacing ordinary movement?
AI OFF → garden + safety information



02 TRANSLATE
AI Origin Translation Courtyard

Can ordinary people understand, refuse, correct and safely adopt it?
AI OFF → shared courtyard + human desk



03 FIRST USE
Dazhongsi First-use Transfer Loop

Can a real arrival be understood and completed before any optional AI service begins?
AI OFF → ordinary transfer + human service

Each is a representative 100-m concept study window, not an official area boundary, road line, surveyed plan, engineering dimension, investment or delivery commitment. It requires official data, ownership, heritage, transport, fire, utility, operating-authority and professional review before development.

PROVE

PROVE / 100 m CONCEPT STUDY


Zhongzhiyuan Garden Validation Yard

AI MAIN STREET / v2.4



Can it work safely without displacing ordinary movement?

100 m CONCEPT SEQUENCE / NOT SURVEYED



SECTION / AI OFF = ORDINARY SPACE



DAILY

DAILY: garden walking, observation and rest; test equipment is stored.

TEST

TEST: low-speed operation within a bounded window and the visible reach of a safety steward.

FAILURE

FAILURE: physical stop, pink status and human guidance keep the outside route open.

EXIT

EXIT: equipment and barriers return to C6; shade, seating and ordinary activity are restored.

STOP: Equipment leaves the geo-fence / Human takeover times out / The accessible route is blocked

Each is a representative 100-m concept study window, not an official area boundary, road line, surveyed plan, engineering dimension, investment or delivery commitment. It requires official data, ownership, heritage, transport, fire, utility, operating-authority and professional review before development.

TRANSLATE

TRANSLATE / 100 m CONCEPT STUDY

AI Origin Translation Street House and Courtyard

AI MAIN STREET / v2.4



AI-GENERATED CONCEPT ATMOSPHERE | NOT A SITE PHOTO

Can ordinary people understand, refuse, correct and safely adopt it?

DAILY

DAILY: information, shared reading, rest and community activity; co-test tables are stored.

TEST

TEST: booked small-sample co-testing with purpose, limits and human responsibility published on site.

FAILURE

FAILURE: dialogue and screens stop; paper/human service and correction take over.


EXIT

EXIT: C4 is removed while model cards, human information and courtyard activity continue.

STOP: Purpose, limits, responsibility and withdrawal cannot be explained in plain language / No human explanation or equivalent service / AI is forced or identity is continuously tracked

Each is a representative 100-m concept study window, not an official area boundary, road line, surveyed plan, engineering dimension, investment or delivery commitment. It requires official data, ownership, heritage, transport, fire, utility, operating-authority and professional review before development.

100 m CONCEPT SEQUENCE / NOT SURVEYED



SECTION / AI OFF = ORDINARY SPACE



FIRST USE

FIRST USE / 100 m CONCEPT STUDY

Dazhongsi First-use Transfer Loop

AI MAIN STREET / v2.4



Can a real arrival be understood and completed before any optional AI service begins?

DAILY

DAILY: ordinary A–1733–D transfer, shopping, waiting and human information.

TEST

TEST: optional multilingual/accessibility advice in a defined window, immediately correctable by on-site staff.

FAILURE

FAILURE: status turns pink, the digital layer closes and physical/human transfer takes over.


EXIT

EXIT: equipment is stored; clear wayfinding, continuous movement, waiting and human service remain.

STOP: Physical wayfinding or human help is unavailable / An unverified accessible route is recommended / Tactile paving, stair landings or the commuting line are occupied

Each is a representative 100-m concept study window, not an official area boundary, road line, surveyed plan, engineering dimension, investment or delivery commitment. It requires official data, ownership, heritage, transport, fire, utility, operating-authority and professional review before development.

100 m CONCEPT SEQUENCE / NOT SURVEYED



SECTION / AI OFF = ORDINARY SPACE



100 m × 3

03 / THREE FIRST-USE YARDS


THREE 100-m STUDIES: DIFFERENT SPACES, CONNECTED DUTY

AI MAIN STREET / v2.4



PROVE

Zhongzhiyuan Garden Validation Yard




AI OFF

A complete garden, observation porch and safety-information point.




TRANSLATE

AI Origin Translation Street House and Courtyard




AI OFF

A shared information, reading, resting and community courtyard for residents and talent.



FIRST USE

Dazhongsi First-use Transfer Loop



AI OFF

An ordinary transfer route sustained by physical wayfinding, continuous movement, an accessible alternative, waiting and human information.

Each is a representative 100-m concept study window, not an official area boundary, road line, surveyed plan, engineering dimension, investment or delivery commitment. It requires official data, ownership, heritage, transport, fire, utility, operating-authority and professional review before development.

C1–C6

05 / REVERSIBLE KIT

SIX COMPONENTS MAKE RESPONSIBILITY VISIBLE

AI MAIN STREET / v2.4



Street Pass and low-light status board

Shows purpose, status, accountable roles, the non-AI entry and reasons for pause or exit on site.

AI OFF

Keeps ordinary wayfinding, staffed hours and appeal access.



Human desk and paper counter

Provides need framing, human explanation, review, appeal and an equivalent paper service.

AI OFF

Continues as an ordinary information and community-service desk.



Dual-height accessible counter and physical map

Lets wheelchair users, children, older people and people without smart devices complete the same process.

AI OFF

Keeps no-app wayfinding, waiting and paper handling.



Reversible test pocket

Holds time-limited trials with movable tables, soft barriers, floor marks and bounded power.

AI OFF

Returns to seating, shared reading, ordinary shopfront use or everyday activity.



Emergency-stop, power-off and maintenance cabinet

Makes human takeover, shutdown, tools and maintenance responsibility visible on site.

AI OFF

Becomes an ordinary public-facility maintenance and storage point.



Exit-and-recovery cart

Stores trial objects, paper alternatives and the ordinary-space restoration checklist.

AI OFF

Publishes the exit reason, restoration check and deletion or withdrawal receipt.


Each is a representative 100-m concept study window, not an official area boundary, road line, surveyed plan, engineering dimension, investment or delivery commitment. It requires official data, ownership, heritage, transport, fire, utility, operating-authority and professional review before development.

ORDINARY MOVEMENT FIRST

04 / WALKING + BLUE-GREEN

ORDINARY MOVEMENT FIRST; AI ONLY IN SIDE POCKETS

AI MAIN STREET / v2.4



A Garden validation edge

Continuous movement | shade and seats | observation | soft-bounded trial | rear maintenance

B Street-house courtyard edge

No-app entry | human desk | model-card porch | community yard | quiet room behind

C Multi-level transfer edge

Exit A arrival | 1733 G/B1/B2 | Exit D transfer | physical map + human help | AI side pocket

500-m ARRIVAL CHECK

Shaded route | accessible continuity | orderly parking | toilet | human information | on-site status | complaint access

Each is a representative 100-m concept study window, not an official area boundary, road line, surveyed plan, engineering dimension, investment or delivery commitment. It requires official data, ownership, heritage, transport, fire, utility, operating-authority and professional review before development.

06 / DELIVERY GATES

FIRST USE IS NOT ROLLOUT: EVIDENCE DECIDES REPLICATION OR EXIT

AI MAIN STREET / v2.4

Package		0–6 m reversible	6–18 m evidence-gated	18–36 m network review	Stop/accept gate
SP-01	Street Pass and status board	Paper pass, human desk, shutdown drill	Shared status fields and appeal receipt	Cross-node version ledger	No launch without on-site staff, a non-AI route and a shutdown drill
SP-02	Zhongzhiyuan Validation Yard	Closed or physically bounded pocket	Controlled loop after safety evidence	Replication after independent review	Near-miss closure, takeover and restored exit
SP-03	AI Origin Translation Window	Model cards and human explanation	Booked co-testing and need return	One-kilometre translation-loop nodes	Understandable, correctable and withdrawable
SP-04	Dazhongsi First-use Transfer Loop	A–1733–D physical map and human desk	Time-limited side layer after ordinary transfer works	Replication after each location/time window is re-authorised	Route verification, human takeover, maintenance and restoration
SP-05	Accessible Journey Chain	Physical-route audit and human help	Optional AI advice after gaps close	Extension to twelve nodes	Connected main route, response and no-app access
SP-06	Twelve-node service kit	Dual-height, low-light and maintenance samples	Replication matched to maintenance capacity	Annual replacement and repair protocol	No route obstruction, switchable and maintained
SP-07	Correctable Contribution Record	Contribution template and first verification	Four landmarks linked	Globally correctable archive	Evidence, licence, version and correction access
SP-08	Four-season public operation	One problem call and one co-test	Complete four-season loop	Annual maintainers' review	Public archive, failure review and exit route

Time denotes a conceptual maturity sequence only; every cell still needs authority, professional review and public co-review.

ACCESS + UNDERSTANDING + MAINTENANCE + FAIR VALUE

07 / PUBLIC EVIDENCE

NOT A COOL DEMO: PUBLIC BASELINES MUST BE PROVABLE

AI MAIN STREET / v2.4

3

100-m studies

6

reversible components

7

first-use rights

4

co-review evidence cards

PUBLIC CO-REVIEW

Affected users, including older and disabled people and merchants

On-site maintainers

Professional reviewers

Potentially authorised accountable operator

EVIDENCE CARDS

Access: whether the no-app route and human help work

Understanding: whether limits, responsibility and exit can be restated

Safety and maintenance: stop, near-miss closure and ordinary-space restoration

Fair value: problem origin, return, appeal, correction and deletion receipt

Any party may request a pause; expansion cannot be decided by the proposer or operator alone.

Each is a representative 100-m concept study window, not an official area boundary, road line, surveyed plan, engineering dimension, investment or delivery commitment. It requires official data, ownership, heritage, transport, fire, utility, operating-authority and professional review before development.

CONCEPTUAL / PROVISIONAL / NOT AUTHORISED

08 / BOUNDARY + NEXT WORK

DESIGN THE EVIDENCE BOUNDARY, TOO

AI MAIN STREET / v2.4

WHAT THESE DRAWINGS CAN SHOW

Spatial relationships, the everyday public base, reversible components, four operating states, stop conditions and questions for field verification.

WHAT THEY CANNOT PROVE

Official lines, surveyed dimensions, ownership, engineering feasibility, funding, approval, real performance or authorisation by any institution or public.

FIELD CHECKS FIRST

Accessible-route continuity, shade and staying, entries and servicing, station-front movement and shopfront conflict, existing services and maintenance capacity.

PROFESSIONAL HANDOVER

Planning and survey, transport and access, heritage, fire and utilities, data and ethics, operations and procurement, and public co-review.

VISUAL EVIDENCE DISCLOSURE

Zhongzhiyuan and Origin use AI-generated concept atmosphere; Dazhongsi and the cover use contributor-owned field stills with EXIF removed. Neither replaces survey, operating checks or pilot authorisation.

Each is a representative 100-m concept study window, not an official area boundary, road line, surveyed plan, engineering dimension, investment or delivery commitment. It requires official data, ownership, heritage, transport, fire, utility, operating-authority and professional review before development.