


Dazhongsi 98.6 m station—city cross-tie: streets, rail, buildings, width, shifts and exit on one sheet

PUBLIC-MAP RELATION + CONDITIONAL TARGET SECTION; BRIDGE, EXIT, RIGHTS AND FIELD WIDTH REMAIN PENDING



JZ-04 · MINIMUM PROCUREMENT BRIEF

SITE	SITE ONLY AFTER ROUTE / EXIT / RIGHTS SIGN-OFF
CLEAR	ORDINARY CLEAR TARGET ≥3.0 m; FIELD FIRST
KIT	4 REMOVABLE GATES + 2 DESKS + STOP + PAPER RECEIPT
BASE	BALLASTED NO-DRILL; LOW-VOLTAGE/PASSIVE; OUTDOOR EVIDENCE IN QUOTE
SHIFT	1 DUTY OWNER + 1 HUMAN OPERATOR EACH SHIFT
REMOVE	4 h TARGET: INVENTORY—UNPLUG—REMOVE—RESTORE
QUOTE	3 QUOTE SLOTS; CURRENCY BUDGET=NULL

A—A CONDITIONAL TARGET SECTION | FIELD WIDTH PENDING



0—30—60—90





0—30	VERIFY ROUTE / WIDTH / RIGHTS; AI OFF
31—60	OFFLINE BUILD + STOP/RESTORE DRILL
61—90	LIMITED RUN AFTER FIVE SIGN-OFFS

STOP: ABSENT STAFF / BLOCKED ROUTE / FAILED HANDOVER / COMPLAINT RED LINE

FIELD PERFORMANCE = NULL · DEPLOYMENT NOT AUTHORIZED

One heritage spine, three near-hundred-metre Civic Cross-Ties


THE NORTH-SOUTH MEMORY LINE SETS DIRECTION, SEAM AND RESTORATION FOR THREE EAST-WEST PUBLIC LINKS



Seven carriers are not the endpoint: three cross-ties bind public realm, ground floors and projects


CONCEPT LAND USE STAYS RECALCULABLE; CONDITIONAL PUBLIC LINKS DO NOT INVENT STATUTORY LAND USE

7 CONCEPT CARRIERS + SPINE + 3 EAST–WEST LINKS



SUBMITTED CONCEPT GEOMETRY / NOT A SURVEY BASE

SEVEN CONCEPT AREAS | ha · NOT STATUTORY LAND USE



GREEN = CROSS-LAND-USE CONCEPT NETWORK, NOT STATUTORY 1401; BAND WIDTHS ARE CONDITIONAL TARGETS, NOT SURVEYED STREET WIDTHS.

THREE CARRIER CHAINS

01 RIVER–PARK CIVIC CROSS-TIE


RIVER EDGE → ORDINARY ROUTE → MEMORY SEAM → TEST SIDE-BAND



JZ-02 · 84.6 m · WIDTH TARGET 8.4 m · FIELD PENDING

02 BLOCK CIVIC CROSS-TIE

STREET → SHARED FLOOR → RIGHTS DESK → REMOVABLE OUTPUT WINDOW



JZ-03 · 98.1 m · WIDTH TARGET 9.6 m · FIELD PENDING

03 STATION–CITY CIVIC CROSS-TIE

N3R / LINE 13 RELATION → GROUND FOYER → DUAL STAFF → REMOVABLE GATES



JZ-04 · 98.6 m · WIDTH TARGET 8.4 m · FIELD PENDING

One grammar, three spaces: near-hundred-metre river–park, block and station–city cross-ties

SAME-COORDINATE PUBLIC MAP + CONDITIONAL BAND + TRACEABLE A—A + ORDINARY CITY AFTER REMOVAL

RIVER-PARK CIVIC CROSS-TIE84.6 m · JZ-02

RIVER-PARK CIVIC CROSS-TIE




84.6 m · 8.4 m TARGET · NTS

PUBLIC MAP · NON-SURVEY



AI CONCEPT ATMOSPHERE · NOT A SITE PHOTO

A—A CONDITIONAL TARGET SECTION | FIELD WIDTH PENDING



TOTAL DESIGN ENVELOPE 8.4 m · CONDITIONAL / NTS

01 RIVER EDGE: PUBLIC MOVEMENT MUST STAY SEPARATE FROM TEST LOGISTICS

02 SELECT TIME-SHARING: KEEP THE GARDEN ROUTE; MOVE PLUG-INS TO A SIDE-BAND

03 RAIL-MEMORY SEAM = REVERSIBLE PAVING + SOURCE MARK; NO UNVERIFIED FABRIC CONTACT

04 AFTER REMOVAL: STEP-FREE PATH + RAIN GARDEN + STAFFED INTERPRETATION PORCH

NTS · FIELD WIDTH / RIGHTS / ENGINEERING PENDING

BLOCK CIVIC CROSS-TIE98.1 m · JZ-03

BLOCK CIVIC CROSS-TIE



98.1 m · 9.6 m TARGET · NTS

PUBLIC MAP · NON-SURVEY



AI CONCEPT ATMOSPHERE · NOT A SITE PHOTO

A—A CONDITIONAL TARGET SECTION | FIELD WIDTH PENDING



TOTAL DESIGN ENVELOPE 9.6 m · CONDITIONAL / NTS

01 BLOCK EDGE: DISPLAY MUST NOT DISPLACE THE ORDINARY LANE OR DAILY GROUND FLOOR

02 SELECT DISTRIBUTED GROUND FLOORS: SOURCE-RIGHTS-WITHDRAWAL ALONG DAILY MOVEMENT


03 RAIL-MEMORY SEAM SETS THRESHOLD DIRECTION AND PAIRS OUTPUT WITH PUBLIC CONTRIBUTION

04 AFTER REMOVAL: STEP-FREE LANE + NON-AI ARCADE + STAFFED RIGHTS DESK

NTS · FIELD WIDTH / RIGHTS / ENGINEERING PENDING

STATION-CITY CIVIC CROSS-TIE98.6 m · JZ-04

STATION-CITY CIVIC CROSS-TIE




98.6 m · 8.4 m TARGET · NTS

PUBLIC MAP · NON-SURVEY



AI CONCEPT ATMOSPHERE · NOT A SITE PHOTO

A—A CONDITIONAL TARGET SECTION | FIELD WIDTH PENDING



TOTAL DESIGN ENVELOPE 8.4 m · CONDITIONAL / NTS

01 STATION EDGE: LINE 13, N3R AND RENEWAL RELATION STILL REQUIRE FORMAL RECONCILIATION

02 SELECT ORDINARY GROUND SERVICE FIRST; DO NOT PRESELECT BRIDGE, TUNNEL OR EXIT ALIGNMENT

03 RAIL-MEMORY SEAM SETS FOYER DIRECTION ONLY; EXACT HERITAGE / ENGINEERING GIS STAYS NULL

04 AFTER REMOVAL: PHONE-FREE STEP-FREE GROUND ROUTE + TWO STAFFED DESKS

NTS · FIELD WIDTH / RIGHTS / ENGINEERING PENDING


CONCEPT URBAN DESIGN · PROVISIONAL BOUNDARY · NOT ENGINEERING / APPROVAL · VERIFY WITH FIELD + OFFICIAL DATA

TANGCHENG × CODEX · v3.5 · 2026-08-17

Jing-Zhang physical-heritage atlas: 2 statutory anchors, 3 fabric classes, 5 no-intrusion gates

CORRIDOR RELATION IS LEGIBLE; LEGAL POLYGONS AND ASSET COORDINATES REMAIN NULL

SOUTH → NORTH | RELATIONAL ATLAS · NTS



STATUTORY ANCHORS COME FROM PUBLIC TEXT RULES; HISTORIC FABRIC AND CONTEMPORARY INTERPRETATION NEVER AUTO-CONFLATE.

A STATUTORY TEXT

2 ANCHORS / 0 LEGAL POLYGONS

COORDINATES = NULL

B HISTORIC FABRIC

MAIN LINE / STATION / RAIL / SWITCH / LOCO / TURNTABLE

COORDINATES = NULL

C INTERPRETATION

RING / SLEEPER GARDEN / TANK / WHISTLE

COORDINATES = NULL

D DESIGN ACTION

REVERSIBLE SOURCE MARK + NO-INTRUSION TIE

NOT AUTHORIZED

FIVE ZERO-INTRUSION GATES

INVENTORY

NO INTERVENTION UNTIL CLOSED

COORDINATE QUALITY

NO INTERVENTION UNTIL CLOSED

COLLISION / CLEARANCE

NO INTERVENTION UNTIL CLOSED

HERITAGE SIGN-OFF

NO INTERVENTION UNTIL CLOSED

EXPIRY / RESTORE

NO INTERVENTION UNTIL CLOSED

UNTIL OFFICIAL ATTACHMENTS / CONTROL POINTS ENTER RECALCULABLE GIS, THIS PROPOSAL DOES NOT GUESS LEGAL OR ASSET LOCATIONS.

RIVER–PARK CIVIC CROSS-TIE: same-coordinate plan, target section and post-failure ordinary city

CONDITIONAL URBAN DESIGN; NOT FIELD, RIGHTS, FIRE, HERITAGE OR ENGINEERING APPROVAL



84.6 m

RIVER EDGE: PUBLIC MOVEMENT MUST STAY SEPARATE FROM TEST LOGISTICS

DESKTOP CONDITIONAL PICK

SELECT TIME-SHARING: KEEP THE GARDEN ROUTE; MOVE PLUG-INS TO A SIDE-BAND

HERITAGE → SPACE


RAIL-MEMORY SEAM = REVERSIBLE PAVING + SOURCE MARK; NO UNVERIFIED FABRIC CONTACT

A—A CONDITIONAL TARGET SECTION | FIELD WIDTH PENDING



BLOCK CIVIC CROSS-TIE: same-coordinate plan, target section and post-failure ordinary city

CONDITIONAL URBAN DESIGN; NOT FIELD, RIGHTS, FIRE, HERITAGE OR ENGINEERING APPROVAL



98.1 m

BLOCK EDGE: DISPLAY MUST NOT DISPLACE THE ORDINARY LANE OR DAILY GROUND FLOOR


DESKTOP CONDITIONAL PICK

SELECT DISTRIBUTED GROUND FLOORS: SOURCE-RIGHTS-WITHDRAWAL ALONG DAILY MOVEMENT

HERITAGE → SPACE


RAIL-MEMORY SEAM SETS THRESHOLD DIRECTION AND PAIRS OUTPUT WITH PUBLIC CONTRIBUTION

A—A CONDITIONAL TARGET SECTION | FIELD WIDTH PENDING



STATION–CITY CIVIC CROSS-TIE: same-coordinate plan, target section and post-failure ordinary city

CONDITIONAL URBAN DESIGN; NOT FIELD, RIGHTS, FIRE, HERITAGE OR ENGINEERING APPROVAL



98.6 m

STATION EDGE: LINE 13, N3R AND RENEWAL RELATION STILL REQUIRE FORMAL RECONCILIATION


DESKTOP CONDITIONAL PICK

SELECT ORDINARY GROUND SERVICE FIRST: DO NOT PRESELECT BRIDGE, TUNNEL OR EXIT ALIGNMENT

HERITAGE → SPACE





RAIL-MEMORY SEAM SETS FOYER DIRECTION ONLY; EXACT HERITAGE / ENGINEERING GIS STAYS NULL

A—A CONDITIONAL TARGET SECTION | FIELD WIDTH PENDING



Fishbone mobility becomes a walkable cross-section: ordinary, memory and plug-in lines stay separate

BUILT MOBILITY SETS CURRENT STATE; THREE NEAR-HUNDRED-METRE CROSS-TIES ARE CONDITIONAL LINKS, NOT AS-BUILT WORKS



AI compares three spatial options; the design team turns one desktop preference into width, section and expiry restoration

THE JURY READS THREE ROWS: SITE CONFLICT → REJECTION REASON → REVERSIBLE SPATIAL OUTPUT; PROFESSIONAL + PUBLIC REVIEW REMAINS PENDING



JZ-02 · 84.6 m

3 OPTIONS → 1 DESKTOP CONDITIONAL PICK

A EXCLUDE / REJECT

B CONDITIONAL PICK

C RESERVE / REJECT

SELECT TIME-SHARING: KEEP THE GARDEN ROUTE; MOVE PLUG-INS TO A SIDE-BAND

SPATIAL OUTPUT

3.0m

ORDINARY CLEAR

0.6m

MEMORY SEAM


2.4m

AI SIDE-BAND

8.4m

TOTAL TARGET

COLLISION 0 (DESKTOP BBOX) · FIELD PERFORMANCE NULL · DEPLOYMENT NOT AUTHORIZED



JZ-03 · 98.1 m

3 OPTIONS → 1 DESKTOP CONDITIONAL PICK

A EXCLUDE / REJECT

B CONDITIONAL PICK

C RESERVE / REJECT

SELECT DISTRIBUTED GROUND FLOORS: SOURCE-RIGHTS-WITHDRAWAL ALONG DAILY MOVEMENT

SPATIAL OUTPUT

3.0m

ORDINARY CLEAR

0.6m

MEMORY SEAM


2.4m

AI SIDE-BAND

9.6m

TOTAL TARGET

COLLISION 0 (DESKTOP BBOX) · FIELD PERFORMANCE NULL · DEPLOYMENT NOT AUTHORIZED



JZ-04 · 98.6 m

3 OPTIONS → 1 DESKTOP CONDITIONAL PICK

A EXCLUDE / REJECT

C CONDITIONAL PICK

B RESERVE / REJECT

SELECT ORDINARY GROUND SERVICE FIRST: DO NOT PRESELECT BRIDGE, TUNNEL OR EXIT ALIGNMENT

SPATIAL OUTPUT

3.0m

ORDINARY CLEAR

0.6m

MEMORY SEAM

2.4m

AI SIDE-BAND

8.4m

TOTAL TARGET

COLLISION 0 (DESKTOP BBOX) · FIELD PERFORMANCE NULL · DEPLOYMENT NOT AUTHORIZED

0—30

FIELD ROUTE / WIDTH / RIGHTS · AI OFF

31—60

OFFLINE BUILD + STOP / RESTORE DRILL

61—90

SIGN → EXPIRING PILOT

AI NEVER APPROVES, RENEWS OR REPLACES PROFESSIONAL / AFFECTED-PUBLIC DECISION.