




Overall Concept: One Innovation Spine - Three Epoch Stations - Two Wings - N Scenario Nodes

CONCEPT • PROVISIONAL

A single innovation spine along the Jing-Zhang Heritage Park vitality belt links three epoch stations - Zhongzhiyuan, AI Origin Community and Dazhongsi - and extends to the Zhongguancun service wing and the Xiaoyue River scenario

Overall spatial structure (provisional boundary, conceptual only)



Note: the site boundary and key areas are provisional rough boundaries (rectangles are placeholders only, not road or plot redlines), for conceptual display and design discussion only; they must not be used as official redlines (EPSG:4326) or precise area basis. Created as official redlines (EPSG:4326) for precise area basis and ratios follow metrics.json.

Core Design Language

- Three epoch stations (key detailed design areas)
- Jing-Zhang Heritage Park vitality belt (innovation spine)
- R&D spaces (full-stack independent innovation)
- Education / incubation spaces (university-campus linkage)
- Commercial services and smart consumption spaces
- Parks, green space and blue-green network
- Residential and talent communities
- Culture, exhibition and open-source publishing spaces
- Public service facilities

Spatial Organization Logic

- Spine: the heritage park vitality belt is the public backbone of innovators, scenarios and culture
- Epoch stations: the three key areas form innovation stops on a 1909-2026-future timeline
- Wings: the Zhongguancun service wing + Xiaoyue River scenario wing form the factor-scenario loop
- Nodes: AI scenario cards land in operable spaces

Design Notes

The ren-line innovation spine links the three epoch stations; the two turnout wings and block sections B1-B5 form the overall framework; brand assets are shown by the logo (top right) and brand-board.

Evidence Links

- proposal.md corresponding sections
- geometry/"geometry".geojson
- metrics.json
- compliance_matrix
- standard_matrix
- design_depth_matrix
- sources/assumptions
- report/copyright_statement.md
- self_check.json


Provisional boundary
Conceptual display only

Land Use: functions arranged along the innovation spine, blue-green network runs north-south

CONCEPT • PROVISIONAL

Land parcels are seamlessly divided within the submission boundary (no gaps, no overlaps), expressing an R&D-education-commerce-residential-blue-green gradient with three-area two-wing coordinating along Jing-Zhang Epoch Rail

Land-use structure and transmission (provisional boundary, conceptual only)



Note: land use here is a conceptual functional zoning, not statutory control-plan land; statutory categories, ownership and development intensity need professional teams to deepen with official data. The provisional boundary is not an official redline or precise-area basis.

Land-use Legend (subset of national spatial classification)

- R&D / Scientific Research Land 0802
- Cultural Land 0803
- Educational Land 0804
- Sports Land 0805
- Health / Medical 0806
- Commercial Services 05
- Residential Land 0701
- Community Facilities 0702
- Park / Green Space 1401
- Plaza Land 1403

Zoning Principles

- North (Zhongzhiyuan): R&D / culture / waterfront green
- Middle (Origin): mixed education-research-residential
- South (Dazhongsi): stronger commercial services and plazas
- Central axis: park green kept as the heritage park skeleton
- All areas are recomputable from land_use.geojson

Design Notes

Seamless zoning of the ren-line corridor, station platforms, turnout wings and functional districts; preserve-renovate-renew-reserve strategy with the JZ-01 to JZ-12 project list (see booklet).

Evidence Links

- proposal.md corresponding sections
- geometry/"*.geojson
- metrics.json
- compliance_matrix
- standard_matrix
- design_depth_matrix
- sources/assumptions
- report/copyright_statement.md
- self_check.json

Provisional boundary
Conceptual display only


Transport x Slow Mobility x Blue-Green Space: a composite network supports innovation exchange

Rail stations and slow-traffic spines permeate public space; the heritage park vitality belt, Qinghe and Xiaoyue River green corridors form a continuous blue-green skeleton.

CONCEPT • PROVISIONAL

Jing-Zhang Epoch Rail

Transport - slow mobility - blue-green composite system (provisional boundary)



Note: roads are conceptual centerlines, not road redlines; station locations are schematic from public data; blue-green and slow-mobility systems need official survey and engineering data.

System Elements

- Green and open space (incl. heritage park belt)
- Public space / plaza nodes
- Road centerlines (conceptual)
- Heritage park slow-traffic spine (greenway)
- Rail stations (existing-line connection, schematic)
- Key area extents (provisional)

Design Judgment

- North-south greenway links the three epoch stations
- Rail stations act as 300-500m public-space anchors
- Xiaoyue River green corridor hosts the scenario wing
- Road and slow-mobility layers are separately recomputable
- Gaps and redlines await official data

Base map: package GeoJSON (EPSG:4326) | Area recomputation: EPSG:4548

Design Notes

Rail station integration, ren-line greenway, two-wing branches and a conceptual road network; municipal and new infrastructure are conceptual directions pending engineering data.

Evidence Links

- proposal.md corresponding sections
- geometry/*.geojson
- metrics.json
- compliance_matrix
- standard_matrix
- design_depth_matrix
- sources/assumptions
- report/copyright_statement.md
- self_check.json

Provisional boundary
Conceptual display only



AI 朝圣地标、荣誉展示体系与公共空间组件库

3+ 地标全部为概念建议并注明清权要求；荣誉体系按里程碑-季度-日常三级组织；组件库支持公共空间统一语法。

CONCEPT • PROVISIONAL

京张纪元轨道 · Jing-Zhang Epoch Rail

朝圣地标目录（概念）

● 原点钟 · 清华园旧址

位置：人字线交点

1909 起点纪念装置，兼作报时与数字内容节点；需文保与审批确认

● 开源贡献荣誉墙

位置：原点站房核心

沿遗址公园展示开发者/智能体贡献；铭牌与内容采用清权字体与工艺

● 智能体里程碑广场

位置：大钟寺站前广场

年度AI里程碑记录与钟文化呼应；信息屏内容需人工审核

● 开发者散步道

位置：人字线绿道

将闭塞区间转译为慢行里程标与代码碑；铺装/标识原创设计

公共空间组件库（6件）

■ 站台座椅

■ 信号灯杆

■ 轨枕铺装

■ 时刻表信息屏

■ 道岔标识

■ 遮阳与雨棚

组件采用「双轨-道岔-信号」统一语法，原创设计；

字体、图标、信息屏内容均需清权或自绘。

荣誉展示体系（三级）

L3 年度里程碑

每年入选「纪元节」主墙，永久铭刻

L2 季度贡献之星

开发者社区季度评选，荣誉墙展示一季度

L1 日常徽章

代码贡献/场景反馈积分兑换数字徽章

注：地标为概念建议，建设须经文保、规划、消防与公众参与程序；荣誉与组件均不构成已批准建设。

底图：提交包 GeoJSON (EPSG:4326) | 面积复算：EPSG:4548

Design Notes

Blue-green network, six public-space node types, four pilgrimage landmarks, a three-level honor system and a six-piece component library.

Evidence Links

· proposal.md corresponding sections

· geometry/"geojson

· metrics.json

· compliance_matrix

· standard_matrix

· design_depth_matrix

· sources/assumptions

· report/copyright_statement.md

· self_check.json


Provisional boundary.
Conceptual display only



Three Key Areas: an epoch narrative from Acceleration to Origin to Application

Along the heritage park from north to south, the three areas form a complete innovation chain - full-stack R&D, talent incubation, scenario consumption

Key area locations and relations (provisional boundary)



Note: the three key areas use provisional rough polygons; exact extents and areas follow official documents. Detailed design is a conceptual proposal for professional teams to develop.

Base map: package GeoJSON (EPSG:4326) | Area recomputation: EPSG:4548

Zhongzhiyuan AI Independent Innovation Acceleration Area

Full-stack R&D - Standards Governance - Qinghe Frontage

- AI full-stack independent innovation & safety governance showcase
- Qinghe waterfront low-carbon innovation corridor
- External transport and industry showcase gateway

Beijing AI Origin Community

Campus-adjacent incubation - Open-source - Talent community

- University-campus slow-traffic stitching and tech-transfer street
- Open-source publishing hall and contribution honor wall
- Talent apartments and community services

Dazhongsi AI Industry Cluster

Intelligent economy - Scenario consumption - International roadshows

- Dazhongsi station forecourt integration
- Agent and smart-terminal showcase living room
- Data-factor and international roadshow services

Design Notes

Zhongzhiyuan (Computing Epoch Station), AI Origin Community (Origin Epoch Station), Dazhongsi (Application Epoch Station); a three-part design of station forecourt - station-house core - platform greening.

Evidence Links

· proposal.md corresponding sections

· geometry/*.geojson

· metrics.json

· compliance_matrix

· standard_matrix

· design_depth_matrix

· sources/assumptions

· report/copyright_statement.md

· self_check.json

Provisional boundary
Conceptual display only

AI 场景—空间—数据—模型—运营—复核—KPI 矩阵 (10+3)

每个场景卡均声明空间载体、数据与隐私边界、模型/智能体、运营主体、人工复核与KPI，落位到具体节点。

CONCEPT • PROVISIONAL
京张纪元轨道 · Jing-Zhang Epoch Rail

01 开源发布厅	原点站房核心	聚合统计，不采集轨迹	贡献图谱+推荐	社区运营方	发布审核	年发布数/贡献者
02 安全治理沙盘	众智园站房	授权测试数据	红队评测+评估器	测试运营+监管	结果双签	测试批次/风险项
03 端侧算力驿站	沿线节点	授权算力，不共享隐私	边缘推理调度	能源/算力运营商	配额审批	接入数/时延
04 AI慢行导航	人字线绿道	低侵入传感	路径规划+拥挤预测	公共空间运营	断点复核	慢行分担率
05 国际路演客厅	大钟寺站房	企业案例清权	匹配推荐	会展运营	内容审核	路演场次/签约
06 清河低碳创新廊	众智园站台绿化	公开能耗数据	能耗预测	园区运营	月度审计	减碳量/复用率
07 近校成果转化街	原点站台西侧	校园数据授权	成果匹配	转化服务联盟	法务审核	转化项目数
08 数据要素会客厅	大钟寺站台	合规授权+审计	流通沙盘	数据交易所	合规审查	挂牌数/成交
09 AI生活服务样板街	社区节点	医疗/教育建议留痕	多智能体服务	服务商+社区	专家复核点	满意度/复核率
10 全球AI活动周路线	一带公共空间	活动聚合数据	动线调度	活动组委会	安全复核	参与人次/传播
T1 模型红队测试场	众智园测试区	授权数据集	红队智能体	测试实验室	人工评审	漏洞闭环率
T2 边缘智能验证节点	端侧驿站群	模拟+授权数据	边缘智能体	验证平台	结果公证	场景通过数
T3 智能体互操作走廊	小月河罩	模拟环境	多智能体协议	开放测试床	安全审查	互操作用例

T1-T3 为 AI 产业测试验证场景（概念建议）：数据授权、安全评估与主管部门批准后方可试点，不表述为已批准运营。

Design Notes

13 scenario cards (10+3) with a scenario-space-data-model-operation-review-KPI matrix annual activity calendar, governance structure and attraction funnel are in the booklet and operations-calendar.

Evidence Links

· proposal.md corresponding sections

· geometry/"-geojson

· metrics.json

· compliance_matrix

· standard_matrix

· design_depth_matrix

· sources/assumptions

· report/copyright_statement.md

· self_check.json

Provisional boundary.
Conceptual display only



Metrics and Evidence Chain: every number traces back to a layer and a formula

Areas and ratios are recomputed from package GeoJSON under EPSG:4548; missing official control metrics are listed as pending and no precise values are fabricated.

CONCEPT • PROVISIONAL

Jing-Zhang Epoch Rail

Overall design area

11,412,825.386 sqm

status=known · medium

Green ratio (conceptual)

0.308 ratio

status=known · medium

Pub

0.0

statu

Evidence Chain Coverage

Official announcement tasks 1.3/1.4/1.5 23/23 covered

Agent tasks agent.1-6 6/6 covered

Mandatory professional standards All addressed

Design depth items 15/15 complete

Nur

Core GeoJSON layers 9/9 referenced

Known metrics All referenced

3

Self-check status see self_check.json

statu

Area Recalculation Methods (EPSG:4548)

site_area_sqm = polygon_area(site_boundary) → 11,412,825 sqm

green_ratio = green_space_area / site_area -> recomputed from green_space.geojson

public_space = sum(public_space polygons) -> recomputed from public_space.geojson

building_foot = sum(building footprints) -> recomputed from buildings.geojson

road_area = sum(buffer(road_centerline) x site) -> conceptual redline-width estimate

FAR / building density / total scale = unknown -> requires official control-plan conditions

Note: all areas and ratios come from EPSG:4548 recomputation of the package geometry/*_geojson, consistent with metrics.json; values under the provisional boundary are conceptual only and must be recalculated once official (EPSG:4548) released

Design Notes

All areas and ratios are recomputed from GeoJSON under EPSG:4548 and marked provisional_pending_recalculation; full coverage of the 23 announcement tasks and agent.1-6.

Evidence Links

· proposal.md corresponding sections

· geometry/*_geojson

· metrics.json

· compliance_matrix

· standard_matrix

· design_depth_matrix

· sources/assumptions

· report/copyright_statement.md

· self_check.json

Provisional boundary
Conceptual display only