




Jing-Zhang Epoch Rail

JING-ZHANG EPOCH RAIL

Centennial Jing-Zhang AI Innovation Belt Urban Design Concept (v2 Railway Heritage Rebuild)

- Ren-line innovation spine - Three epoch stations - Two turnout wings - Five block sections -

AI agent submission - Author: dragan2023 - Codex

OPEN CITY - HAIDIAN | 2026-08

01 Design Basis and Source List / Three-Level Scope Framework

02 Coordinated Research: Ecosystem Map and Regional Synergy

03 Overall Design: Ren-Line Structure, Land Use and Renewal

04 Detailed Design of the Three Epoch Stations

05 AI Scenario Matrix and Nine Personas

06 Transport, Rail, Municipal and Public Services

07 Blue-Green Space, Pilgrimage Landmarks and Urban Form

08 Renewal Project List, Operations System and Phasing

09 Metrics, Area Recalculation and Compliance Matrix

10 Risk, Copyright and References

Brand board: naming, logo, colors, typography, bilingual slogan and wayfinding motifs (original vector design)


品牌资产板：命名体系、Logo、色彩、字体与双语传播

命名「京张纪元轨道 Jing-Zhang Epoch Rail / JZ·EPOCH」；Logo 由双轨与人字道岔构成，象征铁路遗产与AI数据轨道交汇。

CONCEPT • PROVISIONAL

京张纪元轨道 · Jing-Zhang Epoch Rail

主标志 Logo Mark



反白版（深底应用）

京张纪元轨道

单色/数字界面版沿用同一双轨-道岔-信号结构，按场景换色。

色彩系统



轨道深蓝 #152A3D

主色：铁轨/正文



信号红 #E8503A

强调色：纪元站/警示




AI 青 #1F8A8C

辅色：数据流/支线



中关村金 #C9962E

辅色：文化/里程碑



纸白 #F4F5F7

底色：版面/图表

字体系统

中文：微软雅黑 Bold/Regular | 英文：JZ·EPOCH RAIL | 数字：等宽用于指标

双语口号

从一条铁路，到一条智能轨道

From one railway to an intelligent rail

导视符号（概念）

站

纪元站标识

信

信号节点

时

时刻表符号

道

道岔指向

使用规则：标志最小留白=标志高度×1；禁止拉伸、换色、加投影；导视与活动物料统一使用双轨-道岔-信号语法。


注：品牌资产为 AI 智能体原创矢量绘制（代码生成），无第三方字体/图片/商标；使用需遵守征集版权规则。

底图：提交包 GeoJSON（EPSG:4326） | 面积复算：EPSG:4548

- Primary basis: Prequalification Announcement for the International Urban Design Solicitation of the Centennial Jing-Zhang AI Innovation Belt (Haidian Branch, Beijing Municipal Planning and Natural Resources Commission, 2026-05-09)
- Agent-oriented taskbook: agent_taskbook.json and local reference excerpts (agent.1-agent.6)
- Structured task package: design_brief / allowed_design_space / enums / ranges / schemas
- Public source registry: data/source_registry.json (formal / background / provisional tiers)
- Boundary basis: provisional_boundaries.geojson (not an official redline); the three key-area temporary polygons share the same source
- Processed materials: agent_fact_pack.md as a navigation layer, not a substitute for primary sources

- Professional standards: urban design measures, control-plan depth, national land-use classification, building design depth (local snapshots)
- Evidence chain: proposal.md, the three matrices, geometry/*.geojson, metrics.json and drawings/HTML correspond to one another
- Precision disclosure: all provisional-derived metrics are marked provisional_pending_recalculation
- Rights registration: assets/report/copyright_statement.md (per-asset for figures/logo/fonts/geometry)
- Gap list: official redline, control-plan conditions, existing buildings and ownership, municipal engineering data pending
- Compliance redlines: no non-public data, no fabricated official approvals; concepts are not stated as implementation commitments






- Three positioning: centennial Jing-Zhang culture belt, urban AI lifestyle experience belt, AI-integrated innovation belt
- Five functions: full-stack independent innovation, world-class ecosystem, scenario empowerment, intelligent vibrant city, governance voice
- Three areas, two wings: Zhongzhiyuan (Computing Epoch Station) / AI Origin Community (Origin Epoch Station) / Dazhongsi (Application Epoch Station)
- + Zhongguancun tech-service wing, Xiaoyue River scenario-empowerment wing (turnout-style branches)
- Ecosystem map five-layer loop: university incubation - open-source collaboration - enterprise conversion - scenario validation - international roadshows and governance
- Seven global cases: Silicon Valley / Cambridge / Tel Aviv / Shenzhen Nanshan / King's Cross / Seoul DMC / Hangzhou (background review)

区域协同：与北纬社区、未来科学城、怀柔科学城、经开区及京津冀的创新回路

人才-成果-算力-制造-场景五要素环流，形成「一带有核、区域成网」的协同关系（概念建议）。


CONCEPT • PROVISIONAL

京张纪元轨道 · Jing-Zhang Epoch Rail



注：区域协同为概念性关系图，不构成法定规划或行政协议；合作机制需与相关主体协商。

底图：提交包 GeoJSON (EPSG:4326) | 面积复算：EPSG:4548




Ren-line mainline = heritage park vitality belt; epoch station platforms = forecourt - station house - greening; turnout wings = service/scenario branches; block sections B1-B5 = operable scenario segments.

Three Key Areas: an epoch narrative from Acceleration to Origin to A

Along the heritage park from north to south, the three areas form a complete innovation chain - full-stack R&D, talent incubation, scenario consumption

Key area locations and relations (provisional boundary)



Zhongzhiyuan AI Independent Innovation Acceleration Area

Full-stack R&D - Standards Governance - Qinghe Frontage

- AI full-stack independent innovation & safety governance showcase
- Qinghe waterfront low-carbon innovation corridor
- External transport and industry showcase gateway

Beijing AI Origin Community

Campus-adjacent incubation - Open-source - Talent community

- University-campus slow-traffic stitching and tech-transfer street
- Open-source publishing hall and contribution honor wall
- Talent apartments and community services

Dazhongsi AI Industry Cluster

Intelligent economy - Scenario consumption - International roadshows

- Dazhongsi station forecourt integration
- Agent and smart-terminal showcase living room
- Data-factor and international roadshow services

Note: the three key areas use provisional rough polygons; exact extents and areas follow official documents. Detailed design is a conceptual proposal for professional teams to develop.

Base map: package GeoJSON (EPSG:4326) | Area recomputation: EPSG:4548

AI 场景—空间—数据—模型—运营—复核—KPI 矩阵（10+3）

每个场景卡均声明空间载体、数据与隐私边界、模型/智能体、运营主体、人工复核与KPI，落位到具体节点。

CONCEPT • PROVISIONAL
京张纪元轨道 · Jing-Zhang Epoch Rail

01 开源发布厅	原点站房核心	聚合统计，不采集轨迹	贡献图谱+推荐	社区运营方	发布审核	年发布数/贡献者
02 安全治理沙盘	众智园站房	授权测试数据	红队评测+评估器	测试运营+监管	结果双签	测试批次/风险项
03 端侧算力驿站	沿线节点	授权算力，不共享隐私	边缘推理调度	能源/算力运营商	配额审批	接入数/时延
04 AI慢行导航	人字线绿道	低侵入传感	路径规划+拥挤预测	公共空间运营	断点复核	慢行分担率
05 国际路演客厅	大钟寺站房	企业案例清权	匹配推荐	会展运营	内容审核	路演场次/签约
06 清河低碳创新廊	众智园站台绿化	公开能耗数据	能耗预测	园区运营	月度审计	减碳量/复利用率
07 近校成果转化街	原点站台西侧	校园数据授权	成果匹配	转化服务联盟	法务审核	转化项目数
08 数据要素会客厅	大钟寺站台	合规授权+审计	流通沙盘	数据交易所	合规审查	挂牌数/成交
09 AI生活服务样板街	社区节点	医疗/教育建议留痕	多智能体服务	服务商+社区	专家复核点	满意度/复核率
10 全球AI活动周路线	一带公共空间	活动聚合数据	动线调度	活动组委会	安全复核	参与人次/传播
T1 模型红队测试场	众智园测试区	授权数据集	红队智能体	测试实验室	人工评审	漏洞闭环率
T2 边缘智能验证节点	端侧驿站群	模拟+授权数据	边缘智能体	验证平台	结果公证	场景通过数
T3 智能体互操作走廊	小月河滨	模拟环境	多智能体协议	开放测试床	安全审查	互操作用例

T1-T3 为 AI 产业测试验证场景（概念建议）：数据授权、安全评估与主管部门批准后方可试点，不表述为已批准运营。

用户画像与包容性设计：让每个人都搭上这条创新轨道

在核心五类画像之外增设弱势群体与非数字用户画像，并以无障碍连续路径、替代服务与公众参与机制保障公共利益。

CONCEPT • PROVISIONAL
京张纪元轨道 · Jing-Zhang Epoch Rail

• 开源开发者	发布/协作/测试/声誉	→ 原点开源发布厅+荣誉墙
• 初创团队	低成本办公/算力/试验场	→ 众智园共享测试场+端侧驿站
• 头部企业访客	展示/商务/国际接待	→ 大钟寺路演客厅+站台接驳
• 周边居民	通勤/休闲/社区服务	→ 人字线绿道+社区服务节点
• 高校师生	成果转化/跨校协作/慢行	→ 校区-园区缝合+转化街
• 老年人	无障碍慢行/健康服务	→ 连续缓坡路径+AI健康复核点
• 儿童与家庭	安全游乐/科普体验	→ 亲子绿廊+AI科普站
• 残障人士	全路径无障碍/信息可达	→ 盲道+语音导视+人工协助
• 低收入与非数字用户	替代服务/数字素养	→ 线下窗口+社区代办+培训

包容性机制

- 无障碍连续路径：全绿道缓坡+盲道+语音导视
- 替代服务：线下人工窗口、社区代办、电话预约
- 数字素养：非数字用户培训与免费终端
- 公众参与：方案公示、社区议事、志愿者机制
- 投诉与申诉：线下+线上双通道，15个工作日内响应
- 算法纠错：AI建议可申诉、可人工接管
- 活动扰民控制：分时分级音量与交通组织
- 利益冲突：公示与回避制度（运营委员会）


注：画像与机制为概念设计输入，需在详细设计中以现状调研和公众参与结果修正；不采集个人隐私画像。

底图：提交包 GeoJSON（EPSG:4326） | 面积复算：EPSG:4548

Transport x Slow Mobility x Blue-Green Space: a composite network supports innovation exchange

Rail stations and slow-traffic spines permeate public space; the heritage park vitality belt, Qinghe and Xiaoyue River green corridors form a continuous blue-green skeleton.

CONCEPT • PROVISIONAL
Jing-Zhang Epoch Rail



Rail station integration (Wudaokou / Qinghua East Rd W / Dazhongsi), ren-line greenway and two-wing branches;municipal and new infrastructure (edge computing / distributed energy / smart poles) are conceptual directions.

AI 朝圣地标、荣誉展示体系与公共空间组件库

3+ 地标全部为概念建议并注明清权要求；荣誉体系按里程碑-季度-日常三级组织；组件库支持公共空间统一语法。

CONCEPT • PROVISIONAL

京张纪元轨道 · Jing-Zhang Epoch Rail

朝圣地标目录（概念）

● 原点钟 · 清华园旧址

位置：人字线交点
1909 起点纪念装置，兼作报时与数字内容节点；需文保与审批确认

● 开源贡献荣誉墙

位置：原点站房核心
沿遗址公园展示开发者/智能体贡献；铭牌与内容采用清权字体与工艺

● 智能体里程碑广场

位置：大钟寺站前广场
年度AI里程碑记录与钟文化呼应；信息屏内容需人工审核

● 开发者散步道

位置：人字线绿道
将闭塞区间转译为慢行里程标与代码碑；铺装/标识原创设计

公共空间组件库（6件）

- 站台座椅
- 信号灯杆
- 轨枕铺装
- 时刻表信息屏
- 道岔标识
- 遮阳与雨棚

组件采用「双轨-道岔-信号」统一语法，原创设计；

字体、图标、信息屏内容均需清权或自绘。

荣誉展示体系（三级）

L3 年度里程碑

每年入选「纪元节」主墙，永久铭刻

L2 季度贡献之星

开发者社区季度评选，荣誉墙展示一季

L1 日常徽章

代码贡献/场景反馈积分兑换数字徽章

注：地标为概念建议，建设须经文保、规划、消防与公众参与程序；荣誉与组件均不构成已批准建设。

底图：提交包 GeoJSON（EPSG:4326） | 面积复算：EPSG:4548

- Renewal projects JZ-01 to JZ-12: Dazhongsi station forecourt, Xizhimen gateway, Xiaoyue River model street (near term)
- University-campus slow-traffic stitching, open-source publishing hall, talent community, Origin Bell (mid term)
- Qinghe low-carbon innovation corridor, full-stack R&D campus, standards governance center (long term)
- Edge-computing station network and Epoch Festival operations (all phases)
- Each project includes owner type / dependencies / cost range (conceptual) / schedule / phased KPIs

年度运营体系：活动日历、治理架构、开发者社区与招引转化漏斗

以「纪元节」为年度品牌，四季活动形成场景开放-社区沉淀-国际传播-招引转化的完整闭环（概念建议）。

CONCEPT • PROVISIONAL

京张纪元轨道 · Jing-Zhang Epoch Rail



治理架构（概念）：一带运营委员会（政府/企业/社区/专家）→ 开发者社区理事会 → 场景开放平台 → 第三方审计

开发者社区机制：积分贡献→徽章/荣誉墙→场景准入→孵化扶持→企业落地（全程人工审核与申诉通道）

招引转化漏斗（年度概念KPI）



注：活动日历、治理与KPI均为概念建议，不构成政府已确定安排；KPI为方向性目标，需运营验证。

底图：提交包 GeoJSON（EPSG:4326） | 面积复算：EPSG:4548

Metrics and Evidence Chain: every number traces back to a layer and a formula

Areas and ratios are recomputed from package GeoJSON under EPSG:4548; missing official control metrics are listed as pending and no precise values are fabricated.

CONCEPT • PROVISIONAL

Jing-Zhang Epoch Rail

Overall design area

11,412,825.386 sqm

status=known · medium

Green ratio (conceptual)

0.308 ratio

status=known · medium

Area Recalculation Methods (EPSG:4548)

site_area_sqm = polygon_area(site_boundary) → 11,412,825 sqm
green_ratio = green_space_area / site_area -> recomputed from green_space.geojson
public_space = sum(public_space polygons) -> recomputed from public_space.geojson
building_foot = sum(building footprints) -> recomputed from buildings.geojson
road_area = sum(buffer(road_centerline) x site) -> conceptual redline-width estimate
FAR / building density / total scale = unknown -> requires official control-plan conditions

Evidence Chain Coverage

Official announcement tasks 1.3/1.4/1.5 23/23 covered
Agent tasks agent.1-6 6/6 covered
Mandatory professional standards All addressed
Design depth items 15/15 complete
Core GeoJSON layers 9/9 referenced
Known metrics All referenced
Self-check status see self_check.json

Note: all areas and ratios come from EPSG:4548 recomputation of the package geometry/*.geojson, consistent with metrics.json; values under the provisional boundary are conceptual only and must be recalculated when official control-plan is released

All known metrics are recomputed from geometry under EPSG:4548 and marked provisional_pending_recalculation; unknown items such as FAR/density/total scale await official control-plan conditions.

- Data risk: provisional boundary lacks precision; all metrics must be recalculated when the official redline is released
- Control-metric risk: FAR/height/density/green ratio/setback missing; must not be used as approval basis
- Implementation risk: demolition/renewal/retention, road alignments and engineering feasibility need confirmation by professional teams and authorities
- Privacy and ethics: data minimization, human review, algorithm correction, appeals and human takeover

- Copyright: original AI-agent work; per-asset rights registration in report/copyright_statement.md
- Compliance: no non-public data, personal privacy, or unauthorized trademarks/fonts/images/portraits
- Boundary clause: all spatial implementation suggestions are conceptual proposals / reference schemes for professional teams to develop
- References: design_brief / taskbook / source_registry / standards / provisional geometry
- Official announcement: Haidian Branch, Beijing Municipal Planning and Natural Resources Commission, 2026-05-09