

JING-ZHANG TWO ANSWERS

Civic Adoption Receipt: the baseline stands first; AI must earn adoption.

CIVIC ADOPTION RECEIPT

SAME TASK · USER · SPACE · PUBLIC TEST

90-second jury route

Read the civic baseline, distinguish three spatial prototypes, then trace the human decision.

01

Baseline stands alone

02

Same task-user-space

03

Common metrics recorded

04

Human evidence review




05

Public decision & restore

ADOPT


REVISE

STOP



Public sources and precision boundary

Open context supports urban relationships, never survey, redline or performance claims.



DRAW THE RECEIPT INTO

one spine · three stations · two wings · six stitches · twelve n

- ☐ T1 · Open model and data provenance reproduction
- ☒ T2 · Controlled robot-pedestrian-accessi
- ☐ T3 · Edge compute energy, noise and offline degradation test
- ☐ S1 · Staffed enterprise service with optional AI triage
- ☒ S2 · International arrival and civic-service
- ☐ S3 · Open knowledge matching and community problem worksh
- ☐ S4 · Staffed Jing-Zhang heritage tour with optional AI narration
- ☐ S5 · Static accessible wayfinding with optional dynamic assistanc
- ☐ S6 · Shade, rest and extreme-weather service prompts
- ☒ S7 · Conventional transit interchange wit
- ☐ S8 · Staffed public-service desk with optional AI information guic
- ☐ S9 · Conventional event operations with aggregate flow assistanc

NOT FIELD-RUN · E1 CONCEPT DESIGN

OSM / ODbL

2026-08-13 snapshot; roads, rail, water, parks and available buildings are low-contrast context only.

Government public sources

Supports published facts and planning context; no unpublished boundary inference.


NOT FIELD-RUN

Outcomes, footfall, energy and satisfaction await field establishment.

Diagnosis: three conflicts, three spatial responses

Not dots on a map, but spatial resolutions to passage, service thresholds and mobility trials.

T2 · LOOP COURT




01

Trial vs passage

Controlled loop beside a complete public bypass.

S2 · POROUS HALL




02

Threshold vs everyday passage

Three step-free passages cross a staffed public hall.

S7 · TRANSIT FIELD




03

Transit vs trial space

Conventional transfer first; low-speed bay separate and timed.

Overall urban design plan

The continuous civic baseline leads; three hero scenarios become legible adoption nodes.



DRAW THE RECEIPT INTO THE CITY


one spine · three stations · two wings · six stitches · twelve nodes

- ☐ T1 · Open model and data provenance reproduction
- ☒ **T2 · Controlled robot-pedestrian-accessibility test**
- ☐ T3 · Edge compute energy, noise and offline degradation test
- ☐ S1 · Staffed enterprise service with optional AI triage
- ☒ **S2 · International arrival and civic-service navigation**
- ☐ S3 · Open knowledge matching and community problem workshop
- ☐ S4 · Staffed Jing-Zhang heritage tour with optional AI narration
- ☐ S5 · Static accessible wayfinding with optional dynamic assistance
- ☐ S6 · Shade, rest and extreme-weather service prompts
- ☒ **S7 · Conventional transit interchange with optional low-speed f**
- ☐ S8 · Staffed public-service desk with optional AI information guide
- ☐ S9 · Conventional event operations with aggregate flow assistance

NOT FIELD-RUN · E1 CONCEPT DESIGN

Civic spine, two wings and six stitches

Two east-west stitches reconnect each proof field to community, campus, industry and rail.



MOBILITY · BLUE-GREEN · BASEL

B01

continuous accessible route + crossings

B02

shade, seats, water + weather refuge

S4-S6

heritage, optional navigation, climate service

STITCH 01-06

concept east-west stitches, no road-line claim

PRIORITY ORDER

WALK → REST → CONNECT
OPT IN ONLY

When AI closes, disconnects or retires, the green route and ordinary service remain complete

B01-B03

Walking, accessibility, shade, signs and staffed service remain complete with AI off.

STITCH-01-06

Priority stitching directions, not proposed statutory road lines.


S4-S6

Culture stops, accessible navigation and climate rest form a continuous sequence.

Nine components and four-state lifecycle


Every component has spatial demand, separation, interfaces and a retirement destination.

B01 Continuous step-free path 3.0 m continuous clear route Separation · 0 m; this is the protected public route Retire · retain as permanent civic access OPEN → TRIAL → PAUSE → RETIRE	B02 Shade, seating and drinking water 1.8 x 3.6 m rest module Separation · outside the 3.0 m clear route Retire · retain as permanent climate refuge OPEN → TRIAL → PAUSE → RETIRE	B03 Static wayfinding and staffed service 2.4 x 4.8 m staffed interface Separation · directly visible from B01 Retire · retain staff desk and static signs OPEN → TRIAL → PAUSE → RETIRE
A01 Low-speed robot test bay 4.0 m controlled lane + 1.5 m buffers Separation · minimum 1.5 m from B01 Retire · remove vehicle, barriers and charging kit OPEN → TRIAL → PAUSE → RETIRE	A02 Edge-compute cabinet 1.2 x 2.4 m ventilated service bay Separation · minimum 3.0 m from seating and escape Retire · return cabinet to operator or certified recycler OPEN → TRIAL → PAUSE → RETIRE	A03 Optional service terminal 0.9 x 1.8 m optional interface Separation · outside B01 and beside staffed fallback Retire · remove terminal and reinstate clear frontage OPEN → TRIAL → PAUSE → RETIRE
E01 Live status and metric board 1.2 x 2.1 m public status face Separation · visible before opt-in point Retire · retain static evidence and closure notice OPEN → TRIAL → PAUSE → RETIRE	E02 Human takeover and emergency-stop desk 1.8 x 2.4 m staffed stop position Separation · direct sightline to the trial boundary Retire · retain emergency hardware where useful OPEN → TRIAL → PAUSE → RETIRE	E03 Feedback, appeal and exit notice 1.2 x 2.1 m notice and appeal face Separation · on baseline exit, never inside trial zone Retire · retain public record after equipment removal OPEN → TRIAL → PAUSE → RETIRE




Zhongzhiyuan: 1:2000 key-area concept plan

The public bypass closes continuously; the controlled loop never occupies the only route.




T2: 1:500 detail, 1:200 section and journey

Safety buffer, E-stop sightline, staff positions and removal route are visible together.



T2 · Controlled robot-pedestrian-accessibility test · 1:200

Prototype dimensions, not field measurements; the baseline route never crosses the AI trial boundary



T2

Controlled robot-pedestrian-accessibility test

1

Arrive by baseline

2

Complete baseline task

3

Opt into AI

4

Record common metrics

5

Human decision

6

Exit and restore

T2: operation, zero-tolerance stop and adoption receipt

Public bypass 24/7; robot trial proposed only 10:00–12:00 / 14:00–16:00, subject to site approval

T2 / SCN-002 Controlled robot–pedestrian–accessibility test

NOT FIELD-RUN · DECISION PENDING

BASELINE	A safety steward, physical separation, pedestrian-priority route and manual emergency stop support the test.
AI INCREMENT	An optional low-speed robot runs only inside a controlled window and records near misses and takeovers.
HUMAN OWNER	The site safety lead holds independent power-off authority with an accessibility observer.
ZERO-TOLERANCE STOP	Stop T2 when safety, rights, data minimisation, human takeover or reliable degradation fails; the human lead has final authority.
RESTORED STATE	Remove and isolate the optional T2 equipment; retain the complete staffed, static and accessible baseline.

ADOPT

REVISE


STOP

PLAN-Z-2000 → DETAIL-T2-500 → SEC-T2-200 → ASSET-ROBOT-BAY




AI Origin: 1:2000 key-area concept plan

Three step-free passages come first; the hall remains complete when the plug-in wall closes.



S2: detail, journey and adoption receipt


The hall follows ordinary opening hours; AI navigation opens only while the bilingual staffed desk is available



S2 / SCN-005 International arrival and civic-service navigation

NOT FIELD-RUN · DECISION PENDING


BASELINE	A multilingual staffed desk, paper map, static signs and phone booking provide a complete arrival service.
AI INCREMENT	Optional multilingual guidance explains public procedures and hands uncertain questions to staff.
HUMAN OWNER	The multilingual service lead reviews high-risk and uncertain answers.
ZERO-TOLERANCE STOP	Stop S2 when safety, rights, data minimisation, human takeover or reliable degradation fails; the human lead has final authority.
RESTORED STATE	Remove and isolate the optional S2 equipment; retain the complete staffed, static and accessible baseline.



PLAN-A-2000 → DETAIL-S2-500 → SEC-S2-200 → ASSET-BILINGUAL-KIOSK


Dazhongsi: 1:2000 key-area concept plan

Four-quadrant walking and conventional transit lead; the trial bay stays separate, timed and restorable.



S7: detail, journey and adoption receipt

Conventional interchange always has priority; low-speed trials avoid peaks and use controlled 20-minute windows



S7 / SCN-010

Conventional transit interchange with optional low-speed feeder

NOT FIELD-RUN · DECISION PENDING

BASELINE	Rail, bus, taxi, walking links and staffed guidance remain continuously available.
AI INCREMENT	An optional low-speed feeder runs only in a bounded bay and time window with pedestrians first.
HUMAN OWNER	The transport operator and site steward share stop authority.
ZERO-TOLERANCE STOP	Stop S7 when safety, rights, data minimisation, human takeover or reliable degradation fails; the human lead has final authority.
RESTORED STATE	Remove and isolate the optional S7 equipment; retain the complete staffed, static and accessible baseline.

ADOPT

REVISE

STOP


PLAN-D-2000 → DETAIL-S7-500 → SEC-S7-200 → ASSET-LOW-SPEED-BAY

Nine-item replication catalogue

The remaining scenes use less space while retaining address, components, ownership and exit trace.


T1 · Open model and data provenance reproduction Z03 → SEC-Z-01 B01 · B03 · A02 · E01 · E03 Stop and restore registered	T3 · Edge compute energy, noise and offline degradation test Z04 → SEC-Z-01 B01 · B03 · A02 · E01 · E02 · E03 Stop and restore registered	S1 · Staffed enterprise service with optional AI triage A12 → SEC-A-01 B01 · B03 · A03 · E01 · E03 Stop and restore registered
S3 · Open knowledge matching and community problem workshop A14 → SEC-A-01 B01 · B02 · B03 · A03 · E01 · E03 Stop and restore registered	S4 · Staffed Jing-Zhang heritage tour with optional AI narration SP-S4 → SEC-SP-01 B01 · B02 · B03 · A03 · E03 Stop and restore registered	S5 · Static accessible wayfinding with optional dynamic assistance SP-S5 → SEC-SP-01 B01 · B02 · B03 · A03 · E02 · E03 Stop and restore registered
S6 · Shade, rest and extreme-weather service prompts SP-S6 → SEC-SP-01 B01 · B02 · B03 · A03 · E01 · E03 Stop and restore registered	S8 · Staffed public-service desk with optional AI information guide D25 → SEC-D-01 B01 · B02 · B03 · A03 · E01 · E03 Stop and restore registered	S9 · Conventional event operations with aggregate flow assistance D24 → SEC-D-01 B01 · B02 · B03 · A03 · E01 · E02 · E03 Stop and restore registered

THREE HERO SCENES · 1:2000 CONCEPT PLAN COMPARISON



Six profiles and failure fallback


Every person has the baseline first; AI failure never requires reapplying for basic service.



Ecosystem, regional exchange and translation

Regions exchange problems, capabilities and evidence without converting concept links into commitments.

LAND-SERVICE-TRIAL OVERLAY



Renewal sequence: public route → ground-floor service → removable plug-in; AI never dictates permanent land

Concept typologies; not statutory land-use or development-intensity controls

Research & models

Beiwei / Future Science City → T1 reproducibility

Instruments & engineering


Huairou / E-Town → T2-T3 safety and lifecycle

Civic adoption

Stations and wings → S1-S9 paired tests and receipts

Operators, prerequisites and four-phase delivery

Evidence gates control progression; dates do not advance projects automatically.



Metrics, risks, unknowns and evidence chain


Reproducible design counts remain separate from field outcome metrics.

KNOWN 12 / 3 / 9 / 3 scenarios / heroes / components / stations	NOT FIELD-RUN 12 / 12 All operational outcomes await field establishment; no fabricated results.	AUTHORITY HUMAN ADOPT / REVISE / STOP
KNOWN 12 scenes, 3 heroes, 9 components, 3 stations, 6 stitches.	UNKNOWN Footfall, energy, efficiency, cost, satisfaction, intensity, ownership and field safety.	EVIDENCE CHAIN MAP → DETAIL → SECTION → OPERATION → RECEIPT → DECISION
T2 · Controlled robot-pedestrian-accessibility test · 1:200 Prototype dimensions, not field measurements; the baseline route never crosses the AI trial boundary	S2 · International arrival and civic-service navigation · 1:200 Prototype dimensions, not field measurements; the baseline route never crosses the AI trial boundary	S7 · Conventional transit interchange with optional low-speed feeder · 1:200 Prototype dimensions, not field measurements; the baseline route never crosses the AI trial boundary

Value, limits, sources and rights

A city is advanced not by deploying AI, but by publicly deciding whether AI deserves adoption.

EVIDENCE LADDER, CIVIC RECEIPTS + HUMAN ACCOUNTABILITY



THRESHOLD: no baseline regression + zero-tolerance safety + committee sets AI increment after E2



RACI · ASSET OWNER / SITE OPERATOR / BASELINE STAFF / AI OPERATOR / SAFETY / DATA / PUBLIC

KNOWN: 12 scenes, 42 traceable objects, 5 evidence levels. UNKNOWN: footfall, energy, efficiency, cost, satisfaction and field safety.

ORIGINAL VALUE

Draw AI adoption authority into space

Baseline service, removable plug-ins and public evidence form reversible urban innovation.

FIXED LIMITS

Not a field survey, statutory plan, construction drawing or implementation commitment.

RIGHTS & SOURCES

Map data © OpenStreetMap contributors, ODbL. Concept experience images are generated and are not field evidence.