



Design structure

总体设计结构

Token block system today: a continuously run urban AI open test main line, bookable by token segment, breaking into stations at the three key areas, with two switches feeding both sides in.



Reading it

The main line runs south-north along the heritage park: slow-mobility spine and carrier of the open test track. It breaks at the three key areas — the line handed to the city: platform plazas carry arrival, release and display; two switches carry east-west stitch and scenario access.

S1 Arrival Yard	到发场	
Dazhongshi AI Industry Cluster		Announced 72.0 ha recomputed 72.0 ha
S2 Down Switch	下行道岔	
Xiaoyuehe Scenario Empowerment Wing		
S3 Running Section	区间	
Xueyuan Rd link		
S4 Zero-Kilometre Station	零公里站	
Beijing AI Origin Community		Announced 104.3 ha recomputed 104.3 ha
S5 Up Switch	上行道岔	
Zhongguancun Technology Service Wing		
S6 Marshalling Yard	编组场	
Zhongzhiyuan AI Autonomous Innovation Acceleration Area		Announced 192.1 ha recomputed 192.9 ha

Overall design area (notice)	11.4 km²
Geometry recomputed site_area_sqm	11.41 km²
Key areas (announced)	368.4 ha
Key areas recomputed key_area_total_area_sqm	369.3 ha
Green ratio green_ratio	21.5%
Public space ratio public_space_ratio	18.0%
East-west stitch east_west_stitch_count	6
AI scenario node ai_scenario_card_count	12

 Main line (cont.)
 Open segments at stations

 Platform plaza / key area
  Switch plazas & stitches

 Jing-Zhang heritage park green
 Scenario node SCEN-01...12

 Branch loop
 Provisional rough boundary

Five functions & how it runs

- Origination, open work: Zero-Kilometre Station carries release and code display; plaza opens to the city.
- Engineering & standards: Marshalling Yard opens full-stack innovation, safety evaluation and standards work.
- Industry and global exchange: Arrival Yard serves smart devices, content, data assets and roadshows.
- Scenario empowerment, living services: two switches feed communities, campuses and parks into the line.
- Public experience and outreach: the bookable segments carry the open test and event route.

Notes for further study


- The "break" at stations is design and operating language, not a railway plan; it changes no legal status.
- Crossing, clearance, step-free access and fire egress on line, switches, stitches need transport/utility review.
- The two plans are the south and north halves of one corridor at the same scale; the split is layout, not zoning.
- Once the official SITE_BOUNDARY and three KEY_AREA polygons are released, this structure must be re-sited and all metrics recomputed.



Corridor concept view

走廊概念取景——线是产品，站是接口

Concept impression · AI-generated (gpt-image-2; layout referenced from this package's GeoJSON) · not a survey basis, not an as-built view




BOARD 2 · LAND USE & URBAN RENEWAL


Land use & urban renewal

用地布局与城市更新

Land use uses a public subset of territorial use-control classes and covers the whole submitted boundary; footprints indicate renewal handles. FAR, height and density pending approved regulatory conditions.



South S1-S3



North S4-S6

Land use & areas (recomputed)

0802	Research land	239.5 ha
		21.0%
0702	Community service facility land	184.1 ha
		16.1%
1401	Park green	166.8 ha
		14.6%
1403	Plaza land	154.4 ha
		13.5%
0701	Residential land	112.4 ha
		9.9%
05	Commercial & service land	99.8 ha
		8.7%
1402	Protective green	78.9 ha
		6.9%
0803	Cultural land	53.8 ha
		4.7%
0804	Education land	51.7 ha
		4.5%

Land use layer total land_use_total_area_sqm	11.41 km²
Submitted boundary area site_area_sqm	11.41 km²

Renewal: retain / renovate / demolish

Retain	2
Renovate	4
New build	7

Renewal handle buildings renewal_building_count	13
Building footprint area building_footprint_area_sqm	29.5 ha
Footprint cover, key areas (approx)	8.0%

FAR	Pending approved regulatory conditions
Height	Pending approved regulatory conditions
Density	Pending approved regulatory conditions
Setback & control lines	Pending approved regulatory conditions
Total build size	Pending approved regulatory conditions

Land use is a design suggestion; use, boundary and intensity follow the regulatory plan. Footprints indicative; retain / renovate / demolish awaits title data.

Land use (W wing | main line | E wing)

S1 Arrival Yard

Dazhongsi AI Industry Cluster

Commercial & service land

Plaza land

Research land

S2 Down Switch

Xiaoyuehe Scenario Empowerment Wing

Residential land

Park green

Community service facility land

S3 Running Section

Xueyuan Rd link

Education land

Park green

Research land

S4 Zero-Km Station

Beijing AI Origin Community

Research land

Plaza land

Community service facility land

S5 Up Switch

Zhongguancun Technology Service Wing

Commercial & service land

Park green

Cultural land

S6 Marshalling Yard

Zhongzhijuan AI Autonomous Innovation Acceleration Area

Research land

Plaza land

Protective green

Retain / renovate / demolish method

- Retain: existing buildings with historic or industrial memory and usable structure — assess before acting.
- Renovate: where function no longer fits but structure is usable, open the ground floor first.
- New build: proposed only where a functional gap is clear and no public space or green is taken.

S4 Zero-Kilometre Station	Beijing AI Origin Community	
Research land	Plaza land	Community service facility land



S1 arrival plaza concept view


S1 到发站前广场概念场景
Concept impression · AI-generated (gpt-image-2; layout referenced from this package's GeoJSON) · not a survey basis, not an as-built view

BOARD 3 · MOBILITY, RAIL, SLOW TRAFFIC & MUNICIPAL


Roads, rail, slow mobility, utilities

交通、轨道、慢行与市政支撑

Access on both corridor sides comes from a continuous slow-mobility main line, six east-west stitches and three suggested transit connectors; road redline width, cross-section and area are not public, so no road figure is given.



South S1–S3



North S4–S6

c. 1:6,000
0 200 m

- Token main line slow mobility (cont.)

Transit connector line
- Open segments at stations

Branch loop
- East-west stitch

Provisional rough boundary

Alignment list (suggested lines)

ROAD-001	Main-line slow path	greenway	ROAD-002	West service-lane loop	branch	ROAD-003	East service-lane loop	branch
CROSS-A	Dazhongsi four-quadrant walk links	pedestrian	CROSS-B	Down Switch east-west stitch	pedestrian	CROSS-C	Xueyuan Rd link crossing	cycleway
CROSS-D	Zero-Km Station east-west stitch	pedestrian	CROSS-E	Up Switch east-west stitch	pedestrian	CROSS-F	Marshalling Yard north crossing	cycleway
TRANSIT-1	Dazhongsi station feeder	transit_connection	TRANSIT-2	Zero-Km Station feeder	transit_connection	TRANSIT-3	Marshalling Yard station feeder	transit_connection

Recomputed basis

Road centreline length	road_network_length_m	38,211 m
Slow mobility length	slow_mobility_length_m	16,730 m
East-west stitch	east_west_stitch_count	6
Transit connector	transit_connector_count	3

Road area	road_area_sqm	Pending approved regulatory conditions
Road area ratio	road_area_ratio	Pending approved regulatory conditions
Redline width & cross-section		Pending approved regulatory conditions
Car and cycle parking standards		Pending approved regulatory conditions

Organisation

- Station–yard–city: transit stations join the line by connectors, platform plazas carry arrival, four-quadrant links close junction breaks.
- East-west stitches close walking and cycling breaks; crossing type, clearance and step-free conditions pending review.
- Branch loops on both sides take vehicle access, keeping cars off the heritage park and main line.
- The slow-mobility main line is continuous and doubles as the open test track; no dedicated facility.

Utilities & new infra

- Edge compute stops and distributed energy sit with public facilities — new infrastructure prototypes to develop.
- Utility, energy, drainage, flood, fire, civil-defence data missing; conclusions are method and precondition list.
- Compute and data services need separate consent; no named vendor or device is required.

Parking & cycle parking

- Car parking groups on the two branch loops; no new surface parking along the heritage park or main line.
- Cycle parking is tiered along platform plazas, switch plazas and stitch ends; size awaits official provision standards.
- This board gives no parking count, ratio or land area; the standards are missing from public sources.

Public & innovation services

- Innovation platforms, talent services and industry services cluster at the three stations, near transit connectors.
- Community facilities sit at the two switches; service radius and standards await regulatory and special plans.
- Facility size, title and operator undecided; this board is not a siting or build promise.





Slow-mobility spine concept view

慢行主核与蓝绿基底概念场景
Concept impression · AI-generated (got-image-2; layout referenced from this package's GeoJSON) · not a survey basis, not an as-built view

Jing-Zhang heritage park & blue-green public space


京张遗址公园活力带与蓝绿公共空间

The park green is ecological base and carrier of open testing and public events; platform and switch plazas make the north-south arrival front and east-west public room.



Blue-green & public space (recomputed)

Green area green_space_area_sqm	245.7 ha
Green ratio green_ratio	21.5%
Public space area public_space_area_sqm	206.0 ha
Public space ratio public_space_ratio	18.0%
Park green 1401	166.8 ha
Protective green 1402	78.9 ha
Square land 1403	154.4 ha




Park segments

S2	Heritage-park green, Down Switch · Xiaoyuehe Scenario Wing band	Continuous heritage-park green, and the green base of the open test track
S3	Heritage-park green, Running Section · Xueyuan Rd link band	Continuous heritage-park green, and the green base of the open test track
S5	Heritage-park green, Up Switch · Zhongguancun Service Wing band	Continuous heritage-park green, and the green base of the open test track
S6	Marshalling Yard north protective green belt	North ecological buffer; edge conditions await official water & road data

Shared-use strategy

- Continuous green carries slow mobility, sport, innovation exchange, tech testing and display.
- North green belt: ecological buffer and Marshalling Yard display forecourt.
- Blue lines, flood and ecology data not obtained; Qinghe and Xiaoyuehe frontage strategy is method only.
- Green and public space areas shift with the provisional boundary; recompute on release.



Platform/switch plazas

Arrival Yard platform plaza Dazhongsi station four-quadrant walk links and arrival display face	S1	Zero-Km Station platform plaza Zero-km stone, open-source release hall and honours venue	S4	Marshalling Yard platform plaza Open display of independent innovation and a public face for standards governance	S6
Down Switch plaza East-west public parlour and scenario open-day venue of the Xiaoyuehe wing	S2	Up Switch plaza East-west public parlour and international face of the Zhongguancun wing	S5		

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

BOARD 5 · THREE KEY AREAS IN DETAIL

Detailed design, 3 key areas


三大重点片区详细设计

North to south: Marshalling Yard (Zhongzhiyuan), Zero-Kilometre Station (Beijing AI Origin Community), Arrival Yard (Dazhongsi). All conceptual; FAR, height and density pending approved regulatory conditions.

Marshalling Yard Zhongzhiyuan AI Acceleration Area

Garden full-stack innovation blocks

Marshalling Yard



c. 1:5,000
0 200 m

Announced area	192.1 ha
Submitted geometry recomputed	192.9 ha
Renewal handles	5

Renewal handle list

- 1

Full-stack independent R&D cluster

new_build
- 2

Safety governance & evaluation lab

new_build
- 3

Standards & governance building

new_build
- 4

Retained industrial building

retain
- 5

Innovation showcase

new_build

Spatial moves (conceptual)


- Strengthen Qinghe frontage and north green belt; the buffer is green base for open testing and display.
- Standards-setting, safety evaluation and full-stack R&D form the industrial core, with a public innovation showcase.
- Platform plaza carries open innovation display and public standards face; a north crossing closes the North 5th Ring break.
- Access relies on suggested transit connectors and branch loops; station sites and redlines follow official data.

FAR	pending
Height	pending
Density	pending
Build scale	pending

Zero-Km Station Beijing AI Origin Community

Campus-side transfer, talent homes

Zero-Kilometre Station



c. 1:5,000
0 200 m

Announced area	104.3 ha
Submitted geometry recomputed	104.3 ha
Renewal handles	4

Renewal handle list

- 1

Near-campus transfer incubator

renovate
- 2

Open-source collaboration lab

new_build
- 3

Talent housing cluster

new_build
- 4

Origin community service centre

renovate

Spatial moves (conceptual)


- Zero-Km marker and release hall form the home ground: release, code display and small roadshows open onto the platform plaza.
- Transfer incubators and open collaboration labs sit at the university edge; east-west stitches link campus, park and block in a slow network.
- Add talent housing and an Origin Community service centre for living, daily and social needs.
- Retain / renovate / demolish is indicative only; title, building and date data missing; conclusions await data.

FAR	pending
Height	pending
Density	pending
Build scale	pending

Arrival Yard Dazhongsi AI Industry Cluster

Urban AI economy, global exchange

Arrival Yard



c. 1:6,000
0 200 m

Announced area	72.0 ha
Submitted geometry recomputed	72.0 ha
Renewal handles	4

Renewal handle list

- 1

Arrival Yard AI-native retail street

renovate
- 2

Roadshow lounge

renovate
- 3

Smart-device HQ cluster

retain
- 4

Data-element parlour

new_build

Spatial moves (conceptual)

- Dazhongsi station integration and four-quadrant links carry station flows to the platform plaza and main line south end.
- Device HQ clusters, a data-asset lounge and a roadshow lounge form the urban industry frontage.
- AI-native consumption blocks take commercial service land, landing AI+ living services in small blocks.
- Planned green and squares are shared-use as the arrival front; junction layout needs transport review.

FAR	pending
Height	pending
Density	pending
Build scale	pending

- Retain

Renovate

Park green
- Scenario node

- New build

Provisional rough boundary

- Platform / plaza land

Main line cont.

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.
FAR, building height, building density, road redline and road area: pending approved regulatory conditions.


AI scenarios, build & run

AI场景、实施与运营

Six bookable segments carry 12 AI scenario nodes; each has a named operator, declared data limits and a human review point, never auto-cancelled. Scenarios are conceptual, not approved for operation.

Bookable segments, scenarios

Bookable segments & scenario nodes



Protocol

Book — install — run a limited window under published rules — return to ordinary public use; named operator, declared data boundary, and a human review point no automation can cancel.

12 AI scenario cards

AI scenario cards (constraints.geojson · SCENARIO_NODE)


01	Bookable track segment 可预约轨道段 Human review req. Public or authorised data only; no individual profiling; no mandatory vendor; scenarios are conceptual suggestions, not approved operations.	S3
02	Low-speed robot delivery validation 低速机器人配送验证 Industry test/validation Human review req. Public or authorised data only; no individual profiling; no mandatory vendor; scenarios are conceptual suggestions, not approved operations.	S3
03	Autonomous slow-mobility assessment 自主慢行体验评估 Industry test/validation Human review req. Public or authorised data only; no individual profiling; no mandatory vendor; scenarios are conceptual suggestions, not approved operations.	S3
04	Model safety red-team sandbox 模型安全红队沙盘 Industry test/validation Human review req. Public or authorised data only; no individual profiling; no mandatory vendor; scenarios are conceptual suggestions, not approved operations.	S6
05	Open-source release hall 开源发布厅 Human review req. Public or authorised data only; no individual profiling; no mandatory vendor; scenarios are conceptual suggestions, not approved operations.	S4
06	AI cultural guide along the line 沿线AI文化导览 Human review req. Public or authorised data only; no individual profiling; no mandatory vendor; scenarios are conceptual suggestions, not approved operations.	S5
07	AI+ health service navigation point AI+医疗健康服务导航点 Human review req. Public or authorised data only; no individual profiling; no mandatory vendor; scenarios are conceptual suggestions, not approved operations.	S2
08	Enterprise service copilot counter 企业服务Copilot窗口 Human review req. Public or authorised data only; no individual profiling; no mandatory vendor; scenarios are conceptual suggestions, not approved operations.	S5
09	Data-element service house 数据要素会客厅 Human review req. Public or authorised data only; no individual profiling; no mandatory vendor; scenarios are conceptual suggestions, not approved operations.	S1
10	Intelligent-native retail street 智能原生消费街区 Human review req. Public or authorised data only; no individual profiling; no mandatory vendor; scenarios are conceptual suggestions, not approved operations.	S1
11	Public safety and event operations review 公共安全与活动运营复核 Human review req. Public or authorised data only; no individual profiling; no mandatory vendor; scenarios are conceptual suggestions, not approved operations.	S2
12	Global AI Week route start 全球AI活动周步行路线起点 Human review req. Public or authorised data only; no individual profiling; no mandatory vendor; scenarios are conceptual suggestions, not approved operations.	S4

User types, spatial response

Open-source devs Boundary: no personal trajectories; event data aggregated only	Needs: releases, collaboration, testing, community standing
Start-ups Boundary: compute and data services need separate authorisation	Needs: low-cost space, compute access, product test ground
Lead firm visitors Boundary: brand marks and cases need clearance	Needs: display, business, international reception, hiring
Residents Boundary: no resident profiling for commercial recommendation	Needs: commuting, leisure, community services, low-impact renewal
Campus users Boundary: campus data and research need authorisation	Needs: research transfer, cross-campus work, daily slow mobility

Phasing & operation

Phasing & operation



Renewal project list (conceptual)

JZ-01	Jing-Zhang heritage park slow stitch Needs: road redline, under-bridge space, traffic review
JZ-02	Marshalling Yard Qinghe edge Needs: river blue line, ecology & flood-control conditions
JZ-03	Zero-Km campus transfer street Needs: campus boundary, ownership, ground-floor uses
JZ-04	Arrival Yard four-quadrant links Needs: rail stations, road junctions, utility lines
JZ-05	AI public service & edge compute nodes Needs: energy, compute, safety & an operating entity
JZ-06	Global AI Week public route Needs: public-space permits, event safety, copyright clearance

Red lines

- * The urban agent never replaces planning approval, issues no personal profile.
- * No named vendor, model or device is required.
- * Scenario data aggregated only; resident and campus profiles not used for commerce.
- * Operator, permits and insurance undecided; no delivery or investment commitment.

Long-term operation & events (conceptual)

- * Scenario open days: windows open by bookable segment under public rules; at close the space returns to ordinary public use.
- * Global AI Week: walkable route through heritage culture, open-source community, industry display, roadshows.
- * Everyday developer community: daily use of the release hall and collaboration lab, without large events.
- * Standards workshop: Marshalling Yard hosts public standards-setting and safety evaluation.
- * Annual contributors inscribed: Zero-Kilometre marker and honours form a civic ritual.

Policy suggestions

- * Near term starts with light facilities, events and platforms, without large works or land take.
- * Mid term opens east-west stitches and switch plazas; transport, utility and title terms confirmed in step.
- * Long term completes the line and north marshalling, subject to regulatory and utility terms.
- * The call timetable is a submission requirement, not renewal phasing; the two must not be conflated.

Recomputation & compliance

指标复算与合规响应

All known metrics are recomputed from the submitted GeoJSON in EPSG:4548; FAR, building height, building density, road redline and road area are missing from public sources and are all registered as unknown.

Metric recompute metrics.json

Metric	Conf.	Val
site_area_sqm	high	11.41 km²
land_use_total_area_sqm	high	11.41 km²
land_use_area_commercial_services_05_sqm	medium	99.8 ha
land_use_area_urban_residential_0701_sqm	medium	112.4 ha
land_use_area_community_facilities_0702_sqm	medium	184.1 ha
land_use_area_research_0802_sqm	medium	239.5 ha
land_use_area_culture_0803_sqm	medium	53.6 ha
land_use_area_education_0804_sqm	medium	51.7 ha
land_use_area_park_green_1401_sqm	medium	166.8 ha
land_use_area_protective_green_1402_sqm	medium	78.9 ha
land_use_area_square_1403_sqm	medium	154.4 ha
green_space_area_sqm	medium	245.7 ha
green_ratio	medium	21.53%
public_space_area_sqm	medium	206.0 ha
public_space_ratio	medium	18.05%
building_footprint_area_sqm	low	29.5 ha
building_footprint_ratio_key_areas	low	7.99%
key_area_count	high	3
key_area_total_area_sqm	medium	369.3 ha
key_area_beijing_ai_origin_community_sqm	medium	104.3 ha
key_area_dazhongsi_ai_industry_cluster_sqm	medium	72.0 ha
key_area_zhongzhiyuan_ai_acceleration_area_sqm	medium	192.9 ha
phasing_area_phase_1_sqm	medium	276.6 ha
phasing_area_phase_2_sqm	medium	482.0 ha
phasing_area_phase_3_sqm	medium	382.6 ha
road_network_length_m	medium	38,211 m
slow_mobility_length_m	medium	16,730 m
east_west_stitch_count	medium	6
transit_connector_count	medium	3
renewal_building_count	low	13
ai_scenario_card_count	high	12
pilgrimage_landmark_count	high	4

unknown (11) · pending approved regulatory conditions

total_floor_area_sqm	scenario_admission_turnaround_days
floor_area_ratio	step_free_continuity_breaks
building_height_m	non_digital_equivalence_ratio
road_area_sqm	objection_resolution_days
road_area_ratio	public_space_return_compliance_ratio
booked_window_utilisation_ratio	

Protocol replay · governance coverage · delivery frame (simulation.json / implementation.json)

simulation_task_count	80	scenario_human_review_count	12
simulation_negative_branch_count	55	work_package_count	10
token_protocol_rule_count	10	exit_gate_count	5
simulation_success_rate	100%	procurement_theme_count	8
tool_schema_pass_rate	100%	monitoring_window_count	3
audit_completeness	100%	measurement_plan_count	6
scenario_data_boundary_count	12		

Area consistency check

Land use total – submitted area	12.0 sqm (0.0001%)
Key areas recomputed – announced	+8,893.0 sqm (+0.24%)
Submitted recomputed – announced	+12,825 sqm

Self-check self_check.json

- DETERMINISTIC_VALIDATION · pass · blocking

deterministic_validation: PASS
- SPATIAL_REVIEW · pass · blocking

spatial_review: PASS
- VISUAL_PACKAGING · pass · blocking

visual_review: PASS
- PROFESSIONAL_EVIDENCE · pass · blocking

professional_review: PASS

Compliance matrix compliance_matrix.json

Task ID	Task name	Layer	Metric	Dwg	Source
1.3.1	Build a world-class AI innovation ecosystem	2	2	2	2
1.3.2	Build a new urban form fit for AI-driven productivity	2	2	1	2
1.3.3	Build a district global AI talent aspires to	2	3	1	2
1.4.1	Coordinated research area	1	1	1	2
1.4.2	Overall design area	2	2	2	2
1.4.3	Key area scope	1	5	1	2
1.5.1.1	Coordinated research area: AI innovation ecosystem	2	2	1	2
1.5.1.2	Coordinated research area: an AI-ready future urban form	2	2	2	2
1.5.2.1	Overall design area: industry goals & functions	2	3	1	2
1.5.2.2	Overall design area: urban renewal framework	3	3	2	2
1.5.2.3	Overall design area: transport, rail & utilities	2	4	1	2
1.5.2.4	Overall design area: heritage-park vitality belt	3	4	1	2
1.5.2.5	Overall design area: urban character	2	2	2	2
1.5.3.required	Required items of key-area detailed design	4	2	2	2
1.5.3.1	Zhongzhiyuan AI Autonomous Innovation Acceleration Area	3	2	1	2
1.5.3.2	Beijing AI Origin Community	3	3	1	2
1.5.3.3	Dazhongsi AI Industry Cluster	3	2	1	2
agent.1	Overall belt concept & functional coordination design	3	2	2	2
agent.2	Full-stack AI independence & world-class AI ecosystem design	3	2	1	2
agent.3	AI scenario empowerment & intelligent-city vitality design	3	3	2	2
agent.4	AI public space, AI-native uses & pilgrimage landmark design	3	4	1	2
agent.5	Narrative fusing Jing-Zhang, Zhongguancun and new AI culture	2	2	1	2
agent.6	Global AI event system & long-term operation design	3	4	1	2

Standards & depth response

PROJECT-OFFICIAL-ANNOUNCEMENT Project brief	addressed	PROJECT-AGENT-OPEN-CALL-TASKBOOK Agent open call	addressed
MOHURD-URBAN-DESIGN-MEASURES Urban design	addressed	MOHURD-CONTROL-DETAILED-PLANNING Regulatory depth	addressed
MNR-LAND-USE-CLASSIFICATION-GUIDE Land classification	addressed	MOHURD-ARCH-DESIGN-DEPTH-2016 Building depth	addressed

Design depth design_depth_matrix.json (15 items)

Diagnosis & issue list	complete	Three-level scope framework	complete
Spatial structure	complete	Land-use layout	complete
Development intensity pending regulatory conditions	complete	Building height, massing & character	complete
Retain / renovate / demolish method	complete	Transport, rail, slow mobility & parking	complete
Utilities & new infra	complete	Blue-green & public-space system	complete
Detailed design of the three key areas	complete	Renewal project list	complete
Phasing	complete	Metrics & area recomputation	complete
Risk & missing-data list	complete		

Basis, red lines

- Class 1 recomputable spatial metrics are all recomputed into metrics.json; class 2 control metrics are registered unknown with reasons; class 3 performance metrics go to assumptions and later observation.
- The submitted boundary is the repository provisional rough boundary (official_boundary=false), not an official redline or a basis for exact areas; once official polygons are released everything must be recomputed.
- No claim of official approval, approved plan, final land title, final build scale or delivery.