

Jing-Zhang Open Source Station

THREE SCOPE LEVELS

One pilot first. Evidence before replication.

An approximately 240 sqm Origin station for 90 days; Zhongzhiyuan and Dazhongsi remain conditional replication studies.

240


sqm pilot

90

days

4

evidence gates



43.6 km² research / 11.4 km² overall / 3 rough key areas

What is actually built?

One ~240 sqm Origin pilot for 90 days. The other two nodes remain replication studies.

Known

Public task, approximate scopes, required outputs

Provisional

Rough polygons and concept anchors

Unknown

Tenure, fire, utilities, height, FAR and cost

Rule

Do not invent. Survey, recalculate, then decide.

Concept proposal only. No official redline, site selection, investment commitment or engineering approval is claimed.

Provisional geometry is not an official redline or site selection.

CC BY 4.0 · wjm0913 · 2026-08-11

Three scope levels, but only one first physical pilot


Jing-Zhang Open Source Station

Evidence boundary first · one small pilot before a city-scale promise

JZ-OSS / v0.1

01

THREE SCOPE LEVELS



43.6 km² research / 11.4 km² overall / 3 rough key areas

What is actually built?

One ~240 sqm Origin pilot for 90 days. The other two nodes remain replication studies.

Known

Public task, approximate scopes, required outputs

Provisional

Rough polygons and concept anchors

Unknown

Tenure, fire, utilities, height, FAR and cost

Rule

Do not invent. Survey, recalculate, then decide.

Provisional geometry is not an official redline or site selection.

CC BY 4.0 · wjm0913 · 2026-08-11

Jing-Zhang Open Source Station

One evidence spine · one pilot · two conditional replications

JZ-OSS / v0.1

02



Existing lawful routes only

The repeatable kit

1 Arrival & rest 2 Evidence wall 3 Co-creation table 4 Local public-service agent 5 Controlled test kit

G0

Responsibility & data

G1

Usefulness

G2

Safety & inclusion

G3

Maintainability

Replication is a decision after evidence, not a promise before evidence.

Physical footprint

~240 sqm first; no default demolition, no data centre, no invented budget.

The overall corridor is a service and evidence network, not a blanket construction programme.

CC BY 4.0 · wjm0913 · 2026-08-11

Research area

Service protocols, operating gates and ecosystem links; no blanket construction programme. Existing lawful routes form a conceptual evidence spine for wayfinding, shade and rest.

Overall design area

Key areas

One 90-day pilot; two node types studied only after four gates are passed.

Jing-Zhang Open Source Station

Three roles · one pilot first

JZ-OSS / v0.1

03

01

Zhongzhi Verification Station

~300 sqm · replication study

Controlled model evaluation
Failure cases · takeover drills
No certification claim

R

E

C

H

T

02

Origin Open Source Station

~240 sqm · 90-day pilot

Public guidance · human desk
Evidence wall · co-creation
First node to test

R

E

C

H

T

03

Dazhong Service Station

~180 sqm · replication study

Official-channel navigation
Cultural guide · small-team help
No eligibility decision

R

E

C

H

T

R Rest E Evidence C Co-creation H Human/operations T Test/flexible

Three honour nodes

First Line of Code Wall · Table of Verifiability · Merge Steps — names appear only with consent and real merged records.

All anchors are conceptual points inside rough key-area boxes; none is a formal site.

CC BY 4.0 · wjm0913 · 2026-08-11

Honour nodes: First Line of Code Wall · Table of Verifiability · Merge Steps. Names require consent and a genuine merged record.

Ten scenarios and six users

SC-01

Heritage guide

Human fallback + stop condition

SC-03

Open-source display

Human fallback + stop condition

SC-05

Public-service navigation

Human fallback + stop condition

SC-07

Traceable local RAG test

Human fallback + stop condition

SC-09

Controlled low-speed robot test

Human fallback + stop condition

SC-02

Accessible support

Human fallback + stop condition

SC-04

Micro-event

Human fallback + stop condition

SC-06

Multilingual guide

Human fallback + stop condition

SC-08

Accessibility usability test

Human fallback + stop condition

SC-10

Community issue closure

Human fallback + stop condition

Six personas

Resident · older/disabled user ·
student/developer ·
research/company team ·
visitor/family ·
operator/maintainer

Three controlled tests

SC-07 to SC-09 follow desktop → closed → limited opening.

No default experiment


No isolation, takeover or emergency stop means no robot run.

Jing-Zhang Open Source Station

Accessible arrival before digital spectacle

JZ-OSS / v0.1

04



15-minute arrival check

Walk · transit · accessible route
night safety · event egress

Shade and rain

Protect existing trees
less hard paving · movable shade

No-AI equivalent

Static signs · human desk
physical call button

No default surveillance

No face recognition; every sensor needs purpose and accountability.

G0 · Responsibility & data

Tenure, operator, fire, accessibility, data and complaints.

G1 · Usefulness

Real use, traceable answers, repairable faults and human takeover.

G2 · Safety & inclusion

Accessibility, privacy, content risk and emergency-stop checks.

G3 · Maintainability

Staffing, spares, content updates, cleaning and annual reporting.

The green layer expresses shade and continuity only; it is not a statutory green-space claim.



CC BY 4.0 · wjm0913 · 2026-08-11

P0 site verification → P1 90-day Origin pilot → P2 two replication studies → P3 network operation only where evidence persists.

The concept green layer expresses shade and rain-friendly continuity; it is not a statutory green-space adjustment.



FOUR GATES



Local recomputation: land-use analytical partition gap 0; overlap 0 sqm. Official CI still required.

CC BY 4.0 · wjm0913 · 2026-08-11

Local recomputation

Analytical land-use gap: 0
Analytical land-use overlap: 0 sqm
Three station footprints: ~720 sqm

Deliberately unknown

Official site/parcel · FAR · height · utilities · fire conditions · capital cost

Contributor-controlled local checks are complete. Trusted upstream scripts, CI and maintainer/professional review remain required.