


The 43.6 km2 coordination study scope answers industrial and morphological organisation; the 11.4 km2 overall design scope answers the renewal framewo



- Overall design area (provisional)
- Key areas (provisional)
- Blue-green public space
- Public space (care interface)
- Building footprints
- Care spine
- Transit links
- Capacity branches

Three-level scope framework

Coordination study scope · 43.6 km2

AI capacity serves
everyday city life

Overall design scope · 11.4 km2

A continuous public
spine, capacity

Key-area scope · 368.4 ha

Each area carries

one segment of the
Provisional boundary warning

site_boundary and

key_areas stay

provisional_constraint

with

official_boundary=false

and are not altered here.

All areas hold only inside

this provisional container

and must not be used for

approval, acquisition,

tenure, or engineering.


Once official polygons are

released the whole package

must be recomputed.

Key-area capacity roles

The 42 building footprints express only the position and magnitude of renewal carriers, not height, storeys, or floor area ratio. All six renewal proj



Zhongzhi Park AI Acceleration Zone

192.1 ha · maintenance prototyping

Non-identifying facility inspection, low-carbon operations, trustworthy-operation standard validation; the Qing River edge works as

Beijing AI Origin Community

104.3 ha · knowledge translation

Open-source component library, result release, multilingual service; campus-park threshold stitching and a shared hall.

Dazhongsi AI Industry Cluster

72.0 ha · service formation

International roadshows, a data-elements parlour, reassuring night return; station walking links and a solid square on the greenway.

Core metrics

11,412,825

0.2630

0.1104

3

Overall design area

Green ratio

Public space ratio

Phases

The compliance matrix covers the 17 announcement items from 1.3 to 1.5 plus agent.1 to agent.6; the standard matrix covers six technical references; t

AI scenarios

01	02	03	04	05
Accessibility gap maintenance	Heat and storm comfort service	Reassuring night return	Preventive facility maintenance	Multilingual wayfinding
06	07	08	09	10
Low-friction campus exchange	Caregiver-friendly staying	Low-carbon operations advice	Open-source care component library	Public maintenance walk

Task coverage and self-check status

Deterministic validation	Structure, schema, bilingual pairing, hash consistency	PASS
Spatial review	Topology, outside-site area, area recomputation, tolerances	PASS
Visual packaging	Required sections, offline safety, metric consistency	PASS
Professional evidence	Section evidence markers and matrix coverage	PASS

Sources and assumptions

A-BOUNDARY-001	Provisional boundary substitutes the
A-KEYAREA-001	Key-area geometry is coarse; areas follow
A-CONTROLS-001	No statutory intensity or height zoning, so
A-BUILDING-001	No existing-building or tenure data, so no
A-AI-GOVERNANCE-001	Baseline service must survive AI shutdown;