

JINGZHANG COMMONCARE: trading public care capacity for AI that stays

AI enters by care, stays by proof.


This is an offline exhibit page. It loads no remote script, tile, font, or external API, and records no reviewer behaviour. The authoritative data remains the GeoJSON layers, metrics.json, the three matrices, and self_check.json; every shape below is projected from this package's own geometry.

Provisional boundary warning

site_boundary and key_areas stay provisional_constraint with official_boundary=false and are not altered here. All areas hold only inside this provisional container and must not be used for approval, acquisition, tenure, or engineering. Once official polygons are released the whole package must be recomputed.

Three-level scope framework

The 43.6 km2 coordination study scope answers industrial and morphological organisation; the 11.4 km2 overall



Coordination study scope

43.6 km2

AI capacity serves everyday city life first and earns industrial residency second; three-zones-two-wings roles and the CommonCare unit family.

Overall design scope

11.4 km2

A continuous public spine, capacity supply belts, and a buffer maintenance belt put on the drawing; twelve parcels and the renewal project list.


Key-area scope

368.4 ha

Each area carries one segment of the capacity chain at detailed design depth, without touching height or floor area ratio.

Land-use parcels


Twelve parcels comprise the greenway, the outer buffer maintenance belt, and ten capacity cells east and west.



- 1401 CommonCare green corridor park land
- 1402 Perimeter buffer green belt
- 09 Dazhongsi commercial service land
- 1403 Dazhongsi station square land
- 0902 South business and finance land
- 0701 South urban residential land
- 0804 AI Origin Community education land
- 0702 Origin community service facility land
- 0802 Origin north research-translation land
- 0701 North urban residential land
- 0802 Zhongzhiyuan care-capability R&D land
- 0904 Zhongzhiyuan maintenance workshop land

Slow mobility and blue-green public space

One care spine runs the greenway, three transit links reach the external network and rail stations, five branc



Core metrics

Green ratio

0.2630

Public space ratio

0.1104

Green space area

300.1 ha

Public space area


126.0 ha

Task coverage and self-check status

Deterministic validation	Structure, schema, bilingual pairing, hash consistency
Spatial review	Topology, outside-site area, area recomputation, tolerances
Visual packaging	Required sections, offline safety, metric consistency
Professional evidence	Section evidence markers and matrix coverage

Buildings and renewal projects

The 42 building footprints express only the position and magnitude of renewal carriers, not height, storeys, o



Buildings and renewal projects

- JZ-01

Stitching slow-mobility gaps on the CommonCare greenway

Road redlines, under-bridge space, traffic organisation review
- JZ-02

Zhongzhiyuan Qing River maintenance display edge

River blueline, ecology, flood control
- JZ-03

Origin Community threshold stitching and open-source release

Campus boundary, tenure, ground-floor uses
- JZ-04

Dazhongsi station walking links and square

Rail station, intersections, municipal pipelines
- JZ-05

CommonCare units and attached edge computing


Energy, computing, safety, operating entity
- JZ-06

CommonCare season public walks and maintenance archive

Public-space permits, event safety, rights clearance

Key-area capacity roles

Each key area carries one segment of the capacity chain: prototype, translate, form. The geometry reuses the r



Zhongzhi Park AI Acceleration Zone

192.1 ha · maintenance prototyping

Non-identifying facility inspection, low-carbon operations, trustworthy-operation standard validation; the Qing River edge works as low-disturbance back-of-house display.

Beijing AI Origin Community

104.3 ha · knowledge translation

Open-source component library, result release, multilingual service; campus-park threshold stitching and a shared hall.

Dazhongsi AI Industry Cluster

72.0 ha · service formation

International roadshows, a data-elements parlour, reassuring night return; station walking links and a solid square on the greenway.

Ten scenario cards share four hard constraints: data minimisation, a working non-AI baseline, human takeover a

01

Accessibility gap maintenance

AI enters by care, stays by proof.

02

Heat and storm comfort service

AI enters by care, stays by proof.

03

Reassuring night return

AI enters by care, stays by proof.

04

Preventive facility maintenance

AI enters by care, stays by proof.

05

Multilingual wayfinding

AI enters by care, stays by proof.

06

Low-friction campus exchange

AI enters by care, stays by proof.

07

Caregiver-friendly staying

AI enters by care, stays by proof.

08

Low-carbon operations advice

AI enters by care, stays by proof.

09

Open-source care component library

AI enters by care, stays by proof.

10



Public maintenance walk

AI enters by care, stays by proof.

Core metrics

A3-07

Recomputable metrics derive directly from the submitted geometry in EPSG:4548; structural counts verify the ta



structural count

3	Key areas	4	Care unit types	10	AI scenario cards
3	Industry test scenarios	5	Personas	3	Phases

unknown (reason and recompute trigger attached)

unknown	Floor area ratio
unknown	Building height
unknown	Accessibility continuity rate
unknown	Facility defect exposure hours
unknown	Staffed service availability

Sources and assumptions

Eighteen sources are graded as usable for formal content, background only, or provisional only; eleven assumpt

Sources and assumptions

Formal basis

Open call announcement, agent taskbook, site package, source registry, Barrier-free Environment Construction Law, Interim Measures for Generative AI Services, Urban Design Administration Measures, land-use classification guide

Background only

National documents on smart elderly care and age-friendly adaptation, Jing-Zhang corridor reporting, three-zones-two-wings reporting

Provisional only

Provisional substitute boundary and coarse key-area polygons; void once official redlines are released

Task coverage and self-check status

Deterministic validation

Structure, schema, bilingual pairing, hash consistency

PASS

Spatial review

Topology, outside-site area, area recomputation, tolerances

PASS

Visual packaging

Required sections, offline safety, metric consistency

PASS

Professional evidence

Section evidence markers and matrix coverage

PASS

assumptions.json

A-BOUNDARY-001	Provisional boundary substitutes the official redline; all areas need full recomputation
A-KEYAREA-001	Key-area geometry is coarse; areas follow the announcement text
A-CONTROLS-001	No statutory intensity or height zoning, so FAR and height stay unknown
A-BUILDING-001	No existing-building or tenure data, so no retain/renovate/demolish verdict
A-AI-GOVERNANCE-001	Baseline service must survive AI shutdown; withdrawal must leave no trace