

EIOPA RISK-FREE CURVE JUNE-23 RECALCULATION

The risk-free curve is one of the principal inputs into an economic scenario generator. This notebook recalculates the risk-free curve using the parameters that are claimed to be used. The European Insurance and Occupational Pensions Authority (EIOPA) publishes their own yield curve prediction. To do this they use the Smith & Wilson algorithm.

Summary

The goal of this test is to replicate the EIOPA yield curve. This test will use the methodology that EIOPA claims it is using and the calibration vector that they publish. If the test is passed, the user can be more confident, that EIOPA risk free rate (RFR) curve was generated using the described methodology/calibration and that the process was implemented correctly.

Table of Contents

1. [Note on Smith & Wilson algorithm](#)
2. [Data requirements](#)
3. [Success criteria](#)
4. [External dependencies](#)
5. [Calibration parameters and calibration vector provided by EIOPA](#)
6. [Smith & Wilson calculation functions](#)
7. [Generation of the risk-free curve](#)
8. [Test 1; Comparison test](#)
9. [Test 1; Success criteria](#)
10. [Test 1; Comparison test](#)
11. [Conclusion](#)

Note on Smith & Wilson algorithm

To replicate the calculations, this example uses a modified Smith&Wilson implementation (The original implementation is available on [GitHub](#)):

- [Python](#)
- [Matlab](#)
- [JavaScript](#)

Limitations of the implementation

Current implementation only looks at a single currency and with/without Volatility Adjustment (VA). The day count convention assumes that each year has the same number of days.

Data requirements

This script contains the EIOPA risk-free rate publication for June 2023. The publication can be found on the [EIOPA RFR website](#).

The observed maturities `M_Obs` and the calibrated vector `Qb` can be found in the Excel sheet `EIOPA_RFR_20230630_Qb_SW.xlsx`.

The target maturities (`T_Obs`), the additional parameters (`UFR` and `alpha`), and the given curve can be found in the Excel `EIOPA_RFR_20230630_Term_Structures.xlsx`, sheet `RFR_spot_no_VA` if the test looks at the curve without the Volatility Adjustment and the sheet `RFR_spot_with_VA` if the test looks at the curve with the Volatility Adjustment.

[Back to the top](#)

Success criteria

The following success criteria is defined:

- Maximum difference between the calculated curve and the one provided by EIOPA is less than 0.1 bps
- Average difference between the calculated curve and the one provided by EIOPA is less than 0.05 bps

In [281...]

```
test_statistics_max_diff_in_bps = 0.1
test_statistics_average_diff_in_bps = 0.05
```

The success function is called at the end of the test to confirm if the success criteria have been met.

In [282...]

```
def SuccessTest(TestStatistics, threshold_max, threshold_mean):
    out1 = False
    out2 = False
    if max(TestStatistics) < threshold_max:
        print("Test passed")
        out1 = True
    else:
        print("Test failed")

    if np.mean(TestStatistics) < threshold_mean:
        print("Test passed")
        out2 = True
    else:
        print("Test failed")
    return [out1, out2]
```

[Back to the top](#)

External dependencies

This implementation uses three well established Python packages widely used in the financial industry. Pandas (<https://pandas.pydata.org/docs/>), Numpy (<https://numpy.org/doc/>), and Matplotlib (<https://matplotlib.org/stable/index.html>)

In [283...]

```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import matplotlib.ticker as mtick
%matplotlib notebook
pd.options.display.max_rows = 150
```

Importing data

In [284...]

```
selected_param_file = 'Param_VA.csv'
selected_curves_file = 'Curves_VA.csv'

#selected_param_file = 'Param_no_VA.csv'
#selected_curves_file = 'Curves_no_VA.csv'
```

In [285...]

```
param_raw = pd.read_csv(selected_param_file, sep=',', index_col=0)
```

Parameter input

Parameters sheet

In [286...]

```
param_raw.head()
```

Out[286...]

	Euro_Maturities	Euro_Values	Austria_Maturities	Austria_Values	Belgium_Maturities	Be
Country						
Coupon_freq	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000
LLP	20.000000	20.000000	20.000000	20.000000	20.000000	20.000000
Convergence	40.000000	40.000000	40.000000	40.000000	40.000000	40.000000
UFR	3.450000	3.450000	3.450000	3.450000	3.450000	3.450000
alpha	0.111987	0.111987	0.111987	0.111987	0.111987	0.111987

5 rows × 106 columns

The country selected is:

In [287...]

```
country = "Slovenia"
```

In [288...]

```
maturities_country_raw = param_raw.loc[:,country+"_Maturities"].iloc[6:]
param_country_raw = param_raw.loc[:,country + "_Values"].iloc[6:]
extra_param = param_raw.loc[:,country + "_Values"].iloc[:6]
```

Extra parameters

Smith-Wilson calibration parameters

In [289...]

```
extra_param
```

Out[289...]

```
Country
Coupon_freq      1.000000
LLP              20.000000
Convergence      40.000000
UFR              3.450000
alpha             0.111987
CRA               10.000000
Name: Slovenia_Values, dtype: float64
```

In [290...]

```
relevant_positions = pd.notna(maturities_country_raw.values)
```

In [291...]

```
maturities_country = maturities_country_raw.iloc[relevant_positions]
```

Maturity vector

Vector of maturities used in the calibration

In [292...]

```
maturities_country.head(15)
```

Out[292...]

```
Country
1      1.0
2      2.0
3      3.0
4      4.0
5      5.0
6      6.0
7      7.0
8      8.0
9      9.0
10     10.0
11     11.0
12     12.0
13     13.0
14     14.0
15     15.0
Name: Slovenia_Maturities, dtype: float64
```

In [293...]

```
Qb = param_country_raw.iloc[relevant_positions]
```

Calibration vector

Vector **Qb** provided as input

In [294...]

```
Qb
```

Out[294...]

```
Country
1      -1.454577
2      -4.475501
3      1.142665
4      0.583288
5      1.482629
6      -1.144625
7      0.883939
8      -0.463093
9      0.129968
10     1.076823
11     -1.775038
12     1.508691
13     -0.024800
14     -0.023458
15     -1.378730
16     0.020643
```

```
17    0.054165
18   -0.081945
19    0.420393
20    0.329203
Name: Slovenia Values, dtype: float64
```

```
In [295...]: curve_raw = pd.read_csv(selected_curves_file, sep=',', index_col=0)
```

```
In [296...]: curve_country = curve_raw.loc[:,country]
```

[Back to the top](#)

Calibration parameters and calibration vector provided by EIOPA

```
In [297...]: # Maturity of observations:
M_Obs = np.transpose(np.array(maturities_country.values))

# Ultimate forward rate ufr represents the rate to which the rate curve will converge
ufr = extra_param.iloc[3]/100

# Convergence speed parameter alpha controls the speed at which the curve converges
alpha = extra_param.iloc[4]

# For which maturities do we want the SW algorithm to calculate the rates. In this case, we want rates for all maturities
M_Target = np.transpose(np.arange(1,151))

# Qb calibration vector published by EIOPA for the curve calibration:
Qb = np.transpose(np.array(Qb.values))
```

[Back to the top](#)

Smith & Wilson calculation functions

In this step, the independent version of the Smith&Wilson algorithm is implemented. To do this, two functions are taken from the publicly available repository and modified to accept the product of Q^*b instead of the calibration vector b .

In [298...]

```

def SWExtrapolate(M_Target, M_Obs, Qb, ufr, alpha):
    # SWEXTRAPOLATE Interpolate or/and extrapolate rates for targeted maturities using a
    # out = SWExtrapolate(M_Target, M_Obs, Qb, ufr, alpha) calculates the rates for maturities
    #
    # Arguments:
    #     M_Target = k x 1 ndarray. Each element represents a bond maturity of interest. Ex. M_Target = [1; 3]
    #     M_Obs = n x 1 ndarray. Observed bond maturities used for calibrating the calibration vector.
    #     Qb = n x 1 ndarray. Calibration vector calculated on observed bonds.
    #     ufr = 1 x 1 floating number. Representing the ultimate forward rate.
    #         Ex. ufr = 0.042
    #     alpha = 1 x 1 floating number. Representing the convergence speed parameter alpha.
    #
    #
    # Returns:
    #     k x 1 ndarray. Represents the targeted rates for a zero-coupon bond. Each rate is
    #
    # For more information see https://www.eiopa.europa.eu/sites/default/files/risk_free_curve.ipynb

def SWHeart(u, v, alpha):
    # SWHEART Calculate the heart of the Wilson function.
    # H = SWHeart(u, v, alpha) calculates the matrix H (Heart of the Wilson function) for maturities specified by vectors u and v. The formula is
    # taken from the EIOPA technical specifications paragraph 132.
    #
    # Arguments:
    #     u = n_1 x 1 vector of maturities. Ex. u = [1; 3]
    #     v = n_2 x 1 vector of maturities. Ex. v = [1; 2; 3; 5]
    #     alpha = 1 x 1 floating number representing the convergence speed parameter alpha.
    #
    # Returns:
    #     n_1 x n_2 matrix representing the Heart of the Wilson function for selected maturities.
    #
    # For more information see https://www.eiopa.europa.eu/sites/default/files/risk_free_curve.ipynb

    u_Mat = np.tile(u, [v.size, 1]).transpose()
    v_Mat = np.tile(v, [u.size, 1])
    return 0.5 * (alpha * (u_Mat + v_Mat) + np.exp(-alpha * (u_Mat + v_Mat)) - alpha)

H = SWHeart(M_Target, M_Obs, alpha) # Heart of the Wilson function from paragraph 132
p = np.exp(-np.log(1+ufr)* M_Target) + np.diag(np.exp(-np.log(1+ufr) * M_Target))
return p ** (-1/ M_Target) -1 # Convert obtained prices to rates and return price

```

[Back to the top](#)

Generation of the risk-free curve

The observed maturities, target maturities, and the model parameters provided by EIOPA are used to generate the target curve.

In [299...]

```

r_Target = SWExtrapolate(M_Target,M_Obs, Qb, ufr, alpha)
r_Target = pd.DataFrame(r_Target,columns=['Recalculated rates'])

```

Yield curve calculated

Yield curve calculated using the calibration vector **Qb**

In [300...]

```
r_Target.head(15)
```

Out[300...]

Recalculated rates

0	0.041930
1	0.039821
2	0.037113
3	0.034921
4	0.033423
5	0.032465
6	0.031797
7	0.031360
8	0.031069
9	0.030895
10	0.030795
11	0.030690
12	0.030606
13	0.030493
14	0.030291

[Back to the top](#)

Test 1; Comparison test

Comparison of the calculated yield curve with the yield curve provided by EIOPA. The test is passed if the success criteria is reached.

The provided yield curve can be found in file *EIOPA_RFR_20230630_Term_Structures.xlsx*, sheet *RFR_spot_no_VA* if the test looks at the curve without the Volatility Adjustment and the sheet *RFR_spot_with_VA* if the test looks at the curve with the Volatility Adjustment.

In [301...]

```
target_curve = np.transpose(np.array(curve_country.values))
```

This implementation looks at two kinds of test statistics. The average deviation and the maximum deviation.

The average deviation is defined as:

$$S_{AVERAGE} = \frac{1}{T} \sum_{t=0}^T |r_{EIOPA}(t) - r_{EST}(t)|$$

The maximum deviation is defined as:

$$S_{MAX} = \max_t |r_{EIOPA}(t) - r_{EST}(t)|$$

Where T is the maximum maturity available.

The average difference test is successful if:

$$S_{AVERAGE} < 0.05bps$$

The maximum difference test is successful if:

$$S_{MAX} < 0.1bps$$

In [302...]

```
target_curve = pd.DataFrame(target_curve,columns=['Given rates'])
```

EIOPA curve provided

Yield curve provided by EIOPA

In [303...]

```
target_curve.head()
```

Out[303...]

	Given rates
0	0.04193
1	0.03982
2	0.03711
3	0.03492
4	0.03342


In [304...]

```
x_data_label = range(2023,2023+r_Target.shape[0],1)
```

In [305...]

```
fig, ax1 = plt.subplots(1,1)
ax1.plot(x_data_label, r_Target.values*100, color='tab:blue',label="Calculated")
ax1.plot(x_data_label, target_curve.values*100, color='tab:orange',label="Provided")

ax1.set_ylabel("yield")
ax1.set_title('Recalculated & provided yield curve')
ax1.set_xlabel("time")
ax1.legend()
ax1.yaxis.set_major_formatter(mtick.PercentFormatter())
fig.set_figwidth(6)
fig.set_figheight(3)
plt.show()
```



In [306...]

```
test_statistics_bdp = pd.DataFrame(abs(r_Target.values-target_curve.values)*10000, co
```

EIOPA curve comparison

Absolute difference in bps

In [307...]

```
test_statistics_bdp.head()
```

Out[307...]

	Abs diff in bps
0	6.187075e-07
1	9.984608e-03
2	2.859527e-02
3	1.251384e-02

0	6.187075e-07
1	9.984608e-03
2	2.859527e-02
3	1.251384e-02

Abs diff in bps

[Back to the top](#)

Test 1; Success criteria

The successful application of the success criteria marks the completion of the test.


In [308...]

```
result1 = SuccessTest(test_statistics_bdp.values, test_statistics_max_diff_in_bps, tolerance)
```

```
Test passed  
Test passed
```

In [309...]

```
x_data_label = range(2023,2023+r_Target.shape[0],1)  
fig, ax1 = plt.subplots(1,1)  
ax1.plot(x_data_label, test_statistics_bdp, label= "Absolute difference")  
ax1.axhline(y = test_statistics_max_diff_in_bps, color = 'r', linestyle = '--',label='Max allowed diff')  
  
ax1.set_xlabel("time")  
ax1.set_ylabel("Difference (in bps)")  
ax1.set_title('Absolute difference in yield curve')  
ax1.legend()  
fig.set_figwidth(6)  
fig.set_figheight(3)  
  
plt.show()
```



[Back to the top](#)

Conclusion

This test checks the success criteria on the EIOPA curve generated for June 2023. If the tests are passed, it is likely that the curve was generated using the Smith & Wilson algorithm with the calibration vector that was provided in the file *EIOPA_RFR_20230630_Qb_SW.xlsx* and the parameters displayed in the file *EIOPA_RFR_20230630_Term_Structures.xlsx*.

In [310...]

```
pd.DataFrame(data = [result1], columns = ["Mean test", "Max test"], \
              index= ["Provided vs calculated"])
```

Out[310...]

	Mean test	Max test
Provided vs calculated	True	True

Final yield curve

Full yield curve provided by EIOPA in %

In [311...]

```
(curve_country*100).head(150)
```

Out[311...]

Country	
1	4.193
2	3.982
3	3.711
4	3.492
5	3.342
6	3.247
7	3.180
8	3.136
9	3.107
10	3.089
11	3.079
12	3.069
13	3.061
14	3.049
15	3.029
16	2.998
17	2.962
18	2.926
19	2.894
20	2.870
21	2.853
22	2.843
23	2.838
24	2.836
25	2.838
26	2.841
27	2.847
28	2.854

29	2.862
30	2.871
31	2.880
32	2.890
33	2.900
34	2.910
35	2.920
36	2.931
37	2.941
38	2.951
39	2.960
40	2.970
41	2.979
42	2.989
43	2.998
44	3.006
45	3.015
46	3.023
47	3.031
48	3.039
49	3.047
50	3.054
51	3.061
52	3.068
53	3.075
54	3.082
55	3.088
56	3.094
57	3.100
58	3.106
59	3.111
60	3.117
61	3.122
62	3.127
63	3.132
64	3.137
65	3.142
66	3.146
67	3.151
68	3.155
69	3.159
70	3.163
71	3.167
72	3.171
73	3.175
74	3.179
75	3.182
76	3.186
77	3.189
78	3.193
79	3.196
80	3.199
81	3.202
82	3.205
83	3.208
84	3.211
85	3.214
86	3.216
87	3.219

88	3.222
89	3.224
90	3.227
91	3.229
92	3.232
93	3.234
94	3.236
95	3.239
96	3.241
97	3.243
98	3.245
99	3.247
100	3.249
101	3.251
102	3.253
103	3.255
104	3.257
105	3.259
106	3.260
107	3.262
108	3.264
109	3.266
110	3.267
111	3.269
112	3.271
113	3.272
114	3.274
115	3.275
116	3.277
117	3.278
118	3.280
119	3.281
120	3.283
121	3.284
122	3.285
123	3.287
124	3.288
125	3.289
126	3.290
127	3.292
128	3.293
129	3.294
130	3.295
131	3.297
132	3.298
133	3.299
134	3.300
135	3.301
136	3.302
137	3.303
138	3.304
139	3.305
140	3.306
141	3.307
142	3.308
143	3.309
144	3.310
145	3.311
146	3.312

147 3.313
148 3.314
149 3.315
150 3.316