

unit_linked

September 21, 2026

1 PROTOTYPE UNIT-LINKED LIABILITIES

The purpose of this notebook is to showcase how unit-linked pension liabilities work inside the OSEM model, using the same production classes and loop helpers that `main.py` calls when `liability_mode=unit_linked`.

Unit-linked products differ from the static cash-flow liability mode: they do **not** upload a pre-scheduled outflow vector. Cash flows emerge each period from policy state (account value, premiums, fees) and stochastic mortality / lapse liquidations.

Detailed methodology: [Documentation/Unit_Linked_Methodology.md](#) and [Liability_Dev/Unit_Linked_Methodology.html](#).

```
[1]: import os
import pandas as pd
import datetime as dt
from pathlib import Path
import sys

base_folder = next(path for path in [Path.cwd(), *Path.cwd().parents] if (path /
    ↪ "ALM.ini").is_file())
sys.path.insert(0, str(base_folder / "src"))
os.chdir(base_folder)
```

```
[2]: from osem.ConfigurationClass import Configuration
from osem.ImportData import (
    get_configuration,
    get_settings,
    get_unit_linked_policies,
    get_unit_linked_fund,
    get_society,
)
from osem.UnitLinkedClasses import UnitLinkedPolicy, UnitLinkedFund, ↵
    ↪UnitLinkedPortfolio
from osem.SocietyClass import Society
from osem.MainLoop import (
    capitalize_policies,
    apply_premiums,
    apply_admin_fees,
```

```

    apply_mortality,
    apply_lapse,
    process_unit_linked_period,
)

```

1.1 Input files

Unit-linked runs need the usual ALM configuration plus three liability-specific files under **Input/**.

1.1.1 Parameters.csv

Adds two fields used by the UL path:

- **liability_mode** ... **cashflow** (default) or **unit_linked**
- **random_seed** ... integer seed for reproducible mortality / lapse draws

Other parameters (modelling date, projection length, EIOPA files) are shared with the asset side.

1.1.2 Unit_Linked_Policies.csv

In-force policy file at modelling date. Columns:

- **Policy_ID** ... unique identifier
- **Birth_Date** ... for age-based mortality (dd/mm/yyyy)
- **Is_Female** ... 0/1 selects mortality column
- **Is_Guaranteed** ... 0/1; if 1, GV is capitalized with MV
- **Premium** ... opening annual premium
- **MV** ... opening account / reserve value
- **GV** ... opening guaranteed value

1.1.3 Unit_Linked_Fund.csv

Single-pool fund parameters (one row in the MVP):

- **Fund_ID**
- **Lapse_Rate** ... annual lapse probability
- **Admin_Fee** ... annual fee as share of MV
- **Entry_Fee** ... share of gross premium to insurer
- **Premium_Growth** ... annual premium growth rate

1.1.4 mortality.csv

Age-indexed annual mortality rates with columns **AGE**, **MALE**, **FEMALE** (already used by **Society**).

Set up the base folder

```
[3]: base_folder = os.getcwd() # Get current working directory
```

Most of the run settings are saved in the configuration file:

```
[4]: conf: Configuration
conf = get_configuration(os.path.join(base_folder, "ALM.ini"), os)
```

These lines of code extract the absolute locations of inputs:

```
[5]: parameters_file = conf.input_parameters
     ul_policies_file = conf.input_unit_linked_policies
     ul_fund_file = conf.input_unit_linked_fund
     mortality_file = conf.input_mortality
```

```
[6]: paramfile = pd.read_csv("Input/Parameters.csv").set_index("Parameter")
```

```
[7]: display(paramfile)
```

	Value
Parameter	
EIOPA_param_file	Input/Param_no_VA.csv
EIOPA_curves_file	Input/Curves_no_VA.csv
country	Slovenia
run_type	Risk Neutral
n_proj_years	50
Precision	1E-10
Tau	0.0001
compounding	-1
Modelling_Date	29/04/2023
liability_mode	cashflow
random_seed	42

The settings object holds modelling date, projection horizon, liability mode, and random seed.

liability_mode only gates which liability branch main.py takes. This notebook calls the unit-linked helpers directly, so it runs the same way whether the repository default in Input/Parameters.csv is cashflow or unit_linked (see the last section for how to switch).

```
[8]: settings = get_settings(parameters_file)
```

```
[9]: print("modelling_date:", settings.modelling_date)
```

```
modelling_date: 2023-04-29
```

```
[10]: print("liability_mode:", settings.liability_mode)
```

```
liability_mode: cashflow
```

```
[11]: print("random_seed:", settings.random_seed)
```

```
random_seed: 42
```

```
[12]: print("end_date:", settings.end_date)
```

```
end_date: 2073-04-29
```

1.2 Loading unit-linked objects

A Python generator reads the policy CSV into UnitLinkedPolicy instances keyed by policy_id.

```
[13]: policy_generator = get_unit_linked_policies(ul_policies_file)
      ul_policies = {policy.policy_id: policy for policy in policy_generator}
```

Inspect a single policy (static metadata is frozen after import):

```
[14]: example_id = sorted(ul_policies.keys())[0]
      policy = ul_policies[example_id]
```

```
[15]: display(ul_policies.keys())
```

```
dict_keys([1001, 1002, 1003, 1004, 1005])
```

```
[16]: print(policy)
```

```
UnitLinkedPolicy(policy_id=1001, birth_date=datetime.date(1970, 3, 15),
is_female=True, is_guaranteed=False, premium=5000.0, mv=120000.0, gv=0.0)
```

```
[17]: print("Age at modelling date:", policy.age_at(settings.modelling_date))
```

```
Age at modelling date: 53
```

Fund parameters and mortality society:

```
[18]: ul_fund = get_unit_linked_fund(ul_fund_file)
```

```
[19]: display(ul_fund)
```

```
UnitLinkedFund(fund_id=1, lapse_rate=0.04, admin_fee=0.01, entry_fee=0.03,
premium_growth=0.02)
```

```
[20]: society = get_society(mortality_file)
```

```
[21]: print("Male q at age 50:", society.mortality_rate(50, is_female=False))
```

```
Male q at age 50: 0.020122
```

```
[22]: print("Female q at age 50:", society.mortality_rate(50, is_female=True))
```

```
Female q at age 50: 0.009009
```

1.3 Portfolio wrapper and state DataFrames

UnitLinkedPortfolio mirrors the equity/bond portfolio pattern. Simulation state lives in DataFrames (rows = policy_id, columns = modelling dates), not on the frozen dataclasses.

There is no separate boolean “active” matrix: `init_policy_state_to_dataframe` returns just (mv_df, gv_df, premium_df), and a policy that dies or lapses has its row dropped from all three (see `apply_mortality` / `apply_lapse` in steps 4-5 below) rather than being flagged inactive in place.

```
[23]: ul_ptf = UnitLinkedPortfolio(ul_policies)
      ul_mv_df, ul_gv_df, ul_premium_df = ul_ptf.init_policy_state_to_dataframe(
```

```
modelling_date=settings.modelling_date
)
```

```
[24]: print("Opening UL reserve:", ul_ptf.total_reserve(ul_mv_df, settings.
        ↪modelling_date))
```

Opening UL reserve: 720000.0

```
[25]: display(ul_mv_df)
```

```
      2023-04-29
1001    120000.0
1002    250000.0
1003     75000.0
1004    180000.0
1005     95000.0
```

```
[26]: display(ul_premium_df)
```

```
      2023-04-29
1001      5000.0
1002      8000.0
1003      3000.0
1004      6000.0
1005      4500.0
```

```
[27]: print(f"{ul_mv_df.shape[0]} policies in force at the modelling date.")
      print("There is no separate boolean active-flag matrix: a policy that later_
        ↪dies or lapses")
      print("simply has its row dropped from mv_df / gv_df / premium_df (see steps_
        ↪4-5 below).")
```

5 policies in force at the modelling date.

There is no separate boolean active-flag matrix: a policy that later dies or lapses

simply has its row dropped from mv_df / gv_df / premium_df (see steps 4-5 below).

1.4 Dual cash accounts

- `bank_account` — fund / policyholder pool cash (flows into `trade()` in the full ALM run)
- `company_account` — insurer fee revenue (entry fee and admin fee; **not** passed through trading)

In this notebook we track toy cash balances to illustrate the methodology without running the full asset ALM loop.

```
[28]: previous_date = settings.modelling_date
      bank_account = pd.DataFrame(data=[0.0], columns=[previous_date])
      company_account = pd.DataFrame(data=[0.0], columns=[previous_date])
```

```
[29]: display(bank_account)
```

```
2023-04-29
0          0.0
```

```
[30]: display(company_account)
```

```
2023-04-29
0          0.0
```

1.5 Period length

Modelling steps need not be exactly one year. OSEM uses the same convention as the asset side:

$$\Delta t = \frac{\text{currentDate} - \text{previousDate}}{365.25}$$

Annual fund rates and mortality are converted to the elapsed period (see steps below).

```
[31]: current_date = previous_date + dt.timedelta(days=365)
time_frac = (current_date - previous_date).days / 365.25
```

```
[32]: print("previous_date:", previous_date)
```

```
previous_date: 2023-04-29
```

```
[33]: print("current_date:", current_date)
```

```
current_date: 2024-04-28
```

```
[34]: print("time_frac:", time_frac)
```

```
time_frac: 0.999315537303217
```

1.6 Where UL sits in the ALM main loop

In `main.py`, after equities/bonds are marked to market and `Portfolio return` is computed, and **before** `proportional trade()`:

1. Capitalize MV (and GV if guaranteed) by the **period** portfolio return
2. Grow premiums; credit gross premium to `bank_account`; credit entry fee to `company_account`; add net to MV
3. Deduct admin fee from MV; credit `company_account`
4. Stochastic mortality (full MV liquidation if drawn)
5. Stochastic lapse on survivors
6. UL reserve = sum of active MV

This notebook uses an illustrative period return `r_period` (in the full run it comes from the asset portfolio).

```
[35]: # Illustrative period return from the asset MTM step in main.py
# (that value already embeds time_frac on the asset side)
```

```
r_period = 0.05
print("Illustrative portfolio_return (period factor):", r_period)
```

Illustrative portfolio_return (period factor): 0.05

1.7 Step-by-step walkthrough

Carry forward previous state into the new date column, then apply each helper used by process_unit_linked_period.

```
[36]: # Working copies so cells remain re-runnable independently after reload
mv_df = ul_mv_df.copy()
gv_df = ul_gv_df.copy()
premium_df = ul_premium_df.copy()

mv_df[current_date] = mv_df[previous_date]
gv_df[current_date] = gv_df[previous_date]
premium_df[current_date] = premium_df[previous_date]
bank_account[current_date] = bank_account[previous_date]
company_account[current_date] = company_account[previous_date]
```

1.7.1 1) Capitalize

Active policies:

$$MV_t = MV_t * (1 + r_t)$$

Where: - r_t ... is the calculated portfolio return at time t . - MV_t^i ... is the market value of the policy i at time t .

Guaranteed policies also capitalize GV the same way.

```
[37]: print("MV before capitalize:")
display(mv_df[[previous_date, current_date]])

mv_df, gv_df = capitalize_policies(
    mv_df, gv_df, ul_policies, current_date, portfolio_return=r_period
)

print("MV after capitalize:")
display(mv_df[[current_date]])
print("GV after capitalize (guaranteed policies only change):")
display(gv_df[[current_date]])
```

MV before capitalize:

	2023-04-29	2024-04-28
1001	120000.0	120000.0
1002	250000.0	250000.0
1003	75000.0	75000.0

1004	180000.0	180000.0
1005	95000.0	95000.0

MV after capitalize:

	2024-04-28
1001	126000.0
1002	262500.0
1003	78750.0
1004	189000.0
1005	99750.0

GV after capitalize (guaranteed policies only change):

	2024-04-28
1001	0.0
1002	210000.0
1003	0.0
1004	0.0
1005	0.0

1.7.2 2) Premiums and entry fee

$$P_t^{i,G} = P_{t-1}^{i,G} * (1 + pg_t)^{\Delta t}$$

$$F_t^{i,P} = P_t^{i,G} * f_t^P$$

$$P_t^{i,N} = P_t^{i,G} - F_t^{i,P}$$

$$b_t^c = b_t^c + F_t^{i,P}$$

$$MV_t^i = MV_t^i + P_t^{i,N}$$

Where: - pg_t ... premium growth for the period t . - Δt ... is the time fraction or the length of the period (in years) - $P_t^{i,G}$... is the gross premium for the policy i at time t - f_t^P ... is the entry fee charged by the asset manager at time t - $F_t^{i,P}$... is the size of the the entry fee, collected at time t in policy i - $P_t^{i,N}$... is the net premium for the policy i at time t - b_t^c ... is the company bank account at time t - MV_t^i ... is the market value of policy i at time t

```
[38]: mv_df, premium_df, gross_premium, entry_fee = apply_premiums(
    mv_df, premium_df, ul_fund, current_date, time_frac
)
bank_account[current_date] += gross_premium
company_account[current_date] += entry_fee

print("gross_premium:", gross_premium)
print("entry_fee (to company_account):", entry_fee)
```

```
print("bank_account:", float(bank_account.loc[0, current_date]))
print("company_account:", float(company_account.loc[0, current_date]))
display(mv_df[[current_date]])
display(premium_df[[current_date]])
```

```
gross_premium: 27029.633633546677
entry_fee (to company_account): 810.8890090064004
bank_account: 27029.633633546677
company_account: 810.8890090064004
```

```
2024-04-28
1001 130946.932948
1002 270415.092717
1003 81718.159769
1004 194936.319538
1005 104202.239653
```

```
2024-04-28
1001 5099.930874
1002 8159.889399
1003 3059.958525
1004 6119.917049
1005 4589.937787
```

1.7.3 3) Admin fee

Actual administration fee:

$$adminFee_t = 1 - (1 - f_t^A)^{\Delta t}$$

$$F_t^{i,A} = MV_t^i * adminFee_t$$

$$MV_t^i = MV_t^i - F_t^{i,A} = MV_t^i * (1 - adminFee_t)$$

$$b_t^c = b_t^c + F_t^{i,A}$$

Where: - f^A ... is the relative size of the administration fee (on a yearly basis) - $F_t^{i,A}$... is the absolute size of the administration fee collected by the company - $adminFee_t$... is the relative size of the administration fee given the length of the period t

```
[39]: mv_df, admin_fee = apply_admin_fees(mv_df, ul_fund, current_date, time_frac)
      company_account[current_date] += admin_fee

      print("admin_fee (to company_account):", admin_fee)
      print("company_account:", float(company_account.loc[0, current_date]))
      display(mv_df[[current_date]])
```

```
admin_fee (to company_account): 7816.860292067925
company_account: 8627.749301074326
```

```
2024-04-28
1001 129638.355408
1002 267712.783401
1003 80901.534697
1004 192988.283920
1005 103160.926907
```

1.7.4 4) Mortality sampling (stochastic)

For each **active** policy (sorted by `policy_id`):

$$mF_t^i = 1 - (1 - q_t^i)^{\Delta t}$$

$u \sim \text{Uniform}(0, 1)$

If the fund is guaranteed then:

$$b_t^f = b_t^f - \max(MV_t^i, GV_t^i) I_{u < mF_t^i}$$

Otherwise:

$$b_t^f = b_t^f - MV_t^i I_{u < mF_t^i}$$

If the draw liquidates the policy it is **removed** from the state matrices entirely: `mv_df`, `gv_df` and `premium_df` all drop that row. It is not zeroed in place, so a liquidated policy cannot be charged a premium or a fee in any later period.

Where: - b_t^f ... is the fund's own bank account - mF_t^i ... is the the probability, the client in policy i dies within period t . - q_t^i ... is the probability that a person that is the same age as client in policy i in the same year as the start of period t .

Using a forced RNG that always survives makes the path deterministic for teaching.

```
[40]: class AlwaysSurvive:
        def random(self):
            return 0.99

mv_df, gv_df, premium_df, death_total, deaths = apply_mortality(
    mv_df, gv_df, premium_df, ul_policies, society, current_date, time_frac,
    ↪ AlwaysSurvive()
)
bank_account[current_date] -= death_total

print("deaths:", deaths, "death_total:", death_total)
print("policies remaining in force:", mv_df.shape[0])
display(mv_df[[current_date]])
```

deaths: 0 death_total: 0.0
policies remaining in force: 5

2024-04-28
1001 129638.355408
1002 267712.783401
1003 80901.534697
1004 192988.283920
1005 103160.926907

1.7.5 5) Lapse sampling (survivors only)

Same Bernoulli pattern with period-scaled `lapse_rate` on policies that remain active after mortality.

For each **active** policy (sorted by `policy_id`):

$$lF_t^i = 1 - (1 - l_t)^{\Delta t}$$

$u \sim \text{Uniform}(0, 1)$

If the fund is guaranteed then:

$$b_t^f = b_t^f - \max(MV_t^i, GV_t^i)I_{u < lF_t^i}$$

Otherwise:

$$b_t^f = b_t^f - MV_t^i I_{u < lF_t^i}$$

If the draw liquidates the policy it is **removed** from the state matrices entirely: `mv_df`, `gv_df` and `premium_df` all drop that row. It is not zeroed in place, so a liquidated policy cannot be charged a premium or a fee in any later period.

Where: - b_t^f ... is the fund's own bank account - lF_t^i ... is the the probability, the client in policy i lapses within period t . - l_t ... is the probability that a person lapses in the same year as the start of period t .

```
[41]: mv_df, gv_df, premium_df, surrender_total, lapses = apply_lapse(
      mv_df, gv_df, premium_df, ul_fund, current_date, time_frac, AlwaysSurvive()
    )
bank_account[current_date] -= surrender_total

print("lapses:", lapses, "surrender_total:", surrender_total)
print("UL reserve:", ul_ptf.total_reserve(mv_df, current_date))
print("policies remaining in force:", mv_df.shape[0])
print("bank_account:", float(bank_account.loc[0, current_date]))
print("company_account:", float(company_account.loc[0, current_date]))
```

```

lapses: 0 surrender_total: 0.0
UL reserve: 774401.8843324725
policies remaining in force: 5
bank_account: 27029.633633546677
company_account: 8627.749301074326

```

1.8 One-shot orchestrator (process_unit_linked_period)

The production helper carry-forwards state, runs steps 1–5, and returns cash-flow totals. Signs for summary reporting are applied in `main.py` (benefits logged negative).

```
[42]: mv2, gv2, prem2 = ul_ptf.init_policy_state_to_dataframe(previous_date)
```

```

mv2, gv2, prem2, cfs = process_unit_linked_period(
    current_date=current_date,
    previous_date=previous_date,
    portfolio_return=r_period,
    time=time_frac,
    mv_df=mv2,
    gv_df=gv2,
    premium_df=prem2,
    policies=ul_policies,
    fund=ul_fund,
    society=society,
    random_seed=settings.random_seed,
    proj_period=0,
)

display(pd.Series(cfs, name="cashflows"))
print("UL reserve:", ul_ptf.total_reserve(mv2, current_date))
print("policies remaining in force:", mv2.shape[0])
display(mv2[[current_date]])

```

```

gross_premium      27029.633634
entry_fee           810.889009
admin_fee           7816.860292
death              267712.783401
surrender           0.000000
deaths              1.000000
lapses              0.000000
in_force            4.000000
Name: cashflows, dtype: float64

UL reserve: 506689.10093148355
policies remaining in force: 4

      2024-04-28
1001  129638.355408
1003   80901.534697

```

```
1004 192988.283920
1005 103160.926907
```

1.9 Reproducibility

The same `random_seed` and `proj_period` produce the same draws. Different seeds can change liquidations.

```
[43]: def run_seeded(seed: int):
      mv, gv, prem = ul_ptf.init_policy_state_to_dataframe(previous_date)
      *, cfs = process_unit_linked_period(
          current_date=current_date,
          previous_date=previous_date,
          portfolio_return=r_period,
          time=time_frac,
          mv_df=mv,
          gv_df=gv,
          premium_df=prem,
          policies=ul_policies,
          fund=ul_fund,
          society=society,
          random_seed=seed,
          proj_period=1,
      )
      return cfs["deaths"], cfs["lapses"], cfs["in_force"]

print("seed 42:", run_seeded(42))
print("seed 42 again:", run_seeded(42))
print("seed 99:", run_seeded(99))
```

```
seed 42: (0.0, 1.0, 4.0)
seed 42 again: (0.0, 1.0, 4.0)
seed 99: (0.0, 0.0, 5.0)
```

1.10 Multi-period illustration

Roll several periods with a fixed illustrative return and the configuration seed. Track reserve, company account, and policies in force.

`proj_period` counts completed periods and starts at 0, matching `main.py`, so that the draws here reproduce those of a production run with the same seed.

The **Bank** `account` column goes deeply negative. That is an artifact of this standalone illustration: there is no asset book here, so death and surrender payments are drawn from an account that opens at zero and is never replenished by asset income or `trade()`. In a full run the same flows are netted against the portfolio. Read it as a cumulative fund cash flow, not as a balance.

```
[44]: n_periods = 10
      mv, gv, prem = ul_ptf.init_policy_state_to_dataframe(settings.modelling_date)
      company = pd.DataFrame(data=[0.0], columns=[settings.modelling_date])
```

```

bank = pd.DataFrame(data=[0.0], columns=[settings.modelling_date])

history = []
prev = settings.modelling_date
for k in range(1, n_periods + 1):
    curr = prev + dt.timedelta(days=365)
    tf = (curr - prev).days / 365.25
    company[curr] = company[prev]
    bank[curr] = bank[prev]

    mv, gv, prem, cfs = process_unit_linked_period(
        current_date=curr,
        previous_date=prev,
        portfolio_return=0.04,
        time=tf,
        mv_df=mv,
        gv_df=gv,
        premium_df=prem,
        policies=ul_policies,
        fund=ul_fund,
        society=society,
        random_seed=settings.random_seed,
        proj_period=k - 1,
    )
    bank[curr] += cfs["gross_premium"] - cfs["death"] - cfs["surrender"]
    company[curr] += cfs["entry_fee"] + cfs["admin_fee"]

    history.append({
        "date": curr,
        "UL reserve": ul_ptf.total_reserve(mv, curr),
        "Company account": float(company.loc[0, curr]),
        "Bank account": float(bank.loc[0, curr]),
        "In force": cfs["in_force"],
        "Deaths": cfs["deaths"],
        "Lapses": cfs["lapses"],
        "Gross premium": cfs["gross_premium"],
    })
    prev = curr

history_df = pd.DataFrame(history).set_index("date")
display(history_df)


try:
    ax = history_df[["UL reserve", "Company account"]].plot(
        figsize=(9, 4), title="UL reserve and company account"
    )
    ax.set_ylabel("Amount")

```

```
except ImportError:
    print("Install matplotlib to plot this table (optional).")
```

	UL reserve	Company account	Bank account	In force	Deaths	\
date						
2024-04-28	502036.068923	8555.798335	-238208.132742	4.0	1.0	
2025-04-28	535382.796668	14537.391590	-218961.254499	4.0	0.0	
2026-04-28	361389.714927	20880.823544	-408026.216153	2.0	0.0	
2027-04-28	383522.924501	25109.310800	-396120.107919	2.0	0.0	
2028-04-27	406539.946060	29577.272016	-383976.042125	2.0	0.0	
2029-04-27	430471.513783	34294.081352	-371589.262908	2.0	0.0	
2030-04-27	455349.363078	39269.436160	-358954.919357	2.0	0.0	
2031-04-27	481206.262048	44513.367465	-346068.063605	2.0	0.0	
2032-04-26	508076.043928	50036.250770	-332923.648902	2.0	0.0	
2033-04-26	535993.640518	55848.817211	-319516.527628	2.0	0.0	

	Lapses	Gross premium
date		
2024-04-28	0.0	27029.633634
2025-04-28	0.0	19246.878242
2026-04-28	2.0	19631.549716
2027-04-28	0.0	11906.108233
2028-04-27	0.0	12144.065794
2029-04-27	0.0	12386.779217
2030-04-27	0.0	12634.343552
2031-04-27	0.0	12886.855751
2032-04-26	0.0	13144.414704
2033-04-26	0.0	13407.121274



1.11 Connection to the full ALM run

In `src/osem/main.py` with `liability_mode=unit_linked`:

1. Assets still evolve first (dividends, coupons, growth, bond reprice).
2. `Portfolio return` from the asset book capitalizes UL accounts.
3. UL cash flows update `bank_account` and `company_account`.
4. Proportional `trade()` invests / disinvests using **fund** cash only (`company_account` is excluded).

Switch the mode in `Input/Parameters.csv`:

```
liability_mode,unit_linked  
random_seed,42
```

Then run the model as a module (`python -m osem.main`, or the `osem` console script after `pip install -e .`) and inspect `Output/Results.csv` for the UL summary columns.

Run this notebook from the repository root so `ALM.ini` and `Input/` resolve correctly.

1.12 Out of scope for this MVP

New business, lifecycle fund migration, full DCF reserving, company-account payouts, morbidity / retirement, and multi-fund asset buckets are not modelled yet.