

_TRADING

July 10, 2026

1 Trading

The purpose of this worksheet is to demonstrate and describe how trading works in OSEM.

```
[24]: import os
import pandas as pd
from ImportData import get_configuration, get_settings, import_SWEiopa,
    ↪get_Cash, get_EquityShare, get_corporate_bonds, get_Liability
from ConfigurationClass import Configuration
from CurvesClass import Curves
from BondClasses import CorpBondPortfolio
from EquityClasses import EquitySharePortfolio
from MainLoop import create_cashflow_dataframe, create_liabilities_df,
    ↪set_dates_of_interest, process_expired_cf, process_expired_liab, trade
```

```
[ ]:
```

```
[25]: base_folder = os.getcwd() # Get current working directory
conf: Configuration
conf = get_configuration(os.path.join(base_folder, "ALM.ini"), os)
```

```
[26]: parameters_file = conf.input_parameters
cash_portfolio_file = conf.input_cash_portfolio
equity_portfolio_file = conf.input_equity_portfolio
liability_cashflow_file = conf.input_liability_cashflow
bond_portfolio_file = conf.input_bond_portfolio
```

```
[27]: settings = get_settings(parameters_file)
```

```
[28]: [maturities_country, curve_country, extra_param, Qb] = import_SWEiopa(settings.
    ↪EIOPA_param_file,
    ↪settings.EIOPA_curves_file, settings.country)
```

Curves object with information about term structure

```
[29]: curves = Curves(extra_param["UFR"] / 100, settings.precision, settings.tau,
    ↪settings.modelling_date,
```

```
settings.country)
```

```
[30]: curves.SetObservedTermStructure(maturity_vec=curve_country.index.tolist(),  
    ↪yield_vec=curve_country.values)  
curves.SetObservedTermStructure(maturity_vec=curve_country.index.tolist(),  
    ↪yield_vec=curve_country.values)  
curves.CalcFwdRates()  
curves.ProjectForwardRate(settings.n_proj_years+1)  
curves.CalibrateProjected(settings.n_proj_years+1, 0.05, 0.5, 1000)
```

Cash

```
[31]: cash = get_Cash(cash_portfolio_file)
```

```
[32]: equity_input_generator = get_EquityShare(equity_portfolio_file) # Create  
    ↪generator that contains all equity positions  
eq_input = {equity_share.asset_id: equity_share for equity_share in  
    ↪equity_input_generator}
```

```
[33]: bond_input_generator = get_corporate_bonds(bond_portfolio_file)  
bond_input = {corp_bond.asset_id: corp_bond for corp_bond in  
    ↪bond_input_generator}
```

```
[34]: eq_ptf = EquitySharePortfolio(eq_input)  
bd_ptf = CorpBondPortfolio(bond_input)
```

```
[35]: div_dict = eq_ptf.create_dividend_flows(settings.modelling_date, settings.  
    ↪end_date)  
ter_dict = eq_ptf.create_terminal_flows(modelling_date=settings.modelling_date,  
    ↪terminal_date=settings.end_date,  
    ↪terminal_rate=curves.ufr)  
cpn_flows = bd_ptf.create_coupon_flows(settings.modelling_date, settings.  
    ↪end_date)  
not_flows = bd_ptf.create_maturity_flows(terminal_date=settings.end_date)
```

```
[36]: unique_div_dates = eq_ptf.unique_dates_profile(div_dict)  
unique_ter_dates = eq_ptf.unique_dates_profile(ter_dict)  
unique_cpn_dates = bd_ptf.unique_dates_profile(cpn_flows)  
unique_not_dates = bd_ptf.unique_dates_profile(not_flows)
```

```
[37]: liabilities = get_Liability(liability_cashflow_file)  
unique_liabilities_dates = liabilities.unique_dates_profile()
```

```
[38]: [eq_price_df, eq_growth_df, eq_units_df] = eq_ptf.  
    ↪init_equity_portfolio_to_dataframe(settings.modelling_date)
```

```
[bd_price_df, bd_zspread_df, bd_units_df] = bd_ptf.  
    ↪init_bond_portfolio_to_dataframe(settings.modelling_date)  
bank_account = pd.DataFrame(data=[cash.bank_account], columns=[settings.  
    ↪modelling_date])
```

```
[39]: div_df = create_cashflow_dataframe(div_dict, unique_div_dates)  
ter_df = create_cashflow_dataframe(ter_dict, unique_ter_dates)  
cpn_df = create_cashflow_dataframe(cpn_flows, unique_cpn_dates)  
not_df = create_cashflow_dataframe(not_flows, unique_not_dates)  
liab_df = create_liabilities_df(liabilities)
```

```
[40]: prev_mkt_value = sum(eq_price_df[settings.modelling_date] *  
    ↪eq_units_df[settings.modelling_date]) + sum(bd_price_df[settings.  
    ↪modelling_date] * bd_units_df[settings.modelling_date]) # Value of the  
    ↪initial portfolio
```

```
[41]: dates_of_interest = set_dates_of_interest(settings.modelling_date, settings.  
    ↪end_date)
```

```
[42]: previous_date = settings.modelling_date
```

```
[43]: proj_period = 0
```

```
[44]: bd_zspread_df=bd_ptf.calibrate_bond_portfolio(bd_zspread_df, settings,  
    ↪proj_period, curves)
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
disc_value: float = float(np.sum(nodisc_value))

```
[45]: for current_date in dates_of_interest.values:  
    init_mkt_value = sum(eq_price_df[previous_date] *  
    ↪eq_units_df[previous_date]) + sum(bd_price_df[previous_date] *  
    ↪bd_units_df[previous_date])  
    eq_units_df[current_date] = eq_units_df[previous_date]  
    bd_units_df[current_date] = bd_units_df[previous_date]  
  
    bank_account[current_date] = bank_account[previous_date]  
  
    time_frac = (current_date - previous_date).days / 365.25
```

```

    cash, div_df, unique_div_dates = process_expired_cf(unique_div_dates,
↪current_date, div_df, eq_units_df)
    bank_account[current_date] += cash

    cash, cpn_df, unique_cpn_dates = process_expired_cf(unique_cpn_dates,
↪current_date, cpn_df, bd_units_df)
    bank_account[current_date] += cash

    cash, ter_df, unique_ter_dates = process_expired_cf(unique_ter_dates,
↪current_date, ter_df, eq_units_df)
    bank_account[current_date] += cash

    cash, not_df, unique_not_dates = process_expired_cf(unique_not_dates,
↪current_date, not_df, bd_units_df)
    bank_account[current_date] += cash

    cash, liab_df, unique_liabilities_dates =
↪process_expired_liab(unique_liabilities_dates, current_date, liab_df)

    bank_account[current_date] -= cash

    eq_price_df[current_date] = eq_price_df[previous_date] * (
        1 + eq_growth_df[settings.modelling_date]) ** time_frac

    bd_price_df[current_date] = bd_price_df[previous_date]

    bd_price_df = bd_ptf.price_bond_portfolio(cpn_df, not_df, settings,
↪proj_period, curves, bd_zspread_df, bd_price_df, current_date)

    total_market_value =
↪sum(eq_units_df[current_date]*eq_price_df[current_date]) +
↪sum(bd_price_df[current_date] * bd_units_df[current_date]) # Total value of
↪portfolio after growth

    [eq_units_df, bd_units_df, bank_account] = trade(current_date,
↪bank_account, eq_units_df, eq_price_df, bd_units_df, bd_price_df)

    previous_date = current_date
    prev_mkt_value = sum(eq_units_df[current_date]*eq_price_df[current_date]) +
↪sum(bd_price_df[current_date] * bd_units_df[current_date])

    proj_period+=1

```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```



```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```



```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```



```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```



```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```



```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```



```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```



```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```



```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```



```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```



```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```



```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```



```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```



```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```



```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```



```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```



```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```



```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```



```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```



```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```



```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```



```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```



```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```



```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```



```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```



```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```



```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```



```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```



```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```



```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```



```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```



```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```



```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```



```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```



```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```



```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```
return reduction(axis=axis, out=out, **passkwargs)
```

C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead

```
disc_value: float = float(np.sum(nodisc_value))
```

C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```



```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```



```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```



```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```



```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86: FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a future version this will reduce over both axes and return a scalar. To retain the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.py:242: FutureWarning: Calling float on a single element Series is deprecated

```

```

and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:

```

```

FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)

```

```

    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))
C:\Users\grego\anaconda3\Lib\site-packages\numpy\core\fromnumeric.py:86:
FutureWarning: The behavior of DataFrame.sum with axis=None is deprecated, in a
future version this will reduce over both axes and return a scalar. To retain
the old behavior, pass axis=0 (or do not pass axis)
    return reduction(axis=axis, out=out, **passkwargs)
C:\Users\grego\OneDrive\Documenti\GitHub\Open_Source_Economic_Model\BondClasses.
py:242: FutureWarning: Calling float on a single element Series is deprecated
and will raise a TypeError in the future. Use float(ser.iloc[0]) instead
    disc_value: float = float(np.sum(nodisc_value))

```