

RulesetModelOptions2019T24Com

| Enumerator | Description | Notes |
|-----------------|--|-------|
| USER | The building model as described without consideration of the ruleset | |
| PROPOSED_SIZING | The proposed building model used for sizing | |
| BASELINE_SIZING | The baseline building model used for sizing | |
| PROPOSED | The proposed building model | |
| BASELINE | The baseline building model | |

RulesetModelOptions2019T24Res

| Enumerator | Description | Notes |
|------------|--|-------|
| USER | The building model as described without consideration of the ruleset | |
| PROPOSED | The proposed building model | |
| STANDARD | The standard building model | |
| BASELINE | The baseline building model | |

GeneralStatusOptions2019T24

| Enumerator | Description | Notes |
|-------------------|-------------------|-------|
| NEW | New | |
| ALTERED | Altered | |
| EXISTING | Existing | |
| EXISTING_PLUS_NEW | Existing plus new | |

ConstructionClassificationOptions2019T24

| Enumerator | Description | Notes |
|----------------|----------------|-------|
| METAL_BUILDING | Metal building | |

| Enumerator | Description | Notes |
|--------------------------------|--------------------------------|--|
| WOOD_FRAMED | Wood-framed | |
| MASS_LIGHT | Mass, light | Light mass walls are walls with a heat capacity of at least 7.0 Btu/ft ² -°F and less than 15.0 Btu/ft ² -°F |
| MASS_HEAVY | Mass, heavy | Heavy mass walls are walls with a heat capacity of at least 15.0 Btu/ft ² -°F |
| RAISED_MASS | Raised mass | Heavy mass walls are walls with a heat capacity of at least 15.0 Btu/ft ² -°F |
| INSULATION_ENTIRELY_ABOVE_DECK | Insulation entirely above deck | |
| ATTIC | Attic | |
| BELOW_GRADE_WALL | Below-grade wall | |
| STEEL_JOIST | Steel joist | |
| SLAB_ON_GRADE | Slab-on-grade | |
| OTHER | Other | |

ServiceWaterHeatingDistributionCompactnessOptions2019T24Com

| Enumerator | Description | Notes |
|-----------------|-----------------|-------|
| NOT_COMPACT | Not compact | |
| BASIC_COMPACT | Basic compact | |
| EXPANDED_CREDIT | Expanded credit | |
| OTHER | Other | |

ServiceWaterHeatingControlOptions2019T24Com

| Enumerator | Description | Notes |
|------------|-------------|-------|
|------------|-------------|-------|

| Enumerator | Description | Notes |
|---------------------------------------|---------------------------------------|-------|
| DEMAND_CONTROL | Demand control | |
| NO_CONTROL | No control | |
| NO_LOOP_OR_CENTRAL_SYSTEM_PUMP | No loop or central system pump | |
| TEMPERATURE_MODULATION | Temperature modulation | |
| TEMPERATURE_MODULATION_AND_MONITORING | Temperature modulation and monitoring | |
| OTHER | Other | |

OutputSchemaOptions2019T24

| Enumerator | Description | Notes |
|-------------------------------|--|-------|
| OUTPUT_SCHEMA_T24_RESIDENTIAL | Output schema for Title 24 Residential | |
| OUTPUT_SCHEMA_T24_COMMERCIAL | Output schema for Title 24 Commercial | |
| OTHER | other | |