OutcomeOptions

Enumerator	Description	Notes
`PASS`	Pass	
`FAIL`	Fail	
`NOT_APPLICABLE`	Not applicable	
`UNDETERMINED`	Undetermined	

EvaluationTypeOptions

Enumerator	Description	Notes
`FULL`	Full Evaluation	
`APPLICABILITY`	Applicability Evaluation	

RulesetCheckingToolOutputReport

Name	Description	Data Type	Units	Range	Req	Notes
`title`	Title of output report from Ruleset Checking Tool	`String`				Existing template value shows- ASHRAE STD 229P RULESET CHECKING TOOL
`purpose`	Reason for the report	`String`				Existing template value shows- Project Testing Report
`ruleset`	References output that correspond to specific simulation model.	`String`				Existing template value shows- ASHRAE 90.1-2019 Performance Rating Method (Appendix G)
`date_run`	Time stamp for the output report	`String`				This does not seem exactly like a TimeStamp data type but close. Existing template value shows- 2022-02-01T18:25:43-05:00

Name	Description	Data Type	Units	Range	Req	Notes
`rmd_files`	A list of names of RMD files	`[String]`				Existing template value shows- user_rmr.json, baseline_rmr.json, proposed_rmr.json
`rules`	List of rule that is being evaluated	`[{Rule}]`				

Rule

Name	Description	Data Type	Units	Range	Req	Notes
`rule_id`	The identification of the specific rule	`String`				Existing template value shows- 1-1
`description`	Textual description of the rule	`String`				Existing template value shows- Description of rule 1-1.
`evaluation_type`	Indicator if full evaluated rule	`<EvaluationTypeOptions>`				
`standard_section`	Section number for rule	`String`				Existing template value shows- G3.1.2.2
`evaluations`	List of evalations perfomed	`[{Evaluation}]`				Existing template value shows-

Evaluation

Name	Description	Data Type	Units	Range	Req	Notes
`id`	Identifier	`Integer`				Existing template value shows- 1
`outcome`	Expected outcome	`<OutcomeOptions>`				Existing template value shows- PASS
`messages`	List of messages from evaluation	`[String]`				
`calculated_values`		`[{CalculatedValue}]`				Not same as template since template shows key-value pairs

CalculatedValue

Name	Description	Data Type	Units	Range	Req	Notes
`variable`	Variable	`String`				Existing template value shows- calculated_value1
`value`	Value	`(Numeric, String)`				Existing template value shows- 1.0