

RulesetModelOptions2019T24Com

Enumerator	Description	Notes
USER	The building model as described without consideration of the ruleset	
PROPOSED_SIZING	The proposed building model used for sizing	
BASELINE_SIZING	The baseline building model used for sizing	
PROPOSED	The proposed building model	
BASELINE	The baseline building model	

RulesetModelOptions2019T24Res

Enumerator	Description	Notes
USER	The building model as described without consideration of the ruleset	
PROPOSED	The proposed building model	
STANDARD	The standard building model	
BASELINE	The baseline building model	

ConstructionClassificationOptions2019T24

Enumerator	Description	Notes
METAL_BUILDING	Metal building	
WOOD_FRAMED	Wood-framed	
MASS_LIGHT	Mass, light	Light mass walls are walls with a heat capacity of at least 7.0 Btu/ft ² ·°F and less than 15.0 Btu/ft ² ·°F
MASS_HEAVY	Mass, heavy	Heavy mass walls are walls with a heat capacity of at least 15.0 Btu/ft ² ·°F
RAISED_MASS	Raised mass	Heavy mass walls are walls with a heat capacity of at least 15.0 Btu/ft ² ·°F

Enumerator	Description	Notes
INSULATION_ENTIRELY_ABOVE_DECK	Insulation entirely above deck	
ATTIC	Attic	
BELOW_GRADE_WALL	Below-grade wall	
STEEL_JOIST	Steel joist	
SLAB_ON_GRADE	Slab-on-grade	
OTHER	Other	

ServiceWaterHeatingDistributionCompactnessOptions2019T24Com

Enumerator	Description	Notes
NOT_COMPACT	Not compact	
BASIC_COMPACT	Basic compact	
EXPANDED_CREDIT	Expanded credit	
OTHER	Other	

ServiceWaterHeatingControlOptions2019T24Com

Enumerator	Description	Notes
DEMAND_CONTROL	Demand control	
NO_CONTROL	No control	
NO_LOOP_OR_CENTRAL_SYSTEM_PUMP	No loop or central system pump	
TEMPERATURE_MODULATION	Temperature modulation	
TEMPERATURE_MODULATION_AND_MONITORING	Temperature modulation and monitoring	
OTHER	Other	

OutputSchemaOptions2019T24

Enumerator	Description	Notes
OUTPUT_SCHEMA_T24_RESIDENTIAL	Output schema for Title 24 Residential	
OUTPUT_SCHEMA_T24_COMMERCIAL	Output schema for Title 24 Commercial	
OTHER	other	