Demo on Beamer Making a Presentation using LATEX

Arun Prasaad Extra Contents1 Extra Contents2

August 16, 2020 YouTube



Outline

- Preliminary Settings
- 2 Animation
 - Animation 0
 - Animation 1
 - Animation 2
- 3 Two Columns



Preliminary Settings

Matplotlib Settings:

- O Go to Spyder>Tools>Preferences>Ipython Console>Graphics
- Select Activate support
- Set backend to Qt or Tkinter (Qt)
- Got to Advanced Settings
- Select Greedy Completer
- Press apply and ok.
- Go to the ipython console and type % matplotlib qt
- Set the Working Directory in the File Explorer.
- Opp the path of the Working Directory
- type cd (in the ipython console) and paste the path and enter
- Keep cursor near any command and press Ctrl+I for documentation.



Animation 0

first second third fourth



Animation 1

firstsecond third fourth



Animation 2

- O Go to Spyder>Tools>Preferences>Ipython Console>Graphics
- ② Select Activate support
- Set backend to Qt or Tkinter (Qt)
- Got to Advanced Settings
- Select Greedy Completer
- O Press apply and ok.
- Go to the ipython console and type % matplotlib qt
- Set the Working Directory in the File Explorer.
- Opy the path of the Working Directory
- type cd (in the ipython console) and paste the path and enter
- Keep cursor near any command and press Ctrl+I for documentation.



Two Columns

This is a logo!



