

FOR THE RECORD

Private reflection for wallet decisions on Seeker.

For the record, this is why I did it.

Save a reason. Revisit the original writing.
Keep a personal lesson for your next choice.

Development preview. Physical Seeker evidence is pending.

The missing reason

Your wallet remembers the transaction.

Your journal remembers why.

When you review a decision later, the explanation can change with the outcome.
Keeping the first saved writing makes the comparison possible.

First audience: Seeker users who already review their swaps and want a consistent reflection habit.

Decision Replay

01 Save one reason


Choose a supported transaction and save immediately. Extra prompts are optional.

02 Return with context

A 1, 3 or 7-day revisit date brings the entry onto the home screen.

03 Keep your lesson

Compare the original note with your later reflection. Save a lesson and reopen its source.



0.4.0 UI preview
Automated render; not a device capture.

A question for your writing

**The model selects one of five reflection questions.
The user writes the answer and the lesson.**

Qwen3-0.6B INT4 runs through Google LiteRT-LM on ARM64 Android. One optional 347 MB download; then local inference without an API account.

Only bounded excerpts of the reason, plan and reflection enter the model. Personal notes are not sent to an AI service.

Implemented in source. Physical Seeker speed and question quality still need measurement.

Source: Qwen3 model card / Apache 2.0

Wallet facts and private writing

Native Mobile Wallet Adapter supplies the selected public account. Public Solana RPC supplies supported finalized activity.

The default edition reads activity and never requests a transaction signature. It executes no trades. Unsupported activity stays explicitly unsupported.

Transaction facts stay fixed. Personal writing stays on the device. The first saved reason remains available after later edits.

Current scope: a subset of successful Jupiter v6 classic SPL-token swaps. A note written after a transaction does not prove prior intent.

A specific reason to return

The next review starts with your own earlier choice.

One-line saving reduces the initial writing effort. Due entries bring back the original context. Saved lessons remain connected to the records behind them.

The existing offline work journal remains available, with focus sessions and a saved next action. Eight interface languages support the same core flow.

Retention hypothesis, not measured traction: track first reason saved, completed revisit and second-week return in a consented pilot.

Implementation and remaining evidence

Implemented in 0.4.0

First-saved note preservation, quick reason saving, in-app revisit dates, personal lessons and the Android local AI bridge.

Required before the final demonstration

Record the complete wallet-to-journal flow on Seeker. Measure AI behavior offline. Confirm persistence after reopening. Publish matching source, APK, deck and narrated video.

Prior emulator results concern 0.3.1. This deck does not claim physical-device validation, production store readiness or user traction.

Your decisions, with their reasons

FOR THE RECORD

The next milestone is a complete Seeker demonstration, followed by feedback from users who return to their records.

Source repository

github.com/openai-lover/seeker_FOR-THE-RECORD

0.4.0 is a local development draft. Public downloads may still serve 0.3.1.