

FOR THE RECORD



“For the record, this is why I did it.”

A private Android journal for work and wallet decisions

CLOCK IN 2026 / Preview 0.3.0

The reason is easy to lose

A finished task shows an outcome.

A transaction shows an event.

The thinking behind either can disappear.

FOR THE RECORD keeps the intention, the result
and a useful next action together.

Product hypothesis: a clear next action makes returning easier. Retention is not yet measured.

A useful first session


Create a project.

Write one intention.

Choose a focus duration.

Save the result and next action.

**Core journaling works offline
without an account or wallet.**



Context for a wallet decision

Reason

Supported wallet activity anchors a private reflection.

Plan

Chain facts stay separate from editable writing.

Emotion

Next action

Native MWA selects the wallet.
The app reads public Solana activity.

NO PAID BACKEND REQUIRED FOR THE JOURNAL

Public RPC is best effort. Real-wallet validation remains pending.

Clear data boundaries

On the device

SQLite keeps work records and private reflections.

JSON export gives users a portable copy.

Direct wallet reads

MWA supplies the selected public wallet account.

Public RPC supplies finalized activity.


No paid server is required for the journal. Optional shared rooms and purchases remain separate.

An approachable phone experience

English by default. Eight language choices.
Your own writing keeps its language.

Optional motion, haptics and reminders.
Clear save and recovery states.
Local usefulness without a network.

EN KO JA ZH HI ES PT FR



Delivery status

Implemented

Offline work journal
Private reflection storage
Native wallet bridge
Direct read-only activity path

Open release gates

Real-wallet device evidence
Fluent-speaker review
Production RPC strategy
Production signing

Local and emulator evidence is retained. Fixtures are not live trading evidence.

The next release gate

**Prove wallet reads on a device.
Record the verified live flow.
Prepare the dApp Store release.**

Then test whether users return to their next action.

`workroom-seeker-6984.web.app`