OPEN AUDIO TOOLS

OPEN HARDWARE ⟷ OPEN SOFTWARE
[OPEN CONNECTIVITY]

OPEN HARDWARE

- EASY TO SOURCE COMPONENTS
- AFFORDABLE COMPONENTS
- ONLY ESSENTIALS
- EASY TO MODIFY

OPEN SOFTWARE

- SIMPLE
- MODULAR
- EXTENDABLE

OPEN CONNECTIVITY

- OPEN FORMATS
- LESS CABLES
- NO PROPERTIARY CONNECTORS

THE IDEA

THE IDEA IS TO GIVE AN OPENSOURCE HARDWARE/SOFTWARE PLATFORM TO MUSIC, HARDWARE, SOFTWARE CREATORS AROUND THE WORLD. ONE THAT CAN BE EASILY PRODUCED AND SELF-BUILD.

HARDWARE

OPEN

IT SHOULD ALLOW FOR EASY MODIFICATIONS AND ADAPTATIONS.

ESSENTIAL

IT SHOULD FOCUS ON ONE FUNCTION AND DO IT WELL PROVIDING BASICS AT REASONABLE COST

STANDARIZED

- USE TEENSY FOR CONSISTENT ENV.
- USB FOR POWER FOR UNIFED POWER ADAPTERS
- TS 1/4" FOR AUDIO
- TRS 1/8" FOR MIDI - TYPE A
- ETH FOR SYSTEM INTEGRATION
- MIDI HOST USB-A when possible (board 10)

MODULAR (NOT EURORACK)

- OFTEN USED COMPONENTS SHOULD BE PUT ON STANDARIZED BREKOUT BOARDS FOR REUSE ACROSS DEVICES (IE. KEYS, ENCODERS)

- SPECIFIC PURPOUSES SHOULD BE ADDED AS SEPARATE DEVICES AND BE INTERCHANGEBLE WITH OTHER GEAR (IE. MIC PREAMPS, EFFECTS)

FIRMWARE

OPEN

IT SHOULD ALLOW FOR EASY EXTENSION, MODIFICATION AND ADAPTATION

ESSENTIAL

IT SHOULD PROVIDE THE MAIN FUNCTION VERY WELL

STANDIRIZED

TEENSY PROVIDE UNIFIED ARCHITECTURE AND COMMON LANGUAGE.

CONNECTIVITY

OPEN

ONLY OPEN
NON PROPERTIARY
STANDARDS

ESSENTIAL

AUDIO
+ MIDI
ONLY CABLES.

ETHERNET (?)

WE WANT TO MAKE MIDI AND AUDIO AVAILABLE OVER ETHERNET.

- ONE CABLE
- LITTLE LATENCY
- CHEAP HUBS/SWITCHES
- EASY INTERNET CONNECTIVITY
- MOST BOARDS HAVE IT.

STANDARDS:

SYNTEE



A STANDALONE
SOUND MODULE
WITH BASIC CONTROLS.
LR in LR out
Midi in Midi out
ETH, power

HUBTEE



USB/MIDI/ETH
hub. + clock.

4 x USB MIDI HOST
1 x PC - ETH port
8 x ETH connector
2 x Midi in.
2 x Midi out.

VOICE TEE

BACK



A SMALL SET OF MIC PREAMPS TO CONNECT TO MIXTEE OR SYNTEE INPUTS
ADS COMBO INPUTS
AND PHANTOM POWER.
USB POWERED,
ANALOGUE.
2 POTS for gain controll
1 switch for ph. power

TOP



FRONT







STRINGTEE

BACK



A SMALL SET OF GUITAR PREAMPS TO CONNECT TO MIXTEE OR SYNTEE INPUTS

ADS COMBO INPUTS

USB POWERED,

ANALOGUE.

2 POTS for gain controll

TOP



FRONT







MIXTEE



AUDIO MIXER / RECORDER / INTERFACE.

A DIGITAL MIXER DESIGNED TO BE USED WITH MIDI CONTROLLERS. NO BUILD IN PREAMPS, 16 IN 8 OUT (4 STEREO).

ALL CHANNELS AVAILABLE ON ETHERNET CONNECTION

CONNECTIVITY EXAMPLES

USING THE HUBTEE



USING THE MIXTEE (USB)



USING THE MIXTEE (ETH DIRECT)



USING THE MIXTEE (ETH SWITCH)