

*** Copyright Notice ***

Open Benefit Cost Analysis (OpenBCA) Copyright (c) 2026, The Regents of the University of California, through Lawrence Berkeley National Laboratory (subject to receipt of any required approvals from the U.S. Dept. of Energy). All rights reserved.

If you have questions about your rights to use or distribute this software, please contact Berkeley Lab's Intellectual Property Office at IPO@lbl.gov.

NOTICE. This Software was developed under funding from the U.S. Department of Energy and the U.S. Government consequently retains certain rights. As such, the U.S. Government has been granted for itself and others acting on its behalf a paid-up, nonexclusive, irrevocable, worldwide license in the Software to reproduce, distribute copies to the public, prepare derivative works, and perform publicly and display publicly, and to permit others to do

OpenBCA

The OpenBCA software library provides users a means to configure and execute Jurisdiction-Specific Tests (JSTs) for demand side measures, programs, and portfolios in accordance with guidance in the National Standard Practice Manual (NSPM).

Accurate cost-effectiveness tests that account for energy impacts and a jurisdiction's applicable energy policy objectives are critical for optimal DER design and informed decision making. However, traditional cost effectiveness tests (e.g., Total Resource Cost test, Utility Cost Test etc.) are often too restrictive, utilize non-transparent inputs, and do not fully reflect a jurisdiction's goals. In such cases, benefit-cost testing can lead to poor DER design and suboptimal investment across energy resources. To help address these shortcomings, the NSPM — a publication of the National Association of State Energy Offices' (NASEO) [National Energy Screening Project](#) (NESP) - sets forth a set of core principles and a process to guide jurisdictions in the development and implementation of a Jurisdiction Specific Test (JST). By following NSPM guidance, regulators, energy planners, utilities, and other parties can develop a JST that properly accounts for the utility system benefits and costs of DER programs or investment strategies, as well as any applicable non-utility system impacts.

To support a balanced and comprehensive BCA architecture, this library enables comprehensive and flexible configuration and computation required for the formulation of JSTs. The OpenBCA is designed to be used in one of two main ways:

1. Standalone Pathway

This option is intended for general users. It is designed to run exclusively using local hardware and operate end-to-end without the need for users to write code, use terminal applications, or manage databases.

Defining characteristics of the Standalone pathway include:

- Use of the Excel input templates
- Use of the user interface to upload completed input templates, launch the model, and explore and download results.

The amount of data that can be processed and computational speed to run the OpenBCA model will be limited by the user's hardware. Generally it is recommended users have at least 16 GB of RAM, though for smaller jobs less will suffice.

2. Integrated Pathway

This option is intended for expert technical users who may need to integrate OpenBCA source code in existing software systems and technical workflows. For instance, if a user needs to leverage cloud computing or data storage resources or wishes to automate benefit-cost analysis as part of a larger analytics pipeline. The Integrated pathway is most appropriate for users who:

- Need to scale analysis across very large datasets
- Have many custom value streams and/or avoided cost subsets (see below)
- Need maximum flexibility for novel use cases
- Need to embed OpenBCA in existing data pipelines and workflows
- Wish to develop custom user interfaces

Users of the Integrated pathway will need to input data as defined by the schemas resulting from the input parsing step of the Standalone pathway (and reproduced below for reference).

Generally speaking, the Integrated pathway is for expert users and will not be explicitly supported by the development team.

Integrated Pathway Prerequisite Installations

The OpenBCA Integrated Pathway requires the following packages to be installed on your local machine. Depending on your local hardware other packages may also need to be installed:

- git ([mac](#) or [windows](#))
- uv [mac](#) or [windows](#)
- [make](#) (Note this is included as standard on Mac machines)

Running OpenBCA

To run the OpenBCA from a terminal, use the following commands

Launching the UI:

```
make run-openbca
```

or (without make):

```
uv run streamlit run user_interface/Entrypoint.py
```

Through the UI users can upload input files, launch the model, and view results.

Running OpenBCA without the UI:

```
make run-openbca-model
```

or (without make):

```
uv run python model_runners.py openbca_excel_model
```

With this option users can launch the SQLmesh pipeline and generate the output database. This option still begins with the parsing of input files, which need to be stored in the `excel_input_parsing/input_templates` folder.

In either of these options, the output database is stored in the `output/openbca.db` file.



Key Dependencies

The OpenBCA software heavily leverages:

- [uv](#) for Python package management.
- [Pandas ExcelFile](#) for parsing data from Excel input templates.
- [SQLmesh](#) to orchestrate data and computational pipelines.
- [DuckDB](#) for local database management and execution of SQL queries.
- [Streamlit](#) for the base framework of the user interface.



Project Architecture

The repository contains three main related systems housed in the following folders:

- `excel_input_parsing/` This directory stores the populated input templates and contains a SQLmesh pipeline to parse the input files into the OpenBCA schema.
- `core/` The heart of the OpenBCA logic. This houses the generic, jurisdiction-agnostic impact computation code, again in the form of a SQLmesh pipeline. It can run with any

input backend (CSV, Excel, BigQuery, Streamlit app, etc.). It only generates SQL views to let the client application handle the actual data loading and output.

- `user_interface/` This folder contains a Streamlit application that launches a web app. The web app contains a page that allows users to upload populated input templates and another page devoted to exploration of results.

BCA Basic Components

Benefit-cost analysis for distributed energy resources is conducted using the following information and data:

Annual Savings - The amount per year that an intervention saves. Savings are tied to specific **impact categories**. An intervention can save energy across multiple impact categories. Savings can be negative. For instance, a heat pump electrification measure will decrease natural gas consumption (positive savings), increase electricity consumption (negative savings), and may enhance societal resilience and host-customer reliability. In this example “savings” are generated across four impact categories: natural gas, electricity, societal resilience, and host-customer reliability.

Avoided Costs - Within each `impact_category`, there may be one or more avoided costs. Each avoided cost represents a specific, quantifiable dollar value tied to an effect that can be isolated. For example, electricity savings may avoid energy procurement costs, GHG emissions, various capacity costs and more. The NSPM defines many common utility system and non-system avoided costs that should be accounted for in a JST. Avoided costs should represent **marginal** values. For instance, if a program saves 1 MWh, the avoided costs should reflect the dollar value from that specific MWh instead of the average of all electricity generated during the time the savings occurred. Marginal values can be higher or lower than average values depending on the context. If a program saves a MWh during a peak period, then those savings will directly reduce reliance on an expensive peaker plant. In contrast, if that MWh were saved during a period of renewable curtailment, the dollar value may be zero or even negative.

Savings Load Shapes - Encode the distribution of savings over time. The OpenBCA supports natural gas and electric savings load shapes of annual, monthly, daily, or hourly granularities. Other impact categories are limited to annual values. The *maximum* granularity of avoided cost profiles per `impact_category` establishes the *minimum* granularity that a savings load shape must meet. Savings load shapes can be entered as dimensioned or normalized values. If normalized, the load shape acts to distribute annual savings across the year. If dimensioned, the load shape is expected to sum to an annual savings value and nothing should be entered for the corresponding annual savings for that `impact_category`.

Discount Rate and Cadence - The calculation of benefits and costs is conducted via a net-present-value (NPV) computation over the lifecycle of impacts. The annual discount rate determines the degree to which future benefits are eroded relative to the opportunity cost of the capital invested in the project. The discount cadence determines how many time periods will be

included in the NPV calculation. Currently the OpenBCA supports annual and quarterly discounting.

Inflation Rate - Users can choose whether to report results in real or nominal dollars. If real dollars are desired then the user can enter a base year and inflation rate to adjust dollars to the base year. The base year can be before, during, or after a program's impacts.


Cost Treatment - Determines whether certain quantities are treated as costs or transfer payments within a JST. If the user selects "USI + Non-USI" then incentives paid from utilities to customers are treated as transfer payments and are effectively eliminated from the calculation. If "USI" is selected then incentives are treated as costs. Similarly, host customer tax incentives act to reduce total costs in a USI + Non-USI framework, but are ignored in a USI framework. In general, if host customer benefits are to be included in a test then it is recommended to use the USI + Non-USI framework. If only the utility's perspective is the subject of a JST then the USI framework is recommended and the user should take care to not include host customer benefits in the configuration of the JST.

Expected Useful Life (EUL) - The number of years that a project is expected to deliver impacts.

Net-to-Gross (NTG) - Intended to account for free ridership, this metric is used in some jurisdictions to represent the fraction of program benefits and host customer costs that occurred *because of the program*. NTG values typically range between 0 and 1 and $1 - \text{NTG}$ is interpreted as freeridership, the fraction of program impacts tied to customers who would have undertaken the interventions even in the absence of the program. NTG values above 1.0 are allowed as some jurisdictions will assume some benefits occur outside the program *but on account of the program*. This is referred to as "spillover" or "market effects."

›››› OpenBCA Process Flow

The diagram below shows the execution flow of the OpenBCA across three main phases: data input, computation, and user interface functionality




Mermaid diagram

🧠 OpenBCA Core Model

This diagram shows the flow of the OpenBCA core model across its four phases:



Mermaid diagram



Mermaid diagram

Core Model Table Reference

This table lists the tables generated during core model execution,* along with their key contents:

Layer	Table	Contents
Base	measures	Row-level inputs: unique ID, metadata, EUL, NTG, annual savings and costs, load shape assignments
Base	global_parameters	Dollar year, NPV parameters, symmetry treatment, line loss factors
Base	cost_treatment_factors	Establishes cost and benefit multipliers for specific test frameworks (USI + Non-USI (TRC), USI (UCT) etc.)
Base	program_value_streams	Program-level costs and benefits by year
Base	value_stream_groups	Info to shepherd each value stream into a specific computational treatment
Base	load_shape_ts	Savings load shapes time series
Base	avoided_cost_ts	Avoided costs time series. Marginal GHG time series can also be included
Base	first_year_avoided_costs_by_id	“Upfront avoided costs, typically NEIs, that are realized in the first year of an intervention and whose total values are thus not computed over the full EUL
Mapping	avoided_cost_subsets_by_id	Mapping between ID, avoided cost, and avoided cost subset
Mapping	impact_category_load_shape_by_id	Mapping between ID, impact_category, and load shape
Mapping	cost_components_by_id	Establishes costs and multiplicative factors by ID for row-level inputs and by program name for program-level inputs
Precompute	avoided_cost_load_shape_combos	Calculates avoided cost x savings load shape across the EUL for all necessary combinations of avoided cost, savings load shape and year
Precompute	savings_factors	Calculates discount and inflation factors across the full EUL for every row-level input. Applies those factors along with unit quantity, NTG, EUL, line losses as appropriate for every impact_category

Layer	Table	Contents
Finalization	final_value_calculations	Combines the precomputed values from <i>avoided_cost_load_shape_combos</i> , <i>savings_factors</i> , and <i>cost_components_by_id</i> , along with information from several other tables, into full time-series vectors of final net savings and value streams for benefits and costs

*Note that a few additional tables are generated as part of the Finalization step but are not listed here.

Value Stream Calculation


There are eleven computational pathways supported by the OpenBCA to properly handle different types of value streams. The flow diagram and equation reference below provide details on the logic and mathematics of the computational pathways.

To determine which pathway a value stream will follow, the OpenBCA first checks the calculation type. In the Standalone pathway this is a required field entered in the Configuration input template for each value stream. If the calculation type is some form of time series (including custom period or single value), then the impact_category is referenced and the pathway is assigned as Electric, Natural Gas, or Annual accordingly.

If the calculation type is Measure-specific then the OpenBCA checks if the impact category is NEIs or Low Income NEIs. If so then the First Year pathway is assigned. If not then the impact category is ignored.

If the calculation type is Capacity then the corresponding pathway is assigned.

Finally, if the calculation type is % Adder, then Commodity is again checked and the assignment is made accordingly.



Value stream groups

Equations for the calculation of benefits and costs tied to each pathway are given below.

$$F = NTG \times \text{Unit Quantity}$$

$$D = 1/(1 + (\text{Discount Rate} - \text{Inflation Rate})/4)^{((Y-SY) \times 4 + SQ - 1)} \quad (\text{Quarterly Discounting})$$

$$D = 1/(1 + (\text{Discount Rate} - \text{Inflation Rate}))^{(Y-SY)} \quad (\text{Annual Discounting})$$

$$I = 1/(1 + \text{Inflation Rate})^{(Y-DY)}$$

$$L = 1/(1 - \text{Line Loss})$$

1. Electric

$$\text{\$ Benefits} = \sum_{y=SY}^{SY+EUL} \sum_{t=1}^N F \times D \times I \times L_E \times \text{Avoided Cost}_{y,t} \times \text{Annual Savings} \times \text{Load Shape}_t$$

2. Gas

$$\text{\$ Benefits} = \sum_{y=SY}^{SY+EUL} \sum_{t=1}^N F \times D \times I \times L_G \times \text{Avoided Cost}_{y,t} \times \text{Annual Savings} \times \text{Load Shape}_t$$

3. Annual

$$\text{\$ Benefits} = \sum_{y=SY}^{SY+EUL} F \times D \times I \times \text{Avoided Cost}_y \times \text{Annual Savings}$$

4. First Year

$$\text{\$ Benefits} = F \times I \times \text{Upfront Value}$$

5. Capacity

$$\text{\$ Benefits} = \sum_{y=SY}^{SY+EUL} F \times D \times I \times L_p \times \text{Avoided Cost}_y \times \text{Peak Savings}$$

6. Electric % Adder

$$\text{\$ Benefits} = \text{\$Energy} \times \% \text{ Adder}$$

7. Gas % Adder

$$\text{\$ Benefits} = \text{\$Fuel Cost and O\&M} \times \% \text{ Adder}$$

8. Propane % Adder

$$\text{\$ Benefits} = \text{\$Propane Supply} \times \% \text{ Adder}$$

9. Diesel % Adder

$$\text{\$ Benefits} = \text{\$Diesel Supply} \times \% \text{ Adder}$$

10. Oil % Adder

$$\text{\$ Benefits} = \text{\$Oil Supply} \times \% \text{ Adder}$$

11. All Fuels % Adder

$$\text{\$ Benefits} = (\text{\$Energy (Elec)} + \text{\$Fuel Cost and O\&M (NG)} + \text{\$Propane Supply} + \text{\$Diesel Supply} + \text{\$Oil Supply}) \times \% \text{ Adder}$$

Value Stream Equations

Variable	Definition
NTG	Net-to-Gross ratio
Y	Year
SY	Start Year - the first calendar year an intervention has an impact
SQ	Start Quarter - the first quarter an intervention has an impact
DY	

Variable	Definition
	Dollar Year - the year to pin the calculation of real dollars when adjusting for inflation
EUL	Expected Useful Life (years)
N	The number of temporal increments in a year for a particular value stream. For example N = 12 for monthly data.
Avoided Cost_{y,t}	Marginal avoided cost (\$/impact_category unit) for year y and time period t. For instance, \$/kWh for hour 7354 of 2035
Avoided Cost_y	Marginal avoided cost (\$/impact_category unit) for year y. For instance, \$/kWh for 2035
Upfront Value	The raw upfront value of an intervention used in the First Year pathway. Currently only NEIs and Low Income NEIs are supported in this pathway.
Annual Savings	Annual savings (1.0 or impact_category unit) for an intervention. For instance, kWh. If the load shape is dimensioned then Annual Savings should be set to 1.0
Load Shape_t	Load Shape (impact_category unit or fraction) for time period t. For instance, \$/kWh for hour 7354 of the year or 0.001 for hour 7354, which assigns 0.1% of the annual savings to that hour.
L_E	Line loss factor using the electric line loss rate
L_G	Line loss factor using the natural gas line loss rate
L_P	Line loss factor using the peak period electric line loss rate (used only in the Capacity pathway)

% Adders

Several of the value stream groups are % Adders. These value streams are intended to provide users mechanisms to acknowledge and include benefits from value streams that have not yet been properly modeled. For example, consider a jurisdiction that establishes enhancing energy system resilience as a main objective of its demand side portfolio. However, modeling yielding detailed avoided cost data may be a future endeavor. Instead of leaving the value stream out, parties could agree that a 5% adder should be included until more definitive modeling outputs are available.

It is important to note that for each % Adder value stream, there is a more fundamental value stream upon which the % Adder calculation is based. The table below makes explicit the % Adder value streams and the associated value stream(s) that serve as the basis for calculation.

% Adder Value Stream Group	Basis Value Stream
Electric	Energy
Natural Gas	Fuel Cost and O&M
Propane	Propane Supply
Diesel	Diesel Supply
Oil	Oil Supply
Wood	Wood Supply
All Fuels	Energy + Fuel Cost and O&M + Propane Supply + Diesel Supply + Oil Supply + Wood Supply

Avoided Cost Subsets

For some or many value streams, avoided costs may be different depending on region, population, or other factors. For instance, if a utility's grid has a segment with more frequent and expensive periods of constraint, then several value streams would be more accurately calculated if:

1. Avoided cost data were grouped into “constrained” and “non-constrained” subsets.
2. Project tracking indicated in which of these regions an intervention occurred.

With its Avoided Cost Subset feature, the OpenBCA enables users to enter distinct avoided cost data by divisions they define.

This functionality operates as follows:

For any value stream with defined subsets, distinct avoided cost data can be tied to the specific subset (see the *avoided_cost_ts* table spec below). Then, the user can assign any project to a subset via the *measures* table.

Not all avoided costs need to be assigned to a subset. For example, a user may have different subsets for avoided energy costs, but only system-wide values for avoided RPS compliance costs. In this case, the user should enter only “System-wide” avoided cost data for the latter. The OpenBCA will automatically probe for and assign projects to specific subsets for the avoided costs that have those subsets, and to a default “System-wide” subset for the remaining avoided costs.



Data Granularity

Given different temporal granularity in avoided cost and savings data - both between jurisdictions and among different value streams even within a single jurisdiction - the OpenBCA

input templates and model have been designed to handle natural gas and electric data of the following intervals:

- Hourly
- Daily
- Monthly
- Yearly

Other impact categories (delivered fuels, host-customer benefits, costs, and custom impact categories) must be yearly inputs.

Within the natural gas and electric impact categories, individual avoided cost streams may have different granularities. For example, a jurisdiction may have hourly marginal electric avoided costs compiled for energy procurement, monthly for GHG emissions, and annual for RPS compliance.

The OpenBCA handles each case, retaining the granularity of the original avoided cost data throughout.

However, the OpenBCA will not convert lower-granularity savings data to match higher granularity avoided cost data. Therefore, the highest granularity avoided cost stream will determine the savings load shape granularity expected by the software. In other words, the OpenBCA will fail if, for example, hourly avoided cost data are provided for one or more value streams, but monthly savings load shapes are input.

Alignment of Load Shapes and Avoided Costs

The OpenBCA allows users to enter savings load shapes for one year time periods, amounting to 8760 hourly data points, 365 daily data points, 12 monthly data points, or 1 annual data point. The savings load shape is expected to persist across the full Expected Useful Life (EUL) of the intervention.

However, because energy system and non-system marginal avoided costs are expected to evolve over time, distinct avoided cost data must be entered for each year of the EUL.

With only one year of data, the savings load shapes will inherently dictate what day of week corresponds to the days throughout the year - and each year the avoided cost data should align with the resulting calendar.

In addition to these considerations, we note that **currently leap years and daylight savings time are not supported.**

Therefore, it is the user's responsibility to:

- Understand what day of week corresponds to Jan 1 for load shape data.
- Ensure that all load shapes share the same Jan 1 day of week.

- Align *all years* of avoided cost data with the load shape data.
- Properly handle avoided cost data to eliminate leap days. (This may be best accomplished by converting Feb. 29 to Mar. 1 and dropping Dec. 31.)
- Ensure all load shape and avoided cost data are in standard time.



Input Schema and Requirements

measures

measures
A-Z id
A-Z program_name
A-Z measure_id
A-Z project_id
A-Z measure_name
A-Z avoided_cost_subset
I23 start_year
I23 start_quarter
I23 measure_specific_discount_rate
A-Z measure_unit
I23 unit_quantity
I23 estimated_useful_life
I23 net_to_gross_ratio
I23 admin_cost_upfront_dollar
I23 admin_cost_annual_dollar_per_year
I23 utility_direct_investment_in_dollars_dollar
I23 credit_and_collection_cost_dollar
I23 utility_incentive_upfront_dollar
I23 utility_incentive_annual_dollar_per_year
I23 incremental_cost_upfront_dollar
I23 incremental_cost_annual_dollar_per_year
I23 host_customer_transaction_cost_dollar
I23 host_customer_interconnection_cost_dollar
I23 host_customer_tax_incentive_upfront_dollar
A-Z electric_savings_load_shape
I23 annual_electric_savings_kwh
I23 coincident_peak_savings_kw
A-Z natural_gas_savings_load_shape
I23 annual_natural_gas_savings_mmbtu
I23 annual_propane_savings_mmbtu
I23 annual_oil_savings_mmbtu
I23 annual_diesel_savings_mmbtu
I23 annual_wood_savings_mmbtu
I23 host_customer_non_energy_impacts_upfront_dollar
I23 host_customer_non_energy_impacts_low_income_upfront_dollar
I23 change_in_host_customer_resilience
I23 change_in_societal_resilience
A-Z custom_1_value_stream_name
A-Z custom_1_value_stream_impact_category
I23 custom_1_annual_savings
A-Z custom_2_value_stream_name
A-Z custom_2_value_stream_impact_category
I23 custom_2_annual_savings
A-Z custom_3_value_stream_name
A-Z custom_3_value_stream_impact_category
I23 custom_3_annual_savings
A-Z custom_4_value_stream_name
A-Z custom_4_value_stream_impact_category
I23 custom_4_annual_savings
A-Z custom_5_value_stream_name
A-Z custom_5_value_stream_impact_category
I23 custom_5_annual_savings
A-Z label_1
A-Z label_2
A-Z label_3
A-Z label_4
A-Z label_5

program_value_streams

program_value_streams
A-Z program_name
I23 program_year
A-Z avoided_cost
I23 avoided_cost_value

global_parameters

global_parameters
I23 inflation_rate
I23 dollar_year
I23 discount_rate
I23 discount_cadence
I23 electric_line_loss
I23 peak_capacity_line_loss
I23 natural_gas_line_loss
A-Z cost_treatment

first_year_avcasts

first_year_avoids_costs_by_id
A-Z id
I23 year
A-Z value_stream
I23 gross_dollar_value

load_shapes_ts

load_shapes_ts
A-Z impact_category
I23 quarter
I23 month
I23 day_of_year
I23 hour_of_year
A-Z load_shape
I23 load_shape_value

	value_stream_groups  value_stream_groups A-Z avoided_cost A-Z impact_category ☒ include_in_test A-Z calc_type 123 pct_adder A-Z value_stream_group ☒ marginal_ghg	avoided_costs_ts  avoided_costs_ts A-Z avoided_cost A-Z avoided_cost_subset 123 year 123 quarter 123 month 123 day_of_year 123 hour_of_day 123 hour_of_year 123 avoided_cost_value
--	---	--

This table details requirements for columns in the OpenBCA schema. Not all columns are included as many do not have specific requirements beyond data type.

Table	Column	Requirements
measures	id	required field - must be unique
measures	avoided_cost_subset	must be null or an exact match to an avoided avoided_cost_subset in the avoided_costs_ts table
measures	start_year	required field
measures	start_quarter	required field - can set to 1 if all value streams are annual
measures	unit_quantity	required field
measures	estimated_useful_life	required field
measures	net_to_gross_ratio	required field
measures	electric_savings_load_shape	must match a load shape provided in the load_shapes_ts table for the ELECTRIC impact_category
measures	natural_gas_savings_load_shape	must match a load shape provided in the load_shapes_ts table for the NATURAL GAS impact_category
program_value_streams	program_name	recommend matchihng to the program_name field of the measures table
global_parameters	inflation_rate	requited field - should be set to 0 if nominal dollar outputs are desired
global_parameters	dollar_year	required field - can be set to any integer if using nominal outputs
global_parameters	discount_rate	required field unless discount_rate is entered for all rows in the measures table (the meaasures

Table	Column	Requirements
		discount_rate will be used wherever populated)
global_parameters	discount_cadence	required field - accepted values are 1 for annual discounting or 4 for quarterly discounting
global_parameters	electric_line_loss	required field if electric value streams are included
global_parameters	peak_capacity_line_loss	required field if peak capacity value streams are included
global_parameters	natural_gas_line_loss	required field if natural gas value streams are included
global_parameters	cost_treatment	required field - accepted values include 'USI + Non-USI', 'USI', and 'CA TRC'
value_stream_groups	avoided_cost	required field
value_stream_groups	impact_category	required field
value_stream_groups	include_in_test	required field
value_stream_groups	calc_type	required field - accepted values include 'electric', 'natural_gas', 'annual', 'capacity', 'electric_%_adder', 'natural_gas_%_adder', 'propane_%_adder', 'diesel_%_adder', 'oil_%_adder', 'all_fuels_%_adder'
value_stream_groups	pct_adder	required field for any % adder value streams
value_stream_groups	value_stream_group	required field
avoided_costs_ts	avoided_cost	required field
avoided_costs_ts	year	required field
avoided_costs_ts	month	required field if corresponding avoided_cost temporal granularity is monthly
avoided_costs_ts	day_of_year	required field if corresponding avoided_cost temporal granularity is daily
avoided_costs_ts	hour_of_day	

Table	Column	Requirements
		required field if corresponding avoided_cost temporal granularity is hourly
avoided_costs_ts	avoided_cost_value	required field
load_shapes_ts	impact_category	required field
load_shapes_ts	month	required field if corresponding load_shape temporal granularity is hourly
load_shapes_ts	day_of_year	required field if corresponding load_shape temporal granularity is daily
load_shapes_ts	hour_of_day	required field if corresponding load_shape temporal granularity is hourly
load_shapes_ts	load_shape	required field
load_shapes_ts	load_shape_value	required field

Packaging the OpenBCA App

If you want to use OpenBCA as a “double-click” executable, you can run `make build-pyinstaller-package` in your terminal. This will package the OpenBCA app into a single directory located at `dist/openbca-app`.

Inside the `dist/openbca-app` directory, there will be an “_internal file” and an executable named “openbca-app”. OpenBCA can be run simply by double-clicking the openbca-app executable, which should open a browser window automatically.

Packaging the OpenBCA app allows for easy distribution between machines without the need to clone the code repository. The openbca-app folder can be zipped and transferred to another machine. Both the “_internal” folder and “openbca-app” are required to ensure proper functionality. **Applications built this way will only work on machines with the same operating system the app was built on**, meaning an application built on Windows will only work on Windows machines (not Macs).

If double-clicking does not work, you can run `make run-pyinstaller-package` in the terminal to launch openbca.

Please note that you must click the “Exit OpenBCA” button on the webpage in order to properly shut down the application. If you do not do so, you will have to manually kill the application through task manager (or its equivalent on non-windows platforms).

This packaging is done through PyInstaller, with the specified openbca-app.spec file.

[Optional] Set up DBeaver to connect to the local DuckDB database

If you want to use DBeaver to connect to the local DuckDB database, you can follow these steps:

1. Install DBeaver from dbeaver.io.
2. Open DBeaver and create a new connection.
3. Select “DuckDB” as the database type.
4. In the connection settings, set the database path to `<project base full path>/openbca/output/openbca.db`. Note you need to first run the `make run-demo` command to create the database file.
5. Click “Test Connection” to ensure the connection is successful.
6. Click “Finish” to create the connection.
7. You can now explore the database schema and run SQL queries against the OpenBCA tables and views.