09.05.23

OPENCAMPUS.sh

Einführung in Data Science und maschinelles Lernen

VERSIONIERUNG MIT GIT (TEIL 2) UND START DES AUSWERTUNGSPROJEKTES


- Zusammenstellung der Teams
- Besprechung der Aufgaben
- Einführung in Git Teil 2
- Erste Arbeiten im Team
- „AI for Everyone“

ZUSAMMENSTELLUNG DER TEAMS

BREAKOUT

- Vorstellungsrunde
- Anlegen eines Team-Channels im Chat
- Bestimmt eine Person bei Euch im Team, die im Anschluss an die Breakout-Session ein GitHub-Repository unter seinem Account anlegen soll.
- Besprechung der Aufgaben


VERSIONIERUNG MIT GIT



Eine Datei kann drei mögliche Zustände haben:

- **modified („geändert“)**
- **staged („vorgemerkt“) und**
- **committed („versioniert“).**

LOKALE UND REMOTE REPOSITORIES



AUTHENTIFIZIERUNG

- Du bzw. die Anwendung auf Deinem Rechner benötigt Lese- und Schreibrechte auf dem Remote-Server.
- Dazu musst Du beim Lesen und Schreiben ein persönlichen Schlüssel verwenden, den nur Du und der Remote-Server kennen.
- Über diesen Schlüssel kann der Remote-Server Dich und Deine Rechte auf dem Server identifizieren.

AUTHENTIFIZIERUNG BEI GITHUB

Schritt 1:
Du erstellst Dir bzw. RStudio einen persönlichen Schlüssel.

- **Gehe im RStudio Menu zu**
  Tools → Global Options → Git SVN
- **Klicke dort "*Create SSH Key…*" (falls noch kein Schlüssel generiert wurde).**
- **Klicke auf "*View public key*" und kopiere den angezeigten Schlüssel in die Zwischenablage.**


Schritt 2:
Du speicherst diesen Schlüssel bei GitHub in Deinem Profil, damit GitHub Dich mit diesem Schlüssel identifizieren kann.

- **Klicke in GitHub oben rechts auf Dein Profilbild und gehe zu „Settings".**
- **Klicke links im Menu auf „SSH und GPG Keys".**
- **Klicke auf „New SSH key" und füge dort den Schlüssel aus der Zwischenablage ein.**


REMOTE REPOSITORY ANLEGEN

- Repository auf GitHub anlegen
- Andere GitHub-User die Lese- oder Schreibberechtigungen haben sollen, als „Collaborator“ zum Repository hinzufügen.


NEUES GITHUB REPOSITORY ANLEGEN (1)




NEUES GITHUB REPOSITORY ANLEGEN (2)




NEUES GITHUB REPOSITORY ANLEGEN (3)




GITHUB REPOSITORY ALS PROJEKT IMPORTIEREN (1)




GITHUB REPOSITORY ALS PROJEKT IMPORTIEREN (2)



GITHUB REPOSITORY ALS PROJEKT IMPORTIEREN (3)



LINK DES REPOSITORIES IN GITHUB



PROJEKT

Präsentation

- Euren Namen im Titelteil
- Vorstellung der selbst erstellten Variablen
- Balkendiagramme mit Konfidenzintervallen für zwei selbst erstellte Variablen
- Optimierung eines neuronalen Netzes:
  (a) Source Code
  (b) Darstellung der Loss-Funktionen für Trainings- und Validierungsdatensatz
  (c) MAPE je Warengruppe für den Zeitraum vom 9.6.2019 bis 30.7.2019

Repository

- Datensatz
- Programmcode
- Präsentation

BREAKOUT

- Jedes Team-Mitglied richtet ein lokales Repository (bzw. Projekt) bei sich ein, dass mit dem Github Repository des Teams verbunden ist.
- Einfügen der bisherigen Datensätze in das Team-Repository
- Entwicklung von Ideen zur Konstruktion zusätzlicher Variablen, die für die Vorhersage des Umsatzes in der Bäckerfiliale relevant sein können.
- Verteilung von Aufgaben im Team

TYPEN DES MASCHINELLEN LERNENS

Supervised Learning

Unsupervised Learning

Self-Supervised Learning


Semi-Supervised Learning

Reinforcement Learning

NVIDIA Blog: Supervised Vs. Unsupervised Learning. (2018, August 2). Retrieved May 4, 2021, from The Official NVIDIA Blog website: https://blogs.nvidia.com/blog/2018/08/02/supervised-unsupervised-learning/


Brownlee, J. (2019, November 10). 14 Different Types of Learning in Machine Learning. Retrieved May 4, 2021, from Machine Learning Mastery website: https://machinelearningmastery.com/types-of-learning-in-machine-learning/

REGRESSION: SUPERVISED LEARNING



BEISPIELE VON MASCHINELLEM LERNEN

RISIKOPROGNOSEN



SCHACHCOMPUTER




AlphaGo – The Movie:
https://www.youtube.com/watch?v=WXuK6gekU1Y

ROBOTERSTEUERUNG




BILDGENERIERUNG




Generated Media. (n.d.). Gallery of AI Generated Faces | Generated.photos. Retrieved May 10, 2022, from https://generated.photos/faces#

NATURAL LANGUAGE PROCESSING



Schreiner, M. (2020, August 31). GPT-3: Diese fünf Apps zeigen das KI-Potenzial [Blog]. Retrieved May 4, 2021, from MIXED website: https://mixed.de/gpt-3-diese-fuenf-apps-zeigen-das-ki-potenzial/

GITHUB COPILOT



MULTIMODALE MODELLE



“A BOWL OF SOUP THAT LOOKS LIKE A MONSTER KNITTED OUT OF WOOL.”

“TEDDY BEARS MIXING SPARKLING CHEMICALS AS MAD SCIENTISTS IN A STEAMPUNK STYLE.”

Search

Netflix Movies and TV Shows

Data Card | Code (1289) | Discussion (68)

7460 | New Notebook | Download (1 MB)

unique values		unique values	Other (6154) 70%	Other (7963) 90%	Other (5C
				Kuwashima, Kumiko Watanabe, Kenichi Ogata, N...	
s56	TV Show	Nailed It		Nicole Byer, Jacques Torres	United !
s57	Movie	Naruto Shippuden the Movie: Blood Prison	Masahiko Murata	Junko Takeuchi, Chie Nakamura, Rikiya Koyama, Kazuhiko Inoue, Masaki Terasoma, Mie Sonozaki, Yuichi ...	Japan
s58	Movie	Naruto Shippûden the Movie: Bonds	Hajime Kamegaki	Junko Takeuchi, Chie Nakamura, Noriaki Sugiyama, Unsho Ishizuka, Motoko Kumai, Kazuhiko Inoue, Rikiy...	Japan
s59	Movie	Naruto Shippûden the Movie: The Will of Fire	Masahiko Murata	Junko Takeuchi, Chie Nakamura, Kazuhiko Inoue, Satoshi Hino, Showtaro Morikubo, Kentaro Ito, Ryoka Y...	Japan
s60	Movie	Naruto Shippuden: The Movie	Hajime Kamegaki	Junko Takeuchi, Chie Nakamura, Yoichi	Japan

Summary

- 1 file
- 12 columns

Metadata

Expand all

Collaborators

Model: Code Interpreter ALPHA

Great! It looks like you've uploaded a file named "netflix_titles.csv." Let's start by taking a look at the contents of the file to understand its structure and contents. We can use the Pandas library in Python to read and inspect the CSV file.

Finished working Show work

The CSV file "netflix_titles.csv" has been successfully loaded into a Pandas DataFrame. Here are the columns present in the DataFrame:

1. `show_id`: An identifier for the show.
2. `type`: The type of content (e.g., "Movie" or "TV Show").
3. `title`: The title of the show.
4. `director`: The director of the show (if applicable).
5. `cast`: The cast members of the show (if applicable).
6. `country`: The country where the show was produced (if applicable).
7. `date_added`: The date the show was added to Netflix.
8. `release_year`: The year the show was released.
9. `rating`: The content rating of the show (e.g., "PG-13", "TV-MA").
10. `duration`: The duration of the show (e.g., "90 min" for movies, "1 Season" for TV shows).
11. `listed_in`: The genre(s) or category(ies) the show is listed in.
12. `description`: A brief description of the show.

Please let me know if there is any specific analysis, query, or operation you would like to perform on this dataset.

‹ 5/5 ›

Draw visuals to explain what content is available in different countries. Answer it in the form of a multiple pages PDF download. No explanation required; just go!

Finished working Show work

Regenerate response

The visuals explaining the content [illegible]ntries have been created and

are the columns present in the DataFrame:

1. `show_id`: An identifier for the show.
2. `type`: The type of content (e.g., "Movie" or "TV Show").
3. `title`: The title of the show.
4. `director`: The director of the show (if applicable).
5. `cast`: The cast members of the show (if applicable).
6. `country`: The country where the show was produced (if applicable).
7. `date_added`: The date the show was added to Netflix.
8. `release_year`: The year the show was released.
9. `rating`: The content rating of the show (e.g., "PG-13", "TV-MA").
10. `duration`: The duration of the show (e.g., "90 min" for movies, "1 Season" for TV shows).
11. `listed_in`: The genre(s) or category(ies) the show is listed in.
12. `description`: A brief description of the show.

Please let me know if there is any specific analysis, query, or operation you would like to perform on this dataset.

‹ 5/5 ›



Draw visuals to explain what content is available in different countries. Answer it in the form of a multiple pages PDF download. No explanation required; just go!

Finished working Show work

The visuals explaining the content available in different countries have been created and saved as a multiple-page PDF file. You can download the PDF file using the following link:

Download netflix_content_by_country.pdf


Please let me know if there is anything else I can help you with!

Regenerate response

Send a message.

are the columns present in the DataFrame:

1. `show_id`: An identifier for the show.
2. `type`: The type of content (e.g., "Movie" or "TV Show").
3. `title`: The title of the show.
4. `director`: The director of the show (if applicable).
5. `cast`: The cast members of the show (if applicable).
6. `country`: The country where the show was produced (if applicable).
7. `date_added`: The date the show was added to Netflix.





Download netflix_content_by_country.pdf

Please let me know if there is anything else I can help you with!

Regenerate response

Send a message.


Top 10 Countries with Most Content on Netflix
type
Movie
TV Show
Content Count
0
500
1000
1500
2000
2500
3000
3500
United States
India
United Kingdom
Canada
France
Germany
Spain
Japan
China
Mexico
Country



Content Breakdown for United States
Content Count
500
1000
1500
2000
2500

AUTOGPT

🚀 Features

- 🌐 Internet access for searches and information gathering
- 💾 Long-term and short-term memory management
- 🧠 GPT-4 instances for text generation
- 🔗 Access to popular websites and platforms
- 🗃️ File storage and summarization with GPT-3.5
- 🔌 Extensibility with Plugins

AUTO GPT


Star History
Torantulino/auto-gpt
120.0k
100.0k
80.0k
60.0k
40.0k
20.0k
GitHub Stars
Mar 19
Mar 26
Apr 02
Apr 09
Apr 16
Apr 23
Apr 30
May 07
Date
star-history.com

App Store Preview

Open the Mac App Store to buy and download apps.



Call Annie 17+

Video Call Your Best AI Friend

Animato Inc

Designed for iPhone


#154 in Entertainment

4.6 • 127 Ratings


Free

iPhone Screenshots











Hugging Face | Search models, datasets, users... | Models | Datasets | Spaces | Docs | Solutions | Pricing | Log In | Sign Up




The AI community building the future.


Build, train and deploy state of the art models powered by the reference open source in machine learning.

Star 98,534


Hugging Face
Search models, datasets, users...
Models
Datasets
Spaces
Docs
Solutions
Pricing
Log In
Sign Up
openai / whisper-large-v2
like 487
Automatic Speech Recognition
PyTorch
TensorFlow
JAX
Transformers
99 languages
whisper
audio
hf-asr-leaderboard
arxiv:2212.04356
License: apache-2.0
Model card
Files and versions
Community 42
Train
Deploy
Use in Transformers
Edit model card
Whisper
Whisper is a pre-trained model for automatic speech recognition (ASR) and speech translation. Trained on 680k hours of labelled data, Whisper models demonstrate a strong ability to generalise to many datasets and domains without the need for fine-tuning.
Whisper was proposed in the paper Robust Speech Recognition via Large-Scale Weak Supervision by Alec Radford et al. from OpenAI. The original code repository can be found here.
Compared to the Whisper large model, the large-v2 model is trained for 2.5x more epochs with added regularization for improved performance.
Disclaimer: Content for this model card has partly been written by the Hugging Face team, and parts of it were copied and pasted from the original model card.
Model details
Downloads last month
70,522
Hosted inference API
Automatic Speech Recognition
Examples
Browse for file
or
Record from browser
or
Realtime speech recognition
Librispeech sample 1
0:00 / 0:14
Compute
This model could not be loaded by the inference API.
Model openai/whisper-large-v2 does not exist
JSON Output
Maximize


HuggingChat
New Chat
Load/filter lines starting with "Star".
Untitled 5
Typing...
Women work as professionals
Women work as professionals
Untitled 1
Theme
Settings
Feedback
About & Privacy
HuggingChat
v0.1
Making the community's best AI chat models available to everyone.
NEW
BigCode/StarCoder is now available
Switch model
Current Model
BigCode/StarCoderBase
Model page
Dataset page
Website
Examples
Write a code snippet
Explain a technical concept
Solve a technical task
Ask anything
Model: BigCode/StarCoderBase · Generated content may be inaccurate or false.

OPEN.AI PLAYGROUND



AUFGABEN

- Trefft Euch einmal im Team, um mögliche zusätzlich zu erstellende Variablen zur Umsatzvorhersage zu diskutieren (ggf. auch ob es Daten gibt, die ihr zusätzlich verwenden könnt)

- Fügt alle ggf. neuen Daten Eurem Team Repository hinzu, fügt ggf. Programme und Funktionen, die Daten einlesen oder aufbereiten Eurem Team Repository hinzu, und fügt alle vorhandenen und erstellten Daten in einem Datensatz zusammen.

- Führt als Einführung zum Thema Künstliche Intelligenz die erste Woche des Kurses „AI for Everyone“ durch: https://www.coursera.org/learn/ai-for-everyone

coursera Explore What do you want to learn? For Enterprise Steffen Brandt

Browse > Business > Business Strategy

AI For Everyone

4.8 6.819 ratings • 2.028 reviews

Offered By

deeplearning.ai

Enroll for Free
Starts Nov 18

Financial aid available

189,385 already enrolled!


About Syllabus Reviews Instructors Enrollment Options FAQ

About this Course

624,390 recent views

AI is not only for engineers. If you want your organization to become better at using AI, this is the course to tell everyone--especially your non-technical colleagues--to take.

100% online
Start instantly and learn at your own schedule.


coursera
Explore
What do you want to learn?
For Enterprise
Steffen Brandt
Browse
Business
Business Strategy
Offered By
AI For Everyone
4.8
6.819 ra
Enroll for Free
Starts Nov 18
189,385 already enrolled!
About
Syllabus
Reviews
AI For Everyone
Purchase Course · €44
Commit to earning a Certificate—it's a trusted, shareable way to showcase your new skills.
Audit only
You will have access to all course materials except graded items.
Continue
About this Course
624,390 recent views
AI is not only for engineers. If you want your organization to become better at using AI, this is the course to tell everyone--especially your non-technical colleagues--to take.
100% online
Start instantly and learn at your own schedule.