

Pushing vacancies and candidates from your own system

Everything your developer needs to create a job vacancy in PeopleQuest and send us candidates against it, directly from your application. Two endpoints, one credential.

Version v1 Format JSON over HTTPS Auth Bearer API key

BASE URL	<code>https://talenthprocess.onrender.com</code>
AUTH HEADER	<code>Authorization: Bearer <your-api-key></code>
CREATE A VACANCY	<code>POST /api/v1/roles</code>
ADD A CANDIDATE	<code>POST /api/v1/roles/{role_id}/candidates</code>

How the two fit together

Create the vacancy once, keep the `role_id` we return, then push candidates against it as they apply on your side. Everything you send lands on the PeopleQuest dashboard immediately, scored.

1 Your system creates the vacancy

One call. We generate the scoring criteria and hiring profile, and return a `role_id`.

2 Your system sends each candidate and their CV

We read the CV, score it against that role, and return a provisional score straight away.

3 The candidate finishes their profile

We return a `completion_link` for the personality assessment. You send it to the candidate from your own system, in your own branding. Once they complete it, their score finalises automatically.

Getting set up

1 We issue you an API key

PeopleQuest generates it and sends it to you. It identifies your company and nothing else — it can only create vacancies under your own account, and cannot read or touch any other organisation's data.

2 Store it as a secret

Treat it like a password: keep it in your server-side environment configuration, never in front-end code or a public repository. We only display it once at the moment it's created, so save it somewhere safe when you receive it. If it's ever exposed, tell us and we'll revoke it and issue a new one.

3 Send your first vacancy

Make the request below. You'll get back a `role_id` — store it against the vacancy in your own system so the two stay linked.

Create a vacancy

POST

https://talenthprocess.onrender.com/api/v1/roles

Creates a live vacancy under your company. Only `title` is required — leave anything else out and our AI drafts sensible defaults for it, exactly as it does when a vacancy is created by hand in the dashboard.

Request headers

HEADER	VALUE
Authorization	Bearer <your-api-key>
Content-Type	application/json

Request body

FIELD	TYPE	NOTES
title REQUIRED	string	The job title, e.g. <code>Sales Executive</code> . Cannot be blank.
industry	string	Sector the role sits in. Defaults to <code>General</code> .
location	string	Where the role is based. Defaults to <code>Kuala Lumpur</code> .
role_level	string	Either <code>entry</code> or <code>supervisory</code> . Shapes the interview criteria we generate. Defaults to <code>entry</code> .
key_responsibilities	string[]	What the person will actually do. Feeds the AI's scoring criteria.
must_haves	string[]	Non-negotiable requirements. Merged into the AI-drafted hiring profile rather than replacing it.
nice_to_haves	string[]	Desirable but not essential. Also merged into the drafted profile.
dealbreakers	string[]	Disqualifying factors, flagged prominently against any candidate who matches one.

EXAMPLE REQUEST

```
POST /api/v1/roles
Authorization: Bearer pq_live_XXXXXXXXXXXXXXXXXXXXX
Content-Type: application/json

{
  "title": "Sales Executive",
  "industry": "Retail",
  "location": "Kuala Lumpur",
  "role_level": "entry",
  "key_responsibilities": [
    "Manage walk-in customers and close sales",
    "Hit a monthly revenue target"
  ],
  "must_haves": [
    "2+ years retail sales experience",
    "Fluent in Bahasa Malaysia and English"
  ],
  "nice_to_haves": ["POS system experience"],
  "dealbreakers": ["No weekend availability"]
}
```

MINIMUM VIABLE REQUEST

```
{ "title": "Sales Executive" }
```

SUCCESS RESPONSE · 201 CREATED

```
{
  "role_id": "job_014",
  "title": "Sales Executive",
  "status": "active",
  "created_at": "2026-07-25T06:24:33.521Z"
}
```

Save the `role_id`. It's how we identify the vacancy from here on, and you'll need it to attach candidates to this role.

Add a candidate

POST `https://talenthrrprocess.onrender.com/api/v1/roles/{role_id}/candidates`

Sends one candidate and their CV against a vacancy you own. Unlike the vacancy endpoint this is **multipart/form-data**, not JSON, because it carries a file. We read the CV, score it against that role's criteria, and return the result in the same response — there's no polling or waiting.

CONSENT IS REQUIRED AND IS RECORDED AGAINST THE CANDIDATE

You must send `consent_obtained=true`. By sending it you are confirming that the candidate agreed to their personal data being shared with PeopleQuest for recruitment purposes, as required under Malaysia's PDPA 2010. We store that confirmation with a timestamp and the API key that sent it. We cannot collect this consent ourselves on an API push the way our public application form does, so it has to come from you.

Request body (multipart/form-data)

FIELD	TYPE	NOTES
file REQUIRED	file	The CV, as PDF or DOCX . Max 5 MB. We extract the text, then delete the file — we don't retain the original.
name REQUIRED	string	Candidate's full name. Takes precedence over whatever the CV says.
email REQUIRED	string	Used to identify the candidate and to reach them with the completion link.
consent_obtained REQUIRED	boolean	Must be true . See the note above — this is a legal record.
phone	string	Contact number, e.g. 012-3456789 .
expected_salary	number	Expected monthly salary in RM. Feeds our budget-fit and market-rate comparison.
cover_letter	string	Free text, shown to your reviewers alongside the CV.
external_ref	string	Your own identifier for this candidate. We store it and hand it back, so you can reconcile records on your side.

EXAMPLE REQUEST · CURL

```
curl -X POST https://talenthrrprocess.onrender.com/api/v1/roles/job_014/candidates \
  -H "Authorization: Bearer pq_live_XXXXXXXXXXXXXXXXXXXX" \
  -F "file=@/path/to/cv.pdf" \
  -F "name=Farah Aziz Aini" \
  -F "email=farah@example.com" \
  -F "phone=012-3456789" \
  -F "expected_salary=5500" \
  -F "consent_obtained=true" \
  -F "external_ref=YOUR-REF-8842"
```

SUCCESS RESPONSE · 201 CREATED

```
{
  "candidate_id": "703cc206-57f0-4865-ada0-522e8ef9cd15",
  "role_id": "job_014",
  "external_ref": "YOUR-REF-8842",
  "status": "incomplete",
  "pending": ["interview", "ocean"],
  "completion_link": "https://your-dashboard/assessment/703cc206-...",
  "score": {
    "value": 29,
    "max_so_far": 35,
    "max_when_complete": 100,
    "lane": "green",
    "provisional": true
  },
  "parsed": {
    "experience_months": 54,
    "latest_role": "Senior Accounts Executive",
    "skills": ["SQL Accounting", "AutoCount", "SST filing"],
    "parse_confidence": 85
  },
  "created_at": "2026-07-25T07:39:37.500Z"
}
```

Reading the score

This is the part most worth understanding, because a low `value` next to a `green` lane looks contradictory until you know what each means.

FIELD	MEANING
value	Points scored so far, on the eventual 0–100 scale.
max_so_far	The most they <i>could</i> have scored from the stages assessed so far. A CV on its own can only reach 35 , because the CV is 35% of the model — so 29 here means 29 out of a possible 35, which is strong.
max_when_complete	Always 100 — what's reachable once the personality assessment and interview are done.
lane	<code>green</code> / <code>amber</code> / <code>red</code> . Judged on quality relative to what's actually been assessed, so it's meaningful immediately. This is the same lane shown on the dashboard.
provisional	<code>true</code> until every stage is complete. Treat a provisional score as a strong early signal, not a final verdict.

The completion link

A CV alone can't fill in the personality part of our model, so a pushed candidate comes back as `incomplete` with a `completion_link`. **Send that link to the candidate from your own system** — we deliberately don't email them on your behalf, so the communication stays in your branding and your control. When they finish, their score finalises and `provisional` becomes false. The candidate is fully usable on the dashboard in the meantime; they're just marked as still outstanding.

Copy-paste test

Swap in your key and run this to confirm the connection works end to end. The vacancy it creates is real and will appear on the dashboard, so use a title you'll recognise and let us know to remove it afterwards.

CURL

```
curl -X POST https://talenthrrprocess.onrender.com/api/v1/roles \  
-H "Authorization: Bearer pq_live_XXXXXXXXXXXXXXXXXXXX" \  
-H "Content-Type: application/json" \  
-d '{"title":"API Connection Test","industry":"Retail"}'
```

Errors

Every failure returns a JSON body shaped as `{ "error": "..."}` with the matching HTTP status.

STATUS	MESSAGE	WHAT IT MEANS
400	title is required.	The <code>title</code> field was missing, empty, or whitespace only.
400	Unknown company.	The company attached to this key no longer exists. Contact us — the key likely needs reissuing.
401	Missing API key.	No <code>Authorization</code> header was sent, or it wasn't in <code>Bearer <key></code> form.
401	Invalid API key.	The key isn't recognised — check for a typo, or whether it's since been revoked.
500	Failed to create the role.	Something went wrong on our side. Safe to retry; tell us if it persists.

Adding a candidate

STATUS	MESSAGE	WHAT IT MEANS
400	A CV file is required (field name: file).	No file part was attached, or it was sent under a different field name.
400	name is required.	The <code>name</code> field was missing or blank.
400	email is required.	The <code>email</code> field was missing or blank.
400	consent_obtained must be true...	Consent wasn't confirmed. See the consent note above — we can't accept the candidate without it.
404	Role not found.	No vacancy with that <code>role_id</code> exists <i>under your account</i> . Check the id.
409	A candidate with this email already exists for this role.	Already sent. The response includes the original <code>candidate_id</code> , so a retry after a network timeout is safe and won't create a duplicate.
422	We couldn't read this CV clearly...	The file opened but we couldn't extract usable text — usually a scanned image or an empty PDF. Send a text-based PDF or DOCX.
500	Failed to add the candidate.	Something went wrong on our side. Safe to

STATUS	MESSAGE	WHAT IT MEANS
		retry; tell us if it persists.

What happens after you send it

Anything created through this API is treated identically to something created by hand in the dashboard — there's no second-class "imported" state.

For a vacancy

- Created under your company and marked active immediately.
- Scoring criteria generated, weighted across CV fit, personality and interview.
- A starter hiring profile drafted, merging in any `must_haves`, `nice_to_haves` or `dealbreakers` you supplied.
- A public application link published, so candidates can also apply directly if you want that route as well.

For a candidate

- The CV is read and parsed into a structured profile — experience, skills, work history.
- They're scored against that role's criteria, with strengths, gaps and risks written up.
- Their consent record is stored with a timestamp and the key that submitted it.
- They appear on the dashboard straight away, flagged as still outstanding until the assessment is done.
- The CV file itself is deleted once parsed — we keep the extracted profile, not the document.

Your team can review and adjust any of it from the dashboard — the AI's output is a starting point, not a locked decision.

Before you build

NO SEPARATE TEST ENVIRONMENT YET

There is currently one environment. Anything you create while testing is real data and will appear on your live dashboard. Use clearly-labelled test titles and tell us what to clean up. A dedicated sandbox is on our roadmap.

RETRIES ARE SAFE

If a candidate push times out, send it again. We match on email within a role, so a repeat returns `409` with the original `candidate_id` rather than creating a duplicate. Creating a *vacancy* is not deduplicated — sending the same title twice creates two vacancies, so store the `role_id` rather than re-creating.

SCOPE OF THESE TWO ENDPOINTS

Your key can create vacancies and add candidates under your own account, and nothing else. It cannot read or modify another organisation's data, create companies, or manage users. Reading results back out over the API isn't available yet — for now, results are viewed on the dashboard. Tell us if you need a read endpoint and we'll scope it.