Component Data Sheet ANGRYVIPER Team

Summary - Real Digitizer

| Name | real_digitizer |
|-------------------|---------------------------------|
| Latest Version | 1.5(release date $4/2019$) |
| Worker Type | Application |
| Component Library | ocpi.assets.dsp_comps |
| Workers | real_digitizer.rcc |
| Tested Platforms | centos7, xilinx13_3, xilinx13_4 |

Revision History

| Revision | Description of Change | Date |
|----------|---|--------|
| v1.0 | Initial release. | 2/2016 |
| v1.4 | Updated formatting, block diagram, and performance and resource uti- | 9/2018 |
| | lization. Updated source dependencies to reflect new assets project di- | |
| | rectory name. | |
| v1.5 | Added enable_printing and sync_criteria_met properties to | 4/2019 |
| | real_digitizer.rcc. Also added functional diagram and xilinx13_4 as a | |
| | tested platform. | |

Worker Implementation Details


$real_digitizer.rcc$

This worker performs symbol decisions by decoding signed real Q0.15 symbols into bits. Each positive symbol is decoded to a 1 and each negative symbol is decoded into a 0. Once the sync criteria is met, the decoded bits are packed into 16-bit words which are subsequently sent to the output port. The sync criteria is met when a) the need_sync property has a value of false, or b) the first 0xFACE sequence occurs in the decoded bits. When the first 0xFACE sequence occurs in the decoded bits and the enable_printing is true, the following is printed to stdout:

sync pattern OxFACE found

Block Diagrams

Top level



 $Figure \ 1: \ real_digitizer.rcc \ Worker \ Diagram$

Component Data Sheet ANGRYVIPER Team




Figure 2: real_digitizer.rcc Functional Diagram

Source Dependencies

${\bf real_digitizer.rcc}$

 $\bullet \ projects/assets/components/dsp_comps/real_digitizer.rcc/real_digitizer.c \\$

ANGRYVIPER Team

Component Properties

| Name | Type | SequenceLength | ArrayDimensions | Accessibility | Valid Range | Default | Description |
|-----------|------|----------------|-----------------|----------------|-------------|---------|-------------|
| need_sync | Bool | - | - | Readable, Ini- | Standard | true | - |
| | | | | tial | | | |

Worker Properties

 ${\bf real_digitizer.rcc}$

| Name | Type | SequenceLength | ArrayDimensions | Accessibility | Valid Range | Default | Description |
|-------------------|------|----------------|-----------------|---------------|-------------|---------|----------------------------------|
| enable_printing | bool | - | - | Writable | Standard | true | Enable stdout/stderr printing. |
| sync_criteria_met | bool | - | - | Volatile | Standard | 0 | Indicates either 0xFACE found or |
| | | | | | | | need_sync is false. |

Component Ports

| Name | Producer | Protocol | Optional |
|------|----------|----------------------|----------|
| in | false | rstream_protocol.xml | False |
| out | true | rstream_protocol.xml | False |

Worker Interfaces

ಬ

Test and Verification

No unit test currently exists for this worker.