

Information

Name:	Project ordgp: test
Description:	Description of ordgp.
Version:	WIP
Date Created:	2022-01-21T10:15:30
Git Commit:	46a05fce73c811e74f4f96d8f418daa4246ace09
Git Tag:	
Git URL:	http://bitbucket.odsbox.lan:7990/scm/ofi2004/ofi2004-test.git
OpenShift Cluster API URL:	https://openshift-sample
Created by Jenkins Job Name:	ordgp-cd/ordgp-releasemanager
Created by Jenkins Build Number:	666
Target environment:	dev

Software Development Testing Report for 'Project ordgp: test'

TABLE OF CONTENTS

- [1 INTRODUCTION](#)**
- [2 RESPONSIBILITIES](#)**
- [3 DEVELOPMENT TESTING RESULTS](#)**
 - [3.1 OVERVIEW OF UNIT TESTED MODULES](#)**
 - [3.2 OVERVIEW OF INTEGRATION TESTS](#)**
 - [3.3 OVERVIEW OF SYSTEM TESTS](#)**
 - [3.4 OVERVIEW OF TEST CASE DISCREPANCIES](#)**
- [4 CONCLUSION STATEMENT](#)**
- [5 DEFINITIONS AND ABBREVIATIONS](#)**
 - [5.1 DEFINITIONS](#)**
 - [5.2 ABBREVIATIONS](#)**
- [6 REFERENCE DOCUMENTS](#)**
- [7 DOCUMENT HISTORY](#)**
- [8 ATTACHMENTS](#)**
 - [8.1 XUNIT XML DOCUMENTS \(INCLUDING TEST EVIDENCE\)](#)**

1 INTRODUCTION

The purpose of the Development Test Summary Report is to document the structural and/or functional testing of Project ordgp: test that was conducted to verify the implementation of the design for each unit/module of the computer system, and the system functions as specified in the System and Software Design / Functional Specifications.

2 RESPONSIBILITIES

The Development Testing has been executed according to the roles and responsibilities defined in the Development Testing Plan.

3 DEVELOPMENT TESTING RESULTS

Please, see chapter ["8.1 xUnit XML Documents \(including Test Evidence\)"](#) to consult the exhaustive Development Testing Results.

3.1 OVERVIEW OF UNIT TESTED MODULES

No Unit test cases which mitigate or cover the corresponding Risks or System Requirements and are defined in Jira for this module.

Additional Unit Tests not defined in Jira and executed: 12

3.2 OVERVIEW OF INTEGRATION TESTS

N/A

3.3 OVERVIEW OF SYSTEM TESTS

N/A

3.4 OVERVIEW OF TEST CASE DISCREPANCIES

No discrepancies found.

4 CONCLUSION STATEMENT

Having completed the execution of the Development Tests for *Project ordgp: test* and assessed the activities and respective outcomes, which are documented above, the conclusion drawn is as follows:

Complete success, no discrepancies	It is determined that all steps of the Development Tests have been successfully executed and signature of this report verifies that the tests have been performed according to the plan. No discrepancies occurred.
------------------------------------	---

5 DEFINITIONS AND ABBREVIATIONS

5.1 DEFINITIONS

Term	Definition
Jenkins	Build engine supplied by cloudbees - part of OpenDevStack (BI-IT-DEVSTACK)
xUnit	Unit testing framework, aggregaults across multiple languages

5.2 ABBREVIATIONS

Abbreviation	Meaning
ODS	OpenDevStack
EDP	Enterprise Development Platform

6 REFERENCE DOCUMENTS

- Combined Specification Document (version BI-IT-DEVSTACK / WIP-666-WIP)
- System and Software Design Specification including Source Code Review Plan (version BI-IT-DEVSTACK / WIP-666-WIP)
- Risk Assessment (version BI-IT-DEVSTACK / WIP-666-WIP)
- Software Development Testing Plan (version BI-IT-DEVSTACK / WIP-666-WIP)

N/A

7 DOCUMENT HISTORY

Version	Date	Author	Change Reference
1	See Summary of electronic document or signature page of printout.		Initial document version.

The following table provides extra history of the document.

Version	Date	Author	Reference
	See summary of electronic document or signature page of printout.		

8 ATTACHMENTS

8.1 XUNIT XML DOCUMENTS (INCLUDING TEST EVIDENCE)

This section provides the xUnit XML results, including any test evidence, of the execution of the system Project ordgp: test created by Jenkins Job Name ordgp-cd/ordgp-releasemanager and Jenkins Build Number 666.

TEST-DemoAcceptanceTest.xml

```
<?xml version="1.0" encoding="UTF-8"?><testsuite name="DemoAcceptanceTest"
tests="1" skipped="0" failures="0" errors="0" timestamp="2022-03-01T11:22:28"
hostname="pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drs3-px7pm" time="0.014">

  <properties/>

  <testcase name="basicTest()" classname="DemoAcceptanceTest" time="0.014"/>

  <system-out/>

  <system-err/>

</testsuite>
```

TEST-DemoAcceptanceTest.xml

```
<?xml version="1.0" encoding="UTF-8"?><testsuite name="DemoAcceptanceTest"
tests="1" skipped="0" failures="0" errors="0" timestamp="2022-03-01T11:22:28"
hostname="pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drs3-px7pm" time="0.014">

  <properties/>

  <testcase name="basicTest()" classname="DemoAcceptanceTest" time="0.014"/>

  <system-out/>

  <system-err/>

</testsuite>
```

TEST-DemoInstallationTest.xml

```
<?xml version="1.0" encoding="UTF-8"?><testsuite name="DemoInstallationTest"
tests="1" skipped="0" failures="0" errors="0" timestamp="2022-03-01T11:22:11"
hostname="pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drs3-px7pm" time="0.082">

  <properties/>

  <testcase name="basicTest()" classname="DemoInstallationTest" time="0.082"/>

  <system-out/>
```

<system-err/>

</testsuite>

TEST-DemoInstallationTest.xml

```
<?xml version="1.0" encoding="UTF-8"?><testsuite name="DemoInstallationTest"
tests="1" skipped="0" failures="0" errors="0" timestamp="2022-03-01T11:22:11"
hostname="pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drs3-px7pm" time="0.082">
```

<properties/>

<testcase name="basicTest()" classname="DemoInstallationTest" time="0.082"/>

<system-out/>

<system-err/>

</testsuite>

TEST-DemoIntegrationTest.xml

```
<?xml version="1.0" encoding="UTF-8"?><testsuite name="DemoIntegrationTest"
tests="1" skipped="0" failures="0" errors="0" timestamp="2022-03-01T11:22:20"
hostname="pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drs3-px7pm" time="0.077">
```

<properties/>

<testcase name="basicTest()" classname="DemoIntegrationTest" time="0.077"/>

<system-out/>

<system-err/>

</testsuite>

TEST-DemoIntegrationTest.xml

```
<?xml version="1.0" encoding="UTF-8"?><testsuite name="DemoIntegrationTest"
tests="1" skipped="0" failures="0" errors="0" timestamp="2022-03-01T11:22:20"
hostname="pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drs3-px7pm" time="0.077">
```

<properties/>

<testcase name="basicTest()" classname="DemoIntegrationTest" time="0.077"/>

<system-out/>

<system-err/>

</testsuite>

TEST-com.boehringer.ordgp.backend.BackendApplicationTests.xml

```
<?xml version="1.0" encoding="UTF-8"?><testsuite
name="com.boehringer.ordgp.backend.BackendApplicationTests" tests="3" skipped="0"
failures="0" errors="0" timestamp="2022-03-01T11:17:26" hostname="pod-87af8ccf-3284-
4203-b048-da5aa2e15a20-s63cc-rvlsx" time="0.728">

  <properties/>

  <testcase name="ORDGP138_workingunittest()"
classname="com.boehringer.ordgp.backend.BackendApplicationTests" time="0.718"/>

  <testcase name="ORDGP139_workingunittest()"
classname="com.boehringer.ordgp.backend.BackendApplicationTests" time="0.005"/>

  <testcase name="ORDGP137_workingunittest()"
classname="com.boehringer.ordgp.backend.BackendApplicationTests" time="0.003"/>

  <system-out>
    <![CDATA[11:17:11.704 [Test worker] DEBUG
org.springframework.test.context.BootstrapUtils - Instantiating
CacheAwareContextLoaderDelegate from class
[org.springframework.test.context.cache.DefaultCacheAwareContextLoaderDelegate]
11:17:11.779 [Test worker] DEBUG org.springframework.test.context.BootstrapUtils -
Instantiating BootstrapContext using constructor [public
org.springframework.test.context.support.DefaultBootstrapContext(java.lang.Class,org.spring
framework.test.context.CacheAwareContextLoaderDelegate)]
11:17:11.901 [Test worker] DEBUG org.springframework.test.context.BootstrapUtils -
Instantiating TestContextBootstrapper for test class
[com.boehringer.ordgp.backend.BackendApplicationTests] from class
[org.springframework.boot.test.context.SpringBootTestContextBootstrapper]
11:17:11.980 [Test worker] INFO
org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Neither
@ContextConfiguration nor @ContextHierarchy found for test class
[com.boehringer.ordgp.backend.BackendApplicationTests], using SpringBootTestContextLoader
11:17:11.989 [Test worker] DEBUG
org.springframework.test.context.support.AbstractContextLoader - Did not detect default
resource location for test class [com.boehringer.ordgp.backend.BackendApplicationTests]:
class path resource [com/boehringer/ordgp/backend/BackendApplicationTests-context.xml]
does not exist
11:17:11.990 [Test worker] DEBUG
org.springframework.test.context.support.AbstractContextLoader - Did not detect default
resource location for test class [com.boehringer.ordgp.backend.BackendApplicationTests]:
class path resource
[com/boehringer/ordgp/backend/BackendApplicationTestsContext.groovy] does not exist
11:17:11.990 [Test worker] INFO
org.springframework.test.context.support.AbstractContextLoader - Could not detect default
resource locations for test class [com.boehringer.ordgp.backend.BackendApplicationTests]:
no resource found for suffixes {-context.xml, Context.groovy}.
11:17:11.991 [Test worker] INFO
org.springframework.test.context.support.AnnotationConfigContextLoaderUtils - Could not
detect default configuration classes for test class
```

[com.boehringer.ordgp.backend.BackendApplicationTests]: BackendApplicationTests does not declare any static, non-private, non-final, nested classes annotated with @Configuration.

11:17:12.113 [Test worker] DEBUG

org.springframework.test.context.support.ActiveProfilesUtils - Could not find an 'annotation declaring class' for annotation type [org.springframework.test.context.ActiveProfiles] and class [com.boehringer.ordgp.backend.BackendApplicationTests]

11:17:12.390 [Test worker] DEBUG

org.springframework.context.annotation.ClassPathScanningCandidateComponentProvider - Identified candidate component class: file [/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-

master/build/classes/java/main/com/boehringer/ordgp/backend/BackendApplication.class]

11:17:12.392 [Test worker] INFO

org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Found @SpringBootConfiguration com.boehringer.ordgp.backend.BackendApplication for test class com.boehringer.ordgp.backend.BackendApplicationTests

11:17:12.714 [Test worker] DEBUG

org.springframework.boot.test.context.SpringBootTestContextBootstrapper -

@TestExecutionListeners is not present for class

[com.boehringer.ordgp.backend.BackendApplicationTests]: using defaults.

11:17:12.715 [Test worker] INFO

org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Loaded default TestExecutionListener class names from location [META-INF/spring.factories]:

[org.springframework.security.test.context.support.WithSecurityContextTestExecutionListener, org.springframework.security.test.context.support.ReactorContextTestExecutionListener, org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener, org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionListener,

org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecutionListener,

org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener,

org.springframework.boot.test.autoconfigure.webservices.client.MockWebServiceServerTestExecutionListener, org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener,

org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener,

org.springframework.test.context.web.ServletTestExecutionListener,

org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener,

org.springframework.test.context.event.ApplicationEventsTestExecutionListener,

org.springframework.test.context.support.DependencyInjectionTestExecutionListener,

org.springframework.test.context.support DirtiesContextTestExecutionListener,

org.springframework.test.context.transaction.TransactionalTestExecutionListener,

org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener,

org.springframework.test.context.event.EventPublishingTestExecutionListener]

11:17:12.804 [Test worker] INFO

org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Using TestExecutionListeners:

[org.springframework.test.context.web.ServletTestExecutionListener@6749fe50,

org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener@52bf7bf6,

org.springframework.test.context.event.ApplicationEventsTestExecutionListener@261db982,

org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener@ae73c80,

org.springframework.boot.test.autoconfigure.SpringBootDependencyInjectionTestExecutionListener@22f4f8f2,

org.springframework.test.context.support DirtiesContextTestExecutionListener@bbd4791,

org.springframework.test.context.transaction.TransactionalTestExecutionListener@40a72ecd,
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener@73971965,
org.springframework.security.test.context.support.WithSecurityContextTestExecutionListener
@76a14c8d,
org.springframework.test.context.event.EventPublishingTestExecutionListener@17410c07,
org.springframework.security.test.context.support.ReactorContextTestExecutionListener@6ee
99964,
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener@257ef
9ed,
org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExe
cutionListener@59c70ceb,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExe
cutionListener@46f902e0,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener@6
4f981e2,
org.springframework.boot.test.autoconfigure.webservices.client.MockWebServiceServerTestE
xecutionListener@361abd01,
org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener@575b5f7d]
11:17:12.809 [Test worker] DEBUG
org.springframework.test.context.support.AbstractDirtiesContextTestExecutionListener -
Before test class: context [DefaultTestContext@30839e44 testClass =
BackendApplicationTests, testInstance = [null], testMethod = [null], testException = [null],
mergedContextConfiguration = [WebMergedContextConfiguration@5f174dd2 testClass =
BackendApplicationTests, locations = '{}', classes = '{class
com.boehringer.ordgp.backend.BackendApplication}', contextInitializerClasses = '[]',
activeProfiles = '{}', propertySourceLocations = '{}', propertySourceProperties =
'{org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true}',
contextCustomizers =
set[org.springframework.boot.test.autoconfigure.actuate.metrics.MetricsExportContextCusto
mizerFactory\$DisableMetricExportContextCustomizer@76c548f,
org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer
@0,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverContextCustomizerFactor
y\$Customizer@7ae9a33a,
org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@73ad7e90,
org.springframework.boot.test.json.DuplicateJsonObjectContextCustomizerFactory\$DuplicateJ
sonObjectContextCustomizer@29528a22,
org.springframework.boot.test.mock.mockito.MockitoContextCustomizer@0,
org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@474fae39,
org.springframework.boot.test.context.SpringBootTestArgs@1,
org.springframework.boot.test.context.SpringBootTestWebEnvironment@6b9ce1bf],
resourceBasePath = 'src/main/webapp', contextLoader =
'org.springframework.boot.test.context.SpringBootTestContextLoader', parent = [null]], attributes
= map['org.springframework.test.context.web.ServletTestExecutionListener.activateListener'
-> true]], class annotated with @DirtiesContext [false] with mode [null].
11:17:12.985 [Test worker] DEBUG org.springframework.boot.ApplicationServletEnvironment
- Activating profiles []
11:17:12.986 [Test worker] DEBUG
org.springframework.test.context.support.TestPropertySourceUtils - Adding inlined properties
to environment: {spring.jmx.enabled=false,
org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true}

```
2022-03-01 11:17:13.980 INFO 476 --- [ Test worker]
c.b.o.backend.BackendApplicationTests : Starting BackendApplicationTests using Java
17.0.1 on pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx with PID 476 (started by
default in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master)
2022-03-01 11:17:13.981 INFO 476 --- [ Test worker]
c.b.o.backend.BackendApplicationTests : The following profiles are active: dev
2022-03-01 11:17:13.981 DEBUG 476 --- [ Test worker] o.s.boot.SpringApplication :
Loading source class com.boehringer.ordgp.backend.BackendApplication
2022-03-01 11:17:14.088 DEBUG 476 --- [ Test worker]
o.s.w.c.s.GenericWebApplicationContext : Refreshing
org.springframework.web.context.support.GenericWebApplicationContext@53314f76
2022-03-01 11:17:15.979 INFO 476 --- [ Test worker]
.s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping Spring Data JPA repositories in
DEFAULT mode.
2022-03-01 11:17:15.996 DEBUG 476 --- [ Test worker] o.s.b.a.AutoConfigurationPackages
: @EnableAutoConfiguration was declared on a class in the package
'com.boehringer.ordgp.backend'. Automatic @Repository and @Entity scanning is enabled.
2022-03-01 11:17:15.998 INFO 476 --- [ Test worker]
.s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data repository scanning in 6 ms.
Found 0 JPA repository interfaces.
2022-03-01 11:17:18.008 INFO 476 --- [ Test worker] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Starting...
2022-03-01 11:17:18.799 INFO 476 --- [ Test worker] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Start completed.
2022-03-01 11:17:19.019 INFO 476 --- [ Test worker] o.hibernate.jpa.internal.util.LogHelper
: HHH000204: Processing PersistenceUnitInfo [name: default]
2022-03-01 11:17:19.203 INFO 476 --- [ Test worker] org.hibernate.Version :
HHH000412: Hibernate ORM core version 5.6.1.Final
2022-03-01 11:17:19.784 INFO 476 --- [ Test worker]
o.hibernate.annotations.common.Version : HCANN000001: Hibernate Commons Annotations
{5.1.2.Final}
2022-03-01 11:17:20.118 INFO 476 --- [ Test worker] org.hibernate.dialect.Dialect :
HHH000400: Using dialect: org.hibernate.dialect.HSQLDialect
2022-03-01 11:17:20.877 INFO 476 --- [ Test worker] o.h.e.t.j.p.i.JtaPlatformInitiator :
HHH000490: Using JtaPlatform implementation:
[org.hibernate.engine.transaction.jta.platform.internal.NoJtaPlatform]
2022-03-01 11:17:20.889 INFO 476 --- [ Test worker]
j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for
persistence unit 'default'
2022-03-01 11:17:21.519 WARN 476 --- [ Test worker]
JpaBaseConfiguration$JpaWebConfiguration : spring.jpa.open-in-view is enabled by default.
Therefore, database queries may be performed during view rendering. Explicitly configure
spring.jpa.open-in-view to disable this warning
2022-03-01 11:17:23.594 DEBUG 476 --- [ Test worker]
```

s.w.s.m.m.a.RequestMappingHandlerAdapter : ControllerAdvice beans: 0 @ModelAttribute, 0 @InitBinder, 1 RequestBodyAdvice, 1 ResponseBodyAdvice
2022-03-01 11:17:23.807 DEBUG 476 --- [Test worker]
s.w.s.m.m.a.RequestMappingHandlerMapping : 2 mappings in
'requestMappingHandlerMapping'
2022-03-01 11:17:23.981 DEBUG 476 --- [Test worker]
o.s.w.s.handler.SimpleUrlHandlerMapping : Patterns [/webjars/**, /**] in
'resourceHandlerMapping'
2022-03-01 11:17:23.997 DEBUG 476 --- [Test worker]
.m.m.a.ExceptionHandlerExceptionResolver : ControllerAdvice beans: 1 @ExceptionHandler, 1 ResponseBodyAdvice
2022-03-01 11:17:24.876 INFO 476 --- [Test worker]
.s.s.UserDetailsServiceAutoConfiguration :

Using generated security password: efb4543f-81be-434d-9d4b-2d4759f69822

2022-03-01 11:17:25.395 INFO 476 --- [Test worker] o.s.s.web.DefaultSecurityFilterChain
: Will secure any request with
[org.springframework.security.web.context.request.async.WebAsyncManagerIntegrationFilter@2a0dda9e,
org.springframework.security.web.context.SecurityContextPersistenceFilter@d98fc62,
org.springframework.security.web.header.HeaderWriterFilter@5d33742,
org.springframework.security.web.csrf.CsrfFilter@6f601ce0,
org.springframework.security.web.authentication.logout.LogoutFilter@71122014,
org.springframework.security.web.authentication.UsernamePasswordAuthenticationFilter@4cfd3d7e,
org.springframework.security.web.authentication.ui.DefaultLoginPageGeneratingFilter@16c1fc82,
org.springframework.security.web.authentication.ui.DefaultLogoutPageGeneratingFilter@a046448,
org.springframework.security.web.authentication.www.BasicAuthenticationFilter@2d301b0e,
org.springframework.security.web.savedrequest.RequestCacheAwareFilter@28ec960b,
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@62dd1498,
org.springframework.security.web.authentication AnonymousAuthenticationFilter@2741f66d,
org.springframework.security.web.session.SessionManagementFilter@266737c4,
org.springframework.security.web.access.ExceptionTranslationFilter@572c013f,
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@148a3112]
2022-03-01 11:17:25.813 DEBUG 476 --- [Test worker]
ConditionEvaluationReportLoggingListener :

=====
CONDITIONS EVALUATION REPORT
=====

Positive matches:

AopAutoConfiguration matched:

- @ConditionalOnProperty (spring.aop.auto=true) matched (OnPropertyCondition)

AopAutoConfiguration.AspectJAutoProxyingConfiguration matched:
- @ConditionalOnClass found required class 'org.aspectj.weaver.Advice'
(OnClassCondition)

AopAutoConfiguration.AspectJAutoProxyingConfiguration.CglibAutoProxyConfiguration
matched:
- @ConditionalOnProperty (spring.aop.proxy-target-class=true) matched
(OnPropertyCondition)

DataSourceAutoConfiguration matched:
- @ConditionalOnClass found required classes 'javax.sql.DataSource',
'org.springframework.jdbc.datasource.embedded.EmbeddedDatabaseType'
(OnClassCondition)
- @ConditionalOnMissingBean (types: io.r2dbc.spi.ConnectionFactory; SearchStrategy: all)
did not find any beans (OnBeanCondition)

DataSourceAutoConfiguration.PooledDataSourceConfiguration matched:
- AnyNestedCondition 1 matched 1 did not; NestedCondition on
DataSourceAutoConfiguration.PooledDataSourceCondition.PooledDataSourceAvailable
PooledDataSource found supported DataSource; NestedCondition on
DataSourceAutoConfiguration.PooledDataSourceCondition.ExplicitType
@ConditionalOnProperty (spring.datasource.type) did not find property 'type'
(DataSourceAutoConfiguration.PooledDataSourceCondition)
- @ConditionalOnMissingBean (types: javax.sql.DataSource,javax.sql.XADataSource;
SearchStrategy: all) did not find any beans (OnBeanCondition)

DataSourceConfiguration.Hikari matched:
- @ConditionalOnClass found required class 'com.zaxxer.hikari.HikariDataSource'
(OnClassCondition)
- @ConditionalOnProperty (spring.datasource.type=com.zaxxer.hikari.HikariDataSource)
matched (OnPropertyCondition)
- @ConditionalOnMissingBean (types: javax.sql.DataSource; SearchStrategy: all) did not
find any beans (OnBeanCondition)

DataSourceInitializationConfiguration matched:
- @ConditionalOnClass found required class
'org.springframework.jdbc.datasource.init.DatabasePopulator' (OnClassCondition)
- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found
a primary bean from beans 'dataSource'; @ConditionalOnMissingBean (types:
org.springframework.boot.autoconfigure.sql.init.SqlDataSourceScriptDatabaseInitializer,org.s
pringframework.boot.autoconfigure.sql.init.SqlR2dbcScriptDatabaseInitializer;
SearchStrategy: all) did not find any beans (OnBeanCondition)

DataSourcePoolMetadataProvidersConfiguration.HikariPoolDataSourceMetadataProviderConfi
guration matched:
- @ConditionalOnClass found required class 'com.zaxxer.hikari.HikariDataSource'
(OnClassCondition)

DataSourceTransactionManagerAutoConfiguration matched:
- @ConditionalOnClass found required classes

'org.springframework.jdbc.core.JdbcTemplate',
'org.springframework.transaction.TransactionManager' (OnClassCondition)

DataSourceTransactionManagerAutoConfiguration.JdbcTransactionManagerConfiguration
matched:

- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found
a primary bean from beans 'dataSource' (OnBeanCondition)

DispatcherServletAutoConfiguration matched:

- @ConditionalOnClass found required class
'org.springframework.web.servlet.DispatcherServlet' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)

DispatcherServletAutoConfiguration.DispatcherServletConfiguration matched:

- @ConditionalOnClass found required class 'javax.servlet.ServletRegistration'
(OnClassCondition)
- Default DispatcherServlet did not find dispatcher servlet beans
(DispatcherServletAutoConfiguration.DefaultDispatcherServletCondition)

DispatcherServletAutoConfiguration.DispatcherServletRegistrationConfiguration matched:

- @ConditionalOnClass found required class 'javax.servlet.ServletRegistration'
(OnClassCondition)
- DispatcherServlet Registration did not find servlet registration bean
(DispatcherServletAutoConfiguration.DispatcherServletRegistrationCondition)

DispatcherServletAutoConfiguration.DispatcherServletRegistrationConfiguration#dispatcherS
ervletRegistration matched:

- @ConditionalOnBean (names: dispatcherServlet types:
org.springframework.web.servlet.DispatcherServlet; SearchStrategy: all) found bean
'dispatcherServlet' (OnBeanCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration matched:

- @ConditionalOnWebApplication (required) found 'session' scope
(OnWebApplicationCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.TomcatWebServerFactoryCustomiz
erConfiguration matched:

- @ConditionalOnClass found required classes 'org.apache.catalina.startup.Tomcat',
'org.apache.coyote.UpgradeProtocol' (OnClassCondition)

ErrorMvcAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet',
'org.springframework.web.servlet.DispatcherServlet' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)

ErrorMvcAutoConfiguration#basicErrorController matched:

- @ConditionalOnMissingBean (types:
org.springframework.boot.web.servlet.error.ErrorController; SearchStrategy: current) did not
find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration#errorAttributes matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.web.servlet.error.ErrorAttributes; SearchStrategy: current) did not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration.DefaultErrorViewResolverConfiguration#conventionErrorViewResolver matched:

- @ConditionalOnBean (types: org.springframework.web.servlet.DispatcherServlet; SearchStrategy: all) found bean 'dispatcherServlet'; @ConditionalOnMissingBean (types: org.springframework.boot.autoconfigure.web.servlet.error.ErrorViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration.WhitelabelErrorViewConfiguration matched:

- @ConditionalOnProperty (server.error.whitelabel.enabled) matched (OnPropertyCondition)
- ErrorTemplate Missing did not find error template view (ErrorMvcAutoConfiguration.ErrorTemplateMissingCondition)

ErrorMvcAutoConfiguration.WhitelabelErrorViewConfiguration#beanNameViewResolver matched:

- @ConditionalOnMissingBean (types: org.springframework.web.servlet.view.BeanNameViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration.WhitelabelErrorViewConfiguration#defaultErrorView matched:

- @ConditionalOnMissingBean (names: error; SearchStrategy: all) did not find any beans (OnBeanCondition)

ErrorPageSecurityFilterConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.security.web.access.WebInvocationPrivilegeEvaluator' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)

ErrorPageSecurityFilterConfiguration#errorPageSecurityInterceptor matched:

- @ConditionalOnBean (types: org.springframework.security.web.access.WebInvocationPrivilegeEvaluator; SearchStrategy: all) found bean 'privilegeEvaluator' (OnBeanCondition)

GenericCacheConfiguration matched:

- Cache org.springframework.boot.autoconfigure.cache.GenericCacheConfiguration automatic cache type (CacheCondition)

HibernateJpaAutoConfiguration matched:

- @ConditionalOnClass found required classes 'org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean', 'javax.persistence.EntityManager', 'org.hibernate.engine.spi.SessionImplementor' (OnClassCondition)

HibernateJpaConfiguration matched:

- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found

a primary bean from beans 'dataSource' (OnBeanCondition)

HttpEncodingAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.web.filter.CharacterEncodingFilter' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnProperty (server.servlet.encoding.enabled) matched (OnPropertyCondition)

HttpEncodingAutoConfiguration#characterEncodingFilter matched:

- @ConditionalOnMissingBean (types: org.springframework.web.filter.CharacterEncodingFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

HttpMessageConvertersAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.http.converter.HttpMessageConverter' (OnClassCondition)
- NoneNestedConditions 0 matched 1 did not; NestedCondition on HttpMessageConvertersAutoConfiguration.NotReactiveWebApplicationCondition.ReactiveWebApplication did not find reactive web application classes (HttpMessageConvertersAutoConfiguration.NotReactiveWebApplicationCondition)

HttpMessageConvertersAutoConfiguration#messageConverters matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.autoconfigure.http.HttpMessageConverters; SearchStrategy: all) did not find any beans (OnBeanCondition)

HttpMessageConvertersAutoConfiguration.StringHttpMessageConverterConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.http.converter.StringHttpMessageConverter' (OnClassCondition)

HttpMessageConvertersAutoConfiguration.StringHttpMessageConverterConfiguration#stringHttpMessageConverter matched:

- @ConditionalOnMissingBean (types: org.springframework.http.converter.StringHttpMessageConverter; SearchStrategy: all) did not find any beans (OnBeanCondition)

HypermediaAutoConfiguration matched:

- @ConditionalOnClass found required classes 'org.springframework.hateoas.EntityModel', 'org.springframework.web.bind.annotation.RequestMapping', 'org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter', 'org.springframework.plugin.core.Plugin' (OnClassCondition)
- @ConditionalOnWebApplication (required) found 'session' scope (OnWebApplicationCondition)

HypermediaAutoConfiguration#applicationJsonHalConfiguration matched:

- @ConditionalOnClass found required class 'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)
- @ConditionalOnProperty (spring.hateoas.use-hal-as-default-json-media-type) matched (OnPropertyCondition)

- @ConditionalOnMissingBean (types: org.springframework.hateoas.mediatype.hal.HalConfiguration; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonAutoConfiguration matched:

- @ConditionalOnClass found required class 'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)

JacksonAutoConfiguration.Jackson2ObjectMapperBuilderCustomizerConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)

JacksonAutoConfiguration.JacksonObjectMapperBuilderConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)

JacksonAutoConfiguration.JacksonObjectMapperBuilderConfiguration#jacksonObjectMapperBuilder matched:

- @ConditionalOnMissingBean (types: org.springframework.http.converter.json.Jackson2ObjectMapperBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonAutoConfiguration.JacksonObjectMapperConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)

JacksonAutoConfiguration.JacksonObjectMapperConfiguration#jacksonObjectMapper matched:

- @ConditionalOnMissingBean (types: com.fasterxml.jackson.databind.ObjectMapper; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonAutoConfiguration.ParameterNamesModuleConfiguration matched:

- @ConditionalOnClass found required class 'com.fasterxml.jackson.module.paramnames.ParameterNamesModule' (OnClassCondition)

JacksonAutoConfiguration.ParameterNamesModuleConfiguration#parameterNamesModule matched:

- @ConditionalOnMissingBean (types: com.fasterxml.jackson.module.paramnames.ParameterNamesModule; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonHttpMessageConvertersConfiguration.MappingJackson2HttpMessageConverterConfiguration matched:

- @ConditionalOnClass found required class 'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)
- @ConditionalOnProperty (spring.mvc.converters.preferred-json-mapper=jackson) matched (OnPropertyCondition)
- @ConditionalOnBean (types: com.fasterxml.jackson.databind.ObjectMapper; SearchStrategy: all) found bean 'jacksonObjectMapper' (OnBeanCondition)

JacksonHttpMessageConvertersConfiguration.MappingJackson2HttpMessageConverterConfiguration#mappingJackson2HttpMessageConverter matched:

- @ConditionalOnMissingBean (types:

org.springframework.http.converter.json.MappingJackson2HttpMessageConverter ignored:

org.springframework.hateoas.server.mvc.TypeConstrainedMappingJackson2HttpMessageConverter,org.springframework.data.rest.webmvc.alps.AlpsJsonHttpMessageConverter;

SearchStrategy: all) did not find any beans (OnBeanCondition)

JdbcTemplateAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.sql.DataSource',

'org.springframework.jdbc.core.JdbcTemplate' (OnClassCondition)

- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource' (OnBeanCondition)

JdbcTemplateConfiguration matched:

- @ConditionalOnMissingBean (types: org.springframework.jdbc.core.JdbcOperations;

SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#entityManagerFactory matched:

- @ConditionalOnMissingBean (types:

org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean,javax.persistence.EntityManagerFactory; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#entityManagerFactoryBuilder matched:

- @ConditionalOnMissingBean (types:

org.springframework.boot.orm.jpa.EntityManagerFactoryBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#jpaVendorAdapter matched:

- @ConditionalOnMissingBean (types: org.springframework.orm.jpa.JpaVendorAdapter;

SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#transactionManager matched:

- @ConditionalOnMissingBean (types:

org.springframework.transaction.TransactionManager; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration.JpaWebConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.web.servlet.config.annotation.WebMvcConfigurer' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)

- @ConditionalOnProperty (spring.jpa.open-in-view=true) matched (OnPropertyCondition)

- @ConditionalOnMissingBean (types:

org.springframework.orm.jpa.support.OpenEntityManagerInViewInterceptor,org.springframework.orm.jpa.support.OpenEntityManagerInViewFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaRepositoriesAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.data.jpa.repository.JpaRepository' (OnClassCondition)

- @ConditionalOnProperty (spring.data.jpa.repositories.enabled=true) matched

(OnPropertyCondition)

- @ConditionalOnBean (types: javax.sql.DataSource; SearchStrategy: all) found bean 'dataSource'; @ConditionalOnMissingBean (types: org.springframework.data.jpa.repository.support.JpaRepositoryFactoryBean,org.springframework.data.jpa.repository.config.JpaRepositoryConfigExtension; SearchStrategy: all) did not find any beans (OnBeanCondition)

JtaAutoConfiguration matched:

- @ConditionalOnClass found required class 'javax.transaction.Transaction'

(OnClassCondition)

- @ConditionalOnProperty (spring.jta.enabled) matched (OnPropertyCondition)

LifecycleAutoConfiguration#defaultLifecycleProcessor matched:

- @ConditionalOnMissingBean (names: lifecycleProcessor; SearchStrategy: current) did not find any beans (OnBeanCondition)

MultipartAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet', 'org.springframework.web.multipart.support.StandardServletMultipartResolver', 'javax.servlet.MultipartConfigElement' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnProperty (spring.servlet.multipart.enabled) matched

(OnPropertyCondition)

MultipartAutoConfiguration#multipartConfigElement matched:

- @ConditionalOnMissingBean (types: javax.servlet.MultipartConfigElement,org.springframework.web.multipart.commons.CommonsMultipartResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

MultipartAutoConfiguration#multipartResolver matched:

- @ConditionalOnMissingBean (types: org.springframework.web.multipart.MultipartResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

NamedParameterJdbcTemplateConfiguration matched:

- @ConditionalOnSingleCandidate (types: org.springframework.jdbc.core.JdbcTemplate; SearchStrategy: all) found a primary bean from beans 'jdbcTemplate';

@ConditionalOnMissingBean (types: org.springframework.jdbc.core.namedparam.NamedParameterJdbcOperations; SearchStrategy: all) did not find any beans (OnBeanCondition)

NoOpCacheConfiguration matched:

- Cache org.springframework.boot.autoconfigure.cache.NoOpCacheConfiguration automatic cache type (CacheCondition)

PersistenceExceptionTranslationAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.dao.annotation.PersistenceExceptionTranslationPostProcessor'

(OnClassCondition)

PersistenceExceptionTranslationAutoConfiguration#persistenceExceptionTranslationPostProc

essor matched:

- @ConditionalOnProperty (spring.dao.exceptiontranslation.enabled) matched (OnPropertyCondition)
- @ConditionalOnMissingBean (types: org.springframework.dao.annotation.PersistenceExceptionTranslationPostProcessor; SearchStrategy: all) did not find any beans (OnBeanCondition)

PropertyPlaceholderAutoConfiguration#propertySourcesPlaceholderConfigurer matched:

- @ConditionalOnMissingBean (types: org.springframework.context.support.PropertySourcesPlaceholderConfigurer; SearchStrategy: current) did not find any beans (OnBeanCondition)

RepositoryRestMvcAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.data.rest.webmvc.config.RepositoryRestMvcConfiguration' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnMissingBean (types: org.springframework.data.rest.webmvc.config.RepositoryRestMvcConfiguration; SearchStrategy: all) did not find any beans (OnBeanCondition)

RestTemplateAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.web.client.RestTemplate' (OnClassCondition)
- NoneNestedConditions 0 matched 1 did not; NestedCondition on RestTemplateAutoConfiguration.NotReactiveWebApplicationCondition.ReactiveWebApplicationCondition did not find reactive web application classes (RestTemplateAutoConfiguration.NotReactiveWebApplicationCondition)

RestTemplateAutoConfiguration#restTemplateBuilder matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.web.client.RestTemplateBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

RestTemplateAutoConfiguration#restTemplateBuilderConfigurer matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.autoconfigure.web.client.RestTemplateBuilderConfigurer; SearchStrategy: all) did not find any beans (OnBeanCondition)

SecurityAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.security.authentication.DefaultAuthenticationEventPublisher' (OnClassCondition)

SecurityAutoConfiguration#authenticationEventPublisher matched:

- @ConditionalOnMissingBean (types: org.springframework.security.authentication.AuthenticationEventPublisher; SearchStrategy: all) did not find any beans (OnBeanCondition)

SecurityFilterAutoConfiguration matched:

- @ConditionalOnClass found required classes 'org.springframework.security.web.context.AbstractSecurityWebApplicationInitializer',

'org.springframework.security.config.http.SessionCreationPolicy' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)

SecurityFilterAutoConfiguration#securityFilterChainRegistration matched:
- @ConditionalOnBean (names: springSecurityFilterChain; SearchStrategy: all) found bean 'springSecurityFilterChain' (OnBeanCondition)

ServletWebServerFactoryAutoConfiguration matched:
- @ConditionalOnClass found required class 'javax.servlet.ServletRequest' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)

ServletWebServerFactoryAutoConfiguration#tomcatServletWebServerFactoryCustomizer matched:
- @ConditionalOnClass found required class 'org.apache.catalina.startup.Tomcat' (OnClassCondition)

ServletWebServerFactoryConfiguration.EmbeddedTomcat matched:
- @ConditionalOnClass found required classes 'javax.servlet.Servlet', 'org.apache.catalina.startup.Tomcat', 'org.apache.coyote.UpgradeProtocol' (OnClassCondition)
- @ConditionalOnMissingBean (types: org.springframework.boot.web.servlet.server.ServletWebServerFactory; SearchStrategy: current) did not find any beans (OnBeanCondition)

SimpleCacheConfiguration matched:
- Cache org.springframework.boot.autoconfigure.cache.SimpleCacheConfiguration automatic cache type (CacheCondition)

SpringBootWebSecurityConfiguration matched:
- found 'session' scope (OnWebApplicationCondition)
- AllNestedConditions 2 matched 0 did not; NestedCondition on DefaultWebSecurityCondition.Beans @ConditionalOnMissingBean (types: org.springframework.security.config.annotation.web.configuration.WebSecurityConfigurerAdapter,org.springframework.security.web.SecurityFilterChain; SearchStrategy: all) did not find any beans; NestedCondition on DefaultWebSecurityCondition.Classes @ConditionalOnClass found required classes 'org.springframework.security.web.SecurityFilterChain', 'org.springframework.security.config.annotation.web.builders.HttpSecurity' (DefaultWebSecurityCondition)

SqlInitializationAutoConfiguration matched:
- @ConditionalOnProperty (spring.sql.init.enabled) matched (OnPropertyCondition)
- NoneNestedConditions 0 matched 1 did not; NestedCondition on SqlInitializationAutoConfiguration.SqlInitializationModeCondition.ModelsNever @ConditionalOnProperty (spring.sql.init.mode=never) did not find property 'mode' (SqlInitializationAutoConfiguration.SqlInitializationModeCondition)

TaskExecutionAutoConfiguration matched:
- @ConditionalOnClass found required class 'org.springframework.scheduling.concurrent.ThreadPoolTaskExecutor' (OnClassCondition)

TaskExecutionAutoConfiguration#applicationTaskExecutor matched:

- @ConditionalOnMissingBean (types: java.util.concurrent.Executor; SearchStrategy: all) did not find any beans (OnBeanCondition)

TaskExecutionAutoConfiguration#taskExecutorBuilder matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.task.TaskExecutorBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

TaskSchedulingAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.scheduling.concurrent.ThreadPoolTaskScheduler' (OnClassCondition)

TaskSchedulingAutoConfiguration#taskSchedulerBuilder matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.task.TaskSchedulerBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.transaction.PlatformTransactionManager' (OnClassCondition)

TransactionAutoConfiguration#platformTransactionManagerCustomizers matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.autoconfigure.transaction.TransactionManagerCustomizers; SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration.EnableTransactionManagementConfiguration matched:

- @ConditionalOnBean (types: org.springframework.transaction.TransactionManager; SearchStrategy: all) found bean 'transactionManager'; @ConditionalOnMissingBean (types: org.springframework.transaction.annotation.AbstractTransactionManagementConfiguration; SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration.EnableTransactionManagementConfiguration.CglibAutoProxyConfiguration matched:

- @ConditionalOnProperty (spring.aop.proxy-target-class=true) matched (OnPropertyCondition)

TransactionAutoConfiguration.TransactionTemplateConfiguration matched:

- @ConditionalOnSingleCandidate (types: org.springframework.transaction.PlatformTransactionManager; SearchStrategy: all) found a primary bean from beans 'transactionManager' (OnBeanCondition)

TransactionAutoConfiguration.TransactionTemplateConfiguration#transactionTemplate matched:

- @ConditionalOnMissingBean (types: org.springframework.transaction.support.TransactionOperations; SearchStrategy: all) did not find any beans (OnBeanCondition)

UserDetailsServiceAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.security.authentication.AuthenticationManager' (OnClassCondition)

- @ConditionalOnBean (types: org.springframework.security.config.annotation.ObjectPostProcessor; SearchStrategy: all) found bean 'objectPostProcessor'; @ConditionalOnMissingBean (types: org.springframework.security.authentication.AuthenticationManager,org.springframework.security.authentication.AuthenticationProvider,org.springframework.security.core.userdetails.UserDetailsService,org.springframework.security.authentication.AuthenticationManagerResolver,org.springframework.security.oauth2.jwt.JwtDecoder,org.springframework.security.oauth2.server.resource.introspection.OpaqueTokenIntrospector,org.springframework.security.oauth2.client.registration.ClientRegistrationRepository; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet', 'org.springframework.web.servlet.DispatcherServlet', 'org.springframework.web.servlet.config.annotation.WebMvcConfigurer' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnMissingBean (types: org.springframework.web.servlet.config.annotation.WebMvcConfigurationSupport; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration#formContentFilter matched:

- @ConditionalOnProperty (spring.mvc.formcontent.filter.enabled) matched (OnPropertyCondition)
- @ConditionalOnMissingBean (types: org.springframework.web.filter.FormContentFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.EnableWebMvcConfiguration#flashMapManager matched:

- @ConditionalOnMissingBean (names: flashMapManager; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.EnableWebMvcConfiguration#localeResolver matched:

- @ConditionalOnMissingBean (names: localeResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.EnableWebMvcConfiguration#themeResolver matched:

- @ConditionalOnMissingBean (names: themeResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.WebMvcAutoConfigurationAdapter#defaultViewResolver matched:

- @ConditionalOnMissingBean (types: org.springframework.web.servlet.view.InternalResourceViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.WebMvcAutoConfigurationAdapter#requestContextFilter matched:

- @ConditionalOnMissingBean (types: org.springframework.web.context.request.RequestContextListener,org.springframework.web.filter.RequestContextFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.WebMvcAutoConfigurationAdapter#viewResolver matched:

- @ConditionalOnBean (types: org.springframework.web.servlet.ViewResolver;

SearchStrategy: all) found beans 'defaultViewResolver', 'beanNameViewResolver', 'mvcViewResolver'; @ConditionalOnMissingBean (names: viewResolver types: org.springframework.web.servlet.view.ContentNegotiatingViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebSecurityEnablerConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.security.config.annotation.web.configuration.EnableWebSecurity' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnMissingBean (names: springSecurityFilterChain; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebSocketServletAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet', 'javax.websocket.server.ServerContainer' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)

WebSocketServletAutoConfiguration.TomcatWebSocketConfiguration matched:

- @ConditionalOnClass found required classes 'org.apache.catalina.startup.Tomcat', 'org.apache.tomcat.websocket.server.WsSci' (OnClassCondition)

WebSocketServletAutoConfiguration.TomcatWebSocketConfiguration#websocketServletWebServerCustomizer matched:

- @ConditionalOnMissingBean (names: websocketServletWebServerCustomizer; SearchStrategy: all) did not find any beans (OnBeanCondition)

Negative matches:

ActiveMQAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.jms.ConnectionFactory' (OnClassCondition)

AopAutoConfiguration.AspectJAutoProxyingConfiguration.JdkDynamicAutoProxyConfiguration:

Did not match:

- @ConditionalOnProperty (spring.aop.proxy-target-class=false) did not find property 'proxy-target-class' (OnPropertyCondition)

AopAutoConfiguration.ClassProxyingConfiguration:

Did not match:

- @ConditionalOnMissingClass found unwanted class 'org.aspectj.weaver.Advice' (OnClassCondition)

ArtemisAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.jms.ConnectionFactory' (OnClassCondition)

AtomikosJtaConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.atomikos.icatch.jta.UserTransactionManager' (OnClassCondition)

BatchAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.batch.core.launch.JobLauncher' (OnClassCondition)

CacheAutoConfiguration:

Did not match:

- @ConditionalOnBean (types: org.springframework.cache.interceptor.CacheAspectSupport; SearchStrategy: all) did not find any beans of type org.springframework.cache.interceptor.CacheAspectSupport (OnBeanCondition)

Matched:

- @ConditionalOnClass found required class 'org.springframework.cache.CacheManager' (OnClassCondition)

CacheAutoConfiguration.CacheManagerEntityManagerFactoryDependsOnPostProcessor:

Did not match:

- Ancestor org.springframework.boot.autoconfigure.cache.CacheAutoConfiguration did not match (ConditionEvaluationReport.AncestorsMatchedCondition)

Matched:

- @ConditionalOnClass found required class 'org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean' (OnClassCondition)

CaffeineCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.github.benmanes.caffeine.cache.Caffeine' (OnClassCondition)

CassandraAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

CassandraDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

CassandraReactiveDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

CassandraReactiveRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.data.cassandra.ReactiveSession' (OnClassCondition)

CassandraRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

ClientHttpConnectorAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.web.reactive.function.client.WebClient' (OnClassCondition)

CodecsAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.web.reactive.function.client.WebClient' (OnClassCondition)

CouchbaseAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster'
(OnClassCondition)

CouchbaseCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster'
(OnClassCondition)

CouchbaseDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Bucket'
(OnClassCondition)

CouchbaseReactiveDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster'
(OnClassCondition)

CouchbaseReactiveRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster'
(OnClassCondition)

CouchbaseRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Bucket'
(OnClassCondition)

DataSourceAutoConfiguration.EmbeddedDatabaseConfiguration:

Did not match:

- EmbeddedDataSource found supported pooled data source
(DataSourceAutoConfiguration.EmbeddedDatabaseCondition)

DataSourceConfiguration.Dbcp2:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.commons.dbcp2.BasicDataSource' (OnClassCondition)

DataSourceConfiguration.Generic:

Did not match:

- @ConditionalOnProperty (spring.datasource.type) did not find property 'spring.datasource.type' (OnPropertyCondition)

DataSourceConfiguration.OracleUcp:

Did not match:

- @ConditionalOnClass did not find required classes 'oracle.ucp.jdbc.PoolDataSourceImpl', 'oracle.jdbc.OracleConnection' (OnClassCondition)

DataSourceConfiguration.Tomcat:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.tomcat.jdbc.pool.DataSource' (OnClassCondition)

DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration:

Did not match:

- AnyNestedCondition 0 matched 2 did not; NestedCondition on DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.DifferentCredentialsCondition.DataCredentials @ConditionalOnProperty (spring.datasource.data-username) did not find property 'data-username'; NestedCondition on

- DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.DifferentCredentialsCondition.SchemaCredentials @ConditionalOnProperty (spring.datasource.schema-username) did not find property 'schema-username' (DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.DifferentCredentialsCondition)

DataSourceInitializationConfiguration.SharedCredentialsDataSourceInitializationConfiguration:

Did not match:

- DataSource Initialization did not find configured properties spring.datasource.data-username, spring.datasource.schema-password, spring.datasource.schema[0], spring.datasource.data[0], spring.datasource.data, spring.datasource.schema-username, spring.datasource.data-password, spring.datasource.initialization-mode, spring.datasource.schema, spring.datasource.sql-script-encoding, spring.datasource.separator, spring.datasource.platform, spring.datasource.continue-on-error (DataSourceInitializationConfiguration.SharedCredentialsDataSourceInitializationConfiguration.DataSourceInitializationCondition)

DataSourceJmxConfiguration:

Did not match:

- @ConditionalOnProperty (spring.jmx.enabled=true) found different value in property 'enabled' (OnPropertyCondition)

DataSourcePoolMetadataProvidersConfiguration.CommonsDbc2PoolDataSourceMetadataProviderConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.commons.dbcp2.BasicDataSource' (OnClassCondition)

DataSourcePoolMetadataProvidersConfiguration.OracleUcpPoolDataSourceMetadataProviderConfiguration:

Did not match:

- @ConditionalOnClass did not find required classes 'oracle.ucp.jdbc.PoolDataSource', 'oracle.jdbc.OracleConnection' (OnClassCondition)

DataSourcePoolMetadataProvidersConfiguration.TomcatDataSourcePoolMetadataProviderConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.tomcat.jdbc.pool.DataSource' (OnClassCondition)

DataSourceTransactionManagerAutoConfiguration.JdbcTransactionManagerConfiguration#transactionManager:

Did not match:

- @ConditionalOnMissingBean (types: org.springframework.transaction.TransactionManager; SearchStrategy: all) found beans of type 'org.springframework.transaction.TransactionManager' transactionManager (OnBeanCondition)

DispatcherServletAutoConfiguration.DispatcherServletConfiguration#multipartResolver:

Did not match:

- @ConditionalOnBean (types: org.springframework.web.multipart.MultipartResolver; SearchStrategy: all) did not find any beans of type org.springframework.web.multipart.MultipartResolver (OnBeanCondition)

EhCacheCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'net.sf.ehcache.Cache' (OnClassCondition)

ElasticsearchDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.elasticsearch.core.ElasticsearchRestTemplate' (OnClassCondition)

ElasticsearchRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.elasticsearch.client.Client' (OnClassCondition)

ElasticsearchRestClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.elasticsearch.client.RestClientBuilder' (OnClassCondition)

EmbeddedLdapAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.unboundid.ldap.listener.InMemoryDirectoryServer' (OnClassCondition)

EmbeddedMongoAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.MongoClientSettings' (OnClassCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.JettyWebServerFactoryCustomizer Configuration:

Did not match:

- @ConditionalOnClass did not find required classes 'org.eclipse.jetty.server.Server', 'org.eclipse.jetty.util.Loader', 'org.eclipse.jetty.webapp.WebAppContext' (OnClassCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.NettyWebServerFactoryCustomizer Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.netty.http.server.HttpServer' (OnClassCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.UndertowWebServerFactoryCustomizer Configuration:

Did not match:

- @ConditionalOnClass did not find required classes 'io.undertow.Undertow', 'org.xnio.SslClientAuthMode' (OnClassCondition)

ErrorWebFluxAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.config.WebFluxConfigurer' (OnClassCondition)

FlywayAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.flywaydb.core.Flyway' (OnClassCondition)

FreeMarkerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'freemarker.template.Configuration' (OnClassCondition)

GroovyTemplateAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'groovy.text.markup.MarkupTemplateEngine' (OnClassCondition)

GsonAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.google.gson.Gson' (OnClassCondition)

GsonHttpMessageConvertersConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.google.gson.Gson' (OnClassCondition)

H2ConsoleAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.h2.console.enabled=true) did not find property 'enabled' (OnPropertyCondition)

Matched:

- @ConditionalOnClass found required class 'org.h2.server.web.WebServlet' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)

HazelcastAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.hazelcast.core.HazelcastInstance' (OnClassCondition)

HazelcastCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.hazelcast.core.HazelcastInstance' (OnClassCondition)

HazelcastJpaDependencyAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.hazelcast.core.HazelcastInstance' (OnClassCondition)

HttpHandlerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.DispatcherHandler' (OnClassCondition)

HypermediaAutoConfiguration.HypermediaConfiguration:

Did not match:

- @ConditionalOnMissingBean (types: org.springframework.hateoas.client.LinkDiscoverers; SearchStrategy: all) found beans of type 'org.springframework.hateoas.client.LinkDiscoverers' linkDiscoverers (OnBeanCondition)

Matched:

- @ConditionalOnClass found required class 'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)

InfinispanCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.infinispan.spring.embedded.provider.SpringEmbeddedCacheManager' (OnClassCondition)

InfluxDbAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.influxdb.InfluxDB' (OnClassCondition)

IntegrationAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.integration.config.EnableIntegration' (OnClassCondition)

JCacheCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.cache.Caching' (OnClassCondition)

JacksonHttpMessageConvertersConfiguration.MappingJackson2XmlHttpMessageConverterConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.fasterxml.jackson.dataformat.xml.XmlMapper' (OnClassCondition)

JdbcRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.jdbc.repository.config.AbstractJdbcConfiguration' (OnClassCondition)

JerseyAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.glassfish.jersey.server.spring.SpringComponentProvider' (OnClassCondition)

JmsAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.jms.Message' (OnClassCondition)

JmxAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.jmx.enabled=true) found different value in property 'enabled' (OnPropertyCondition)

Matched:

- @ConditionalOnClass found required class 'org.springframework.jmx.export.MBeanExporter' (OnClassCondition)

JndiConnectionFactoryAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.jms.core.JmsTemplate' (OnClassCondition)

JndiDataSourceAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.datasource.jndi-name) did not find property 'jndi-name' (OnPropertyCondition)

Matched:

- @ConditionalOnClass found required classes 'javax.sql.DataSource', 'org.springframework.jdbc.datasource.embedded.EmbeddedDatabaseType' (OnClassCondition)

JndiJtaConfiguration:

Did not match:

- @ConditionalOnJndi JNDI environment is not available (OnJndiCondition)

Matched:

- @ConditionalOnClass found required class 'org.springframework.transaction.jta.JtaTransactionManager' (OnClassCondition)

JooqAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.jooq.DSLContext' (OnClassCondition)

JpaRepositoriesAutoConfiguration#entityManagerFactoryBootstrapExecutorCustomizer:

Did not match:

- AnyNestedCondition 0 matched 2 did not; NestedCondition on JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition.LazyBootstrapMode @ConditionalOnProperty (spring.data.jpa.repositories.bootstrap-mode=lazy) did not find property 'bootstrap-mode'; NestedCondition on JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition.DeferredBootstrapMode @ConditionalOnProperty (spring.data.jpa.repositories.bootstrap-mode=deferred) did not find property 'bootstrap-mode' (JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition)

JsonbAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.json.bind.Jsonb' (OnClassCondition)

JsonbHttpMessageConvertersConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.json.bind.Jsonb' (OnClassCondition)

KafkaAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.kafka.core.KafkaTemplate' (OnClassCondition)

LdapAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class
'org.springframework ldap.core.ContextSource' (OnClassCondition)

LdapRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class
'org.springframework.data.ldap.repository.LdapRepository' (OnClassCondition)

LiquibaseAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'liquibase.change.DatabaseChange'
(OnClassCondition)

MailSenderAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.mail.internet.MimeMessage'
(OnClassCondition)

MailSenderValidatorAutoConfiguration:

Did not match:

- @ConditionalOnSingleCandidate did not find required type
'org.springframework.mail.javamail.JavaMailSenderImpl' (OnBeanCondition)

MessageSourceAutoConfiguration:

Did not match:

- ResourceBundle did not find bundle with basename messages
(MessageSourceAutoConfiguration.ResourceBundleCondition)

MongoAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.client.MongoClient'
(OnClassCondition)

MongoDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.client.MongoClient'
(OnClassCondition)

MongoReactiveAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class
'com.mongodb.reactivestreams.client.MongoClient' (OnClassCondition)

MongoReactiveDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class
'com.mongodb.reactivestreams.client.MongoClient' (OnClassCondition)

MongoReactiveRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'com.mongodb.reactivestreams.client.MongoClient' (OnClassCondition)

MongoRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.client.MongoClient'
(OnClassCondition)

MustacheAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.samskivert.mustache.Mustache'
(OnClassCondition)

Neo4jAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver'
(OnClassCondition)

Neo4jDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver'
(OnClassCondition)

Neo4jReactiveDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver'
(OnClassCondition)

Neo4jReactiveRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver'
(OnClassCondition)

Neo4jRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver'
(OnClassCondition)

NettyAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.netty.util.NettyRuntime'
(OnClassCondition)

OAuth2ClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class
'org.springframework.security.oauth2.client.registration.ClientRegistration'
(OnClassCondition)

OAuth2ResourceServerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class
'org.springframework.security.oauth2.server.resource.BearerTokenAuthenticationToken'

(OnClassCondition)

ProjectInfoAutoConfiguration#buildProperties:

Did not match:

- @ConditionalOnResource did not find resource

'\${spring.info.build.location:classpath:META-INF/build-info.properties}'

(OnResourceCondition)

ProjectInfoAutoConfiguration#gitProperties:

Did not match:

- GitResource did not find git info at classpath:git.properties

(ProjectInfoAutoConfiguration.GitResourceAvailableCondition)

QuartzAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.quartz.Scheduler'

(OnClassCondition)

R2dbcAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.r2dbc.spi.ConnectionFactory'

(OnClassCondition)

R2dbcDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.data.r2dbc.core.R2dbcEntityTemplate' (OnClassCondition)

R2dbcInitializationConfiguration:

Did not match:

- @ConditionalOnClass did not find required classes 'io.r2dbc.spi.ConnectionFactory',

'org.springframework.r2dbc.connection.init.DatabasePopulator' (OnClassCondition)

R2dbcRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.r2dbc.spi.ConnectionFactory'

(OnClassCondition)

R2dbcTransactionManagerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.r2dbc.connection.R2dbcTransactionManager' (OnClassCondition)

RSocketMessagingAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.rsocket.RSocket'

(OnClassCondition)

RSocketRequesterAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.rsocket.RSocket'

(OnClassCondition)

RSocketSecurityAutoConfiguration:
Did not match:
- @ConditionalOnClass did not find required class
'org.springframework.security.rsocket.core.SecuritySocketAcceptorInterceptor'
(OnClassCondition)

RSocketServerAutoConfiguration:
Did not match:
- @ConditionalOnClass did not find required class 'io.rsocket.core.RSocketServer'
(OnClassCondition)

RSocketStrategiesAutoConfiguration:
Did not match:
- @ConditionalOnClass did not find required class
'io.netty.buffer.PooledByteBufAllocator' (OnClassCondition)

RabbitAutoConfiguration:
Did not match:
- @ConditionalOnClass did not find required class 'com.rabbitmq.client.Channel'
(OnClassCondition)

ReactiveElasticsearchRepositoriesAutoConfiguration:
Did not match:
- @ConditionalOnClass did not find required class
'org.springframework.data.elasticsearch.client.reactive.ReactiveElasticsearchClient'
(OnClassCondition)

ReactiveElasticsearchRestClientAutoConfiguration:
Did not match:
- @ConditionalOnClass did not find required class 'reactor.netty.http.client.HttpClient'
(OnClassCondition)

ReactiveMultipartAutoConfiguration:
Did not match:
- @ConditionalOnClass did not find required class
'org.springframework.web.reactive.config.WebFluxConfigurer' (OnClassCondition)

ReactiveOAuth2ClientAutoConfiguration:
Did not match:
- @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux'
(OnClassCondition)

ReactiveOAuth2ResourceServerAutoConfiguration:
Did not match:
- @ConditionalOnWebApplication did not find reactive web application classes
(OnWebApplicationCondition)

ReactiveSecurityAutoConfiguration:
Did not match:
- @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux'
(OnClassCondition)

ReactiveUserDetailsServiceAutoConfiguration:

Did not match:

- AnyNestedCondition 0 matched 2 did not; NestedCondition on ReactiveUserDetailsServiceAutoConfiguration.ReactiveUserDetailsServiceCondition.ReactiveWebApplicationCondition did not find reactive web application classes; NestedCondition on ReactiveUserDetailsServiceAutoConfiguration.ReactiveUserDetailsServiceCondition.RSocketSecurityEnabledCondition @ConditionalOnBean (types: org.springframework.messaging.rsocket.annotation.support.RSocketMessageHandler; SearchStrategy: all) did not find any beans of type org.springframework.messaging.rsocket.annotation.support.RSocketMessageHandler (ReactiveUserDetailsServiceAutoConfiguration.ReactiveUserDetailsServiceCondition)

Matched:

- @ConditionalOnClass found required class 'org.springframework.security.authentication.ReactiveAuthenticationManager' (OnClassCondition)

ReactiveWebServerFactoryAutoConfiguration:

Did not match:

- @ConditionalOnWebApplication did not find reactive web application classes (OnWebApplicationCondition)

RedisAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.redis.core.RedisOperations' (OnClassCondition)

RedisCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.redis.connection.RedisConnectionFactory' (OnClassCondition)

RedisReactiveAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux' (OnClassCondition)

RedisRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.redis.repository.configuration.EnableRedisRepositories' (OnClassCondition)

Saml2RelyingPartyAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.security.saml2.provider.service.registration.RelyingPartyRegistrationRepository' (OnClassCondition)

SecurityDataConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.security.data.repository.query.SecurityEvaluationContextExtension'
(OnClassCondition)

SendGridAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.sendgrid.SendGrid'
(OnClassCondition)

ServletWebServerFactoryAutoConfiguration#forwardedHeaderFilter:

Did not match:

- @ConditionalOnProperty (server.forward-headers-strategy=framework) did not find property 'server.forward-headers-strategy' (OnPropertyCondition)

ServletWebServerFactoryConfiguration.EmbeddedJetty:

Did not match:

- @ConditionalOnClass did not find required classes 'org.eclipse.jetty.server.Server', 'org.eclipse.jetty.util.Loader', 'org.eclipse.jetty.webapp.WebAppContext' (OnClassCondition)

ServletWebServerFactoryConfiguration.EmbeddedUndertow:

Did not match:

- @ConditionalOnClass did not find required classes 'io.undertow.Undertow', 'org.xnio.SslClientAuthMode' (OnClassCondition)

SessionAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.session.Session'
(OnClassCondition)

SolrAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.solr.client.solrj.impl.CloudSolrClient' (OnClassCondition)

SpringApplicationAdminJmxAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.application.admin.enabled=true) did not find property 'enabled' (OnPropertyCondition)

SpringDataWebAutoConfiguration:

Did not match:

- @ConditionalOnMissingBean (types: org.springframework.data.web.PageableHandlerMethodArgumentResolver; SearchStrategy: all) found beans of type 'org.springframework.data.web.PageableHandlerMethodArgumentResolver' pageableResolver
(OnBeanCondition)

Matched:

- @ConditionalOnClass found required classes 'org.springframework.data.web.PageableHandlerMethodArgumentResolver', 'org.springframework.web.servlet.config.annotation.WebMvcConfigurer' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)

TaskSchedulingAutoConfiguration#taskScheduler:

Did not match:

- @ConditionalOnBean (names: org.springframework.context.annotation.internalScheduledAnnotationProcessor; SearchStrategy: all) did not find any beans named org.springframework.context.annotation.internalScheduledAnnotationProcessor (OnBeanCondition)

ThymeleafAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.thymeleaf.spring5.SpringTemplateEngine' (OnClassCondition)

TransactionAutoConfiguration#transactionalOperator:

Did not match:

- @ConditionalOnSingleCandidate (types: org.springframework.transaction.ReactiveTransactionManager; SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration.EnableTransactionManagementConfiguration.JdkDynamicAopProxyConfiguration:

Did not match:

- @ConditionalOnProperty (spring.aop.proxy-target-class=false) did not find property 'proxy-target-class' (OnPropertyCondition)

ValidationAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.validation.executable.ExecutableValidator' (OnClassCondition)

WebClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.function.client.WebClient' (OnClassCondition)

WebFluxAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.config.WebFluxConfigurer' (OnClassCondition)

WebMvcAutoConfiguration#hiddenHttpMethodFilter:

Did not match:

- @ConditionalOnProperty (spring.mvc.hiddenmethod.filter.enabled) did not find property 'enabled' (OnPropertyCondition)

WebMvcAutoConfiguration.ResourceChainCustomizerConfiguration:

Did not match:

- @ConditionalOnEnabledResourceChain did not find class org.webjars.WebJarAssetLocator (OnEnabledResourceChainCondition)

WebMvcAutoConfiguration.WebMvcAutoConfigurationAdapter#beanNameViewResolver:

Did not match:

- @ConditionalOnMissingBean (types: org.springframework.web.servlet.view.BeanNameViewResolver; SearchStrategy: all) found beans of type 'org.springframework.web.servlet.view.BeanNameViewResolver' beanNameViewResolver (OnBeanCondition)

WebServiceTemplateAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.xml.Marshaller' (OnClassCondition)

WebServicesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.ws.transport.http.MessageDispatcherServlet' (OnClassCondition)

WebSessionIdResolverAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Mono' (OnClassCondition)

WebSocketMessagingAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.socket.config.annotation.WebSocketMessageBrokerConfigurer' (OnClassCondition)

WebSocketReactiveAutoConfiguration:

Did not match:

- @ConditionalOnWebApplication did not find reactive web application classes (OnWebApplicationCondition)

WebSocketServletAutoConfiguration.Jetty10WebSocketConfiguration:

Did not match:

- @ConditionalOnClass did not find required classes 'org.eclipse.jetty.websocket.javax.server.internal.JavaxWebSocketServerContainer', 'org.eclipse.jetty.websocket.server.JettyWebSocketServerContainer' (OnClassCondition)

WebSocketServletAutoConfiguration.JettyWebSocketConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.eclipse.jetty.websocket.jsr356.server.deploy.WebSocketServerContainerInitializer' (OnClassCondition)

WebSocketServletAutoConfiguration.UndertowWebSocketConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.undertow.websockets.jsr.Bootstrap' (OnClassCondition)

XADataSourceAutoConfiguration:

Did not match:

- @ConditionalOnBean (types: org.springframework.boot.jdbc.XADataSourceWrapper; SearchStrategy: all) did not find any beans of type

org.springframework.boot.jdbc.XADataSourceWrapper (OnBeanCondition)

Matched:

- @ConditionalOnClass found required classes 'javax.sql.DataSource',
'javax.transaction.TransactionManager',
'org.springframework.jdbc.datasource.embedded.EmbeddedDatabaseType'
(OnClassCondition)

Exclusions:

None

Unconditional classes:

org.springframework.boot.autoconfigure.context.ConfigurationPropertiesAutoConfiguration

org.springframework.boot.autoconfigure.context.LifecycleAutoConfiguration

org.springframework.boot.autoconfigure.context.PropertyPlaceholderAutoConfiguration

org.springframework.boot.autoconfigure.availability.ApplicationAvailabilityAutoConfiguration

org.springframework.boot.autoconfigure.info.ProjectInfoAutoConfiguration

2022-03-01 11:17:25.979 INFO 476 --- [Test worker]

c.b.o.backend.BackendApplicationTests : Started BackendApplicationTests in 12.991
seconds (JVM running for 16.982)

2022-03-01 11:17:25.981 DEBUG 476 --- [Test worker] o.s.b.a.ApplicationAvailabilityBean
: Application availability state LivenessState changed to CORRECT

2022-03-01 11:17:25.983 DEBUG 476 --- [Test worker] o.s.b.a.ApplicationAvailabilityBean
: Application availability state ReadinessState changed to ACCEPTING_TRAFFIC

The item is added to the cart

The item is added to the cart

The item is added to the cart

]]>

</system-out>

<system-err/>

</testsuite>

TEST-com.boehringer.ordgp.backend.BackendApplicationTests.xml

<?xml version="1.0" encoding="UTF-8"?><testsuite

name="com.boehringer.ordgp.backend.BackendApplicationTests" tests="3" skipped="0"

failures="0" errors="0" timestamp="2022-03-01T11:17:26" hostname="pod-87af8ccf-3284-

4203-b048-da5aa2e15a20-s63cc-rvlsx" time="0.728">

<properties/>

<testcase name="ORDGP138_workingunittest()" classname="com.boehringer.ordgp.backend.BackendApplicationTests" time="0.718"/>

<testcase name="ORDGP139_workingunittest()" classname="com.boehringer.ordgp.backend.BackendApplicationTests" time="0.005"/>

<testcase name="ORDGP137_workingunittest()" classname="com.boehringer.ordgp.backend.BackendApplicationTests" time="0.003"/>

<system-out>

<![CDATA[11:17:11.704 [Test worker] DEBUG
org.springframework.test.context.BootstrapUtils - Instantiating
CacheAwareContextLoaderDelegate from class
[org.springframework.test.context.cache.DefaultCacheAwareContextLoaderDelegate]
11:17:11.779 [Test worker] DEBUG org.springframework.test.context.BootstrapUtils -
Instantiating BootstrapContext using constructor [public
org.springframework.test.context.support.DefaultBootstrapContext(java.lang.Class,org.spring
framework.test.context.CacheAwareContextLoaderDelegate)]
11:17:11.901 [Test worker] DEBUG org.springframework.test.context.BootstrapUtils -
Instantiating TestContextBootstrapper for test class
[com.boehringer.ordgp.backend.BackendApplicationTests] from class
[org.springframework.boot.test.context.SpringBootTestContextBootstrapper]
11:17:11.980 [Test worker] INFO
org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Neither
@ContextConfiguration nor @ContextHierarchy found for test class
[com.boehringer.ordgp.backend.BackendApplicationTests], using SpringBootTestContextLoader
11:17:11.989 [Test worker] DEBUG
org.springframework.test.context.support.AbstractContextLoader - Did not detect default
resource location for test class [com.boehringer.ordgp.backend.BackendApplicationTests]:
class path resource [com/boehringer/ordgp/backend/BackendApplicationTests-context.xml]
does not exist
11:17:11.990 [Test worker] DEBUG
org.springframework.test.context.support.AbstractContextLoader - Did not detect default
resource location for test class [com.boehringer.ordgp.backend.BackendApplicationTests]:
class path resource
[com/boehringer/ordgp/backend/BackendApplicationTestsContext.groovy] does not exist
11:17:11.990 [Test worker] INFO
org.springframework.test.context.support.AbstractContextLoader - Could not detect default
resource locations for test class [com.boehringer.ordgp.backend.BackendApplicationTests]:
no resource found for suffixes {-context.xml, Context.groovy}.
11:17:11.991 [Test worker] INFO
org.springframework.test.context.support.AnnotationConfigContextLoaderUtils - Could not
detect default configuration classes for test class
[com.boehringer.ordgp.backend.BackendApplicationTests]: BackendApplicationTests does not
declare any static, non-private, non-final, nested classes annotated with @Configuration.
11:17:12.113 [Test worker] DEBUG
org.springframework.test.context.support.ActiveProfilesUtils - Could not find an 'annotation
declaring class' for annotation type [org.springframework.test.context.ActiveProfiles] and

class [com.boehringer.ordgp.backend.BackendApplicationTests]
11:17:12.390 [Test worker] DEBUG
org.springframework.context.annotation.ClassPathScanningCandidateComponentProvider -
Identified candidate component class: file [/tmp/workspace/ordgp-cd/ordgp-cd-
releasemanager-
master/build/classes/java/main/com/boehringer/ordgp/backend/BackendApplication.class]
11:17:12.392 [Test worker] INFO
org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Found
@SpringBootTestConfiguration com.boehringer.ordgp.backend.BackendApplication for test class
com.boehringer.ordgp.backend.BackendApplicationTests
11:17:12.714 [Test worker] DEBUG
org.springframework.boot.test.context.SpringBootTestContextBootstrapper -
@TestExecutionListeners is not present for class
[com.boehringer.ordgp.backend.BackendApplicationTests]: using defaults.
11:17:12.715 [Test worker] INFO
org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Loaded default
TestExecutionListener class names from location [META-INF/spring.factories]:
[org.springframework.security.test.context.support.WithSecurityContextTestExecutionListene
r, org.springframework.security.test.context.support.ReactorContextTestExecutionListener,
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener,
org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExe
cutionListener,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExe
cutionListener,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener,
org.springframework.boot.test.autoconfigure.webservices.client.MockWebServiceServerTestE
xecutionListener, org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener,
org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener,
org.springframework.test.context.web.ServletTestExecutionListener,
org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener,
org.springframework.test.context.event.ApplicationEventsTestExecutionListener,
org.springframework.test.context.support.DependencyInjectionTestExecutionListener,
org.springframework.test.context.support DirtiesContextTestExecutionListener,
org.springframework.test.context.transaction.TransactionalTestExecutionListener,
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener,
org.springframework.test.context.event.EventPublishingTestExecutionListener]
11:17:12.804 [Test worker] INFO
org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Using
TestExecutionListeners:
[org.springframework.test.context.web.ServletTestExecutionListener@6749fe50,
org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener@
52bf7bf6,
org.springframework.test.context.event.ApplicationEventsTestExecutionListener@261db982,
org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener@ae73c80,
org.springframework.boot.test.autoconfigure.SpringBootDependencyInjectionTestExecutionLi
stener@22f4f8f2,
org.springframework.test.context.support DirtiesContextTestExecutionListener@bbd4791,
org.springframework.test.context.transaction.TransactionalTestExecutionListener@40a72ecd,
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener@73971965,
org.springframework.security.test.context.support.WithSecurityContextTestExecutionListener
@76a14c8d,
org.springframework.test.context.event.EventPublishingTestExecutionListener@17410c07,

```

test.context.filter.ExcludeFilterContextCustomizer@73ad7e90,
test.json.DuplicateJsonObjectContextCustomizerFactory$DuplicateJ
zer@29528a22,
test.mockito.MockitoContextCustomizer@0,
test.web.client.TestRestTemplateContextCustomizer@474fae39,
test.context.SpringBootTestArgs@1,
test.context.SpringBootTestWebEnvironment@6b9ce1bf],
main/webapp', contextLoader =
t.test.context.SpringBootTestContextLoader', parent = [null]], attributes
ork.test.context.web.ServletTestExecutionListener.activateListener'
with @DirtiesContext [false] with mode [null].
r] DEBUG org.springframework.boot.ApplicationServletEnvironment

r] DEBUG
context.support.TestPropertySourceUtils - Adding inlined properties
mx.enabled=false,
test.context.SpringBootTestContextBootstrapper=true}

-
\\ \\ \\
\\ \\ \\
)) )
/////

'Page 47 of 78'
```

====_|_|=====|_|_/_/_/_
:: Spring Boot :: (v2.6.1)

2022-03-01 11:17:13.980 INFO 476 --- [Test worker]
c.b.o.backend.BackendApplicationTests : Starting BackendApplicationTests using Java
17.0.1 on pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx with PID 476 (started by
default in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master)
2022-03-01 11:17:13.981 INFO 476 --- [Test worker]
c.b.o.backend.BackendApplicationTests : The following profiles are active: dev
2022-03-01 11:17:13.981 DEBUG 476 --- [Test worker] o.s.boot.SpringApplication :
Loading source class com.boehringer.ordgp.backend.BackendApplication
2022-03-01 11:17:14.088 DEBUG 476 --- [Test worker]
o.s.w.c.s.GenericWebApplicationContext : Refreshing
org.springframework.web.context.support.GenericWebApplicationContext@53314f76
2022-03-01 11:17:15.979 INFO 476 --- [Test worker]
.s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping Spring Data JPA repositories in
DEFAULT mode.
2022-03-01 11:17:15.996 DEBUG 476 --- [Test worker] o.s.b.a.AutoConfigurationPackages
: @EnableAutoConfiguration was declared on a class in the package
'com.boehringer.ordgp.backend'. Automatic @Repository and @Entity scanning is enabled.
2022-03-01 11:17:15.998 INFO 476 --- [Test worker]
.s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data repository scanning in 6 ms.
Found 0 JPA repository interfaces.
2022-03-01 11:17:18.008 INFO 476 --- [Test worker] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Starting...
2022-03-01 11:17:18.799 INFO 476 --- [Test worker] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Start completed.
2022-03-01 11:17:19.019 INFO 476 --- [Test worker] o.hibernate.jpa.internal.util.LogHelper
: HHH000204: Processing PersistenceUnitInfo [name: default]
2022-03-01 11:17:19.203 INFO 476 --- [Test worker] org.hibernate.Version :
HHH000412: Hibernate ORM core version 5.6.1.Final
2022-03-01 11:17:19.784 INFO 476 --- [Test worker]
o.hibernate.annotations.common.Version : HCANN000001: Hibernate Commons Annotations
{5.1.2.Final}
2022-03-01 11:17:20.118 INFO 476 --- [Test worker] org.hibernate.dialect.Dialect :
HHH000400: Using dialect: org.hibernate.dialect.HSQLDialect
2022-03-01 11:17:20.877 INFO 476 --- [Test worker] o.h.e.t.j.p.i.JtaPlatformInitiator :
HHH000490: Using JtaPlatform implementation:
[org.hibernate.engine.transaction.jta.platform.internal.NoJtaPlatform]
2022-03-01 11:17:20.889 INFO 476 --- [Test worker]
j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for
persistence unit 'default'
2022-03-01 11:17:21.519 WARN 476 --- [Test worker]
JpaBaseConfiguration\$JpaWebConfiguration : spring.jpa.open-in-view is enabled by default.
Therefore, database queries may be performed during view rendering. Explicitly configure
spring.jpa.open-in-view to disable this warning
2022-03-01 11:17:23.594 DEBUG 476 --- [Test worker]
s.w.s.m.m.a.RequestMappingHandlerAdapter : ControllerAdvice beans: 0 @ModelAttribute, 0
@InitBinder, 1 RequestBodyAdvice, 1 ResponseBodyAdvice
2022-03-01 11:17:23.807 DEBUG 476 --- [Test worker]
s.w.s.m.m.a.RequestMappingHandlerMapping : 2 mappings in
'requestMappingHandlerMapping'

2022-03-01 11:17:23.981 DEBUG 476 --- [Test worker]
o.s.w.s.handler.SimpleUrlHandlerMapping : Patterns [/webjars/**, /**] in
'resourceHandlerMapping'
2022-03-01 11:17:23.997 DEBUG 476 --- [Test worker]
.m.m.a.ExceptionHandlerExceptionHandlerResolver : ControllerAdvice beans: 1 @ExceptionHandler,
1 ResponseBodyAdvice
2022-03-01 11:17:24.876 INFO 476 --- [Test worker]
.s.s.UserDetailsServiceAutoConfiguration :

Using generated security password: efb4543f-81be-434d-9d4b-2d4759f69822

2022-03-01 11:17:25.395 INFO 476 --- [Test worker] o.s.s.web.DefaultSecurityFilterChain
: Will secure any request with
[org.springframework.security.web.context.request.async.WebAsyncManagerIntegrationFilter
@2a0dda9e,
org.springframework.security.web.context.SecurityContextPersistenceFilter@d98fc62,
org.springframework.security.web.header.HeaderWriterFilter@5d33742,
org.springframework.security.web.csrf.CsrfFilter@6f601ce0,
org.springframework.security.web.authentication.logout.LogoutFilter@71122014,
org.springframework.security.web.authentication.UsernamePasswordAuthenticationFilter@4c
fd3d7e,
org.springframework.security.web.authentication.ui.DefaultLoginPageGeneratingFilter@16c1f
c82,
org.springframework.security.web.authentication.ui.DefaultLogoutPageGeneratingFilter@a04
6448,
org.springframework.security.web.authentication.www.BasicAuthenticationFilter@2d301b0e,
org.springframework.security.web.savedrequest.RequestCacheAwareFilter@28ec960b,
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@62d
d1498,
org.springframework.security.web.authentication.AnonymousAuthenticationFilter@2741f66d,
org.springframework.security.web.session.SessionManagementFilter@266737c4,
org.springframework.security.web.access.ExceptionTranslationFilter@572c013f,
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@148a3112]
2022-03-01 11:17:25.813 DEBUG 476 --- [Test worker]
ConditionEvaluationReportLoggingListener :

=====

CONDITIONS EVALUATION REPORT

=====

Positive matches:

AopAutoConfiguration matched:

- @ConditionalOnProperty (spring.aop.auto=true) matched (OnPropertyCondition)

AopAutoConfiguration.AspectJAutoProxyingConfiguration matched:

- @ConditionalOnClass found required class 'org.aspectj.weaver.Advice' (OnClassCondition)

AopAutoConfiguration.AspectJAutoProxyingConfiguration.CglibAutoProxyConfiguration matched:

- @ConditionalOnProperty (spring.aop.proxy-target-class=true) matched (OnPropertyCondition)

DataSourceAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.sql.DataSource', 'org.springframework.jdbc.datasource.embedded.EmbeddedDatabaseType' (OnClassCondition)
- @ConditionalOnMissingBean (types: io.r2dbc.spi.ConnectionFactory; SearchStrategy: all) did not find any beans (OnBeanCondition)

DataSourceAutoConfiguration.PooledDataSourceConfiguration matched:

- AnyNestedCondition 1 matched 1 did not; NestedCondition on DataSourceAutoConfiguration.PooledDataSourceCondition.PooledDataSourceAvailable PooledDataSource found supported DataSource; NestedCondition on DataSourceAutoConfiguration.PooledDataSourceCondition.ExplicitType @ConditionalOnProperty (spring.datasource.type) did not find property 'type' (DataSourceAutoConfiguration.PooledDataSourceCondition)
- @ConditionalOnMissingBean (types: javax.sql.DataSource,javax.sql.XADataSource; SearchStrategy: all) did not find any beans (OnBeanCondition)

DataSourceConfiguration.Hikari matched:

- @ConditionalOnClass found required class 'com.zaxxer.hikari.HikariDataSource' (OnClassCondition)
- @ConditionalOnProperty (spring.datasource.type=com.zaxxer.hikari.HikariDataSource) matched (OnPropertyCondition)
- @ConditionalOnMissingBean (types: javax.sql.DataSource; SearchStrategy: all) did not find any beans (OnBeanCondition)

DataSourceInitializationConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.jdbc.datasource.init.DatabasePopulator' (OnClassCondition)
- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource'; @ConditionalOnMissingBean (types: org.springframework.boot.autoconfigure.sql.init.SqlDataSourceScriptDatabaseInitializer,org.springframework.boot.autoconfigure.sql.init.SqlR2dbcScriptDatabaseInitializer; SearchStrategy: all) did not find any beans (OnBeanCondition)

DataSourcePoolMetadataProvidersConfiguration.HikariPoolDataSourceMetadataProviderConfiguration matched:

- @ConditionalOnClass found required class 'com.zaxxer.hikari.HikariDataSource' (OnClassCondition)

DataSourceTransactionManagerAutoConfiguration matched:

- @ConditionalOnClass found required classes 'org.springframework.jdbc.core.JdbcTemplate', 'org.springframework.transaction.TransactionManager' (OnClassCondition)

DataSourceTransactionManagerAutoConfiguration.JdbcTransactionManagerConfiguration matched:

- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource' (OnBeanCondition)

DispatcherServletAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.web.servlet.DispatcherServlet' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)

DispatcherServletAutoConfiguration.DispatcherServletConfiguration matched:

- @ConditionalOnClass found required class 'javax.servlet.ServletRegistration' (OnClassCondition)
- Default DispatcherServlet did not find dispatcher servlet beans (DispatcherServletAutoConfiguration.DefaultDispatcherServletCondition)

DispatcherServletAutoConfiguration.DispatcherServletRegistrationConfiguration matched:

- @ConditionalOnClass found required class 'javax.servlet.ServletRegistration' (OnClassCondition)
- DispatcherServlet Registration did not find servlet registration bean (DispatcherServletAutoConfiguration.DispatcherServletRegistrationCondition)

DispatcherServletAutoConfiguration.DispatcherServletRegistrationConfiguration#dispatcherServletRegistration matched:

- @ConditionalOnBean (names: dispatcherServlet types: org.springframework.web.servlet.DispatcherServlet; SearchStrategy: all) found bean 'dispatcherServlet' (OnBeanCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration matched:

- @ConditionalOnWebApplication (required) found 'session' scope (OnWebApplicationCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.TomcatWebServerFactoryCustomizerConfiguration matched:

- @ConditionalOnClass found required classes 'org.apache.catalina.startup.Tomcat', 'org.apache.coyote.UpgradeProtocol' (OnClassCondition)

ErrorMvcAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet', 'org.springframework.web.servlet.DispatcherServlet' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)

ErrorMvcAutoConfiguration#basicErrorController matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.web.servlet.error.ErrorController; SearchStrategy: current) did not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration#errorAttributes matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.web.servlet.error.ErrorAttributes; SearchStrategy: current) did not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration.DefaultErrorViewResolverConfiguration#conventionErrorViewResolver matched:

- @ConditionalOnBean (types: org.springframework.web.servlet.DispatcherServlet; SearchStrategy: all) found bean 'dispatcherServlet'; @ConditionalOnMissingBean (types: org.springframework.boot.autoconfigure.web.servlet.error.ErrorViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration.WhitelabelErrorViewConfiguration matched:

- @ConditionalOnProperty (server.error.whitelabel.enabled) matched (OnPropertyCondition)
- ErrorTemplate Missing did not find error template view (ErrorMvcAutoConfiguration.ErrorTemplateMissingCondition)

ErrorMvcAutoConfiguration.WhitelabelErrorViewConfiguration#beanNameViewResolver matched:

- @ConditionalOnMissingBean (types: org.springframework.web.servlet.view.BeanNameViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration.WhitelabelErrorViewConfiguration#defaultErrorView matched:

- @ConditionalOnMissingBean (names: error; SearchStrategy: all) did not find any beans (OnBeanCondition)

ErrorPageSecurityFilterConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.security.web.access.WebInvocationPrivilegeEvaluator' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)

ErrorPageSecurityFilterConfiguration#errorPageSecurityInterceptor matched:

- @ConditionalOnBean (types: org.springframework.security.web.access.WebInvocationPrivilegeEvaluator; SearchStrategy: all) found bean 'privilegeEvaluator' (OnBeanCondition)

GenericCacheConfiguration matched:

- Cache org.springframework.boot.autoconfigure.cache.GenericCacheConfiguration automatic cache type (CacheCondition)

HibernateJpaAutoConfiguration matched:

- @ConditionalOnClass found required classes 'org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean', 'javax.persistence.EntityManager', 'org.hibernate.engine.spi.SessionImplementor' (OnClassCondition)

HibernateJpaConfiguration matched:

- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource' (OnBeanCondition)

HttpEncodingAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.web.filter.CharacterEncodingFilter' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnProperty (server.servlet.encoding.enabled) matched (OnPropertyCondition)

HttpEncodingAutoConfiguration#characterEncodingFilter matched:
- @ConditionalOnMissingBean (types: org.springframework.web.filter.CharacterEncodingFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

HttpMessageConvertersAutoConfiguration matched:
- @ConditionalOnClass found required class 'org.springframework.http.converter.HttpMessageConverter' (OnClassCondition)
- NoneNestedConditions 0 matched 1 did not; NestedCondition on HttpMessageConvertersAutoConfiguration.NotReactiveWebApplicationCondition.ReactiveWebApplication did not find reactive web application classes (HttpMessageConvertersAutoConfiguration.NotReactiveWebApplicationCondition)

HttpMessageConvertersAutoConfiguration#messageConverters matched:
- @ConditionalOnMissingBean (types: org.springframework.boot.autoconfigure.http.HttpMessageConverters; SearchStrategy: all) did not find any beans (OnBeanCondition)

HttpMessageConvertersAutoConfiguration.StringHttpMessageConverterConfiguration matched:
- @ConditionalOnClass found required class 'org.springframework.http.converter.StringHttpMessageConverter' (OnClassCondition)

HttpMessageConvertersAutoConfiguration.StringHttpMessageConverterConfiguration#stringHttpMessageConverter matched:
- @ConditionalOnMissingBean (types: org.springframework.http.converter.StringHttpMessageConverter; SearchStrategy: all) did not find any beans (OnBeanCondition)

HypermediaAutoConfiguration matched:
- @ConditionalOnClass found required classes 'org.springframework.hateoas.EntityModel', 'org.springframework.web.bind.annotation.RequestMapping', 'org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter', 'org.springframework.plugin.core.Plugin' (OnClassCondition)
- @ConditionalOnWebApplication (required) found 'session' scope (OnWebApplicationCondition)

HypermediaAutoConfiguration#applicationJsonHalConfiguration matched:
- @ConditionalOnClass found required class 'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)
- @ConditionalOnProperty (spring.hateoas.use-hal-as-default-json-media-type) matched (OnPropertyCondition)
- @ConditionalOnMissingBean (types: org.springframework.hateoas.mediatype.hal.HalConfiguration; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonAutoConfiguration matched:

- @ConditionalOnClass found required class
'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)

JacksonAutoConfiguration.Jackson2ObjectMapperBuilderCustomizerConfiguration matched:
- @ConditionalOnClass found required class
'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)

JacksonAutoConfiguration.JacksonObjectMapperBuilderConfiguration matched:
- @ConditionalOnClass found required class
'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)

JacksonAutoConfiguration.JacksonObjectMapperBuilderConfiguration#jacksonObjectMapperBuilder matched:
- @ConditionalOnMissingBean (types: org.springframework.http.converter.json.Jackson2ObjectMapperBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonAutoConfiguration.JacksonObjectMapperConfiguration matched:
- @ConditionalOnClass found required class
'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)

JacksonAutoConfiguration.JacksonObjectMapperConfiguration#jacksonObjectMapper matched:
- @ConditionalOnMissingBean (types: com.fasterxml.jackson.databind.ObjectMapper; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonAutoConfiguration.ParameterNamesModuleConfiguration matched:
- @ConditionalOnClass found required class
'com.fasterxml.jackson.module.paramnames.ParameterNamesModule' (OnClassCondition)

JacksonAutoConfiguration.ParameterNamesModuleConfiguration#parameterNamesModule matched:
- @ConditionalOnMissingBean (types: com.fasterxml.jackson.module.paramnames.ParameterNamesModule; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonHttpMessageConvertersConfiguration.MappingJackson2HttpMessageConverterConfiguration matched:
- @ConditionalOnClass found required class
'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)
- @ConditionalOnProperty (spring.mvc.converters.preferred-json-mapper=jackson) matched (OnPropertyCondition)
- @ConditionalOnBean (types: com.fasterxml.jackson.databind.ObjectMapper; SearchStrategy: all) found bean 'jacksonObjectMapper' (OnBeanCondition)

JacksonHttpMessageConvertersConfiguration.MappingJackson2HttpMessageConverterConfiguration#mappingJackson2HttpMessageConverter matched:
- @ConditionalOnMissingBean (types: org.springframework.http.converter.json.MappingJackson2HttpMessageConverter ignored:

org.springframework.hateoas.server.mvc.TypeConstrainedMappingJackson2HttpMessageConverter,org.springframework.data.rest.webmvc.alps.AlpsJsonHttpMessageConverter; SearchStrategy: all) did not find any beans (OnBeanCondition)

JdbcTemplateAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.sql.DataSource', 'org.springframework.jdbc.core.JdbcTemplate' (OnClassCondition)
- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource' (OnBeanCondition)

JdbcTemplateConfiguration matched:

- @ConditionalOnMissingBean (types: org.springframework.jdbc.core.JdbcOperations; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#entityManagerFactory matched:

- @ConditionalOnMissingBean (types: org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean,javax.persistence.EntityManagerFactory; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#entityManagerFactoryBuilder matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.orm.jpa.EntityManagerFactoryBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#jpaVendorAdapter matched:

- @ConditionalOnMissingBean (types: org.springframework.orm.jpa.JpaVendorAdapter; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#transactionManager matched:

- @ConditionalOnMissingBean (types: org.springframework.transaction.TransactionManager; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration.JpaWebConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.web.servlet.config.annotation.WebMvcConfigurer' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnProperty (spring.jpa.open-in-view=true) matched (OnPropertyCondition)
- @ConditionalOnMissingBean (types: org.springframework.orm.jpa.support.OpenEntityManagerInViewInterceptor,org.springframework.orm.jpa.support.OpenEntityManagerInViewFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaRepositoriesAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.data.jpa.repository.JpaRepository' (OnClassCondition)
- @ConditionalOnProperty (spring.data.jpa.repositories.enabled=true) matched (OnPropertyCondition)
- @ConditionalOnBean (types: javax.sql.DataSource; SearchStrategy: all) found bean 'dataSource'; @ConditionalOnMissingBean (types: org.springframework.data.jpa.repository.support.JpaRepositoryFactoryBean,org.springframework.data.jpa.repository.config.JpaRepositoryConfigExtension; SearchStrategy: all) did not find

any beans (OnBeanCondition)

JtaAutoConfiguration matched:

- @ConditionalOnClass found required class 'javax.transaction.Transaction' (OnClassCondition)
- @ConditionalOnProperty (spring.jta.enabled) matched (OnPropertyCondition)

LifecycleAutoConfiguration#defaultLifecycleProcessor matched:

- @ConditionalOnMissingBean (names: lifecycleProcessor; SearchStrategy: current) did not find any beans (OnBeanCondition)

MultipartAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet', 'org.springframework.web.multipart.support.StandardServletMultipartResolver', 'javax.servlet.MultipartConfigElement' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnProperty (spring.servlet.multipart.enabled) matched (OnPropertyCondition)

MultipartAutoConfiguration#multipartConfigElement matched:

- @ConditionalOnMissingBean (types: javax.servlet.MultipartConfigElement,org.springframework.web.multipart.commons.CommonsMultipartResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

MultipartAutoConfiguration#multipartResolver matched:

- @ConditionalOnMissingBean (types: org.springframework.web.multipart.MultipartResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

NamedParameterJdbcTemplateConfiguration matched:

- @ConditionalOnSingleCandidate (types: org.springframework.jdbc.core.JdbcTemplate; SearchStrategy: all) found a primary bean from beans 'jdbcTemplate';
- @ConditionalOnMissingBean (types: org.springframework.jdbc.core.namedparam.NamedParameterJdbcOperations; SearchStrategy: all) did not find any beans (OnBeanCondition)

NoOpCacheConfiguration matched:

- Cache org.springframework.boot.autoconfigure.cache.NoOpCacheConfiguration automatic cache type (CacheCondition)

PersistenceExceptionTranslationAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.dao.annotation.PersistenceExceptionTranslationPostProcessor' (OnClassCondition)

PersistenceExceptionTranslationAutoConfiguration#persistenceExceptionTranslationPostProcessor matched:

- @ConditionalOnProperty (spring.dao.exceptiontranslation.enabled) matched (OnPropertyCondition)
- @ConditionalOnMissingBean (types: org.springframework.dao.annotation.PersistenceExceptionTranslationPostProcessor;

SearchStrategy: all) did not find any beans (OnBeanCondition)

PropertyPlaceholderAutoConfiguration#propertySourcesPlaceholderConfigurer matched:

- @ConditionalOnMissingBean (types:

org.springframework.context.support.PropertySourcesPlaceholderConfigurer; SearchStrategy: current) did not find any beans (OnBeanCondition)

RepositoryRestMvcAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.data.rest.webmvc.config.RepositoryRestMvcConfiguration' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)

- @ConditionalOnMissingBean (types:

org.springframework.data.rest.webmvc.config.RepositoryRestMvcConfiguration; SearchStrategy: all) did not find any beans (OnBeanCondition)

RestTemplateAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.web.client.RestTemplate' (OnClassCondition)

- NoneNestedConditions 0 matched 1 did not; NestedCondition on RestTemplateAutoConfiguration.NotReactiveWebApplicationCondition.ReactiveWebApplication did not find reactive web application classes (RestTemplateAutoConfiguration.NotReactiveWebApplicationCondition)

RestTemplateAutoConfiguration#restTemplateBuilder matched:

- @ConditionalOnMissingBean (types:

org.springframework.boot.web.client.RestTemplateBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

RestTemplateAutoConfiguration#restTemplateBuilderConfigurer matched:

- @ConditionalOnMissingBean (types:

org.springframework.boot.autoconfigure.web.client.RestTemplateBuilderConfigurer; SearchStrategy: all) did not find any beans (OnBeanCondition)

SecurityAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.security.authentication.DefaultAuthenticationEventPublisher' (OnClassCondition)

SecurityAutoConfiguration#authenticationEventPublisher matched:

- @ConditionalOnMissingBean (types:

org.springframework.security.authentication.AuthenticationEventPublisher; SearchStrategy: all) did not find any beans (OnBeanCondition)

SecurityFilterAutoConfiguration matched:

- @ConditionalOnClass found required classes

'org.springframework.security.web.context.AbstractSecurityWebApplicationInitializer', 'org.springframework.security.config.http.SessionCreationPolicy' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)

SecurityFilterAutoConfiguration#securityFilterChainRegistration matched:

- @ConditionalOnBean (names: springSecurityFilterChain; SearchStrategy: all) found bean

'springSecurityFilterChain' (OnBeanCondition)

ServletWebServerFactoryAutoConfiguration matched:

- @ConditionalOnClass found required class 'javax.servlet.ServletRequest' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)

ServletWebServerFactoryAutoConfiguration#tomcatServletWebServerFactoryCustomizer matched:

- @ConditionalOnClass found required class 'org.apache.catalina.startup.Tomcat' (OnClassCondition)

ServletWebServerFactoryConfiguration.EmbeddedTomcat matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet', 'org.apache.catalina.startup.Tomcat', 'org.apache.coyoteUpgradeProtocol' (OnClassCondition)
- @ConditionalOnMissingBean (types: org.springframework.boot.web.servlet.server.ServletWebServerFactory; SearchStrategy: current) did not find any beans (OnBeanCondition)

SimpleCacheConfiguration matched:

- Cache org.springframework.boot.autoconfigure.cache.SimpleCacheConfiguration automatic cache type (CacheCondition)

SpringBootWebSecurityConfiguration matched:

- found 'session' scope (OnWebApplicationCondition)
- AllNestedConditions 2 matched 0 did not; NestedCondition on DefaultWebSecurityCondition.Beans @ConditionalOnMissingBean (types: org.springframework.security.config.annotation.web.configuration.WebSecurityConfigurerAdapter,org.springframework.security.web.SecurityFilterChain; SearchStrategy: all) did not find any beans; NestedCondition on DefaultWebSecurityCondition.Classes @ConditionalOnClass found required classes 'org.springframework.security.web.SecurityFilterChain', 'org.springframework.security.config.annotation.web.builders.HttpSecurity' (DefaultWebSecurityCondition)

SqlInitializationAutoConfiguration matched:

- @ConditionalOnProperty (spring.sql.init.enabled) matched (OnPropertyCondition)
- NoneNestedConditions 0 matched 1 did not; NestedCondition on SqlInitializationAutoConfiguration.SqlInitializationModeCondition.ModelsNever @ConditionalOnProperty (spring.sql.init.mode=never) did not find property 'mode' (SqlInitializationAutoConfiguration.SqlInitializationModeCondition)

TaskExecutionAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.scheduling.concurrent.ThreadPoolTaskExecutor' (OnClassCondition)

TaskExecutionAutoConfiguration#applicationTaskExecutor matched:

- @ConditionalOnMissingBean (types: java.util.concurrent.Executor; SearchStrategy: all) did not find any beans (OnBeanCondition)

TaskExecutionAutoConfiguration#taskExecutorBuilder matched:

- @ConditionalOnMissingBean (types:

org.springframework.boot.task.TaskExecutorBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

TaskSchedulingAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.scheduling.concurrent.ThreadPoolTaskScheduler' (OnClassCondition)

TaskSchedulingAutoConfiguration#taskSchedulerBuilder matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.task.TaskSchedulerBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.transaction.PlatformTransactionManager' (OnClassCondition)

TransactionAutoConfiguration#platformTransactionManagerCustomizers matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.autoconfigure.transaction.TransactionManagerCustomizers; SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration.EnableTransactionManagementConfiguration matched:

- @ConditionalOnBean (types: org.springframework.transaction.TransactionManager; SearchStrategy: all) found bean 'transactionManager'; @ConditionalOnMissingBean (types: org.springframework.transaction.annotation.AbstractTransactionManagementConfiguration; SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration.EnableTransactionManagementConfiguration.CglibAutoProxyConfiguration matched:

- @ConditionalOnProperty (spring.aop.proxy-target-class=true) matched (OnPropertyCondition)

TransactionAutoConfiguration.TransactionTemplateConfiguration matched:

- @ConditionalOnSingleCandidate (types: org.springframework.transaction.PlatformTransactionManager; SearchStrategy: all) found a primary bean from beans 'transactionManager' (OnBeanCondition)

TransactionAutoConfiguration.TransactionTemplateConfiguration#transactionTemplate matched:

- @ConditionalOnMissingBean (types: org.springframework.transaction.support.TransactionOperations; SearchStrategy: all) did not find any beans (OnBeanCondition)

UserDetailsServiceAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.security.authentication.AuthenticationManager' (OnClassCondition)
- @ConditionalOnBean (types: org.springframework.security.config.annotation.ObjectPostProcessor; SearchStrategy: all) found bean 'objectPostProcessor'; @ConditionalOnMissingBean (types: org.springframework.security.authentication.AuthenticationManager,org.springframework.security.authentication.AuthenticationProvider,org.springframework.security.core.userdetails.User

erDetailsService,org.springframework.security.authentication.AuthenticationManagerResolver,org.springframework.security.oauth2.jwt.JwtDecoder,org.springframework.security.oauth2.server.resource.introspection.OpaqueTokenIntrospector,org.springframework.security.oauth2.client.registration.ClientRegistrationRepository; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet', 'org.springframework.web.servlet.DispatcherServlet', 'org.springframework.web.servlet.config.annotation.WebMvcConfigurer' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnMissingBean (types: org.springframework.web.servlet.config.annotation.WebMvcConfigurationSupport; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration#formContentFilter matched:

- @ConditionalOnProperty (spring.mvc.formcontent.filter.enabled) matched (OnPropertyCondition)
- @ConditionalOnMissingBean (types: org.springframework.web.filter.FormContentFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.EnableWebMvcConfiguration#flashMapManager matched:

- @ConditionalOnMissingBean (names: flashMapManager; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.EnableWebMvcConfiguration#localeResolver matched:

- @ConditionalOnMissingBean (names: localeResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.EnableWebMvcConfiguration#themeResolver matched:

- @ConditionalOnMissingBean (names: themeResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.WebMvcAutoConfigurationAdapter#defaultViewResolver matched:

- @ConditionalOnMissingBean (types: org.springframework.web.servlet.view.InternalResourceViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.WebMvcAutoConfigurationAdapter#requestContextFilter matched:

- @ConditionalOnMissingBean (types: org.springframework.web.context.request.RequestContextListener,org.springframework.web.filter.RequestContextFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.WebMvcAutoConfigurationAdapter#viewResolver matched:

- @ConditionalOnBean (types: org.springframework.web.servlet.ViewResolver; SearchStrategy: all) found beans 'defaultViewResolver', 'beanNameViewResolver', 'mvcViewResolver'; @ConditionalOnMissingBean (names: viewResolver types: org.springframework.web.servlet.view.ContentNegotiatingViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebSecurityEnablerConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.security.config.annotation.web.configuration.EnableWebSecurity' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)

- @ConditionalOnMissingBean (names: springSecurityFilterChain; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebSocketServletAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet',

'javax.websocket.server.ServerContainer' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)

WebSocketServletAutoConfiguration.TomcatWebSocketConfiguration matched:

- @ConditionalOnClass found required classes 'org.apache.catalina.startup.Tomcat',

'org.apache.tomcat.websocket.server.WsSci' (OnClassCondition)

WebSocketServletAutoConfiguration.TomcatWebSocketConfiguration#websocketServletWebServerCustomizer matched:

- @ConditionalOnMissingBean (names: websocketServletWebServerCustomizer;

SearchStrategy: all) did not find any beans (OnBeanCondition)

Negative matches:

ActiveMQAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.jms.ConnectionFactory' (OnClassCondition)

AopAutoConfiguration.AspectJAutoProxyingConfiguration.JdkDynamicAutoProxyConfiguration:

Did not match:

- @ConditionalOnProperty (spring.aop.proxy-target-class=false) did not find property 'proxy-target-class' (OnPropertyCondition)

AopAutoConfiguration.ClassProxyingConfiguration:

Did not match:

- @ConditionalOnMissingClass found unwanted class 'org.aspectj.weaver.Advice' (OnClassCondition)

ArtemisAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.jms.ConnectionFactory' (OnClassCondition)

AtomikosJtaConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.atomikos.icatch.jta.UserTransactionManager' (OnClassCondition)

BatchAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class
'org.springframework.batch.core.launch.JobLauncher' (OnClassCondition)

CacheAutoConfiguration:

Did not match:

- @ConditionalOnBean (types: org.springframework.cache.interceptor.CacheAspectSupport; SearchStrategy: all) did not find any beans of type org.springframework.cache.interceptor.CacheAspectSupport (OnBeanCondition)

Matched:

- @ConditionalOnClass found required class 'org.springframework.cache.CacheManager' (OnClassCondition)

CacheAutoConfiguration.CacheManagerEntityManagerFactoryDependsOnPostProcessor:

Did not match:

- Ancestor org.springframework.boot.autoconfigure.cache.CacheAutoConfiguration did not match (ConditionEvaluationReport.AncestorsMatchedCondition)

Matched:

- @ConditionalOnClass found required class
'org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean' (OnClassCondition)

CaffeineCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class
'com.github.benmanes.caffeine.cache.Caffeine' (OnClassCondition)

CassandraAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class
'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

CassandraDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class
'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

CassandraReactiveDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class
'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

CassandraReactiveRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class
'org.springframework.data.cassandra.ReactiveSession' (OnClassCondition)

CassandraRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

ClientHttpConnectorAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.web.reactive.function.client.WebClient' (OnClassCondition)

CodecsAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.web.reactive.function.client.WebClient' (OnClassCondition)

CouchbaseAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster'
(OnClassCondition)

CouchbaseCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster'
(OnClassCondition)

CouchbaseDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Bucket'
(OnClassCondition)

CouchbaseReactiveDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster'
(OnClassCondition)

CouchbaseReactiveRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster'
(OnClassCondition)

CouchbaseRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Bucket'
(OnClassCondition)

DataSourceAutoConfiguration.EmbeddedDatabaseConfiguration:

Did not match:

- EmbeddedDataSource found supported pooled data source
(DataSourceAutoConfiguration.EmbeddedDatabaseCondition)

DataSourceConfiguration.Dbcp2:

Did not match:

- @ConditionalOnClass did not find required class
'org.apache.commons.dbcp2.BasicDataSource' (OnClassCondition)

DataSourceConfiguration.Generic:

Did not match:

- @ConditionalOnProperty (spring.datasource.type) did not find property 'spring.datasource.type' (OnPropertyCondition)

DataSourceConfiguration.OracleUcp:

Did not match:

- @ConditionalOnClass did not find required classes 'oracle.ucp.jdbc.PoolDataSourceImpl', 'oracle.jdbc.OracleConnection' (OnClassCondition)

DataSourceConfiguration.Tomcat:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.tomcat.jdbc.pool.DataSource' (OnClassCondition)

DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration:

Did not match:

- AnyNestedCondition 0 matched 2 did not; NestedCondition on DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.DifferentCredentialsCondition.DataCredentials @ConditionalOnProperty (spring.datasource.data-username) did not find property 'data-username'; NestedCondition on DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.DifferentCredentialsCondition.SchemaCredentials @ConditionalOnProperty (spring.datasource.schema-username) did not find property 'schema-username' (DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.DifferentCredentialsCondition)

DataSourceInitializationConfiguration.SharedCredentialsDataSourceInitializationConfiguration:

Did not match:

- DataSource Initialization did not find configured properties spring.datasource.data-username, spring.datasource.schema-password, spring.datasource.schema[0], spring.datasource.data[0], spring.datasource.data, spring.datasource.schema-username, spring.datasource.data-password, spring.datasource.initialization-mode, spring.datasource.schema, spring.datasource.sql-script-encoding, spring.datasource.separator, spring.datasource.platform, spring.datasource.continue-on-error (DataSourceInitializationConfiguration.SharedCredentialsDataSourceInitializationConfiguration.DataSourceInitializationCondition)

DataSourceJmxConfiguration:

Did not match:

- @ConditionalOnProperty (spring.jmx.enabled=true) found different value in property 'enabled' (OnPropertyCondition)

DataSourcePoolMetadataProvidersConfiguration.CommonsDbcP2PoolDataSourceMetadataProviderConfiguration:

Did not match:

- @ConditionalOnClass did not find required class
'org.apache.commons.dbcp2.BasicDataSource' (OnClassCondition)

DataSourcePoolMetadataProvidersConfiguration.OracleUcpPoolDataSourceMetadataProviderConfiguration:

Did not match:

- @ConditionalOnClass did not find required classes 'oracle.ucp.jdbc.PoolDataSource',
'oracle.jdbc.OracleConnection' (OnClassCondition)

DataSourcePoolMetadataProvidersConfiguration.TomcatDataSourcePoolMetadataProviderConfiguration:

Did not match:

- @ConditionalOnClass did not find required class
'org.apache.tomcat.jdbc.pool.DataSource' (OnClassCondition)

DataSourceTransactionManagerAutoConfiguration.JdbcTransactionManagerConfiguration#transactionManager:

Did not match:

- @ConditionalOnMissingBean (types: org.springframework.transaction.TransactionManager; SearchStrategy: all) found beans of type 'org.springframework.transaction.TransactionManager' transactionManager (OnBeanCondition)

DispatcherServletAutoConfiguration.DispatcherServletConfiguration#multipartResolver:

Did not match:

- @ConditionalOnBean (types: org.springframework.web.multipart.MultipartResolver; SearchStrategy: all) did not find any beans of type org.springframework.web.multipart.MultipartResolver (OnBeanCondition)

EhCacheCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'net.sf.ehcache.Cache' (OnClassCondition)

ElasticsearchDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class
'org.springframework.data.elasticsearch.core.ElasticsearchRestTemplate' (OnClassCondition)

ElasticsearchRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.elasticsearch.client.Client' (OnClassCondition)

ElasticsearchRestClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class
'org.elasticsearch.client.RestClientBuilder' (OnClassCondition)

EmbeddedLdapAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.unboundid.ldap.listener.InMemoryDirectoryServer' (OnClassCondition)

EmbeddedMongoAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.MongoClientSettings' (OnClassCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.JettyWebServerFactoryCustomizer Configuration:

Did not match:

- @ConditionalOnClass did not find required classes 'org.eclipse.jetty.server.Server', 'org.eclipse.jetty.util.Loader', 'org.eclipse.jetty.webapp.WebAppContext' (OnClassCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.NettyWebServerFactoryCustomizer Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.netty.http.server.HttpServer' (OnClassCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.UndertowWebServerFactoryCustomizer Configuration:

Did not match:

- @ConditionalOnClass did not find required classes 'io.undertow.Undertow', 'org.xnio.SslClientAuthMode' (OnClassCondition)

ErrorWebFluxAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.config.WebFluxConfigurer' (OnClassCondition)

FlywayAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.flywaydb.core.Flyway' (OnClassCondition)

FreeMarkerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'freemarker.template.Configuration' (OnClassCondition)

GroovyTemplateAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'groovy.text.markup.MarkupTemplateEngine' (OnClassCondition)

GsonAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.google.gson.Gson' (OnClassCondition)

GsonHttpMessageConvertersConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.google.gson.Gson' (OnClassCondition)

H2ConsoleAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.h2.console.enabled=true) did not find property 'enabled' (OnPropertyCondition)

Matched:

- @ConditionalOnClass found required class 'org.h2.server.web.WebServlet' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)

HazelcastAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.hazelcast.core.HazelcastInstance' (OnClassCondition)

HazelcastCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.hazelcast.core.HazelcastInstance' (OnClassCondition)

HazelcastJpaDependencyAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.hazelcast.core.HazelcastInstance' (OnClassCondition)

HttpHandlerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.DispatcherHandler' (OnClassCondition)

HypermediaAutoConfiguration.HypermediaConfiguration:

Did not match:

- @ConditionalOnMissingBean (types: org.springframework.hateoas.client.LinkDiscoverers; SearchStrategy: all) found beans of type 'org.springframework.hateoas.client.LinkDiscoverers' linkDiscoverers (OnBeanCondition)

Matched:

- @ConditionalOnClass found required class 'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)

InfinispanCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.infinispan.spring.embedded.provider.SpringEmbeddedCacheManager' (OnClassCondition)

InfluxDbAutoConfiguration:
Did not match:
- @ConditionalOnClass did not find required class 'org.influxdb.InfluxDB'
(OnClassCondition)

IntegrationAutoConfiguration:
Did not match:
- @ConditionalOnClass did not find required class
'org.springframework.integration.config.EnableIntegration' (OnClassCondition)

JCacheCacheConfiguration:
Did not match:
- @ConditionalOnClass did not find required class 'javax.cache.Caching'
(OnClassCondition)

JacksonHttpMessageConvertersConfiguration.MappingJackson2XmlHttpMessageConverterCon
figuration:
Did not match:
- @ConditionalOnClass did not find required class
'com.fasterxml.jackson.dataformat.xml.XmlMapper' (OnClassCondition)

JdbcRepositoriesAutoConfiguration:
Did not match:
- @ConditionalOnClass did not find required class
'org.springframework.data.jdbc.repository.config.AbstractJdbcConfiguration'
(OnClassCondition)

JerseyAutoConfiguration:
Did not match:
- @ConditionalOnClass did not find required class
'org.glassfish.jersey.server.spring.SpringComponentProvider' (OnClassCondition)

JmsAutoConfiguration:
Did not match:
- @ConditionalOnClass did not find required class 'javax.jms.Message'
(OnClassCondition)

JmxAutoConfiguration:
Did not match:
- @ConditionalOnProperty (spring.jmx.enabled=true) found different value in property
'enabled' (OnPropertyCondition)
Matched:
- @ConditionalOnClass found required class
'org.springframework.jmx.export.MBeanExporter' (OnClassCondition)

JndiConnectionFactoryAutoConfiguration:
Did not match:
- @ConditionalOnClass did not find required class
'org.springframework.jms.core.JmsTemplate' (OnClassCondition)

JndiDataSourceAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.datasource.jndi-name) did not find property 'jndi-name' (OnPropertyCondition)

Matched:

- @ConditionalOnClass found required classes 'javax.sql.DataSource', 'org.springframework.jdbc.datasource.embedded.EmbeddedDatabaseType' (OnClassCondition)

JndiJtaConfiguration:

Did not match:

- @ConditionalOnJndi JNDI environment is not available (OnJndiCondition)

Matched:

- @ConditionalOnClass found required class 'org.springframework.transaction.jta.JtaTransactionManager' (OnClassCondition)

JooqAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.jooq.DSLContext' (OnClassCondition)

JpaRepositoriesAutoConfiguration#entityManagerFactoryBootstrapExecutorCustomizer:

Did not match:

- AnyNestedCondition 0 matched 2 did not; NestedCondition on JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition.LazyBootstrapMode @ConditionalOnProperty (spring.data.jpa.repositories.bootstrap-mode=lazy) did not find property 'bootstrap-mode'; NestedCondition on JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition.DeferredBootstrapMode @ConditionalOnProperty (spring.data.jpa.repositories.bootstrap-mode=deferred) did not find property 'bootstrap-mode' (JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition)

JsonbAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.json.bind.Jsonb' (OnClassCondition)

JsonbHttpMessageConvertersConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.json.bind.Jsonb' (OnClassCondition)

KafkaAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.kafka.core.KafkaTemplate' (OnClassCondition)

LdapAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.ldap.core.ContextSource' (OnClassCondition)

LdapRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class
'org.springframework.data.ldap.repository.LdapRepository' (OnClassCondition)

LiquibaseAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'liquibase.change.DatabaseChange'
(OnClassCondition)

MailSenderAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.mail.internet.MimeMessage'
(OnClassCondition)

MailSenderValidatorAutoConfiguration:

Did not match:

- @ConditionalOnSingleCandidate did not find required type
'org.springframework.mail.javamail.JavaMailSenderImpl' (OnBeanCondition)

MessageSourceAutoConfiguration:

Did not match:

- ResourceBundle did not find bundle with basename messages
(MessageSourceAutoConfiguration.ResourceBundleCondition)

MongoAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.client.MongoClient'
(OnClassCondition)

MongoDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.client.MongoClient'
(OnClassCondition)

MongoReactiveAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class
'com.mongodb.reactivestreams.client.MongoClient' (OnClassCondition)

MongoReactiveDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class
'com.mongodb.reactivestreams.client.MongoClient' (OnClassCondition)

MongoReactiveRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class
'com.mongodb.reactivestreams.client.MongoClient' (OnClassCondition)

MongoRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.client.MongoClient'

(OnClassCondition)

MustacheAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.samskivert.mustache.Mustache'

(OnClassCondition)

Neo4jAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver'

(OnClassCondition)

Neo4jDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver'

(OnClassCondition)

Neo4jReactiveDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver'

(OnClassCondition)

Neo4jReactiveRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver'

(OnClassCondition)

Neo4jRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver'

(OnClassCondition)

NettyAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.netty.util.NettyRuntime'

(OnClassCondition)

OAuth2ClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.security.oauth2.client.registration.ClientRegistration'

(OnClassCondition)

OAuth2ResourceServerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.security.oauth2.server.resource.BearerTokenAuthenticationToken'

(OnClassCondition)

ProjectInfoAutoConfiguration#buildProperties:

Did not match:

- @ConditionalOnResource did not find resource

'\${spring.info.build.location:classpath:META-INF/build-info.properties}'
(OnResourceCondition)

ProjectInfoAutoConfiguration#gitProperties:

Did not match:

- GitResource did not find git info at classpath:git.properties

(ProjectInfoAutoConfiguration.GitResourceAvailableCondition)

QuartzAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.quartz.Scheduler'

(OnClassCondition)

R2dbcAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.r2dbc.spi.ConnectionFactory'

(OnClassCondition)

R2dbcDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.data.r2dbc.core.R2dbcEntityTemplate' (OnClassCondition)

R2dbcInitializationConfiguration:

Did not match:

- @ConditionalOnClass did not find required classes 'io.r2dbc.spi.ConnectionFactory',

'org.springframework.r2dbc.connection.init.DatabasePopulator' (OnClassCondition)

R2dbcRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.r2dbc.spi.ConnectionFactory'

(OnClassCondition)

R2dbcTransactionManagerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.r2dbc.connection.R2dbcTransactionManager' (OnClassCondition)

RSocketMessagingAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.rsocket.RSocket'

(OnClassCondition)

RSocketRequesterAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.rsocket.RSocket'

(OnClassCondition)

RSocketSecurityAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.security.rsocket.core.SecuritySocketAcceptorInterceptor'

(OnClassCondition)

RSocketServerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.rsocket.core.RSocketServer'

(OnClassCondition)

RSocketStrategiesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.netty.buffer.PooledByteBufAllocator' (OnClassCondition)

RabbitAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.rabbitmq.client.Channel' (OnClassCondition)

ReactiveElasticsearchRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.elasticsearch.client.reactive.ReactiveElasticsearchClient' (OnClassCondition)

ReactiveElasticsearchRestClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.netty.http.client.HttpClient' (OnClassCondition)

ReactiveMultipartAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.config.WebFluxConfigurer' (OnClassCondition)

ReactiveOAuth2ClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux' (OnClassCondition)

ReactiveOAuth2ResourceServerAutoConfiguration:

Did not match:

- @ConditionalOnWebApplication did not find reactive web application classes (OnWebApplicationCondition)

ReactiveSecurityAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux' (OnClassCondition)

ReactiveUserDetailsServiceAutoConfiguration:

Did not match:

- AnyNestedCondition 0 matched 2 did not; NestedCondition on ReactiveUserDetailsServiceAutoConfiguration.ReactiveUserDetailsServiceCondition.Reactive

WebApplicationCondition did not find reactive web application classes; NestedCondition on ReactiveUserDetailsServiceAutoConfiguration.ReactiveUserDetailsServiceCondition.RSocketSecurityEnabledCondition @ConditionalOnBean (types: org.springframework.messaging.rsocket.annotation.support.RSocketMessageHandler; SearchStrategy: all) did not find any beans of type org.springframework.messaging.rsocket.annotation.support.RSocketMessageHandler (ReactiveUserDetailsServiceAutoConfiguration.ReactiveUserDetailsServiceCondition)

Matched:

- @ConditionalOnClass found required class 'org.springframework.security.authentication.ReactiveAuthenticationManager' (OnClassCondition)

ReactiveWebServerFactoryAutoConfiguration:

Did not match:

- @ConditionalOnWebApplication did not find reactive web application classes (OnWebApplicationCondition)

RedisAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.redis.core.RedisOperations' (OnClassCondition)

RedisCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.redis.connection.RedisConnectionFactory' (OnClassCondition)

RedisReactiveAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux' (OnClassCondition)

RedisRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.redis.repository.configuration.EnableRedisRepositories' (OnClassCondition)

Saml2RelyingPartyAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.security.saml2.provider.service.registration.RelyingPartyRegistrationRepository' (OnClassCondition)

SecurityDataConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.security.data.repository.query.SecurityEvaluationContextExtension' (OnClassCondition)

SendGridAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.sendgrid.SendGrid' (OnClassCondition)

ServletWebServerFactoryAutoConfiguration#forwardedHeaderFilter:

Did not match:

- @ConditionalOnProperty (server.forward-headers-strategy=framework) did not find property 'server.forward-headers-strategy' (OnPropertyCondition)

ServletWebServerFactoryConfiguration.EmbeddedJetty:

Did not match:

- @ConditionalOnClass did not find required classes 'org.eclipse.jetty.server.Server', 'org.eclipse.jetty.util.Loader', 'org.eclipse.jetty.webapp.WebAppContext' (OnClassCondition)

ServletWebServerFactoryConfiguration.EmbeddedUndertow:

Did not match:

- @ConditionalOnClass did not find required classes 'io.undertow.Undertow', 'org.xnio.SslClientAuthMode' (OnClassCondition)

SessionAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.session.Session' (OnClassCondition)

SolrAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.solr.client.solrj.impl.CloudSolrClient' (OnClassCondition)

SpringApplicationAdminJmxAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.application.admin.enabled=true) did not find property 'enabled' (OnPropertyCondition)

SpringDataWebAutoConfiguration:

Did not match:

- @ConditionalOnMissingBean (types: org.springframework.data.web.PageableHandlerMethodArgumentResolver; SearchStrategy: all) found beans of type 'org.springframework.data.web.PageableHandlerMethodArgumentResolver' pageableResolver (OnBeanCondition)

Matched:

- @ConditionalOnClass found required classes 'org.springframework.data.web.PageableHandlerMethodArgumentResolver', 'org.springframework.web.servlet.config.annotation.WebMvcConfigurer' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)

TaskSchedulingAutoConfiguration#taskScheduler:

Did not match:

- @ConditionalOnBean (names: org.springframework.context.annotation.internalScheduledAnnotationProcessor; SearchStrategy: all) did not find any beans named org.springframework.context.annotation.internalScheduledAnnotationProcessor

(OnBeanCondition)

ThymeleafAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.thymeleaf.spring5.SpringTemplateEngine' (OnClassCondition)

TransactionAutoConfiguration#transactionalOperator:

Did not match:

- @ConditionalOnSingleCandidate (types: org.springframework.transaction.ReactiveTransactionManager; SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration.EnableTransactionManagementConfiguration.JdkDynamicAopProxyConfiguration:

Did not match:

- @ConditionalOnProperty (spring.aop.proxy-target-class=false) did not find property 'proxy-target-class' (OnPropertyCondition)

ValidationAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.validation.executable.ExecutableValidator' (OnClassCondition)

WebClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.function.client.WebClient' (OnClassCondition)

WebFluxAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.config.WebFluxConfigurer' (OnClassCondition)

WebMvcAutoConfiguration#hiddenHttpMethodFilter:

Did not match:

- @ConditionalOnProperty (spring.mvc.hiddenmethod.filter.enabled) did not find property 'enabled' (OnPropertyCondition)

WebMvcAutoConfiguration.ResourceChainCustomizerConfiguration:

Did not match:

- @ConditionalOnEnabledResourceChain did not find class org.webjars.WebJarAssetLocator (OnEnabledResourceChainCondition)

WebMvcAutoConfiguration.WebMvcAutoConfigurationAdapter#beanNameViewResolver:

Did not match:

- @ConditionalOnMissingBean (types: org.springframework.web.servlet.view.BeanNameViewResolver; SearchStrategy: all) found beans of type 'org.springframework.web.servlet.view.BeanNameViewResolver' beanNameViewResolver (OnBeanCondition)

WebServiceTemplateAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.xml.Marshaller' (OnClassCondition)

WebServicesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.ws.transport.http.MessageDispatcherServlet' (OnClassCondition)

WebSessionIdResolverAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Mono' (OnClassCondition)

WebSocketMessagingAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.socket.config.annotation.WebSocketMessageBrokerConfigurer' (OnClassCondition)

WebSocketReactiveAutoConfiguration:

Did not match:

- @ConditionalOnWebApplication did not find reactive web application classes (OnWebApplicationCondition)

WebSocketServletAutoConfiguration.Jetty10WebSocketConfiguration:

Did not match:

- @ConditionalOnClass did not find required classes 'org.eclipse.jetty.websocket.javax.server.internal.JavaxWebSocketServerContainer', 'org.eclipse.jetty.websocket.server.JettyWebSocketServerContainer' (OnClassCondition)

WebSocketServletAutoConfiguration.JettyWebSocketConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.eclipse.jetty.websocket.jsr356.server.deploy.WebSocketServerContainerInitializer' (OnClassCondition)

WebSocketServletAutoConfiguration.UndertowWebSocketConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.undertow.websockets.jsr.Bootstrap' (OnClassCondition)

XADatasourceAutoConfiguration:

Did not match:

- @ConditionalOnBean (types: org.springframework.boot.jdbc.XADatasourceWrapper; SearchStrategy: all) did not find any beans of type org.springframework.boot.jdbc.XADatasourceWrapper (OnBeanCondition)

Matched:

- @ConditionalOnClass found required classes 'javax.sql.DataSource', 'javax.transaction.TransactionManager', 'org.springframework.jdbc.datasource.embedded.EmbeddedDatabaseType'

(OnClassCondition)

Exclusions:

None

Unconditional classes:

org.springframework.boot.autoconfigure.context.ConfigurationPropertiesAutoConfiguration

org.springframework.boot.autoconfigure.context.LifecycleAutoConfiguration

org.springframework.boot.autoconfigure.context.PropertyPlaceholderAutoConfiguration

org.springframework.boot.autoconfigure.availability.ApplicationAvailabilityAutoConfiguration

org.springframework.boot.autoconfigure.info.ProjectInfoAutoConfiguration

```
2022-03-01 11:17:25.979 INFO 476 --- [   Test worker]
c.b.o.backend.BackendApplicationTests : Started BackendApplicationTests in 12.991
seconds (JVM running for 16.982)
2022-03-01 11:17:25.981 DEBUG 476 --- [   Test worker] o.s.b.a.ApplicationAvailabilityBean
: Application availability state LivenessState changed to CORRECT
2022-03-01 11:17:25.983 DEBUG 476 --- [   Test worker] o.s.b.a.ApplicationAvailabilityBean
: Application availability state ReadinessState changed to ACCEPTING_TRAFFIC
The item is added to the cart
The item is added to the cart
The item is added to the cart
]]>
</system-out>

<system-err/>

</testsuite>
```