#### **Information**

Name: Project ordgp

Description: Description of ordgp.

Version: WIP

Date Created: 2022-01-21T10:15:30

Git Commit: 1e84b5100e09d9b6c5ea1b6c2ccee8957391beec

Git Base Tag: ods-generated-v3.0-3.0-0b11-D
Git Target Tag: ods-generated-v3.0-3.0-0b11-D

Git URL:

OpenShift Cluster API URL: https://openshift-sample

Created by Jenkins Job Name: ordgp-cd/ordgp-releasemanager

Created by Jenkins Build Number: 13
Target environment: dev

#### Overall Technical Installation Report for 'Project ordgp'

#### **TABLE OF CONTENTS**

1 INSTALLED COMPONENT SUMMARY

**2 JENKINS BUILD LOG** 

3 TIR FOR COMPONENT: BACKEND (MERGED)

4 TIR FOR COMPONENT: FRONTEND (MERGED)

#### 1 INSTALLED COMPONENT SUMMARY

Based on the component type, as mentioned in the TIP, the following components were installed, and where applicable:

- Tags for promotion were generated (*Git Tag Created*)
- Configuration was exported, and stored (Exported Configuration Commit)

Component ID	Туре	Installed by ODS	Branch	Commit Build/Installed   Exported Configuration Commit	Git Tag Used (optional)	Git Tag Created (optional)
backend	ods	true			>	
frontend	ods	true		I		
test	ods- test	false		1		

#### 2 JENKINS BUILD LOG

OpenShift Build ordgp-cd/releasemanager-master-13 from https://bitbucket-

dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git

Checking out git https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git into /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace@script to read Jenkinsfile

The recommended git tool is: NONE

using credential ordgp-cd-cd-user-with-password

> git rev-parse --resolve-git-dir /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-

releasemanager-master/workspace@script/.git # timeout=10

Fetching changes from the remote Git repository

> git config remote.origin.url https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git # timeout=10

Fetching upstream changes from https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git

> git --version # timeout=10

> git --version # 'git version 1.8.3.1'

using GIT ASKPASS to set credentials ordgp-cd-cd-user-with-password

Setting http proxy: appaccess-zscaler.boehringer.com:80

> git fetch --tags --progress https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-

releasemanager.git +refs/heads/\*:refs/remotes/origin/\* # timeout=10

> git rev-parse origin/master^{commit} # timeout=10

Checking out Revision be2537272ddc579f97f2e2eba6cdc0788f81341b (origin/master)

> git config core.sparsecheckout # timeout=10

> git checkout -f be2537272ddc579f97f2e2eba6cdc0788f81341b # timeout=10

Commit message: "ODS: Record commits deployed into D"

> git rev-list --no-walk be2537272ddc579f97f2e2eba6cdc0788f81341b # timeout=10

Running in Durability level: MAX SURVIVABILITY

Loading library ods-jenkins-shared-library@4.x

Attempting to resolve 4.x from remote references...

> git --version # timeout=10

> git --version # 'git version 1.8.3.1'

using GIT\_ASKPASS to set credentials ordgp-cd-cd-user-with-password

Setting http proxy: appaccess-zscaler.boehringer.com:80

> git ls-remote -h https://bitbucket-dev.biscrum.com/scm/odsalpha/ods-jenkins-shared-library.git # timeout=10

Found match: refs/heads/4.x revision 384c8e94d172f304e0860440491bacf817f7ea37 The recommended git tool is: git

using credential ordgp-cd-cd-user-with-password

> git rev-parse --resolve-git-dir /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace@libs/ods-jenkins-shared-library/.git # timeout=10 Fetching changes from the remote Git repository

> git config remote.origin.url https://bitbucket-dev.biscrum.com/scm/odsalpha/ods-jenkins-shared-library.git # timeout=10

Fetching without tags

Fetching upstream changes from https://bitbucket-dev.biscrum.com/scm/odsalpha/ods-jenkins-shared-library.git

> git --version # timeout=10

> git --version # 'git version 1.8.3.1'

using GIT ASKPASS to set credentials ordgp-cd-cd-user-with-password

Setting http proxy: appaccess-zscaler.boehringer.com:80

> git fetch --no-tags --progress https://bitbucket-dev.biscrum.com/scm/odsalpha/ods-jenkins-shared-library.git +refs/heads/\*:refs/remotes/origin/\* # timeout=10 Checking out Revision 384c8e94d172f304e0860440491bacf817f7ea37 (4.x)

> git config core.sparsecheckout # timeout=10

> git checkout -f 384c8e94d172f304e0860440491bacf817f7ea37 # timeout=10

Commit message: "[ci skip] remove latest antora page alias from 4.x branch (#859)"

> git rev-list --no-walk 384c8e94d172f304e0860440491bacf817f7ea37 # timeout=10 [Pipeline] Start of Pipeline

[Pipeline] echo

DEBUG: Start agent stage: Init

[Pipeline] node

Running on Jenkins in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace

[Pipeline] {
[Pipeline] echo

DEBUG: [orchestration-master-node] (took 1521 ms)

[Pipeline] echo

DEBUG: Cleaning workspace directory 'artifacts' from previous runs

[Pipeline] echo

DEBUG: Cleaning workspace directory 'sonarqube' from previous runs

[Pipeline] echo

DEBUG: Cleaning workspace directory 'xunit' from previous runs

[Pipeline] echo

DEBUG: Cleaning workspace directory 'repositories' from previous runs

[Pipeline] sh + git lfs

[Pipeline] checkout

The recommended git tool is: NONE

using credential ordgp-cd-cd-user-with-password

> git rev-parse --resolve-git-dir /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/.git # timeout=10

Fetching changes from the remote Git repository

> git config remote.origin.url https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git # timeout=10

Cleaning workspace

> git rev-parse --verify HEAD # timeout=10

Resetting working tree

- > git reset --hard # timeout=10
- > git clean -fdx # timeout=10

Fetching upstream changes from https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git

- > git --version # timeout=10
- > git --version # 'git version 1.8.3.1'

using GIT ASKPASS to set credentials ordgp-cd-cd-user-with-password

Setting http proxy: appaccess-zscaler.boehringer.com:80

> git fetch --tags --progress https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-

releasemanager.git +refs/heads/\*:refs/remotes/origin/\* # timeout=10

> git rev-parse refs/remotes/origin/master^{commit} # timeout=10

Checking out Revision be2537272ddc579f97f2e2eba6cdc0788f81341b (refs/remotes/origin/master)

> git checkout -f be2537272ddc579f97f2e2eba6cdc0788f81341b # timeout=10

> git config core.sparsecheckout # timeout=10

> git branch -a -v --no-abbrev # timeout=10 > git branch -D master # timeout=10 > git checkout -b master be2537272ddc579f97f2e2eba6cdc0788f81341b # timeout=10 Commit message: "ODS: Record commits deployed into D" Cleaning workspace > git rev-parse --verify HEAD # timeout=10 Resetting working tree > git reset --hard # timeout=10 > git clean -fdx # timeout=10 [Pipeline] echo DEBUG: [pipeline-git-releasemanager] (took 1165 ms) [Pipeline] sh + oc project odsalpha [Pipeline] echo 2022-03-01 11:13:10Z OpenShift project 'odsalpha' exists [Pipeline] podTemplate [Pipeline] { [Pipeline] echo DEBUG: [pod-template] (took 992 ms) [Pipeline] withEnv [Pipeline] { [Pipeline] stage [Pipeline] { (Init) [Pipeline] echo [Init] \*\*\*\* STARTING orchestration stage \*\*\*\* [Pipeline] echo DEBUG: Release Manager Build Parameters: [changeDescription:UNDEFINED, changeld:1.0, configItem:BI-IT-DEVSTACK, releaseStatus|iralssueKey:ORDGP-123, targetEnvironment:dev, targetEnvironmentToken:D, version:WIP, rePromote:false] [Pipeline] echo Load env state from ods-state/dev.json [Pipeline] sh + mkdir -p ods-state [Pipeline] fileExists [Pipeline] echo DEBUG: Env state ods-state/dev.json found [Pipeline] readJSON [Pipeline] echo DEBUG: [git-releasemanager-Init] (took 3 ms) [Pipeline] echo DEBUG: Load build params and metadata file information [Pipeline] echo DEBUG: Could not determine Git URL for repo 'backend' from project meta data. Attempting to resolve automatically... [Pipeline] dir Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace [Pipeline] {

[Pipeline] sh

+ git config --get remote.origin.url

[Pipeline] }

[Pipeline] // dir

[Pipeline] echo

DEBUG: Resolved Git URL for repo 'backend' to 'https://bitbucket-

dev.biscrum.com/scm/ordgp/ordgp-backend.git'

[Pipeline] echo

DEBUG: Could not determine Git branch for repo 'backend' from project meta data.

Assuming 'master'.

[Pipeline] echo

DEBUG: Could not determine Git URL for repo 'frontend' from project meta data. Attempting to resolve automatically...

[Pipeline] dir

Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace

[Pipeline] {

[Pipeline] sh

+ git config --get remote.origin.url

[Pipeline] }

[Pipeline] // dir

[Pipeline] echo

DEBUG: Resolved Git URL for repo 'frontend' to 'https://bitbucket-

dev.biscrum.com/scm/ordgp/ordgp-frontend.git'

[Pipeline] echo

DEBUG: Could not determine Git branch for repo 'frontend' from project meta data.

Assuming 'master'.

[Pipeline] echo

DEBUG: Could not determine Git URL for repo 'test' from project meta data. Attempting to resolve automatically...

[Pipeline] dir

Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace

[Pipeline] {

[Pipeline] sh

+ git config --get remote.origin.url

[Pipeline] }

[Pipeline] // dir

[Pipeline] echo

DEBUG: Resolved Git URL for repo 'test' to 'https://bitbucket-

dev.biscrum.com/scm/ordgp/ordgp-test.git'

[Pipeline] echo

DEBUG: Could not determine Git branch for repo 'test' from project meta data. Assuming 'master'.

[Pipeline] echo

DEBUG: Register global services

[Pipeline] withCredentials

Masking supported pattern matches of \$IRA USERNAME or \$IRA PASSWORD

[Pipeline] {

[Pipeline] }

[Pipeline] // withCredentials

[Pipeline] sh

+ git config --global user.email undefined

+ git config --global user.name 'ODS Jenkins Shared Library System User'

[Pipeline] withCredentials

Masking supported pattern matches of \$BITBUCKET USER or \$BITBUCKET PW [Pipeline] { [Pipeline] writeFile [Pipeline] echo 2022-03-01 11:13:17Z wrote /var/lib/jenkins/.git-credentials-input with credentials for \*\*\*\* on https://bitbucket-dev.biscrum.com [Pipeline] sh + git config --global credential.helper store [Pipeline] sh + cat /var/lib/jenkins/.git-credentials-input + git credential-store store [Pipeline] } [Pipeline] // withCredentials [Pipeline] echo DEBUG: Checkout repositories into the workspace [Pipeline] sh + git rev-parse HEAD [Pipeline] sh + git config --get remote.origin.url [Pipeline] sh + git --no-pager show -s '--format=%an (%ae)' HEAD [Pipeline] sh + git log -1 --pretty=%B HEAD [Pipeline] sh + git show -s --format=%ci HEAD [Pipeline] echo DEBUG: Using release manager commit: be2537272ddc579f97f2e2eba6cdc0788f81341b [Pipeline] parallel [Pipeline] { (Branch: Init) [Pipeline] { (Branch: orchestration) [Pipeline] echo Loading Repository: [id:backend, type:ods, data:[openshift:[:], documents:[:]], url:https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git, branch:master] [Pipeline] echo DEBUG: [Project#load] [Pipeline] echo Loading Repository: [id:frontend, type:ods, data:[openshift:[:], documents:[:]], url:https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git, branch:master] [Pipeline] echo Loading Repository: [id:test, type:ods-test, data:[openshift:[:], documents:[:]], url:https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git, branch:master] [Pipeline] parallel [Pipeline] { (Branch: backend) [Pipeline] { (Branch: frontend) [Pipeline] { (Branch: test) [Pipeline] echo Checkout branch backend@master [Pipeline] echo Checkout branch frontend@master [Pipeline] echo

Checkout branch test@master

[Pipeline] sh [Pipeline] sh [Pipeline] sh + git Ifs + git Ifs + git Ifs [Pipeline] checkout The recommended git tool is: NONE using credential ordgp-cd-cd-user-with-password Cloning the remote Git repository [Pipeline] checkout Cloning repository https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git > git init /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/repositories/backend # timeout=10 The recommended git tool is: NONE using credential ordgp-cd-cd-user-with-password Cloning the remote Git repository Cloning repository https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git > git init /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/repositories/frontend # timeout=10 [Pipeline] checkout The recommended git tool is: NONE using credential ordgp-cd-cd-user-with-password Cloning the remote Git repository Cloning repository https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git > git init /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/repositories/test # timeout=10 Fetching upstream changes from https://bitbucket-dev.biscrum.com/scm/ordgp/ordgpbackend.git > git --version # timeout=10 > git --version # 'git version 1.8.3.1' using GIT ASKPASS to set credentials ordgp-cd-cd-user-with-password Setting http proxy: appaccess-zscaler.boehringer.com:80 > git fetch --tags --progress https://bitbucket-dev.biscrum.com/scm/ordgp/ordgpbackend.git +refs/heads/\*:refs/remotes/origin/\* # timeout=10 Fetching upstream changes from https://bitbucket-dev.biscrum.com/scm/ordgp/ordgpfrontend.git > git --version # timeout=10 > git --version # 'git version 1.8.3.1' using GIT ASKPASS to set credentials ordgp-cd-cd-user-with-password Setting http proxy: appaccess-zscaler.boehringer.com:80 > git fetch --tags --progress https://bitbucket-dev.biscrum.com/scm/ordgp/ordgpfrontend.git +refs/heads/\*:refs/remotes/origin/\* # timeout=10 Fetching upstream changes from https://bitbucket-dev.biscrum.com/scm/ordgp/ordgptest.git > git --version # timeout=10 > git --version # 'git version 1.8.3.1' using GIT\_ASKPASS to set credentials ordgp-cd-cd-user-with-password Setting http proxy: appaccess-zscaler.boehringer.com:80

> git fetch --tags --progress https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git

+refs/heads/\*:refs/remotes/origin/\* # timeout=10

- > git config remote.origin.url https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git # timeout=10
- > git config --add remote.origin.fetch +refs/heads/\*:refs/remotes/origin/\* # timeout=10 Avoid second fetch
- > git rev-parse refs/remotes/origin/master^{commit} # timeout=10 Checking out Revision c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293 (refs/remotes/origin/master)
- > git config core.sparsecheckout # timeout=10
- > git checkout -f c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293 # timeout=10
- > git config remote.origin.url https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git # timeout=10
- > git config --add remote.origin.fetch +refs/heads/\*:refs/remotes/origin/\* # timeout=10 Avoid second fetch
- > git rev-parse refs/remotes/origin/master^{commit} # timeout=10 Checking out Revision 27eb2abe4554932afa94f9a40a72d2165158ae6b (refs/remotes/origin/master)
- > git config core.sparsecheckout # timeout=10
- > git checkout -f 27eb2abe4554932afa94f9a40a72d2165158ae6b # timeout=10
- > git config remote.origin.url https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git # timeout=10
- > git config --add remote.origin.fetch +refs/heads/\*:refs/remotes/origin/\* # timeout=10 Avoid second fetch
- > git rev-parse refs/remotes/origin/master^{commit} # timeout=10 Checking out Revision 61a229c55991e0e89362016bf53d968df233aa80 (refs/remotes/origin/master)
- > git config core.sparsecheckout # timeout=10
- > git checkout -f 61a229c55991e0e89362016bf53d968df233aa80 # timeout=10
- > git branch -a -v --no-abbrev # timeout=10
- > git branch -a -v --no-abbrev # timeout=10
- > git checkout -b master 27eb2abe4554932afa94f9a40a72d2165158ae6b # timeout=10
- > git checkout -b master c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293 # timeout=10
- > git branch -a -v --no-abbrev # timeout=10

Commit message: "ODS: Export OpenShift configuration

Build (assemble) #7 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version: WIP

https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/7/ [ci skip]"

- > git rev-list --no-walk 27eb2abe4554932afa94f9a40a72d2165158ae6b # timeout=10
- > git checkout -b master 61a229c55991e0e89362016bf53d968df233aa80 # timeout=10 Commit message: "ODS: Export OpenShift configuration

Build (assemble) #7 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version: WIP

https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/7/ [ci skip]"

> git rev-list --no-walk c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293 # timeout=10 Cleaning workspace

> git rev-parse --verify HEAD # timeout=10

Resetting working tree

> git reset --hard # timeout=10

Cleaning workspace

> git rev-parse --verify HEAD # timeout=10

Resetting working tree

> git reset --hard # timeout=10

Commit message: "DemoAcceptanceSpec.groovy edited online with Bitbucket"

> git rev-list --no-walk 3e9ed20ad8199d1918747615bd883eab81b03d59 # timeout=10

> git clean -fdx # timeout=10

Cleaning workspace

> git rev-parse --verify HEAD # timeout=10

> git clean -fdx # timeout=10

Resetting working tree

> git reset --hard # timeout=10

[Pipeline] echo

DEBUG: [backend-scm-checkout] (took 2619 ms)

[Pipeline] echo

> git clean -fdx # timeout=10

DEBUG: [frontend-scm-checkout] (took 2618 ms)

[Pipeline] echo

DEBUG: Repository type 'ods' configured on 'backend' thru component's metadata.yml

[Pipeline] echo

DEBUG: Repository type 'ods' configured on 'frontend' thru component's metadata.yml

[Pipeline] echo

DEBUG: Project forces global rebuild ...

[Pipeline] }
[Pipeline] echo

DEBUG: Project forces global rebuild ...

[Pipeline] }
[Pipeline] echo

DEBUG: [test-scm-checkout] (took 3321 ms)

[Pipeline] echo

DEBUG: Repository type 'ods-test' configured on 'test' thru component's metadata.yml

[Pipeline] echo

DEBUG: Project forces global rebuild ...

[Pipeline] }

[Pipeline] // parallel

[Pipeline] }

[Pipeline] echo

Project has versioning enabled.

[Pipeline] echo

No predecessor project version found. Loading only data from Jira.

[Pipeline] echo

DEBUG: Verify that each unit test in Jira project ordgp has exactly one component assigned.

[Pipeline] echo

DEBUG: [Project#load] (took 22841 ms)

[Pipeline] echo

DEBUG: Validate that for Q and P we have a valid version

[Pipeline] echo

DEBUG: Configure current build description

[Pipeline] echo

DEBUG: Nexus repository for project/version 'ordgp-WIP' exists? true

[Pipeline] sh

+ oc whoami --show-server

[Pipeline] echo

```
DEBUG: Agent start stage: Init
[Pipeline] echo
DEBUG: Current stage: 'Init' -> start agent stage: 'Init'
[Pipeline] echo
DEBUG: [mro-jenkins-agent-13]
[Pipeline] node
Created Pod: ordgp-cd/mro-jenkins-agent-13-3hf5q-62d6x
[Normal][ordgp-cd/mro-jenkins-agent-13-3hf5q-62d6x][Scheduled] Successfully assigned
ordgp-cd/mro-jenkins-agent-13-3hf5q-62d6x to inhas71255.eu.boehringer.com
[Normal][ordgp-cd/mro-jenkins-agent-13-3hf5q-62d6x][Pulling] pulling image "docker-
registry.default.svc:5000/odsalpha/jenkins-agent-base:4.x"
Still waiting to schedule task
'mro-jenkins-agent-13-3hf5q-62d6x' is offline
[Normal][ordgp-cd/mro-jenkins-agent-13-3hf5q-62d6x][Pulled] Successfully pulled image
"docker-registry.default.svc:5000/odsalpha/jenkins-agent-base:4.x"
[Normal][ordgp-cd/mro-jenkins-agent-13-3hf5q-62d6x][Created] Created container
[Normal][ordgp-cd/mro-jenkins-agent-13-3hf5q-62d6x][Started] Started container
Agent mro-jenkins-agent-13-3hf5q-62d6x is provisioned from template mro-jenkins-agent-
13-3hf5q
apiVersion: "v1"
kind: "Pod"
metadata:
 annotations:
  buildUrl: "http://jenkins.ordgp-cd.svc:80/job/ordgp-cd/job/ordgp-cd-releasemanager-
master/13/"
  runUrl: "job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"
 labels:
  jenkins: "slave"
  jenkins/label: "mro-jenkins-agent-13"
 name: "mro-jenkins-agent-13-3hf5g-62d6x"
spec:
 containers:
 - args:
  _ "******
  - "mro-jenkins-agent-13-3hf5q-62d6x"
  - name: "JENKINS SECRET"
   value: "******"
  - name: "JENKINS TUNNEL"
   value: "jenkins-jnlp.ordgp-cd.svc:50000"
  - name: "JENKINS AGENT NAME"
   value: "mro-jenkins-agent-13-3hf5g-62d6x"
  - name: "JENKINS NAME"
   value: "mro-jenkins-agent-13-3hf5q-62d6x"
  name: "JENKINS_AGENT_WORKDIR"
   value: "/tmp"
  - name: "JENKINS URL"
   value: "http://jenkins.ordgp-cd.svc:80/"
  image: "docker-registry.default.svc:5000/odsalpha/jenkins-agent-base:4.x"
```

imagePullPolicy: "Always"

```
name: "jnlp"
  resources:
   limits:
     memory: "1Gi"
     cpu: "1"
   requests:
     memory: "512Mi"
     cpu: "200m"
  securityContext:
   privileged: false
  tty: false
  volumeMounts:
  - mountPath: "/tmp"
   name: "workspace-volume"
   readOnly: false
  workingDir: "/tmp"
 nodeSelector:
  beta.kubernetes.io/os: "linux"
 restartPolicy: "Never"
 securityContext: {}
 serviceAccount: "jenkins"
 volumes:
 - emptyDir:
   medium: ""
  name: "workspace-volume"
Running on mro-jenkins-agent-13-3hf5q-62d6x in /tmp/workspace/ordgp-cd/ordgp-cd-
releasemanager-master
[Pipeline] {
[Pipeline] echo
DEBUG: [mro-jenkins-agent-13] (took 44393 ms)
[Pipeline] }
[Pipeline] // node
[Pipeline] }
[Pipeline] // parallel
[Pipeline] echo
DEBUG: -< Initing Repository: backend
[Pipeline] echo
DEBUG: -< Initing Repository: frontend
[Pipeline] echo
DEBUG: -< Initing Repository: test
[Pipeline] parallel
[Pipeline] { (Branch: backend)
[Pipeline] { (Branch: frontend)
[Pipeline] { (Branch: test)
[Pipeline] echo
DEBUG: Repo 'test', init phase - configured hook: 'null'
[Pipeline] }
[Pipeline] echo
DEBUG: Repo 'backend' is of type ODS Code Component. Nothing to do in phase 'Init' for
target environment 'D'.
```

[Pipeline] }

[Pipeline] echo

DEBUG: Repo 'frontend' is of type ODS Code Component. Nothing to do in phase 'Init' for target environment 'D'.

[Pipeline] }

[Pipeline] // parallel

[Pipeline] sh

+ oc project ordgp-dev

[Pipeline] echo

2022-03-01 11:14:28Z OpenShift project 'ordgp-dev' exists

[Pipeline] echo

DEBUG: Compute groups of repository configs for convenient parallelization

[Pipeline] echo

[docgen-ordgp-CSD] Creating document of type 'CSD' for project 'ordgp' in phase 'Init' and stage 'PRE END'

expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createCSD; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/

[Pipeline] echo

DEBUG: Retrieving saved document history with name 'documentHistory-D-CSD' in workspace '/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace'. [Pipeline] readFile

[Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-D-CSD.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parse|iraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[], epics:[[key:ORDGP-124, action:add]], mitigations:[], requirements:[[key:ORDGP-126, action:add], [key:ORDGP-127, action:add], [key:ORDGP-125, action:add], [key:ORDGP-128, action:add], [key:ORDGP-129, action:add]], risks:[], techSpecs:[], tests:[], docs: [[key:ORDGP-45, action:add, documents:[CSD], number:3.2, heading:Operational Requirements], [key:ORDGP-44, action:add, documents:[CSD], number:6, heading:Reference Documents], [key:ORDGP-43, action:add, documents:[CSD], number:1, heading:Introduction and Purpose], [key:ORDGP-42, action:add, documents:[CSD], number:2, heading:Overview], [key:ORDGP-41, action:add, documents:[CSD], number:3.1, heading:Related Business / GxP Process], [key:ORDGP-40, action:add, documents:[CSD], number:5.1, heading:Definitions], [key:ORDGP-39, action:add, documents:[CSD],

number:5.2, heading:Abbreviations], [key:ORDGP-38, action:add, documents:[CSD],

number:7, heading:Document History]]]

[Pipeline] echo

DEBUG: Creating a new history entry with version 1 for CSD

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-14]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-6]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-29]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-15]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-18]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-19]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-9, ORDGP-16,

ORDGP-27]
[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-12, ORDGP-25,

ORDGP-7]

[Pipeline] archiveArtifacts

Archiving artifacts

[Pipeline] echo

2022-03-01 11:14:39Z Document CSD uploaded @ https://nexus-odsalpha.inh-

[Pipeline] echo

DEBUG: [docgen-ordgp-CSD] (took 11700 ms)

[Pipeline] echo

[Init] \*\*\*\* ENDED orchestration stage \*\*\*\* (took 89912 ms)

[Pipeline] }

[Pipeline] // stage

[Pipeline] stage

[Pipeline] { (Build)

[Pipeline] echo

[Build] \*\*\*\* STARTING orchestration stage \*\*\*\*

[Pipeline] parallel

[Pipeline] { (Branch: Build)

[Pipeline] { (Branch: orchestration)

[Pipeline] parallel

[Pipeline] { (Branch: backend)
[Pipeline] { (Branch: frontend)
[Pipeline] { (Branch: test)

[Pipeline] echo

[docgen-ordgp-DTP] Creating document of type 'DTP' for project 'ordgp' in phase 'Build' and stage 'POST\_START'

expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createDTP; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/

[Pipeline] echo

DEBUG: Retrieving saved document history with name 'documentHistory-D-DTP' in workspace '/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace'. [Pipeline] readFile

[Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-D-DTP.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo DEBUG: Parsing jira data to document history [Pipeline] echo DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components: [[key:Technology-test, action:add], [key:Technology-frontend, action:add], [key:Technologybackend, action:add]], epics:[], mitigations:[], requirements:[[key:ORDGP-125, action:add]], risks:[], techSpecs:[], tests:[[key:ORDGP-137, action:add], [key:ORDGP-138, action:add], [key:ORDGP-139, action:add]], docs:[[key:ORDGP-55, action:add, documents:[DTP], number:6, heading:Reference Document], [key:ORDGP-54, action:add, documents:[DTP], number:7, heading:Document History], [key:ORDGP-52, action:add, documents:[DTP, DTR], number:5.2, heading:Abbreviations], [key:ORDGP-51, action:add, documents:[DTP, DTR], number:5.1, heading:Definitions]]] [Pipeline] echo DEBUG: Creating a new history entry with version 1 for DTP [Pipeline] dir Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/repositories/backend [Pipeline] { [Pipeline] dir Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/repositories/frontend [Pipeline] { [Pipeline] echo DEBUG: Repo 'test' is of type ODS Test Component. Nothing to do in phase 'Build' for target environment 'D'. [Pipeline] sh [Pipeline] sh [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-14] [Pipeline] } + env + grep library.ods-mro-jenkins-shared-library.version + cut -d = -f2+ env + cut -d=-f2+ grep library.ods-mro-jenkins-shared-library.version [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-6] [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-29] [Pipeline] withEnv [Pipeline] { [Pipeline] withEnv [Pipeline] { [Pipeline] load [Pipeline] { (/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/repositories/backend/Jenkinsfile) [Pipeline] load [Pipeline] { (/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-

master/workspace/repositories/frontend/Jenkinsfile)

[Pipeline] echo

DEBUG: -> ODS Component pipeline setup, debug mode? true [Pipeline] echo DEBUG: -> ODS Component pipeline setup, debug mode? true [Pipeline] echo -> Detected multirepo orchestration pipeline build [Pipeline] echo -> Detected multirepo orchestration pipeline build [Pipeline] echo DEBUG: Setting target environment: 'dev' [Pipeline] echo DEBUG: Setting target environment: 'dev' [Pipeline] echo DEBUG: Amending project / component name based on Git origin URL [Pipeline] echo DEBUG: Amending project / component name based on Git origin URL [Pipeline] sh [Pipeline] sh + git config --get remote.origin.url + git config --get remote.origin.url [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-18] [Pipeline] echo DEBUG: Retrieved Git origin URL from filesystem: https://bitbucketdev.biscrum.com/scm/ordgp/ordgp-backend.git [Pipeline] echo DEBUG: Retrieved Git origin URL from filesystem: https://bitbucketdev.biscrum.com/scm/ordgp/ordgp-frontend.git [Pipeline] echo DEBUG: Project- / component-name config: ordgp / backend [Pipeline] echo DEBUG: Project- / component-name config: ordgp / frontend [Pipeline] echo [backend] \*\*\*\*\* Starting ODS Component Pipeline \*\*\*\*\* [Pipeline] echo [frontend] \*\*\*\*\* Starting ODS Component Pipeline \*\*\*\*\* [Pipeline] wrap [Pipeline] wrap [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-19] [Pipeline] { [Pipeline] stage [Pipeline] { (odsPipeline start) [Pipeline] { [Pipeline] stage [Pipeline] { (odsPipeline start) [Pipeline] echo DEBUG: Validating input ... [Pipeline] echo

DEBUG: Collecting environment variables ...

[Pipeline] echo

DEBUG: Validating input ...

[Pipeline] echo DEBUG: Collecting environment variables ... [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22] [Pipeline] sh [Pipeline] sh + env + grep ods.build. + env + grep ods.build. [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-9, ORDGP-16, ORDGP-27] [Pipeline] sh [Pipeline] sh + env + grep OPENSHIFT BUILD + env + grep OPENSHIFT BUILD [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-12, ORDGP-25, ORDGP-7] [Pipeline] echo DEBUG: Got external build labels: [ods.build.rm.ordgp.repo.url:https://bitbucketdev.biscrum.com/scm/ordgp/ordgp-releasemanager.git, ods.build.rm.ordgp.repo.commit.author:ODS Jenkins Shared Library System User (undefined). ods.build.rm.ordgp.repo.commit.sha:be2537272ddc579f97f2e2eba6cdc0788f81341b, ods.build.rm.ordgp.repo.commit.timestamp:2022-01-28 13:14:04 +0000, ods.build.rm.ordgp.repo.commit.msg:ODS: Record commits deployed into D, JENKINS MASTER OPENSHIFT BUILD COMMIT:a541165cff3874ce420e3109e951a9b50c24fc3 f, JENKINS MASTER OPENSHIFT BUILD NAME: jenkins-master-43, JENKINS MASTER OPENSHIFT BUILD SOURCE:https://bitbucketdev.biscrum.com/scm/odsalpha/ods-core.git, JENKINS\_MASTER\_OPENSHIFT\_BUILD NAMESPACE:odsalpha, JENKINS MASTER OPENSHIFT BUILD REFERENCE:4.x] [Pipeline] sh [Pipeline] echo DEBUG: Got external build labels: [ods.build.rm.ordgp.repo.url:https://bitbucketdev.biscrum.com/scm/ordgp/ordgp-releasemanager.git, ods.build.rm.ordgp.repo.commit.author:ODS Jenkins Shared Library System User (undefined), ods.build.rm.ordgp.repo.commit.sha:be2537272ddc579f97f2e2eba6cdc0788f81341b, ods.build.rm.ordgp.repo.commit.timestamp:2022-01-28 13:14:04 +0000, ods.build.rm.ordgp.repo.commit.msg:ODS: Record commits deployed into D, JENKINS\_MASTER\_OPENSHIFT\_BUILD\_COMMIT:a541165cff3874ce420e3109e951a9b50c24fc3 f, JENKINS MASTER OPENSHIFT BUILD NAME: jenkins-master-43, JENKINS MASTER OPENSHIFT BUILD SOURCE:https://bitbucketdev.biscrum.com/scm/odsalpha/ods-core.git, JENKINS MASTER OPENSHIFT BUILD NAMESPACE:odsalpha,

JENKINS MASTER OPENSHIFT BUILD REFERENCE:4.x]

[Pipeline] sh

[Pipeline] archiveArtifacts

Archiving artifacts

- + env
- + grep library.ods-jenkins-shared-library.version
- + cut -d = -f2
- + env
- + grep library.ods-jenkins-shared-library.version
- + cut -d = -f2

[Pipeline] echo

2022-03-01 11:14:51Z Document DTP uploaded @ https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/DTP-ordgp-WIP-13.zip [Pipeline] echo

DEBUG: Validating environment variables ...

[Pipeline] echo

DEBUG: Validating environment variables ...

[Pipeline] echo

DEBUG: Deriving configuration from input ...

[Pipeline] echo

DEBUG: Deriving configuration from input ...

[Pipeline] echo

DEBUG: Setting defaults ...

[Pipeline] echo

DEBUG: Setting defaults ...

[Pipeline] echo

DEBUG: Retrieving Git information ...

[Pipeline] sh [Pipeline] echo

DEBUG: Retrieving Git information ...

[Pipeline] sh

- + git config --get remote.origin.url
- + git config --get remote.origin.url

[Pipeline] sh

[Pipeline] sh

[Pipeline] echo

DEBUG: [docgen-ordgp-DTP] (took 11788 ms)

[Pipeline] echo

[docgen-ordgp-RA] Creating document of type 'RA' for project 'ordgp' in phase 'Build' and stage 'POST START'

expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createRA; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/

- + git rev-parse --abbrev-ref HEAD
- + git rev-parse --abbrev-ref HEAD

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-14]

[Pipeline] sh

[Pipeline] sh

- + git name-rev master
- + sed -e 's|remotes/origin/||g'
- + cut -d ' ' -f2

```
+ git name-rev master
+ cut -d ' ' -f2
+ sed -e 's|remotes/origin/||g'
[Pipeline] echo
DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-6]
[Pipeline] echo
DEBUG: resolved branch master
[Pipeline] echo
DEBUG: resolved branch master
[Pipeline] sh
[Pipeline] sh
+ git rev-parse HEAD
+ git rev-parse HEAD
[Pipeline] echo
DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-29]
[Pipeline] sh
[Pipeline] sh
+ git --no-pager show -s '--format=%an (%ae)' HEAD
+ git --no-pager show -s '--format=%an (%ae)' HEAD
[Pipeline] echo
DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-18]
[Pipeline] sh
[Pipeline] sh
+ git log -1 --format=%f HEAD
+ git log -1 --format=%f HEAD
[Pipeline] echo
DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-19]
[Pipeline] sh
[Pipeline] sh
+ git log -1 --pretty=%B HEAD
+ git log -1 --pretty=%B HEAD
[Pipeline] echo
DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22]
[Pipeline] sh
[Pipeline] sh
+ git show -s --format=%ci HEAD
+ git show -s --format=%ci HEAD
[Pipeline] echo
DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-9, ORDGP-16,
ORDGP-27]
[Pipeline] echo
DEBUG: Setting target OCP environment ...
[Pipeline] echo
DEBUG: Setting target OCP environment ...
[Pipeline] echo
DEBUG: Commit workingtree? false
[Pipeline] echo
DEBUG: Commit workingtree? false
[Pipeline] echo
```

DEBUG: Assembled configuration: [testResults:, podServiceAccount:jenkins, groupId:org.opendevstack.ordgp, branchToEnvironmentMapping:[master:dev],

globalExtensionImageLabels:

```
[JENKINS MASTER OPENSHIFT BUILD COMMIT:a541165cff3874ce420e3109e951a9b50c24fc
3f, ods.build.rm.ordgp.repo.url:https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-
releasemanager.git, JENKINS MASTER OPENSHIFT BUILD SOURCE:https://bitbucket-
dev.biscrum.com/scm/odsalpha/ods-core.git,
ods.build.rm.ordgp.repo.commit.timestamp:2022-01-28 13:14:04 +0000,
JENKINS MASTER OPENSHIFT BUILD REFERENCE:4.x,
JENKINS MASTER OPENSHIFT BUILD NAME: jenkins-master-43,
ods.build.rm.ordgp.repo.commit.msg:ODS: Record commits deployed into D,
ods.build.rm.ordgp.repo.commit.author:ODS Jenkins Shared Library System User
(undefined), JENKINS MASTER OPENSHIFT BUILD NAMESPACE:odsalpha,
ods.build.rm.ordgp.repo.commit.sha:be2537272ddc579f97f2e2eba6cdc0788f81341b],
dockerDir:docker, buildNumber:13, odsSharedLibVersion:4.x, resourceRequestCpu:100m,
buildUrl:https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-
releasemanager-master/13/, nexusUsername:****, triggeredByOrchestrationPipeline:true,
jobName:ordgp-cd/ordgp-cd-releasemanager-master, image:docker-
registry.default.svc:5000/odsalpha/jenkins-agent-maven:4.x, buildTime:2022-03-
01T11:14:46+0000, openshiftBuildTimeout:15, targetProject:ordgp-dev,
bitbucketUrl:https://bitbucket-dev.biscrum.com, gitCommitTime:2022-01-28 13:14:00
+0000, resourceLimitCpu:1, environmentLimit:5, emailextRecipients:null,
alwaysPullImage:true, podVolumes:[], failOnSnykScanVulnerabilities:true, projectId:ordgp,
tagversion:13-27eb2abe, ciSkipEnabled:false, sonarQubeBranch:*, componentId:backend,
openshiftRolloutTimeout:5, sonarQubeEdition:enterprise,
openshiftHost:https://openshift.default.svc.cluster.local, credentialsId:ordgp-cd-cd-user-with-
password, cdProject:ordgp-cd, commitGitWorkingTree:false,
odsBitbucketProject:opendevstack, localCheckoutEnabled:false, notifyNotGreen:false,
gitBranch:master, bitbucketNotificationEnabled:true, debug:true,
resourceRequestMemory:1Gi, repoName:ordgp-backend, resourceLimitMemory:2Gi,
gitCommitRawMessage:ODS: Export OpenShift configuration
Build (assemble) #7 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version:
WIP
https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-
releasemanager-master/7/ [ci skip], imageStreamTag:odsalpha/jenkins-agent-maven:4.x,
```

releasemanager-master/7/ [ci skip], imageStreamTag:odsalpha/jenkins-agent-maven:4.x, environment:dev, nexusUrl:https://nexus-odsalpha.inh-odsapps.eu.boehringer.com, openshiftRolloutTimeoutRetries:5, nexusPassword:\*\*\*\*, gitCommit:27eb2abe4554932afa94f9a40a72d2165158ae6b, buildTag:jenkins-ordgp-cd-

ordgp-cd-releasemanager-master-13, podLabel:pod-87af8ccf-3284-4203-b048-da5aa2e15a20, displayNameUpdateEnabled:false, gitCommitAuthor:ODS Jenkins Shared Library System User (undefined), gitCommitMessage:ODS-Export-OpenShift-configuration-Build-assemble-7-Change-1.0-Project-ordgp-Target-Environment-ordgp-dev-Version-WIP-https-jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com-job-ordgp-cd-job-ordgp-cd-releasemanager-master-7-ci-skip, gitUrl:https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git]

[Pipeline] echo

DEBUG: Assembled configuration: [testResults:, podServiceAccount:jenkins, groupId:org.opendevstack.ordgp, branchToEnvironmentMapping:[master:dev], globalExtensionImageLabels:

[JENKINS\_MASTER\_OPENSHIFT\_BUILD\_COMMIT:a541165cff3874ce420e3109e951a9b50c24fc 3f, ods.build.rm.ordgp.repo.url:https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git, JENKINS\_MASTER\_OPENSHIFT\_BUILD\_SOURCE:https://bitbucket-dev.biscrum.com/scm/odsalpha/ods-core.git,

```
ods.build.rm.ordgp.repo.commit.timestamp:2022-01-28 13:14:04 +0000,
JENKINS MASTER OPENSHIFT BUILD REFERENCE: 4.x,
JENKINS MASTER OPENSHIFT BUILD NAME: jenkins-master-43,
ods.build.rm.ordgp.repo.commit.msg:ODS: Record commits deployed into D,
ods.build.rm.ordgp.repo.commit.author:ODS Jenkins Shared Library System User
(undefined), JENKINS MASTER OPENSHIFT BUILD NAMESPACE:odsalpha,
ods.build.rm.ordgp.repo.commit.sha:be2537272ddc579f97f2e2eba6cdc0788f81341b],
dockerDir:docker, buildNumber:13, odsSharedLibVersion:4.x, resourceRequestCpu:100m,
buildUrl:https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-
releasemanager-master/13/, nexusUsername:****, triggeredByOrchestrationPipeline:true,
jobName:ordgp-cd/ordgp-cd-releasemanager-master, image:docker-
registry.default.svc:5000/odsalpha/jenkins-agent-nodejs12:4.x, buildTime:2022-03-
01T11:14:46+0000, openshiftBuildTimeout:15, targetProject:ordgp-dev,
bitbucketUrl:https://bitbucket-dev.biscrum.com, gitCommitTime:2022-01-28 13:13:59
+0000, resourceLimitCpu:1, environmentLimit:5, emailextRecipients:null,
alwaysPullImage:true, podVolumes:[], failOnSnykScanVulnerabilities:true, projectId:ordgp,
tagversion:13-c385c58e, ciSkipEnabled:false, sonarQubeBranch:*, componentId:frontend,
openshiftRolloutTimeout:5, sonarQubeEdition:enterprise,
openshiftHost:https://openshift.default.svc.cluster.local, credentialsId:ordgp-cd-cd-user-with-
password, cdProject:ordgp-cd, commitGitWorkingTree:false,
odsBitbucketProject:opendevstack, localCheckoutEnabled:false, notifyNotGreen:false,
gitBranch:master, bitbucketNotificationEnabled:true, debug:true,
resourceRequestMemory:1Gi, repoName:ordgp-frontend, resourceLimitMemory:2Gi,
gitCommitRawMessage:ODS: Export OpenShift configuration
Build (assemble) #7 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version:
WIP
https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-
releasemanager-master/7/ [ci skip], imageStreamTag:odsalpha/jenkins-agent-nodejs12:4.x,
environment:dev, nexusUrl:https://nexus-odsalpha.inh-odsapps.eu.boehringer.com,
openshiftRolloutTimeoutRetries:5, nexusPassword:****,
gitCommit:c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293, buildTag:jenkins-ordgp-cd-
ordgp-cd-releasemanager-master-13, podLabel:pod-d37d024c-2832-4049-9847-
7054e8a20989, displayNameUpdateEnabled:false, gitCommitAuthor:ODS Jenkins Shared
Library System User (undefined), gitCommitMessage:ODS-Export-OpenShift-configuration-
Build-assemble-7-Change-1.0-Project-ordgp-Target-Environment-ordgp-dev-Version-WIP-
https-jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com-job-ordgp-cd-job-ordgp-cd-
releasemanager-master-7-ci-skip, gitUrl:https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-
frontend.git]
[Pipeline] echo
DEBUG: -> Registering & loading global services
[Pipeline] echo
DEBUG: -> Registering & loading global services
[Pipeline] echo
DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-12, ORDGP-25,
ORDGP-7]
[Pipeline] }
[Pipeline] }
[Pipeline] // stage
[Pipeline] // stage
[Pipeline] }
```

[Pipeline] }

[Pipeline] echo

DEBUG: Retrieving saved document history with name 'documentHistory-D-RA' in workspace '/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace'.

[Pipeline] readFile

[Pipeline] // wrap

[Pipeline] // wrap

[Pipeline] echo

\*\*\*\*\* Continuing on node 'pod-87af8ccf-3284-4203-b048-da5aa2e15a20' based on image 'docker-registry.default.svc:5000/odsalpha/jenkins-agent-maven:4.x' \*\*\*\*\*\*

[Pipeline] echo

\*\*\*\*\* Continuing on node 'pod-d37d024c-2832-4049-9847-7054e8a20989' based on image 'docker-registry.default.svc:5000/odsalpha/jenkins-agent-nodejs12:4.x' \*\*\*\*\*

[Pipeline] podTemplate

[Pipeline] {

[Pipeline] podTemplate

[Pipeline] {

[Pipeline] node

[Pipeline] node

[Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-D-RA.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[], epics:[], mitigations:[[key:ORDGP-140, action:add]], requirements:[[key:ORDGP-126, action:add], [key:ORDGP-125, action:add]], risks:[[key:ORDGP-141, action:add],

[key:ORDGP-142, action:add], [key:ORDGP-136, action:add]], techSpecs:[], tests:

[[key:ORDGP-137, action:add], [key:ORDGP-138, action:add], [key:ORDGP-139, action:add]],

docs:[[key:ORDGP-50, action:add, documents:[RA], number:8, heading:Document History],

[key:ORDGP-49, action:add, documents:[RA], number:7, heading:Reference Documents],

[key:ORDGP-48, action:add, documents:[RA], number:6.2, heading:Abbreviations],

[key:ORDGP-47, action:add, documents:[RA], number:6.1, heading:Definitions],

[key:ORDGP-46, action:add, documents:[RA], number:3, heading:Assumptions]]]

[Pipeline] echo

DEBUG: Creating a new history entry with version 1 for RA

[Pipeline] archiveArtifacts

Archiving artifacts

[Pipeline] echo

2022-03-01 11:15:01Z Document RA uploaded @ https://nexus-odsalpha.inh-

odsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/RA-ordgp-WIP-13.zip [Pipeline] echo

DEBUG: [docgen-ordgp-RA] (took 10007 ms)

[Pipeline] echo

[docgen-ordgp-CFTP] Creating document of type 'CFTP' for project 'ordgp' in phase 'Build' and stage 'POST\_START'

expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createCFTP; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/

[Pipeline] echo

DEBUG: Retrieving saved document history with name 'documentHistory-D-CFTP' in workspace '/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace'. [Pipeline] readFile

[Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-D-CFTP.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parse|iraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[], epics:[], mitigations:[], requirements:[], risks:[], techSpecs:[], tests:[], docs:[[key:ORDGP-108, action:add, documents:[CFTP], number:9, heading:Traceability Matrix], [key:ORDGP-107, action:add, documents:[CFTP], number:8.1, heading:Test Cases], [key:ORDGP-106, action:add, documents:[CFTP], number:7.2.2, heading:Scope of Non-Functional Testing], [key:ORDGP-105, action:add, documents:[CFTP], number:7.1.2, heading:Scope of Functional Testing], [key:ORDGP-104, action:add, documents:[CFTP], number:6.2, heading:Scope of Integration Testing], [key:ORDGP-103, action:add, documents:[CFTP], number:5.2, heading:Test Procedure 2: Verification of Training Documentation], [key:ORDGP-102, action:add, documents:[CFTP], number:5, heading:Operational Qualification Activities and Training], [key:ORDGP-101, action:add, documents:[CFTP], number:10, heading:Validation Environment], [key:ORDGP-100, action:add, documents:[CFTP], number:15, heading:Document History], [key:ORDGP-99, action:add, documents:[CFTP], number:13.2, heading:Abbreviations], [key:ORDGP-98, action:add, documents:[CFTP], number:13.1, heading:Definitions], [key:ORDGP-97, action:add, documents:[CFTP], number:12, heading:Functional and Requirements Testing Documentation], [key:ORDGP-96, action:add, documents:[CFTP], number:2, heading:Scope]]]

[Pipeline] echo

DEBUG: Creating a new history entry with version 1 for CFTP

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-14]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-29]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-18]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-9, ORDGP-16,

ORDGP-27]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-12, ORDGP-25,

ORDGP-7]

[Pipeline] archiveArtifacts

Archiving artifacts

[Pipeline] echo

2022-03-01 11:15:09Z Document CFTP uploaded @ https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/CFTP-ordgp-WIP-13.zip

[Pipeline] echo

DEBUG: [docgen-ordgp-CFTP] (took 8103 ms)

[Pipeline] echo

[docgen-ordgp-IVP] Creating document of type 'IVP' for project 'ordgp' in phase 'Build' and stage 'POST START'

expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createIVP; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/

[Pipeline] echo

DEBUG: Retrieving saved document history with name 'documentHistory-D-IVP' in workspace '/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace'. [Pipeline] readFile

[Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-D-IVP.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[], epics:[], mitigations:[], requirements:[], risks:[], techSpecs:[[key:ORDGP-146, action:add]], tests:[[key:ORDGP-147, action:add]], docs:[[key:ORDGP-95, action:add, documents:[IVP, IVR], number:9, heading:Reference Documents], [key:ORDGP-94, action:add, documents: [IVP, IVR], number:8.2, heading:Abbreviations], [key:ORDGP-93, action:add, documents:[IVP, IVR], number:8.1, heading:Definitions], [key:ORDGP-92, action:add, documents:[IVP, IVR], number:2, heading:Scope], [key:ORDGP-91, action:add, documents:[IVP, IVR], number:12.2, heading:Configuration database CMDB], [key:ORDGP-90, action:add, documents:[IVP, IVR], number:12.1, heading:Operational documents on system level], [key:ORDGP-89, action:add, documents:[IVP, IVR], number:10, heading:Document History]]]

[Pipeline] echo
DEBUG: Creating a new history entry with version 1 for IVP

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-14]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-29]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-18]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-9, ORDGP-16, ORDGP-27]

Still waiting to schedule task

'pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx' is offline

Still waiting to schedule task

'pod-d37d024c-2832-4049-9847-7054e8a20989-gpc5g-6t74v' is offline

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-12, ORDGP-25, ORDGP-7]

[Pipeline] archiveArtifacts

```
Archiving artifacts
[Pipeline] echo
2022-03-01 11:15:18Z Document IVP uploaded @ https://nexus-odsalpha.inh-
odsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/IVP-ordgp-WIP-13.zip
Agent pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx is provisioned from
template pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc
apiVersion: "v1"
kind: "Pod"
metadata:
 annotations:
  buildUrl: "http://jenkins.ordgp-cd.svc:80/job/ordgp-cd/job/ordgp-cd-releasemanager-
master/13/"
  runUrl: "job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"
 labels:
  jenkins: "slave"
  jenkins/label: "pod-87af8ccf-3284-4203-b048-da5aa2e15a20"
 name: "pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx"
spec:
 containers:
 - args:
  - "pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx"
  - name: "JENKINS SECRET"
   value: "******
  - name: "JENKINS TUNNEL"
   value: "jenkins-jnlp.ordgp-cd.svc:50000"
  - name: "JENKINS AGENT NAME"
   value: "pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx"
  - name: "JENKINS NAME"
   value: "pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx"
  - name: "JENKINS_AGENT_WORKDIR"
   value: "/tmp"
  - name: "JENKINS_URL"
   value: "http://jenkins.ordgp-cd.svc:80/"
  image: "docker-registry.default.svc:5000/odsalpha/jenkins-agent-maven:4.x"
  imagePullPolicy: "Always"
  name: "jnlp"
  resources:
   limits:
    memory: "2Gi"
    cpu: "1"
   requests:
    memory: "1Gi"
    cpu: "100m"
  securityContext:
   privileged: false
  tty: false
  volumeMounts:
```

- mountPath: "/tmp"

```
name: "workspace-volume"
   readOnly: false
  workingDir: "/tmp"
 nodeSelector:
  beta.kubernetes.io/os: "linux"
 restartPolicy: "Never"
 securityContext: {}
 serviceAccount: "jenkins"
 volumes:
 - emptyDir:
   medium: ""
  name: "workspace-volume"
[Pipeline] echo
DEBUG: [docgen-ordgp-IVP] (took 10299 ms)
[Pipeline] echo
[docgen-ordgp-SSDS] Creating document of type 'SSDS' for project 'ordgp' in phase 'Build'
and stage 'POST START'
expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but
wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createSSDS; see:
https://jenkins.io/redirect/pipeline-cps-method-mismatches/
[Pipeline] withCredentials
Masking supported pattern matches of $USERNAME or $TOKEN
[Pipeline] {
Running on pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx in
/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master
[Pipeline] }
[Pipeline] {
[Pipeline] // withCredentials
[Pipeline] echo
DEBUG: Secret cd-user-bitbucket-token exists and is synced.
[Pipeline] withCredentials
Masking supported pattern matches of $USERNAME or $TOKEN
[Pipeline] echo
DEBUG: [pod-87af8ccf-3284-4203-b048-da5aa2e15a20] (took 20889 ms)
[Pipeline] {
[Pipeline] }
[Pipeline] echo
DEBUG: [buildstatus-27eb2abe-INPROGRESS] Setting Bitbucket build status to 'INPROGRESS'
on commit '27eb2abe4554932afa94f9a40a72d2165158ae6b' / 'https://jenkins-ordgp-cd.inh-
odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/
[Pipeline] withCredentials
Masking supported pattern matches of $USERNAME or $TOKEN
[Pipeline] // withCredentials
[Pipeline] {
[Pipeline] sh
+ curl --fail -sS --request POST --header 'Authorization: Bearer ****' --header 'Content-Type:
application/json' --data
'{"state":"INPROGRESS", "key": "27eb2abe", "name": "27eb2abe", "url": "https://jenkins-ordgp-
cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"}'
```

https://bitbucket-dev.biscrum.com/rest/build-

status/1.0/commits/27eb2abe4554932afa94f9a40a72d2165158ae6b

[Pipeline] }

[Pipeline] // withCredentials

[Pipeline] echo

DEBUG: [buildstatus-27eb2abe-INPROGRESS] (took 3312 ms)

[Pipeline] wrap

[Pipeline] sh

[Pipeline] {

[Pipeline] sh

+ git config --get remote.origin.url

[Pipeline] sh

+ git Ifs

[Pipeline] checkout

The recommended git tool is: NONE

+ git config --get remote.origin.url

[Pipeline] sh

+ git config --get remote.origin.url

[Pipeline] sh

+ git config --get remote.origin.url

[Pipeline] echo

DEBUG: Retrieving saved document history with name 'documentHistory-D-SSDS' in workspace '/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace'. [Pipeline] readFile

[Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-D-SSDS.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parsejiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components: [[key:Technology-test, action:add], [key:Technology-frontend, action:add], [key:Technologybackend, action:add]], epics:[], mitigations:[], requirements:[[key:ORDGP-125, action:add], [key:ORDGP-128, action:add]], risks:[], techSpecs:[[key:ORDGP-134, action:add], [key:ORDGP-135, action:add], [key:ORDGP-146, action:add]], tests:[], docs:[[key:ORDGP-79, action:add, documents:[SSDS], number:3.2, heading:System Description], [key:ORDGP-78, action:add, documents:[SSDS], number:1, heading:Introduction], [key:ORDGP-77, action:add, documents:[SSDS], number:2.1, heading:System Design Overview], [key:ORDGP-76, action:add, documents:[SSDS], number:2.2, heading:Software Design Overview], [key:ORDGP-75, action:add, documents:[SSDS], number:2.3, heading:Source Code Review Overview], [key:ORDGP-74, action:add, documents:[SSDS], number:3.1, heading:System Design Profile], [key:ORDGP-73, action:add, documents:[SSDS], number: 3.2.2, heading: Interfaces between Modules], [key: ORDGP-72, action: add, documents:[SSDS], number:3.2.3, heading:Interfaces to External Systems], [key:ORDGP-71, action:add, documents:[SSDS], number:3.2.4, heading:System Diagram], [key:ORDGP-70, action:add, documents:[SSDS], number:4, heading:Architecture of the System], [key:ORDGP-69, action:add, documents:[SSDS], number:5.3, heading:Utilisation of Existing Infrastructure Systems], [key:ORDGP-68, action:add, documents:[SSDS], number:5.4, heading: Utilisation of Existing Infrastructure Services], [key: ORDGP-67, action: add, documents:[SSDS], number:6.1, heading:Development Environment], [key:ORDGP-66,

action:add, documents:[SSDS], number:6.2, heading:QA/Test Environment], [key:ORDGP-65, action:add, documents:[SSDS], number:6.3, heading:Training Environment], [key:ORDGP-64, action:add, documents:[SSDS], number:7, heading:Environmental Conditions], [key:ORDGP-63, action:add, documents:[SSDS], number:8, heading:Software Design Principles], [key:ORDGP-62, action:add, documents:[SSDS], number:9, heading:System Data], [key:ORDGP-61, action:add, documents:[SSDS], number:12, heading:Coding Review Results], [key:ORDGP-60, action:add, documents:[SSDS], number:13.1, heading:Definitions], [key:ORDGP-59, action:add, documents:[SSDS], number:13.2, heading:Abbreviations], [key:ORDGP-58, action:add, documents:[SSDS], number:14, heading:Reference Documents]]]

[Pipeline] echo

DEBUG: Creating a new history entry with version 1 for SSDS

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-29]

using credential ordgp-cd-cd-user-with-password

Cloning the remote Git repository

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-18]

Avoid second fetch

Checking out Revision 27eb2abe4554932afa94f9a40a72d2165158ae6b (detached)

**Enabling Git LFS pull** 

Cloning repository https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git > git init /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master # timeout=10 Fetching upstream changes from https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git

- > git --version # timeout=10
- > git --version # 'git version 1.8.3.1'

using GIT\_ASKPASS to set credentials ordgp-cd-cd-user-with-password

Setting http proxy: appaccess-zscaler.boehringer.com:80

- > git fetch --tags --progress https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git +refs/heads/\*:refs/remotes/origin/\* # timeout=10
- > git config remote.origin.url https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git # timeout=10
- > git config --add remote.origin.fetch +refs/heads/\*:refs/remotes/origin/\* # timeout=10
- > git rev-parse 27eb2abe4554932afa94f9a40a72d2165158ae6b^{commit} # timeout=10
- > git config core.sparsecheckout # timeout=10
- > git checkout -f 27eb2abe4554932afa94f9a40a72d2165158ae6b # timeout=10
- > git config --get remote.origin.url # timeout=10

using GIT ASKPASS to set credentials ordgp-cd-cd-user-with-password

Setting http proxy: appaccess-zscaler.boehringer.com:80

> git lfs pull origin # timeout=10

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-9, ORDGP-16,

ORDGP-27]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-12, ORDGP-25, ORDGP-7]

Commit message: "ODS: Export OpenShift configuration

Build (assemble) #7 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version: WIP

https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/7/ [ci skip]"

Cleaning workspace

> git rev-parse --verify HEAD # timeout=10

Resetting working tree

> git reset --hard # timeout=10

> git clean -fdx # timeout=10

[Pipeline] sh

[Pipeline] archiveArtifacts

Archiving artifacts

[Pipeline] echo

2022-03-01 11:15:33Z Document SSDS uploaded @ https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/SSDS-ordgp-WIP-13.zip

+ env

+ grep OPENSHIFT BUILD

[Pipeline] echo

DEBUG: [docgen-ordgp-SSDS] (took 12871 ms)

[Pipeline] echo

Orchestration pipeline runs always execute the 'orElse' block as image building is handled in the orchestration pipeline.

[Pipeline] stage

[Pipeline] { (Build and Unit Test)

[Pipeline] withEnv

[Pipeline] {

[Pipeline] sh

[Pipeline] echo

[docgen-ordgp-TCP] Creating document of type 'TCP' for project 'ordgp' in phase 'Build' and stage 'POST START'

expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createTCP; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/

[Pipeline] echo

DEBUG: Retrieving saved document history with name 'documentHistory-D-TCP' in workspace '/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace'. [Pipeline] readFile

[Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-D-TCP.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[], epics:[], mitigations:[], requirements:[[key:ORDGP-125, action:add], [key:ORDGP-129, action:add]], risks:[], techSpecs:[], tests:[[key:ORDGP-130, action:add], [key:ORDGP-144, action:add], [key:ORDGP-145, action:add], [key:ORDGP-131, action:add], [key:ORDGP-132, action:add], [key:ORDGP-143, action:add]], docs:

[[key:ORDGP-121, action:add, documents:[TCP, TCR], number:1, heading:Document History]]] + /home/jenkins/use-j17.sh Switching to java 17: Picked up JAVA TOOL OPTIONS: -XX:+UnlockExperimentalVMOptions -Dsun.zip.disableMemoryMapping=true openjdk version "17.0.1" 2021-10-19 OpenJDK Runtime Environment 21.9 (build 17.0.1+12) OpenJDK 64-Bit Server VM 21.9 (build 17.0.1+12, mixed mode, sharing) Picked up JAVA\_TOOL\_OPTIONS: -XX:+UnlockExperimentalVMOptions -Dsun.zip.disableMemoryMapping=true [Pipeline] echo DEBUG: Creating a new history entry with version 1 for TCP javac 17.0.1 + ./gradlew clean build --stacktrace --no-daemon Picked up JAVA TOOL OPTIONS: -XX:+UnlockExperimentalVMOptions -Dsun.zip.disableMemoryMapping=true Downloading https://services.gradle.org/distributions/gradle-7.3-bin.zip [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-29] [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-18] [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22] [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-9, ORDGP-16, ORDGP-271 ......10%.......20%......30%.......40%.......50%......60%.......70%.......80%... ....90%......100% [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-12, ORDGP-25, ORDGP-71 [Pipeline] archiveArtifacts Archiving artifacts

Welcome to Gradle 7.3!

[Pipeline] echo

Here are the highlights of this release:

- Easily declare new test suites in Java projects
- Support for Java 17
- Support for Scala 3

For more details see https://docs.gradle.org/7.3/release-notes.html

2022-03-01 11:15:40Z Document TCP uploaded @ https://nexus-odsalpha.inh-

odsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/TCP-ordgp-WIP-13.zip

To honour the JVM settings for this build a single-use Daemon process will be forked. See https://docs.gradle.org/7.3/userguide/gradle\_daemon.html#sec:disabling\_the\_daemon. [Pipeline] echo

DEBUG: [docgen-ordgp-TCP] (took 6920 ms)

[Pipeline] echo

[docgen-ordgp-TIP] Creating document of type 'TIP' for project 'ordgp' in phase 'Build' and stage 'POST START'

expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createTIP; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/

[Pipeline] echo

DEBUG: Retrieving saved document history with name 'documentHistory-D-TIP' in workspace '/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace'. [Pipeline] readFile

[Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-D-TIP.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components: [[key:Technology-test, action:add], [key:Technology-frontend, action:add], [key:Technology-releasemanager, action:add], [key:Technology-backend, action:add]], epics:[], mitigations:[], requirements:[], risks:[], techSpecs:[], tests:[], docs:[[key:ORDGP-84, action:add, documents:[TIP], number:3.4, heading:Communication and Organization Tasks],

[key:ORDGP-83, action:add, documents:[TIP], number:12, heading:Document History],

[key:ORDGP-82, action:add, documents:[TIP], number:11, heading:Reference Documents],

[key:ORDGP-81, action:add, documents:[TIP], number:10.2, heading:Abbreviations],

[key:ORDGP-80, action:add, documents:[TIP], number:10.1, heading:Definitions]]]

[Pipeline] echo

DEBUG: Creating a new history entry with version 1 for TIP

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-29]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-18]

Daemon will be stopped at the end of the build

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-9, ORDGP-16, ORDGP-27]

[Pipeline] archiveArtifacts

Archiving artifacts

[Pipeline] echo

2022-03-01 11:15:45Z Document TIP uploaded @ https://nexus-odsalpha.inh-

odsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/TIP-ordgp-WIP-13.zip [Pipeline] echo

DEBUG: [docgen-ordgp-TIP] (took 6714 ms)

[Pipeline] echo

[docgen-ordgp-TRC] Creating document of type 'TRC' for project 'ordgp' in phase 'Build' and stage 'POST START'

 $expected \ to \ call \ org. ods. or chestration. use case. LeVAD ocument Use Case. invoke Method \ but wound \ up \ catching \ org. ods. or chestration. use case. LeVAD ocument Use Case. create TRC; see:$ 

https://jenkins.io/redirect/pipeline-cps-method-mismatches/ [Pipeline] echo DEBUG: createTRC - repo:null, data:null [Pipeline] echo DEBUG: Retrieving saved document history with name 'documentHistory-Q-TRC' in workspace '/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace'. [Pipeline] readFile [Pipeline] echo DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-Q-TRC.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature. [Pipeline] echo DEBUG: Parsing jira data to document history [Pipeline] echo DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[], epics:[], mitigations:[], requirements:[[key:ORDGP-126, action:add], [key:ORDGP-127, action:add], [key:ORDGP-125, action:add], [key:ORDGP-128, action:add], [key:ORDGP-129, action:add]], risks:[[key:ORDGP-141, action:add], [key:ORDGP-142, action:add], [key:ORDGP-136, action:add]], techSpecs:[], tests:[[key:ORDGP-130, action:add], [key:ORDGP-133, action:add], [key:ORDGP-144, action:add], [key:ORDGP-145, action:add], [key:ORDGP-131, action:add], [key:ORDGP-132, action:add], [key:ORDGP-143, action:add], [key:ORDGP-137, action:add], [key:ORDGP-138, action:add], [key:ORDGP-147, action:add], [key:ORDGP-139, action:add]], docs:[[key:ORDGP-122, action:add, documents:[TRC], number:3, heading:Document History]]] [Pipeline] echo DEBUG: Creating a new history entry with version 1 for TRC [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-18] [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22] [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-9, ORDGP-16, ORDGP-271 [Pipeline] archiveArtifacts Archiving artifacts [Pipeline] echo 2022-03-01 11:15:53Z Document TRC uploaded @ https://nexus-odsalpha.inhodsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/TRC-ordgp-WIP-13.zip [Pipeline] echo DEBUG: [docgen-ordgp-TRC] (took 5287 ms) [Pipeline] echo DEBUG: Current stage: 'Build' -> start agent stage: 'Init' [Pipeline] } Agent pod-d37d024c-2832-4049-9847-7054e8a20989-gpc5g-6t74v is provisioned from template pod-d37d024c-2832-4049-9847-7054e8a20989-gpc5g apiVersion: "v1"

kind: "Pod" metadata: annotations:

```
buildUrl: "http://jenkins.ordgp-cd.svc:80/job/ordgp-cd/job/ordgp-cd-releasemanager-
master/13/"
  runUrl: "job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"
 labels:
  jenkins: "slave"
  jenkins/label: "pod-d37d024c-2832-4049-9847-7054e8a20989"
 name: "pod-d37d024c-2832-4049-9847-7054e8a20989-gpc5g-6t74v'
spec:
 containers:
 - args:
  _ "******
  - "pod-d37d024c-2832-4049-9847-7054e8a20989-gpc5g-6t74v"
  - name: "JENKINS SECRET"
   value: "******
  - name: "JENKINS TUNNEL"
   value: "jenkins-jnlp.ordgp-cd.svc:50000"
  - name: "JENKINS AGENT NAME"
   value: "pod-d37d024c-2832-4049-9847-7054e8a20989-gpc5g-6t74v"
  - name: "JENKINS NAME"
   value: "pod-d37d024c-2832-4049-9847-7054e8a20989-gpc5g-6t74v"
  - name: "JENKINS_AGENT_WORKDIR"
   value: "/tmp"
  - name: "JENKINS URL"
   value: "http://jenkins.ordgp-cd.svc:80/"
  image: "docker-registry.default.svc:5000/odsalpha/jenkins-agent-nodejs12:4.x"
  imagePullPolicy: "Always"
  name: "jnlp"
  resources:
   limits:
    memory: "2Gi"
    cpu: "1"
   requests:
    memory: "1Gi"
    cpu: "100m"
  securityContext:
   privileged: false
  tty: false
  volumeMounts:
  - mountPath: "/tmp"
   name: "workspace-volume"
   readOnly: false
  workingDir: "/tmp"
 nodeSelector:
  beta.kubernetes.io/os: "linux"
 restartPolicy: "Never"
 securityContext: {}
 serviceAccount: "jenkins"
 volumes:
 - emptyDir:
```

medium: ""

name: "workspace-volume"

Running on pod-d37d024c-2832-4049-9847-7054e8a20989-gpc5g-6t74v in

/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master

[Pipeline] {

[Pipeline] echo

DEBUG: [pod-d37d024c-2832-4049-9847-7054e8a20989] (took 71931 ms)

[Pipeline] echo

DEBUG: [buildstatus-c385c58e-INPROGRESS] Setting Bitbucket build status to 'INPROGRESS' on commit 'c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293' / 'https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/'

[Pipeline] withCredentials

Masking supported pattern matches of \$USERNAME or \$TOKEN

[Pipeline] {

[Pipeline] sh

+ curl --fail -sS --request POST --header 'Authorization: Bearer \*\*\*\* --header 'Content-Type: application/json' --data

'{"state":"INPROGRESS","key":"c385c58e","name":"c385c58e","url":"https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"}' https://bitbucket-dev.biscrum.com/rest/build-

status/1.0/commits/c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293

[Pipeline] }

[Pipeline] // withCredentials

[Pipeline] echo

DEBUG: [buildstatus-c385c58e-INPROGRESS] (took 3468 ms)

[Pipeline] wrap

[Pipeline] {

[Pipeline] sh

+ git Ifs

[Pipeline] checkout

The recommended git tool is: NONE

using credential ordgp-cd-cd-user-with-password

Cloning the remote Git repository

Cloning repository https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git Avoid second fetch

Checking out Revision c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293 (detached) Enabling Git LFS pull

> git init /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master # timeout=10 Fetching upstream changes from https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git

> git --version # timeout=10

> git --version # 'git version 1.8.3.1'

using GIT ASKPASS to set credentials ordgp-cd-cd-user-with-password

Setting http proxy: appaccess-zscaler.boehringer.com:80

> git fetch --tags --progress https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git +refs/heads/\*:refs/remotes/origin/\* # timeout=10

> git config remote.origin.url https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git # timeout=10

> git config --add remote.origin.fetch +refs/heads/\*:refs/remotes/origin/\* # timeout=10

> git rev-parse c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293^{commit} # timeout=10

> git config core.sparsecheckout # timeout=10

> git checkout -f c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293 # timeout=10

> git config --get remote.origin.url # timeout=10

using GIT ASKPASS to set credentials ordgp-cd-cd-user-with-password

Setting http proxy: appaccess-zscaler.boehringer.com:80

> git Ifs pull origin # timeout=10

Commit message: "ODS: Export OpenShift configuration

Build (assemble) #7 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version: WIP

https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/7/ [ci skip]"

Cleaning workspace

[Pipeline] sh

> git rev-parse --verify HEAD # timeout=10

Resetting working tree

- > git reset --hard # timeout=10
- > git clean -fdx # timeout=10
- + env
- + grep OPENSHIFT BUILD

[Pipeline] echo

WARN: odsComponentStageImportOpenShiftImageOrElse has been replaced by odsComponentFindOpenShiftImageOrElse, please update your Jenkinsfile.

[Pipeline] echo

Orchestration pipeline runs always execute the 'orElse' block as image building is handled in the orchestration pipeline.

[Pipeline] stage

[Pipeline] { (Build)

[Pipeline] withEnv

[Pipeline] {

[Pipeline] sh

+ npm install

npm WARN deprecated tslint-sonarts@1.9.0: Package no longer supported. Consider using eslint-plugin-sonarjs.

npm WARN deprecated chokidar@2.1.8: Chokidar 2 does not receive security updates since 2019. Upgrade to chokidar 3 with 15x fewer dependencies

> Task :clean UP-TO-DATE

npm WARN deprecated core-js@3.0.1: core-js@<3.4 is no longer maintained and not recommended for usage due to the number of issues. Because of the V8 engine whims, feature detection in old core-js versions could cause a slowdown up to 100x even if nothing is polyfilled. Please, upgrade your dependencies to the actual version of core-js. npm WARN deprecated core-js@2.6.12: core-js@<3.4 is no longer maintained and not recommended for usage due to the number of issues. Because of the V8 engine whims, feature detection in old core-js versions could cause a slowdown up to 100x even if nothing is polyfilled. Please, upgrade your dependencies to the actual version of core-js. npm WARN deprecated ini@1.3.5: Please update to ini >=1.3.6 to avoid a prototype pollution issue

npm WARN deprecated read-package-tree@5.2.2: The functionality that this package provided is now in @npmcli/arborist

npm WARN deprecated uuid@3.4.0: Please upgrade to version 7 or higher. Older versions may use Math.random() in certain circumstances, which is known to be problematic. See https://v8.dev/blog/math-random for details.

npm WARN deprecated fsevents@1.2.13: fsevents 1 will break on node v14+ and could be

using insecure binaries. Upgrade to fsevents 2. npm WARN deprecated request@2.88.2: request has been deprecated, see https://github.com/request/request/issues/3142 npm WARN deprecated har-validator@5.1.5: this library is no longer supported npm WARN deprecated querystring@0.2.0: The querystring API is considered Legacy. new code should use the URLSearchParams API instead. npm WARN deprecated source-map-resolve@0.5.3: See https://github.com/lydell/sourcemap-resolve#deprecated npm WARN deprecated source-map-url@0.4.1: See https://github.com/lydell/source-mapurl#deprecated npm WARN deprecated resolve-url@0.2.1: https://github.com/lydell/resolve-url#deprecated npm WARN deprecated urix@0.1.0: Please see https://github.com/lydell/urix#deprecated > Task :compileJava > Task :processResources > Task :classes > Task :bootJarMainClassName > Task :boot|ar > Task :jar > Task :assemble > Task :compileTestJava > Task :processTestResources NO-SOURCE > Task :testClasses > Task :test Picked up JAVA TOOL OPTIONS: -XX:+UnlockExperimentalVMOptions -Dsun.zip.disableMemoryMapping=true > core-js@2.6.12 postinstall /tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/node modules/babel-runtime/node modules/core-js > node -e "try{require('./postinstall')}catch(e){}" > core-js@2.6.12 postinstall /tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/node modules/karma/node modules/core-js > node -e "try{require('./postinstall')}catch(e){}"

- > @angular/cli@8.0.6 postinstall /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/node\_modules/@angular/cli
- > node ./bin/postinstall/script.js

npm notice created a lockfile as package-lock.json. You should commit this file. npm WARN optional SKIPPING OPTIONAL DEPENDENCY: fsevents@^1.2.7 (node\_modules/chokidar/node\_modules/fsevents): npm WARN notsup SKIPPING OPTIONAL DEPENDENCY: Unsupported platform for fsevents@1.2.13: wanted {"os":"darwin","arch":"any"} (current: {"os":"linux","arch":"x64"}) npm WARN optional SKIPPING OPTIONAL DEPENDENCY: fsevents@~2.3.2 (node\_modules/watchpack/node\_modules/chokidar/node\_modules/fsevents): npm WARN notsup SKIPPING OPTIONAL DEPENDENCY: Unsupported platform for fsevents@2.3.2: wanted {"os":"darwin","arch":"any"} (current: {"os":"linux","arch":"x64"}) npm WARN karma-jasmine-html-reporter@1.7.0 requires a peer of jasmine-core@>=3.8 but

none is installed. You must install peer dependencies yourself.

added 1050 packages from 1080 contributors in 47.657s

26 packages are looking for funding run `npm fund` for details

[Pipeline] sh

+ npm run build

> frontend@0.0.0 build /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master

> ng build --prod --build-optimizer --progress=false

Browserslist: caniuse-lite is outdated. Please run next command `npm update`

2022-03-01 11:17:27.021 DEBUG 476 --- [ionShutdownHook]

o.s.w.c.s.GenericWebApplicationContext : Closing

org. spring framework. we b. context. support. Generic Web Application Context @ 53314f76,

started on Tue Mar 01 11:17:14 UTC 2022

2022-03-01 11:17:27.079 INFO 476 --- [ionShutdownHook]

j.LocalContainerEntityManagerFactoryBean : Closing JPA EntityManagerFactory for persistence unit 'default'

2022-03-01 11:17:27.080 INFO 476 --- [ionShutdownHook]

.SchemaDropperImpl\$DelayedDropActionImpl : HHH000477: Starting delayed evictData of

schema as part of SessionFactory shut-down'

2022-03-01 11:17:27.082 INFO 476 --- [ionShutdownHook]

com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Shutdown initiated...

2022-03-01 11:17:27.084 INFO 476 --- [ionShutdownHook]

com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Shutdown completed.

> Task :check > Task :build

Deprecated Gradle features were used in this build, making it incompatible with Gradle 8.0.

You can use '--warning-mode all' to show the individual deprecation warnings and determine if they come from your own scripts or plugins.

#### See

https://docs.gradle.org/7.3/userguide/command\_line\_interface.html#sec:command\_line\_war nings

BUILD SUCCESSFUL in 1m 52s

8 actionable tasks: 7 executed, 1 up-to-date

+ /home/jenkins/use-j11.sh

Switching to java 11:

Picked up JAVA TOOL OPTIONS: -XX:+UnlockExperimentalVMOptions -

Dsun.zip.disableMemoryMapping=true

openjdk version "11.0.13" 2021-10-19 LTS

OpenJDK Runtime Environment 18.9 (build 11.0.13+8-LTS)

OpenJDK 64-Bit Server VM 18.9 (build 11.0.13+8-LTS, mixed mode, sharing)

Picked up JAVA TOOL OPTIONS: -XX:+UnlockExperimentalVMOptions -

Dsun.zip.disableMemoryMapping=true javac 11.0.13 [Pipeline] } [Pipeline] // withEnv [Pipeline] } [Pipeline] // stage [Pipeline] echo [SonarQube Analysis-backend] \*\*\*\* STARTING stage 'SonarQube Analysis' for component 'backend' branch 'master' \*\*\*\* [Pipeline] stage [Pipeline] { (SonarQube Analysis) [Pipeline] echo Long-lived branches: master [Pipeline] readProperties [Pipeline] echo PR analysis is disabled. [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh + which sonar-scanner /usr/local/sonar-scanner-cli/bin/sonar-scanner [Pipeline] sh + sonar-scanner -Dsonar.host.url=https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com -Dsonar.auth.token=\*\*\*\*\* -Dsonar.scm.provider=git -Dsonar.projectKey=ordgp-backend -Dsonar.projectName=ordgp-backend -Dsonar.projectVersion=27eb2abe -X -Dsonar.branch.name=master Picked up JAVA TOOL OPTIONS: -XX:+UnlockExperimentalVMOptions -Dsun.zip.disableMemoryMapping=true 11:17:30.129 INFO: Scanner configuration file: /usr/local/sonar-scanner-cli/conf/sonarscanner.properties 11:17:30.176 INFO: Project root configuration file: /tmp/workspace/ordgp-cd/ordgp-cdreleasemanager-master/sonar-project.properties 11:17:30.207 INFO: SonarQube Scanner 3.1.0.1141 11:17:30.207 INFO: Java 11.0.13 Red Hat, Inc. (64-bit) 11:17:30.207 INFO: Linux 3.10.0-1160.45.1.el7.x86 64 amd64 11:17:30.475 DEBUG: keyStore is: 11:17:30.475 DEBUG: keyStore type is: pkcs12 11:17:30.475 DEBUG: keyStore provider is : 11:17:30.475 DEBUG: init keystore 11:17:30.475 DEBUG: init keymanager of type SunX509 11:17:30.698 DEBUG: Create: /home/jenkins/.sonar/cache 11:17:30.699 INFO: User cache: /home/jenkins/.sonar/cache 11:17:30.699 DEBUG: Create: /home/jenkins/.sonar/cache/ tmp 11:17:30.701 DEBUG: Extract sonar-scanner-api-batch in temp... 11:17:30.704 DEBUG: Get bootstrap index... 11:17:30.704 DEBUG: Download: https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/batch/index 11:17:31.091 DEBUG: Get bootstrap completed 11:17:31.094 DEBUG: Download https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com/batch/file?name=scanner-enterprise-8.2.0.32929-all.jar to

```
/home/jenkins/.sonar/cache/ tmp/fileCache16979359753423585583.tmp
11:17:31.929 DEBUG: Create isolated classloader...
11:17:31.937 DEBUG: Start temp cleaning...
11:17:31.975 DEBUG: Temp cleaning done
11:17:31.975 DEBUG: Execution getVersion
11:17:31.985 INFO: SonarQube server 8.2.0
11:17:31.985 INFO: Default locale: "en US", source code encoding: "UTF-8"
11:17:31.986 DEBUG: Work directory: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/.scannerwork
11:17:31.987 DEBUG: Execution execute
11:17:32.479 DEBUG: Enterprise 8.2.0.32929
11:17:32.619 INFO: Load global settings
11:17:32.715 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/settings/values.protobuf | time=94ms
11:17:32.784 INFO: Load global settings (done) | time=165ms
11:17:32.789 INFO: Server id: 39E0EBC1-AXck41ETZVUYa3zX7DgH
11:17:32.791 DEBUG: Create: /home/jenkins/.sonar/ tmp
11:17:32.791 INFO: User cache: /home/jenkins/.sonar/cache
11:17:32.794 INFO: Load/download plugins
11:17:32.794 INFO: Load plugins index
11:17:32.802 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/installed | time=8ms
11:17:32.830 INFO: Load plugins index (done) | time=36ms
11:17:32.834 DEBUG: Download plugin 'sonarapex' to
'/home/jenkins/.sonar/ tmp/fileCache1105350927837919098.tmp'
11:17:32.875 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=sonarapex&acceptCompressions=pack200 | time=41ms
11:17:33.078 DEBUG: Download plugin 'csharp' to
'/home/jenkins/.sonar/ tmp/fileCache7520550461693992076.tmp'
11:17:33.088 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=csharp&acceptCompressions=pack200 | time=10ms
11:17:33.229 DEBUG: Download plugin 'crowd' to
'/home/jenkins/.sonar/ tmp/fileCache4786965961050030393.tmp'
11:17:33.237 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=crowd&acceptCompressions=pack200 | time=8ms
11:17:33.320 DEBUG: Download plugin 'scmgit' to
'/home/jenkins/.sonar/ tmp/fileCache18114272069753660567.tmp'
11:17:33.328 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=scmgit&acceptCompressions=pack200 | time=7ms
11:17:33.409 DEBUG: Download plugin 'groovy' to
'/home/jenkins/.sonar/ tmp/fileCache16211683733048342046.tmp'
11:17:33.417 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=groovy&acceptCompressions=pack200 | time=7ms
11:17:33.810 DEBUG: Download plugin 'jacoco' to
'/home/jenkins/.sonar/ tmp/fileCache3802901012679693114.tmp'
```

11:17:33.817 DEBUG: GET 200 https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com/api/plugins/download? plugin=jacoco&acceptCompressions=pack200 | time=6ms 11:17:33.819 DEBUG: Download plugin 'license' to '/home/jenkins/.sonar/ tmp/fileCache11931066108120130167.tmp' 11:17:33.825 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/plugins/download? plugin=license&acceptCompressions=pack200 | time=6ms 11:17:33.827 DEBUG: Download plugin 'authoidc' to '/home/jenkins/.sonar/ tmp/fileCache13388127758094852732.tmp' 11:17:33.835 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/plugins/download? plugin=authoidc&acceptCompressions=pack200 | time=8ms 11:17:33.865 DEBUG: Download plugin 'r' to '/home/jenkins/.sonar/ tmp/fileCache13363529478045420416.tmp' 11:17:33.872 DEBUG: GET 200 https://sonargube-odsalpha.inhodsapps.eu.boehringer.com/api/plugins/download?plugin=r&acceptCompressions=pack200 | time=7ms 11:17:33.886 DEBUG: Download plugin 'go' to '/home/jenkins/.sonar/\_tmp/fileCache9730161094344752387.tmp' 11:17:33.893 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/plugins/download? plugin=go&acceptCompressions=pack200 | time=7ms 11:17:34.020 DEBUG: Download plugin 'javascript' to '/home/jenkins/.sonar/ tmp/fileCache9889997984707064685.tmp' 11:17:34.028 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/plugins/download? plugin=javascript&acceptCompressions=pack200 | time=7ms 11:17:34.220 DEBUG: Download plugin 'java' to '/home/jenkins/.sonar/ tmp/fileCache14891925712425854954.tmp' 11:17:34.227 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/plugins/download? plugin=java&acceptCompressions=pack200 | time=6ms 11:17:34.875 DEBUG: Download plugin 'php' to '/home/jenkins/.sonar/ tmp/fileCache18272211409588053256.tmp' 11:17:34.886 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/plugins/download? plugin=php&acceptCompressions=pack200 | time=11ms 11:17:35.148 DEBUG: Download plugin 'python' to '/home/jenkins/.sonar/ tmp/fileCache16336418126125239005.tmp' 11:17:35.174 DEBUG: GET 200 https://sonargube-odsalpha.inhodsapps.eu.boehringer.com/api/plugins/download? plugin=python&acceptCompressions=pack200 | time=26ms 11:17:35.336 DEBUG: Download plugin 'sonarscala' to '/home/jenkins/.sonar/ tmp/fileCache2618908721121880684.tmp' 11:17:35.359 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/plugins/download? plugin=sonarscala&acceptCompressions=pack200 | time=23ms 11:17:35.532 DEBUG: Download plugin 'typescript' to '/home/jenkins/.sonar/ tmp/fileCache6282173418774791357.tmp' 11:17:35.546 DEBUG: GET 200 https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com/api/plugins/download?

```
plugin=typescript&acceptCompressions=pack200 | time=14ms
11:17:35.547 INFO: Load/download plugins (done) | time=2753ms
11:17:35.981 DEBUG: Plugins:
11:17:35.982 DEBUG: * SonarPython 2.1.0.5269 (python)
11:17:35.982 DEBUG: * Crowd 2.1.3 (crowd)
11:17:35.982 DEBUG: * JaCoCo 1.0.2.475 (jacoco)
11:17:35.982 DEBUG: * SonarGo 1.6.0.719 (go)
11:17:35.982 DEBUG: * OpenID Connect Authentication for SonarQube 1.1.0 (authoidc)
11:17:35.982 DEBUG: * Apex Code Quality and Security 1.8.2.1946 (sonarapex)
11:17:35.982 DEBUG: * SonarJS 6.1.0.11503 (javascript)
11:17:35.982 DEBUG: * SonarScala 1.5.0.315 (sonarscala)
11:17:35.982 DEBUG: * License for SonarLint 8.2.0.32929 (license)
11:17:35.982 DEBUG: * C# Code Quality and Security 8.6.1.17183 (csharp)
11:17:35.982 DEBUG: * Sonar R Plugin 0.1.3 (r)
11:17:35.982 DEBUG: * Groovy 1.6 (groovy)
11:17:35.982 DEBUG: * SonarJava 6.2.0.21135 (java)
11:17:35.982 DEBUG: * Git 1.9.1.1834 (scmgit)
11:17:35.982 DEBUG: * SonarPHP 3.3.0.5166 (php)
11:17:35.982 DEBUG: * SonarTS 2.1.0.4359 (typescript)
11:17:36.016 INFO: Loaded core extensions: developer-scanner
11:17:36.087 DEBUG: Installed core extension: developer-scanner
11:17:36.709 INFO: Process project properties
11:17:36.775 INFO: Process project properties (done) | time=66ms
11:17:36.776 INFO: Execute project builders
11:17:36.776 DEBUG: Execute project builder:
org.sonar.plugins.csharp.CSharpGlobalProtobufFileProcessor
11:17:36.778 INFO: Execute project builders (done) | time=2ms
11:17:36.779 INFO: Project key: ordgp-backend
11:17:36.780 INFO: Base dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master
11:17:36.780 INFO: Working dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/.scannerwork
11:17:36.780 DEBUG: Project global encoding: UTF-8, default locale: en US
11:17:36.781 DEBUG: Creating module hierarchy
11:17:36.781 DEBUG: Init module 'ordgp-backend'
11:17:36.781 DEBUG: Base dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master
11:17:36.781 DEBUG: Working dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/.scannerwork
11:17:36.781 DEBUG:
                       Module global encoding: UTF-8, default locale: en US
11:17:36.784 INFO: Load project settings for component key: 'ordgp-backend'
11:17:36.801 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/settings/values.protobuf?component=ordgp-backend |
time=17ms
11:17:36.802 INFO: Load project settings for component key: 'ordgp-backend' (done)
time=18ms
11:17:36.891 INFO: Load project branches
11:17:36.911 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/project_branches/list?project=ordgp-backend | time=20ms
11:17:36.915 INFO: Load project branches (done) | time=24ms
11:17:36.916 INFO: Load project pull requests
```

11:17:36.930 DEBUG: GET 200 https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com/api/project pull requests/list?project=ordgp-backend | time=14ms 11:17:36.976 INFO: Load project pull requests (done) | time=60ms 11:17:36.977 INFO: Load branch configuration 11:17:36.977 DEBUG: Found manual configuration of branch/PR analysis. Skipping automatic configuration. 11:17:36.978 INFO: Load branch configuration (done) | time=1ms 11:17:36.987 DEBUG: Available languages: 11:17:36.987 DEBUG: \* Python => "py" 11:17:36.987 DEBUG: \* Go => "go" 11:17:36.987 DEBUG: \* Apex => "apex" 11:17:36.987 DEBUG: \* JavaScript => "js" 11:17:36.987 DEBUG: \* TypeScript => "ts" 11:17:36.987 DEBUG: \* Scala => "scala" 11:17:36.987 DEBUG: \* C# => "cs" 11:17:36.987 DEBUG: \* R => "r" 11:17:36.987 DEBUG: \* Groovy => "grvy" 11:17:36.987 DEBUG: \* Java => "java" 11:17:36.987 DEBUG: \* PHP => "php" 11:17:36.990 INFO: Load quality profiles 11:17:37.012 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/qualityprofiles/search.protobuf?project=ordgp-backend | time=21ms 11:17:37.025 INFO: Load quality profiles (done) | time=35ms 11:17:37.076 INFO: Detected lenkins 11:17:37.079 INFO: Load active rules 11:17:37.122 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/rules/search.protobuf? f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&a ctivation=true&gprofile=AX20C4zj589iycgaYc8g&ps=500&p=1 | time=43ms 11:17:37.217 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/rules/search.protobuf? f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&a ctivation=true&gprofile=AXck49P0ZVUYa3zX7E G&ps=500&p=1 | time=13ms 11:17:37.326 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/rules/search.protobuf? f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&a ctivation=true&gprofile=AXck49bAZVUYa3zX7FFq&ps=500&p=1 | time=51ms 11:17:37.403 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/rules/search.protobuf? f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&a ctivation=true&qprofile=AXck49l8ZVUYa3zX7FMD&ps=500&p=1 | time=15ms 11:17:37.416 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/rules/search.protobuf? f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&a ctivation=true&gprofile=AXck49q-ZVUYa3zX7FM7&ps=500&p=1 | time=11ms 11:17:37.437 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/rules/search.protobuf? f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&a ctivation=true&qprofile=AXck49-4ZVUYa3zX7FTl&ps=500&p=1 | time=18ms 11:17:37.496 DEBUG: GET 200 https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com/api/rules/search.protobuf?

 $f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation=true \& qprofile=AXck 49 viZVUY a 3zX7FO9 \& ps=500 \& p=1 \mid time=20 ms$ 

11:17:37.514 DEBUG: GET 200 https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com/api/rules/search.protobuf?

f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&activation=true&qprofile=AXck4-M2ZVUYa3zX7FbF&ps=500&p=1 | time=15ms

11:17:37.537 DEBUG: GET 200 https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com/api/rules/search.protobuf?

f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&activation=true&qprofile=AXck4-TQZVUYa3zX7FdE&ps=500&p=1 | time=21ms

11:17:37.589 DEBUG: GET 200 https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com/api/rules/search.protobuf?

 $f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation=true \& qprofile=AXj6Ep04fgN3gVMmkodq \& ps=500 \& p=1 \mid time=14 ms$ 

11:17:37.607 DEBUG: GET 200 https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com/api/rules/search.protobuf?

 $f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation=true \& qprofile=AXck4-ZoZVUYa3zX7FfF \& ps=500 \& p=1 \mid time=17 ms$ 

11:17:37.613 INFO: Load active rules (done) | time=534ms

11:17:37.625 INFO: Branch name: master

11:17:37.701 DEBUG: Declared extensions of language Python were converted to sonar.lang.patterns.py : \*\*/\*.py

11:17:37.701 DEBUG: Declared extensions of language Go were converted to sonar.lang.patterns.go: \*\*/\*.go

11:17:37.701 DEBUG: Declared extensions of language Apex were converted to sonar.lang.patterns.apex : \*\*/\*.cls,\*\*/\*.trigger

11:17:37.701 DEBUG: Declared extensions of language JavaScript were converted to sonar.lang.patterns.js: \*\*/\*.js,\*\*/\*.yue

11:17:37.702 DEBUG: Declared extensions of language TypeScript were converted to sonar.lang.patterns.ts: \*\*/\*.ts,\*\*/\*.tsx

11:17:37.702 DEBUG: Declared extensions of language Scala were converted to sonar.lang.patterns.scala : \*\*/\*.scala

11:17:37.702 DEBUG: Declared extensions of language C# were converted to sonar.lang.patterns.cs : \*\*/\*.cs

11:17:37.702 DEBUG: Declared extensions of language R were converted to sonar.lang.patterns.r: \*\*/\*.r

11:17:37.702 DEBUG: Declared extensions of language Groovy were converted to sonar.lang.patterns.grvy: \*\*/\*.groovy

11:17:37.702 DEBUG: Declared extensions of language Java were converted to sonar.lang.patterns.java : \*\*/\*.java,\*\*/\*.jav

11:17:37.703 DEBUG: Declared extensions of language PHP were converted to sonar.lang.patterns.php: \*\*/\*.php,\*\*/\*.php3,\*\*/\*.php4,\*\*/\*.php5,\*\*/\*.phtml,\*\*/\*.inc

11:17:37.705 DEBUG: Will ignore generated code

11:17:37.706 INFO: Indexing files...

11:17:37.706 INFO: Project configuration:

11:17:37.799 DEBUG: readpipe [git, --version],/usr/bin

11:17:37.808 DEBUG: readpipe may return 'git version 1.8.3.1'

11:17:37.809 DEBUG: remaining output:

11:17:37.809 DEBUG: readpipe [git, config, --system, --edit],/usr/bin

11:17:37.811 DEBUG: readpipe may return '/etc/gitconfig'

11:17:37.811 DEBUG: remaining output:

11:17:37.891 DEBUG: 22 non excluded files in this Git repository

11:17:37.901 DEBUG:

'src/main/java/com/boehringer/ordgp/backend/BackendApplication.java' indexed with language 'java'

11:17:37.902 DEBUG: 'src/main/resources/application-dev.properties' indexed with language 'null'

11:17:37.903 DEBUG: 'src/main/resources/application.properties' indexed with language 'null'

11:17:37.905 DEBUG:

'src/test/java/com/boehringer/ordgp/backend/BackendApplicationTests.java' indexed with language 'java'

11:17:37.906 INFO: 4 files indexed

11:17:37.906 INFO: 0 files ignored because of scm ignore settings

11:17:37.906 INFO: Quality profile for java: Sonar way

11:17:37.906 INFO: ----- Run sensors on module ordgp-backend

11:17:38.098 INFO: Load metrics repository

11:17:38.106 DEBUG: GET 200 https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com/api/metrics/search?

f=name,description,direction,qualitative,custom&ps=500&p=1 | time=8ms

11:17:38.114 INFO: Load metrics repository (done) | time=16ms

WARNING: An illegal reflective access operation has occurred

WARNING: Illegal reflective access by net.sf.cglib.core.ReflectUtils\$1

 $(file:/home/jenkins/.sonar/cache/a2b6a8802525720c8af2ca4fa85a2513/sonar-javascript-plugin.jar)\ to\ method$ 

java.lang.ClassLoader.defineClass(java.lang.String,byte[],int,int,java.security.ProtectionDomain)

WARNING: Please consider reporting this to the maintainers of

net.sf.cglib.core.ReflectUtils\$1

WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access operations

WARNING: All illegal access operations will be denied in a future release

11:17:40.285 DEBUG: 'Import external issues report' skipped because one of the required properties is missing

11:17:40.285 DEBUG: 'Python Sensor' skipped because there is no related file in current project

11:17:40.285 DEBUG: 'Cobertura Sensor for Python coverage' skipped because there is no related file in current project

11:17:40.285 DEBUG: 'PythonXUnitSensor' skipped because there is no related file in current project

11:17:40.285 DEBUG: 'PylintSensor' skipped because there is no related file in current project

11:17:40.286 DEBUG: 'PylintImportSensor' skipped because there is no related file in current project

11:17:40.286 DEBUG: 'Import of Bandit issues' skipped because there is no related file in current project

11:17:40.286 DEBUG: 'SonarGo' skipped because there is no related file in current project 11:17:40.286 DEBUG: 'Go Unit Test Report' skipped because there is no related file in current project

- 11:17:40.287 DEBUG: 'Go Cover sensor for Go coverage' skipped because one of the required properties is missing
- 11:17:40.287 DEBUG: 'Import of go vet issues' skipped because there is no related file in current project
- 11:17:40.287 DEBUG: 'Import of Golint issues' skipped because there is no related file in current project
- 11:17:40.287 DEBUG: 'Import of GoMetaLinter issues' skipped because there is no related file in current project
- 11:17:40.288 DEBUG: 'Import of GolangCI-Lint issues' skipped because there is no related file in current project
- 11:17:40.288 DEBUG: 'Apex Sensor' skipped because there is no related file in current project
- 11:17:40.288 DEBUG: 'Test coverage Sensor for Apex' skipped because there is no related file in current project
- 11:17:40.288 DEBUG: 'Import of PMD issues' skipped because there is no related file in current project
- 11:17:40.288 DEBUG: 'JavaScript analysis' skipped because there is no related file in current project
- 11:17:40.289 DEBUG: 'SonarJS Coverage' skipped because there is no related file in current project
- 11:17:40.289 DEBUG: 'Import of ESLint issues' skipped because one of the required properties is missing
- 11:17:40.289 DEBUG: 'TypeScript analysis' skipped because there is no related file in current project
- 11:17:40.289 DEBUG: 'Import of TSLint issues' skipped because one of the required properties is missing
- 11:17:40.289 DEBUG: 'Scala Sensor' skipped because there is no related file in current project
- 11:17:40.290 DEBUG: 'Scoverage sensor for Scala coverage' skipped because one of the required properties is missing
- 11:17:40.290 DEBUG: 'Import of Scalastyle issues' skipped because there is no related file in current project
- 11:17:40.290 DEBUG: 'Import of Scapegoat issues' skipped because there is no related file in current project
- 11:17:40.290 DEBUG: 'C# Properties' skipped because there is no related file in current project
- 11:17:40.291 DEBUG: 'LintR Sensor for R files' skipped because there is no related file in current project
- 11:17:40.291 DEBUG: 'CodeNarc' skipped because there is no related file in current project
- 11:17:40.291 DEBUG: 'GroovySensor' skipped because there is no related file in current project
- 11:17:40.291 DEBUG: 'GroovySurefireSensor' skipped because there is no related file in current project
- 11:17:40.291 DEBUG: 'Groovy CoberturaSensor' skipped because there is no related file in current project
- 11:17:40.291 DEBUG: 'Groovy JaCoCo Coverage' skipped because there is no related file in current project
- 11:17:40.292 DEBUG: 'Import of Checkstyle issues' skipped because one of the required properties is missing
- 11:17:40.292 DEBUG: 'Import of PMD issues' skipped because one of the required properties is missing

- 11:17:40.292 DEBUG: 'Import of SpotBugs issues' skipped because one of the required properties is missing
- 11:17:40.293 DEBUG: 'Removed properties sensor' skipped because one of the required properties is missing
- 11:17:40.293 DEBUG: 'PHP sensor' skipped because there is no related file in current project
- 11:17:40.294 DEBUG: 'Analyzer for "php.ini" files' skipped because there is no related file in current project
- 11:17:40.294 DEBUG: 'SonarTS' skipped because there is no related file in current project
- 11:17:40.295 DEBUG: 'Generic Test Executions Report' skipped because one of the required properties is missing
- 11:17:40.296 DEBUG: 'C#' skipped because there is no related file in current project
- 11:17:40.296 DEBUG: 'C# Tests Coverage Report Import' skipped because there is no related file in current project
- 11:17:40.296 DEBUG: '[Deprecated] C# Integration Tests Coverage Report Import' skipped because there is no related file in current project
- 11:17:40.296 DEBUG: 'C# Unit Test Results Import' skipped because there is no related file in current project
- 11:17:40.296 DEBUG: Sensors : JavaSquidSensor -> JaCoCo XML Report Importer -> SurefireSensor -> JavaXmlSensor
- 11:17:40.297 INFO: Sensor JavaSquidSensor [java]
- 11:17:40.507 INFO: Configured Java source version (sonar.java.source): none
- 11:17:40.576 INFO: JavaClasspath initialization
- 11:17:40.585 INFO: JavaClasspath initialization (done) | time=9ms
- 11:17:40.586 INFO: JavaTestClasspath initialization
- 11:17:40.586 INFO: JavaTestClasspath initialization (done) | time=0ms
- 11:17:40.594 DEBUG: ----- Classpath analyzed by Squid:
- 11:17:40.594 DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/build/classes
- 11:17:40.594 DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/docker/app.jar
- 11:17:40.594 DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/docker
- 11:17:40.594 DEBUG: -----
- 11:17:40.613 DEBUG: ----- Classpath analyzed by Squid:
- 11:17:40.613 DEBUG: -----
- 11:17:40.613 INFO: Java Main Files AST scan
- 11:17:40.615 INFO: 2 source files to be analyzed
- 11:17:40.678 INFO: Load project repositories
- 11:17:40.689 DEBUG: GET 200 https://sonargube-odsalpha.inh-
- $ods apps. eu. boehringer. com/batch/project.protobuf? key=ordgp-backend \& branch=master \mid time=10 ms$
- 11:17:40.695 INFO: Load project repositories (done) | time=17ms
- 11:17:40.695 DEBUG:
- 'src/main/java/com/boehringer/ordgp/backend/BackendApplication.java' generated metadata with charset 'UTF-8'
- 11:17:42.479 DEBUG:
- 'src/test/java/com/boehringer/ordgp/backend/BackendApplicationTests.java' generated metadata with charset 'UTF-8'
- 11:17:42.803 INFO: 2/2 source files have been analyzed
- 11:17:42.874 INFO: Java Main Files AST scan (done) | time=2261ms
- 11:17:42.874 INFO: Java Test Files AST scan
- 11:17:42.875 INFO: 0 source files to be analyzed

11:17:42.875 INFO: Java Test Files AST scan (done) | time=1ms 11:17:42.875 INFO: Sensor [avaSquidSensor [java] (done) | time=2578ms 11:17:42.875 INFO: 0/0 source files have been analyzed 11:17:42.875 INFO: Sensor JaCoCo XML Report Importer [jacoco] 11:17:42.877 WARN: Report doesn't exist: '/tmp/workspace/ordgp-cd/ordgp-cdreleasemanager-master/build/reports/jacoco/test/jacocoTestReport.xml' 11:17:42.878 INFO: Sensor JaCoCo XML Report Importer [jacoco] (done) | time=2ms 11:17:42.878 INFO: Sensor SurefireSensor [java] 11:17:42.879 INFO: parsing [/tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/build/test-results/test] 11:17:42.896 INFO: Sensor SurefireSensor [java] (done) | time=18ms 11:17:42.896 INFO: Sensor JavaXmlSensor [java] 11:17:42.897 INFO: Sensor JavaXmlSensor [java] (done) | time=1ms 11:17:43.026 INFO: ----- Run sensors on project 11:17:43.029 DEBUG: 'Generic Coverage Report' skipped because one of the required properties is missing 11:17:43.029 DEBUG: Sensors : Zero Coverage Sensor -> Java CPD Block Indexer 11:17:43.029 INFO: Sensor Zero Coverage Sensor 11:17:43.036 INFO: Sensor Zero Coverage Sensor (done) | time=7ms 11:17:43.036 INFO: Sensor Java CPD Block Indexer 11:17:43.076 DEBUG: Populating index from src/main/java/com/boehringer/ordgp/backend/BackendApplication.java 11:17:43.080 DEBUG: Not enough content in 'src/main/java/com/boehringer/ordgp/backend/BackendApplication.java' to have CPD blocks, it will not be part of the duplication detection 11:17:43.080 DEBUG: Populating index from src/test/java/com/boehringer/ordgp/backend/BackendApplicationTests.java 11:17:43.084 INFO: Sensor Java CPD Block Indexer (done) | time=48ms 11:17:43.091 INFO: CPD Executor 1 file had no CPD blocks 11:17:43.091 INFO: CPD Executor Calculating CPD for 1 file 11:17:43.091 DEBUG: Detection of duplications for /tmp/workspace/ordgp-cd/ordgp-cdreleasemanagermaster/src/test/java/com/boehringer/ordgp/backend/BackendApplicationTests.java 11:17:43.096 INFO: CPD Executor CPD calculation finished (done) | time=5ms 11:17:43.199 INFO: Analysis report generated in 102ms, dir size=73 KB 11:17:43.209 INFO: Analysis report compressed in 10ms, zip size=13 KB 11:17:43.209 INFO: Analysis report generated in /tmp/workspace/ordgp-cd/ordgp-cdreleasemanager-master/.scannerwork/scanner-report 11:17:43.209 DEBUG: Upload report 11:17:43.230 DEBUG: POST 200 https://sonargube-odsalpha.inhodsapps.eu.boehringer.com/api/ce/submit?projectKey=ordgp-backend&projectName=ordgpbackend&characteristic=branch%3Dmaster&characteristic=branchType%3DBRANCH | time=21ms 11:17:43.274 INFO: Analysis report uploaded in 65ms 11:17:43.276 DEBUG: Report metadata written to /tmp/workspace/ordgp-cd/ordgp-cdreleasemanager-master/.scannerwork/report-task.txt 11:17:43.276 INFO: ANALYSIS SUCCESSFUL, you can browse https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/dashboard?id=ordgp-backend&branch=master 11:17:43.276 INFO: Note that you will be able to access the updated dashboard once the

11:17:43.276 INFO: More about the report processing at https://sonarqube-odsalpha.inh-

server has processed the submitted analysis report

odsapps.eu.boehringer.com/api/ce/task?id=AX9FM0i3ZA8H6zlkqaky 11:17:43.278 DEBUG: Post-jobs: 11:17:43.279 INFO: Analysis total time: 7.263 s 11:17:43.281 INFO: ------11:17:43.281 INFO: EXECUTION SUCCESS 11:17:43.281 INFO: ------11:17:43.281 INFO: Total time: 13.157s 11:17:43.343 INFO: Final Memory: 18M/67M 11:17:43.343 INFO: ------[Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] echo DEBUG: [ordgp-backend-sq-scan] (took 14087 ms) [Pipeline] readProperties [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh + curl -s -u \*\*\*\*\*\*: 'https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/ce/task? id=AX9FM0i3ZA8H6zlkqaky' [Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] readJSON [Pipeline] echo SonarQube background task has not finished yet. [Pipeline] sleep Sleeping for 5 sec [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh + curl -s -u \*\*\*\*\*\*: 'https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/ce/task? id=AX9FM0i3ZA8H6zlkqaky' [Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] readJSON [Pipeline] echo SonarQube background task has finished successfully. [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh + java -jar /usr/local/cnes/cnesreport.jar -s https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com -t \*\*\*\*\*\* -p ordgp-backend -a jenkins-ordgp-cd-ordgp-cdreleasemanager-master-13 -b master Picked up JAVA\_TOOL\_OPTIONS: -XX:+UnlockExperimentalVMOptions -Dsun.zip.disableMemoryMapping=true SonarQube URL: https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com SonarQube online: true Detected SonarQube version: 8.2.0

WARNING: An illegal reflective access operation has occurred

WARNING: Illegal reflective access by org.apache.poi.openxml4j.util.ZipSecureFile\$1

(file:/usr/local/cnes/cnesreport.jar) to field java.io.FilterInputStream.in

WARNING: Please consider reporting this to the maintainers of

org.apache.poi.openxml4j.util.ZipSecureFile\$1

WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access

operations

WARNING: All illegal access operations will be denied in a future release

Report generation: SUCCESS

[Pipeline] }

[Pipeline] // withSonarQubeEnv

[Pipeline] sh

+ mkdir -p artifacts

[Pipeline] sh

- + mv 2022-03-01-ordgp-backend-analysis-report.docx artifacts/
- + mv 2022-03-01-ordgp-backend-analysis-report.md artifacts/

[Pipeline] sh

- + mv artifacts/2022-03-01-ordgp-backend-analysis-report.docx artifacts/SCRR-ordgp-backend.docx
- + mv artifacts/2022-03-01-ordgp-backend-analysis-report.md artifacts/SCRR-ordgp-

backend.md

[Pipeline] stash

Stashed 2 file(s)

[Pipeline] withSonarQubeEnv

Injecting SonarQube environment variables using the configuration: SonarServerConfig

[Pipeline] {

[Pipeline] sh

+ curl -s -u \*\*\*\*\*\*: 'https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com/api/qualitygates/project\_status?projectKey=ordgp-backend'

[Pipeline] }

[Pipeline] // withSonarQubeEnv

[Pipeline] readJSON

[Pipeline] echo

SonarQube Quality Gate value: OK

[Pipeline] readFile

[Pipeline] echo

Report stored in: https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/leva-

documentation/ordgp/backend/2022-03-01-13/sonarQube/report.pdf

[Pipeline] withSonarQubeEnv

Injecting SonarQube environment variables using the configuration: SonarServerConfig

[Pipeline] {

[Pipeline] }

[Pipeline] // withSonarQubeEnv

[Pipeline] withCredentials

Masking supported pattern matches of \$USERNAME or \$TOKEN

[Pipeline] {

[Pipeline] sh

+ curl --fail -sS --request PUT --header 'Authorization: Bearer \*\*\*\*' --header 'Content-Type: application/json' --data

'{"title":"SonarQube","reporter":"OpenDevStack","createdDate":1646133481275,"details":"Please visit the following links to review the SonarQube

report:","result":"PASS","link":"https://nexus-odsalpha.inh-

```
odsapps.eu.boehringer.com/repository/leva-documentation/ordgp/backend/2022-03-01-
13/sonarQube/report.pdf","data": [{"title":"Report","value":{"linktext":"Result in
SonarQube", "href": "https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/dashboard?
id=ordgp-backend"},"type":"LINK"},{"title":"Report","value":{"linktext":"Result in
Nexus", "href": "https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/leva-
documentation/ordgp/backend/2022-03-01-13/sonarQube/report.pdf"},"type":"LINK"}]}'
https://bitbucket-dev.biscrum.com/rest/insights/1.0/projects/ordgp/repos/ordgp-
backend/commits/27eb2abe4554932afa94f9a40a72d2165158ae6b/reports/org.opendevstacl
.sonarqube
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] }
[Pipeline] // stage
[Pipeline] echo
[SonarQube Analysis-backend] **** ENDED stage 'SonarQube Analysis' for component
'backend' branch 'master' **** (took 32663 ms)
[Pipeline] echo
[Build OpenShift Image-backend] **** STARTING stage 'Build OpenShift Image' for
component 'backend' branch 'master' ****
[Pipeline] stage
[Pipeline] { (Build OpenShift Image)
[Pipeline] sh
+ oc -n ordgp-cd get BuildConfig/backend
[Pipeline] sh
+ oc -n ordgp-cd get ImageStream/backend
[Pipeline] writeFile
[Pipeline] sh
+ oc -n ordgp-cd get bc/backend -o 'jsonpath={.spec.output.imageLabels}'
[Pipeline] sh
+ oc -n ordgp-cd patch bc backend --type=json --patch '[{"op": "replace", "path":
"/spec/source", "value": {"type":"Binary"}},{"op": "replace", "path": "/spec/output/to/name",
"value": "backend:27eb2abe"},{"op": "replace", "path": "/spec/output/imageLabels",
"value": [
        {"name": "ods.build.source.repo.url", "value": "https://bitbucket-
dev.biscrum.com/scm/ordgp/ordgp-backend.git"},{"name":
"ods.build.source.repo.commit.sha", "value":
"27eb2abe4554932afa94f9a40a72d2165158ae6b"},{"name":
"ods.build.source.repo.commit.msg", "value": "ODS-Export-OpenShift-configuration-Build-
assemble-7-Change-1.0-Project-ordgp-Target-Environment-ordgp-dev-Version-WIP-https-
jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com-job-ordgp-cd-job-ordgp-cd-
releasemanager-master-7-ci-skip"},{"name": "ods.build.source.repo.commit.author",
"value": "ODS Jenkins Shared Library System User (undefined)"},{"name":
"ods.build.source.repo.commit.timestamp", "value": "2022-01-28 13:14:00 +0000"},
{"name": "ods.build.source.repo.branch", "value": "master"},{"name":
"ods.build.jenkins.job.url", "value": "https://jenkins-ordgp-cd.inh-
odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"},
{"name": "ods.build.timestamp", "value": "Tue Mar 01 11:14:46 UTC 2022"}, {"name":
"ods.build.lib.version", "value": "4.x"},{"name": "ext.ods.build.rm.ordgp.repo.url", "value":
"https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git"},{"name":
"ext.ods.build.rm.ordgp.repo.commit.author", "value": "ODS Jenkins Shared Library System
```

User (undefined)"},{"name": "ext.ods.build.rm.ordgp.repo.commit.sha", "value":

```
"be2537272ddc579f97f2e2eba6cdc0788f81341b"},{"name":
"ext.ods.build.rm.ordgp.repo.commit.timestamp", "value": "2022-01-28 13:14:04 +0000"},
{"name": "ext.ods.build.rm.ordgp.repo.commit.msg", "value": "ODS: Record commits
deployed into D"},{"name": "ext.JENKINS MASTER OPENSHIFT BUILD COMMIT", "value":
"a541165cff3874ce420e3109e951a9b50c24fc3f"},{"name":
"ext.JENKINS MASTER OPENSHIFT BUILD NAME", "value": "jenkins-master-43"},{"name":
"ext.JENKINS MASTER OPENSHIFT BUILD SOURCE", "value": "https://bitbucket-
dev.biscrum.com/scm/odsalpha/ods-core.git"},{"name":
"ext.JENKINS MASTER OPENSHIFT BUILD NAMESPACE", "value": "odsalpha"}, { "name":
"ext.JENKINS MASTER OPENSHIFT BUILD REFERENCE", "value": "4.x"},{"name":
"ext.JENKINS AGENT OPENSHIFT BUILD COMMIT", "value":
"d19bbfe64d1394dee67bcd03ac268c196ec9962b"},{"name":
"ext.JENKINS AGENT OPENSHIFT BUILD NAME", "value": "jenkins-agent-maven-17"},
{"name": "ext.JENKINS AGENT OPENSHIFT BUILD SOURCE", "value": "https://bitbucket-
dev.biscrum.com/scm/odsalpha/ods-quickstarters.git"},{"name":
"ext.JENKINS AGENT OPENSHIFT BUILD NAMESPACE", "value": "odsalpha"}, { "name":
"ext.JENKINS AGENT OPENSHIFT BUILD REFERENCE", "value": "4.x-test"}
       ]}]' --loglevel=5
10301 11:18:03.506778
                         842 merged client builder.go:122] Using in-cluster configuration
10301 11:18:03.508774
                         842 merged client builder.go:122] Using in-cluster configuration
10301 11:18:03.512511
                         842 merged client builder.go:122] Using in-cluster configuration
10301 11:18:03.521780
                         842 merged_client_builder.go:122] Using in-cluster configuration
buildconfig.build.openshift.io/backend patched
[Pipeline] timeout
Timeout set to expire in 15 min
[Pipeline] {
[Pipeline] sh
+ oc -n ordgp-cd start-build backend --from-dir docker --loglevel=5
10301 11:18:03.847457
                         863 merged client builder.go:122] Using in-cluster configuration
10301 11:18:03.847999
                         863 merged client builder.go:122] Using in-cluster configuration
                         863 merged client builder.go:122] Using in-cluster configuration
10301 11:18:03.848871
10301 11:18:03.849343
                         863 merged client builder.go:122] Using in-cluster configuration
                         863 repository.go:424] Executing git show -s HEAD --
10301 11:18:03.849792
format=%H%n%an%n%ae%n%cn%n%ce%n%B
Uploading directory "docker" as binary input for the build ...
                         863 tar.go:217] Adding "/tmp/workspace/ordgp-cd/ordgp-cd-
10301 11:18:03.876464
releasemanager-master/docker" to tar ...
                         863 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-
10301 11:18:03.876749
cd-releasemanager-master/docker/Dockerfile as Dockerfile
10301 11:18:03.877272
                         863 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-
cd-releasemanager-master/docker/app.jar as app.jar
Date: 2022-03-01T11:18:04.315Z
Hash: 98e2bd99f4e29e81c713
Time: 47646ms
chunk {0} runtime-es5.741402d1d47331ce975c.js (runtime) 1.41 kB [entry] [rendered]
chunk {1} main-es5.9ecc6c53b4763251a8db.js (main) 153 kB [initial] [rendered]
chunk {2} polyfills-es5.4e06eb653a3c8a2d581f.js (polyfills) 111 kB [initial] [rendered]
..10301 11:18:15.853792
                          863 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-
```

cd-releasemanager-master/docker/release.json as release.json

Uploading finished [Pipeline] sh

+ oc -n ordgp-cd get bc/backend -o 'jsonpath={.status.lastVersion}'

[Pipeline] sh

+ oc -n ordgp-cd logs -f --version=8 bc/backend

[Pipeline] echo

Receiving source from STDIN as archive ...

Step 1/8: FROM registry.access.redhat.com/ubi8/openjdk-17

---> 6469690c361a

Step 2/8 : ENV "HTTP\_PROXY" "http://appaccess-zscaler.boehringer.com:80" "HTTPS\_PROXY" "http://appaccess-zscaler.boehringer.com:80" "NO\_PROXY"

".svc,.default,.local,localhost,.boehringer.com,.biscrum.com,10.250.0.0/16,10.251.0.0/16,10.283.203.189,10.183.203.186,10.183.203.185,10.183.203.187,10.183.203.188,10.183.203.19, .183.203.191,10.183.203.190,10.183.203.192,10.250.0.1" "http\_proxy" "http://appaccess-zscaler.boehringer.com:80" "https\_proxy" "http://appaccess-zscaler.boehringer.com:80" "no proxy"

".svc,.default,.local,localhost,.boehringer.com,.biscrum.com,10.250.0.0/16,10.251.0.0/16,10.283.203.189,10.183.203.186,10.183.203.185,10.183.203.187,10.183.203.188,10.183.203.19, .183.203.191,10.183.203.190,10.183.203.192,10.250.0.1"

---> Using cache

---> 8022617a119f

Step 3/8: ENV LOG4J\_FORMAT\_MSG\_NO\_LOOKUPS true

---> Using cache

---> 5b1591db8567

Step 4/8: COPY app.jar app.jar

---> 0c67d794f6e8

Removing intermediate container 42459c295e1a

Step 5/8: EXPOSE 8080

---> Running in 9661f24e5745

---> e699b2738ce9

Removing intermediate container 9661f24e5745

Step 6/8: CMD java -Xmx512m -jar app.jar

---> Running in 781df20f3189

---> 4aea7a607766

Removing intermediate container 781df20f3189

Step 7/8 : ENV "OPENSHIFT\_BUILD\_NAME" "backend-8" "OPENSHIFT\_BUILD\_NAMESPACE" "ordgp-cd"

---> Running in 9e7192a319c2

---> 3f65b6db74a6

Removing intermediate container 9e7192a319c2

Step 8/8 : LABEL "io.openshift.build.name" "backend-8" "io.openshift.build.namespace" "ordgp-cd" "ods.build.source.repo.url" "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git" "ods.build.source.repo.commit.sha"

"27eb2abe4554932afa94f9a40a72d2165158ae6b" "ods.build.source.repo.commit.msg" "ODS-Export-OpenShift-configuration-Build-assemble-7-Change-1.0-Project-ordgp-Target-Environment-ordgp-dev-Version-WIP-https-jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com-job-ordgp-cd-releasemanager-master-7-ci-skip"

"ods.build.source.repo.commit.author" "ODS Jenkins Shared Library System User (undefined)" "ods.build.source.repo.commit.timestamp" "2022-01-28 13:14:00 +0000" "ods.build.source.repo.branch" "master" "ods.build.jenkins.job.url" "https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"

```
"ods.build.timestamp" "Tue Mar 01 11:14:46 UTC 2022" "ods.build.lib.version" "4.x"
"ext.ods.build.rm.ordgp.repo.url" "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-
releasemanager.git" "ext.ods.build.rm.ordgp.repo.commit.author" "ODS Jenkins Shared
Library System User (undefined)" "ext.ods.build.rm.ordgp.repo.commit.sha"
"be2537272ddc579f97f2e2eba6cdc0788f81341b"
"ext.ods.build.rm.ordgp.repo.commit.timestamp" "2022-01-28 13:14:04 +0000"
"ext.ods.build.rm.ordgp.repo.commit.msg" "ODS: Record commits deployed into D"
"ext.JENKINS MASTER OPENSHIFT BUILD COMMIT"
"a541165cff3874ce420e3109e951a9b50c24fc3f"
"ext.JENKINS_MASTER_OPENSHIFT_BUILD_NAME" "jenkins-master-43"
"ext.JENKINS MASTER OPENSHIFT BUILD SOURCE" "https://bitbucket-
dev.biscrum.com/scm/odsalpha/ods-core.git"
"ext.JENKINS MASTER OPENSHIFT BUILD NAMESPACE" "odsalpha"
"ext.JENKINS_MASTER_OPENSHIFT_BUILD REFERENCE" "4.x"
"ext.JENKINS AGENT OPENSHIFT BUILD COMMIT"
"d19bbfe64d1394dee67bcd03ac268c196ec9962b"
"ext.JENKINS AGENT OPENSHIFT BUILD NAME" "jenkins-agent-maven-17"
"ext.|ENKINS AGENT OPENSHIFT BUILD SOURCE" "https://bitbucket-
dev.biscrum.com/scm/odsalpha/ods-quickstarters.git"
"ext.JENKINS AGENT OPENSHIFT BUILD NAMESPACE" "odsalpha"
"ext.JENKINS AGENT OPENSHIFT BUILD REFERENCE" "4.x-test"
---> Running in e04552631940
---> 6b8128352bb6
Removing intermediate container e04552631940
Successfully built 6b8128352bb6
Pushing image docker-registry.default.svc:5000/ordgp-cd/backend:27eb2abe ...
Pushed 3/4 layers, 83% complete
Pushed 4/4 layers, 100% complete
Push successful
[Pipeline] echo
DEBUG: [backend-build] (took 25128 ms)
[Pipeline] }
[Pipeline] // timeout
[Pipeline] sh
+ oc -n ordgp-cd get build backend-8 -o 'jsonpath={.status.phase}'
[Pipeline] echo
DEBUG: Build: 'backend-8' - status: 'complete'
[Pipeline] sh
+ oc -n ordgp-cd get istag backend:27eb2abe -o 'jsonpath=
{.image.dockerImageReference}'
[Pipeline] echo
Build #8 of 'backend' has produced image: docker-registry.default.svc:5000/ordgp-
cd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d849.
f9.
[Pipeline] }
[Pipeline] // stage
[Pipeline] echo
[Build OpenShift Image-backend] **** ENDED stage 'Build OpenShift Image' for component
'backend' branch 'master' **** (took 27455 ms)
[Pipeline] sh
```

+ oc -n odsalpha get ConfigMap/aqua -o json

[Pipeline] echo

Not parameter 'projects.ordgp.enabled' at cluster level. Default enabled

[Pipeline] echo

WARN: Skipping Aqua scan because is not enabled at cluster level in 'aqua' ConfigMap in odsalpha project

[Pipeline] echo

[Deploy to OpenShift-backend] \*\*\*\* STARTING stage 'Deploy to OpenShift' for component 'backend' branch 'master' \*\*\*\*

[Pipeline] stage

[Pipeline] { (Deploy to OpenShift)

[Pipeline] sh

+ oc -n ordgp-dev get Deployment, Deployment Config -l app=ordgp-backend -o 'template=  ${\{\text{nd}}\}: {\{\text{netadata.name}\}} {\{\text{end}}\}$ '

[Pipeline] sh

+ oc -n ordgp-dev get DeploymentConfig/backend -o 'jsonpath={.status.latestVersion}' expected to call org.codehaus.groovy.runtime.MethodClosure.call but wound up catching org.ods.services.OpenShiftService.pause; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/

[Pipeline] echo

DEBUG: Pausing DeploymentConfig/backend

[Pipeline] sh

+ oc rollout pause DeploymentConfig/backend -n ordgp-dev

[Pipeline] sh

+ oc -n ordgp-dev get ImageStream/backend

[Pipeline] sh

+ oc -n ordgp-dev tag ordgp-cd/backend:27eb2abe backend:27eb2abe

Tag backend:27eb2abe set to ordgp-

cd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d8492f9.

[Pipeline] fileExists

[Pipeline] fileExists

[Pipeline] fileExists

[Pipeline] readYaml

[Pipeline] fileExists

[Pipeline] echo

DEBUG: Setting labels app.kubernetes.io/name='OpenJDK' app.kubernetes.io/version='4.x' app.kubernetes.io/instance='backend' app.kubernetes.io/part-of-

app.kubernetes.io/managed-by='tailor' app.openshift.io/runtime- app.openshift.io/runtime-version- helm.sh/chart- app.opendevstack.org/type='ods' app.opendevstack.org/system-name='BI-IT-DEVSTACK' app.opendevstack.org/project='ordgp'

 $app.opendevstack.org/project-version = '1.0'\ app.opendevstack.org/work-in-progress = 'true'\ to\ resources\ all\ selected\ by\ app=ordgp-backend$ 

[Pipeline] sh

+ oc label --overwrite all -l app=ordgp-backend -n ordgp-dev

app.kubernetes.io/name=OpenJDK app.kubernetes.io/version=4.x

app.kubernetes.io/instance=backend app.kubernetes.io/part-of-

app.kubernetes.io/managed-by=tailor app.openshift.io/runtime- app.openshift.io/runtime- version- helm.sh/chart- app.opendevstack.org/type=ods app.opendevstack.org/system-name=BI-IT-DEVSTACK app.opendevstack.org/project=ordgp app.opendevstack.org/project-version=1.0 app.opendevstack.org/work-in-progress=true

[Pipeline] echo

DEBUG: Patching DeploymentConfig/backend in the ordgp-dev project with {"spec": {"template":{"metadata":{"labels":

{"app.kubernetes.io/name":"OpenJDK","app.kubernetes.io/version":"4.x","app.kubernetes.io/nstance":"backend","app.kubernetes.io/part-of":null,"app.kubernetes.io/managed-

by":"tailor","app.openshift.io/runtime":null,"app.openshift.io/runtime-

version":null,"helm.sh/chart":null,"app.opendevstack.org/type":"ods","app.opendevstack.org/system-name":"BI-IT-

DEVSTACK", "app.opendevstack.org/project": "ordgp", "app.opendevstack.org/project-version": "1.0", "app.opendevstack.org/work-in-progress": "true" } } , "paused": true } { [Pipeline] sh

+ oc patch DeploymentConfig/backend --type=merge -p '{"spec":{"template":{"metadata": {"labels":

{"app.kubernetes.io/name":"OpenJDK","app.kubernetes.io/version":"4.x","app.kubernetes.io/nstance":"backend","app.kubernetes.io/part-of":null,"app.kubernetes.io/managed-

by":"tailor","app.openshift.io/runtime":null,"app.openshift.io/runtime-

version":null,"helm.sh/chart":null,"app.opendevstack.org/type":"ods","app.opendevstack.org/system-name":"BI-IT-

DEVSTACK", "app.opendevstack.org/project": "ordgp", "app.opendevstack.org/project-version": "1.0", "app.opendevstack.org/work-in-progress": "true" \} \}, "paused": true \} \}' -n ordgp-dev

[Pipeline] sh

+ oc -n ordgp-dev get DeploymentConfig backend -o 'jsonpath= {.spec.template.spec.containers[\*].image}'

[Pipeline] sh

+ oc -n ordgp-dev get ImageStream/backend

[Pipeline] sh

+ oc -n ordgp-dev tag backend:27eb2abe backend:latest

Tag backend:latest set to

backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d8492ff9

[Pipeline] echo

DEBUG: Resuming DeploymentConfig/backend

[Pipeline] sh

+ oc rollout resume DeploymentConfig/backend -n ordgp-dev

[Pipeline] sh

+ oc -n ordgp-dev get DeploymentConfig/backend -o 'jsonpath={.status.latestVersion}' [Pipeline] echo

Rollout of deployment for 'backend' has been triggered automatically.

[Pipeline] timeout

Timeout set to expire in 5 min 0 sec

[Pipeline] {

[Pipeline] sh

+ oc -n ordgp-dev rollout status DeploymentConfig/backend --watch=true Waiting for rollout to finish: 0 out of 1 new replicas have been updated...

Date: 2022-03-01T11:18:39.952Z Hash: facbca689b9bb617c4fd

Time: 35571ms

chunk {0} runtime-es2015.858f8dd898b75fe86926.js (runtime) 1.41 kB [entry] [rendered] chunk {1} main-es2015.9f73a6a248b6402cb22d.js (main) 133 kB [initial] [rendered]

```
chunk {2} polyfills-es2015.5728f680576ca47e99fe.js (polyfills) 36.4 kB [initial] [rendered]
chunk {3} styles.09e2c710755c8867a460.css (styles) 0 bytes [initial] [rendered]
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] sh
+ cp -r dist/frontend docker/dist
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Unit Test)
[Pipeline] sh
+ npm run test
> frontend@0.0.0 test /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master
> ng test --watch=false --progress=false --code-coverage --reporters=junit
Waiting for rollout to finish: 0 out of 1 new replicas have been updated...
Waiting for rollout to finish: 1 old replicas are pending termination...
Browserslist: caniuse-lite is outdated. Please run next command `npm update`
Waiting for rollout to finish: 1 old replicas are pending termination...
Waiting for latest deployment config spec to be observed by the controller loop...
replication controller "backend-10" successfully rolled out
[Pipeline] echo
DEBUG: [backend-watch-rollout] (took 12680 ms)
[Pipeline] }
[Pipeline] // timeout
[Pipeline] sh
+ oc -n ordgp-dev get DeploymentConfig/backend -o 'jsonpath={.status.latestVersion}'
[Pipeline] sh
+ oc -n ordgp-dev get rc/backend-10 -o 'jsonpath=
{.metadata.annotations.openshift\.io/deployment\.phase}'
[Pipeline] echo
Rollout #10 of DeploymentConfig 'backend' successful.
[Pipeline] sh
+ oc -n ordgp-dev get pod -l deployment=backend-10 -o json
[Pipeline] }
[Pipeline] // stage
[Pipeline] echo
[Deploy to OpenShift-backend] **** ENDED stage 'Deploy to OpenShift' for component
'backend' branch 'master' **** (took 18510 ms)
[Pipeline] }
[Pipeline] // wrap
[Pipeline] stage
[Pipeline] { (odsPipeline finished)
[Pipeline] echo
DEBUG: [buildstatus-27eb2abe-SUCCESSFUL] Setting Bitbucket build status to 'SUCCESSFUL'
on commit '27eb2abe4554932afa94f9a40a72d2165158ae6b' / 'https://jenkins-ordgp-cd.inh-
odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/
[Pipeline] withCredentials
Masking supported pattern matches of $USERNAME or $TOKEN
[Pipeline] {
```

```
[Pipeline] sh
+ curl --fail -sS --request POST --header 'Authorization: Bearer ****' --header 'Content-Type:
application/json' --data
'{"state":"SUCCESSFUL","key":"27eb2abe","name":"27eb2abe","url":"https://jenkins-ordgp-
cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"}'
https://bitbucket-dev.biscrum.com/rest/build-
status/1.0/commits/27eb2abe4554932afa94f9a40a72d2165158ae6b
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] echo
DEBUG: [buildstatus-27eb2abe-SUCCESSFUL] (took 763 ms)
[Pipeline] echo
[backend] ***** Finished ODS Pipeline ***** (took 245112 ms)
[Pipeline] }
[Pipeline] // stage
[Pipeline] echo
DEBUG: Collecting (applicable) testresults from location: 'build/test-results/test'
[Pipeline] sh
+ mkdir -p build/test-results/test build/test-results/test
+ cp -rf build/test-results/test/TEST-
com.boehringer.ordgp.backend.BackendApplicationTests.xml build/test-results/test/binary
build/test-results/test
+ true
cp: 'build/test-results/test/TEST-
com.boehringer.ordgp.backend.BackendApplicationTests.xml' and 'build/test-
results/test/TEST-com.boehringer.ordgp.backend.BackendApplicationTests.xml' are the
same file
cp: 'build/test-results/test/binary' and 'build/test-results/test/binary' are the same file
[Pipeline] sh
+ Is -la build/test-results/test/TEST-
com.boehringer.ordgp.backend.BackendApplicationTests.xml
+ wc -l
[Pipeline] echo
DEBUG: Found 1 test files in 'build/test-results/test'
[Pipeline] junit
Recording test results
[Pipeline] stash
Stashed 1 file(s)
[Pipeline] echo
DEBUG: [backend] ODS Component Pipeline 'backend-13'
ODS Build Artifacts 'backend':
  "builds": {
     "backend": {
       "buildId": "backend-8",
       "image": "docker-registry.default.svc:5000/ordgp-
cd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d849
f9"
  "deployments": {
```

```
"backend": {
       "podName": "backend-10-95wsv",
       "podNamespace": "ordgp-dev",
       "podMetaDataCreationTimestamp": "2022-03-01T11:18:41Z",
       "deploymentId": "backend-10",
       "podNode": "inhas71256.eu.boehringer.com",
       "podlp": "10.251.16.83",
       "podStatus": "Running",
       "podStartupTimeStamp": "2022-03-01T11:18:41Z",
       "containers": {
         "backend": "docker-registry.default.svc:5000/ordgp-
cd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d849.
f9"
    }
  },
  "sonarqubeScanStashPath": "scrr-report-backend-13",
  "SCRR": "SCRR-ordgp-backend.docx",
  "SCRR-MD": "SCRR-ordgp-backend.md",
  "testResultsFolder": "build/test-results/test",
  "testResults": "1",
  "xunitTestResultsStashPath": "test-reports-junit-xml-backend-13"
} (took 246387 ms)
[Pipeline] }
[Pipeline] // node
[Pipeline] }
[Pipeline] // podTemplate
[Pipeline] }
[Pipeline] // load
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] echo
DEBUG: Collected ODS build artifacts for repo 'backend': [builds:[backend:[buildId:backend-
8, image:docker-registry.default.svc:5000/ordgp-
f9]], deployments:[backend:[podName:backend-10-95wsv, podNamespace:ordgp-dev,
podMetaDataCreationTimestamp:2022-03-01T11:18:41Z, deploymentId:backend-10,
podNode:inhas71256.eu.boehringer.com, podlp:10.251.16.83, podStatus:Running,
podStartupTimeStamp:2022-03-01T11:18:41Z, containers:[backend:docker-
registry.default.svc:5000/ordgp-
cd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d849
f9]]], sonarqubeScanStashPath:scrr-report-backend-13, SCRR:SCRR-ordgp-backend.docx,
SCRR-MD:SCRR-ordgp-backend.md, testResultsFolder:build/test-results/test, testResults:1,
xunitTestResultsStashPath:test-reports-junit-xml-backend-13, CREATED BY BUILD:WIP/13]
[Pipeline] }
[Pipeline] // dir
[Pipeline] echo
DEBUG: Collecting JUnit XML Reports ('unit') for backend
[Pipeline] dir
Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-
master/workspace/xunit/backend/unit
```

[Pipeline] {

[Pipeline] unstash

[32m01 03 2022 11:18:50.774:INFO [karma-server]: [39mKarma v4.1.0 server started at http://0.0.0.0:9876/

[32m01 03 2022 11:18:50.776:INFO [launcher]: [39mLaunching browsers

ChromeNoSandboxHeadless with concurrency unlimited

[32m01 03 2022 11:18:50.790:INFO [launcher]: [39mStarting browser Chrome [Pipeline] }

[Pipeline] // dir

[Pipeline] echo

DEBUG: Reporting unit test results to corresponding test cases in Jira for component 'Technology-backend'. Test type: '[Unit]'.

Test results: [testsuites:[[hostname:pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx, failures:0, tests:3, name:com.boehringer.ordgp.backend.BackendApplicationTests, time:0.728, errors:0, timestamp:2022-03-01T11:17:26, skipped:0, properties:[], testcases: [[classname:com.boehringer.ordgp.backend.BackendApplicationTests,

name:ORDGP138\_workingunittest(), time:0.718, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:17:26],

[classname:com.boehringer.ordgp.backend.BackendApplicationTests,

name:ORDGP139\_workingunittest(), time:0.005, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:17:26],

[class name: com.boehringer.ordgp.backend.BackendApplicationTests,

 $name: ORDGP137\_working unit test(),\ time: 0.003,\ skipped: false,\ system Out:,\ system Err:,$ 

timestamp:2022-03-01T11:17:26]], systemOut:11:17:11.704 [Test worker] DEBUG

org.springframework.test.context.BootstrapUtils - Instantiating

CacheAwareContextLoaderDelegate from class

[org.springframework.test.context.cache.DefaultCacheAwareContextLoaderDelegate] 11:17:11.779 [Test worker] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating BootstrapContext using constructor [public

org.spring framework.test.context.support.DefaultBootstrapContext(java.lang.Class,org.spring framework.test.context.CacheAwareContextLoaderDelegate)]

11:17:11.901 [Test worker] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating TestContextBootstrapper for test class

[com.boehringer.ordgp.backend.BackendApplicationTests] from class

[org.springframework.boot.test.context.SpringBootTestContextBootstrapper]

11:17:11.980 [Test worker] INFO

org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Neither @ContextConfiguration nor @ContextHierarchy found for test class

[com.boehringer.ordgp.backend.BackendApplicationTests], using SpringBootContextLoader 11:17:11.989 [Test worker] DEBUG

org.springframework.test.context.support.AbstractContextLoader - Did not detect default resource location for test class [com.boehringer.ordgp.backend.BackendApplicationTests]: class path resource [com/boehringer/ordgp/backend/BackendApplicationTests-context.xml] does not exist

11:17:11.990 [Test worker] DEBUG

org.springframework.test.context.support.AbstractContextLoader - Did not detect default resource location for test class [com.boehringer.ordgp.backend.BackendApplicationTests]: class path resource

[com/boehringer/ordgp/backend/BackendApplicationTestsContext.groovy] does not exist 11:17:11.990 [Test worker] INFO

org.springframework.test.context.support.AbstractContextLoader - Could not detect default

resource locations for test class [com.boehringer.ordgp.backend.BackendApplicationTests]: no resource found for suffixes {-context.xml, Context.groovy}.

11:17:11.991 [Test worker] INFO

org.springframework.test.context.support.AnnotationConfigContextLoaderUtils - Could not detect default configuration classes for test class

[com.boehringer.ordgp.backend.BackendApplicationTests]: BackendApplicationTests does not declare any static, non-private, non-final, nested classes annotated with @Configuration. 11:17:12.113 [Test worker] DEBUG

org.springframework.test.context.support.ActiveProfilesUtils - Could not find an 'annotation declaring class' for annotation type [org.springframework.test.context.ActiveProfiles] and class [com.boehringer.ordgp.backend.BackendApplicationTests]

11:17:12.390 [Test worker] DEBUG

org.springframework.context.annotation.ClassPathScanningCandidateComponentProvider - Identified candidate component class: file [/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-

master/build/classes/java/main/com/boehringer/ordgp/backend/BackendApplication.class] 11:17:12.392 [Test worker] INFO

org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Found @SpringBootConfiguration com.boehringer.ordgp.backend.BackendApplication for test class com.boehringer.ordgp.backend.BackendApplicationTests

11:17:12.714 [Test worker] DEBUG

org.spring framework.boot.test.context.Spring Boot Test Context Bootstrapper-

@TestExecutionListeners is not present for class

[com.boehringer.ordgp.backend.BackendApplicationTests]: using defaults.

11:17:12.715 [Test worker] INFO

org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Loaded default TestExecutionListener class names from location [META-INF/spring.factories]:

[org.springframework.security.test.context.support.WithSecurityContextTestExecutionListen er, org.springframework.security.test.context.support.ReactorContextTestExecutionListener, org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener, org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestEx ecutionListener,

org. spring framework. boot. test. autoconfigure. web. servlet. Mock Mvc Print Only On Failure Test Execution Listener,

org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener, org.springframework.boot.test.autoconfigure.webservices.client.MockWebServiceServerTest ExecutionListener,

org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener,

org.spring framework.boot.test.mock.mockito.Reset Mocks Test Execution Listener,

org.springframework.test.context.web.ServletTestExecutionListener,

org.spring framework. test. context. support. Dirties Context Before Modes Test Execution Listener,

 $org.spring framework.test.context.event. Application {\tt EventsTestExecutionListener},$ 

org.spring framework. test. context. support. Dependency Injection Test Execution Listener,

org.spring framework. test. context. support. Dirties Context Test Execution Listener,

 $org. spring framework. test. context. transaction. Transaction al Test {\tt Execution Listener},$ 

org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener,

org.springframework.test.context.event.EventPublishingTestExecutionListener]

11:17:12.804 [Test worker] INFO

org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Using TestExecutionListeners:

[org.springframework.test.context.web.ServletTestExecutionListener@6749fe50,

org.springframework.test.context.support.DirtiesContextBeforeModesTestExecutionListener @52bf7bf6,

org. spring framework. test. context. event. Application Events Test Execution Listener @261db982, org. spring framework. boot. test. mock. mockito. Mockito Test Execution Listener @ae73c80, org. spring framework. boot. test. autoconfigure. Spring Boot Dependency Injection Test Execution Listener @22f4f8f2,

org.springframework.test.context.support.DirtiesContextTestExecutionListener@bbd4791, org.springframework.test.context.transaction.TransactionalTestExecutionListener@40a72ecd, org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener@73971965, org.springframework.security.test.context.support.WithSecurityContextTestExecutionListener@76a14c8d,

 $org. spring framework. test. context. event. Event Publishing Test Execution Listener @17410c07, \\ org. spring framework. security. test. context. support. Reactor Context Test Execution Listener @6ee99964, \\$ 

org.spring framework.boot.test. autoconfigure.rest docs. Rest Docs Test Execution Listener @ 257e f 9ed,

org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestEx ecutionListener@59c70ceb,

org. spring framework. boot. test. autoconfigure. web. servlet. Mock Mvc Print Only On Failure Test Execution Listener @ 46f 902e0,

org.spring framework.boot.test. autoconfigure.web.servlet. WebDriver Test Execution Listener @ 64f981e2,

 $org. spring framework. boot. test. autoconfigure. webservices. client. Mock Web Service Server Test \\ Execution Listener @ 361 abd 01,$ 

org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener@575b5f7d] 11:17:12.809 [Test worker] DEBUG

org.springframework.test.context.support.AbstractDirtiesContextTestExecutionListener - Before test class: context [DefaultTestContext@30839e44 testClass =

BackendApplicationTests, testInstance = [null], testMethod = [null], testException = [null], mergedContextConfiguration = [WebMergedContextConfiguration@5f174dd2 testClass = BackendApplicationTests, locations = '{}', classes = '{class

 $com.boehringer.ordgp.backend.BackendApplication\}', contextInitializerClasses = '[]', activeProfiles = '\{\}', propertySourceLocations = '\{\}', propertySourceProperties = '\{org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true\}', contextCustomizers = '[]', activeProfiles = '[]', propertySourceProperties = '[$ 

set[org.springframework.boot.test.autoconfigure.actuate.metrics.MetricsExportContextCustomizerFactory \$ Disable Metric ExportContext Customizer@76c548f,

 $org. spring framework. boot. test. autoconfigure. properties. Property Mapping Context Customizer \\ @0,$ 

org. spring framework. boot. test. autoconfigure. web. servlet. WebDriver Context Customizer Factory \$ Customizer @ 7ae 9a 33a,

org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@73ad7e90, org.springframework.boot.test.json.DuplicateJsonObjectContextCustomizerFactory\$DuplicateJsonObjectContextCustomizer@29528a22,

org.springframework.boot.test.mock.mockito.MockitoContextCustomizer@0,

org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@474fae39, org.springframework.boot.test.context.SpringBootTestArgs@1,

org.springframework.boot.test.context.SpringBootTestWebEnvironment@6b9ce1bf], resourceBasePath = 'src/main/webapp', contextLoader =

'org.springframework.boot.test.context.SpringBootContextLoader', parent = [null]], attributes =

map['org.springframework.test.context.web.ServletTestExecutionListener.activateListener' - true]], class annotated with @DirtiesContext [false] with mode [null].

11:17:12.985 [Test worker] DEBUG

org.springframework.boot.ApplicationServletEnvironment - Activating profiles [] 11:17:12.986 [Test worker] DEBUG

org.springframework.test.context.support.TestPropertySourceUtils - Adding inlined properties to environment: {spring.jmx.enabled=false,

org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true}

```
( ( )\__ | '_ | '_ | | '_ V _
\\/ ___)| |_)| | | | | | (_| | ) ) ) )
 ' |___| .__| |<sub>_</sub>| |<sub>_</sub>| |<sub>_</sub>, |////
======|_|=======|
:: Spring Boot ::
                         (v2.6.1)
2022-03-01 11:17:13.980 INFO 476 --- [ Test worker]
c.b.o.backend.BackendApplicationTests : Starting BackendApplicationTests using Java
17.0.1 on pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx with PID 476 (started by
default in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master)
2022-03-01 11:17:13.981 INFO 476 --- [ Test worker]
c.b.o.backend.BackendApplicationTests : The following profiles are active: dev
2022-03-01 11:17:13.981 DEBUG 476 --- [ Test worker] o.s.boot.SpringApplication
: Loading source class com.boehringer.ordgp.backend.BackendApplication
2022-03-01 11:17:14.088 DEBUG 476 --- [ Test worker]
o.s.w.c.s.GenericWebApplicationContext : Refreshing
org.springframework.web.context.support.GenericWebApplicationContext@53314f76
2022-03-01 11:17:15.979 INFO 476 --- [ Test worker]
.s.d.r.c.RepositoryConfigurationDelegate: Bootstrapping Spring Data JPA repositories in
DEFAULT mode.
2022-03-01 11:17:15.996 DEBUG 476 --- [ Test worker] o.s.b.a.AutoConfigurationPackages
: @EnableAutoConfiguration was declared on a class in the package
'com.boehringer.ordgp.backend'. Automatic @Repository and @Entity scanning is enabled.
2022-03-01 11:17:15.998 INFO 476 --- [ Test worker]
.s.d.r.c.RepositoryConfigurationDelegate: Finished Spring Data repository scanning in 6 ms.
Found 0 IPA repository interfaces.
2022-03-01 11:17:18.008 INFO 476 --- [ Test worker] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Starting...
2022-03-01 11:17:18.799 INFO 476 --- [ Test worker] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Start completed.
2022-03-01 11:17:19.019 INFO 476 --- [ Test worker]
o.hibernate.jpa.internal.util.LogHelper: HHH000204: Processing PersistenceUnitInfo [name:
2022-03-01 11:17:19.203 INFO 476 --- [ Test worker] org.hibernate.Version
HHH000412: Hibernate ORM core version 5.6.1. Final
2022-03-01 11:17:19.784 INFO 476 --- [ Test worker]
o.hibernate.annotations.common.Version : HCANN000001: Hibernate Commons
Annotations {5.1.2.Final}
2022-03-01 11:17:20.118 INFO 476 --- [ Test worker] org.hibernate.dialect.Dialect
HHH000400: Using dialect: org.hibernate.dialect.HSQLDialect
```

2022-03-01 11:17:20.877 INFO 476 --- [ Test worker] o.h.e.t.j.p.i.JtaPlatformInitiator HHH000490: Using JtaPlatform implementation: [org.hibernate.engine.transaction.jta.platform.internal.NoJtaPlatform] 2022-03-01 11:17:20.889 INFO 476 --- [ Test worker] j.LocalContainerEntityManagerFactoryBean: Initialized JPA EntityManagerFactory for persistence unit 'default' 2022-03-01 11:17:21.519 WARN 476 --- [ Test worker] JpaBaseConfiguration\$JpaWebConfiguration: spring.jpa.open-in-view is enabled by default. Therefore, database queries may be performed during view rendering. Explicitly configure spring.jpa.open-in-view to disable this warning 2022-03-01 11:17:23.594 DEBUG 476 --- [ Test worker] s.w.s.m.m.a.RequestMappingHandlerAdapter: ControllerAdvice beans: 0 @ModelAttribute, 0 @InitBinder, 1 RequestBodyAdvice, 1 ResponseBodyAdvice 2022-03-01 11:17:23.807 DEBUG 476 --- [ Test worker] s.w.s.m.m.a.RequestMappingHandlerMapping: 2 mappings in 'requestMappingHandlerMapping' 2022-03-01 11:17:23.981 DEBUG 476 --- [ Test worker] o.s.w.s.handler.SimpleUrlHandlerMapping: Patterns [/webjars/\*\*, /\*\*] in 'resourceHandlerMapping' 2022-03-01 11:17:23.997 DEBUG 476 --- [ Test worker] .m.m.a.ExceptionHandlerExceptionResolver: ControllerAdvice beans: 1 @ExceptionHandler, 1 ResponseBodyAdvice 2022-03-01 11:17:24.876 INFO 476 --- [ Test worker] .s.s.UserDetailsServiceAutoConfiguration: Using generated security password: efb4543f-81be-434d-9d4b-2d4759f69822 2022-03-01 11:17:25.395 INFO 476 --- [ Test worker] o.s.s.web.DefaultSecurityFilterChain : Will secure any request with [org.springframework.security.web.context.request.async.WebAsyncManagerIntegrationFilte r@2a0dda9e. org.springframework.security.web.context.SecurityContextPersistenceFilter@d98fc62, org.springframework.security.web.header.HeaderWriterFilter@5d33742, org.springframework.security.web.csrf.CsrfFilter@6f601ce0,

org. spring framework. security. we b. authentication. logout. Logout Filter @71122014,

org. spring framework. security. we b. authentication. Username Password Authentication Filter @ 4 cfd 3 d 7 e,

org.springframework.security.web.authentication.ui.DefaultLoginPageGeneratingFilter@16c1 fc82,

org.springframework.security.web.authentication.ui.DefaultLogoutPageGeneratingFilter@a04 6448,

org.springframework.security.web.authentication.www.BasicAuthenticationFilter@2d301b0e, org.springframework.security.web.savedrequest.RequestCacheAwareFilter@28ec960b, org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@62d d1498,

org.springframework.security.web.authentication.AnonymousAuthenticationFilter@2741f66d , org.springframework.security.web.session.SessionManagementFilter@266737c4, org.springframework.security.web.access.ExceptionTranslationFilter@572c013f, org.springframework.security.web.access.intercept.FilterSecurityInterceptor@148a3112] 2022-03-01 11:17:25.813 DEBUG 476 --- [ Test worker] ConditionEvaluationReportLoggingListener:

========	======	======	====
CONDITIONS EVA	LUATION REI	PORT	
=======	======	=====	====

Positive matches:

-----

AopAutoConfiguration matched:

- @ConditionalOnProperty (spring.aop.auto=true) matched (OnPropertyCondition)

AopAutoConfiguration.AspectJAutoProxyingConfiguration matched:

- @ConditionalOnClass found required class 'org.aspectj.weaver.Advice' (OnClassCondition)

AopAutoConfiguration.AspectJAutoProxyingConfiguration.CglibAutoProxyConfiguration matched:

- @ConditionalOnProperty (spring.aop.proxy-target-class=true) matched (OnPropertyCondition)

DataSourceAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.sql.DataSource', 'org.springframework.jdbc.datasource.embedded.EmbeddedDatabaseType' (OnClassCondition)
- @ConditionalOnMissingBean (types: io.r2dbc.spi.ConnectionFactory; SearchStrategy: all) did not find any beans (OnBeanCondition)

DataSourceAutoConfiguration.PooledDataSourceConfiguration matched:

- AnyNestedCondition 1 matched 1 did not; NestedCondition on DataSourceAutoConfiguration.PooledDataSourceCondition.PooledDataSourceAvailable PooledDataSource found supported DataSource; NestedCondition on DataSourceAutoConfiguration.PooledDataSourceCondition.ExplicitType @ConditionalOnProperty (spring.datasource.type) did not find property 'type' (DataSourceAutoConfiguration.PooledDataSourceCondition)
- @ConditionalOnMissingBean (types: javax.sql.DataSource,javax.sql.XADataSource; SearchStrategy: all) did not find any beans (OnBeanCondition)

DataSourceConfiguration.Hikari matched:

- @ConditionalOnClass found required class 'com.zaxxer.hikari.HikariDataSource' (OnClassCondition)
- $@ Conditional On Property \ (spring. data source. type = com. zaxxer. hikari. Hikari Data Source) \\ matched \ (On Property Condition)$
- @ConditionalOnMissingBean (types: javax.sql.DataSource; SearchStrategy: all) did not find any beans (OnBeanCondition)

DataSourceInitializationConfiguration matched:

- @ConditionalOnClass found required class
- 'org.springframework.jdbc.datasource.init.DatabasePopulator' (OnClassCondition)
  - @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all)

found a primary bean from beans 'dataSource'; @ConditionalOnMissingBean (types: org.springframework.boot.autoconfigure.sql.init.SqlDataSourceScriptDatabaseInitializer,org.s pringframework.boot.autoconfigure.sql.init.SqlR2dbcScriptDatabaseInitializer; SearchStrategy: all) did not find any beans (OnBeanCondition)

DataSourcePoolMetadataProvidersConfiguration.HikariPoolDataSourceMetadataProviderConfiguration matched:

- @ConditionalOnClass found required class 'com.zaxxer.hikari.HikariDataSource' (OnClassCondition)

DataSourceTransactionManagerAutoConfiguration matched:

@ConditionalOnClass found required classes

'org.springframework.jdbc.core.JdbcTemplate',

'org.springframework.transaction.TransactionManager' (OnClassCondition)

DataSourceTransactionManagerAutoConfiguration.JdbcTransactionManagerConfiguration matched:

- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource' (OnBeanCondition)

DispatcherServletAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.web.servlet.DispatcherServlet' (OnClassCondition)

found 'session' scope (OnWebApplicationCondition)

 $Dispatcher Servlet Auto Configuration. Dispatcher Servlet Configuration\ matched:$ 

- @ConditionalOnClass found required class 'javax.servlet.ServletRegistration' (OnClassCondition)
- Default DispatcherServlet did not find dispatcher servlet beans (DispatcherServletAutoConfiguration.DefaultDispatcherServletCondition)

DispatcherServletAutoConfiguration.DispatcherServletRegistrationConfiguration matched:

- $\hbox{-} @ Conditional On Class found required class 'javax.servlet. Servlet Registration' (On Class Condition)\\$
- DispatcherServlet Registration did not find servlet registration bean (DispatcherServletAutoConfiguration.DispatcherServletRegistrationCondition)

DispatcherServletAutoConfiguration.DispatcherServletRegistrationConfiguration#dispatcherServletRegistration matched:

- @ConditionalOnBean (names: dispatcherServlet types: org.springframework.web.servlet.DispatcherServlet; SearchStrategy: all) found bean 'dispatcherServlet' (OnBeanCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration matched:

- @ConditionalOnWebApplication (required) found 'session' scope (OnWebApplicationCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.TomcatWebServerFactoryCustomi

zerConfiguration matched:

- @ConditionalOnClass found required classes 'org.apache.catalina.startup.Tomcat' 'org.apache.coyote.UpgradeProtocol' (OnClassCondition)

ErrorMvcAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet', 'org.springframework.web.servlet.DispatcherServlet' (OnClassCondition)
  - found 'session' scope (OnWebApplicationCondition)

ErrorMvcAutoConfiguration#basicErrorController matched:

- @ConditionalOnMissingBean (types:

org.springframework.boot.web.servlet.error.ErrorController; SearchStrategy: current) did not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration#errorAttributes matched:

- @ConditionalOnMissingBean (types:

org.springframework.boot.web.servlet.error.ErrorAttributes; SearchStrategy: current) did not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration.DefaultErrorViewResolverConfiguration#conventionErrorViewResolver matched:

- @ConditionalOnBean (types: org.springframework.web.servlet.DispatcherServlet; SearchStrategy: all) found bean 'dispatcherServlet'; @ConditionalOnMissingBean (types: org.springframework.boot.autoconfigure.web.servlet.error.ErrorViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration.WhitelabelErrorViewConfiguration matched:

- @ConditionalOnProperty (server.error.whitelabel.enabled) matched (OnPropertyCondition)
- ErrorTemplate Missing did not find error template view (ErrorMvcAutoConfiguration.ErrorTemplateMissingCondition)

ErrorMvcAutoConfiguration.WhitelabelErrorViewConfiguration#beanNameViewResolver matched:

@ConditionalOnMissingBean (types:

org.springframework.web.servlet.view.BeanNameViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration.WhitelabelErrorViewConfiguration#defaultErrorView matched:

- @ConditionalOnMissingBean (names: error; SearchStrategy: all) did not find any beans (OnBeanCondition)

ErrorPageSecurityFilterConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.security.web.access.WebInvocationPrivilegeEvaluator' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)

ErrorPageSecurityFilterConfiguration#errorPageSecurityInterceptor matched:

@ConditionalOnBean (types:

org.springframework.security.web.access.WebInvocationPrivilegeEvaluator; SearchStrategy: all) found bean 'privilegeEvaluator' (OnBeanCondition)

GenericCacheConfiguration matched:

- Cache org.springframework.boot.autoconfigure.cache.GenericCacheConfiguration automatic cache type (CacheCondition)

HibernateJpaAutoConfiguration matched:

- @ConditionalOnClass found required classes

'org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean', 'javax.persistence.EntityManager', 'org.hibernate.engine.spi.SessionImplementor' (OnClassCondition)

HibernateJpaConfiguration matched:

- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource' (OnBeanCondition)

HttpEncodingAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.web.filter.CharacterEncodingFilter' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnProperty (server.servlet.encoding.enabled) matched (OnPropertyCondition)

HttpEncodingAutoConfiguration#characterEncodingFilter matched:

- @ConditionalOnMissingBean (types:

org.springframework.web.filter.CharacterEncodingFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

HttpMessageConvertersAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.http.converter.HttpMessageConverter' (OnClassCondition)

- NoneNestedConditions 0 matched 1 did not; NestedCondition on

HttpMessageConvertersAutoConfiguration.NotReactiveWebApplicationCondition.ReactiveWebApplication did not find reactive web application classes

(HttpMessageConvertersAutoConfiguration.NotReactiveWebApplicationCondition)

HttpMessageConvertersAutoConfiguration#messageConverters matched:

- @ConditionalOnMissingBean (types:

org.springframework.boot.autoconfigure.http.HttpMessageConverters; SearchStrategy: all) did not find any beans (OnBeanCondition)

HttpMessageConvertersAutoConfiguration.StringHttpMessageConverterConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.http.converter.StringHttpMessageConverter' (OnClassCondition)

HttpMessageConvertersAutoConfiguration.StringHttpMessageConverterConfiguration#stringHttpMessageConverter matched:

- @ConditionalOnMissingBean (types:

org.springframework.http.converter.StringHttpMessageConverter; SearchStrategy: all) did not find any beans (OnBeanCondition)

HypermediaAutoConfiguration matched:

- @ConditionalOnClass found required classes

'org.springframework.hateoas.EntityModel',

'org.springframework.web.bind.annotation.RequestMapping',

'org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter', 'org.springframework.plugin.core.Plugin' (OnClassCondition)

- @ConditionalOnWebApplication (required) found 'session' scope (OnWebApplicationCondition)

 $Hypermedia Auto Configuration \#application Js on Hal Configuration \ matched:$ 

- @ConditionalOnClass found required class

'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)

- @ConditionalOnProperty (spring.hateoas.use-hal-as-default-json-media-type) matched (OnPropertyCondition)
  - @ConditionalOnMissingBean (types:

org.springframework.hateoas.mediatype.hal.HalConfiguration; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonAutoConfiguration matched:

- @ConditionalOnClass found required class

'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)

JacksonAutoConfiguration.Jackson2ObjectMapperBuilderCustomizerConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)

JacksonAutoConfiguration.JacksonObjectMapperBuilderConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)

JacksonAutoConfiguration.JacksonObjectMapperBuilderConfiguration#jacksonObjectMapperBuilder matched:

- @ConditionalOnMissingBean (types:

org.springframework.http.converter.json.Jackson2ObjectMapperBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonAutoConfiguration.JacksonObjectMapperConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)

JacksonAutoConfiguration.JacksonObjectMapperConfiguration#jacksonObjectMapper matched:

- @ConditionalOnMissingBean (types: com.fasterxml.jackson.databind.ObjectMapper; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonAutoConfiguration.ParameterNamesModuleConfiguration matched:

- @ConditionalOnClass found required class

'com.fasterxml.jackson.module.paramnames.ParameterNamesModule' (OnClassCondition)

JacksonAutoConfiguration.ParameterNamesModuleConfiguration#parameterNamesModule matched:

- @ConditionalOnMissingBean (types: com.fasterxml.jackson.module.paramnames.ParameterNamesModule; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonHttpMessageConvertersConfiguration.MappingJackson2HttpMessageConverterConfiguration matched:

- @ConditionalOnClass found required class
- 'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)
- @ConditionalOnProperty (spring.mvc.converters.preferred-json-mapper=jackson) matched (OnPropertyCondition)
- @ConditionalOnBean (types: com.fasterxml.jackson.databind.ObjectMapper; SearchStrategy: all) found bean 'jacksonObjectMapper' (OnBeanCondition)

JacksonHttpMessageConvertersConfiguration.MappingJackson2HttpMessageConverterConfiguration#mappingJackson2HttpMessageConverter matched:

- @ConditionalOnMissingBean (types:

org.springframework.http.converter.json.MappingJackson2HttpMessageConverter ignored: org.springframework.hateoas.server.mvc.TypeConstrainedMappingJackson2HttpMessageConverter,org.springframework.data.rest.webmvc.alps.AlpsJsonHttpMessageConverter; SearchStrategy: all) did not find any beans (OnBeanCondition)

JdbcTemplateAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.sql.DataSource', 'org.springframework.jdbc.core.JdbcTemplate' (OnClassCondition)
- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource' (OnBeanCondition)

JdbcTemplateConfiguration matched:

- @ConditionalOnMissingBean (types: org.springframework.jdbc.core.JdbcOperations; SearchStrategy: all) did not find any beans (OnBeanCondition)

lpaBaseConfiguration#entityManagerFactory matched:

- @ConditionalOnMissingBean (types:

org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean,javax.persistence.EntityManagerFactory; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#entityManagerFactoryBuilder matched:

- @ConditionalOnMissingBean (types:

org.springframework.boot.orm.jpa.EntityManagerFactoryBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#jpaVendorAdapter matched:

- @ConditionalOnMissingBean (types: org.springframework.orm.jpa.JpaVendorAdapter; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#transactionManager matched:

- @ConditionalOnMissingBean (types:

org.springframework.transaction.TransactionManager; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration.JpaWebConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.web.servlet.config.annotation.WebMvcConfigurer' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnProperty (spring.jpa.open-in-view=true) matched (OnPropertyCondition)
  - @ConditionalOnMissingBean (types:

org.springframework.orm.jpa.support.OpenEntityManagerInViewInterceptor,org.springframework.orm.jpa.support.OpenEntityManagerInViewFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaRepositoriesAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.data.jpa.repository.JpaRepository' (OnClassCondition)

- @ConditionalOnProperty (spring.data.jpa.repositories.enabled=true) matched (OnPropertyCondition)
- @ConditionalOnBean (types: javax.sql.DataSource; SearchStrategy: all) found bean 'dataSource'; @ConditionalOnMissingBean (types:

org.springframework.data.jpa.repository.support.JpaRepositoryFactoryBean,org.springframe work.data.jpa.repository.config.JpaRepositoryConfigExtension; SearchStrategy: all) did not find any beans (OnBeanCondition)

JtaAutoConfiguration matched:

- @ConditionalOnClass found required class 'javax.transaction.Transaction' (OnClassCondition)
  - @ConditionalOnProperty (spring.jta.enabled) matched (OnPropertyCondition)

LifecycleAutoConfiguration#defaultLifecycleProcessor matched:

- @ConditionalOnMissingBean (names: lifecycleProcessor; SearchStrategy: current) did not find any beans (OnBeanCondition)

MultipartAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet', 'org.springframework.web.multipart.support.StandardServletMultipartResolver', 'javax.servlet.MultipartConfigElement' (OnClassCondition)
  - found 'session' scope (OnWebApplicationCondition)
- $\hbox{-} @ Conditional On Property (spring. servlet. multipart. enabled) matched \\ (On Property Condition)$

MultipartAutoConfiguration#multipartConfigElement matched:

- @ConditionalOnMissingBean (types:

javax.servlet.MultipartConfigElement,org.springframework.web.multipart.commons.Common sMultipartResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

MultipartAutoConfiguration#multipartResolver matched:

- @ConditionalOnMissingBean (types:

org.springframework.web.multipart.MultipartResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

NamedParameterJdbcTemplateConfiguration matched:

- @ConditionalOnSingleCandidate (types: org.springframework.jdbc.core.JdbcTemplate; SearchStrategy: all) found a primary bean from beans 'jdbcTemplate'; @ConditionalOnMissingBean (types:

org.springframework.jdbc.core.namedparam.NamedParameterJdbcOperations; SearchStrategy: all) did not find any beans (OnBeanCondition)

NoOpCacheConfiguration matched:

- Cache org.springframework.boot.autoconfigure.cache.NoOpCacheConfiguration automatic cache type (CacheCondition)

PersistenceExceptionTranslationAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.dao.annotation.PersistenceExceptionTranslationPostProcessor' (OnClassCondition)

PersistenceExceptionTranslationAutoConfiguration#persistenceExceptionTranslationPostProcessor matched:

- @ConditionalOnProperty (spring.dao.exceptiontranslation.enabled) matched (OnPropertyCondition)
  - @ConditionalOnMissingBean (types:

org.springframework.dao.annotation.PersistenceExceptionTranslationPostProcessor; SearchStrategy: all) did not find any beans (OnBeanCondition)

PropertyPlaceholderAutoConfiguration#propertySourcesPlaceholderConfigurer matched:

- @ConditionalOnMissingBean (types:

org.springframework.context.support.PropertySourcesPlaceholderConfigurer; SearchStrategy: current) did not find any beans (OnBeanCondition)

RepositoryRestMvcAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.data.rest.webmvc.config.RepositoryRestMvcConfiguration' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnMissingBean (types:

org.springframework.data.rest.webmvc.config.RepositoryRestMvcConfiguration; SearchStrategy: all) did not find any beans (OnBeanCondition)

RestTemplateAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.web.client.RestTemplate' (OnClassCondition)

- NoneNestedConditions 0 matched 1 did not; NestedCondition on

Rest Template Auto Configuration. Not Reactive Web Application Condition. Reactive Web Application did not find reactive web application classes

(RestTemplateAutoConfiguration.NotReactiveWebApplicationCondition)

RestTemplateAutoConfiguration#restTemplateBuilder matched:

- @ConditionalOnMissingBean (types:

org.springframework.boot.web.client.RestTemplateBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

RestTemplateAutoConfiguration#restTemplateBuilderConfigurer matched:

- @ConditionalOnMissingBean (types:

org.springframework.boot.autoconfigure.web.client.RestTemplateBuilderConfigurer; SearchStrategy: all) did not find any beans (OnBeanCondition)

#### SecurityAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.security.authentication.DefaultAuthenticationEventPublisher' (OnClassCondition)

SecurityAutoConfiguration#authenticationEventPublisher matched:

- @ConditionalOnMissingBean (types:

org.springframework.security.authentication.AuthenticationEventPublisher; SearchStrategy: all) did not find any beans (OnBeanCondition)

SecurityFilterAutoConfiguration matched:

- @ConditionalOnClass found required classes

'org.springframework.security.web.context.AbstractSecurityWebApplicationInitializer', 'org.springframework.security.config.http.SessionCreationPolicy' (OnClassCondition)

found 'session' scope (OnWebApplicationCondition)

SecurityFilterAutoConfiguration#securityFilterChainRegistration matched:

- @ConditionalOnBean (names: springSecurityFilterChain; SearchStrategy: all) found bean 'springSecurityFilterChain' (OnBeanCondition)

ServletWebServerFactoryAutoConfiguration matched:

- @ConditionalOnClass found required class 'javax.servlet.ServletRequest' (OnClassCondition)
  - found 'session' scope (OnWebApplicationCondition)

ServletWebServerFactoryAutoConfiguration#tomcatServletWebServerFactoryCustomizer matched:

- @ConditionalOnClass found required class 'org.apache.catalina.startup.Tomcat' (OnClassCondition)

ServletWebServerFactoryConfiguration.EmbeddedTomcat matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet',
   'org.apache.catalina.startup.Tomcat', 'org.apache.coyote.UpgradeProtocol'
   (OnClassCondition)
  - @ConditionalOnMissingBean (types:

org.springframework.boot.web.servlet.server.ServletWebServerFactory; SearchStrategy: current) did not find any beans (OnBeanCondition)

SimpleCacheConfiguration matched:

- Cache org.springframework.boot.autoconfigure.cache.SimpleCacheConfiguration automatic cache type (CacheCondition)

SpringBootWebSecurityConfiguration matched:

- found 'session' scope (OnWebApplicationCondition)
- AllNestedConditions 2 matched 0 did not; NestedCondition on

DefaultWebSecurityCondition.Beans @ConditionalOnMissingBean (types: org.springframework.security.config.annotation.web.configuration.WebSecurityConfigurerAd apter,org.springframework.security.web.SecurityFilterChain; SearchStrategy: all) did not find any beans; NestedCondition on DefaultWebSecurityCondition.Classes @ConditionalOnClass found required classes 'org.springframework.security.web.SecurityFilterChain', 'org.springframework.security.config.annotation.web.builders.HttpSecurity' (DefaultWebSecurityCondition)

SqlInitializationAutoConfiguration matched:

- @ConditionalOnProperty (spring.sql.init.enabled) matched (OnPropertyCondition)
- NoneNestedConditions 0 matched 1 did not; NestedCondition on

SqlInitializationAutoConfiguration.SqlInitializationModeCondition.ModelsNever @ConditionalOnProperty (spring.sql.init.mode=never) did not find property 'mode' (SqlInitializationAutoConfiguration.SqlInitializationModeCondition)

TaskExecutionAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.scheduling.concurrent.ThreadPoolTaskExecutor' (OnClassCondition)

 $Task Execution Auto Configuration \#application Task Executor\ matched:$ 

- @ConditionalOnMissingBean (types: java.util.concurrent.Executor; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $Task Execution Auto Configuration \# task Executor Builder\ matched:$ 

- @ConditionalOnMissingBean (types:

org.springframework.boot.task.TaskExecutorBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

TaskSchedulingAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.scheduling.concurrent.ThreadPoolTaskScheduler' (OnClassCondition)

 $Task Scheduling Auto Configuration \# task Scheduler Builder\ matched:$ 

- @ConditionalOnMissingBean (types:

org.springframework.boot.task.TaskSchedulerBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.transaction.PlatformTransactionManager' (OnClassCondition)

TransactionAutoConfiguration#platformTransactionManagerCustomizers matched:

- @ConditionalOnMissingBean (types:

org.springframework.boot.autoconfigure.transaction.TransactionManagerCustomizers; SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration.EnableTransactionManagementConfiguration matched:

@ConditionalOnBean (types: org.springframework.transaction.TransactionManager;

SearchStrategy: all) found bean 'transactionManager'; @ConditionalOnMissingBean (types: org.springframework.transaction.annotation.AbstractTransactionManagementConfiguration; SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration.EnableTransactionManagementConfiguration.CglibAutoProxyConfiguration matched:

- @ConditionalOnProperty (spring.aop.proxy-target-class=true) matched (OnPropertyCondition)

TransactionAutoConfiguration.TransactionTemplateConfiguration matched:

- @ConditionalOnSingleCandidate (types:

org.springframework.transaction.PlatformTransactionManager; SearchStrategy: all) found a primary bean from beans 'transactionManager' (OnBeanCondition)

TransactionAutoConfiguration.TransactionTemplateConfiguration#transactionTemplate matched:

- @ConditionalOnMissingBean (types:

org.springframework.transaction.support.TransactionOperations; SearchStrategy: all) did not find any beans (OnBeanCondition)

UserDetailsServiceAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.security.authentication.AuthenticationManager' (OnClassCondition)

- @ConditionalOnBean (types:

org.springframework.security.config.annotation.ObjectPostProcessor; SearchStrategy: all) found bean 'objectPostProcessor'; @ConditionalOnMissingBean (types:

org.springframework.security.authentication.AuthenticationManager,org.springframework.security.authentication.AuthenticationProvider,org.springframework.security.core.userdetails.UserDetailsService,org.springframework.security.authentication.AuthenticationManagerResolver,org.springframework.security.oauth2.jwt.JwtDecoder,org.springframework.security.oauth2.server.resource.introspection.OpaqueTokenIntrospector,org.springframework.security.oauth2.client.registration.ClientRegistrationRepository; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet',

'org.springframework.web.servlet.DispatcherServlet',

'org.springframework.web.servlet.config.annotation.WebMvcConfigurer' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnMissingBean (types:

org.springframework.web.servlet.config.annotation.WebMvcConfigurationSupport; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration#formContentFilter matched:

- @ConditionalOnProperty (spring.mvc.formcontent.filter.enabled) matched (OnPropertyCondition)
- @ConditionalOnMissingBean (types: org.springframework.web.filter.FormContentFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.EnableWebMvcConfiguration#flashMapManager matched:

- @ConditionalOnMissingBean (names: flashMapManager; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.EnableWebMvcConfiguration#localeResolver matched:

- @ConditionalOnMissingBean (names: localeResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.EnableWebMvcConfiguration#themeResolver matched:

- @ConditionalOnMissingBean (names: themeResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $WebMvcAutoConfiguration. WebMvcAutoConfigurationAdapter \# default ViewResolver \\ matched:$ 

- @ConditionalOnMissingBean (types: org.springframework.web.servlet.view.InternalResourceViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration. WebMvcAutoConfigurationAdapter # requestContextFilter matched:

- @ConditionalOnMissingBean (types: org.springframework.web.context.request.RequestContextListener,org.springframework.web .filter.RequestContextFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.WebMvcAutoConfigurationAdapter#viewResolver matched:

- @ConditionalOnBean (types: org.springframework.web.servlet.ViewResolver; SearchStrategy: all) found beans 'defaultViewResolver', 'beanNameViewResolver', 'mvcViewResolver'; @ConditionalOnMissingBean (names: viewResolver types: org.springframework.web.servlet.view.ContentNegotiatingViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebSecurityEnablerConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.security.config.annotation.web.configuration.EnableWebSecurity' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnMissingBean (names: springSecurityFilterChain; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebSocketServletAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet', 'javax.websocket.server.ServerContainer' (OnClassCondition)
  - found 'session' scope (OnWebApplicationCondition)

WebSocketServletAutoConfiguration.TomcatWebSocketConfiguration matched:

- @ConditionalOnClass found required classes 'org.apache.catalina.startup.Tomcat', 'org.apache.tomcat.websocket.server.WsSci' (OnClassCondition)

WebSocketServletAutoConfiguration.TomcatWebSocketConfiguration#websocketServletWebServerCustomizer matched:

@ConditionalOnMissingBean (names: websocketServletWebServerCustomizer;

SearchStrategy: all) did not find any beans (OnBeanCondition)

Negative matches:

-----

ActiveMQAutoConfiguration:

Did not match:

@ConditionalOnClass did not find required class 'javax.jms.ConnectionFactory'
 (OnClassCondition)

A op Auto Configuration. A spect JAuto Proxying Configuration. Jdk Dynamic Auto Proxy Configuration .

Did not match:

- @ConditionalOnProperty (spring.aop.proxy-target-class=false) did not find property 'proxy-target-class' (OnPropertyCondition)

AopAutoConfiguration.ClassProxyingConfiguration:

Did not match:

- @ConditionalOnMissingClass found unwanted class 'org.aspectj.weaver.Advice' (OnClassCondition)

ArtemisAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.jms.ConnectionFactory' (OnClassCondition)

AtomikosJtaConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.atomikos.icatch.jta.UserTransactionManager' (OnClassCondition)

BatchAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.batch.core.launch.JobLauncher' (OnClassCondition)

CacheAutoConfiguration:

Did not match:

@ConditionalOnBean (types:

org.springframework.cache.interceptor.CacheAspectSupport; SearchStrategy: all) did not find any beans of type org.springframework.cache.interceptor.CacheAspectSupport (OnBeanCondition)

Matched:

- @ConditionalOnClass found required class

'org.springframework.cache.CacheManager' (OnClassCondition)

CacheAutoConfiguration.CacheManagerEntityManagerFactoryDependsOnPostProcessor:
Did not match:

- Ancestor org.springframework.boot.autoconfigure.cache.CacheAutoConfiguration did

 $not\ match\ (Condition Evaluation Report. Ancestors Matched Condition)$ 

Matched:

- @ConditionalOnClass found required class

'org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean' (OnClassCondition)

#### CaffeineCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'com.github.benmanes.caffeine.cache.Caffeine' (OnClassCondition)

#### CassandraAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

#### CassandraDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

#### Cass and raReactive Data Auto Configuration:

Did not match:

@ConditionalOnClass did not find required class

'com.datastax.oss.driver.api.core.CglSession' (OnClassCondition)

#### CassandraReactiveRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.data.cassandra.ReactiveSession' (OnClassCondition)

#### CassandraRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

#### ${\bf Client Http Connector Auto Configuration:}$

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.web.reactive.function.client.WebClient' (OnClassCondition)

#### CodecsAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.web.reactive.function.client.WebClient' (OnClassCondition)

#### CouchbaseAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster' (OnClassCondition)

#### CouchbaseCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster' (OnClassCondition)

CouchbaseDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Bucket' (OnClassCondition)

CouchbaseReactiveDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster' (OnClassCondition)

CouchbaseReactiveRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster' (OnClassCondition)

CouchbaseRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Bucket' (OnClassCondition)

DataSourceAutoConfiguration.EmbeddedDatabaseConfiguration:

Did not match:

- EmbeddedDataSource found supported pooled data source (DataSourceAutoConfiguration.EmbeddedDatabaseCondition)

DataSourceConfiguration.Dbcp2:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.commons.dbcp2.BasicDataSource' (OnClassCondition)

DataSourceConfiguration.Generic:

Did not match:

- @ConditionalOnProperty (spring.datasource.type) did not find property 'spring.datasource.type' (OnPropertyCondition)

DataSourceConfiguration.OracleUcp:

Did not match:

- @ConditionalOnClass did not find required classes 'oracle.ucp.jdbc.PoolDataSourceImpl', 'oracle.jdbc.OracleConnection' (OnClassCondition)

DataSourceConfiguration.Tomcat:

Did not match:

@ConditionalOnClass did not find required class
 'org.apache.tomcat.jdbc.pool.DataSource' (OnClassCondition)

DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitialization

#### Configuration:

Did not match:

- AnyNestedCondition 0 matched 2 did not; NestedCondition on

DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitialization Configuration.DifferentCredentialsCondition.DataCredentials @ConditionalOnProperty (spring.datasource.data-username) did not find property 'data-username'; NestedCondition on

DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitialization Configuration.DifferentCredentialsCondition.SchemaCredentials @ConditionalOnProperty (spring.datasource.schema-username) did not find property 'schema-username' (DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.DifferentCredentialsCondition)

 $\label{lem:decomposition} Data Source Initialization Configuration. Shared Credentials Data Source Initialization Configuration:$ 

Did not match:

- DataSource Initialization did not find configured properties spring.datasource.data-username, spring.datasource.schema-password, spring.datasource.schema[0], spring.datasource.data[0], spring.datasource.data, spring.datasource.schema-username, spring.datasource.data-password, spring.datasource.initialization-mode, spring.datasource.schema, spring.datasource.sql-script-encoding, spring.datasource.separator, spring.datasource.platform, spring.datasource.continue-on-error

(Data Source Initialization Configuration. Shared Credentials Data Source Initialization Configuration. Data Source Initialization Condition)

DataSourceJmxConfiguration:

Did not match:

- @ConditionalOnProperty (spring.jmx.enabled=true) found different value in property 'enabled' (OnPropertyCondition)

Data Source Pool Metadata Providers Configuration. Commons Dbcp 2 Pool Data Source Metadata Provider Configuration:

Did not match:

@ConditionalOnClass did not find required class

'org.apache.commons.dbcp2.BasicDataSource' (OnClassCondition)

DataSourcePoolMetadataProvidersConfiguration.OracleUcpPoolDataSourceMetadataProvider Configuration:

Did not match:

- @ConditionalOnClass did not find required classes 'oracle.ucp.jdbc.PoolDataSource', 'oracle.jdbc.OracleConnection' (OnClassCondition)

Data Source Pool Metadata Providers Configuration. To mcat Data Source Pool Metadata Provider Configuration:

Did not match:

- @ConditionalOnClass did not find required class

'org.apache.tomcat.jdbc.pool.DataSource' (OnClassCondition)

Data Source Transaction Manager Auto Configuration. J dbc Transaction Manager Configuration # transaction Manager + transaction Ma

Did not match:

- @ConditionalOnMissingBean (types:

org.springframework.transaction.TransactionManager; SearchStrategy: all) found beans of type 'org.springframework.transaction.TransactionManager' transactionManager (OnBeanCondition)

DispatcherServletAutoConfiguration.DispatcherServletConfiguration#multipartResolver: Did not match:

- @ConditionalOnBean (types: org.springframework.web.multipart.MultipartResolver; SearchStrategy: all) did not find any beans of type org.springframework.web.multipart.MultipartResolver (OnBeanCondition)

#### EhCacheConfiguration:

Did not match:

@ConditionalOnClass did not find required class 'net.sf.ehcache.Cache'
 (OnClassCondition)

#### ElasticsearchDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.elasticsearch.core.ElasticsearchRestTemplate' (OnClassCondition)

#### ElasticsearchRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.elasticsearch.client.Client' (OnClassCondition)

#### ElasticsearchRestClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.elasticsearch.client.RestClientBuilder' (OnClassCondition)

#### EmbeddedLdapAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.unboundid.ldap.listener.InMemoryDirectoryServer' (OnClassCondition)

#### EmbeddedMongoAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.MongoClientSettings' (OnClassCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.JettyWebServerFactoryCustomizer Configuration:

Did not match:

- @ConditionalOnClass did not find required classes 'org.eclipse.jetty.server.Server', 'org.eclipse.jetty.util.Loader', 'org.eclipse.jetty.webapp.WebAppContext' (OnClassCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.NettyWebServerFactoryCustomizerConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.netty.http.server.HttpServer' (OnClassCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.UndertowWebServerFactoryCustomizerConfiguration:

Did not match:

- @ConditionalOnClass did not find required classes 'io.undertow.Undertow', 'org.xnio.SslClientAuthMode' (OnClassCondition)

#### ErrorWebFluxAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.config.WebFluxConfigurer' (OnClassCondition)

#### FlywayAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.flywaydb.core.Flyway' (OnClassCondition)

#### FreeMarkerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'freemarker.template.Configuration' (OnClassCondition)

#### GroovyTemplateAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'groovy.text.markup.MarkupTemplateEngine' (OnClassCondition)

#### GsonAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.google.gson.Gson' (OnClassCondition)

#### GsonHttpMessageConvertersConfiguration:

Did not match:

@ConditionalOnClass did not find required class 'com.google.gson.Gson'
 (OnClassCondition)

#### H2ConsoleAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.h2.console.enabled=true) did not find property

'enabled' (OnPropertyCondition)

Matched:

- @ConditionalOnClass found required class 'org.h2.server.web.WebServlet'
   (OnClassCondition)
  - found 'session' scope (OnWebApplicationCondition)

#### HazelcastAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.hazelcast.core.HazelcastInstance' (OnClassCondition)

#### HazelcastCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.hazelcast.core.HazelcastInstance' (OnClassCondition)

#### HazelcastJpaDependencyAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.hazelcast.core.HazelcastInstance' (OnClassCondition)

#### HttpHandler Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.DispatcherHandler' (OnClassCondition)

#### Hypermedia Auto Configuration. Hypermedia Configuration:

Did not match:

- @ConditionalOnMissingBean (types:

org.springframework.hateoas.client.LinkDiscoverers; SearchStrategy: all) found beans of type 'org.springframework.hateoas.client.LinkDiscoverers' linkDiscoverers (OnBeanCondition)

Matched:

- @ConditionalOnClass found required class 'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)

#### InfinispanCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.infinispan.spring.embedded.provider.SpringEmbeddedCacheManager' (OnClassCondition)

#### InfluxDbAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.influxdb.InfluxDB' (OnClassCondition)

#### IntegrationAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.integration.config.EnableIntegration' (OnClassCondition)

JCacheCacheConfiguration:

Did not match:

 @ConditionalOnClass did not find required class 'javax.cache.Caching' (OnClassCondition)

JacksonHttpMessageConvertersConfiguration.MappingJackson2XmlHttpMessageConverterConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.fasterxml.jackson.dataformat.xml.XmlMapper' (OnClassCondition)

JdbcRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.jdbc.repository.config.AbstractJdbcConfiguration' (OnClassCondition)

JerseyAutoConfiguration:

Did not match:

@ConditionalOnClass did not find required class
 'org.glassfish.jersey.server.spring.SpringComponentProvider' (OnClassCondition)

JmsAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.jms.Message' (OnClassCondition)

JmxAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.jmx.enabled=true) found different value in property 'enabled' (OnPropertyCondition)

Matched:

- @ConditionalOnClass found required class
 'org.springframework.jmx.export.MBeanExporter' (OnClassCondition)

IndiConnectionFactoryAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.jms.core.JmsTemplate' (OnClassCondition)

JndiDataSourceAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.datasource.jndi-name) did not find property 'jndi-name' (OnPropertyCondition)

Matched:

- @ConditionalOnClass found required classes 'javax.sql.DataSource', 'org.springframework.jdbc.datasource.embedded.EmbeddedDatabaseType' (OnClassCondition)

JndiJtaConfiguration:

Did not match:

- @ConditionalOnJndi JNDI environment is not available (OnJndiCondition) Matched:
  - @ConditionalOnClass found required class

'org.springframework.transaction.jta.JtaTransactionManager' (OnClassCondition)

JooqAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.jooq.DSLContext'
 (OnClassCondition)

JpaRepositoriesAutoConfiguration#entityManagerFactoryBootstrapExecutorCustomizer: Did not match:

- AnyNestedCondition 0 matched 2 did not; NestedCondition on JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition.LazyBootstrapMode @ConditionalOnProperty (spring.data.jpa.repositories.bootstrap-mode=lazy) did not find property 'bootstrap-mode'; NestedCondition on JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition.DeferredBootstrapMode @ConditionalOnProperty (spring.data.jpa.repositories.bootstrap-mode=deferred) did not find property 'bootstrap-mode' (JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition)

JsonbAutoConfiguration:

Did not match:

 @ConditionalOnClass did not find required class 'javax.json.bind.Jsonb' (OnClassCondition)

JsonbHttpMessageConvertersConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.json.bind.Jsonb' (OnClassCondition)

KafkaAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.kafka.core.KafkaTemplate' (OnClassCondition)

LdapAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.ldap.core.ContextSource' (OnClassCondition)

LdapRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.ldap.repository.LdapRepository' (OnClassCondition)

LiquibaseAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'liquibase.change.DatabaseChange' (OnClassCondition)

#### MailSenderAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.mail.internet.MimeMessage' (OnClassCondition)

#### MailSenderValidatorAutoConfiguration:

Did not match:

- @ConditionalOnSingleCandidate did not find required type 'org.springframework.mail.javamail.JavaMailSenderImpl' (OnBeanCondition)

#### MessageSourceAutoConfiguration:

Did not match:

- ResourceBundle did not find bundle with basename messages (MessageSourceAutoConfiguration.ResourceBundleCondition)

#### MongoAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.client.MongoClient' (OnClassCondition)

#### MongoDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.client.MongoClient' (OnClassCondition)

#### MongoReactiveAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.reactivestreams.client.MongoClient' (OnClassCondition)

#### MongoReactiveDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.reactivestreams.client.MongoClient' (OnClassCondition)

#### MongoReactiveRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.reactivestreams.client.MongoClient' (OnClassCondition)

#### MongoRepositoriesAutoConfiguration:

Did not match:

 @ConditionalOnClass did not find required class 'com.mongodb.client.MongoClient' (OnClassCondition)

#### MustacheAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.samskivert.mustache.Mustache' (OnClassCondition)

Neo4jAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver'
 (OnClassCondition)

Neo4jDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

Neo4jReactiveDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

Neo 4j Reactive Repositories Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

Neo4jRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

NettyAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.netty.util.NettyRuntime' (OnClassCondition)

OAuth2ClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.security.oauth2.client.registration.ClientRegistration' (OnClassCondition)

OAuth2ResourceServerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

 $\label{thm:condition} 'org.spring framework.security.oauth 2. server.resource. Bearer Token Authentication Token' (On Class Condition)$ 

Project Info Auto Configuration #build Properties:

Did not match:

- @ConditionalOnResource did not find resource
 '\${spring.info.build.location:classpath:META-INF/build-info.properties}'

(OnResourceCondition)

ProjectInfoAutoConfiguration#gitProperties:

Did not match:

- GitResource did not find git info at classpath:git.properties

(ProjectInfoAutoConfiguration. GitResource Available Condition)

#### QuartzAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.quartz.Scheduler' (OnClassCondition)

#### R2dbcAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.r2dbc.spi.ConnectionFactory' (OnClassCondition)

#### R2dbcDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.r2dbc.core.R2dbcEntityTemplate' (OnClassCondition)

#### R2dbcInitializationConfiguration:

Did not match:

- @ConditionalOnClass did not find required classes 'io.r2dbc.spi.ConnectionFactory', 'org.springframework.r2dbc.connection.init.DatabasePopulator' (OnClassCondition)

#### R2dbcRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.r2dbc.spi.ConnectionFactory' (OnClassCondition)

#### R2dbc Transaction Manager Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.r2dbc.connection.R2dbcTransactionManager' (OnClassCondition)

#### RSocketMessagingAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.rsocket.RSocket' (OnClassCondition)

#### RSocketRequesterAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.rsocket.RSocket' (OnClassCondition)

#### RSocket Security Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.security.rsocket.core.SecuritySocketAcceptorInterceptor' (OnClassCondition)

#### RSocketServerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.rsocket.core.RSocketServer'

(OnClassCondition)

RSocketStrategiesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.netty.buffer.PooledByteBufAllocator' (OnClassCondition)

#### RabbitAutoConfiguration:

Did not match:

@ConditionalOnClass did not find required class 'com.rabbitmq.client.Channel'
 (OnClassCondition)

ReactiveElasticsearchRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.elasticsearch.client.reactive.ReactiveElasticsearchClient' (OnClassCondition)

ReactiveElasticsearchRestClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.netty.http.client.HttpClient' (OnClassCondition)

ReactiveMultipartAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.config.WebFluxConfigurer' (OnClassCondition)

Reactive OAuth 2 Client Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux' (OnClassCondition)

Reactive OAuth 2 Resource Server Auto Configuration:

Did not match:

- @ConditionalOnWebApplication did not find reactive web application classes (OnWebApplicationCondition)

ReactiveSecurityAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux' (OnClassCondition)

ReactiveUserDetailsServiceAutoConfiguration:

Did not match:

- AnyNestedCondition 0 matched 2 did not; NestedCondition on

ReactiveUserDetailsServiceAutoConfiguration.ReactiveUserDetailsServiceCondition.Reactive WebApplicationCondition did not find reactive web application classes; NestedCondition on ReactiveUserDetailsServiceAutoConfiguration.ReactiveUserDetailsServiceCondition.RSocket SecurityEnabledCondition @ConditionalOnBean (types:

org.springframework.messaging.rsocket.annotation.support.RSocketMessageHandler;

SearchStrategy: all) did not find any beans of type org.springframework.messaging.rsocket.annotation.support.RSocketMessageHandler (ReactiveUserDetailsServiceAutoConfiguration.ReactiveUserDetailsServiceCondition) Matched:

- @ConditionalOnClass found required class

'org.springframework.security.authentication.ReactiveAuthenticationManager' (OnClassCondition)

#### ReactiveWebServerFactoryAutoConfiguration:

Did not match:

- @ConditionalOnWebApplication did not find reactive web application classes (OnWebApplicationCondition)

#### RedisAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.data.redis.core.RedisOperations' (OnClassCondition)

#### RedisCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.data.redis.connection.RedisConnectionFactory' (OnClassCondition)

#### RedisReactiveAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux' (OnClassCondition)

#### RedisRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.data.redis.repository.configuration.EnableRedisRepositories' (OnClassCondition)

#### Saml2RelyingPartyAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.security.saml2.provider.service.registration.RelyingPartyRegistrationRepository' (OnClassCondition)

#### SecurityDataConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.security.data.repository.query.SecurityEvaluationContextExtension' (OnClassCondition)

#### SendGridAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.sendgrid.SendGrid' (OnClassCondition)

Servlet Web Server Factory Auto Configuration # forwarded Header Filter:

Did not match:

- @ConditionalOnProperty (server.forward-headers-strategy=framework) did not find property 'server.forward-headers-strategy' (OnPropertyCondition)

ServletWebServerFactoryConfiguration.EmbeddedJetty:

Did not match:

- @ConditionalOnClass did not find required classes 'org.eclipse.jetty.server.Server', 'org.eclipse.jetty.util.Loader', 'org.eclipse.jetty.webapp.WebAppContext' (OnClassCondition)

Servlet Web Server Factory Configuration. Embedded Undertow:

Did not match:

@ConditionalOnClass did not find required classes 'io.undertow.Undertow', 'org.xnio.SslClientAuthMode' (OnClassCondition)

SessionAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.session.Session' (OnClassCondition)

SolrAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.solr.client.solrj.impl.CloudSolrClient' (OnClassCondition)

SpringApplicationAdminJmxAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.application.admin.enabled=true) did not find property 'enabled' (OnPropertyCondition)

SpringDataWebAutoConfiguration:

Did not match:

- @ConditionalOnMissingBean (types:

org.springframework.data.web.PageableHandlerMethodArgumentResolver; SearchStrategy: all) found beans of type

'org.springframework.data.web.PageableHandlerMethodArgumentResolver' pageableResolver (OnBeanCondition)

Matched:

- @ConditionalOnClass found required classes

'org.springframework.data.web.PageableHandlerMethodArgumentResolver',

'org.springframework.web.servlet.config.annotation.WebMvcConfigurer' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)

TaskSchedulingAutoConfiguration#taskScheduler:

Did not match:

- @ConditionalOnBean (names:

org.springframework.context.annotation.internalScheduledAnnotationProcessor; SearchStrategy: all) did not find any beans named org.springframework.context.annotation.internalScheduledAnnotationProcessor (OnBeanCondition)

ThymeleafAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.thymeleaf.spring5.SpringTemplateEngine' (OnClassCondition)

TransactionAutoConfiguration#transactionalOperator:

Did not match:

@ConditionalOnSingleCandidate (types:

org.springframework.transaction.ReactiveTransactionManager; SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration.EnableTransactionManagementConfiguration.JdkDynamicAuto ProxyConfiguration:

Did not match:

- @ConditionalOnProperty (spring.aop.proxy-target-class=false) did not find property 'proxy-target-class' (OnPropertyCondition)

ValidationAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.validation.executable.ExecutableValidator' (OnClassCondition)

WebClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.web.reactive.function.client.WebClient' (OnClassCondition)

WebFluxAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.web.reactive.config.WebFluxConfigurer' (OnClassCondition)

WebMvcAutoConfiguration#hiddenHttpMethodFilter:

Did not match:

- @ConditionalOnProperty (spring.mvc.hiddenmethod.filter.enabled) did not find property 'enabled' (OnPropertyCondition)

WebMvcAutoConfiguration. Resource Chain Customizer Configuration:

Did not match:

- @ConditionalOnEnabledResourceChain did not find class org.webjars.WebJarAssetLocator (OnEnabledResourceChainCondition)

WebMvcAutoConfiguration.WebMvcAutoConfigurationAdapter#beanNameViewResolver: Did not match:

@ConditionalOnMissingBean (types:

org.springframework.web.servlet.view.BeanNameViewResolver; SearchStrategy: all) found beans of type 'org.springframework.web.servlet.view.BeanNameViewResolver' beanNameViewResolver (OnBeanCondition)

WebServiceTemplateAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.oxm.Marshaller' (OnClassCondition)

#### WebServicesAutoConfiguration:

Did not match:

@ConditionalOnClass did not find required class
 'org.springframework.ws.transport.http.MessageDispatcherServlet' (OnClassCondition)

#### WebSessionIdResolverAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Mono' (OnClassCondition)

#### Web Socket Messaging Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.socket.config.annotation.WebSocketMessageBrokerConfigurer' (OnClassCondition)

#### WebSocketReactiveAutoConfiguration:

Did not match:

- @ConditionalOnWebApplication did not find reactive web application classes (OnWebApplicationCondition)

#### WebSocketServletAutoConfiguration.Jetty10WebSocketConfiguration:

Did not match:

- @ConditionalOnClass did not find required classes

'org.eclipse.jetty.websocket.javax.server.internal.JavaxWebSocketServerContainer', 'org.eclipse.jetty.websocket.server.JettyWebSocketServerContainer' (OnClassCondition)

#### WebSocketServletAutoConfiguration.JettyWebSocketConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.eclipse.jetty.websocket.jsr356.server.deploy.WebSocketServerContainerInitializer' (OnClassCondition)

#### WebSocketServletAutoConfiguration.UndertowWebSocketConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'io.undertow.websockets.jsr.Bootstrap' (OnClassCondition)

#### XADataSourceAutoConfiguration:

Did not match:

- @ConditionalOnBean (types: org.springframework.boot.jdbc.XADataSourceWrapper; SearchStrategy: all) did not find any beans of type org.springframework.boot.jdbc.XADataSourceWrapper (OnBeanCondition) Matched:

- @ConditionalOnClass found required classes 'javax.sql.DataSource',

'javax.transaction.TransactionManager',

'org.springframework.jdbc.datasource.embedded.EmbeddedDatabaseType'

(OnClassCondition)
Exclusions:
None
Unconditional classes:
org. spring framework. boot. autoconfigure. context. Configuration Properties Auto Configuration Properties Auto Configuration Properties Pro
org. spring framework. boot. autoconfigure. context. Life cycle Auto Configuration
org. spring framework. boot. autoconfigure. context. Property Placeholder Auto Configuration
org. spring framework. boot. autoconfigure. availability. Application Availability Auto Configuration and the state of t
org. spring framework. boot. autoconfigure. in fo. Project Info Auto Configuration
2022-03-01 11:17:25.979 INFO 476 [ Test worker] c.b.o.backend.BackendApplicationTests : Started BackendApplicationTests in 12.991 seconds (JVM running for 16.982) 2022-03-01 11:17:25.981 DEBUG 476 [ Test worker] o.s.b.a.ApplicationAvailabilityBean : Application availability state LivenessState changed to CORRECT 2022-03-01 11:17:25.983 DEBUG 476 [ Test worker] o.s.b.a.ApplicationAvailabilityBean : Application availability state ReadinessState changed to ACCEPTING_TRAFFIC The item is added to the cart The item is added to the car
======================================

[Pipeline] } [Pipeline] // stage [Pipeline] echo [SonarQube Analysis-frontend] \*\*\*\* STARTING stage 'SonarQube Analysis' for component 'frontend' branch 'master' \*\*\*\* [Pipeline] stage [Pipeline] { (SonarQube Analysis) [Pipeline] echo DEBUG: [Technology-backend-jira-report-tests-[Unit]] (took 13169 ms) [Pipeline] echo Long-lived branches: master [Pipeline] readProperties [Pipeline] echo levaDocScheduler.run start [Pipeline] echo PR analysis is disabled. [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh [Pipeline] echo [docgen-ordgp-DTR-backend] Creating document of type 'DTR' for project 'ordgp' and repo 'backend' in phase 'Build' and stage 'POST EXECUTE REPO' expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createDTR; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/ [Pipeline] echo DEBUG: createDTR - repo:[id:backend, type:ods, data:[openshift:[builds:[backend: [buildId:backend-8, image:docker-registry.default.svc:5000/ordgpcd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d849. f9]], deployments:[backend:[podName:backend-10-95wsv, podNamespace:ordgp-dev, podMetaDataCreationTimestamp:2022-03-01T11:18:41Z, deploymentId:backend-10, podNode:inhas71256.eu.boehringer.com, podlp:10.251.16.83, podStatus:Running, podStartupTimeStamp:2022-03-01T11:18:41Z, containers:[backend:dockerregistry.default.svc:5000/ordgpcd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d849 f9]]], sonarqubeScanStashPath:scrr-report-backend-13, SCRR:SCRR-ordgp-backend.docx, SCRR-MD:SCRR-ordgp-backend.md, testResultsFolder:build/test-results/test, testResults:1, xunitTestResultsStashPath:test-reports-junit-xml-backend-13, CREATED BY BUILD:WIP/13], documents:[:], envStateCommit:27eb2abe4554932afa94f9a40a72d2165158ae6b, git: [branch:master, commit:27eb2abe4554932afa94f9a40a72d2165158ae6b, previousCommit:27eb2abe4554932afa94f9a40a72d2165158ae6b, previousSucessfulCommit:6f8daea49927f08c0be572fc745f8396d2aec66f, url:https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git, baseTag:, targetTag:]], url:https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git, branch:master, pipelineConfig:[dependencies:[]], metadata:[name:OpenJDK, description:OpenJDK is a free

and open-source implementation of the Java Platform, Standard Edition. Technologies: Spring Boot 2.1, OpenJDK 17, supplier:https://openjdk.java.net/, version:4.x, type:ods], doInstall:true], data:[tests:[unit:[testReportFiles:[/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/backend/unit/build/test-results/test/TEST-

com.boehringer.ordgp.backend.BackendApplicationTests.xml], testResults:[testsuites: [[hostname:pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx, failures:0, tests:3, name:com.boehringer.ordgp.backend.BackendApplicationTests, time:0.728, errors:0, timestamp:2022-03-01T11:17:26, skipped:0, properties:[], testcases:

[[class name: com.boehringer.ordgp.backend.BackendApplicationTests,

name:ORDGP138\_workingunittest(), time:0.718, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:17:26],

[class name: com.boehringer. ordgp. backend. Backend Application Tests,

name:ORDGP139\_workingunittest(), time:0.005, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:17:26],

[classname:com.boehringer.ordgp.backend.BackendApplicationTests,

name:ORDGP137 workingunittest(), time:0.003, skipped:false, systemOut:, systemErr:,

timestamp:2022-03-01T11:17:26]], systemOut:11:17:11.704 [Test worker] DEBUG

org.springframework.test.context.BootstrapUtils - Instantiating

CacheAwareContextLoaderDelegate from class

[org.springframework.test.context.cache.Default Cache Aware Context Loader Delegate]

11:17:11.779 [Test worker] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating BootstrapContext using constructor [public

org. spring framework. test. context. support. Default Bootstrap Context (java.lang. Class, org. spring framework. test. context. Cache Aware Context Loader Delegate)]

11:17:11.901 [Test worker] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating TestContextBootstrapper for test class

[com.boehringer.ordgp.backend.BackendApplicationTests] from class

[org.spring framework.boot.test.context.Spring Boot Test Context Bootstrapper]

11:17:11.980 [Test worker] INFO

org.spring framework.boot.test.context.Spring Boot Test Context Bootstrapper-Neither @Context Configuration nor @Context Hierarchy found for test class

[com.boehringer.ordgp.backend.BackendApplicationTests], using SpringBootContextLoader 11:17:11.989 [Test worker] DEBUG

org.springframework.test.context.support.AbstractContextLoader - Did not detect default resource location for test class [com.boehringer.ordgp.backend.BackendApplicationTests]: class path resource [com/boehringer/ordgp/backend/BackendApplicationTests-context.xml] does not exist

11:17:11.990 [Test worker] DEBUG

org.springframework.test.context.support.AbstractContextLoader - Did not detect default resource location for test class [com.boehringer.ordgp.backend.BackendApplicationTests]: class path resource

[com/boehringer/ordgp/backend/BackendApplicationTestsContext.groovy] does not exist 11:17:11.990 [Test worker] INFO

org.springframework.test.context.support.AbstractContextLoader - Could not detect default resource locations for test class [com.boehringer.ordgp.backend.BackendApplicationTests]: no resource found for suffixes {-context.xml, Context.groovy}.

11:17:11.991 [Test worker] INFO

org.springframework.test.context.support.AnnotationConfigContextLoaderUtils - Could not detect default configuration classes for test class

[com.boehringer.ordgp.backend.BackendApplicationTests]: BackendApplicationTests does not declare any static, non-private, non-final, nested classes annotated with @Configuration. 11:17:12.113 [Test worker] DEBUG

org.springframework.test.context.support.ActiveProfilesUtils - Could not find an 'annotation declaring class' for annotation type [org.springframework.test.context.ActiveProfiles] and class [com.boehringer.ordgp.backend.BackendApplicationTests]

#### 11:17:12.390 [Test worker] DEBUG

org.springframework.context.annotation.ClassPathScanningCandidateComponentProvider - Identified candidate component class: file [/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-

master/build/classes/java/main/com/boehringer/ordgp/backend/BackendApplication.class] 11:17:12.392 [Test worker] INFO

org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Found @SpringBootConfiguration com.boehringer.ordgp.backend.BackendApplication for test class com.boehringer.ordgp.backend.BackendApplicationTests

11:17:12.714 [Test worker] DEBUG

org.springframework.boot.test.context.SpringBootTestContextBootstrapper - @TestExecutionListeners is not present for class

[com.boehringer.ordgp.backend.BackendApplicationTests]: using defaults.

11:17:12.715 [Test worker] INFO

org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Loaded default TestExecutionListener class names from location [META-INF/spring.factories]:

[org.springframework.security.test.context.support.WithSecurityContextTestExecutionListen er, org.springframework.security.test.context.support.ReactorContextTestExecutionListener, org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener, org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestEx ecutionListener,

org. spring framework. boot. test. autoconfigure. web. servlet. Mock Mvc Print Only On Failure Test Execution Listener,

org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener, org.springframework.boot.test.autoconfigure.webservices.client.MockWebServiceServerTest ExecutionListener,

org.spring framework.boot.test.mock.mockito.Mockito Test Execution Listener,

org.spring framework.boot.test.mock.mockito.Reset Mocks Test Execution Listener,

org. spring framework. test. context. web. Servlet Test Execution Listener,

org.springframework.test.context.support.DirtiesContextBeforeModesTestExecutionListener,

org.springframework.test.context.event.ApplicationEventsTestExecutionListener,

org.springframework.test.context.support.DependencyInjectionTestExecutionListener,

org.springframework.test.context.support.DirtiesContextTestExecutionListener,

org.spring framework.test.context.transaction.TransactionalTestExecutionListener,

org.spring framework.test.context.jdbc. SqlScripts Test Execution Listener,

org.springframework.test.context.event.EventPublishingTestExecutionListener] 11:17:12.804 [Test worker] INFO

org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Using TestExecutionListeners:

 $[org.springframework.test.context.web.ServletTestExecutionListener @6749fe50, \\ org.springframework.test.context.support.DirtiesContextBeforeModesTestExecutionListener \\ @52bf7bf6,$ 

org.springframework.test.context.event.ApplicationEventsTestExecutionListener@261db982, org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener@ae73c80, org.springframework.boot.test.autoconfigure.SpringBootDependencyInjectionTestExecutionListener@22f4f8f2,

org.springframework.test.context.support.DirtiesContextTestExecutionListener@bbd4791, org.springframework.test.context.transaction.TransactionalTestExecutionListener@40a72ecd, org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener@73971965, org.springframework.security.test.context.support.WithSecurityContextTestExecutionListener@76a14c8d,

org.springframework.test.context.event.EventPublishingTestExecutionListener@17410c07, org.springframework.security.test.context.support.ReactorContextTestExecutionListener@6e e99964,

org.spring framework.boot.test. autoconfigure.rest docs. Rest Docs Test Execution Listener @ 257e f 9ed,

org.spring framework.boot.test. autoconfigure.web. client. MockRest Service Server Reset Test Execution Listener @ 59c70ceb,

org. spring framework. boot. test. autoconfigure. web. servlet. Mock Mvc Print Only On Failure Test Execution Listener @ 46f902e0,

org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener@ 64f981e2,

org.springframework.boot.test.autoconfigure.webservices.client.MockWebServiceServerTest ExecutionListener@361abd01,

org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener@575b5f7d] 11:17:12.809 [Test worker] DEBUG

org.spring framework. test. context. support. Abstract Dirties Context Test Execution Listener-

Before test class: context [DefaultTestContext@30839e44 testClass =

BackendApplicationTests, testInstance = [null], testMethod = [null], testException = [null], mergedContextConfiguration = [WebMergedContextConfiguration@5f174dd2 testClass = BackendApplicationTests, locations = '{}', classes = '{class

 $com. boehringer. ordgp. backend. Backend Application \} ', \ context Initializer Classes = '[]', \\$ 

 $active Profiles = `\{\}', property Source Locations = `\{\}', property Source Properties = `\{\}', properties = `\{\}', property Source Properties = `\{\}', propert$ 

'{org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true}', contextCustomizers =

set [org. spring framework. boot. test. autoconfigure. actuate. metrics. Metrics Export Context Customizer @ 76c548f,

 $org.spring framework.boot.test. autoconfigure.properties. Property Mapping Context Customizer \\ @0.$ 

org.spring framework.boot.test. autoconfigure.web.servlet. WebDriver Context Customizer Factory \$ Customizer @ 7ae 9a 33a,

org.spring framework.boot.test.context.filter. Exclude Filter Context Customizer @73 ad 7e90, and the context of the context

org.springframework.boot.test.json.DuplicateJsonObjectContextCustomizerFactory\$DuplicateJsonObjectContextCustomizer@29528a22,

org.springframework.boot.test.mock.mockito.MockitoContextCustomizer@0,

org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@474fae39, org.springframework.boot.test.context.SpringBootTestArgs@1,

org.springframework.boot.test.context.SpringBootTestWebEnvironment@6b9ce1bf],

resourceBasePath = 'src/main/webapp', contextLoader =

'org.springframework.boot.test.context.SpringBootContextLoader', parent = [null]], attributes =


map['org.springframework.test.context.web.ServletTestExecutionListener.activateListener' - > true]], class annotated with @DirtiesContext [false] with mode [null].

11:17:12.985 [Test worker] DEBUG

org.springframework.boot.ApplicationServletEnvironment - Activating profiles [] 11:17:12.986 [Test worker] DEBUG

org.springframework.test.context.support.TestPropertySourceUtils - Adding inlined properties to environment: {spring.jmx.enabled=false,

org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true}



```
(()\___|'_|'_|\'_V_`|\\\\
\\\ __)| |_)| | | | | | (_| | ) ) )
 ' |___|._||._|||.
======|__/=/_/_/
:: Spring Boot ::
                        (v2.6.1)
2022-03-01 11:17:13.980 INFO 476 --- [ Test worker]
c.b.o.backend.BackendApplicationTests : Starting BackendApplicationTests using Java
17.0.1 on pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx with PID 476 (started by
default in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master)
2022-03-01 11:17:13.981 INFO 476 --- [ Test worker]
c.b.o.backend.BackendApplicationTests : The following profiles are active: dev
2022-03-01 11:17:13.981 DEBUG 476 --- [ Test worker] o.s.boot.SpringApplication
: Loading source class com.boehringer.ordgp.backend.BackendApplication
2022-03-01 11:17:14.088 DEBUG 476 --- [ Test worker]
o.s.w.c.s.GenericWebApplicationContext : Refreshing
org.springframework.web.context.support.GenericWebApplicationContext@53314f76
2022-03-01 11:17:15.979 INFO 476 --- [ Test worker]
.s.d.r.c.RepositoryConfigurationDelegate: Bootstrapping Spring Data JPA repositories in
DEFAULT mode.
2022-03-01 11:17:15.996 DEBUG 476 --- [ Test worker] o.s.b.a.AutoConfigurationPackages
: @EnableAutoConfiguration was declared on a class in the package
'com.boehringer.ordgp.backend'. Automatic @Repository and @Entity scanning is enabled.
2022-03-01 11:17:15.998 INFO 476 --- [ Test worker]
.s.d.r.c.RepositoryConfigurationDelegate: Finished Spring Data repository scanning in 6 ms.
Found 0 JPA repository interfaces.
2022-03-01 11:17:18.008 INFO 476 --- [ Test worker] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Starting...
2022-03-01 11:17:18.799 INFO 476 --- [ Test worker] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Start completed.
2022-03-01 11:17:19.019 INFO 476 --- [ Test worker]
o.hibernate.jpa.internal.util.LogHelper: HHH000204: Processing PersistenceUnitInfo [name:
default]
2022-03-01 11:17:19.203 INFO 476 --- [ Test worker] org.hibernate.Version
HHH000412: Hibernate ORM core version 5.6.1. Final
2022-03-01 11:17:19.784 INFO 476 --- [ Test worker]
o.hibernate.annotations.common.Version : HCANN000001: Hibernate Commons
Annotations {5.1.2.Final}
2022-03-01 11:17:20.118 INFO 476 --- [ Test worker] org.hibernate.dialect.Dialect
HHH000400: Using dialect: org.hibernate.dialect.HSQLDialect
2022-03-01 11:17:20.877 INFO 476 --- [ Test worker] o.h.e.t.j.p.i.JtaPlatformInitiator
HHH000490: Using JtaPlatform implementation:
[org.hibernate.engine.transaction.jta.platform.internal.No[taPlatform]
2022-03-01 11:17:20.889 INFO 476 --- [ Test worker]
j. Local Container Entity Manager Factory Bean: Initialized JPA \ Entity Manager Factory \ for
persistence unit 'default'
2022-03-01 11:17:21.519 WARN 476 --- [ Test worker]
JpaBaseConfiguration$JpaWebConfiguration: spring.jpa.open-in-view is enabled by default.
Therefore, database queries may be performed during view rendering. Explicitly configure
spring.jpa.open-in-view to disable this warning
2022-03-01 11:17:23.594 DEBUG 476 --- [ Test worker]
```

s.w.s.m.m.a.RequestMappingHandlerAdapter: ControllerAdvice beans: 0 @ModelAttribute, 0 @InitBinder, 1 RequestBodyAdvice, 1 ResponseBodyAdvice 2022-03-01 11:17:23.807 DEBUG 476 [ Test worker] s.w.s.m.m.a.RequestMappingHandlerMapping: 2 mappings in 'requestMappingHandlerMapping' 2022-03-01 11:17:23.981 DEBUG 476 [ Test worker] o.s.w.s.handler.SimpleUrlHandlerMapping: Patterns [/webjars/**, /**] in 'resourceHandlerMapping' 2022-03-01 11:17:23.997 DEBUG 476 [ Test worker] .m.m.a.ExceptionHandlerExceptionResolver: ControllerAdvice beans: 1 @ExceptionHandler, 1 ResponseBodyAdvice 2022-03-01 11:17:24.876 INFO 476 [ Test worker] .s.s.UserDetailsServiceAutoConfiguration:
Using generated security password: efb4543f-81be-434d-9d4b-2d4759f69822
2022-03-01 11:17:25.395 INFO 476 [ Test worker] o.s.s.web.DefaultSecurityFilterChain : Will secure any request with
[org.spring framework.security.web.context.request.async.WebAsyncManagerIntegrationFilter @ 2a0dda 9e,
org.springframework.security.web.context.SecurityContextPersistenceFilter@d98fc62, org.springframework.security.web.header.HeaderWriterFilter@5d33742,
org.springframework.security.web.csrf.CsrfFilter@6f601ce0,
org.springframework.security.web.authentication.logout.LogoutFilter@71122014,
org.springframework.security.web.authentication.UsernamePasswordAuthenticationFilter@4 cfd3d7e,
org.springframework.security.web.authentication.ui.DefaultLoginPageGeneratingFilter@16c1 fc82,
org. spring framework. security. web. authentication. ui. Default Logout Page Generating Filter @a046448,
org.springframework.security.web.authentication.www.BasicAuthenticationFilter@2d301b0e, org.springframework.security.web.savedrequest.RequestCacheAwareFilter@28ec960b, org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@62dd1498,
org.springframework.security.web.authentication.AnonymousAuthenticationFilter@2741f66d
, org.springframework.security.web.session.SessionManagementFilter@266737c4,
org.springframework.security.web.access.ExceptionTranslationFilter@572c013f,
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@148a3112]
2022-03-01 11:17:25.813 DEBUG 476 [ Test worker]
ConditionEvaluationReportLoggingListener:
CONDITIONS EVALUATION REPORT
CONDITIONS EVALUATION REPORT
Positive matches:

AopAutoConfiguration matched:

- @ConditionalOnProperty (spring.aop.auto=true) matched (OnPropertyCondition)

AopAutoConfiguration.AspectJAutoProxyingConfiguration matched:

- @ConditionalOnClass found required class 'org.aspectj.weaver.Advice' (OnClassCondition)

AopAutoConfiguration.AspectJAutoProxyingConfiguration.CglibAutoProxyConfiguration matched:

 @ConditionalOnProperty (spring.aop.proxy-target-class=true) matched (OnPropertyCondition)

DataSourceAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.sql.DataSource', 'org.springframework.jdbc.datasource.embedded.EmbeddedDatabaseType' (OnClassCondition)
- @ConditionalOnMissingBean (types: io.r2dbc.spi.ConnectionFactory; SearchStrategy: all) did not find any beans (OnBeanCondition)

DataSourceAutoConfiguration.PooledDataSourceConfiguration matched:

- AnyNestedCondition 1 matched 1 did not; NestedCondition on DataSourceAutoConfiguration.PooledDataSourceCondition.PooledDataSourceAvailable PooledDataSource found supported DataSource; NestedCondition on DataSourceAutoConfiguration.PooledDataSourceCondition.ExplicitType @ConditionalOnProperty (spring.datasource.type) did not find property 'type' (DataSourceAutoConfiguration.PooledDataSourceCondition)
- @ConditionalOnMissingBean (types: javax.sql.DataSource,javax.sql.XADataSource; SearchStrategy: all) did not find any beans (OnBeanCondition)

DataSourceConfiguration.Hikari matched:

- @ConditionalOnClass found required class 'com.zaxxer.hikari.HikariDataSource' (OnClassCondition)
- @ConditionalOnProperty (spring.datasource.type=com.zaxxer.hikari.HikariDataSource) matched (OnPropertyCondition)
- @ConditionalOnMissingBean (types: javax.sql.DataSource; SearchStrategy: all) did not find any beans (OnBeanCondition)

DataSourceInitializationConfiguration matched:

- @ConditionalOnClass found required class
- 'org.springframework.jdbc.datasource.init.DatabasePopulator' (OnClassCondition)
- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource'; @ConditionalOnMissingBean (types: org.springframework.boot.autoconfigure.sql.init.SqlDataSourceScriptDatabaseInitializer,org.s pringframework.boot.autoconfigure.sql.init.SqlR2dbcScriptDatabaseInitializer; SearchStrategy: all) did not find any beans (OnBeanCondition)

DataSourcePoolMetadataProvidersConfiguration.HikariPoolDataSourceMetadataProviderConfiguration matched:

- @ConditionalOnClass found required class 'com.zaxxer.hikari.HikariDataSource' (OnClassCondition)

DataSourceTransactionManagerAutoConfiguration matched:

- @ConditionalOnClass found required classes

'org.springframework.jdbc.core.JdbcTemplate',

'org.springframework.transaction.TransactionManager' (OnClassCondition)

DataSourceTransactionManagerAutoConfiguration.JdbcTransactionManagerConfiguration matched:

- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource' (OnBeanCondition)

DispatcherServletAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.web.servlet.DispatcherServlet' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)

 $Dispatcher Servlet Auto Configuration. Dispatcher Servlet Configuration\ matched:$ 

- @ConditionalOnClass found required class 'javax.servlet.ServletRegistration' (OnClassCondition)
- Default DispatcherServlet did not find dispatcher servlet beans (DispatcherServletAutoConfiguration.DefaultDispatcherServletCondition)

DispatcherServletAutoConfiguration.DispatcherServletRegistrationConfiguration matched:

- @ConditionalOnClass found required class 'javax.servlet.ServletRegistration' (OnClassCondition)
- DispatcherServlet Registration did not find servlet registration bean (DispatcherServletAutoConfiguration.DispatcherServletRegistrationCondition)

DispatcherServletAutoConfiguration.DispatcherServletRegistrationConfiguration#dispatcherServletRegistration matched:

- @ConditionalOnBean (names: dispatcherServlet types: org.springframework.web.servlet.DispatcherServlet; SearchStrategy: all) found bean 'dispatcherServlet' (OnBeanCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration matched:

- @ConditionalOnWebApplication (required) found 'session' scope (OnWebApplicationCondition)

 $\label{lem:configuration} Embedded Web Server Factory Customizer Auto Configuration. To mcat Web Server Factory Customizer Configuration matched:$ 

- @ConditionalOnClass found required classes 'org.apache.catalina.startup.Tomcat', 'org.apache.coyote.UpgradeProtocol' (OnClassCondition)

ErrorMvcAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet', 'org.springframework.web.servlet.DispatcherServlet' (OnClassCondition)
  - found 'session' scope (OnWebApplicationCondition)

ErrorMvcAutoConfiguration#basicErrorController matched:

@ConditionalOnMissingBean (types:

org.springframework.boot.web.servlet.error.ErrorController; SearchStrategy: current) did not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration#errorAttributes matched:

- @ConditionalOnMissingBean (types:

org.springframework.boot.web.servlet.error.ErrorAttributes; SearchStrategy: current) did not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration.DefaultErrorViewResolverConfiguration#conventionErrorViewResolver matched:

- @ConditionalOnBean (types: org.springframework.web.servlet.DispatcherServlet; SearchStrategy: all) found bean 'dispatcherServlet'; @ConditionalOnMissingBean (types: org.springframework.boot.autoconfigure.web.servlet.error.ErrorViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration.WhitelabelErrorViewConfiguration matched:

- $\hbox{-} @ Conditional On Property (server.error.whitelabel.enabled) matched \\ (On Property Condition)$
- ErrorTemplate Missing did not find error template view (ErrorMvcAutoConfiguration.ErrorTemplateMissingCondition)

ErrorMvcAutoConfiguration.WhitelabelErrorViewConfiguration#beanNameViewResolver matched:

- @ConditionalOnMissingBean (types: org.springframework.web.servlet.view.BeanNameViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration.WhitelabelErrorViewConfiguration#defaultErrorView matched:

- @ConditionalOnMissingBean (names: error; SearchStrategy: all) did not find any beans (OnBeanCondition)

ErrorPageSecurityFilterConfiguration matched:

@ConditionalOnClass found required class
 'org.springframework.security.web.access.WebInvocationPrivilegeEvaluator'
 (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)

ErrorPageSecurityFilterConfiguration#errorPageSecurityInterceptor matched:

@ConditionalOnBean (types:

org.springframework.security.web.access.WebInvocationPrivilegeEvaluator; SearchStrategy: all) found bean 'privilegeEvaluator' (OnBeanCondition)

GenericCacheConfiguration matched:

- Cache org.springframework.boot.autoconfigure.cache.GenericCacheConfiguration automatic cache type (CacheCondition)

HibernateJpaAutoConfiguration matched:

- @ConditionalOnClass found required classes

'org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean', 'javax.persistence.EntityManager', 'org.hibernate.engine.spi.SessionImplementor'

(OnClassCondition)

HibernateJpaConfiguration matched:

- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource' (OnBeanCondition)

HttpEncodingAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.web.filter.CharacterEncodingFilter' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnProperty (server.servlet.encoding.enabled) matched (OnPropertyCondition)

HttpEncodingAutoConfiguration#characterEncodingFilter matched:

- @ConditionalOnMissingBean (types:

org.springframework.web.filter.CharacterEncodingFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

HttpMessageConvertersAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.http.converter.HttpMessageConverter' (OnClassCondition)

- NoneNestedConditions 0 matched 1 did not; NestedCondition on

HttpMessageConvertersAutoConfiguration.NotReactiveWebApplicationCondition.ReactiveWebApplication did not find reactive web application classes (HttpMessageConvertersAutoConfiguration.NotReactiveWebApplicationCondition)

 $Http Message Converters Auto Configuration \# message Converters\ matched:$ 

- @ConditionalOnMissingBean (types: org.springframework.boot.autoconfigure.http.HttpMessageConverters; SearchStrategy: all) did not find any beans (OnBeanCondition)

HttpMessageConvertersAutoConfiguration.StringHttpMessageConverterConfiguration matched:

@ConditionalOnClass found required class

'org.springframework.http.converter.StringHttpMessageConverter' (OnClassCondition)

HttpMessageConvertersAutoConfiguration.StringHttpMessageConverterConfiguration#stringHttpMessageConverter matched:

@ConditionalOnMissingBean (types:

org.springframework.http.converter.StringHttpMessageConverter; SearchStrategy: all) did not find any beans (OnBeanCondition)

HypermediaAutoConfiguration matched:

- @ConditionalOnClass found required classes

'org.springframework.hateoas.EntityModel',

'org.springframework.web.bind.annotation.RequestMapping',

'org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter', 'org.springframework.plugin.core.Plugin' (OnClassCondition)

- @ConditionalOnWebApplication (required) found 'session' scope (OnWebApplicationCondition)

HypermediaAutoConfiguration#applicationJsonHalConfiguration matched:

- @ConditionalOnClass found required class

'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)

- @ConditionalOnProperty (spring.hateoas.use-hal-as-default-json-media-type) matched (OnPropertyCondition)
  - @ConditionalOnMissingBean (types:

org.springframework.hateoas.mediatype.hal.HalConfiguration; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonAutoConfiguration matched:

- @ConditionalOnClass found required class

'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)

JacksonAutoConfiguration.Jackson2ObjectMapperBuilderCustomizerConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)

JacksonAutoConfiguration.JacksonObjectMapperBuilderConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)

JacksonAutoConfiguration.JacksonObjectMapperBuilderConfiguration#jacksonObjectMapperBuilder matched:

- @ConditionalOnMissingBean (types:

org.springframework.http.converter.json.Jackson2ObjectMapperBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonAutoConfiguration.JacksonObjectMapperConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)

JacksonAutoConfiguration.JacksonObjectMapperConfiguration#jacksonObjectMapper matched:

- @ConditionalOnMissingBean (types: com.fasterxml.jackson.databind.ObjectMapper; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonAutoConfiguration.ParameterNamesModuleConfiguration matched:

- @ConditionalOnClass found required class

'com.fasterxml.jackson.module.paramnames.ParameterNamesModule' (OnClassCondition)

JacksonAutoConfiguration.ParameterNamesModuleConfiguration#parameterNamesModulematched:

- @ConditionalOnMissingBean (types:

com.fasterxml.jackson.module.paramnames.ParameterNamesModule; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonHttpMessageConvertersConfiguration.MappingJackson2HttpMessageConverterConfiguration matched:

- @ConditionalOnClass found required class
- 'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)
- @ConditionalOnProperty (spring.mvc.converters.preferred-json-mapper=jackson) matched (OnPropertyCondition)
- @ConditionalOnBean (types: com.fasterxml.jackson.databind.ObjectMapper; SearchStrategy: all) found bean 'jacksonObjectMapper' (OnBeanCondition)

JacksonHttpMessageConvertersConfiguration.MappingJackson2HttpMessageConverterConfiguration#mappingJackson2HttpMessageConverter matched:

- @ConditionalOnMissingBean (types:

org.springframework.http.converter.json.MappingJackson2HttpMessageConverter ignored: org.springframework.hateoas.server.mvc.TypeConstrainedMappingJackson2HttpMessageConverter,org.springframework.data.rest.webmvc.alps.AlpsJsonHttpMessageConverter; SearchStrategy: all) did not find any beans (OnBeanCondition)

JdbcTemplateAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.sql.DataSource', 'org.springframework.jdbc.core.JdbcTemplate' (OnClassCondition)
- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource' (OnBeanCondition)

JdbcTemplateConfiguration matched:

- @ConditionalOnMissingBean (types: org.springframework.jdbc.core.JdbcOperations; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#entityManagerFactory matched:

- @ConditionalOnMissingBean (types:

org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean,javax.persistence.EntityManagerFactory; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#entityManagerFactoryBuilder matched:

- @ConditionalOnMissingBean (types:

org.springframework.boot.orm.jpa.EntityManagerFactoryBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#jpaVendorAdapter matched:

- @ConditionalOnMissingBean (types: org.springframework.orm.jpa.JpaVendorAdapter; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#transactionManager matched:

- @ConditionalOnMissingBean (types:

org.springframework.transaction.TransactionManager; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration.JpaWebConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.web.servlet.config.annotation.WebMvcConfigurer' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)
- $\hbox{-} @ Conditional On Property (spring.jpa.open-in-view=true) matched \\ (On Property Condition)$

- @ConditionalOnMissingBean (types:

org.springframework.orm.jpa.support.OpenEntityManagerInViewInterceptor,org.springframe work.orm.jpa.support.OpenEntityManagerInViewFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaRepositoriesAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.data.jpa.repository.JpaRepository' (OnClassCondition)

- @ConditionalOnProperty (spring.data.jpa.repositories.enabled=true) matched (OnPropertyCondition)
- @ConditionalOnBean (types: javax.sql.DataSource; SearchStrategy: all) found bean 'dataSource'; @ConditionalOnMissingBean (types: org.springframework.data.jpa.repository.support.JpaRepositoryFactoryBean,org.springframe work.data.jpa.repository.config.JpaRepositoryConfigExtension; SearchStrategy: all) did not

JtaAutoConfiguration matched:

find any beans (OnBeanCondition)

- @ConditionalOnClass found required class 'javax.transaction.Transaction' (OnClassCondition)
  - @ConditionalOnProperty (spring.jta.enabled) matched (OnPropertyCondition)

LifecycleAutoConfiguration#defaultLifecycleProcessor matched:

- @ConditionalOnMissingBean (names: lifecycleProcessor; SearchStrategy: current) did not find any beans (OnBeanCondition)

MultipartAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet', 'org.springframework.web.multipart.support.StandardServletMultipartResolver', 'javax.servlet.MultipartConfigElement' (OnClassCondition)
  - found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnProperty (spring.servlet.multipart.enabled) matched (OnPropertyCondition)

MultipartAutoConfiguration#multipartConfigElement matched:

- @ConditionalOnMissingBean (types:

javax.servlet.MultipartConfigElement,org.springframework.web.multipart.commons.Common sMultipartResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

MultipartAutoConfiguration#multipartResolver matched:

@ConditionalOnMissingBean (types:

org.springframework.web.multipart.MultipartResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

NamedParameter|dbcTemplateConfiguration matched:

- @ConditionalOnSingleCandidate (types: org.springframework.jdbc.core.JdbcTemplate; SearchStrategy: all) found a primary bean from beans 'jdbcTemplate'; @ConditionalOnMissingBean (types:

org.springframework.jdbc.core.namedparam.NamedParameterJdbcOperations; SearchStrategy: all) did not find any beans (OnBeanCondition)

NoOpCacheConfiguration matched:

- Cache org.springframework.boot.autoconfigure.cache.NoOpCacheConfiguration automatic cache type (CacheCondition)

PersistenceExceptionTranslationAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.dao.annotation.PersistenceExceptionTranslationPostProcessor' (OnClassCondition)

PersistenceExceptionTranslationAutoConfiguration#persistenceExceptionTranslationPostProcessor matched:

- $\hbox{-} @ Conditional On Property (spring. dao. exception translation. enabled) matched (On Property Condition)\\$ 
  - @ConditionalOnMissingBean (types:

org.springframework.dao.annotation.PersistenceExceptionTranslationPostProcessor; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $Property Placeholder Auto Configuration \#property Sources Placeholder Configurer\ matched:$ 

- @ConditionalOnMissingBean (types:

org.springframework.context.support.PropertySourcesPlaceholderConfigurer; SearchStrategy: current) did not find any beans (OnBeanCondition)

RepositoryRestMvcAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.data.rest.webmvc.config.RepositoryRestMvcConfiguration' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnMissingBean (types:

org.springframework.data.rest.webmvc.config.RepositoryRestMvcConfiguration; SearchStrategy: all) did not find any beans (OnBeanCondition)

RestTemplateAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.web.client.RestTemplate' (OnClassCondition)

- NoneNestedConditions 0 matched 1 did not; NestedCondition on

RestTemplateAutoConfiguration.NotReactiveWebApplicationCondition.ReactiveWebApplication did not find reactive web application classes

(RestTemplateAutoConfiguration.NotReactiveWebApplicationCondition)

RestTemplateAutoConfiguration#restTemplateBuilder matched:

- @ConditionalOnMissingBean (types:

org.springframework.boot.web.client.RestTemplateBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

RestTemplateAutoConfiguration#restTemplateBuilderConfigurer matched:

- @ConditionalOnMissingBean (types:

org.springframework.boot.autoconfigure.web.client.RestTemplateBuilderConfigurer; SearchStrategy: all) did not find any beans (OnBeanCondition)

SecurityAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.security.authentication.DefaultAuthenticationEventPublisher' (OnClassCondition)

SecurityAutoConfiguration#authenticationEventPublisher matched:

- @ConditionalOnMissingBean (types:

org.springframework.security.authentication.AuthenticationEventPublisher; SearchStrategy: all) did not find any beans (OnBeanCondition)

SecurityFilterAutoConfiguration matched:

- @ConditionalOnClass found required classes

'org.springframework.security.web.context.AbstractSecurityWebApplicationInitializer', 'org.springframework.security.config.http.SessionCreationPolicy' (OnClassCondition)

found 'session' scope (OnWebApplicationCondition)

SecurityFilterAutoConfiguration#securityFilterChainRegistration matched:

- @ConditionalOnBean (names: springSecurityFilterChain; SearchStrategy: all) found bean 'springSecurityFilterChain' (OnBeanCondition)

ServletWebServerFactoryAutoConfiguration matched:

- @ConditionalOnClass found required class 'javax.servlet.ServletRequest' (OnClassCondition)
  - found 'session' scope (OnWebApplicationCondition)

ServletWebServerFactoryAutoConfiguration#tomcatServletWebServerFactoryCustomizer matched:

- @ConditionalOnClass found required class 'org.apache.catalina.startup.Tomcat' (OnClassCondition)

ServletWebServerFactoryConfiguration.EmbeddedTomcat matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet', 'org.apache.catalina.startup.Tomcat', 'org.apache.coyote.UpgradeProtocol' (OnClassCondition)
  - @ConditionalOnMissingBean (types:

org.springframework.boot.web.servlet.server.ServletWebServerFactory; SearchStrategy: current) did not find any beans (OnBeanCondition)

SimpleCacheConfiguration matched:

- Cache org.springframework.boot.autoconfigure.cache.SimpleCacheConfiguration automatic cache type (CacheCondition)

SpringBootWebSecurityConfiguration matched:

- found 'session' scope (OnWebApplicationCondition)
- AllNestedConditions 2 matched 0 did not; NestedCondition on

DefaultWebSecurityCondition.Beans @ConditionalOnMissingBean (types: org.springframework.security.config.annotation.web.configuration.WebSecurityConfigurerAd apter,org.springframework.security.web.SecurityFilterChain; SearchStrategy: all) did not find any beans; NestedCondition on DefaultWebSecurityCondition.Classes @ConditionalOnClass found required classes 'org.springframework.security.web.SecurityFilterChain', 'org.springframework.security.config.annotation.web.builders.HttpSecurity' (DefaultWebSecurityCondition)

SqlInitializationAutoConfiguration matched:

- @ConditionalOnProperty (spring.sql.init.enabled) matched (OnPropertyCondition)
- NoneNestedConditions 0 matched 1 did not; NestedCondition on

SqlInitializationAutoConfiguration.SqlInitializationModeCondition.ModeIsNever @ConditionalOnProperty (spring.sql.init.mode=never) did not find property 'mode' (SqlInitializationAutoConfiguration.SqlInitializationModeCondition)

TaskExecutionAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.scheduling.concurrent.ThreadPoolTaskExecutor' (OnClassCondition)

TaskExecutionAutoConfiguration#applicationTaskExecutor matched:

- @ConditionalOnMissingBean (types: java.util.concurrent.Executor; SearchStrategy: all) did not find any beans (OnBeanCondition)

TaskExecutionAutoConfiguration#taskExecutorBuilder matched:

- @ConditionalOnMissingBean (types:

org.springframework.boot.task.TaskExecutorBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

TaskSchedulingAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.scheduling.concurrent.ThreadPoolTaskScheduler' (OnClassCondition)

TaskSchedulingAutoConfiguration#taskSchedulerBuilder matched:

- @ConditionalOnMissingBean (types:

org.springframework.boot.task.TaskSchedulerBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.transaction.PlatformTransactionManager' (OnClassCondition)

TransactionAutoConfiguration#platformTransactionManagerCustomizers matched:

- @ConditionalOnMissingBean (types:

org.springframework.boot.autoconfigure.transaction.TransactionManagerCustomizers; SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration.EnableTransactionManagementConfiguration matched:

- @ConditionalOnBean (types: org.springframework.transaction.TransactionManager; SearchStrategy: all) found bean 'transactionManager'; @ConditionalOnMissingBean (types: org.springframework.transaction.annotation.AbstractTransactionManagementConfiguration; SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration.EnableTransactionManagementConfiguration.CglibAutoProxyConfiguration matched:

- @ConditionalOnProperty (spring.aop.proxy-target-class=true) matched (OnPropertyCondition)

TransactionAutoConfiguration.TransactionTemplateConfiguration matched:

@ConditionalOnSingleCandidate (types:

org.springframework.transaction.PlatformTransactionManager; SearchStrategy: all) found a primary bean from beans 'transactionManager' (OnBeanCondition)

TransactionAutoConfiguration.TransactionTemplateConfiguration#transactionTemplate matched:

- @ConditionalOnMissingBean (types:

org.springframework.transaction.support.TransactionOperations; SearchStrategy: all) did not find any beans (OnBeanCondition)

UserDetailsServiceAutoConfiguration matched:

- @ConditionalOnClass found required class

 $'org.spring framework.security. authentication. Authentication Manager' \ (On Class Condition)\\$ 

- @ConditionalOnBean (types:

org.springframework.security.config.annotation.ObjectPostProcessor; SearchStrategy: all) found bean 'objectPostProcessor'; @ConditionalOnMissingBean (types:

org.springframework.security.authentication.AuthenticationManager,org.springframework.se curity.authentication.AuthenticationProvider,org.springframework.security.core.userdetails.U serDetailsService,org.springframework.security.authentication.AuthenticationManagerResolv er,org.springframework.security.oauth2.jwt.JwtDecoder,org.springframework.security.oauth2 .server.resource.introspection.OpaqueTokenIntrospector,org.springframework.security.oauth2 .client.registration.ClientRegistrationRepository; SearchStrategy: all) did not find any beans (OnBeanCondition)

### WebMvcAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet',

'org.springframework.web.servlet.DispatcherServlet',

'org.springframework.web.servlet.config.annotation.WebMvcConfigurer' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnMissingBean (types:

org.springframework.web.servlet.config.annotation.WebMvcConfigurationSupport; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration#formContentFilter matched:

- @ConditionalOnProperty (spring.mvc.formcontent.filter.enabled) matched (OnPropertyCondition)
- @ConditionalOnMissingBean (types: org.springframework.web.filter.FormContentFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.EnableWebMvcConfiguration#flashMapManager matched:

- @ConditionalOnMissingBean (names: flashMapManager; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $Web {\tt MvcAutoConfiguration.} Enable {\tt WebMvcConfiguration\#localeResolver} \ matched:$ 

- @ConditionalOnMissingBean (names: localeResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.EnableWebMvcConfiguration#themeResolver matched:

- @ConditionalOnMissingBean (names: themeResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.WebMvcAutoConfigurationAdapter#defaultViewResolver matched:

- @ConditionalOnMissingBean (types: org.springframework.web.servlet.view.InternalResourceViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration. WebMvcAutoConfigurationAdapter # requestContextFilter matched:

- @ConditionalOnMissingBean (types: org.springframework.web.context.request.RequestContextListener,org.springframework.web .filter.RequestContextFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.WebMvcAutoConfigurationAdapter#viewResolver matched:

- @ConditionalOnBean (types: org.springframework.web.servlet.ViewResolver; SearchStrategy: all) found beans 'defaultViewResolver', 'beanNameViewResolver', 'mvcViewResolver'; @ConditionalOnMissingBean (names: viewResolver types: org.springframework.web.servlet.view.ContentNegotiatingViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebSecurityEnablerConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.security.config.annotation.web.configuration.EnableWebSecurity' (OnClassCondition)
  - found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnMissingBean (names: springSecurityFilterChain; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebSocketServletAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet', 'javax.websocket.server.ServerContainer' (OnClassCondition)
  - found 'session' scope (OnWebApplicationCondition)

 $WebSocket Servlet Auto Configuration. To mcat WebSocket Configuration\ matched:$ 

- @ConditionalOnClass found required classes 'org.apache.catalina.startup.Tomcat', 'org.apache.tomcat.websocket.server.WsSci' (OnClassCondition)

WebSocketServletAutoConfiguration.TomcatWebSocketConfiguration#websocketServletWebServerCustomizer matched:

- @ConditionalOnMissingBean (names: websocketServletWebServerCustomizer; SearchStrategy: all) did not find any beans (OnBeanCondition)

vegative	matches	•

ActiveMQAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.jms.ConnectionFactory' (OnClassCondition)

 $A op Auto Configuration. A spect JAuto Proxying Configuration. Jdk Dynamic Auto Proxy Configuration\\.$ 

Did not match:

- @ConditionalOnProperty (spring.aop.proxy-target-class=false) did not find property 'proxy-target-class' (OnPropertyCondition)

AopAutoConfiguration.ClassProxyingConfiguration:

Did not match:

- @ConditionalOnMissingClass found unwanted class 'org.aspectj.weaver.Advice' (OnClassCondition)

#### ArtemisAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.jms.ConnectionFactory' (OnClassCondition)

### AtomikosJtaConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'com.atomikos.icatch.jta.UserTransactionManager' (OnClassCondition)

## BatchAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.batch.core.launch.JobLauncher' (OnClassCondition)

## CacheAutoConfiguration:

Did not match:

- @ConditionalOnBean (types:

org.springframework.cache.interceptor.CacheAspectSupport; SearchStrategy: all) did not find any beans of type org.springframework.cache.interceptor.CacheAspectSupport (OnBeanCondition)

Matched:

- @ConditionalOnClass found required class

'org.springframework.cache.CacheManager' (OnClassCondition)

CacheAutoConfiguration.CacheManagerEntityManagerFactoryDependsOnPostProcessor: Did not match:

 $- Ancestor\ org. spring framework. boot. autoconfigure. cache. Cache Auto Configuration\ did not\ match\ (Condition Evaluation Report. Ancestors Matched Condition)$ 

Matched:

- @ConditionalOnClass found required class

'org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean' (OnClassCondition)

#### CaffeineCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.github.benmanes.caffeine.cache.Caffeine' (OnClassCondition)

#### CassandraAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

## CassandraDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

### Cass and raReactive Data Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

## CassandraReactiveRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.cassandra.ReactiveSession' (OnClassCondition)

### CassandraRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

### ClientHttpConnectorAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.function.client.WebClient' (OnClassCondition)

#### CodecsAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.function.client.WebClient' (OnClassCondition)

# CouchbaseAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster' (OnClassCondition)

## CouchbaseCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster' (OnClassCondition)

### CouchbaseDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Bucket' (OnClassCondition)

### CouchbaseReactiveDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster' (OnClassCondition)

CouchbaseReactiveRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster' (OnClassCondition)

CouchbaseRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Bucket' (OnClassCondition)

Data Source Auto Configuration. Embedded Database Configuration:

Did not match:

- EmbeddedDataSource found supported pooled data source (DataSourceAutoConfiguration.EmbeddedDatabaseCondition)

DataSourceConfiguration.Dbcp2:

Did not match:

- @ConditionalOnClass did not find required class
 'org.apache.commons.dbcp2.BasicDataSource' (OnClassCondition)

DataSourceConfiguration.Generic:

Did not match:

- @ConditionalOnProperty (spring.datasource.type) did not find property 'spring.datasource.type' (OnPropertyCondition)

DataSourceConfiguration.OracleUcp:

Did not match:

- @ConditionalOnClass did not find required classes 'oracle.ucp.jdbc.PoolDataSourceImpl', 'oracle.jdbc.OracleConnection' (OnClassCondition)

DataSourceConfiguration.Tomcat:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.tomcat.jdbc.pool.DataSource' (OnClassCondition)

DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration:

Did not match:

- AnyNestedCondition 0 matched 2 did not; NestedCondition on

DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitialization Configuration.DifferentCredentialsCondition.DataCredentials @ConditionalOnProperty (spring.datasource.data-username) did not find property 'data-username'; NestedCondition on

DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.DifferentCredentialsCondition.SchemaCredentials @ConditionalOnProperty (spring.datasource.schema-username) did not find property 'schema-username' (DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.InitializationConfigurationC

nConfiguration.DifferentCredentialsCondition)

 $\label{lem:decomposition} Data Source Initialization Configuration. Shared Credentials Data Source Initialization Configuration:$ 

Did not match:

- DataSource Initialization did not find configured properties spring.datasource.data-username, spring.datasource.schema-password, spring.datasource.schema[0], spring.datasource.data[0], spring.datasource.data, spring.datasource.schema-username, spring.datasource.data-password, spring.datasource.initialization-mode, spring.datasource.schema, spring.datasource.sql-script-encoding, spring.datasource.separator, spring.datasource.platform, spring.datasource.continue-on-error

(Data Source Initialization Configuration. Shared Credentials Data Source Initialization Configuration. Data Source Initialization Condition)

DataSourceJmxConfiguration:

Did not match:

- @ConditionalOnProperty (spring.jmx.enabled=true) found different value in property 'enabled' (OnPropertyCondition)

DataSourcePoolMetadataProvidersConfiguration.CommonsDbcp2PoolDataSourceMetadataProviderConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.commons.dbcp2.BasicDataSource' (OnClassCondition)

DataSourcePoolMetadataProvidersConfiguration.OracleUcpPoolDataSourceMetadataProvider Configuration:

Did not match:

- @ConditionalOnClass did not find required classes 'oracle.ucp.jdbc.PoolDataSource', 'oracle.jdbc.OracleConnection' (OnClassCondition)

DataSourcePoolMetadataProvidersConfiguration.TomcatDataSourcePoolMetadataProviderConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.tomcat.jdbc.pool.DataSource' (OnClassCondition)

Data Source Transaction Manager Auto Configuration. Jdbc Transaction Manager Configuration # transaction Manager + transaction Man

Did not match:

- @ConditionalOnMissingBean (types:

org.springframework.transaction.TransactionManager; SearchStrategy: all) found beans of type 'org.springframework.transaction.TransactionManager' transactionManager (OnBeanCondition)

DispatcherServletAutoConfiguration.DispatcherServletConfiguration#multipartResolver: Did not match:

- @ConditionalOnBean (types: org.springframework.web.multipart.MultipartResolver; SearchStrategy: all) did not find any beans of type org.springframework.web.multipart.MultipartResolver (OnBeanCondition)

### EhCacheConfiguration:

Did not match:

 @ConditionalOnClass did not find required class 'net.sf.ehcache.Cache' (OnClassCondition)

# ElasticsearchDataAutoConfiguration:

Did not match:

@ConditionalOnClass did not find required class
 'org.springframework.data.elasticsearch.core.ElasticsearchRestTemplate'
 (OnClassCondition)

ElasticsearchRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.elasticsearch.client.Client' (OnClassCondition)

 ${\bf Elastic search Rest Client Auto Configuration:}$ 

Did not match:

- @ConditionalOnClass did not find required class 'org.elasticsearch.client.RestClientBuilder' (OnClassCondition)

# EmbeddedLdap Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'com.unboundid.ldap.listener.InMemoryDirectoryServer' (OnClassCondition)

## EmbeddedMongoAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.MongoClientSettings' (OnClassCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.JettyWebServerFactoryCustomizer Configuration:

Did not match:

- @ConditionalOnClass did not find required classes 'org.eclipse.jetty.server.Server', 'org.eclipse.jetty.util.Loader', 'org.eclipse.jetty.webapp.WebAppContext' (OnClassCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.NettyWebServerFactoryCustomizerConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.netty.http.server.HttpServer' (OnClassCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.UndertowWebServerFactoryCustomizerConfiguration:

Did not match:

@ConditionalOnClass did not find required classes 'io.undertow.Undertow', 'org.xnio.SslClientAuthMode' (OnClassCondition)

### ErrorWebFluxAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.config.WebFluxConfigurer' (OnClassCondition)

#### FlywayAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.flywaydb.core.Flyway' (OnClassCondition)

### FreeMarkerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'freemarker.template.Configuration' (OnClassCondition)

## Groovy Template Auto Configuration:

Did not match:

@ConditionalOnClass did not find required class
 'groovy.text.markup.MarkupTemplateEngine' (OnClassCondition)

## GsonAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.google.gson.Gson' (OnClassCondition)

## GsonHttpMessageConvertersConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.google.gson.Gson' (OnClassCondition)

#### H2ConsoleAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.h2.console.enabled=true) did not find property 'enabled' (OnPropertyCondition)

Matched:

- $\hbox{-} @ Conditional On Class found required class 'org.h2.server.web. Web Servlet' (On Class Condition)\\$ 
  - found 'session' scope (OnWebApplicationCondition)

### HazelcastAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.hazelcast.core.HazelcastInstance' (OnClassCondition)

HazelcastCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.hazelcast.core.HazelcastInstance' (OnClassCondition)

HazelcastJpaDependencyAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.hazelcast.core.HazelcastInstance' (OnClassCondition)

HttpHandlerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.DispatcherHandler' (OnClassCondition)

HypermediaAutoConfiguration. HypermediaConfiguration:

Did not match:

- @ConditionalOnMissingBean (types:

org.springframework.hateoas.client.LinkDiscoverers; SearchStrategy: all) found beans of type 'org.springframework.hateoas.client.LinkDiscoverers' linkDiscoverers (OnBeanCondition)

Matched:

- @ConditionalOnClass found required class 'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)

InfinispanCacheConfiguration:

Did not match:

@ConditionalOnClass did not find required class
 'org.infinispan.spring.embedded.provider.SpringEmbeddedCacheManager'
 (OnClassCondition)

InfluxDbAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.influxdb.InfluxDB' (OnClassCondition)

IntegrationAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.integration.config.EnableIntegration' (OnClassCondition)

JCacheCacheConfiguration:

Did not match:

 @ConditionalOnClass did not find required class 'javax.cache.Caching' (OnClassCondition)

Did not match:

- @ConditionalOnClass did not find required class

'com.fasterxml.jackson.dataformat.xml.XmlMapper' (OnClassCondition)

JdbcRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.jdbc.repository.config.AbstractJdbcConfiguration' (OnClassCondition)

## JerseyAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.glassfish.jersey.server.spring.SpringComponentProvider' (OnClassCondition)

### JmsAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.jms.Message' (OnClassCondition)

#### ImxAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.jmx.enabled=true) found different value in property 'enabled' (OnPropertyCondition)

Matched:

- @ConditionalOnClass found required class 'org.springframework.jmx.export.MBeanExporter' (OnClassCondition)

## JndiConnectionFactoryAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.jms.core.JmsTemplate' (OnClassCondition)

#### IndiDataSourceAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.datasource.jndi-name) did not find property 'jndi-name' (OnPropertyCondition)

Matched:

- @ConditionalOnClass found required classes 'javax.sql.DataSource', 'org.springframework.jdbc.datasource.embedded.EmbeddedDatabaseType' (OnClassCondition)

## JndiJtaConfiguration:

Did not match:

- @ConditionalOnJndi JNDI environment is not available (OnJndiCondition)
- @ConditionalOnClass found required class 'org.springframework.transaction.jta.JtaTransactionManager' (OnClassCondition)

## JooqAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.jooq.DSLContext' (OnClassCondition)

JpaRepositoriesAutoConfiguration#entityManagerFactoryBootstrapExecutorCustomizer: Did not match:

- AnyNestedCondition 0 matched 2 did not; NestedCondition on JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition.LazyBootstrapMode @ConditionalOnProperty (spring.data.jpa.repositories.bootstrap-mode=lazy) did not find property 'bootstrap-mode'; NestedCondition on JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition.DeferredBootstrapMode @ConditionalOnProperty (spring.data.jpa.repositories.bootstrap-mode=deferred) did not find property 'bootstrap-mode' (JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition)

## JsonbAutoConfiguration:

Did not match:

 @ConditionalOnClass did not find required class 'javax.json.bind.Jsonb' (OnClassCondition)

### JsonbHttpMessageConvertersConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.json.bind.Jsonb' (OnClassCondition)

### KafkaAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.kafka.core.KafkaTemplate' (OnClassCondition)

## LdapAutoConfiguration:

Did not match:

@ConditionalOnClass did not find required class
 'org.springframework.ldap.core.ContextSource' (OnClassCondition)

#### LdapRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.ldap.repository.LdapRepository' (OnClassCondition)

### LiquibaseAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'liquibase.change.DatabaseChange' (OnClassCondition)

# MailSenderAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.mail.internet.MimeMessage' (OnClassCondition)

### MailSenderValidatorAutoConfiguration:

Did not match:

- @ConditionalOnSingleCandidate did not find required type 'org.springframework.mail.javamail.JavaMailSenderImpl' (OnBeanCondition)

### MessageSourceAutoConfiguration:

Did not match:

- ResourceBundle did not find bundle with basename messages (MessageSourceAutoConfiguration.ResourceBundleCondition)

## MongoAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.client.MongoClient' (OnClassCondition)

#### MongoDataAutoConfiguration:

Did not match:

 @ConditionalOnClass did not find required class 'com.mongodb.client.MongoClient' (OnClassCondition)

### MongoReactiveAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.reactivestreams.client.MongoClient' (OnClassCondition)

#### MongoReactiveDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.reactivestreams.client.MongoClient' (OnClassCondition)

## MongoReactiveRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.reactivestreams.client.MongoClient' (OnClassCondition)

### MongoRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.client.MongoClient' (OnClassCondition)

### MustacheAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.samskivert.mustache.Mustache' (OnClassCondition)

## Neo4jAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

#### Neo4jDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

#### Neo4jReactiveDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

Neo4jReactiveRepositoriesAutoConfiguration:

Did not match:

 @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

Neo4jRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

### NettyAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.netty.util.NettyRuntime' (OnClassCondition)

### OAuth2ClientAutoConfiguration:

Did not match:

 @ConditionalOnClass did not find required class 'org.springframework.security.oauth2.client.registration.ClientRegistration' (OnClassCondition)

## OAuth2ResourceServerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.security.oauth2.server.resource.BearerTokenAuthenticationToken' (OnClassCondition)

ProjectInfoAutoConfiguration#buildProperties:

Did not match:

- @ConditionalOnResource did not find resource

'\${spring.info.build.location:classpath:META-INF/build-info.properties}' (OnResourceCondition)

ProjectInfoAutoConfiguration#gitProperties:

Did not match:

- GitResource did not find git info at classpath:git.properties (ProjectInfoAutoConfiguration.GitResourceAvailableCondition)

# QuartzAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.quartz.Scheduler' (OnClassCondition)

## R2dbcAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.r2dbc.spi.ConnectionFactory' (OnClassCondition)

### R2dbcDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.r2dbc.core.R2dbcEntityTemplate' (OnClassCondition)

## R2dbcInitializationConfiguration:

Did not match:

- @ConditionalOnClass did not find required classes 'io.r2dbc.spi.ConnectionFactory', 'org.springframework.r2dbc.connection.init.DatabasePopulator' (OnClassCondition)

### R2dbcRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.r2dbc.spi.ConnectionFactory' (OnClassCondition)

### R2dbcTransactionManagerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.r2dbc.connection.R2dbcTransactionManager' (OnClassCondition)

## RSocketMessagingAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.rsocket.RSocket' (OnClassCondition)

## RSocketRequesterAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.rsocket.RSocket' (OnClassCondition)

## RSocketSecurityAutoConfiguration:

Did not match:

@ConditionalOnClass did not find required class
 'org.springframework.security.rsocket.core.SecuritySocketAcceptorInterceptor'
 (OnClassCondition)

# RSocketServerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.rsocket.core.RSocketServer' (OnClassCondition)

#### RSocketStrategiesAutoConfiguration:

Did not match:

@ConditionalOnClass did not find required class
 'io.netty.buffer.PooledByteBufAllocator' (OnClassCondition)

## RabbitAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.rabbitmq.client.Channel' (OnClassCondition)

Reactive Elastic search Repositories Auto Configuration:

Did not match:

@ConditionalOnClass did not find required class
 'org.springframework.data.elasticsearch.client.reactive.ReactiveElasticsearchClient'
 (OnClassCondition)

Reactive Elastic search Rest Client Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.netty.http.client.HttpClient' (OnClassCondition)

ReactiveMultipartAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class
 'org.springframework.web.reactive.config.WebFluxConfigurer' (OnClassCondition)

ReactiveOAuth2ClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux' (OnClassCondition)

ReactiveOAuth2ResourceServerAutoConfiguration:

Did not match:

- @ConditionalOnWebApplication did not find reactive web application classes (OnWebApplicationCondition)

ReactiveSecurityAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux' (OnClassCondition)

ReactiveUserDetailsServiceAutoConfiguration:

Did not match:

- AnyNestedCondition 0 matched 2 did not; NestedCondition on

ReactiveUserDetailsServiceAutoConfiguration.ReactiveUserDetailsServiceCondition.Reactive WebApplicationCondition did not find reactive web application classes; NestedCondition on ReactiveUserDetailsServiceAutoConfiguration.ReactiveUserDetailsServiceCondition.RSocket SecurityEnabledCondition @ConditionalOnBean (types:

org.springframework.messaging.rsocket.annotation.support.RSocketMessageHandler; SearchStrategy: all) did not find any beans of type

org.springframework.messaging.rsocket.annotation.support.RSocketMessageHandler (ReactiveUserDetailsServiceAutoConfiguration.ReactiveUserDetailsServiceCondition)

Matched:

- @ConditionalOnClass found required class

'org.springframework.security.authentication.ReactiveAuthenticationManager' (OnClassCondition)

ReactiveWebServerFactoryAutoConfiguration:

Did not match:

- @ConditionalOnWebApplication did not find reactive web application classes

### (OnWebApplicationCondition)

### RedisAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.redis.core.RedisOperations' (OnClassCondition)

### RedisCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.redis.connection.RedisConnectionFactory' (OnClassCondition)

#### RedisReactiveAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux' (OnClassCondition)

### RedisRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.redis.repository.configuration.EnableRedisRepositories' (OnClassCondition)

### Saml2RelyingPartyAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.security.saml2.provider.service.registration.RelyingPartyRegistrationRepository' (OnClassCondition)

#### SecurityDataConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

 $'org.spring framework.security.data.repository.query.Security Evaluation Context Extension' \\ (On Class Condition)$ 

### SendGridAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.sendgrid.SendGrid' (OnClassCondition)

## Servlet Web Server Factory Auto Configuration # forwarded Header Filter:

Did not match:

- @ConditionalOnProperty (server.forward-headers-strategy=framework) did not find property 'server.forward-headers-strategy' (OnPropertyCondition)

#### ServletWebServerFactoryConfiguration.EmbeddedJetty:

Did not match:

- @ConditionalOnClass did not find required classes 'org.eclipse.jetty.server.Server', 'org.eclipse.jetty.util.Loader', 'org.eclipse.jetty.webapp.WebAppContext' (OnClassCondition)

ServletWebServerFactoryConfiguration.EmbeddedUndertow:

Did not match:

- @ConditionalOnClass did not find required classes 'io.undertow.Undertow', 'org.xnio.SslClientAuthMode' (OnClassCondition)

## SessionAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.session.Session' (OnClassCondition)

### SolrAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.solr.client.solrj.impl.CloudSolrClient' (OnClassCondition)

### SpringApplicationAdminJmxAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.application.admin.enabled=true) did not find property 'enabled' (OnPropertyCondition)

## SpringDataWebAutoConfiguration:

Did not match:

- @ConditionalOnMissingBean (types:

org.springframework.data.web.PageableHandlerMethodArgumentResolver; SearchStrategy: all) found beans of type

'org.springframework.data.web.PageableHandlerMethodArgumentResolver' pageableResolver (OnBeanCondition)

Matched:

- @ConditionalOnClass found required classes

'org.springframework.data.web.PageableHandlerMethodArgumentResolver',

'org.springframework.web.servlet.config.annotation.WebMvcConfigurer' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)

## TaskSchedulingAutoConfiguration#taskScheduler:

Did not match:

- @ConditionalOnBean (names:

org.springframework.context.annotation.internalScheduledAnnotationProcessor; SearchStrategy: all) did not find any beans named org.springframework.context.annotation.internalScheduledAnnotationProcessor (OnBeanCondition)

## ThymeleafAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.thymeleaf.spring5.SpringTemplateEngine' (OnClassCondition)

#### TransactionAutoConfiguration#transactionalOperator:

Did not match:

- @ConditionalOnSingleCandidate (types:

org.springframework.transaction.ReactiveTransactionManager; SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration.EnableTransactionManagementConfiguration.JdkDynamicAuto ProxyConfiguration:

Did not match:

- @ConditionalOnProperty (spring.aop.proxy-target-class=false) did not find property 'proxy-target-class' (OnPropertyCondition)

ValidationAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class
 'javax.validation.executable.ExecutableValidator' (OnClassCondition)

WebClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.function.client.WebClient' (OnClassCondition)

WebFluxAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.config.WebFluxConfigurer' (OnClassCondition)

WebMvcAutoConfiguration#hiddenHttpMethodFilter:

Did not match:

- @ConditionalOnProperty (spring.mvc.hiddenmethod.filter.enabled) did not find property 'enabled' (OnPropertyCondition)

WebMvcAutoConfiguration. Resource Chain Customizer Configuration:

Did not match:

- @ConditionalOnEnabledResourceChain did not find class org.webjars.WebJarAssetLocator (OnEnabledResourceChainCondition)

WebMvcAutoConfiguration.WebMvcAutoConfigurationAdapter#beanNameViewResolver: Did not match:

- @ConditionalOnMissingBean (types:

org.springframework.web.servlet.view.BeanNameViewResolver; SearchStrategy: all) found beans of type 'org.springframework.web.servlet.view.BeanNameViewResolver' beanNameViewResolver (OnBeanCondition)

WebServiceTemplateAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.oxm.Marshaller' (OnClassCondition)

WebServicesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.ws.transport.http.MessageDispatcherServlet' (OnClassCondition)

WebSessionIdResolverAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Mono' (OnClassCondition)

WebSocketMessagingAutoConfiguration:

Did not match:

@ConditionalOnClass did not find required class
 'org.springframework.web.socket.config.annotation.WebSocketMessageBrokerConfigurer'
 (OnClassCondition)

WebSocketReactiveAutoConfiguration:

Did not match:

- @ConditionalOnWebApplication did not find reactive web application classes (OnWebApplicationCondition)

WebSocket Servlet Auto Configuration. Jetty 10 WebSocket Configuration:

Did not match:

- @ConditionalOnClass did not find required classes

'org.eclipse.jetty.websocket.javax.server.internal.JavaxWebSocketServerContainer', 'org.eclipse.jetty.websocket.server.JettyWebSocketServerContainer' (OnClassCondition)

WebSocket Servlet Auto Configuration. Jetty WebSocket Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'org.eclipse.jetty.websocket.jsr356.server.deploy.WebSocketServerContainerInitializer' (OnClassCondition)

Web Socket Servlet Auto Configuration. Under tow Web Socket Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'io.undertow.websockets.jsr.Bootstrap' (OnClassCondition)

XADataSourceAutoConfiguration:

Did not match:

- @ConditionalOnBean (types: org.springframework.boot.jdbc.XADataSourceWrapper; SearchStrategy: all) did not find any beans of type org.springframework.boot.jdbc.XADataSourceWrapper (OnBeanCondition)

Matched:

- @ConditionalOnClass found required classes 'javax.sql.DataSource', 'javax.transaction.TransactionManager',

'org.springframework.jdbc.datasource.embedded.EmbeddedDatabaseType' (OnClassCondition)

Exclusions:	
None	
Unconditional classes:	

 $org. spring framework. boot. autoconfigure. context. Configuration Properties Auto Configuration \\ org. spring framework. boot. autoconfigure. context. Lifecycle Auto Configuration \\ org. spring framework. boot. autoconfigure. context. Property Placeholder Auto Configuration \\ org. spring framework. boot. autoconfigure. context. Property Placeholder Auto Configuration \\ org. spring framework. boot. autoconfigure. \\ org. spring framework. boot. autoconfigure. \\ org. spring framework. \\ boot. \\ org. spring framework. \\ boot. \\ org. spring framework. \\ boot. \\ org. \\ org$ 

org.springframework.boot.autoconfigure.availability.ApplicationAvailabilityAutoConfiguration org.springframework.boot.autoconfigure.info.ProjectInfoAutoConfiguration

2022-03-01 11:17:25.979 INFO 476 --- [ Test worker]

c.b.o.backend.BackendApplicationTests : Started BackendApplicationTests in 12.991 seconds (JVM running for 16.982)

2022-03-01 11:17:25.981 DEBUG 476 --- [ Test worker] o.s.b.a.ApplicationAvailabilityBean : Application availability state LivenessState changed to CORRECT

2022-03-01 11:17:25.983 DEBUG 476 --- [ Test worker] o.s.b.a.ApplicationAvailabilityBean : Application availability state ReadinessState changed to ACCEPTING\_TRAFFIC

The item is added to the cart

The item is added to the cart

The item is added to the cart

, systemErr:]]]]]]

[Pipeline] echo

2022-03-01 11:19:05Z Resurrected DTR for backend -> (false)

[Pipeline] echo

DEBUG: Retrieving saved document history with name 'documentHistory-D-DTR-backend' in workspace '/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace'. [Pipeline] readFile

[Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-D-DTR-backend.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[], epics:[], mitigations:[], requirements:[[key:ORDGP-125, action:add]], risks:[], techSpecs:[], tests:[[key:ORDGP-137, action:add], [key:ORDGP-138, action:add], [key:ORDGP-139, action:add]], docs:[[key:ORDGP-56, action:add, documents:[DTR], number:7, heading:Document History], [key:ORDGP-53, action:add, documents:[DTR], number:6, heading:Reference Documents], [key:ORDGP-52, action:add, documents:[DTP, DTR], number:5.2, heading:Abbreviations], [key:ORDGP-51, action:add, documents:[DTP, DTR], number:5.1, heading:Definitions]]]

+ which sonar-scanner

/usr/local/sonar-scanner-cli/bin/sonar-scanner

[Pipeline] echo

```
DEBUG: Creating a new history entry with version 1 for DTR-backend
[Pipeline] sh
+ sonar-scanner -Dsonar.host.url=https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com -Dsonar.auth.token=***** -Dsonar.scm.provider=git -
Dsonar.projectKey=ordgp-frontend -Dsonar.projectName=ordgp-frontend -
Dsonar.projectVersion=c385c58e -X -Dsonar.branch.name=master
11:19:06.221 INFO: Scanner configuration file: /usr/local/sonar-scanner-cli/conf/sonar-
scanner.properties
11:19:06.223 INFO: Project root configuration file: /tmp/workspace/ordgp-cd/ordgp-cd-
releasemanager-master/sonar-project.properties
11:19:06.255 INFO: SonarQube Scanner 3.1.0.1141
11:19:06.256 INFO: Java 11.0.11 Red Hat, Inc. (64-bit)
11:19:06.256 INFO: Linux 3.10.0-1160.45.1.el7.x86 64 amd64
11:19:06.537 DEBUG: keyStore is:
11:19:06.537 DEBUG: keyStore type is : pkcs12
11:19:06.537 DEBUG: keyStore provider is:
11:19:06.537 DEBUG: init keystore
11:19:06.538 DEBUG: init keymanager of type SunX509
[Pipeline] echo
DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22]
11:19:06.814 DEBUG: Create: /home/jenkins/.sonar/cache
11:19:06.815 INFO: User cache: /home/jenkins/.sonar/cache
11:19:06.815 DEBUG: Create: /home/jenkins/.sonar/cache/ tmp
11:19:06.817 DEBUG: Extract sonar-scanner-api-batch in temp...
11:19:06.820 DEBUG: Get bootstrap index...
11:19:06.821 DEBUG: Download: https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/batch/index
11:19:07.227 DEBUG: Get bootstrap completed
11:19:07.230 DEBUG: Download https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/batch/file?name=scanner-enterprise-8.2.0.32929-all.jar to
/home/jenkins/.sonar/cache/ tmp/fileCache3735671403835092333.tmp
[Pipeline] echo
DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-9, ORDGP-16,
ORDGP-271
11:19:08.204 DEBUG: Create isolated classloader...
11:19:08.213 DEBUG: Start temp cleaning...
11:19:08.216 DEBUG: Temp cleaning done
11:19:08.216 DEBUG: Execution getVersion
11:19:08.225 INFO: SonarQube server 8.2.0
11:19:08.225 INFO: Default locale: "en US", source code encoding: "UTF-8"
11:19:08.226 DEBUG: Work directory: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/.scannerwork
11:19:08.226 DEBUG: Execution execute
11:19:08.717 DEBUG: Enterprise 8.2.0.32929
11:19:08.924 INFO: Load global settings
11:19:09.032 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/settings/values.protobuf | time=107ms
11:19:09.114 INFO: Load global settings (done) | time=190ms
11:19:09.121 INFO: Server id: 39E0EBC1-AXck41ETZVUYa3zX7DgH
```

11:19:09.125 DEBUG: Create : /home/jenkins/.sonar/\_tmp 11:19:09.125 INFO: User cache: /home/jenkins/.sonar/cache

11:19:09.130 INFO: Load/download plugins 11:19:09.130 INFO: Load plugins index 11:19:09.141 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/plugins/installed | time=11ms 11:19:09.231 INFO: Load plugins index (done) | time=101ms 11:19:09.233 DEBUG: Download plugin 'sonarapex' to '/home/jenkins/.sonar/ tmp/fileCache18110772038162077261.tmp' 11:19:09.245 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/plugins/download? plugin=sonarapex&acceptCompressions=pack200 | time=12ms [Pipeline] dir Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/artifacts [Pipeline] { [Pipeline] stash Stashed 1 file(s) [Pipeline] } [Pipeline] // dir 11:19:09.513 DEBUG: Download plugin 'csharp' to '/home/jenkins/.sonar/ tmp/fileCache7763815161366746876.tmp' 11:19:09.521 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/plugins/download? plugin=csharp&acceptCompressions=pack200 | time=8ms [Pipeline] echo 2022-03-01 11:19:09Z Document DTR for backend uploaded @ https://nexus-odsalpha.inhodsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/DTR-ordgp-backend-WIP-13.zip [Pipeline] echo DEBUG: [docgen-ordgp-DTR-backend] (took 4074 ms) [Pipeline] echo levaDocScheduler.run end [Pipeline] } 11:19:09.717 DEBUG: Download plugin 'crowd' to '/home/jenkins/.sonar/ tmp/fileCache11061015344673349391.tmp' 11:19:09.726 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/plugins/download? plugin=crowd&acceptCompressions=pack200 | time=9ms 11:19:09.872 DEBUG: Download plugin 'scmgit' to '/home/jenkins/.sonar/ tmp/fileCache10209074811662279132.tmp' 11:19:09.904 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/plugins/download? plugin=scmgit&acceptCompressions=pack200 | time=32ms 11:19:10.035 DEBUG: Download plugin 'groovy' to '/home/jenkins/.sonar/ tmp/fileCache13683832791095638621.tmp' 11:19:10.104 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/plugins/download? plugin=groovy&acceptCompressions=pack200 | time=69ms 11:19:10.635 DEBUG: Download plugin 'jacoco' to '/home/jenkins/.sonar/ tmp/fileCache11882351144335660706.tmp' 11:19:10.646 DEBUG: GET 200 https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com/api/plugins/download?

```
plugin=jacoco&acceptCompressions=pack200 | time=11ms
11:19:10.649 DEBUG: Download plugin 'license' to
'/home/jenkins/.sonar/ tmp/fileCache1145779176423046413.tmp'
11:19:10.704 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=license&acceptCompressions=pack200 | time=55ms
11:19:10.707 DEBUG: Download plugin 'authoidc' to
'/home/jenkins/.sonar/ tmp/fileCache10080889354960917487.tmp'
11:19:10.717 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=authoidc&acceptCompressions=pack200 | time=10ms
11:19:10.819 DEBUG: Download plugin 'r' to
'/home/jenkins/.sonar/_tmp/fileCache12724170066665061127.tmp'
11:19:10.827 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?plugin=r&acceptCompressions=pack200
| time=8ms
11:19:10.848 DEBUG: Download plugin 'go' to
'/home/jenkins/.sonar/ tmp/fileCache12968941949060055063.tmp'
11:19:10.855 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=go&acceptCompressions=pack200 | time=7ms
11:19:11.082 DEBUG: Download plugin 'javascript' to
'/home/jenkins/.sonar/ tmp/fileCache10187415954836908118.tmp'
11:19:11.090 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=javascript&acceptCompressions=pack200 | time=8ms
11:19:11.278 DEBUG: Download plugin 'java' to
'/home/jenkins/.sonar/ tmp/fileCache16410289474663403100.tmp'
11:19:11.287 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=java&acceptCompressions=pack200 | time=9ms
11:19:11.727 DEBUG: Download plugin 'php' to
'/home/jenkins/.sonar/ tmp/fileCache6502319705877599366.tmp'
11:19:11.734 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=php&acceptCompressions=pack200 | time=7ms
11:19:11.863 DEBUG: Download plugin 'python' to
'/home/jenkins/.sonar/ tmp/fileCache12163994570729538646.tmp'
11:19:11.871 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=python&acceptCompressions=pack200 | time=8ms
11:19:11.978 DEBUG: Download plugin 'sonarscala' to
'/home/jenkins/.sonar/ tmp/fileCache5223335887331457.tmp'
11:19:11.989 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=sonarscala&acceptCompressions=pack200 | time=10ms
11:19:12.183 DEBUG: Download plugin 'typescript' to
'/home/jenkins/.sonar/ tmp/fileCache10960954107336898741.tmp'
11:19:12.193 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
```

plugin=typescript&acceptCompressions=pack200 | time=10ms

```
11:19:12.194 INFO: Load/download plugins (done) | time=3064ms
11:19:12.708 DEBUG: Plugins:
11:19:12.708 DEBUG: * SonarPython 2.1.0.5269 (python)
11:19:12.708 DEBUG: * Crowd 2.1.3 (crowd)
11:19:12.709 DEBUG: * JaCoCo 1.0.2.475 (jacoco)
11:19:12.709 DEBUG: * SonarGo 1.6.0.719 (go)
11:19:12.709 DEBUG: * OpenID Connect Authentication for SonarQube 1.1.0 (authoidc)
11:19:12.709 DEBUG: * Apex Code Quality and Security 1.8.2.1946 (sonarapex)
11:19:12.709 DEBUG: * SonarJS 6.1.0.11503 (javascript)
11:19:12.709 DEBUG: * SonarScala 1.5.0.315 (sonarscala)
11:19:12.709 DEBUG: * License for SonarLint 8.2.0.32929 (license)
11:19:12.709 DEBUG: * C# Code Quality and Security 8.6.1.17183 (csharp)
11:19:12.709 DEBUG: * Sonar R Plugin 0.1.3 (r)
11:19:12.709 DEBUG: * Groovy 1.6 (groovy)
11:19:12.709 DEBUG: * SonarJava 6.2.0.21135 (java)
11:19:12.709 DEBUG: * Git 1.9.1.1834 (scmgit)
11:19:12.709 DEBUG: * SonarPHP 3.3.0.5166 (php)
11:19:12.709 DEBUG: * SonarTS 2.1.0.4359 (typescript)
11:19:12.734 INFO: Loaded core extensions: developer-scanner
11:19:12.816 DEBUG: Installed core extension: developer-scanner
11:19:13.531 INFO: Process project properties
11:19:13.539 INFO: Process project properties (done) | time=8ms
11:19:13.539 INFO: Execute project builders
11:19:13.539 DEBUG: Execute project builder:
org.sonar.plugins.csharp.CSharpGlobalProtobufFileProcessor
11:19:13.541 INFO: Execute project builders (done) | time=2ms
11:19:13.544 INFO: Project key: ordgp-frontend
11:19:13.544 INFO: Base dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master
11:19:13.544 INFO: Working dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/.scannerwork
11:19:13.544 DEBUG: Project global encoding: UTF-8, default locale: en US
11:19:13.545 DEBUG: Creating module hierarchy
11:19:13.545 DEBUG: Init module 'ordgp-frontend'
11:19:13.604 DEBUG:
                       Base dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master
                       Working dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
11:19:13.604 DEBUG:
master/.scannerwork
                       Module global encoding: UTF-8, default locale: en US
11:19:13.604 DEBUG:
11:19:13.608 INFO: Load project settings for component key: 'ordgp-frontend'
11:19:13.635 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/settings/values.protobuf?component=ordgp-frontend |
time=27ms
11:19:13.636 INFO: Load project settings for component key: 'ordgp-frontend' (done) |
11:19:13.726 INFO: Load project branches
11:19:13.740 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/project_branches/list?project=ordgp-frontend | time=14ms
11:19:13.745 INFO: Load project branches (done) | time=19ms
11:19:13.746 INFO: Load project pull requests
11:19:13.752 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/project_pull_requests/list?project=ordgp-frontend |
```

```
time=6ms
11:19:13.804 INFO: Load project pull requests (done) | time=58ms
11:19:13.804 INFO: Load branch configuration
11:19:13.805 DEBUG: Found manual configuration of branch/PR analysis. Skipping
automatic configuration.
11:19:13.806 INFO: Load branch configuration (done) | time=2ms
11:19:13.815 DEBUG: Available languages:
11:19:13.815 DEBUG: * Python => "py"
11:19:13.815 DEBUG: * Go => "go"
11:19:13.815 DEBUG: * Apex => "apex"
11:19:13.815 DEBUG: * JavaScript => "js"
11:19:13.815 DEBUG: * TypeScript => "ts"
11:19:13.815 DEBUG: * Scala => "scala"
11:19:13.816 DEBUG: * C# => "cs"
11:19:13.816 DEBUG: * R => "r"
11:19:13.816 DEBUG: * Groovy => "grvy"
11:19:13.816 DEBUG: * Java => "java"
11:19:13.816 DEBUG: * PHP => "php"
11:19:13.819 INFO: Load quality profiles
11:19:13.857 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/qualityprofiles/search.protobuf?project=ordgp-frontend |
time=37ms
11:19:13.870 INFO: Load quality profiles (done) | time=51ms
11:19:13.876 INFO: Detected Jenkins
11:19:13.906 INFO: Load active rules
11:19:13.964 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&a
ctivation=true&qprofile=AX20C4zj589iycgaYc8q&ps=500&p=1 | time=56ms
11:19:14.124 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&a
ctivation=true&qprofile=AXck49P0ZVUYa3zX7E_G&ps=500&p=1 | time=17ms
11:19:14.185 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&a
ctivation=true&gprofile=AXck49bAZVUYa3zX7FFg&ps=500&p=1 | time=59ms
11:19:14.227 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&a
ctivation=true&qprofile=AXck49l8ZVUYa3zX7FMD&ps=500&p=1 | time=14ms
11:19:14.240 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&a
ctivation=true&qprofile=AXck49q-ZVUYa3zX7FM7&ps=500&p=1 | time=12ms
11:19:14.261 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&a
ctivation=true&gprofile=AXck49-4ZVUYa3zX7FTI&ps=500&p=1 | time=19ms
11:19:14.330 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
```

odsapps.eu.boehringer.com/api/rules/search.protobuf?

f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At & a language of the severity of the severictivation=true&gprofile=AXck49viZVUYa3zX7FO9&ps=500&p=1 | time=23ms 11:19:14.349 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/rules/search.protobuf? f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At & a language of the severity of the severictivation=true&qprofile=AXck4-M2ZVUYa3zX7FbF&ps=500&p=1 | time=16ms 11:19:14.366 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/rules/search.protobuf? f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&a ctivation=true&qprofile=AXck4-TQZVUYa3zX7FdE&ps=500&p=1 | time=15ms 11:19:14.382 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/rules/search.protobuf? f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&a ctivation=true&qprofile=AXj6Ep04fgN3gVMmkodq&ps=500&p=1 | time=14ms 11:19:14.423 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/rules/search.protobuf? f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&a ctivation=true&gprofile=AXck4-ZoZVUYa3zX7FfF&ps=500&p=1 | time=19ms 11:19:14.429 INFO: Load active rules (done) | time=523ms 11:19:14.442 INFO: Branch name: master 11:19:14.604 DEBUG: Declared extensions of language Python were converted to sonar.lang.patterns.py: \*\*/\*.py 11:19:14.604 DEBUG: Declared extensions of language Go were converted to sonar.lang.patterns.go: \*\*/\*.go 11:19:14.605 DEBUG: Declared extensions of language Apex were converted to sonar.lang.patterns.apex: \*\*/\*.cls,\*\*/\*.trigger 11:19:14.605 DEBUG: Declared extensions of language JavaScript were converted to sonar.lang.patterns.js: \*\*/\*.js,\*\*/\*.jsx,\*\*/\*.vue 11:19:14.605 DEBUG: Declared extensions of language TypeScript were converted to sonar.lang.patterns.ts: \*\*/\*.ts,\*\*/\*.tsx 11:19:14.605 DEBUG: Declared extensions of language Scala were converted to sonar.lang.patterns.scala: \*\*/\*.scala 11:19:14.605 DEBUG: Declared extensions of language C# were converted to sonar.lang.patterns.cs: \*\*/\*.cs 11:19:14.605 DEBUG: Declared extensions of language R were converted to sonar.lang.patterns.r: \*\*/\*.r 11:19:14.606 DEBUG: Declared extensions of language Groovy were converted to sonar.lang.patterns.grvy: \*\*/\*.groovy 11:19:14.606 DEBUG: Declared extensions of language Java were converted to sonar.lang.patterns.java: \*\*/\*.java,\*\*/\*.jav 11:19:14.606 DEBUG: Declared extensions of language PHP were converted to sonar.lang.patterns.php: \*\*/\*.php,\*\*/\*.php3,\*\*/\*.php4,\*\*/\*.php5,\*\*/\*.phtml,\*\*/\*.inc 11:19:14.608 DEBUG: Will ignore generated code 11:19:14.610 INFO: Indexing files... 11:19:14.610 INFO: Project configuration: 11:19:14.610 INFO: Excluded sources: \*\*/\*.html, \*\*/\*.scss, \*\*/\*.json, \*\*/\*.ico, \*\*/\*.svg 11:19:14.611 INFO: Excluded sources for coverage: \*\*/\*.spec.ts, \*\*/\*.module.ts, src/environments/\*\*

11:19:14.647 DEBUG: readpipe [git, --version],/usr/bin

11:19:14.657 DEBUG: remaining output:

11:19:14.657 DEBUG: readpipe may return 'git version 1.8.3.1'

- 11:19:14.657 DEBUG: readpipe [git, config, --system, --edit],/usr/bin 11:19:14.660 DEBUG: readpipe may return '/etc/gitconfig' 11:19:14.660 DEBUG: remaining output: 11:19:14.747 DEBUG: 51 non excluded files in this Git repository 11:19:14.758 DEBUG: 'src/app/app.component.spec.ts' indexed with language 'ts' 11:19:14.759 DEBUG: File src/app/app.component.spec.ts excluded for coverage 11:19:14.804 DEBUG: 'src/app/app.component.ts' indexed with language 'ts' 11:19:14.805 DEBUG: 'src/app/app.module.ts' indexed with language 'ts' 11:19:14.806 DEBUG: File src/app/app.module.ts excluded for coverage 11:19:14.807 DEBUG: 'src/environments/environment.prod.ts' indexed with language 'ts' 11:19:14.807 DEBUG: File src/environments/environment.prod.ts excluded for coverage 11:19:14.808 DEBUG: 'src/environments/environment.ts' indexed with language 'ts' 11:19:14.808 DEBUG: File src/environments/environment.ts excluded for coverage 11:19:14.809 DEBUG: 'src/main.ts' indexed with language 'ts' 11:19:14.810 DEBUG: 'src/polyfills.ts' indexed with language 'ts' 11:19:14.811 DEBUG: 'src/test.ts' indexed with language 'ts' 11:19:14.812 INFO: 8 files indexed 11:19:14.813 INFO: 0 files ignored because of inclusion/exclusion patterns 11:19:14.813 INFO: 0 files ignored because of scm ignore settings 11:19:14.813 INFO: Quality profile for ts: Sonar way 11:19:14.814 INFO: ----- Run sensors on module ordgp-frontend 11:19:15.017 INFO: Load metrics repository 11:19:15.028 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/metrics/search? f=name,description,direction,qualitative,custom&ps=500&p=1 | time=11ms 11:19:15.037 INFO: Load metrics repository (done) | time=20ms WARNING: An illegal reflective access operation has occurred WARNING: Illegal reflective access by net.sf.cglib.core.ReflectUtils\$1 (file:/home/jenkins/.sonar/cache/a2b6a8802525720c8af2ca4fa85a2513/sonar-javascriptplugin.jar) to method java.lang.ClassLoader.defineClass(java.lang.String,byte[],int,java.security.ProtectionDom ain) WARNING: Please consider reporting this to the maintainers of net.sf.cglib.core.ReflectUtils\$1 WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access operations WARNING: All illegal access operations will be denied in a future release 11:19:17.338 DEBUG: 'JavaSquidSensor' skipped because there is no related file in current project 11:19:17.339 DEBUG: 'Import external issues report' skipped because one of the required properties is missing 11:19:17.339 DEBUG: 'Python Sensor' skipped because there is no related file in current
- 11:19:17.340 DEBUG: 'PylintSensor' skipped because there is no related file in current project

project

related file in current project

11:19:17.339 DEBUG: 'Cobertura Sensor for Python coverage' skipped because there is no

11:19:17.339 DEBUG: 'PythonXUnitSensor' skipped because there is no related file in current

- 11:19:17.340 DEBUG: 'PylintImportSensor' skipped because there is no related file in current project
- 11:19:17.340 DEBUG: 'Import of Bandit issues' skipped because there is no related file in current project
- 11:19:17.340 DEBUG: 'SonarGo' skipped because there is no related file in current project
- 11:19:17.341 DEBUG: 'Go Unit Test Report' skipped because there is no related file in current project
- 11:19:17.341 DEBUG: 'Go Cover sensor for Go coverage' skipped because one of the required properties is missing
- 11:19:17.342 DEBUG: 'Import of go vet issues' skipped because there is no related file in current project
- 11:19:17.342 DEBUG: 'Import of Golint issues' skipped because there is no related file in current project
- 11:19:17.342 DEBUG: 'Import of GoMetaLinter issues' skipped because there is no related file in current project
- 11:19:17.342 DEBUG: 'Import of GolangCI-Lint issues' skipped because there is no related file in current project
- 11:19:17.342 DEBUG: 'Apex Sensor' skipped because there is no related file in current project
- 11:19:17.342 DEBUG: 'Test coverage Sensor for Apex' skipped because there is no related file in current project
- 11:19:17.343 DEBUG: 'Import of PMD issues' skipped because there is no related file in current project
- 11:19:17.343 DEBUG: 'JavaScript analysis' skipped because there is no related file in current project
- 11:19:17.344 DEBUG: 'Import of ESLint issues' skipped because one of the required properties is missing
- 11:19:17.344 DEBUG: 'Import of TSLint issues' skipped because one of the required properties is missing
- 11:19:17.344 DEBUG: 'Scala Sensor' skipped because there is no related file in current project
- 11:19:17.344 DEBUG: 'Scoverage sensor for Scala coverage' skipped because one of the required properties is missing
- 11:19:17.404 DEBUG: 'Import of Scalastyle issues' skipped because there is no related file in current project
- 11:19:17.405 DEBUG: 'Import of Scapegoat issues' skipped because there is no related file in current project
- 11:19:17.405 DEBUG: 'C# Properties' skipped because there is no related file in current project
- 11:19:17.406 DEBUG: 'LintR Sensor for R files' skipped because there is no related file in current project
- 11:19:17.406 DEBUG: 'CodeNarc' skipped because there is no related file in current project
- 11:19:17.406 DEBUG: 'GroovySensor' skipped because there is no related file in current project
- 11:19:17.406 DEBUG: 'GroovySurefireSensor' skipped because there is no related file in current project
- 11:19:17.406 DEBUG: 'Groovy CoberturaSensor' skipped because there is no related file in current project
- 11:19:17.406 DEBUG: 'Groovy JaCoCo Coverage' skipped because there is no related file in current project
- 11:19:17.407 DEBUG: 'Import of Checkstyle issues' skipped because there is no related file

in current project

- 11:19:17.407 DEBUG: 'Import of PMD issues' skipped because one of the required properties is missing
- 11:19:17.408 DEBUG: 'Import of SpotBugs issues' skipped because there is no related file in current project
- 11:19:17.408 DEBUG: 'SurefireSensor' skipped because there is no related file in current project
- 11:19:17.408 DEBUG: 'Removed properties sensor' skipped because there is no related file in current project
- 11:19:17.409 DEBUG: 'PHP sensor' skipped because there is no related file in current project
- 11:19:17.409 DEBUG: 'Analyzer for "php.ini" files' skipped because there is no related file in current project
- 11:19:17.411 DEBUG: 'Generic Test Executions Report' skipped because one of the required properties is missing
- 11:19:17.411 DEBUG: 'C#' skipped because there is no related file in current project
- 11:19:17.411 DEBUG: 'C# Tests Coverage Report Import' skipped because there is no related file in current project
- 11:19:17.411 DEBUG: '[Deprecated] C# Integration Tests Coverage Report Import' skipped because there is no related file in current project
- 11:19:17.411 DEBUG: 'C# Unit Test Results Import' skipped because there is no related file in current project
- 11:19:17.412 DEBUG: Sensors : JaCoCo XML Report Importer -> SonarJS Coverage -> TypeScript analysis -> JavaXmlSensor -> SonarTS
- 11:19:17.413 INFO: Sensor JaCoCo XML Report Importer [jacoco]
- 11:19:17.416 DEBUG: No reports found
- 11:19:17.416 INFO: Sensor JaCoCo XML Report Importer [jacoco] (done) | time=4ms
- 11:19:17.416 INFO: Sensor SonarJS Coverage [javascript]
- 11:19:17.417 INFO: Analysing [/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/coverage/frontend/lcov.info]
- 11:19:17.428 INFO: Load project repositories
- 11:19:17.441 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
- odsapps.eu.boehringer.com/batch/project.protobuf?key=ordgp-frontend&branch=master | time=13ms
- 11:19:17.447 INFO: Load project repositories (done) | time=19ms
- 11:19:17.447 DEBUG: 'src/polyfills.ts' generated metadata with charset 'UTF-8'
- 11:19:17.448 DEBUG: 'src/test.ts' generated metadata with charset 'UTF-8'
- 11:19:17.450 DEBUG: 'src/app/app.component.ts' generated metadata with charset 'UTF-8'
- 11:19:17.513 INFO: Sensor Sonar S Coverage [javascript] (done) | time=97ms
- 11:19:17.513 INFO: Sensor TypeScript analysis [javascript]
- 11:19:17.513 DEBUG: Deploying bundle
- 11:19:17.513 DEBUG: Deploying eslint-bridge into /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/.scannerwork/.sonartmp/eslint-bridge-bundle
- 11:19:19.068 DEBUG: Deploying bundle (done) | time=1555ms
- 11:19:19.068 DEBUG: Starting server
- 11:19:19.105 DEBUG: Looking for TypeScript recursively in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master
- 11:19:19.123 INFO: Using TypeScript at: '/tmp/workspace/ordgp-cd/ordgp-cd-
- releasemanager-master/node\_modules/@angular-devkit/build-optimizer/node\_modules'
- 11:19:19.127 DEBUG: Using default Node.is executable: 'node'.
- 11:19:19.128 DEBUG: Checking Node.js version
- 11:19:19.129 DEBUG: Launching command node -v

- 11:19:19.134 DEBUG: Using Node.js v12.22.9.
- 11:19:19.134 DEBUG: Starting Node.js process to start eslint-bridge server at port 37064
- 11:19:19.134 DEBUG: Launching command {NODE\_PATH=/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/node\_modules/@angular-devkit/build-optimizer/node\_modules} node /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
- master/.scannerwork/.sonartmp/eslint-bridge-bundle/package/bin/server 37064
- 11:19:20.317 DEBUG: starting eslint-bridge server at port 37064
- 11:19:20.331 DEBUG: eslint-bridge server is running at port 37064
- 11:19:20.340 DEBUG: Starting server (done) | time=1272ms
- 11:19:20.851 INFO: Found 2 tsconfig.json file(s): [/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/e2e/tsconfig.json, /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/tsconfig.json]
- $11:19:21.024\ DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-release manager-master/src/test.ts matched /tmp/workspace/ordgp-cd/ordgp-cd-release manager-master/tsconfig.json$
- 11:19:21.024 DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
- master/src/environments/environment.prod.ts matched /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/tsconfig.json
- 11:19:21.024 DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/src/app/app.component.spec.ts matched /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/tsconfig.json
- 11:19:21.025 DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/src/app/app.module.ts matched /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/tsconfig.json
- 11:19:21.025 DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/src/environments/environment.ts matched /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/tsconfig.json
- 11:19:21.025 DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/src/polyfills.ts matched /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/tsconfig.json
- 11:19:21.025 DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/src/app/app.component.ts matched /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/tsconfig.json
- 11:19:21.025 DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/src/main.ts matched /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/tsconfig.json
- 11:19:21.025 INFO: 8 source files to be analyzed
- 11:19:21.026 INFO: Analyzing 8 files using tsconfig: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/tsconfig.ison
- 11:19:26.910 DEBUG: 'src/environments/environment.prod.ts' generated metadata with charset 'UTF-8'
- 11:19:26.964 DEBUG: Not enough content in 'src/environments/environment.prod.ts' to have CPD blocks, it will not be part of the duplication detection
- 11:19:26.967 DEBUG: 'src/app/app.component.spec.ts' generated metadata with charset 'UTF-8'
- 11:19:27.110 DEBUG: 'src/app/app.module.ts' generated metadata with charset 'UTF-8'
- 11:19:27.206 DEBUG: 'src/environments/environment.ts' generated metadata with charset 'UTF-8'
- 11:19:27.242 DEBUG: Not enough content in 'src/environments/environment.ts' to have CPD blocks, it will not be part of the duplication detection
- 11:19:27.334 DEBUG: Not enough content in 'src/polyfills.ts' to have CPD blocks, it will not be part of the duplication detection

- 11:19:27.616 DEBUG: Not enough content in 'src/app/app.component.ts' to have CPD blocks, it will not be part of the duplication detection 11:19:27.706 DEBUG: 'src/main.ts' generated metadata with charset 'UTF-8' 11:19:27.922 DEBUG: Not enough content in 'src/main.ts' to have CPD blocks, it will not be part of the duplication detection 11:19:27.926 INFO: 8/8 source files have been analyzed
- $11:19:27.926 \ INFO: Sensor \ TypeScript \ analysis \ [javascript] \ (done) \ | \ time=10413ms$
- 11:19:27.926 INFO: Sensor JavaXmlSensor [java]
- 11:19:27.927 INFO: Sensor JavaXmlSensor [java] (done) | time=1ms
- 11:19:27.927 INFO: Sensor SonarTS [typescript]
- 11:19:27.927 INFO: Since SonarTS v2.0, TypeScript analysis is performed by SonarJS analyzer v6.0 or later. No TypeScript analysis is performed by SonarTS.
- 11:19:27.927 INFO: Sensor SonarTS [typescript] (done) | time=0ms
- 11:19:27.931 INFO: ------ Run sensors on project
- 11:19:27.934 DEBUG: 'Generic Coverage Report' skipped because one of the required properties is missing
- 11:19:27.935 DEBUG: 'Java CPD Block Indexer' skipped because there is no related file in current project
- 11:19:27.935 DEBUG: Sensors : Zero Coverage Sensor
- 11:19:27.935 INFO: Sensor Zero Coverage Sensor
- 11:19:27.937 INFO: Sensor Zero Coverage Sensor (done) | time=2ms
- 11:19:27.946 INFO: CPD Executor 5 files had no CPD blocks
- 11:19:27.946 INFO: CPD Executor Calculating CPD for 3 files
- 11:19:27.947 DEBUG: Detection of duplications for /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/src/app/app.component.spec.ts
- 11:19:27.959 DEBUG: Detection of duplications for /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/src/test.ts
- 11:19:27.960 DEBUG: Detection of duplications for /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/src/app/app.module.ts
- 11:19:27.960 INFO: CPD Executor CPD calculation finished (done) | time=13ms
- 11:19:28.117 INFO: Analysis report generated in 155ms, dir size=79 KB
- 11:19:28.135 INFO: Analysis report compressed in 18ms, zip size=21 KB
- 11:19:28.135 INFO: Analysis report generated in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/.scannerwork/scanner-report
- 11:19:28.135 DEBUG: Upload report
- 11:19:28.158 DEBUG: POST 200 https://sonarqube-odsalpha.inh-
- odsapps.eu.boehringer.com/api/ce/submit?projectKey=ordgp-frontend&projectName=ordgp-frontend&characteristic=branch%3Dmaster&characteristic=branchType%3DBRANCH | time=22ms
- 11:19:28.161 INFO: Analysis report uploaded in 25ms
- 11:19:28.162 DEBUG: Report metadata written to /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/.scannerwork/report-task.txt
- 11:19:28.162 INFO: ANALYSIS SUCCESSFUL, you can browse https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/dashboard?id=ordgp-frontend&branch=master
- 11:19:28.162 INFO: Note that you will be able to access the updated dashboard once the server has processed the submitted analysis report
- 11:19:28.162 INFO: More about the report processing at https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/ce/task?id=AX9FNOKWZA8H6zlkqak1
- 11:19:28.165 DEBUG: Post-jobs:
- 11:19:28.573 INFO: Analysis total time: 15.838 s
- 11:19:28.575 INFO: ------

11:19:28.575 INFO: EXECUTION SUCCESS 11:19:28.575 INFO: -----11:19:28.575 INFO: Total time: 22.363s 11:19:28.657 INFO: Final Memory: 15M/46M 11:19:28.657 INFO: -----[Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] echo DEBUG: [ordgp-frontend-sq-scan] (took 23311 ms) [Pipeline] readProperties [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh + curl -s -u \*\*\*\*\*\*: 'https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/ce/task? id=AX9FNOKWZA8H6zlkqak1' [Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] readISON [Pipeline] echo SonarQube background task has not finished yet. [Pipeline] sleep Sleeping for 5 sec [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh + curl -s -u \*\*\*\*\*\*: 'https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/ce/task? id=AX9FNOKWZA8H6zlkqak1' [Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] readJSON [Pipeline] echo SonarQube background task has finished successfully. [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh + java -jar /usr/local/cnes/cnesreport.jar -s https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com -t \*\*\*\*\*\* -p ordgp-frontend -a jenkins-ordgp-cd-ordgp-cdreleasemanager-master-13 -b master SonarQube URL: https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com SonarQube online: true Detected SonarQube version: 8.2.0 WARNING: An illegal reflective access operation has occurred WARNING: Illegal reflective access by org.apache.poi.openxml4j.util.ZipSecureFile\$1 (file:/usr/local/cnes/cnesreport.jar) to field java.io.FilterInputStream.in WARNING: Please consider reporting this to the maintainers of org.apache.poi.openxml4j.util.ZipSecureFile\$1 WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access

operations

WARNING: All illegal access operations will be denied in a future release Report generation: SUCCESS [Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] sh + mkdir -p artifacts [Pipeline] sh + mv 2022-03-01-ordgp-frontend-analysis-report.docx artifacts/ + mv 2022-03-01-ordgp-frontend-analysis-report.md artifacts/ [Pipeline] sh + mv artifacts/2022-03-01-ordgp-frontend-analysis-report.docx artifacts/SCRR-ordgpfrontend.docx + mv artifacts/2022-03-01-ordgp-frontend-analysis-report.md artifacts/SCRR-ordgpfrontend.md [Pipeline] stash Stashed 2 file(s) [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh + curl -s -u \*\*\*\*\*\*: 'https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/qualitygates/project\_status?projectKey=ordgp-frontend' [Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] readJSON [Pipeline] echo SonarQube Quality Gate value: OK [Pipeline] readFile [Pipeline] echo Report stored in: https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/levadocumentation/ordgp/frontend/2022-03-01-13/sonarQube/report.pdf [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] withCredentials Masking supported pattern matches of \$USERNAME or \$TOKEN [Pipeline] { [Pipeline] sh + curl --fail -sS --request PUT --header 'Authorization: Bearer \*\*\*\*' --header 'Content-Type: application/json' --data '{"title":"SonarQube","reporter":"OpenDevStack","createdDate":1646133585193,"details":"P ease visit the following links to review the SonarQube report:","result":"PASS","link":"https://nexus-odsalpha.inhodsapps.eu.boehringer.com/repository/leva-documentation/ordgp/frontend/2022-03-01-13/sonarQube/report.pdf","data": [{"title":"Report","value":{"linktext":"Result in SonarQube", "href": "https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/dashboard? id=ordgp-frontend"}, "type": "LINK"}, { "title": "Report", "value": { "linktext": "Result in Nexus", "href": "https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/leva-

documentation/ordgp/frontend/2022-03-01-13/sonarQube/report.pdf"},"type":"LINK"}]}'

```
https://bitbucket-dev.biscrum.com/rest/insights/1.0/projects/ordgp/repos/ordgp-
frontend/commits/c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293/reports/org.opendevstack
sonarqube
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] }
[Pipeline] // stage
[Pipeline] echo
[SonarQube Analysis-frontend] **** ENDED stage 'SonarQube Analysis' for component
'frontend' branch 'master' **** (took 40353 ms)
[Pipeline] echo
[Build OpenShift Image-frontend] **** STARTING stage 'Build OpenShift Image' for
component 'frontend' branch 'master' ****
[Pipeline] stage
[Pipeline] { (Build OpenShift Image)
[Pipeline] sh
+ oc -n ordgp-cd get BuildConfig/frontend
[Pipeline] sh
+ oc -n ordgp-cd get ImageStream/frontend
[Pipeline] writeFile
[Pipeline] sh
+ oc -n ordgp-cd get bc/frontend -o 'jsonpath={.spec.output.imageLabels}'
[Pipeline] sh
+ oc -n ordgp-cd patch bc frontend --type=json --patch '[{"op": "replace", "path":
"/spec/source", "value": {"type":"Binary"}},{"op": "replace", "path": "/spec/output/to/name",
"value": "frontend:c385c58e"},{"op": "replace", "path": "/spec/output/imageLabels",
"value": [
        {"name": "ods.build.source.repo.url", "value": "https://bitbucket-
dev.biscrum.com/scm/ordgp/ordgp-frontend.git"},{"name":
"ods.build.source.repo.commit.sha", "value":
"c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293"},{"name":
"ods.build.source.repo.commit.msg", "value": "ODS-Export-OpenShift-configuration-Build-
assemble-7-Change-1.0-Project-ordgp-Target-Environment-ordgp-dev-Version-WIP-https-
jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com-job-ordgp-cd-job-ordgp-cd-
releasemanager-master-7-ci-skip"},{"name": "ods.build.source.repo.commit.author",
"value": "ODS Jenkins Shared Library System User (undefined)"},{"name":
"ods.build.source.repo.commit.timestamp", "value": "2022-01-28 13:13:59 +0000"},
{"name": "ods.build.source.repo.branch", "value": "master"},{"name":
"ods.build.jenkins.job.url", "value": "https://jenkins-ordgp-cd.inh-
odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"},
{"name": "ods.build.timestamp", "value": "Tue Mar 01 11:14:46 UTC 2022"}, {"name":
"ods.build.lib.version", "value": "4.x"},{"name": "ext.ods.build.rm.ordgp.repo.url", "value":
"https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git"}, { "name":
"ext.ods.build.rm.ordgp.repo.commit.author", "value": "ODS Jenkins Shared Library System
User (undefined)"},{"name": "ext.ods.build.rm.ordgp.repo.commit.sha", "value":
"be2537272ddc579f97f2e2eba6cdc0788f81341b"},{"name":
"ext.ods.build.rm.ordgp.repo.commit.timestamp", "value": "2022-01-28 13:14:04 +0000"},
{"name": "ext.ods.build.rm.ordgp.repo.commit.msg", "value": "ODS: Record commits
deployed into D"},{"name": "ext.JENKINS MASTER OPENSHIFT BUILD COMMIT", "value":
"a541165cff3874ce420e3109e951a9b50c24fc3f"},{"name":
"ext.JENKINS MASTER OPENSHIFT BUILD NAME", "value": "jenkins-master-43"},{"name":
```

```
"ext.JENKINS_MASTER_OPENSHIFT_BUILD_SOURCE", "value": "https://bitbucket-
dev.biscrum.com/scm/odsalpha/ods-core.git"},{"name":
"ext.JENKINS MASTER OPENSHIFT BUILD NAMESPACE", "value": "odsalpha"}, { "name":
"ext.JENKINS MASTER OPENSHIFT BUILD REFERENCE", "value": "4.x"},{"name":
"ext.JENKINS AGENT OPENSHIFT BUILD COMMIT", "value":
"84a9d964c7e6970e4ff9544a611738b8ee066fa5"},{"name":
"ext.JENKINS AGENT OPENSHIFT BUILD NAME", "value": "jenkins-agent-nodejs12-10"},
{"name": "ext.JENKINS AGENT OPENSHIFT BUILD SOURCE", "value": "https://bitbucket-
dev.biscrum.com/scm/odsalpha/ods-quickstarters.git"},{"name":
"ext.JENKINS_AGENT_OPENSHIFT_BUILD_NAMESPACE", "value": "odsalpha"}, { "name":
"ext.JENKINS AGENT OPENSHIFT BUILD REFERENCE", "value": "4.x"}
       ]}]' --loglevel=5
10301 11:19:47.142584
                         932 merged client builder.go:122] Using in-cluster configuration
10301 11:19:47.145110
                         932 merged client builder.go:122] Using in-cluster configuration
                         932 merged client builder.go:122] Using in-cluster configuration
10301 11:19:47.152525
                         932 merged client builder.go:122] Using in-cluster configuration
10301 11:19:47.164799
buildconfig.build.openshift.io/frontend patched
[Pipeline] timeout
Timeout set to expire in 15 min
[Pipeline] {
[Pipeline] sh
+ oc -n ordgp-cd start-build frontend --from-dir docker --loglevel=5
10301 11:19:47.611061
                         952 merged client builder.go:122] Using in-cluster configuration
                         952 merged client builder.go:122] Using in-cluster configuration
10301 11:19:47.611623
10301 11:19:47.612671
                         952 merged client builder.go:122] Using in-cluster configuration
10301 11:19:47.613151
                         952 merged client builder.go:122] Using in-cluster configuration
10301 11:19:47.613573
                         952 repository.go:424] Executing git show -s HEAD --
format=%H%n%an%n%ae%n%cn%n%ce%n%B
Uploading directory "docker" as binary input for the build ...
10301 11:19:47.615872
                         952 tar.go:217] Adding "/tmp/workspace/ordgp-cd/ordgp-cd-
releasemanager-master/docker" to tar ...
10301 11:19:47.616153
                         952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-
cd-releasemanager-master/docker/Dockerfile as Dockerfile
                         952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-
10301 11:19:47.616757
cd-releasemanager-master/docker/dist as dist
                         952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-
10301 11:19:47.617000
cd-releasemanager-master/docker/dist/3rdpartylicenses.txt as dist/3rdpartylicenses.txt
                         952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-
10301 11:19:47.617126
cd-releasemanager-master/docker/dist/favicon.ico as dist/favicon.ico
10301 11:19:47.617843
                         952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-
cd-releasemanager-master/docker/dist/index.html as dist/index.html
10301 11:19:47.618224
                         952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-
cd-releasemanager-master/docker/dist/main-es2015.9f73a6a248b6402cb22d.js as
dist/main-es2015.9f73a6a248b6402cb22d.is
10301 11:19:47.634542
                         952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-
cd-releasemanager-master/docker/dist/main-es5.9ecc6c53b4763251a8db.js as dist/main-
es5.9ecc6c53b4763251a8db.js
10301 11:19:47.642616
                         952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-
cd-releasemanager-master/docker/dist/polyfills-es2015.5728f680576ca47e99fe.js as
```

952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-

dist/polyfills-es2015.5728f680576ca47e99fe.js

10301 11:19:47.647646

cd-releasemanager-master/docker/dist/polyfills-es5.4e06eb653a3c8a2d581f.js as dist/polyfills-es5.4e06eb653a3c8a2d581f.js

I0301 11:19:47.656243 952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/docker/dist/runtime-es2015.858f8dd898b75fe86926.js as dist/runtime-es2015.858f8dd898b75fe86926.js

I0301 11:19:47.657009 952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/docker/dist/runtime-es5.741402d1d47331ce975c.js as dist/runtime-es5.741402d1d47331ce975c.js

I0301 11:19:47.657188 952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/docker/dist/styles.09e2c710755c8867a460.css as dist/styles.09e2c710755c8867a460.css

I0301 11:19:47.657314 952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/docker/nginx.vh.default.conf.nginx as nginx.vh.default.conf.nginx

IO301 11:19:47.657397 952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/docker/release.json as release.json

Uploading finished

[Pipeline] sh

+ oc -n ordgp-cd get bc/frontend -o 'jsonpath={.status.lastVersion}'

[Pipeline] sh

+ oc -n ordgp-cd logs -f --version=8 bc/frontend

[Pipeline] echo

Receiving source from STDIN as archive ...

Step 1/9: FROM nginx:1.20.1-alpine

---> e1ccef1fb908

Step 2/9 : ENV "HTTP\_PROXY" "http://appaccess-zscaler.boehringer.com:80" "HTTPS\_PROXY" "http://appaccess-zscaler.boehringer.com:80" "NO PROXY"

".svc,.default,.local,localhost,.boehringer.com,.biscrum.com,10.250.0.0/16,10.251.0.0/16,10.283.203.189,10.183.203.186,10.183.203.185,10.183.203.187,10.183.203.188,10.183.203.19, .183.203.191,10.183.203.190,10.183.203.192,10.250.0.1" "http\_proxy" "http://appaccess-zscaler.boehringer.com:80" "https\_proxy" "http://appaccess-zscaler.boehringer.com:80" "no proxy"

".svc,.default,.local,localhost,.boehringer.com,.biscrum.com,10.250.0.0/16,10.251.0.0/16,10.283.203.189,10.183.203.186,10.183.203.185,10.183.203.187,10.183.203.188,10.183.203.19, .183.203.191,10.183.203.190,10.183.203.192,10.250.0.1"

- ---> Using cache
- ---> bb1ea4c8ccd4

Step 3/9 : RUN chmod -R 777 /var/log/nginx /var/cache/nginx /var/run && chgrp -R 0 /etc/nginx && chmod -R g+rwX /etc/nginx

- ---> Using cache
- ---> 7e3c0b25cfd6

Step 4/9: COPY dist /docroot

- ---> Using cache
- ---> d1d27347eda9

Step 5/9: COPY nginx.vh.default.conf.nginx /etc/nginx/conf.d/default.conf

- ---> Using cache
- ---> 6f46ccf99cb3

Step 6/9: RUN chown -R nginx: /docroot

- ---> Using cache
- ---> 69556db09541

```
Step 7/9: EXPOSE 8080
---> Using cache
---> 35099c77b769
Step 8/9: ENV "OPENSHIFT_BUILD_NAME" "frontend-8" "OPENSHIFT_BUILD_NAMESPACE"
"ordgp-cd"
---> Running in 044808739b2f
---> 44ac8a1cfcbd
Removing intermediate container 044808739b2f
Step 9/9: LABEL "io.openshift.build.name" "frontend-8" "io.openshift.build.namespace"
"ordgp-cd" "ods.build.source.repo.url" "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-
frontend.git" "ods.build.source.repo.commit.sha"
"c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293" "ods.build.source.repo.commit.msg"
"ODS-Export-OpenShift-configuration-Build-assemble-7-Change-1.0-Project-ordgp-Target-
Environment-ordgp-dev-Version-WIP-https-jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com-
job-ordgp-cd-job-ordgp-cd-releasemanager-master-7-ci-skip"
"ods.build.source.repo.commit.author" "ODS Jenkins Shared Library System User
(undefined)" "ods.build.source.repo.commit.timestamp" "2022-01-28 13:13:59 +0000"
"ods.build.source.repo.branch" "master" "ods.build.jenkins.job.url" "https://jenkins-ordgp-
cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"
"ods.build.timestamp" "Tue Mar 01 11:14:46 UTC 2022" "ods.build.lib.version" "4.x"
"ext.ods.build.rm.ordgp.repo.url" "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-
releasemanager.git" "ext.ods.build.rm.ordgp.repo.commit.author" "ODS Jenkins Shared
Library System User (undefined)" "ext.ods.build.rm.ordgp.repo.commit.sha"
"be2537272ddc579f97f2e2eba6cdc0788f81341b"
"ext.ods.build.rm.ordgp.repo.commit.timestamp" "2022-01-28 13:14:04 +0000"
"ext.ods.build.rm.ordgp.repo.commit.msg" "ODS: Record commits deployed into D"
"ext.JENKINS MASTER OPENSHIFT BUILD COMMIT"
"a541165cff3874ce420e3109e951a9b50c24fc3f"
"ext.JENKINS MASTER OPENSHIFT BUILD NAME" "jenkins-master-43"
"ext.|ENKINS MASTER OPENSHIFT BUILD SOURCE" "https://bitbucket-
dev.biscrum.com/scm/odsalpha/ods-core.git"
"ext.JENKINS MASTER OPENSHIFT BUILD NAMESPACE" "odsalpha"
"ext.JENKINS_MASTER_OPENSHIFT_BUILD_REFERENCE" "4.x"
"ext.JENKINS AGENT OPENSHIFT BUILD COMMIT"
"84a9d964c7e6970e4ff9544a611738b8ee066fa5"
"ext.JENKINS AGENT OPENSHIFT BUILD NAME" "jenkins-agent-nodejs12-10"
"ext.JENKINS AGENT OPENSHIFT BUILD SOURCE" "https://bitbucket-
dev.biscrum.com/scm/odsalpha/ods-guickstarters.git"
"ext.JENKINS AGENT OPENSHIFT BUILD NAMESPACE" "odsalpha"
"ext.JENKINS AGENT OPENSHIFT BUILD REFERENCE" "4.x"
---> Running in 9b9f3acb6c18
---> 8591b667e0e8
Removing intermediate container 9b9f3acb6c18
Successfully built 8591b667e0e8
Pushing image docker-registry.default.svc:5000/ordgp-cd/frontend:c385c58e ...
Pushed 5/10 layers, 50% complete
Pushed 6/10 layers, 60% complete
Pushed 7/10 layers, 70% complete
```

Pushed 8/10 layers, 80% complete Pushed 9/10 layers, 90% complete

Pushed 10/10 layers, 100% complete

Push successful

[Pipeline] echo

DEBUG: [frontend-build] (took 15068 ms)

[Pipeline] }

[Pipeline] // timeout

[Pipeline] sh

+ oc -n ordgp-cd get build frontend-8 -o 'jsonpath={.status.phase}'

[Pipeline] echo

DEBUG: Build: 'frontend-8' - status: 'complete'

[Pipeline] sh

+ oc -n ordgp-cd get istag frontend:c385c58e -o 'jsonpath=

{.image.dockerImageReference}'

[Pipeline] echo

Build #8 of 'frontend' has produced image: docker-registry.default.svc:5000/ordgp-cd/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1b25295.

[Pipeline] }

[Pipeline] // stage

[Pipeline] echo

[Build OpenShift Image-frontend] \*\*\*\* ENDED stage 'Build OpenShift Image' for component 'frontend' branch 'master' \*\*\*\* (took 17387 ms)

[Pipeline] sh

+ oc -n odsalpha get ConfigMap/aqua -o json

[Pipeline] echo

Not parameter 'projects.ordgp.enabled' at cluster level. Default enabled

[Pipeline] echo

WARN: Skipping Aqua scan because is not enabled at cluster level in 'aqua' ConfigMap in odsalpha project

[Pipeline] echo

[Deploy to OpenShift-frontend] \*\*\*\* STARTING stage 'Deploy to OpenShift' for component 'frontend' branch 'master' \*\*\*\*

[Pipeline] stage

[Pipeline] { (Deploy to OpenShift)

[Pipeline] sh

+ oc -n ordgp-dev get Deployment, DeploymentConfig -l app=ordgp-frontend -o 'template=  ${\{\text{nd}}\$ '

[Pipeline] sh

+ oc -n ordgp-dev get DeploymentConfig/frontend -o 'jsonpath={.status.latestVersion}' expected to call org.codehaus.groovy.runtime.MethodClosure.call but wound up catching org.ods.services.OpenShiftService.pause; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/

[Pipeline] echo

DEBUG: Pausing DeploymentConfig/frontend

[Pipeline] sh

+ oc rollout pause DeploymentConfig/frontend -n ordgp-dev

[Pipeline] sh

+ oc -n ordgp-dev get ImageStream/frontend

[Pipeline] sh

+ oc -n ordgp-dev tag ordgp-cd/frontend:c385c58e frontend:c385c58e

Tag frontend:c385c58e set to ordgp-

cd/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1b2 5295. [Pipeline] fileExists [Pipeline] fileExists [Pipeline] fileExists [Pipeline] readYaml [Pipeline] fileExists [Pipeline] echo DEBUG: Setting labels app.kubernetes.io/name='Angular' app.kubernetes.io/version='4.x' app.kubernetes.io/instance='frontend' app.kubernetes.io/part-ofapp.kubernetes.io/managed-by='tailor' app.openshift.io/runtime-app.openshift.io/runtimeversion- helm.sh/chart- app.opendevstack.org/type='ods' app.opendevstack.org/systemname='BI-IT-DEVSTACK' app.opendevstack.org/project='ordgp' app.opendevstack.org/project-version='1.0' app.opendevstack.org/work-in-progress='true' to resources all selected by app=ordgp-frontend [Pipeline] sh + oc label --overwrite all -l app=ordgp-frontend -n ordgp-dev app.kubernetes.io/name=Angular app.kubernetes.io/version=4.x app.kubernetes.io/instance=frontend app.kubernetes.io/part-ofapp.kubernetes.io/managed-by=tailor app.openshift.io/runtime-app.openshift.io/runtimeversion- helm.sh/chart- app.opendevstack.org/type=ods app.opendevstack.org/systemname=BI-IT-DEVSTACK app.opendevstack.org/project=ordgp app.opendevstack.org/projectversion=1.0 app.opendevstack.org/work-in-progress=true [Pipeline] echo DEBUG: Patching DeploymentConfig/frontend in the ordgp-dev project with {"spec": {"template": {"metadata": {"labels": {"app.kubernetes.io/name":"Angular","app.kubernetes.io/version":"4.x","app.kubernetes.io/i nstance":"frontend", "app.kubernetes.io/part-of":null, "app.kubernetes.io/managedby":"tailor","app.openshift.io/runtime":null,"app.openshift.io/runtimeversion":null, "helm.sh/chart":null, "app.opendevstack.org/type":"ods", "app.opendevstack.org/ system-name": "BI-IT-DEVSTACK", "app.opendevstack.org/project": "ordgp", "app.opendevstack.org/projectversion":"1.0","app.opendevstack.org/work-in-progress":"true"}},"paused":true}} [Pipeline] sh + oc patch DeploymentConfig/frontend --type=merge -p '{"spec":{"template":{"metadata": {"labels": {"app.kubernetes.io/name":"Angular", "app.kubernetes.io/version":"4.x", "app.kubernetes.io/i nstance":"frontend", "app.kubernetes.io/part-of":null, "app.kubernetes.io/managedby":"tailor","app.openshift.io/runtime":null,"app.openshift.io/runtimeversion":null, "helm.sh/chart":null, "app.opendevstack.org/type": "ods", "app.opendevstack.org/ system-name": "BI-IT-DEVSTACK", "app.opendevstack.org/project": "ordgp", "app.opendevstack.org/projectversion":"1.0","app.opendevstack.org/work-in-progress":"true"}}},"paused":true}}' -n ordgp-dev [Pipeline] sh + oc -n ordgp-dev get DeploymentConfig frontend -o 'jsonpath= {.spec.template.spec.containers[\*].image}' [Pipeline] sh + oc -n ordgp-dev get ImageStream/frontend

+ oc -n ordgp-dev tag frontend:c385c58e frontend:latest

[Pipeline] sh

Tag frontend:latest set to frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1b2b5 95. [Pipeline] echo DEBUG: Resuming DeploymentConfig/frontend [Pipeline] sh + oc rollout resume DeploymentConfig/frontend -n ordgp-dev [Pipeline] sh + oc -n ordgp-dev get DeploymentConfig/frontend -o 'jsonpath={.status.latestVersion}' [Pipeline] echo Rollout of deployment for 'frontend' has been triggered automatically. [Pipeline] timeout Timeout set to expire in 5 min 0 sec [Pipeline] { [Pipeline] sh + oc -n ordgp-dev rollout status DeploymentConfig/frontend --watch=true Waiting for rollout to finish: 0 out of 1 new replicas have been updated... Waiting for rollout to finish: 0 out of 1 new replicas have been updated... Waiting for rollout to finish: 1 old replicas are pending termination... Waiting for rollout to finish: 1 old replicas are pending termination... Waiting for latest deployment config spec to be observed by the controller loop... replication controller "frontend-8" successfully rolled out [Pipeline] echo DEBUG: [frontend-watch-rollout] (took 12676 ms) [Pipeline] } [Pipeline] // timeout [Pipeline] sh + oc -n ordgp-dev get DeploymentConfig/frontend -o 'jsonpath= {.status.latestVersion}' [Pipeline] sh + oc -n ordgp-dev get rc/frontend-8 -o 'jsonpath= {.metadata.annotations.openshift\.io/deployment\.phase}' [Pipeline] echo Rollout #8 of DeploymentConfig 'frontend' successful. [Pipeline] sh + oc -n ordgp-dev get pod -l deployment=frontend-8 -o json [Pipeline] } [Pipeline] // stage [Pipeline] echo [Deploy to OpenShift-frontend] \*\*\*\* ENDED stage 'Deploy to OpenShift' for component 'frontend' branch 'master' \*\*\*\* (took 18311 ms) [Pipeline] } [Pipeline] // wrap [Pipeline] stage [Pipeline] { (odsPipeline finished) [Pipeline] echo DEBUG: [buildstatus-c385c58e-SUCCESSFUL] Setting Bitbucket build status to 'SUCCESSFUL' on commit 'c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293' / 'https://jenkins-ordgp-cd.inhodsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/ [Pipeline] withCredentials Masking supported pattern matches of \$USERNAME or \$TOKEN

[Pipeline] {

```
[Pipeline] sh
+ curl --fail -sS --request POST --header 'Authorization: Bearer ****' --header 'Content-Type:
application/json' --data
'{"state":"SUCCESSFUL","key":"c385c58e","name":"c385c58e","url":"https://jenkins-ordgp-
cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"}'
https://bitbucket-dev.biscrum.com/rest/build-
status/1.0/commits/c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] echo
DEBUG: [buildstatus-c385c58e-SUCCESSFUL] (took 671 ms)
[Pipeline] echo
[frontend] ***** Finished ODS Pipeline ***** (took 337603 ms)
[Pipeline] }
[Pipeline] // stage
[Pipeline] echo
DEBUG: Collecting (applicable) testresults from location: 'build/test-results/test'
[Pipeline] sh
+ mkdir -p build/test-results/test build/test-results/test
+ cp -rf build/test-results/test/test-results.xml build/test-results/test
cp: 'build/test-results/test/test-results.xml' and 'build/test-results/test/test-results.xml' are
the same file
[Pipeline] sh
+ Is -la build/test-results/test/test-results.xml
+ wc -l
[Pipeline] echo
DEBUG: Found 1 test files in 'build/test-results/test'
[Pipeline] junit
Recording test results
[Pipeline] stash
Stashed 1 file(s)
[Pipeline] echo
DEBUG: [frontend] ODS Component Pipeline 'frontend-13'
ODS Build Artifacts 'frontend':
{
  "builds": {
     "frontend": {
       "buildId": "frontend-8",
       "image": "docker-registry.default.svc:5000/ordgp-
cd/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1b2
5295"
     }
  },
  "deployments": {
     "frontend": {
       "podName": "frontend-8-k6mwm",
       "podNamespace": "ordgp-dev",
       "podMetaDataCreationTimestamp": "2022-03-01T11:20:13Z",
       "deploymentId": "frontend-8",
       "podNode": "inhas71256.eu.boehringer.com",
```

```
"podlp": "10.251.16.86",
       "podStatus": "Running",
       "podStartupTimeStamp": "2022-03-01T11:20:13Z",
       "containers": {
         "frontend": "docker-registry.default.svc:5000/ordgp-
dev/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1k
b5295"
       }
    }
  },
  "sonarqubeScanStashPath": "scrr-report-frontend-13",
  "SCRR": "SCRR-ordgp-frontend.docx",
  "SCRR-MD": "SCRR-ordgp-frontend.md",
  "testResultsFolder": "build/test-results/test",
  "testResults": "1",
  "xunitTestResultsStashPath": "test-reports-junit-xml-frontend-13"
[Pipeline] }
[Pipeline] // node
[Pipeline] }
[Pipeline] // podTemplate
[Pipeline] }
[Pipeline] // load
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] echo
DEBUG: Collected ODS build artifacts for repo 'frontend': [builds:[frontend:[buildld:frontend-
8, image:docker-registry.default.svc:5000/ordgp-
cd/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1b2
5295]], deployments:[frontend:[podName:frontend-8-k6mwm, podNamespace:ordgp-dev,
podMetaDataCreationTimestamp:2022-03-01T11:20:13Z, deploymentId:frontend-8,
podNode:inhas71256.eu.boehringer.com, podlp:10.251.16.86, podStatus:Running,
podStartupTimeStamp:2022-03-01T11:20:13Z, containers:[frontend:docker-
registry.default.svc:5000/ordgp-
dev/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1k
b5295]]], sonarqubeScanStashPath:scrr-report-frontend-13, SCRR:SCRR-ordgp-
frontend.docx, SCRR-MD:SCRR-ordgp-frontend.md, testResultsFolder:build/test-results/test,
testResults:1, xunitTestResultsStashPath:test-reports-junit-xml-frontend-13,
CREATED BY BUILD:WIP/13]
[Pipeline] }
[Pipeline] // dir
[Pipeline] echo
DEBUG: Collecting JUnit XML Reports ('unit') for frontend
Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-
master/workspace/xunit/frontend/unit
[Pipeline] {
[Pipeline] unstash
[Pipeline] }
[Pipeline] // dir
[Pipeline] echo
```

DEBUG: Reporting unit test results to corresponding test cases in Jira for component 'Technology-frontend'. Test type: '[Unit]'. Test results: [testsuites:[[hostname:pod-d37d024c-2832-4049-9847-7054e8a20989-gpc5g-6t74v, failures:0, tests:3, package:, name:HeadlessChrome 94.0.4606 (Linux 0.0.0), time:0.183, id:0, errors:0, timestamp:2022-03-01T11:19:00, properties: [[name:browser.fullName, value:Mozilla/5.0 (X11; Linux x86 64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/94.0.4606.81 Safari/537.36]], testcases: [[classname:AppComponent, name:AppComponent should create the app, time:0.077, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:19:00], [classname:AppComponent, name:AppComponent should have as title 'frontend', time:0.019, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:19:00], [classname:AppComponent, name:AppComponent should render title in a h1 tag, time:0.087, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:19:00]], systemOut:, systemErr:]]] [Pipeline] echo DEBUG: [Technology-frontend-jira-fetch-tests-[Unit]] Found automated tests for component 'Technology-frontend'. Test type: [Unit]: 0 (took 1 ms) [Pipeline] echo DEBUG: [Technology-frontend-jira-report-tests-[Unit]] (took 3 ms) [Pipeline] echo levaDocScheduler.run start [Pipeline] echo [docgen-ordgp-DTR-frontend] Creating document of type 'DTR' for project 'ordgp' and repo 'frontend' in phase 'Build' and stage 'POST EXECUTE REPO' expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createDTR; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/ [Pipeline] echo DEBUG: createDTR - repo:[id:frontend, type:ods, data:[openshift:[builds:[frontend: [buildId:frontend-8, image:docker-registry.default.svc:5000/ordgpcd/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1b2 5295]], deployments:[frontend:[podName:frontend-8-k6mwm, podNamespace:ordgp-dev, podMetaDataCreationTimestamp:2022-03-01T11:20:13Z, deploymentId:frontend-8, podNode:inhas71256.eu.boehringer.com, podlp:10.251.16.86, podStatus:Running, podStartupTimeStamp:2022-03-01T11:20:13Z, containers:[frontend:dockerregistry.default.svc:5000/ordgpdev/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1k b5295]]], sonarqubeScanStashPath:scrr-report-frontend-13, SCRR:SCRR-ordgpfrontend.docx, SCRR-MD:SCRR-ordgp-frontend.md, testResultsFolder:build/test-results/test, testResults:1, xunitTestResultsStashPath:test-reports-junit-xml-frontend-13, CREATED BY BUILD:WIP/13], documents:[:], envStateCommit:c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293, git:[branch:master, commit:c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293, previousCommit:c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293. previousSucessfulCommit:1d20ca4cbd91841d48f85866f309030f06cf0fa2, url:https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git, baseTag:, targetTag:]], url:https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git, branch:master, pipelineConfig:[dependencies:[]], metadata:[name:Angular, description:Angular is a TypeScript-based open-source web application framework led by the Angular Team at

Google and by a community of individuals and corporations. Technologies: Angular 8.0, supplier:https://angular.io, version:4.x, type:ods], doInstall:true], data:[tests:[unit:

[testReportFiles:[/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/frontend/unit/build/test-results/test/test-results.xml], testResults: [testsuites:[[hostname:pod-d37d024c-2832-4049-9847-7054e8a20989-gpc5g-6t74v, failures:0, tests:3, package:, name:HeadlessChrome 94.0.4606 (Linux 0.0.0), time:0.183, id:0, errors:0, timestamp:2022-03-01T11:19:00, properties:[[name:browser.fullName, value:Mozilla/5.0 (X11; Linux x86\_64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/94.0.4606.81 Safari/537.36]], testcases:[[classname:AppComponent, name:AppComponent should create the app, time:0.077, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:19:00], [classname:AppComponent, name:AppComponent should have as title 'frontend', time:0.019, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:19:00], [classname:AppComponent, name:AppComponent should render title in a h1 tag, time:0.087, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:19:00]], systemOut:, systemErr:]]]]]]
[Pipeline] echo

2022-03-01 11:20:24Z Resurrected DTR for frontend -> (false)

[Pipeline] echo

DEBUG: Retrieving saved document history with name 'documentHistory-D-DTR-frontend' in workspace '/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace'. [Pipeline] readFile

[Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-D-DTR-frontend.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[], epics:[], mitigations:[], requirements:[], risks:[], techSpecs:[], tests:[], docs:[[key:ORDGP-56, action:add, documents:[DTR], number:7, heading:Document History], [key:ORDGP-53, action:add, documents:[DTR], number:6, heading:Reference Documents], [key:ORDGP-52, action:add, documents:[DTP, DTR], number:5.2, heading:Abbreviations], [key:ORDGP-51, action:add, documents:[DTP, DTR], number:5.1, heading:Definitions]]] [Pipeline] echo

DEBUG: Creating a new history entry with version 1 for DTR-frontend

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22] [Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-9, ORDGP-16, ORDGP-27]

[Pipeline] dir

Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/artifacts

[Pipeline] {

[Pipeline] stash

Stashed 1 file(s)

[Pipeline] }

[Pipeline] // dir

[Pipeline] echo

2022-03-01 11:20:28Z Document DTR for frontend uploaded @ https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/DTR-ordgp-frontend-

WIP-13.zip [Pipeline] echo DEBUG: [docgen-ordgp-DTR-frontend] (took 3504 ms) [Pipeline] echo levaDocScheduler.run end [Pipeline] } [Pipeline] // parallel [Pipeline] } [Pipeline] // parallel [Pipeline] echo [docgen-ordgp-OVERALL DTR] Creating document of type 'OVERALL DTR' for project 'ordgp' in phase 'Build' and stage 'PRE END' expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createOverallDTR; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/ [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22] [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-9, ORDGP-16, ORDGP-271 [Pipeline] dir Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/reports/backend [Pipeline] { [Pipeline] unstash [Pipeline] } [Pipeline] // dir [Pipeline] dir Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/reports/frontend [Pipeline] { [Pipeline] unstash [Pipeline] } [Pipeline] // dir [Pipeline] archiveArtifacts Archiving artifacts [Pipeline] echo 2022-03-01 11:20:31Z Document DTR uploaded @ https://nexus-odsalpha.inhodsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/DTR-ordgp-WIP-13.zip [Pipeline] echo DEBUG: [docgen-ordgp-OVERALL DTR] (took 4455 ms) [Pipeline] echo [Build] \*\*\*\* ENDED orchestration stage \*\*\*\* (took 352179 ms) [Pipeline] } [Pipeline] // stage [Pipeline] stage [Pipeline] { (Deploy) [Pipeline] echo

[Deploy] \*\*\*\* STARTING orchestration stage \*\*\*\*

[Pipeline] parallel

```
[Pipeline] { (Branch: Deploy)
[Pipeline] { (Branch: orchestration)
[Pipeline] parallel
[Pipeline] { (Branch: backend)
[Pipeline] { (Branch: frontend)
[Pipeline] { (Branch: test)
[Pipeline] echo
DEBUG: Current stage: 'Deploy' -> start agent stage: 'Init'
[Pipeline] }
[Pipeline] echo
DEBUG: Repo 'test' is of type ODS Test Component. Nothing to do in phase 'Deploy' for
target environment 'D'.
[Pipeline] echo
DEBUG: Repo 'backend' is of type ODS Code Component. Nothing to do in phase 'Deploy' for
target environment 'D'.
[Pipeline] echo
DEBUG: Repo 'frontend' is of type ODS Code Component. Nothing to do in phase 'Deploy' for
target environment 'D'.
[Pipeline] echo
[docgen-ordgp-TIR-backend] Creating document of type 'TIR' for project 'ordgp' and repo
'backend' in phase 'Deploy' and stage 'POST EXECUTE REPO'
[Pipeline] echo
[docgen-ordgp-TIR-frontend] Creating document of type 'TIR' for project 'ordgp' and repo
'frontend' in phase 'Deploy' and stage 'POST_EXECUTE REPO'
expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but
wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createTIR; see:
https://jenkins.io/redirect/pipeline-cps-method-mismatches/
expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but
wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createTIR; see:
https://jenkins.io/redirect/pipeline-cps-method-mismatches/
[Pipeline] echo
DEBUG: createTIR - repo:{
  "id": "backend",
  "type": "ods",
  "data": {
     "openshift": {
       "builds": {
          "backend": {
            "buildId": "backend-8",
            "image": "docker-registry.default.svc:5000/ordgp-
cd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d849.
f9"
          }
       "deployments": {
          "backend": {
            "podName": "backend-10-95wsv",
            "podNamespace": "ordgp-dev",
            "podMetaDataCreationTimestamp": "2022-03-01T11:18:41Z",
            "deploymentId": "backend-10",
            "podNode": "inhas71256.eu.boehringer.com",
```

```
"podlp": "10.251.16.83",
            "podStatus": "Running",
            "podStartupTimeStamp": "2022-03-01T11:18:41Z",
            "containers": {
              "backend": "docker-registry.default.svc:5000/ordgp-
cd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d849.
f9"
            }
         }
       },
       "sonarqubeScanStashPath": "scrr-report-backend-13",
       "SCRR": "SCRR-ordgp-backend.docx",
       "SCRR-MD": "SCRR-ordgp-backend.md",
       "testResultsFolder": "build/test-results/test",
       "testResults": "1",
       "xunitTestResultsStashPath": "test-reports-junit-xml-backend-13",
       "CREATED BY BUILD": "WIP/13"
     "documents": {
    },
     "envStateCommit": "27eb2abe4554932afa94f9a40a72d2165158ae6b",
    "git": {
       "branch": "master",
       "commit": "27eb2abe4554932afa94f9a40a72d2165158ae6b",
       "previousCommit": "27eb2abe4554932afa94f9a40a72d2165158ae6b",
       "previousSucessfulCommit": "6f8daea49927f08c0be572fc745f8396d2aec66f",
       "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git",
       "baseTag": "",
       "targetTag": ""
    }
  "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git",
  "branch": "master",
  "pipelineConfig": {
    "dependencies": [
    1
  },
  "metadata": {
    "name": "OpenJDK",
    "description": "OpenJDK is a free and open-source implementation of the Java Platform,
Standard Edition. Technologies: Spring Boot 2.1, OpenIDK 17",
    "supplier": "https://openjdk.java.net/",
    "version": "4.x",
    "type": "ods"
  "doInstall": true
}, data:{
  "openshift": {
     "builds": {
```

```
"backend": {
         "buildId": "backend-8",
         "image": "docker-registry.default.svc:5000/ordgp-
cd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d849.
f9"
       }
    },
    "deployments": {
       "backend": {
         "podName": "backend-10-95wsv",
         "podNamespace": "ordgp-dev",
         "podMetaDataCreationTimestamp": "2022-03-01T11:18:41Z"
         "deploymentId": "backend-10",
         "podNode": "inhas71256.eu.boehringer.com",
         "podlp": "10.251.16.83",
         "podStatus": "Running",
         "podStartupTimeStamp": "2022-03-01T11:18:41Z",
         "containers": {
            "backend": "docker-registry.default.svc:5000/ordgp-
cd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d8492
f9"
       }
    },
    "sonarqubeScanStashPath": "scrr-report-backend-13",
    "SCRR": "SCRR-ordgp-backend.docx",
    "SCRR-MD": "SCRR-ordgp-backend.md",
    "testResultsFolder": "build/test-results/test",
    "testResults": "1".
    "xunitTestResultsStashPath": "test-reports-junit-xml-backend-13",
    "CREATED BY BUILD": "WIP/13"
  },
  "documents": {
  },
  "envStateCommit": "27eb2abe4554932afa94f9a40a72d2165158ae6b",
  "git": {
    "branch": "master",
    "commit": "27eb2abe4554932afa94f9a40a72d2165158ae6b",
    "previousCommit": "27eb2abe4554932afa94f9a40a72d2165158ae6b",
    "previousSucessfulCommit": "6f8daea49927f08c0be572fc745f8396d2aec66f",
    "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git",
    "baseTag": "",
    "targetTag": ""
  }
[Pipeline] echo
DEBUG: createTIR - repo:{
  "id": "frontend",
  "type": "ods",
  "data": {
```

```
"openshift": {
       "builds": {
         "frontend": {
            "buildId": "frontend-8",
            "image": "docker-registry.default.svc:5000/ordgp-
cd/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1b2
5295"
       },
       "deployments": {
         "frontend": {
            "podName": "frontend-8-k6mwm",
            "podNamespace": "ordgp-dev",
            "podMetaDataCreationTimestamp": "2022-03-01T11:20:13Z",
            "deploymentId": "frontend-8",
            "podNode": "inhas71256.eu.boehringer.com",
            "podlp": "10.251.16.86",
            "podStatus": "Running",
            "podStartupTimeStamp": "2022-03-01T11:20:13Z",
            "containers": {
              "frontend": "docker-registry.default.svc:5000/ordgp-
dev/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1k
b5295"
         }
       },
       "sonarqubeScanStashPath": "scrr-report-frontend-13",
       "SCRR": "SCRR-ordgp-frontend.docx",
       "SCRR-MD": "SCRR-ordgp-frontend.md",
       "testResultsFolder": "build/test-results/test",
       "testResults": "1".
       "xunitTestResultsStashPath": "test-reports-junit-xml-frontend-13",
       "CREATED BY BUILD": "WIP/13"
    },
    "documents": {
    "envStateCommit": "c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293",
    "git": {
       "branch": "master",
       "commit": "c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293",
       "previousCommit": "c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293",
       "previousSucessfulCommit": "1d20ca4cbd91841d48f85866f309030f06cf0fa2",
       "url": "https://bitbucket-dev.biscrum.com/scm/ordqp/ordqp-frontend.git",
       "baseTag": "",
       "targetTag": ""
  "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git",
  "branch": "master",
  "pipelineConfig": {
```

```
"dependencies": [
    ]
  },
  "metadata": {
    "name": "Angular",
     "description": "Angular is a TypeScript-based open-source web application framework
led by the Angular Team at Google and by a community of individuals and corporations.
Technologies: Angular 8.0",
     "supplier": "https://angular.io",
     "version": "4.x",
     "type": "ods"
  },
  "doInstall": true
}, data:{
  "openshift": {
    "builds": {
       "frontend": {
         "buildId": "frontend-8",
         "image": "docker-registry.default.svc:5000/ordgp-
cd/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1b2
5295"
    },
     "deployments": {
       "frontend": {
         "podName": "frontend-8-k6mwm",
         "podNamespace": "ordgp-dev",
         "podMetaDataCreationTimestamp": "2022-03-01T11:20:13Z",
         "deploymentId": "frontend-8",
         "podNode": "inhas71256.eu.boehringer.com",
         "podlp": "10.251.16.86",
         "podStatus": "Running",
         "podStartupTimeStamp": "2022-03-01T11:20:13Z",
         "containers": {
            "frontend": "docker-registry.default.svc:5000/ordgp-
dev/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1k
b5295"
    },
     "sonarqubeScanStashPath": "scrr-report-frontend-13",
    "SCRR": "SCRR-ordgp-frontend.docx",
    "SCRR-MD": "SCRR-ordgp-frontend.md",
    "testResultsFolder": "build/test-results/test",
    "testResults": "1",
     "xunitTestResultsStashPath": "test-reports-junit-xml-frontend-13",
    "CREATED_BY_BUILD": "WIP/13"
  "documents": {
```

```
},
  "envStateCommit": "c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293",
  "git": {
     "branch": "master",
     "commit": "c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293",
     "previousCommit": "c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293",
     "previousSucessfulCommit": "1d20ca4cbd91841d48f85866f309030f06cf0fa2",
     "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git",
     "baseTag": "",
     "targetTag": ""
  }
}
[Pipeline] }
[Pipeline] echo
DEBUG: Retrieving saved document history with name 'documentHistory-D-TIR-backend' in
workspace '/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace'.
[Pipeline] echo
DEBUG: Retrieving saved document history with name 'documentHistory-D-TIR-frontend' in
workspace '/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace'.
[Pipeline] readFile
[Pipeline] readFile
[Pipeline] echo
DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-D-
TIR-backend.json' is expected to be inside the release manager repository but was not found
and thus, document history cannot be build. If you come from and old ODS version, create
one for each document to use the automated document history feature.
[Pipeline] echo
DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-D-
TIR-frontend.json' is expected to be inside the release manager repository but was not found
and thus, document history cannot be build. If you come from and old ODS version, create
one for each document to use the automated document history feature.
[Pipeline] echo
DEBUG: Parsing jira data to document history
[Pipeline] echo
DEBUG: Parsing jira data to document history
[Pipeline] echo
DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:
[[key:Technology-backend, action:add]], epics:[], mitigations:[], requirements:[], risks:[],
techSpecs:[], tests:[], docs:[[key:ORDGP-88, action:add, documents:[TIR], number:7,
heading:Document History], [key:ORDGP-87, action:add, documents:[TIR], number:6,
heading:Reference Documents], [key:ORDGP-86, action:add, documents:[TIR], number:5.2,
heading:Abbreviations], [key:ORDGP-85, action:add, documents:[TIR], number:5.1,
heading:Definitions]]]
[Pipeline] echo
DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:
[[key:Technology-frontend, action:add]], epics:[], mitigations:[], requirements:[], risks:[],
techSpecs:[], tests:[], docs:[[key:ORDGP-88, action:add, documents:[TIR], number:7,
heading:Document History], [key:ORDGP-87, action:add, documents:[TIR], number:6,
heading:Reference Documents], [key:ORDGP-86, action:add, documents:[TIR], number:5.2,
heading:Abbreviations], [key:ORDGP-85, action:add, documents:[TIR], number:5.1,
heading:Definitions]]]
```

[Pipeline] echo DEBUG: Creating a new history entry with version 1 for TIR-backend [Pipeline] echo DEBUG: Creating a new history entry with version 1 for TIR-frontend [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22] [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22] [Pipeline] dir Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/artifacts [Pipeline] { [Pipeline] dir Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/artifacts [Pipeline] { [Pipeline] stash Stashed 1 file(s) [Pipeline] stash Stashed 1 file(s) [Pipeline] } [Pipeline] } [Pipeline] // dir [Pipeline] // dir [Pipeline] echo 2022-03-01 11:20:36Z Document TIR for backend uploaded @ https://nexus-odsalpha.inhodsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/TIR-ordgp-backend-WIP-13.zip [Pipeline] echo 2022-03-01 11:20:36Z Document TIR for frontend uploaded @ https://nexus-odsalpha.inhodsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/TIR-ordgp-frontend-WIP-13.zip [Pipeline] echo DEBUG: [docgen-ordgp-TIR-backend] (took 3116 ms) [Pipeline] echo DEBUG: [docgen-ordgp-TIR-frontend] (took 3116 ms) [Pipeline] } [Pipeline] } [Pipeline] // parallel [Pipeline] } [Pipeline] // parallel [Pipeline] echo [Deploy] \*\*\*\* ENDED orchestration stage \*\*\*\* (took 3757 ms) [Pipeline] } [Pipeline] // stage [Pipeline] stage [Pipeline] { (Test) [Pipeline] echo [Test] \*\*\*\* STARTING orchestration stage \*\*\*\* [Pipeline] parallel

[Pipeline] { (Branch: Test)

[Pipeline] { (Branch: orchestration) [Pipeline] parallel [Pipeline] { (Branch: backend) [Pipeline] { (Branch: frontend) [Pipeline] { (Branch: test) [Pipeline] echo DEBUG: Current stage: 'Test' -> start agent stage: 'Init' [Pipeline] } [Pipeline] dir Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/repositories/test [Pipeline] { [Pipeline] sh [Pipeline] echo DEBUG: Repo 'backend' is of type ODS Code Component. Nothing to do in phase 'Test' for target environment 'D'. [Pipeline] echo DEBUG: Repo 'frontend' is of type ODS Code Component. Nothing to do in phase 'Test' for target environment 'D'. [Pipeline] } [Pipeline] } + env + grep library.ods-mro-jenkins-shared-library.version + cut -d = -f2[Pipeline] withEnv [Pipeline] { [Pipeline] load [Pipeline] { (/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/repositories/test/Jenkinsfile) [Pipeline] echo DEBUG: -> ODS Component pipeline setup, debug mode? true [Pipeline] echo -> Detected multirepo orchestration pipeline build [Pipeline] echo DEBUG: Setting target environment: 'dev' [Pipeline] echo DEBUG: Amending project / component name based on Git origin URL [Pipeline] sh + git config --get remote.origin.url [Pipeline] echo DEBUG: Retrieved Git origin URL from filesystem: https://bitbucketdev.biscrum.com/scm/ordgp/ordgp-test.git [Pipeline] echo DEBUG: Project- / component-name config: ordgp / test [Pipeline] echo [test] \*\*\*\*\* Starting ODS Component Pipeline \*\*\*\*\* [Pipeline] wrap [Pipeline] { [Pipeline] stage [Pipeline] { (odsPipeline start)

[Pipeline] echo

DEBUG: Validating input ... [Pipeline] echo DEBUG: Collecting environment variables ... [Pipeline] sh + env + grep ods.build. [Pipeline] sh + env + grep OPENSHIFT BUILD [Pipeline] echo DEBUG: Got external build labels: [ods.build.rm.ordgp.repo.url:https://bitbucketdev.biscrum.com/scm/ordgp/ordgp-releasemanager.git, ods.build.rm.ordgp.repo.commit.author:ODS Jenkins Shared Library System User (undefined), ods.build.rm.ordgp.repo.commit.sha:be2537272ddc579f97f2e2eba6cdc0788f81341b, ods.build.rm.ordgp.repo.commit.timestamp:2022-01-28 13:14:04 +0000, ods.build.rm.ordgp.repo.commit.msg:ODS: Record commits deployed into D, JENKINS MASTER OPENSHIFT BUILD COMMIT:a541165cff3874ce420e3109e951a9b50c24fc3 f, JENKINS MASTER OPENSHIFT BUILD NAME: jenkins-master-43, JENKINS MASTER OPENSHIFT BUILD SOURCE:https://bitbucketdev.biscrum.com/scm/odsalpha/ods-core.git, JENKINS MASTER OPENSHIFT BUILD NAMESPACE:odsalpha, JENKINS\_MASTER\_OPENSHIFT\_BUILD\_REFERENCE:4.x] [Pipeline] sh + env + grep library.ods-jenkins-shared-library.version + cut -d = -f2[Pipeline] echo DEBUG: Validating environment variables ... [Pipeline] echo DEBUG: Deriving configuration from input ... [Pipeline] echo DEBUG: Setting defaults ... [Pipeline] echo DEBUG: Retrieving Git information ... [Pipeline] sh + git config --get remote.origin.url [Pipeline] sh + git rev-parse --abbrev-ref HEAD [Pipeline] sh + git name-rev master + cut -d ' ' -f2 + sed -e 's|remotes/origin/||g' [Pipeline] echo DEBUG: resolved branch master [Pipeline] sh + git rev-parse HEAD [Pipeline] sh + git --no-pager show -s '--format=%an (%ae)' HEAD [Pipeline] sh

+ git log -1 --format=%f HEAD

[Pipeline] sh + git log -1 --pretty=%B HEAD [Pipeline] sh + git show -s --format=%ci HEAD [Pipeline] echo DEBUG: Setting target OCP environment ... [Pipeline] echo DEBUG: Commit workingtree? false [Pipeline] echo DEBUG: Assembled configuration: [testResults:, podServiceAccount:jenkins, groupId:org.opendevstack.ordgp, branchToEnvironmentMapping:[master:dev], globalExtensionImageLabels: [JENKINS MASTER OPENSHIFT BUILD COMMIT:a541165cff3874ce420e3109e951a9b50c24fc 3f, ods.build.rm.ordgp.repo.url:https://bitbucket-dev.biscrum.com/scm/ordgp/ordgpreleasemanager.git, JENKINS MASTER OPENSHIFT BUILD SOURCE:https://bitbucketdev.biscrum.com/scm/odsalpha/ods-core.git, ods.build.rm.ordgp.repo.commit.timestamp:2022-01-28 13:14:04 +0000, JENKINS MASTER OPENSHIFT BUILD REFERENCE: 4.x, JENKINS MASTER OPENSHIFT BUILD NAME: jenkins-master-43, ods.build.rm.ordgp.repo.commit.msg:ODS: Record commits deployed into D, ods.build.rm.ordgp.repo.commit.author:ODS Jenkins Shared Library System User (undefined), JENKINS\_MASTER\_OPENSHIFT\_BUILD\_NAMESPACE:odsalpha, ods.build.rm.ordgp.repo.commit.sha:be2537272ddc579f97f2e2eba6cdc0788f81341b], dockerDir:docker, buildNumber:13, odsSharedLibVersion:4.x, resourceRequestCpu:100m, buildUrl:https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cdreleasemanager-master/13/, nexusUsername:\*\*\*\*, triggeredByOrchestrationPipeline:true, jobName:ordgp-cd/ordgp-cd-releasemanager-master, image:dockerregistry.default.svc:5000/odsalpha/jenkins-agent-maven:4.x, buildTime:2022-03-01T11:20:38+0000, openshiftBuildTimeout:15, targetProject:ordgp-dev, bitbucketUrl:https://bitbucket-dev.biscrum.com, gitCommitTime:2022-03-01 12:12:44 +0100, resourceLimitCpu:1, environmentLimit:5, emailextRecipients:null, alwaysPullImage:true, podVolumes:[], failOnSnykScanVulnerabilities:true, projectId:ordgp, tagversion:13-61a229c5, ciSkipEnabled:false, sonarQubeBranch:\*, componentId:test, openshiftRolloutTimeout:5, sonarQubeEdition:enterprise, openshiftHost:https://openshift.default.svc.cluster.local, credentialsId:ordgp-cd-cd-user-withpassword, cdProject:ordgp-cd, commitGitWorkingTree:false, odsBitbucketProject:opendevstack, localCheckoutEnabled:false, notifyNotGreen:false, gitBranch:master, bitbucketNotificationEnabled:true, debug:true, resourceRequestMemory:1Gi, repoName:ordgp-test, resourceLimitMemory:2Gi, gitCommitRawMessage:DemoAcceptanceSpec.groovy edited online with Bitbucket, imageStreamTag:odsalpha/jenkins-agent-maven:4.x, environment:dev, nexusUrl:https://nexus-odsalpha.inh-odsapps.eu.boehringer.com, openshiftRolloutTimeoutRetries:5, nexusPassword:\*\*\*\*, gitCommit:61a229c55991e0e89362016bf53d968df233aa80, buildTag:jenkins-ordgp-cdordgp-cd-releasemanager-master-13, podLabel:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9, displayNameUpdateEnabled:false, gitCommitAuthor:zxBCN Paraiso,Gonzalo (IT EDS) EXTERNAL (gonzalo.paraiso.ext@boehringer-ingelheim.com), gitCommitMessage:DemoAcceptanceSpec.groovy-edited-online-with-Bitbucket, gitUrl:https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git] [Pipeline] echo DEBUG: -> Registering & loading global services

```
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // wrap
[Pipeline] echo
***** Continuing on node 'pod-3d3cc6d9-b447-4430-a9eb-92909af215a9' based on image
'docker-registry.default.svc:5000/odsalpha/jenkins-agent-maven:4.x' *****
[Pipeline] podTemplate
[Pipeline] {
[Pipeline] node
Still waiting to schedule task
'pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm' is offline
Agent pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm is provisioned from
template pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3
apiVersion: "v1"
kind: "Pod"
metadata:
 annotations:
  buildUrl: "http://jenkins.ordgp-cd.svc:80/job/ordgp-cd/job/ordgp-cd-releasemanager-
  runUrl: "job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"
 labels:
  jenkins: "slave"
  jenkins/label: "pod-3d3cc6d9-b447-4430-a9eb-92909af215a9"
 name: "pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm"
spec:
 containers:
 - args:
  - "pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm"
  - name: "JENKINS SECRET"
   value: "******
  - name: "JENKINS_TUNNEL"
   value: "jenkins-jnlp.ordgp-cd.svc:50000"
  - name: "JENKINS AGENT NAME"
   value: "pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm"
  - name: "JENKINS NAME"
   value: "pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm"
  - name: "JENKINS AGENT WORKDIR"
   value: "/tmp"
  - name: "JENKINS URL"
   value: "http://jenkins.ordgp-cd.svc:80/"
  image: "docker-registry.default.svc:5000/odsalpha/jenkins-agent-maven:4.x"
  imagePullPolicy: "Always"
  name: "jnlp"
  resources:
   limits:
    memory: "2Gi"
    cpu: "1"
```

```
requests:
     memory: "1Gi"
     cpu: "100m"
  securityContext:
   privileged: false
  tty: false
  volumeMounts:
  - mountPath: "/tmp"
   name: "workspace-volume"
   readOnly: false
  workingDir: "/tmp"
 nodeSelector:
  beta.kubernetes.io/os: "linux"
 restartPolicy: "Never"
 securityContext: {}
 serviceAccount: "jenkins"
 volumes:
 - emptyDir:
   medium: ""
  name: "workspace-volume"
Running on pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm in
/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master
[Pipeline] {
[Pipeline] echo
DEBUG: [pod-3d3cc6d9-b447-4430-a9eb-92909af215a9] (took 19541 ms)
[Pipeline] echo
DEBUG: [buildstatus-61a229c5-INPROGRESS] Setting Bitbucket build status to 'INPROGRESS'
on commit '61a229c55991e0e89362016bf53d968df233aa80' / 'https://jenkins-ordgp-cd.inh-
odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/
[Pipeline] withCredentials
Masking supported pattern matches of $USERNAME or $TOKEN
[Pipeline] {
[Pipeline] sh
+ curl --fail -sS --request POST --header 'Authorization: Bearer ****' --header 'Content-Type:
application/json' --data
'{"state":"INPROGRESS", "key": "61a229c5", "name": "61a229c5", "url": "https://jenkins-ordgp-
cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"}'
https://bitbucket-dev.biscrum.com/rest/build-
status/1.0/commits/61a229c55991e0e89362016bf53d968df233aa80
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] echo
DEBUG: [buildstatus-61a229c5-INPROGRESS] (took 3024 ms)
[Pipeline] wrap
[Pipeline] {
[Pipeline] sh
+ git Ifs
[Pipeline] checkout
The recommended git tool is: NONE
using credential ordgp-cd-cd-user-with-password
```

Cloning the remote Git repository Avoid second fetch Checking out Revision 61a229c55991e0e89362016bf53d968df233aa80 (detached) Enabling Git LFS pull Cloning repository https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git > git init /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master # timeout=10 Fetching upstream changes from https://bitbucket-dev.biscrum.com/scm/ordgp/ordgptest.git > git --version # timeout=10 > git --version # 'git version 1.8.3.1' using GIT ASKPASS to set credentials ordgp-cd-cd-user-with-password Setting http proxy: appaccess-zscaler.boehringer.com:80 > git fetch --tags --progress https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git +refs/heads/\*:refs/remotes/origin/\* # timeout=10 > git config remote.origin.url https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git # timeout=10 > git config --add remote.origin.fetch +refs/heads/\*:refs/remotes/origin/\* # timeout=10 > git rev-parse 61a229c55991e0e89362016bf53d968df233aa80^{commit} # timeout=10 > git config core.sparsecheckout # timeout=10 > git checkout -f 61a229c55991e0e89362016bf53d968df233aa80 # timeout=10 > git config --get remote.origin.url # timeout=10 using GIT ASKPASS to set credentials ordgp-cd-cd-user-with-password Setting http proxy: appaccess-zscaler.boehringer.com:80 > git Ifs pull origin # timeout=10 Commit message: "DemoAcceptanceSpec.groovy edited online with Bitbucket" Cleaning workspace [Pipeline] sh > git rev-parse --verify HEAD # timeout=10 Resetting working tree > git reset --hard # timeout=10 > git clean -fdx # timeout=10 + env + grep OPENSHIFT BUILD [Pipeline] stage [Pipeline] { (Integration Test) [Pipeline] sh + chmod a+x gradle gradlew gradlew.bat [Pipeline] sh + oc -n ordgp-dev create route edge test-route-1646133673371 --service=dummy -port=80 + true [Pipeline] sh + oc -n ordgp-dev get route test-route-1646133673371 -o 'jsonpath={.spec.host}' [Pipeline] sh + oc -n ordgp-dev delete route test-route-1646133673371 + true [Pipeline] echo DEBUG: [test-get-oc-app-domain] (took 1845 ms) [Pipeline] withEnv

[Pipeline] {
[Pipeline] sh

+ ./gradlew clean test --stacktrace --no-daemon Picked up JAVA\_TOOL\_OPTIONS: -XX:+UnlockExperimentalVMOptions -Dsun.zip.disableMemoryMapping=true Downloading https://services.gradle.org/distributions/gradle-5.6.4-bin.zip

.....

Welcome to Gradle 5.6.4!

Here are the highlights of this release:

- Incremental Groovy compilation
- Groovy compile avoidance
- Test fixtures for Java projects
- Manage plugin versions via settings script

For more details see https://docs.gradle.org/5.6.4/release-notes.html

WARNING: An illegal reflective access operation has occurred

WARNING: Illegal reflective access by org.codehaus.groovy.vmplugin.v7.Java7\$1

(file:/home/jenkins/.gradle/wrapper/dists/gradle-5.6.4-

bin/bxirm19Infz6nurbatndyydux/gradle-5.6.4/lib/groovy-all-1.3-2.5.4.jar) to constructor

java.lang.invoke.MethodHandles\$Lookup(java.lang.Class,int)

WARNING: Please consider reporting this to the maintainers of

org.codehaus.groovy.vmplugin.v7.Java7\$1

WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access

operations

WARNING: All illegal access operations will be denied in a future release

- > Configure project : using nexus repositories
- > Task :clean UP-TO-DATE
- > Task :compileJava NO-SOURCE
- > Task :compileGroovy NO-SOURCE
- > Task :processResources NO-SOURCE
- > Task :classes UP-TO-DATE
- > Task :compileTestJava NO-SOURCE
- > Task :compileTestGroovy NO-SOURCE
- > Task :processTestResources
- > Task :testClasses
- > Task :compileInstallationJava
- > Task :compileInstallationGroovy

Picked up JAVA TOOL OPTIONS: -XX:+UnlockExperimentalVMOptions -

Dsun.zip.disableMemoryMapping=true

WARNING: An illegal reflective access operation has occurred

WARNING: Illegal reflective access by org.codehaus.groovy.reflection.CachedClass (file:/home/jenkins/.gradle/caches/modules-2/files-

y-2.5.6.jar) to method java.util.AbstractCollection.hugeCapacity(int) WARNING: Please consider reporting this to the maintainers of

org.codehaus.groovy.reflection.CachedClass

WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access

operations

WARNING: All illegal access operations will be denied in a future release

> Task :processInstallationResources

> Task :installationClasses

> Task :installation-java

Picked up JAVA TOOL OPTIONS: -XX:+UnlockExperimentalVMOptions -

Dsun.zip.disableMemoryMapping=true

[0K[1mDemoInstallationTest[m

[0K[1m Test [22mbasicTest()[32m PASSED[m

[0K[1;32mSUCCESS: [39mExecuted 1 tests in 2s[m

> Task :installation-groovy

Picked up JAVA TOOL OPTIONS: -XX:+UnlockExperimentalVMOptions -

Dsun.zip.disableMemoryMapping=true

WARNING: An illegal reflective access operation has occurred

WARNING: Illegal reflective access by org.codehaus.groovy.vmplugin.v7.Java7\$1

(file:/home/jenkins/.gradle/caches/modules-2/files-

2.1/org.codehaus.groovy/groovy/2.5.6/6936e700f0fb1b50bac0698ada4347a769d40199/groo

y-2.5.6.jar) to constructor java.lang.invoke.MethodHandles\$Lookup(java.lang.Class,int)

WARNING: Please consider reporting this to the maintainers of

org.codehaus.groovy.vmplugin.v7.Java7\$1

WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access

operations

WARNING: All illegal access operations will be denied in a future release

[0K[1mDemoInstallation[m

[0K[1m Test [22mORDGP147\_basic test[32m PASSED[m

[0K[1:32mSUCCESS: [39mExecuted 1 tests in 5.6s[m

> Task :compileIntegrationJava

> Task :compileIntegrationGroovy

> Task :processIntegrationResources

> Task :integrationClasses

> Task :integration-java

Picked up JAVA TOOL OPTIONS: -XX:+UnlockExperimentalVMOptions -

Dsun.zip.disableMemoryMapping=true

[0K[1mDemoIntegrationTest[m

[0K[1m Test [22mbasicTest()[32m PASSED[m

[0K[1;32mSUCCESS: [39mExecuted 1 tests in 1.9s[m

> Task :integration-groovy

Picked up JAVA TOOL OPTIONS: -XX:+UnlockExperimentalVMOptions -

Dsun.zip.disableMemoryMapping=true

WARNING: An illegal reflective access operation has occurred

WARNING: Illegal reflective access by org.codehaus.groovy.vmplugin.v7.Java7\$1

(file:/home/jenkins/.gradle/caches/modules-2/files-

2.1/org.codehaus.groovy/groovy/2.5.6/6936e700f0fb1b50bac0698ada4347a769d40199/groo

y-2.5.6.jar) to constructor java.lang.invoke.MethodHandles\$Lookup(java.lang.Class,int)

WARNING: Please consider reporting this to the maintainers of

org.codehaus.groovy.vmplugin.v7.Java7\$1

WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access

operations

WARNING: All illegal access operations will be denied in a future release

#### [0K[1mDemoIntegration[m

[0K[1m Test [22mORDGP143 basic test[32m PASSED[m

[0K[1m Test [22mORDGP144 basic test[32m PASSED[m

[0K[1m Test [22mORDGP145\_basic test[32m PASSED[m

[0K[1;32mSUCCESS: [39mExecuted 3 tests in 5.4s[m

> Task :compileAcceptanceJava

> Task :compileAcceptanceGroovy

> Task :processAcceptanceResources

> Task :acceptanceClasses

> Task :acceptance-java

Picked up JAVA\_TOOL\_OPTIONS: -XX:+UnlockExperimentalVMOptions -

Dsun.zip.disable Memory Mapping = true

[0K[1mDemoAcceptanceTest[m

[0K[1m Test [22mbasicTest()[32m PASSED[m

[0K[1;32mSUCCESS: [39mExecuted 1 tests in 1.8s[m

> Task :acceptance-groovy

Picked up JAVA TOOL OPTIONS: -XX:+UnlockExperimentalVMOptions -

Dsun.zip.disableMemoryMapping=true

WARNING: An illegal reflective access operation has occurred

WARNING: Illegal reflective access by org.codehaus.groovy.vmplugin.v7.Java7\$1

(file:/home/jenkins/.gradle/caches/modules-2/files-

2.1/org.codehaus.groovy/groovy/2.5.6/6936e700f0fb1b50bac0698ada4347a769d40199/groo

y-2.5.6.jar) to constructor java.lang.invoke.MethodHandles\$Lookup(java.lang.Class,int)

WARNING: Please consider reporting this to the maintainers of

org.codehaus.groovy.vmplugin.v7.Java7\$1

WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access

operations

WARNING: All illegal access operations will be denied in a future release

#### [0K[1mDemoAcceptance[m

[0K[1m Test [22mORDGP130\_goes to GH ods-quickstarters[32m PASSED[m [0K[1m Test [22mORDGP131\_goes to GH ods-quickstarters[32m PASSED[m [0K[1m Test [22mORDGP132\_goes to GH ods-quickstarters[32m PASSED[m [0K[1m Test [22mORDGP133 goes to GH ods-quickstarters[32m PASSED[m

[0K[1;32mSUCCESS: [39mExecuted 4 tests in 5.3s[m

#### > Task :test NO-SOURCE

#### BUILD SUCCESSFUL in 1m 19s

17 actionable tasks: 16 executed, 1 up-to-date

[Pipeline] junit

Recording test results

[Pipeline] stash

Stashed 2 file(s)

[Pipeline] stash

Stashed 2 file(s)

[Pipeline] stash

Stashed 2 file(s)

[Pipeline] }

[Pipeline] // withEnv

[Pipeline] }

[Pipeline] // stage

[Pipeline] echo

[SonarQube Analysis-test] \*\*\*\* STARTING stage 'SonarQube Analysis' for component 'test'

branch 'master' \*\*\*\*

[Pipeline] stage

[Pipeline] { (SonarQube Analysis)

[Pipeline] echo

Long-lived branches: master [Pipeline] readProperties

[Pipeline] echo

PR analysis is disabled.

[Pipeline] withSonarQubeEnv

Injecting SonarQube environment variables using the configuration: SonarServerConfig

[Pipeline] {

[Pipeline] sh

+ which sonar-scanner

/usr/local/sonar-scanner-cli/bin/sonar-scanner

[Pipeline] sh

+ sonar-scanner -Dsonar.host.url=https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com -Dsonar.auth.token=\*\*\*\*\* -Dsonar.scm.provider=git -

```
Dsonar.projectKey=ordgp-test -Dsonar.projectName=ordgp-test -
Dsonar.projectVersion=61a229c5 -X -Dsonar.branch.name=master
Picked up JAVA TOOL OPTIONS: -XX:+UnlockExperimentalVMOptions -
Dsun.zip.disableMemoryMapping=true
11:22:36.727 INFO: Scanner configuration file: /usr/local/sonar-scanner-cli/conf/sonar-
scanner.properties
11:22:36.729 INFO: Project root configuration file: /tmp/workspace/ordgp-cd/ordgp-cd-
releasemanager-master/sonar-project.properties
11:22:36.803 INFO: SonarQube Scanner 3.1.0.1141
11:22:36.803 INFO: Java 11.0.13 Red Hat, Inc. (64-bit)
11:22:36.804 INFO: Linux 3.10.0-1160.45.1.el7.x86 64 amd64
11:22:37.078 DEBUG: keyStore is:
11:22:37.078 DEBUG: keyStore type is: pkcs12
11:22:37.078 DEBUG: keyStore provider is :
11:22:37.078 DEBUG: init keystore
11:22:37.078 DEBUG: init keymanager of type SunX509
11:22:37.286 DEBUG: Create: /home/jenkins/.sonar/cache
11:22:37.286 INFO: User cache: /home/jenkins/.sonar/cache
11:22:37.286 DEBUG: Create: /home/jenkins/.sonar/cache/ tmp
11:22:37.288 DEBUG: Extract sonar-scanner-api-batch in temp...
11:22:37.291 DEBUG: Get bootstrap index...
11:22:37.291 DEBUG: Download: https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/batch/index
11:22:37.624 DEBUG: Get bootstrap completed
11:22:37.626 DEBUG: Download https://sonargube-odsalpha.inh-
odsapps.eu.boehringer.com/batch/file?name=scanner-enterprise-8.2.0.32929-all.jar to
/home/jenkins/.sonar/cache/ tmp/fileCache11219879663342392652.tmp
11:22:38.624 DEBUG: Create isolated classloader...
11:22:38.632 DEBUG: Start temp cleaning...
11:22:38.634 DEBUG: Temp cleaning done
11:22:38.635 DEBUG: Execution getVersion
11:22:38.679 INFO: SonarQube server 8.2.0
11:22:38.680 INFO: Default locale: "en US", source code encoding: "UTF-8"
11:22:38.680 DEBUG: Work directory: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/.scannerwork
11:22:38.682 DEBUG: Execution execute
11:22:39.110 DEBUG: Enterprise 8.2.0.32929
11:22:39.300 INFO: Load global settings
11:22:39.407 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/settings/values.protobuf | time=105ms
11:22:39.433 INFO: Load global settings (done) | time=133ms
11:22:39.478 INFO: Server id: 39E0EBC1-AXck41ETZVUYa3zX7DgH
11:22:39.481 DEBUG: Create: /home/jenkins/.sonar/ tmp
11:22:39.481 INFO: User cache: /home/jenkins/.sonar/cache
11:22:39.484 INFO: Load/download plugins
11:22:39.484 INFO: Load plugins index
11:22:39.494 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/installed | time=10ms
11:22:39.528 INFO: Load plugins index (done) | time=44ms
11:22:39.530 DEBUG: Download plugin 'sonarapex' to
```

'/home/jenkins/.sonar/ tmp/fileCache11829378416616770147.tmp'

```
11:22:39.544 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=sonarapex&acceptCompressions=pack200 | time=14ms
11:22:39.702 DEBUG: Download plugin 'csharp' to
'/home/jenkins/.sonar/ tmp/fileCache14019058020945842183.tmp'
11:22:39.714 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=csharp&acceptCompressions=pack200 | time=11ms
11:22:39.903 DEBUG: Download plugin 'crowd' to
'/home/jenkins/.sonar/ tmp/fileCache8988479214377534288.tmp'
11:22:39.914 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=crowd&acceptCompressions=pack200 | time=11ms
11:22:40.078 DEBUG: Download plugin 'scmgit' to
'/home/jenkins/.sonar/ tmp/fileCache16914523321110053308.tmp'
11:22:40.086 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=scmgit&acceptCompressions=pack200 | time=8ms
11:22:40.192 DEBUG: Download plugin 'groovy' to
'/home/jenkins/.sonar/ tmp/fileCache8504040758651365745.tmp'
11:22:40.208 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=groovy&acceptCompressions=pack200 | time=15ms
11:22:40.885 DEBUG: Download plugin 'jacoco' to
'/home/jenkins/.sonar/ tmp/fileCache10564155421199490997.tmp'
11:22:40.895 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=jacoco&acceptCompressions=pack200 | time=10ms
11:22:40.897 DEBUG: Download plugin 'license' to
'/home/jenkins/.sonar/_tmp/fileCache14413588741521500667.tmp'
11:22:40.904 DEBUG: GET 200 https://sonargube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=license&acceptCompressions=pack200 | time=6ms
11:22:40.905 DEBUG: Download plugin 'authoidc' to
'/home/jenkins/.sonar/_tmp/fileCache16022269229940744472.tmp'
11:22:40.916 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=authoidc&acceptCompressions=pack200 | time=11ms
11:22:40.982 DEBUG: Download plugin 'r' to
'/home/jenkins/.sonar/ tmp/fileCache1639207883243094778.tmp'
11:22:40.995 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?plugin=r&acceptCompressions=pack200
| time=13ms
11:22:41.031 DEBUG: Download plugin 'go' to
'/home/jenkins/.sonar/ tmp/fileCache10186709546296423288.tmp'
11:22:41.044 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=go&acceptCompressions=pack200 | time=13ms
11:22:41.306 DEBUG: Download plugin 'javascript' to
'/home/jenkins/.sonar/ tmp/fileCache14591670253362774578.tmp'
```

11:22:41.317 DEBUG: GET 200 https://sonarqube-odsalpha.inh-

```
odsapps.eu.boehringer.com/api/plugins/download?
plugin=javascript&acceptCompressions=pack200 | time=11ms
11:22:41.778 DEBUG: Download plugin 'java' to
'/home/jenkins/.sonar/ tmp/fileCache672646882204484741.tmp'
11:22:41.793 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=java&acceptCompressions=pack200 | time=15ms
11:22:42.584 DEBUG: Download plugin 'php' to
'/home/jenkins/.sonar/ tmp/fileCache1822755568070936150.tmp'
11:22:42.596 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=php&acceptCompressions=pack200 | time=12ms
11:22:42.830 DEBUG: Download plugin 'python' to
'/home/jenkins/.sonar/ tmp/fileCache17697389021124365497.tmp'
11:22:42.840 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=python&acceptCompressions=pack200 | time=10ms
11:22:42.983 DEBUG: Download plugin 'sonarscala' to
'/home/jenkins/.sonar/ tmp/fileCache8406439792964573145.tmp'
11:22:42.997 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=sonarscala&acceptCompressions=pack200 | time=14ms
11:22:43.370 DEBUG: Download plugin 'typescript' to
'/home/jenkins/.sonar/ tmp/fileCache7449724269245254774.tmp'
11:22:43.379 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/plugins/download?
plugin=typescript&acceptCompressions=pack200 | time=9ms
11:22:43.381 INFO: Load/download plugins (done) | time=3897ms
11:22:43.799 DEBUG: Plugins:
11:22:43.799 DEBUG: * SonarPython 2.1.0.5269 (python)
11:22:43.799 DEBUG: * Crowd 2.1.3 (crowd)
11:22:43.799 DEBUG: * JaCoCo 1.0.2.475 (jacoco)
11:22:43.799 DEBUG: * SonarGo 1.6.0.719 (go)
11:22:43.799 DEBUG: * OpenID Connect Authentication for SonarQube 1.1.0 (authoidc)
11:22:43.799 DEBUG: * Apex Code Quality and Security 1.8.2.1946 (sonarapex)
11:22:43.799 DEBUG: * SonarJS 6.1.0.11503 (javascript)
11:22:43.799 DEBUG: * SonarScala 1.5.0.315 (sonarscala)
11:22:43.800 DEBUG: * License for SonarLint 8.2.0.32929 (license)
11:22:43.800 DEBUG: * C# Code Quality and Security 8.6.1.17183 (csharp)
11:22:43.800 DEBUG: * Sonar R Plugin 0.1.3 (r)
11:22:43.800 DEBUG: * Groovy 1.6 (groovy)
11:22:43.800 DEBUG: * SonarJava 6.2.0.21135 (java)
11:22:43.800 DEBUG: * Git 1.9.1.1834 (scmgit)
11:22:43.800 DEBUG: * SonarPHP 3.3.0.5166 (php)
11:22:43.800 DEBUG: * SonarTS 2.1.0.4359 (typescript)
11:22:43.891 INFO: Loaded core extensions: developer-scanner
11:22:43.907 DEBUG: Installed core extension: developer-scanner
11:22:44.577 INFO: Process project properties
11:22:44.584 INFO: Process project properties (done) | time=7ms
11:22:44.584 INFO: Execute project builders
11:22:44.584 DEBUG: Execute project builder:
```

```
org. sonar. plugins. csharp. CSharp Global Protobuf File Processor\\
11:22:44.586 INFO: Execute project builders (done) | time=2ms
11:22:44.588 INFO: Project key: ordgp-test
11:22:44.588 INFO: Base dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master
11:22:44.588 INFO: Working dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/.scannerwork
11:22:44.588 DEBUG: Project global encoding: UTF-8, default locale: en US
11:22:44.589 DEBUG: Creating module hierarchy
11:22:44.589 DEBUG: Init module 'ordgp-test'
11:22:44.590 DEBUG:
                       Base dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master
11:22:44.590 DEBUG:
                       Working dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/.scannerwork
11:22:44.590 DEBUG:
                       Module global encoding: UTF-8, default locale: en US
11:22:44.592 INFO: Load project settings for component key: 'ordgp-test'
11:22:44.617 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/settings/values.protobuf?component=ordgp-test |
time=25ms
11:22:44.617 INFO: Load project settings for component key: 'ordgp-test' (done)
time=25ms
11:22:44.703 INFO: Load project branches
11:22:44.719 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/project branches/list?project=ordgp-test | time=16ms
11:22:44.723 INFO: Load project branches (done) | time=20ms
11:22:44.724 INFO: Load project pull requests
11:22:44.742 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/project pull requests/list?project=ordgp-test | time=17ms
11:22:44.776 INFO: Load project pull requests (done) | time=52ms
11:22:44.777 INFO: Load branch configuration
11:22:44.777 DEBUG: Found manual configuration of branch/PR analysis. Skipping
automatic configuration.
11:22:44.778 INFO: Load branch configuration (done) | time=1ms
11:22:44.787 DEBUG: Available languages:
11:22:44.787 DEBUG: * Python => "py"
11:22:44.787 DEBUG: * Go => "go"
11:22:44.787 DEBUG: * Apex => "apex"
11:22:44.787 DEBUG: * JavaScript => "js"
11:22:44.787 DEBUG: * TypeScript => "ts"
11:22:44.787 DEBUG: * Scala => "scala"
11:22:44.787 DEBUG: * C# => "cs"
11:22:44.787 DEBUG: * R => "r"
11:22:44.787 DEBUG: * Groovy => "grvy"
11:22:44.787 DEBUG: * Java => "java"
11:22:44.787 DEBUG: * PHP => "php"
11:22:44.791 INFO: Load quality profiles
11:22:44.831 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/qualityprofiles/search.protobuf?project=ordgp-test |
time=39ms
11:22:44.843 INFO: Load quality profiles (done) | time=52ms
11:22:44.849 INFO: Detected Jenkins
```

11:22:44.875 INFO: Load active rules

11:22:44.917 DEBUG: GET 200 https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com/api/rules/search.protobuf?

f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&activation=true&qprofile=AX20C4zj589iycgaYc8q&ps=500&p=1 | time=41ms

11:22:45.006 DEBUG: GET 200 https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com/api/rules/search.protobuf?

 $f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation=true \& qprofile=AXck49P0ZVUYa3zX7E\_G\&ps=500\&p=1 \mid time=12ms$ 

11:22:45.059 DEBUG: GET 200 https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com/api/rules/search.protobuf?

 $f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation=true \& qprofile=AXck49bAZVUYa3zX7FFg \& ps=500 \& p=1 \mid time=50 ms$ 

11:22:45.106 DEBUG: GET 200 https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com/api/rules/search.protobuf?

 $f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation=true \& qprofile=AXck49 l8ZVUY a3zX7FMD \& ps=500 \& p=1 \mid time=13 ms$ 

11:22:45.119 DEBUG: GET 200 https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com/api/rules/search.protobuf?

f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&activation=true&qprofile=AXck49q-ZVUYa3zX7FM7&ps=500&p=1 | time=10ms

11:22:45.174 DEBUG: GET 200 https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com/api/rules/search.protobuf?

f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&activation=true&qprofile=AXck49-4ZVUYa3zX7FTl&ps=500&p=1 | time=54ms

11:22:45.198 DEBUG: GET 200 https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com/api/rules/search.protobuf?

 $f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation=true \& qprofile=AXck 49 viZVUY a 3zX7FO9 \& ps=500 \& p=1 \mid time=20 ms$ 

11:22:45.217 DEBUG: GET 200 https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com/api/rules/search.protobuf?

f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&activation=true&qprofile=AXck4-M2ZVUYa3zX7FbF&ps=500&p=1 | time=16ms

11:22:45.234 DEBUG: GET 200 https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com/api/rules/search.protobuf?

 $f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation=true \& qprofile=AXck4-TQZVUYa3zX7FdE \& ps=500 \& p=1 \mid time=15 ms$ 

11:22:45.264 DEBUG: GET 200 https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com/api/rules/search.protobuf?

 $f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation=true \& qprofile=AXj6Ep04fgN3gVMmkodq \& ps=500 \& p=1 \mid time=28 ms$ 

11:22:45.283 DEBUG: GET 200 https://sonarqube-odsalpha.inh-

odsapps.eu.boehringer.com/api/rules/search.protobuf?

f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&activation=true&gprofile=AXck4-ZoZVUYa3zX7FfF&ps=500&p=1 | time=18ms

11:22:45.289 INFO: Load active rules (done) | time=414ms

11:22:45.300 INFO: Branch name: master

11:22:45.383 DEBUG: Declared extensions of language Python were converted to sonar.lang.patterns.py: \*\*/\*.py

11:22:45.384 DEBUG: Declared extensions of language Go were converted to

sonar.lang.patterns.go: \*\*/\*.go

11:22:45.384 DEBUG: Declared extensions of language Apex were converted to

```
sonar.lang.patterns.apex: **/*.cls,**/*.trigger
11:22:45.384 DEBUG: Declared extensions of language JavaScript were converted to
sonar.lang.patterns.js: **/*.js,**/*.jsx,**/*.vue
11:22:45.384 DEBUG: Declared extensions of language TypeScript were converted to
sonar.lang.patterns.ts: **/*.ts,**/*.tsx
11:22:45.384 DEBUG: Declared extensions of language Scala were converted to
sonar.lang.patterns.scala: **/*.scala
11:22:45.384 DEBUG: Declared extensions of language C# were converted to
sonar.lang.patterns.cs: **/*.cs
11:22:45.384 DEBUG: Declared extensions of language R were converted to
sonar.lang.patterns.r: **/*.r
11:22:45.385 DEBUG: Declared extensions of language Groovy were converted to
sonar.lang.patterns.grvy: **/*.groovy
11:22:45.385 DEBUG: Declared extensions of language Java were converted to
sonar.lang.patterns.java: **/*.java,**/*.jav
11:22:45.385 DEBUG: Declared extensions of language PHP were converted to
sonar.lang.patterns.php: **/*.php,**/*.php3,**/*.php4,**/*.php5,**/*.phtml,**/*.inc
11:22:45.387 DEBUG: Will ignore generated code
11:22:45.387 INFO: Indexing files...
11:22:45.388 INFO: Project configuration:
11:22:45.479 DEBUG: readpipe [git, --version],/usr/bin
11:22:45.489 DEBUG: readpipe may return 'git version 1.8.3.1'
11:22:45.489 DEBUG: remaining output:
11:22:45.489 DEBUG: readpipe [git, config, --system, --edit],/usr/bin
11:22:45.491 DEBUG: readpipe may return '/etc/gitconfig'
11:22:45.491 DEBUG: remaining output:
11:22:45.583 DEBUG: 133 non excluded files in this Git repository
11:22:45.592 DEBUG: 'src/test/integration/java/DemoIntegrationTest.java' indexed with
language 'java'
11:22:45.594 DEBUG: 'src/test/acceptance/java/DemoAcceptanceTest.java' indexed with
language 'java'
11:22:45.595 DEBUG: 'src/test/resources/GebConfig.groovy' indexed with language 'grvy'
11:22:45.595 DEBUG: 'src/test/resources/SpecHelper.groovy' indexed with language 'grvy'
11:22:45.596 DEBUG: 'src/test/resources/application.properties' indexed with language 'null'
11:22:45.597 DEBUG: 'src/test/acceptance/groovy/DemoAcceptanceSpec.groovy' indexed
with language 'grvy'
11:22:45.598 DEBUG: 'src/test/integration/groovy/DemoIntegrationSpec.groovy' indexed
with language 'grvy'
11:22:45.599 INFO: 7 files indexed
11:22:45.599 INFO: 0 files ignored because of scm ignore settings
11:22:45.600 INFO: Quality profile for grvy: Sonar way
11:22:45.600 INFO: Quality profile for java: Sonar way
11:22:45.600 INFO: ------ Run sensors on module ordgp-test
11:22:45.785 INFO: Load metrics repository
11:22:45.795 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/metrics/search?
f=name,description,direction,qualitative,custom&ps=500&p=1 | time=10ms
```

11:22:45.802 INFO: Load metrics repository (done) | time=17ms WARNING: An illegal reflective access operation has occurred

WARNING: Illegal reflective access by net.sf.cglib.core.ReflectUtils\$1

(file:/home/jenkins/.sonar/cache/a2b6a8802525720c8af2ca4fa85a2513/sonar-javascript-plugin.jar) to method

java.lang.ClassLoader.defineClass(java.lang.String,byte[],int,int,java.security.ProtectionDomain)

WARNING: Please consider reporting this to the maintainers of net.sf.cqlib.core.ReflectUtils\$1

WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access operations

WARNING: All illegal access operations will be denied in a future release

11:22:47.714 DEBUG: 'Import external issues report' skipped because one of the required properties is missing

11:22:47.715 DEBUG: 'Python Sensor' skipped because there is no related file in current project

11:22:47.715 DEBUG: 'Cobertura Sensor for Python coverage' skipped because there is no related file in current project

11:22:47.715 DEBUG: 'PythonXUnitSensor' skipped because there is no related file in current project

11:22:47.715 DEBUG: 'PylintSensor' skipped because there is no related file in current project

11:22:47.716 DEBUG: 'PylintImportSensor' skipped because there is no related file in current project

11:22:47.716 DEBUG: 'Import of Bandit issues' skipped because there is no related file in current project

11:22:47.716 DEBUG: 'SonarGo' skipped because there is no related file in current project

11:22:47.716 DEBUG: 'Go Unit Test Report' skipped because there is no related file in current project

11:22:47.717 DEBUG: 'Go Cover sensor for Go coverage' skipped because one of the required properties is missing

11:22:47.717 DEBUG: 'Import of go vet issues' skipped because there is no related file in current project

11:22:47.717 DEBUG: 'Import of Golint issues' skipped because there is no related file in current project

11:22:47.717 DEBUG: 'Import of GoMetaLinter issues' skipped because there is no related file in current project

11:22:47.718 DEBUG: 'Import of GolangCI-Lint issues' skipped because there is no related file in current project

11:22:47.718 DEBUG: 'Apex Sensor' skipped because there is no related file in current project

11:22:47.718 DEBUG: 'Test coverage Sensor for Apex' skipped because there is no related file in current project

11:22:47.718 DEBUG: 'Import of PMD issues' skipped because there is no related file in current project

11:22:47.718 DEBUG: 'JavaScript analysis' skipped because there is no related file in current project

11:22:47.719 DEBUG: 'SonarJS Coverage' skipped because there is no related file in current project

11:22:47.719 DEBUG: 'Import of ESLint issues' skipped because one of the required properties is missing

11:22:47.719 DEBUG: 'TypeScript analysis' skipped because there is no related file in current project

- 11:22:47.719 DEBUG: 'Import of TSLint issues' skipped because one of the required properties is missing
- 11:22:47.720 DEBUG: 'Scala Sensor' skipped because there is no related file in current project
- 11:22:47.720 DEBUG: 'Scoverage sensor for Scala coverage' skipped because one of the required properties is missing
- 11:22:47.720 DEBUG: 'Import of Scalastyle issues' skipped because there is no related file in current project
- 11:22:47.720 DEBUG: 'Import of Scapegoat issues' skipped because there is no related file in current project
- 11:22:47.720 DEBUG: 'C# Properties' skipped because there is no related file in current project
- 11:22:47.721 DEBUG: 'LintR Sensor for R files' skipped because there is no related file in current project
- 11:22:47.722 DEBUG: 'Import of Checkstyle issues' skipped because one of the required properties is missing
- 11:22:47.722 DEBUG: 'Import of PMD issues' skipped because one of the required properties is missing
- 11:22:47.722 DEBUG: 'Import of SpotBugs issues' skipped because one of the required properties is missing
- 11:22:47.723 DEBUG: 'Removed properties sensor' skipped because one of the required properties is missing
- 11:22:47.723 DEBUG: 'PHP sensor' skipped because there is no related file in current project
- 11:22:47.724 DEBUG: 'Analyzer for "php.ini" files' skipped because there is no related file in current project
- 11:22:47.724 DEBUG: 'SonarTS' skipped because there is no related file in current project
- 11:22:47.725 DEBUG: 'Generic Test Executions Report' skipped because one of the required properties is missing
- 11:22:47.726 DEBUG: 'C#' skipped because there is no related file in current project
- 11:22:47.726 DEBUG: 'C# Tests Coverage Report Import' skipped because there is no related file in current project
- 11:22:47.726 DEBUG: '[Deprecated] C# Integration Tests Coverage Report Import' skipped because there is no related file in current project
- 11:22:47.726 DEBUG: 'C# Unit Test Results Import' skipped because there is no related file in current project
- 11:22:47.726 DEBUG: Sensors : JavaSquidSensor -> JaCoCo XML Report Importer ->
- CodeNarc -> GroovySensor -> GroovySurefireSensor -> Groovy CoberturaSensor -> Groovy JaCoCo Coverage -> SurefireSensor -> JavaXmlSensor
- 11:22:47.727 INFO: Sensor JavaSquidSensor [java]
- 11:22:47.914 INFO: Configured Java source version (sonar.java.source): none
- 11:22:47.979 INFO: JavaClasspath initialization
- 11:22:47.987 WARN: Bytecode of dependencies was not provided for analysis of source files, you might end up with less precise results. Bytecode can be provided using sonar.java.libraries property.
- 11:22:47.987 INFO: JavaClasspath initialization (done) | time=8ms
- 11:22:47.987 INFO: JavaTestClasspath initialization
- 11:22:47.987 INFO: JavaTestClasspath initialization (done) | time=0ms
- 11:22:48.000 DEBUG: ----- Classpath analyzed by Squid:
- 11:22:48.000 DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/build/classes
- 11:22:48.000 DEBUG: -----

11:22:48.086 DEBUG: ----- Classpath analyzed by Squid:

11:22:48.087 INFO: Java Main Files AST scan

11:22:48.087 DEBUG: -----

11:22:48.089 INFO: 2 source files to be analyzed 11:22:48.093 INFO: Load project repositories 11:22:48.104 DEBUG: GET 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/batch/project.protobuf?key=ordgp-test&branch=master | time=11ms 11:22:48.176 INFO: Load project repositories (done) | time=83ms 11:22:48.176 DEBUG: 'src/test/integration/java/DemoIntegrationTest.java' generated metadata with charset 'UTF-8' 11:22:49.879 DEBUG: 'src/test/acceptance/java/DemoAcceptanceTest.java' generated metadata with charset 'UTF-8' 11:22:49.907 INFO: Java Main Files AST scan (done) | time=1819ms 11:22:49.907 INFO: Java Test Files AST scan 11:22:49.907 INFO: 0 source files to be analyzed 11:22:49.907 INFO: Java Test Files AST scan (done) | time=0ms 11:22:49.907 INFO: 2/2 source files have been analyzed 11:22:49.907 INFO: 0/0 source files have been analyzed 11:22:49.908 INFO: Sensor JavaSquidSensor [java] (done) | time=2181ms 11:22:49.908 INFO: Sensor JaCoCo XML Report Importer [jacoco] 11:22:49.975 WARN: Report doesn't exist: '/tmp/workspace/ordgp-cd/ordgp-cdreleasemanager-master/build/reports/jacoco/test/jacocoTestReport.xml' 11:22:49.975 INFO: Sensor JaCoCo XML Report Importer [jacoco] (done) | time=67ms 11:22:49.975 INFO: Sensor CodeNarc [groovy] 11:22:49.975 INFO: Executing CodeNarc 11:22:50.791 INFO: Loaded properties file in 102ms; 380 rules 11:22:50.875 INFO: Loading ruleset from [file:/tmp/workspace/ordgp-cd/ordgp-cdreleasemanager-master/.scannerwork/codenarc/profile.xml] 11:22:51.692 INFO: RuleSet configuration properties file [codenarc.properties] not found. 11:22:51.696 DEBUG: 'src/test/resources/SpecHelper.groovy' generated metadata with charset 'UTF-8' 11:22:53.003 DEBUG: 'src/test/acceptance/groovy/DemoAcceptanceSpec.groovy' generated metadata with charset 'UTF-8' 11:22:53.087 DEBUG: 'src/test/integration/groovy/DemoIntegrationSpec.groovy' generated metadata with charset 'UTF-8' 11:22:53.098 DEBUG: 'src/test/resources/GebConfig.groovy' generated metadata with charset 'UTF-8' 11:22:53.210 DEBUG: results=DirectoryResults(.) [FileResults(file:///tmp/workspace/ordgpcd/ordgp-cd-releasemanager-master/src/test/resources/SpecHelper.groovy) [Violation[rule=PrintlnRule[name=Println, priority=2], lineNumber=38, sourceLine=println '=======', message=println should be replaced with something more robust], Violation[rule=PrintlnRule[name=Println, priority=2], lineNumber=39, sourceLine=println "Test Case: \${spec.specificationContext.currentIteration.name}", message=println should be replaced with something more robust], Violation[rule=PrintlnRule[name=Println, priority=2], lineNumber=40, sourceLine=println "Test Step: \${testStepNumber}", message=println should be replaced with something more robust], Violation[rule=PrintlnRule[name=Println, priority=2], lineNumber=41, sourceLine=println "Page URL: \${spec.getBrowser().getPage().getDriver().getCurrentUrl()}", message=println should be replaced with something more robust], Violation[rule=PrintlnRule[name=Println, priority=2],

lineNumber=47, sourceLine=println "----- Test Evidence STARTS Here -----", message=println should be replaced with something more robust], Violation[rule=PrintlnRule[name=Println, priority=2], lineNumber=49, sourceLine=println "Description: \${fragmentAndDescription.description}", message=println should be replaced with something more robust], Violation[rule=PrintlnRule[name=Println, priority=2], lineNumber=52, sourceLine=println "----- Test Evidence ENDS Here -----", message=println should be replaced with something more robust], Violation[rule=PrintlnRule[name=Println, priority=2], lineNumber=78, sourceLine=println "\${fragmentPrepend}\${fragment} \${value}", message=println should be replaced with something more robust], Violation[rule=PrintlnRule[name=Println, priority=2], lineNumber=81, sourceLine=println "\${fragmentPrepend}\${fragment}", message=println should be replaced with something more robust]], FileResults(file:///tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/src/test/acceptance/groovy/DemoAcceptanceSpec.groovy) [], FileResults(file:///tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/src/test/integration/groovy/DemoIntegrationSpec.groovy) [], FileResults(file:///tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/src/test/resources/GebConfig.groovy) []] CodeNarc completed: (p1=0; p2=9; p3=0) 2605ms 11:22:53.277 INFO: Sensor CodeNarc [groovy] (done) | time=3302ms 11:22:53.277 INFO: Sensor GroovySensor [groovy] 11:22:53.788 DEBUG: resultsNode=PackageResultsNode[path=null, packageName=, metricResults=[NumberMetricResult[metric=CyclomaticComplexity, [total:23, average:1.6, minimum:null, maximum:null]], NumberMetricResult[metric=ClassLineCount, [total:137, average:27.4, minimum:null, maximum:null]], NumberMetricResult[metric=MethodLineCount, [total:113, average:8.7, minimum:null, maximum:null]]], children=[src:PackageResultsNode[path=src, packageName=, metricResults=[NumberMetricResult[metric=CyclomaticComplexity, [total:23, average:1.6, minimum:null, maximum:null]], NumberMetricResult[metric=ClassLineCount, [total:137, average:27.4, minimum:null, maximum:null]], NumberMetricResult[metric=MethodLineCount, [total:113, average:8.7, minimum:null, maximum:null]]], children=[test:PackageResultsNode[path=src/test, packageName=, metricResults=[NumberMetricResult[metric=CyclomaticComplexity, [total:23, average:1.6, minimum:null, maximum:null]], NumberMetricResult[metric=ClassLineCount, [total:137, average:27.4, minimum:null, maximum:null]], NumberMetricResult[metric=MethodLineCount, [total:113, average:8.7, minimum:null, maximum:null]]], children=[acceptance:PackageResultsNode[path=src/test/acceptance, packageName=, metricResults=[NumberMetricResult[metric=CyclomaticComplexity, [total:5, average:1.0, minimum:null, maximum:null]], NumberMetricResult[metric=ClassLineCount, [total:27, average:13.5, minimum:null, maximum:null]], NumberMetricResult[metric=MethodLineCount, [total:17, average:3.4, minimum:null, maximum:null]]], children= [groovy:PackageResultsNode[path=src/test/acceptance/groovy, packageName=, metricResults=[NumberMetricResult[metric=CyclomaticComplexity, [total:5, average:1.0, minimum:null, maximum:null]], NumberMetricResult[metric=ClassLineCount, [total:27, average:13.5, minimum:null, maximum:null]], NumberMetricResult[metric=MethodLineCount, [total:17, average:3.4, minimum:null, maximum:null]]], children=[W3CAcceptanceHomePage:ClassResultsNode[class: metricResults=[NumberMetricResult[metric=CyclomaticComplexity, [total:1, average:1.0, minimum:null, maximum:null]], SingleNumberMetricResult[metric=ClassLineCount, 4], NumberMetricResult[metric=MethodLineCount, [total:1, average:1.0, minimum:null,

maximum:null]]], children=[{at}:MethodResultsNode[metricResults=

```
[SingleNumberMetricResult[metric=CyclomaticComplexity, 1],
SingleNumberMetricResult[metric=MethodLineCount, 1]]]]],
DemoAcceptance:ClassResultsNode[class: metricResults=
[NumberMetricResult[metric=CyclomaticComplexity, [total:4, average:1.0, minimum:null,
maximum:null]], SingleNumberMetricResult[metric=ClassLineCount, 23],
NumberMetricResult[metric=MethodLineCount, [total:16, average:4.0, minimum:null,
maximum:null]]], children=[{java.lang.Object ORDGP130 goes to GH ods-
quickstarters()}:MethodResultsNode[metricResults=
[SingleNumberMetricResult[metric=CyclomaticComplexity, 1],
SingleNumberMetricResult[metric=MethodLineCount, 4]]], {java.lang.Object
ORDGP131 goes to GH ods-quickstarters()}:MethodResultsNode[metricResults=
[SingleNumberMetricResult[metric=CyclomaticComplexity, 1],
SingleNumberMetricResult[metric=MethodLineCount, 4]]], {java.lang.Object
ORDGP132 goes to GH ods-quickstarters()):MethodResultsNode[metricResults=
[SingleNumberMetricResult[metric=CyclomaticComplexity, 1],
SingleNumberMetricResult[metric=MethodLineCount, 4]]], {java.lang.Object
ORDGP133 goes to GH ods-quickstarters()}:MethodResultsNode[metricResults=
[SingleNumberMetricResult[metric=CyclomaticComplexity, 1],
SingleNumberMetricResult[metric=MethodLineCount, 4]]]]]]],
integration:PackageResultsNode[path=src/test/integration, packageName=, metricResults=
[NumberMetricResult[metric=CyclomaticComplexity, [total:3, average:1.0, minimum:null,
maximum:null]], NumberMetricResult[metric=ClassLineCount, [total:18, average:18.0,
minimum:null, maximum:null]], NumberMetricResult[metric=MethodLineCount, [total:12,
average:4.0, minimum:null, maximum:null]]], children=
[groovy:PackageResultsNode[path=src/test/integration/groovy, packageName=,
metricResults=[NumberMetricResult[metric=CyclomaticComplexity, [total:3, average:1.0,
minimum:null, maximum:null]], NumberMetricResult[metric=ClassLineCount, [total:18,
average:18.0, minimum:null, maximum:null]],
NumberMetricResult[metric=MethodLineCount, [total:12, average:4.0, minimum:null,
maximum:null]]], children=[DemoIntegration:ClassResultsNode[class: metricResults=
[NumberMetricResult[metric=CyclomaticComplexity, [total:3, average:1.0, minimum:null,
maximum:null]], SingleNumberMetricResult[metric=ClassLineCount, 18],
NumberMetricResult[metric=MethodLineCount, [total:12, average:4.0, minimum:null,
maximum:null]]], children=[{java.lang.Object ORDGP143 basic
test()}:MethodResultsNode[metricResults=
[SingleNumberMetricResult[metric=CyclomaticComplexity, 1],
SingleNumberMetricResult[metric=MethodLineCount, 4]]], {java.lang.Object
ORDGP144 basic test()}:MethodResultsNode[metricResults=
[SingleNumberMetricResult[metric=CyclomaticComplexity, 1],
SingleNumberMetricResult[metric=MethodLineCount, 4]]], {java.lang.Object
ORDGP145 basic test()}:MethodResultsNode[metricResults=
[SingleNumberMetricResult[metric=CyclomaticComplexity, 1],
SingleNumberMetricResult[metric=MethodLineCount, 4]]]]]]]],
resources:PackageResultsNode[path=src/test/resources, packageName=, metricResults=
[NumberMetricResult[metric=CyclomaticComplexity, [total:15, average:2.5, minimum:null,
maximum:null]], NumberMetricResult[metric=ClassLineCount, [total:92, average:46.0,
minimum:null, maximum:null]], NumberMetricResult[metric=MethodLineCount, [total:84,
average:16.8, minimum:null, maximum:null]]], children=
[GebConfig:ClassResultsNode[class: metricResults=
[NumberMetricResult[metric=CyclomaticComplexity, [total:2, average:2.0, minimum:null,
```

maximum:null]]], children=[{java.lang.Object run()}:MethodResultsNode[metricResults=

```
[SingleNumberMetricResult[metric=CyclomaticComplexity, 2]]]],
GebConfig$1:ClassResultsNode[class: metricResults=
[NumberMetricResult[metric=CyclomaticComplexity, [total:1, average:1.0, minimum:null,
maximum:null]], SingleNumberMetricResult[metric=ClassLineCount, 9],
NumberMetricResult[metric=MethodLineCount, [total:7, average:7.0, minimum:null,
maximum:null]]], children=[{WebClient
newWebClient(BrowserVersion)}:MethodResultsNode[metricResults=
[SingleNumberMetricResult[metric=CyclomaticComplexity, 1],
SingleNumberMetricResult[metric=MethodLineCount, 7]]]]],
SpecHelper:ClassResultsNode[class: metricResults=
[NumberMetricResult[metric=CyclomaticComplexity, [total:12, average:3.0, minimum:null,
maximum:null]], SingleNumberMetricResult[metric=ClassLineCount, 83],
NumberMetricResult[metric=MethodLineCount, [total:77, average:19.3, minimum:null,
maximum:null]]], children=[{Properties
getApplicationProperties()}:MethodResultsNode[metricResults=
[SingleNumberMetricResult[metric=CyclomaticComplexity, 2],
SingleNumberMetricResult[metric=MethodLineCount, 23]]], {void
printEvidenceForPageElement(GebReportingSpec, int, Navigator, String,
int)}:MethodResultsNode[metricResults=
[SingleNumberMetricResult[metric=CyclomaticComplexity, 1],
SingleNumberMetricResult[metric=MethodLineCount, 3]]], {void
printEvidenceForPageElements(GebReportingSpec, int, List,
int)}:MethodResultsNode[metricResults=
[SingleNumberMetricResult[metric=CyclomaticComplexity, 3],
SingleNumberMetricResult[metric=MethodLineCount, 17]]], {java.lang.Object
printEvidenceRecursive(Navigator, int, int)}:MethodResultsNode[metricResults=
[SingleNumberMetricResult[metric=CyclomaticComplexity, 6],
SingleNumberMetricResult[metric=MethodLineCount, 34]]]]]]]]]]
11:22:53.792 INFO: GMetrics completed: 397ms
11:22:53.882 INFO: Sensor GroovySensor [groovy] (done) | time=605ms
11:22:53.882 INFO: Sensor GroovySurefireSensor [groovy]
11:22:53.883 INFO: parsing /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/target/surefire-reports
11:22:53.883 WARN: Reports path not found: /tmp/workspace/ordgp-cd/ordgp-cd-
releasemanager-master/target/surefire-reports
11:22:53.883 INFO: Sensor GroovySurefireSensor [groovy] (done) | time=1ms
11:22:53.883 INFO: Sensor Groovy CoberturaSensor [groovy]
11:22:53.883 INFO: No Cobertura report provided (see 'sonar.groovy.cobertura.reportPath'
property)
11:22:53.883 INFO: Sensor Groovy CoberturaSensor [groovy] (done) | time=0ms
11:22:53.883 INFO: Sensor Groovy JaCoCo Coverage [groovy]
11:22:53.883 INFO: Sensor Groovy JaCoCo Coverage [groovy] (done) | time=0ms
11:22:53.883 INFO: Sensor SurefireSensor [java]
11:22:53.884 INFO: parsing [/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/build/test-results/test]
11:22:53.885 ERROR: Reports path not found or is not a directory: /tmp/workspace/ordgp-
cd/ordgp-cd-releasemanager-master/build/test-results/test
11:22:53.885 INFO: Sensor SurefireSensor [java] (done) | time=2ms
11:22:53.885 INFO: Sensor JavaXmlSensor [java]
11:22:53.886 INFO: Sensor JavaXmlSensor [java] (done) | time=1ms
```

11:22:53.888 INFO: ------ Run sensors on project

11:22:53.891 DEBUG: 'Generic Coverage Report' skipped because one of the required properties is missing 11:22:53.891 DEBUG: Sensors : Zero Coverage Sensor -> Java CPD Block Indexer 11:22:53.891 INFO: Sensor Zero Coverage Sensor 11:22:53.897 INFO: Sensor Zero Coverage Sensor (done) | time=6ms 11:22:53.897 INFO: Sensor Java CPD Block Indexer 11:22:53.902 DEBUG: Populating index from src/test/integration/java/DemoIntegrationTest.java 11:22:53.905 DEBUG: Not enough content in 'src/test/integration/java/DemoIntegrationTest.java' to have CPD blocks, it will not be part of the duplication detection 11:22:53.905 DEBUG: Populating index from src/test/acceptance/java/DemoAcceptanceTest.java 11:22:53.906 DEBUG: Not enough content in 'src/test/acceptance/java/DemoAcceptanceTest.java' to have CPD blocks, it will not be part of the duplication detection 11:22:53.906 INFO: Sensor Java CPD Block Indexer (done) | time=9ms 11:22:53.982 INFO: CPD Executor 2 files had no CPD blocks 11:22:53.982 INFO: CPD Executor Calculating CPD for 4 files 11:22:53.982 DEBUG: Detection of duplications for /tmp/workspace/ordgp-cd/ordgp-cdreleasemanager-master/src/test/resources/SpecHelper.groovy 11:22:53.988 DEBUG: Detection of duplications for /tmp/workspace/ordgp-cd/ordgp-cdreleasemanager-master/src/test/integration/groovy/DemoIntegrationSpec.groovy 11:22:53.992 DEBUG: Detection of duplications for /tmp/workspace/ordgp-cd/ordgp-cdreleasemanager-master/src/test/resources/GebConfig.groovy 11:22:53.993 DEBUG: Detection of duplications for /tmp/workspace/ordgp-cd/ordgp-cdreleasemanager-master/src/test/acceptance/groovy/DemoAcceptanceSpec.groovy 11:22:53.993 INFO: CPD Executor CPD calculation finished (done) | time=11ms 11:22:54.102 INFO: Analysis report generated in 107ms, dir size=81 KB 11:22:54.179 INFO: Analysis report compressed in 76ms, zip size=19 KB 11:22:54.179 INFO: Analysis report generated in /tmp/workspace/ordgp-cd/ordgp-cdreleasemanager-master/.scannerwork/scanner-report 11:22:54.179 DEBUG: Upload report 11:22:54.201 DEBUG: POST 200 https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/ce/submit?projectKey=ordgp-test&projectName=ordgptest&characteristic=branch%3Dmaster&characteristic=branchType%3DBRANCH | time=22ms 11:22:54.202 INFO: Analysis report uploaded in 23ms 11:22:54.204 DEBUG: Report metadata written to /tmp/workspace/ordgp-cd/ordgp-cdreleasemanager-master/.scannerwork/report-task.txt 11:22:54.204 INFO: ANALYSIS SUCCESSFUL, you can browse https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/dashboard?id=ordgp-test&branch=master 11:22:54.204 INFO: Note that you will be able to access the updated dashboard once the server has processed the submitted analysis report 11:22:54.204 INFO: More about the report processing at https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/ce/task?id=AX9FOAdvZA8H6zlkqak4 11:22:54.206 DEBUG: Post-jobs: 11:22:54.207 INFO: Analysis total time: 10.316 s 11:22:54.208 INFO: -----

11:22:54.208 INFO: EXECUTION SUCCESS 11:22:54.208 INFO: -----

11:22:54.208 INFO: Total time: 17.485s 11:22:54.348 INFO: Final Memory: 45M/108M 11:22:54.348 INFO: -----[Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] echo DEBUG: [ordgp-test-sq-scan] (took 18449 ms) [Pipeline] readProperties [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh + curl -s -u \*\*\*\*\*\*: 'https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/ce/task? id=AX9FOAdvZA8H6zlkqak4' [Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] readJSON [Pipeline] echo SonarQube background task has not finished yet. [Pipeline] sleep Sleeping for 5 sec [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh + curl -s -u \*\*\*\*\*\*: 'https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/ce/task? id=AX9FOAdvZA8H6zlkgak4' [Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] readJSON [Pipeline] echo SonarQube background task has finished successfully. [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh + java -jar /usr/local/cnes/cnesreport.jar -s https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com -t \*\*\*\*\*\* -p ordgp-test -a jenkins-ordgp-cd-ordgp-cdreleasemanager-master-13 -b master Picked up JAVA TOOL OPTIONS: -XX:+UnlockExperimentalVMOptions -Dsun.zip.disableMemoryMapping=true SonarQube URL: https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com SonarQube online: true Detected SonarQube version: 8.2.0 WARNING: An illegal reflective access operation has occurred WARNING: Illegal reflective access by org.apache.poi.openxml4j.util.ZipSecureFile\$1 (file:/usr/local/cnes/cnesreport.jar) to field java.io.FilterInputStream.in WARNING: Please consider reporting this to the maintainers of org.apache.poi.openxml4j.util.ZipSecureFile\$1 WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access

operations

WARNING: All illegal access operations will be denied in a future release

Report generation: SUCCESS

[Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] sh + mkdir -p artifacts [Pipeline] sh + mv 2022-03-01-ordgp-test-analysis-report.docx artifacts/ + mv 2022-03-01-ordgp-test-analysis-report.md artifacts/ [Pipeline] sh + mv artifacts/2022-03-01-ordgp-test-analysis-report.docx artifacts/SCRR-ordgp-test.docx + mv artifacts/2022-03-01-ordgp-test-analysis-report.md artifacts/SCRR-ordgp-test.md [Pipeline] stash Stashed 2 file(s) [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh + curl -s -u \*\*\*\*\*\*: 'https://sonargube-odsalpha.inhodsapps.eu.boehringer.com/api/qualitygates/project status?projectKey=ordgp-test' [Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] readJSON [Pipeline] echo SonarQube Quality Gate value: OK [Pipeline] readFile [Pipeline] echo Report stored in: https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/levadocumentation/ordgp/test/2022-03-01-13/sonarQube/report.pdf [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] withCredentials Masking supported pattern matches of \$USERNAME or \$TOKEN [Pipeline] { [Pipeline] sh + curl --fail -sS --request PUT --header 'Authorization: Bearer \*\*\*\*' --header 'Content-Type: application/json' --data '{"title":"SonarQube","reporter":"OpenDevStack","createdDate":1646133789554,"details":"Pl ease visit the following links to review the SonarQube report:","result":"PASS","link":"https://nexus-odsalpha.inhodsapps.eu.boehringer.com/repository/leva-documentation/ordgp/test/2022-03-01-13/sonarQube/report.pdf","data": [{"title":"Report","value":{"linktext":"Result in SonarQube", "href": "https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/dashboard? id=ordgp-test"},"type":"LINK"},{"title":"Report","value":{"linktext":"Result in Nexus","href":"https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/levadocumentation/ordgp/test/2022-03-01-13/sonarQube/report.pdf"},"type":"LINK"}]}' https://bitbucket-dev.biscrum.com/rest/insights/1.0/projects/ordgp/repos/ordgptest/commits/61a229c55991e0e89362016bf53d968df233aa80/reports/org.opendevstack.son

arqube [Pipeline] } [Pipeline] // withCredentials [Pipeline] } [Pipeline] // stage [Pipeline] echo [SonarQube Analysis-test] \*\*\*\* ENDED stage 'SonarQube Analysis' for component 'test' branch 'master' \*\*\*\* (took 34369 ms) [Pipeline] } [Pipeline] // wrap [Pipeline] stage [Pipeline] { (odsPipeline finished) [Pipeline] echo DEBUG: [buildstatus-61a229c5-SUCCESSFUL] Setting Bitbucket build status to 'SUCCESSFUL' on commit '61a229c55991e0e89362016bf53d968df233aa80' / 'https://jenkins-ordgp-cd.inhodsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/ [Pipeline] withCredentials Masking supported pattern matches of \$USERNAME or \$TOKEN [Pipeline] { [Pipeline] sh + curl --fail -sS --request POST --header 'Authorization: Bearer \*\*\*\*' --header 'Content-Type: application/json' --data '{"state":"SUCCESSFUL","key":"61a229c5","name":"61a229c5","url":"https://jenkins-ordgpcd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"}' https://bitbucket-dev.biscrum.com/rest/buildstatus/1.0/commits/61a229c55991e0e89362016bf53d968df233aa80 [Pipeline] } [Pipeline] // withCredentials [Pipeline] echo DEBUG: [buildstatus-61a229c5-SUCCESSFUL] (took 467 ms) [Pipeline] echo [test] \*\*\*\*\* Finished ODS Pipeline \*\*\*\*\* (took 152876 ms) [Pipeline] } [Pipeline] // stage [Pipeline] echo DEBUG: Collecting (applicable) testresults from location: 'build/test-results/test' [Pipeline] sh + mkdir -p build/test-results/test build/test-results/test + cp -rf 'build/test-results/test/\*' build/test-results/test cp: cannot stat 'build/test-results/test/\*': No such file or directory [Pipeline] sh + Is -la 'build/test-results/test/\*.xml' ls: cannot access build/test-results/test/\*.xml: No such file or directory [Pipeline] echo DEBUG: Found 0 test files in 'build/test-results/test' [Pipeline] echo DEBUG: No xUnit results for stashing [Pipeline] echo

DEBUG: [test] ODS Component Pipeline 'test-13'

```
ODS Build Artifacts 'test':
  "builds": {
  "deployments": {
  },
  "sonarqubeScanStashPath": "scrr-report-test-13",
  "SCRR": "SCRR-ordgp-test.docx",
  "SCRR-MD": "SCRR-ordgp-test.md",
  "testResultsFolder": "build/test-results/test",
  "testResults": "0"
} (took 153694 ms)
[Pipeline] }
[Pipeline] // node
[Pipeline] }
[Pipeline] // podTemplate
[Pipeline] }
[Pipeline] // load
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] echo
DEBUG: Collected ODS build artifacts for repo 'test': [builds:[:], deployments:[:],
sonarqubeScanStashPath:scrr-report-test-13, SCRR:SCRR-ordgp-test.docx, SCRR-MD:SCRR-
ordgp-test.md, testResultsFolder:build/test-results/test, testResults:0,
CREATED BY BUILD:WIP/13]
[Pipeline] }
[Pipeline] // dir
[Pipeline] echo
DEBUG: Collecting JUnit XML Reports ('acceptance') for test
[Pipeline] dir
Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-
master/workspace/xunit/test/acceptance
[Pipeline] {
[Pipeline] unstash
[Pipeline] }
[Pipeline] // dir
[Pipeline] echo
DEBUG: Collecting JUnit XML Reports ('installation') for test
[Pipeline] dir
Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-
master/workspace/xunit/test/installation
[Pipeline] {
[Pipeline] unstash
[Pipeline] }
[Pipeline] // dir
[Pipeline] echo
DEBUG: Collecting JUnit XML Reports ('integration') for test
[Pipeline] dir
Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-
```

master/workspace/xunit/test/integration [Pipeline] { [Pipeline] unstash [Pipeline] } [Pipeline] // dir [Pipeline] } [Pipeline] // parallel [Pipeline] } [Pipeline] // parallel [Pipeline] echo DEBUG: Reporting unit test results to corresponding test cases in Jira. Test type: '[Acceptance]'. Test results: [testsuites:[[hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3px7pm, failures:0, tests:4, name:DemoAcceptance, time:0.071, errors:0, timestamp:2022-03-01T11:22:32, skipped:0, properties:[], testcases:[[classname:DemoAcceptance, name:ORDGP130 goes to GH ods-quickstarters, time:0.007, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP131 goes to GH ods-quickstarters, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP132 goes to GH ods-quickstarters, time:0.062, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP133 goes to GH ods-quickstarters, time:0.001, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32]], systemOut:, systemErr:], [hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoAcceptanceTest, time:0.014, errors:0, timestamp:2022-03-01T11:22:28, skipped:0, properties:[], testcases:[[classname:DemoAcceptanceTest, name:basicTest(), time:0.014, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:28]], systemOut:, systemErr:]]] [Pipeline] echo DEBUG: [project-jira-fetch-tests-[Acceptance]] Found automated tests. Test type: [Acceptance]: 4 (took 2 ms) [Pipeline] echo DEBUG: [project-jira-report-tests-[Acceptance]] (took 16430 ms) [Pipeline] echo DEBUG: Reporting unit test results to corresponding test cases in Jira. Test type: '[Installation]'. Test results: [testsuites:[[hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3px7pm, failures:0, tests:1, name:DemoInstallation, time:0.067, errors:0, timestamp:2022-03-01T11:22:15, skipped:0, properties:[], testcases:[[classname:DemoInstallation, name:ORDGP147 basic test, time:0.067, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:15]], systemOut:, systemErr:], [hostname:pod-3d3cc6d9b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoInstallationTest, time:0.082, errors:0, timestamp:2022-03-01T11:22:11, skipped:0, properties:[], testcases:[[classname:DemoInstallationTest, name:basicTest(), time:0.082, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:11]], systemOut:, systemErr:]]] [Pipeline] echo DEBUG: [project-jira-fetch-tests-[Installation]] Found automated tests. Test type: [Installation]: 1 (took 1 ms) [Pipeline] echo

DEBUG: [project-jira-report-tests-[Installation]] (took 4727 ms)

[Pipeline] echo

DEBUG: Reporting unit test results to corresponding test cases in Jira. Test type: '[Integration]'.

Test results: [testsuites:[[hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:3, name:DemoIntegration, time:0.009, errors:0, timestamp:2022-03-01T11:22:24, skipped:0, properties:[], testcases:[[classname:DemoIntegration, name:ORDGP143\_basic test, time:0.008, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24], [classname:DemoIntegration, name:ORDGP144\_basic test, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24], [classname:DemoIntegration, name:ORDGP145\_basic test, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24]], systemOut:, systemErr:], [hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoIntegrationTest, time:0.077, errors:0, timestamp:2022-03-01T11:22:20, skipped:0, properties:[], testcases:[[classname:DemoIntegrationTest, name:basicTest(), time:0.077, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:20]], systemOut:, systemErr:]]]

[Pipeline] echo

DEBUG: [project-jira-fetch-tests-[Integration]] Found automated tests. Test type:

[Integration]: 3 (took 1 ms)

[Pipeline] echo

DEBUG: [project-jira-report-tests-[Integration]] (took 11468 ms)

[Pipeline] echo

[docgen-ordgp-DIL] Creating document of type 'DIL' for project 'ordgp' in phase 'Test' and stage 'PRE END'

expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createDIL; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22]

[Pipeline] archiveArtifacts

Archiving artifacts

[Pipeline] echo

2022-03-01 11:23:47Z Document DIL uploaded @ https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/DIL-ordgp-WIP-13.zip [Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22]

[Pipeline] echo

DEBUG: [docgen-ordgp-DIL] (took 2751 ms)

[Pipeline] echo

[docgen-ordgp-CFTR] Creating document of type 'CFTR' for project 'ordgp' in phase 'Test' and stage 'PRE\_END'

expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createCFTR; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/

[Pipeline] echo

DEBUG: createCFTR - data:[tests:[acceptance:[testReportFiles:[/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/test/acceptance/build/test-results/acceptance-groovy/TEST-DemoAcceptance.xml, /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/test/acceptance/build/test-results/acceptance-java/TEST-DemoAcceptanceTest.xml], testResults:[testsuites: [[hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:4,

name:DemoAcceptance, time:0.071, errors:0, timestamp:2022-03-01T11:22:32, skipped:0, properties:[], testcases:[[classname:DemoAcceptance, name:ORDGP130 goes to GH odsquickstarters, time:0.007, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP131 goes to GH odsquickstarters, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP132 goes to GH odsquickstarters, time:0.062, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP133 goes to GH odsquickstarters, time:0.001, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32]], systemOut:, systemErr:], [hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoAcceptanceTest, time:0.014, errors:0, timestamp:2022-03-01T11:22:28, skipped:0, properties:[], testcases: [[classname:DemoAcceptanceTest, name:basicTest(), time:0.014, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:28]], systemOut:, systemErr:]]]], installation: [testReportFiles:[/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/xunit/test/installation/build/test-results/installation-groovy/TEST-DemoInstallation.xml, /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/xunit/test/installation/build/test-results/installation-java/TEST-DemoInstallationTest.xml], testResults:[testsuites:[[hostname:pod-3d3cc6d9-b447-4430a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoInstallation, time:0.067, errors:0, timestamp:2022-03-01T11:22:15, skipped:0, properties:[], testcases: [[classname:DemoInstallation, name:ORDGP147 basic test, time:0.067, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:15]], systemOut:, systemErr:], [hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoInstallationTest, time:0.082, errors:0, timestamp:2022-03-01T11:22:11, skipped:0, properties:[], testcases:[[classname:DemoInstallationTest, name:basicTest(), time:0.082, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:11]], systemOut:, systemErr:]]]], integration:[testReportFiles:[/var/lib/jenkins/jobs/ordgpcd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/test/integration/build/testresults/integration-groovy/TEST-DemoIntegration.xml, /var/lib/jenkins/jobs/ordgpcd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/test/integration/build/testresults/integration-java/TEST-DemoIntegrationTest.xml], testResults:[testsuites: [[hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:3, name:DemoIntegration, time:0.009, errors:0, timestamp:2022-03-01T11:22:24, skipped:0, properties:[], testcases:[[classname:DemoIntegration, name:ORDGP143\_basic test, time:0.008, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24], [classname:DemoIntegration, name:ORDGP144 basic test, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24], [classname:DemoIntegration, name:ORDGP145 basic test, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24]], systemOut:, systemErr:], [hostname:pod-3d3cc6d9b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoIntegrationTest, time:0.077, errors:0, timestamp:2022-03-01T11:22:20, skipped:0, properties:[], testcases:[[classname:DemoIntegrationTest, name:basicTest(), time:0.077, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:20]], systemOut:, systemErr:]]]]]]

[Pipeline] echo

DEBUG: Retrieving saved document history with name 'documentHistory-Q-CFTR' in workspace '/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace'. [Pipeline] readFile

[Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-Q-

CFTR.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parsejiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[], epics:[], mitigations:[], requirements:[], risks:[], techSpecs:[], tests:[[key:ORDGP-130, action:add], [key:ORDGP-133, action:add], [key:ORDGP-144, action:add], [key:ORDGP-145, action:add], [key:ORDGP-131, action:add], [key:ORDGP-132, action:add], [key:ORDGP-143, action:add]], docs:[[key:ORDGP-120, action:add, documents:[CFTR, CFTR M], number:4, heading:Risk Assessment], [key:ORDGP-119, action:add, documents:[CFTR, CFTR M], number: 3.6, heading: Traceability Matrix], [key: ORDGP-118, action: add, documents: [CFTR, CFTR M], number:3.5.2, heading:Non-Functional Testing Results], [key:ORDGP-117, action:add, documents:[CFTR, CFTR M], number:3.3, heading:Discrepancy Log], [key:ORDGP-116, action:add, documents:[CFTR, CFTR M], number:3.2, heading:Responsibilities and Signature Resource Log], [key:ORDGP-115, action:add, documents:[CFTR, CFTR M], number:3.1, heading:Training], [key:ORDGP-114, action:add, documents:[CFTR, CFTR M], number:2, heading:Testing Environment], [key:ORDGP-113, action:add, documents:[CFTR, CFTR M], number:1, heading:Purpose], [key:ORDGP-112, action:add, documents:[CFTR, CFTR M], number:8, heading:Document History], [key:ORDGP-111, action:add, documents:[CFTR, CFTR M], number:7, heading:Reference Documents], [key:ORDGP-110, action:add, documents:[CFTR, CFTR M], number:6.1, heading:Definitions], [key:ORDGP-109, action:add, documents:[CFTR, CFTR M], number:6.2, heading:Abbreviations]]]

[Pipeline] echo

DEBUG: Creating a new history entry with version 1 for CFTR

[Pipeline] archiveArtifacts

Archiving artifacts

[Pipeline] echo

2022-03-01 11:23:49Z Document CFTR uploaded @ https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/CFTR-ordgp-WIP-13.zip

[Pipeline] echo

DEBUG: [docgen-ordgp-CFTR] (took 1892 ms)

[Pipeline] echo

[docgen-ordgp-IVR] Creating document of type 'IVR' for project 'ordgp' in phase 'Test' and stage 'PRE END'

expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createIVR; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/
[Pipeline] echo

DEBUG: createIVR - data:[tests:[acceptance:[testReportFiles:[/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/test/acceptance/build/test-results/acceptance-groovy/TEST-DemoAcceptance.xml, /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/test/acceptance/build/test-results/acceptance-java/TEST-DemoAcceptanceTest.xml], testResults:[testsuites: [[hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:4, name:DemoAcceptance, time:0.071, errors:0, timestamp:2022-03-01T11:22:32, skipped:0, properties:[], testcases:[[classname:DemoAcceptance, name:ORDGP130\_goes to GH ods-quickstarters, time:0.007, skipped:false, systemOut:, systemErr:, timestamp:2022-03-

01T11:22:32], [classname:DemoAcceptance, name:ORDGP131 goes to GH odsquickstarters, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP132 goes to GH odsquickstarters, time:0.062, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP133 goes to GH odsquickstarters, time:0.001, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32]], systemOut:, systemErr:], [hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoAcceptanceTest, time:0.014, errors:0, timestamp:2022-03-01T11:22:28, skipped:0, properties:[], testcases: [[classname:DemoAcceptanceTest, name:basicTest(), time:0.014, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:28]], systemOut:, systemErr:]]]], installation: [testReportFiles:[/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/xunit/test/installation/build/test-results/installation-groovy/TEST-DemoInstallation.xml, /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/xunit/test/installation/build/test-results/installation-java/TEST-DemoInstallationTest.xml], testResults:[testsuites:[[hostname:pod-3d3cc6d9-b447-4430a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoInstallation, time:0.067, errors:0, timestamp:2022-03-01T11:22:15, skipped:0, properties:[], testcases: [[classname:DemoInstallation, name:ORDGP147\_basic test, time:0.067, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:15]], systemOut:, systemErr:], [hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoInstallationTest, time:0.082, errors:0, timestamp:2022-03-01T11:22:11, skipped:0, properties:[], testcases:[[classname:DemoInstallationTest, name:basicTest(), time:0.082, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:11]], systemOut:, systemErr:]]]], integration:[testReportFiles:[/var/lib/jenkins/jobs/ordgpcd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/test/integration/build/testresults/integration-groovy/TEST-DemoIntegration.xml, /var/lib/jenkins/jobs/ordgpcd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/test/integration/build/testresults/integration-java/TEST-DemoIntegrationTest.xml], testResults:[testsuites: [[hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:3, name:DemoIntegration, time:0.009, errors:0, timestamp:2022-03-01T11:22:24, skipped:0, properties:[], testcases:[[classname:DemoIntegration, name:ORDGP143 basic test, time:0.008, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24], [classname:DemoIntegration, name:ORDGP144 basic test, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24], [classname:DemoIntegration, name:ORDGP145 basic test, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24]], systemOut:, systemErr:], [hostname:pod-3d3cc6d9b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoIntegrationTest, time:0.077, errors:0, timestamp:2022-03-01T11:22:20, skipped:0, properties:[], testcases:[[classname:DemoIntegrationTest, name:basicTest(), time:0.077, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:20]], systemOut:, systemErr:]]]]]]

[Pipeline] echo

DEBUG: Retrieving saved document history with name 'documentHistory-Q-IVR' in workspace '/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace'. [Pipeline] readFile

[Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-Q-IVR.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[], epics:[], mitigations:[], requirements:[], risks:[], techSpecs:[[key:ORDGP-146, action:add]], tests:[[key:ORDGP-147, action:add]], docs:[[key:ORDGP-95, action:add, documents:[IVP, IVR], number:9, heading:Reference Documents], [key:ORDGP-94, action:add, documents: [IVP, IVR], number:8.2, heading:Abbreviations], [key:ORDGP-93, action:add, documents:[IVP, IVR], number:8.1, heading:Definitions], [key:ORDGP-92, action:add, documents:[IVP, IVR], number:2, heading:Scope], [key:ORDGP-91, action:add, documents:[IVP, IVR], number:12.2, heading:Configuration database CMDB], [key:ORDGP-90, action:add, documents:[IVP, IVR], number:12.1, heading:Operational documents on system level], [key:ORDGP-89, action:add, documents:[IVP, IVR], number:10, heading:Document History]]]

[Pipeline] echo

DEBUG: Creating a new history entry with version 1 for IVR

[Pipeline] archiveArtifacts

Archiving artifacts

[Pipeline] echo

2022-03-01 11:23:52Z Document IVR uploaded @ https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/IVR-ordgp-WIP-13.zip [Pipeline] echo

DEBUG: [docgen-ordgp-IVR] (took 2532 ms)

[Pipeline] echo

[docgen-ordgp-TCR] Creating document of type 'TCR' for project 'ordgp' in phase 'Test' and stage 'PRE END'

expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createTCR; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/
[Pipeline] echo

DEBUG: createTCR - data:[tests:[acceptance:[testReportFiles:[/var/lib/jenkins/jobs/ordgpcd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/test/acceptance/build/testresults/acceptance-groovy/TEST-DemoAcceptance.xml, /var/lib/jenkins/jobs/ordgpcd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/test/acceptance/build/testresults/acceptance-java/TEST-DemoAcceptanceTest.xml], testResults:[testsuites: [[hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:4, name:DemoAcceptance, time:0.071, errors:0, timestamp:2022-03-01T11:22:32, skipped:0, properties:[], testcases:[[classname:DemoAcceptance, name:ORDGP130 goes to GH odsquickstarters, time:0.007, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP131 goes to GH odsquickstarters, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP132 goes to GH odsquickstarters, time:0.062, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP133 goes to GH odsquickstarters, time:0.001, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32]], systemOut:, systemErr:], [hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoAcceptanceTest, time:0.014, errors:0, timestamp:2022-03-01T11:22:28, skipped:0, properties:[], testcases: [[classname:DemoAcceptanceTest, name:basicTest(), time:0.014, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:28]], systemOut:, systemErr:]]]], installation: [testReportFiles:[/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/xunit/test/installation/build/test-results/installation-groovy/TEST-

DemoInstallation.xml, /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/xunit/test/installation/build/test-results/installation-java/TEST-DemoInstallationTest.xml], testResults:[testsuites:[[hostname:pod-3d3cc6d9-b447-4430a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoInstallation, time:0.067, errors:0, timestamp:2022-03-01T11:22:15, skipped:0, properties:[], testcases: [[classname:DemoInstallation, name:ORDGP147 basic test, time:0.067, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:15]], systemOut:, systemErr:], [hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoInstallationTest, time:0.082, errors:0, timestamp:2022-03-01T11:22:11, skipped:0, properties:[], testcases:[[classname:DemoInstallationTest, name:basicTest(), time:0.082, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:11]], systemOut:, systemErr:]]]], integration:[testReportFiles:[/var/lib/jenkins/jobs/ordgpcd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/test/integration/build/testresults/integration-groovy/TEST-DemoIntegration.xml, /var/lib/jenkins/jobs/ordgpcd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/test/integration/build/testresults/integration-java/TEST-DemoIntegrationTest.xml], testResults:[testsuites: [[hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:3, name:DemoIntegration, time:0.009, errors:0, timestamp:2022-03-01T11:22:24, skipped:0, properties:[], testcases:[[classname:DemoIntegration, name:ORDGP143 basic test, time:0.008, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24], [classname:DemoIntegration, name:ORDGP144 basic test, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24], [classname:DemoIntegration, name:ORDGP145 basic test, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24]], systemOut:, systemErr:], [hostname:pod-3d3cc6d9b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoIntegrationTest, time:0.077, errors:0, timestamp:2022-03-01T11:22:20, skipped:0, properties:[], testcases:[[classname:DemoIntegrationTest, name:basicTest(), time:0.077, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:20]], systemOut:, systemErr:]]]]]]

[Pipeline] echo

DEBUG: Retrieving saved document history with name 'documentHistory-Q-TCR' in workspace '/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace'. [Pipeline] readFile

[Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-Q-TCR.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[], epics:[], mitigations:[], requirements:[[key:ORDGP-125, action:add], [key:ORDGP-129, action:add]], risks:[], techSpecs:[], tests:[[key:ORDGP-130, action:add], [key:ORDGP-133, action:add], [key:ORDGP-144, action:add], [key:ORDGP-145, action:add], [key:ORDGP-131, action:add], [key:ORDGP-132, action:add], [key:ORDGP-143, action:add]], docs: [[key:ORDGP-121, action:add, documents:[TCP, TCR], number:1, heading:Document History]]]

[Pipeline] echo

DEBUG: Creating a new history entry with version 1 for TCR [Pipeline] archiveArtifacts

```
Archiving artifacts
[Pipeline] echo
2022-03-01 11:23:54Z Document TCR uploaded @ https://nexus-odsalpha.inh-
odsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/TCR-ordgp-WIP-13.zip
[Pipeline] echo
DEBUG: [docgen-ordgp-TCR] (took 2020 ms)
[Pipeline] echo
[Test] **** ENDED orchestration stage **** (took 198387 ms)
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Release)
[Pipeline] echo
[Release] **** STARTING orchestration stage ****
[Pipeline] parallel
[Pipeline] { (Branch: Release)
[Pipeline] { (Branch: orchestration)
[Pipeline] parallel
[Pipeline] { (Branch: backend)
[Pipeline] { (Branch: frontend)
[Pipeline] { (Branch: test)
[Pipeline] echo
DEBUG: Current stage: 'Release' -> start agent stage: 'Init'
[Pipeline] }
[Pipeline] echo
DEBUG: Repo 'test' is of type ODS Test Component. Nothing to do in phase 'Release' for
target environment 'D'.
[Pipeline] echo
DEBUG: Repo 'backend' is of type ODS Code Component. Nothing to do in phase 'Release'
for target environment 'D'.
[Pipeline] echo
DEBUG: Repo 'frontend' is of type ODS Code Component. Nothing to do in phase 'Release'
for target environment 'D'.
[Pipeline] }
[Pipeline] }
[Pipeline] }
[Pipeline] // parallel
[Pipeline] }
[Pipeline] // parallel
[Pipeline] echo
[Release] **** ENDED orchestration stage **** (took 681 ms)
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Finalize)
[Pipeline] echo
[Finalize] **** STARTING orchestration stage ****
[Pipeline] sh
+ oc project ordgp-dev
[Pipeline] echo
2022-03-01 11:23:56Z OpenShift project 'ordgp-dev' exists
```

```
[Pipeline] dir
Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace
[Pipeline] {
[Pipeline] stash
Stashed 429 file(s)
[Pipeline] }
[Pipeline] // dir
[Pipeline] echo
DEBUG: [ordgp-Finalize-stash] (took 2328 ms)
[Pipeline] echo
DEBUG: [mro-jenkins-agent-13] Starting orchestration pipeline agent pod (took 616102 ms)
[Pipeline] node
Agent mro-jenkins-agent-13-3hf5q-62d6x is provisioned from template mro-jenkins-agent-
13-3hf5q
apiVersion: "v1"
kind: "Pod"
metadata:
 annotations:
  buildUrl: "http://jenkins.ordgp-cd.svc:80/job/ordgp-cd/job/ordgp-cd-releasemanager-
master/13/"
  runUrl: "job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"
 labels:
  jenkins: "slave"
  jenkins/label: "mro-jenkins-agent-13"
 name: "mro-jenkins-agent-13-3hf5q-62d6x"
spec:
 containers:
 - args:
  - "mro-jenkins-agent-13-3hf5q-62d6x"
  - name: "JENKINS SECRET"
   value: "******
  - name: "JENKINS_TUNNEL"
   value: "jenkins-jnlp.ordgp-cd.svc:50000"
  - name: "JENKINS AGENT NAME"
   value: "mro-jenkins-agent-13-3hf5q-62d6x"
  - name: "JENKINS NAME"
   value: "mro-jenkins-agent-13-3hf5g-62d6x"
  - name: "JENKINS AGENT WORKDIR"
   value: "/tmp"
  - name: "JENKINS URL"
   value: "http://jenkins.ordgp-cd.svc:80/"
  image: "docker-registry.default.svc:5000/odsalpha/jenkins-agent-base:4.x"
  imagePullPolicy: "Always"
  name: "jnlp"
  resources:
   limits:
     memory: "1Gi"
     cpu: "1"
```

```
requests:
     memory: "512Mi"
     cpu: "200m"
  securityContext:
   privileged: false
  tty: false
  volumeMounts:
  - mountPath: "/tmp"
   name: "workspace-volume"
   readOnly: false
  workingDir: "/tmp"
 nodeSelector:
  beta.kubernetes.io/os: "linux"
 restartPolicy: "Never"
 securityContext: {}
 serviceAccount: "jenkins"
 volumes:
 - emptyDir:
   medium: ""
  name: "workspace-volume"
Running on mro-jenkins-agent-13-3hf5q-62d6x in /tmp/workspace/ordgp-cd/ordgp-cd-
releasemanager-master
[Pipeline] {
[Pipeline] echo
DEBUG: [mro-jenkins-agent-13] (took 616227 ms)
[Pipeline] sh
+ git config --global user.email undefined
+ git config --global user.name 'ODS Jenkins Shared Library System User'
[Pipeline] unstash
[Pipeline] echo
DEBUG: [ordgp-Finalize-unstash] (took 2298 ms)
[Pipeline] withCredentials
Masking supported pattern matches of $BITBUCKET USER or $BITBUCKET PW
[Pipeline] {
[Pipeline] writeFile
[Pipeline] echo
wrote /home/jenkins/.git-credentials-input with credentials for **** on https://bitbucket-
dev.biscrum.com
[Pipeline] sh
+ git config --global credential.helper store
[Pipeline] sh
+ cat /home/jenkins/.git-credentials-input
+ git credential-store store
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] parallel
[Pipeline] { (Branch: backend)
[Pipeline] { (Branch: frontend)
[Pipeline] { (Branch: test)
[Pipeline] echo
```

DEBUG: [record-git-test] [Pipeline] dir Running in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/repositories/test [Pipeline] { [Pipeline] sh [Pipeline] echo DEBUG: [export-ocp-verify-backend] [Pipeline] echo DEBUG: [export-ocp-verify-frontend] [Pipeline] sh [Pipeline] sh + git commit -m 'ODS: Record configuration only Build (assemble) #13 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version: https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cdreleasemanager-master/13/ [ci skip]' --allow-empty [master 417c5b1] ODS: Record configuration only Build (assemble) #13 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version: WIP https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cdreleasemanager-master/13/ [ci skip] [Pipeline] } [Pipeline] // dir + oc -n ordgp-dev get DeploymentConfig -l app=ordgp-frontend -o 'template={{range .items}}{{.kind}}:{{.metadata.name}} {{end}}' + oc -n ordgp-dev get DeploymentConfig -l app=ordgp-backend -o 'template={{range .items}}{{.kind}}:{{.metadata.name}} {{end}}' [Pipeline] echo DEBUG: [record-git-test] (took 494 ms) [Pipeline] } [Pipeline] echo DEBUG: ODS created deployments for backend: [backend], all deployments: [backend] [Pipeline] echo DEBUG: ODS created deployments for frontend: [frontend], all deployments: [frontend] [Pipeline] echo DEBUG: [export-ocp-verify-backend] (took 1140 ms) [Pipeline] echo DEBUG: [export-ocp-verify-frontend] (took 1140 ms) [Pipeline] fileExists [Pipeline] fileExists [Pipeline] dir Running in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/repositories/backend [Pipeline] { [Pipeline] dir Running in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/repositories/frontend [Pipeline] { [Pipeline] fileExists [Pipeline] fileExists [Pipeline] sh

[Pipeline] sh

+ mkdir -p openshift-exported

[Pipeline] dir

Running in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-

master/repositories/backend/openshift-exported

[Pipeline] {

+ mkdir -p openshift-exported

[Pipeline] dir

Running in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-

master/repositories/frontend/openshift-exported

[Pipeline] {

[Pipeline] echo

DEBUG: [export-ocp-backend] Exporting current OpenShift state to folder 'openshift-exported'.

[Pipeline] echo

DEBUG: [export-ocp-frontend] Exporting current OpenShift state to folder 'openshift-

exported'.
[Pipeline] sh

[Pipeline] sh

++ cat /run/secrets/kubernetes.io/serviceaccount/token

+ oc login https://kubernetes.default:443 --insecure-skip-tls-verify=true --

 $token=eyJhbGciOiJSUz11NilsImtpZCl6liJ9.eyJpc3MiOiJrdWJlcm5ldGVzL3NlcnZpY2VhY2NvdW50\\ liwia3ViZXJuZXRlcy5pby9zZXJ2aWNlYWNjb3VudC9uYW1lc3BhY2UiOiJvcmRncC1jZClsImt1Ym\\ VybmV0ZXMuaW8vc2VydmljZWFjY291bnQvc2VjcmV0Lm5hbWUiOiJqZW5raW5zLXRva2VuLX\\ NiamRxliwia3ViZXJuZXRlcy5pby9zZXJ2aWNlYWNjb3VudC9zZXJ2aWNlLWFjY291bnQubmFtZSI\\ 6lmplbmtpbnMiLCJrdWJlcm5ldGVzLmlvL3NlcnZpY2VhY2NvdW50L3NlcnZpY2UtYWNjb3VudC5\\ 1aWQiOiJIMTZhZTAxZi03ZWI1LTExZWMtOWY5Ni0wMDUwNTZhMTYxY2EiLCJzdWliOiJzeXN0Z\\ W06c2VydmljZWFjY291bnQ6b3JkZ3AtY2Q6amVua2lucyJ9.ra6pTiSh5STFeNlwKM8s7avQAiPpi\\ zk-FCMdlluyK6uPN48kG43r_GBYCsik\_GKU5JXMRr5ioBpN634PlOevi--6afQMBXI7an1_-$ 

CM1Anik0ga\_7KgT\_vu\_6lFfwz8Jx8Bjs7ySUinGiUnuEslDCSO8wKG0v0PFXb5BJ88AZ1dGYskRW 31LcL3UBKT43kKZJ7jbAJkN\_8S2eeCNx1TY9vtBpkhmTw5kypepoNJP5bS7QhHAXyWHGia\_0r4B sRExN5-

 $f5gv40 FenigJM8ZLCrmIYV aeuWaLNN5 obswUoD7 iXpSUuSUTcChnr71VOX cqqYrcCacU8fDq3NR\\qioVq~A$ 

++ cat /run/secrets/kubernetes.io/serviceaccount/token

+ oc login https://kubernetes.default:443 --insecure-skip-tls-verify=true --

token=eyJhbGciOiJSUzl1NilsImtpZCl6liJ9.eyJpc3MiOiJrdWJlcm5ldGVzL3NlcnZpY2VhY2NvdW50 liwia3ViZXJuZXRlcy5pby9zZXJ2aWNlYWNjb3VudC9uYW1lc3BhY2UiOiJvcmRncC1jZClsImt1Ym VybmV0ZXMuaW8vc2VydmljZWFjY291bnQvc2VjcmV0Lm5hbWUiOiJqZW5raW5zLXRva2VuLX NiamRxliwia3ViZXJuZXRlcy5pby9zZXJ2aWNlYWNjb3VudC9zZXJ2aWNlLWFjY291bnQubmFtZSI 6lmplbmtpbnMiLCJrdWJlcm5ldGVzLmlvL3NlcnZpY2VhY2NvdW50L3NlcnZpY2UtYWNjb3VudC5 1aWQiOiJIMTZhZTAxZi03ZWI1LTExZWMtOWY5Ni0wMDUwNTZhMTYxY2EiLCJzdWliOiJzeXN0Z W06c2VydmljZWFjY291bnQ6b3JkZ3AtY2Q6amVua2lucyJ9.ra6pTiSh5STFeNlwKM8s7avQAiPpi zk-FCMdlluyK6uPN48kG43r\_GBYCsik\_GKU5JXMRr5ioBpN634PlOevi--6afQMBXI7an1\_-CM1Anik0ga\_7KgT\_vu\_6lFtwz8ly88is7vSllipGillpuEslDCSQ8wKG0vQPEXh5Bl88A71dGYskPW

CM1Anik0ga\_7KgT\_vu\_6lFfwz8Jx8Bjs7ySUinGiUnuEslDCSO8wKG0v0PFXb5BJ88AZ1dGYskRW 31LcL3UBKT43kKZJ7jbAJkN\_8S2eeCNx1TY9vtBpkhmTw5kypepoNJP5bS7QhHAXyWHGia\_0r4B sRExN5-

 $f5gv40FenigJM8ZLCrmlYVaeuWaLNN5obswUoD7iXpSUuSUTcChnr71VOXcqqYrcCacU8fDq3NR\\ \_qioVq\_A$ 

[Pipeline] sh

[Pipeline] sh

+ tailor --verbose -n ordgp-dev export -l app=ordgp-backend

--> oc version

```
+ tailor --verbose -n ordgp-dev export -l app=ordgp-frontend
--> No file 'Tailorfile' found.
--> oc project ordgp-dev --short
--> oc version
--> oc get
Service, Route, Deployment Config, Deployment, Build Config, Image Stream, Persistent Volume Cl
aim,Template,ConfigMap,Secret,RoleBinding,ServiceAccount,CronJob,Job,LimitRange,Resourc
eQuota, Horizontal Pod Autoscaler, Stateful Set -- output = yaml -- namespace = ordgp-dev --
selector=app=ordgp-backend
--> No file 'Tailorfile' found.
--> oc project ordgp-dev --short
--> oc get
Service, Route, Deployment Config, Deployment, Build Config, Image Stream, Persistent Volume Cl
aim,Template,ConfigMap,Secret,RoleBinding,ServiceAccount,CronJob,Job,LimitRange,Resourc
eQuota,HorizontalPodAutoscaler,StatefulSet --output=yaml --namespace=ordgp-dev --
selector=app=ordgp-frontend
[Pipeline] sh
[Pipeline] sh
+ grep 'name: TAILOR NAMESPACE' template.yml
- name: TAILOR NAMESPACE
[Pipeline] sh
+ grep 'name: TAILOR NAMESPACE' template.yml
- name: TAILOR_NAMESPACE
[Pipeline] sh
+ oc -n ordgp-dev create route edge test-route-1646133852050 --service=dummy --
port=80
+ true
+ oc -n ordgp-dev create route edge test-route-1646133852309 --service=dummy --
port=80
+ true
[Pipeline] sh
[Pipeline] sh
+ oc -n ordgp-dev get route test-route-1646133852050 -o 'jsonpath={.spec.host}'
+ oc -n ordgp-dev get route test-route-1646133852309 -o 'jsonpath={.spec.host}'
[Pipeline] sh
[Pipeline] sh
+ oc -n ordgp-dev delete route test-route-1646133852050
+ oc -n ordgp-dev delete route test-route-1646133852309
+ true
[Pipeline] sh
[Pipeline] sh
+ sed -i -e 's|inh-odsapps.eu.boehringer.com|${ODS_OPENSHIFT_APP_DOMAIN}|g;'
template.vml
+ echo '- name: ODS OPENSHIFT APP DOMAIN
 required: true
[Pipeline] echo
DEBUG: [export-ocp-backend] (took 6623 ms)
[Pipeline] writeFile
```

[Pipeline] echo

```
DEBUG: [export-ocp-git-backend]
[Pipeline] sh
+ sed -i -e 's|inh-odsapps.eu.boehringer.com|${ODS OPENSHIFT APP DOMAIN}|g;
template.yml
+ echo '- name: ODS OPENSHIFT APP DOMAIN
 required: true
[Pipeline] echo
DEBUG: [export-ocp-frontend] (took 6792 ms)
[Pipeline] writeFile
[Pipeline] echo
DEBUG: [export-ocp-git-frontend]
[Pipeline] sh
+ git add template.yml ods-deployments.json
+ git commit -m 'ODS: Export OpenShift configuration
Build (assemble) #13 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version:
WIP
https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-
releasemanager-master/13/ [ci skip]' --allow-empty
[master 1384958] ODS: Export OpenShift configuration
Build (assemble) #13 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version:
WIP
https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-
releasemanager-master/13/ [ci skip]
1 file changed, 2 insertions(+), 2 deletions(-)
[Pipeline] echo
DEBUG: [export-ocp-git-backend] (took 354 ms)
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
+ git add template.yml ods-deployments.json
+ git commit -m 'ODS: Export OpenShift configuration
Build (assemble) #13 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version:
WIP
https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-
releasemanager-master/13/ [ci skip]' --allow-empty
[master 3b5a62f] ODS: Export OpenShift configuration
Build (assemble) #13 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version:
WIP
https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-
releasemanager-master/13/ [ci skip]
1 file changed, 2 insertions(+), 2 deletions(-)
[Pipeline] echo
DEBUG: [export-ocp-git-frontend] (took 402 ms)
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
```

[Pipeline] // parallel [Pipeline] echo DEBUG: Integrate into main branch [Pipeline] echo **DEBUG:** Gathering commits [Pipeline] parallel [Pipeline] { (Branch: backend) [Pipeline] { (Branch: frontend) [Pipeline] { (Branch: test) [Pipeline] dir Running in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/repositories/backend [Pipeline] { [Pipeline] dir Running in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/repositories/frontend [Pipeline] { [Pipeline] dir Running in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/repositories/test [Pipeline] { [Pipeline] sh [Pipeline] sh [Pipeline] sh + git rev-parse HEAD + git rev-parse HEAD [Pipeline] echo 2022-03-01 11:24:15Z repo.id: backend: 138495888301232315f5455aeb17cc635982ba2c [Pipeline] } + git rev-parse HEAD [Pipeline] // dir [Pipeline] } [Pipeline] echo 2022-03-01 11:24:15Z repo.id: frontend: 3b5a62fbb2307d95360da386408b7f668f0e89ae [Pipeline] } [Pipeline] echo 2022-03-01 11:24:15Z repo.id: test: 417c5b12c0af838cf0b843feb16ee5b7b1dab4ec [Pipeline] } [Pipeline] // dir [Pipeline] // dir [Pipeline] } [Pipeline] } [Pipeline] // parallel [Pipeline] parallel [Pipeline] { (Branch: backend) [Pipeline] { (Branch: frontend) [Pipeline] { (Branch: test) [Pipeline] dir Running in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/repositories/backend [Pipeline] { [Pipeline] dir Running in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/repositories/frontend

[Pipeline] {
[Pipeline] dir

```
Running in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/repositories/test
[Pipeline] {
[Pipeline] sh
[Pipeline] sh
[Pipeline] sh
+ git push origin master
+ git push origin master
+ git push origin master
To https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git
 27eb2ab..1384958 master -> master
To https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git
 c385c58..3b5a62f master -> master
[Pipeline] }
[Pipeline] }
To https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git
  61a229c..417c5b1 master -> master
[Pipeline] // dir
[Pipeline] // dir
[Pipeline] }
[Pipeline] }
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // parallel
[Pipeline] echo
DEBUG: Finalize: Recording HEAD commits from repos ...
[Pipeline] sh
+ git rev-parse HEAD
[Pipeline] echo
DEBUG: On release manager commit be2537272ddc579f97f2e2eba6cdc0788f81341b
[Pipeline] echo
DEBUG: HEAD of repo 'backend': 138495888301232315f5455aeb17cc635982ba2c
[Pipeline] echo
DEBUG: HEAD of repo 'frontend': 3b5a62fbb2307d95360da386408b7f668f0e89ae
[Pipeline] echo
DEBUG: HEAD of repo 'test': 417c5b12c0af838cf0b843feb16ee5b7b1dab4ec
[Pipeline] writeFile
[Pipeline] sh
+ git add ods-state/dev.json
+ git commit -m 'ODS: Record commits deployed into D' --allow-empty
[master 4e69355] ODS: Record commits deployed into D
1 file changed, 3 insertions(+), 3 deletions(-)
[Pipeline] sh
+ git push origin master
To https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git
  be25372..4e69355 master -> master
[Pipeline] echo
DEBUG: Current release manager commit: be2537272ddc579f97f2e2eba6cdc0788f81341b
[Pipeline] sh
+ git rev-parse HEAD
[Pipeline] }
```

```
[Pipeline] // node
[Pipeline] echo
DEBUG: ---- ODS Project (ordgp) data ----
  "build": {
     "hasFailingTests": false,
     "hasUnexecutedJiraTests": false
  },
  "buildParams": {
     "changeDescription": "UNDEFINED",
     "changeld": "1.0",
     "configItem": "BI-IT-DEVSTACK",
     "releaseStatusJiralssueKey": "ORDGP-123",
     "targetEnvironment": "dev",
     "targetEnvironmentToken": "D",
     "version": "WIP",
     "rePromote": false
  },
  "metadata": {
     "id": "ordgp",
     "name": "Project ordgp",
     "description": "Description of ordgp.",
     "services": {
       "bitbucket": {
          "credentials": {
            "id": "ordgp-cd-cd-user-with-password"
          }
       },
       "jira": {
          "credentials": {
            "id": "ordgp-cd-cd-user-with-password"
          }
       },
       "nexus": {
          "repository": {
            "name": "leva-documentation"
     },
     "repositories": [
          "id": "backend",
          "type": "ods",
          "data": {
            "openshift": {
               "builds": {
                 "backend": {
                    "buildId": "backend-8",
                    "image": "docker-registry.default.svc:5000/ordgp-
cd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d849.
```

```
}
              },
              "deployments": {
                "backend": {
                  "podName": "backend-10-95wsv",
                  "podNamespace": "ordgp-dev",
                   "podMetaDataCreationTimestamp": "2022-03-01T11:18:41Z"
                  "deploymentId": "backend-10",
                  "podNode": "inhas71256.eu.boehringer.com",
                  "podlp": "10.251.16.83",
                   "podStatus": "Running",
                   "podStartupTimeStamp": "2022-03-01T11:18:41Z",
                  "containers": {
                     "backend": "docker-registry.default.svc:5000/ordgp-
cd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d849.
f9"
                   }
                }
              },
              "sonarqubeScanStashPath": "scrr-report-backend-13",
              "SCRR": "SCRR-ordgp-backend.docx",
              "SCRR-MD": "SCRR-ordgp-backend.md",
              "testResultsFolder": "build/test-results/test",
              "testResults": "1",
              "xunitTestResultsStashPath": "test-reports-junit-xml-backend-13",
              "CREATED BY_BUILD": "WIP/13"
           },
            "documents": {
              "TIR": "TIR-ordgp-backend-WIP-13.pdf"
            "envStateCommit": "27eb2abe4554932afa94f9a40a72d2165158ae6b",
            "git": {
              "branch": "master",
              "commit": "27eb2abe4554932afa94f9a40a72d2165158ae6b",
              "previousCommit": "27eb2abe4554932afa94f9a40a72d2165158ae6b",
              "previousSucessfulCommit":
"6f8daea49927f08c0be572fc745f8396d2aec66f",
              "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git",
              "baseTag": "",
              "targetTag": "",
              "createdExecutionCommit":
"138495888301232315f5455aeb17cc635982ba2c"
            }
         "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git",
         "branch": "master",
         "pipelineConfig": {
            "dependencies": [
           1
         },
```

```
"metadata": {
            "name": "OpenJDK",
            "description": "OpenJDK is a free and open-source implementation of the Java
Platform, Standard Edition. Technologies: Spring Boot 2.1, OpenJDK 17",
            "supplier": "https://openjdk.java.net/",
            "version": "4.x",
            "type": "ods"
         },
         "doInstall": true
       },
         "id": "frontend",
         "type": "ods",
         "data": {
            "openshift": {
              "builds": {
                 "frontend": {
                   "buildId": "frontend-8",
                   "image": "docker-registry.default.svc:5000/ordgp-
cd/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1b2
5295"
                 }
              },
              "deployments": {
                 "frontend": {
                   "podName": "frontend-8-k6mwm",
                   "podNamespace": "ordgp-dev",
                   "podMetaDataCreationTimestamp": "2022-03-01T11:20:13Z",
                   "deploymentId": "frontend-8",
                   "podNode": "inhas71256.eu.boehringer.com",
                   "podlp": "10.251.16.86",
                   "podStatus": "Running",
                   "podStartupTimeStamp": "2022-03-01T11:20:13Z",
                   "containers": {
                      "frontend": "docker-registry.default.svc:5000/ordgp-
dev/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1k
b5295"
              "sonarqubeScanStashPath": "scrr-report-frontend-13",
              "SCRR": "SCRR-ordgp-frontend.docx",
              "SCRR-MD": "SCRR-ordgp-frontend.md",
              "testResultsFolder": "build/test-results/test",
              "testResults": "1",
              "xunitTestResultsStashPath": "test-reports-junit-xml-frontend-13",
              "CREATED_BY_BUILD": "WIP/13"
            "documents": {
              "TIR": "TIR-ordgp-frontend-WIP-13.pdf"
            },
```

```
"envStateCommit": "c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293",
            "ait": {
              "branch": "master",
              "commit": "c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293",
              "previousCommit": "c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293",
              "previousSucessfulCommit":
"1d20ca4cbd91841d48f85866f309030f06cf0fa2",
              "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git",
              "baseTag": "",
              "targetTag": "",
              "createdExecutionCommit":
"3b5a62fbb2307d95360da386408b7f668f0e89ae"
            }
          },
          "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git",
          "branch": "master",
          "pipelineConfig": {
            "dependencies": [
            ]
          },
          "metadata": {
            "name": "Angular",
            "description": "Angular is a TypeScript-based open-source web application
framework led by the Angular Team at Google and by a community of individuals and
corporations. Technologies: Angular 8.0",
            "supplier": "https://angular.io",
            "version": "4.x",
            "type": "ods"
          "doInstall": true
       },
          "id": "test",
          "type": "ods-test",
          "data": {
            "openshift": {
              "builds": {
              "deployments": {
              "sonarqubeScanStashPath": "scrr-report-test-13",
              "SCRR": "SCRR-ordgp-test.docx",
              "SCRR-MD": "SCRR-ordgp-test.md",
              "testResultsFolder": "build/test-results/test",
              "testResults": "0",
              "CREATED BY BUILD": "WIP/13"
            },
            "documents": {
```

```
"envStateCommit": "3e9ed20ad8199d1918747615bd883eab81b03d59",
            "git": {
              "branch": "master",
              "commit": "61a229c55991e0e89362016bf53d968df233aa80",
              "previousCommit": "3e9ed20ad8199d1918747615bd883eab81b03d59",
              "previousSucessfulCommit":
"a57135216f276212ca68e928b057a620a8c8f893",
              "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git",
              "baseTag": "",
              "targetTag": "",
              "createdExecutionCommit": "417c5b12c0af838cf0b843feb16ee5b7b1dab4ec"
         },
          "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git",
         "branch": "master",
          "pipelineConfig": {
            "dependencies": [
            1
          },
          "metadata": {
            "name": "e2e-spock-geb",
            "description": "Spock is a highly expressive testing and specification framework
for Java and Groovy. Geb is a browser automation solution for functional/web/acceptance
testing. Technologies: Spock 1.3, Geb 3.2, Selenium 3.141",
            "supplier": "http://spockframework.org",
            "version": "4.x",
            "type": "ods-test"
         },
          "doInstall": false
     "capabilities": [
       "Zephyr",
          "LeVADocs": {
            "GAMPCategory": 5,
            "templatesVersion": "1.2"
          }
       }
     ],
     "environments": {
     }
     "commit": "be2537272ddc579f97f2e2eba6cdc0788f81341b",
     "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git",
     "baseTag": "",
```

```
"targetTag": "",
  "author": "ODS Jenkins Shared Library System User (undefined)",
  "message": "ODS: Record commits deployed into D",
  "time": "2022-01-28 13:14:04 +0000",
  "createdExecutionCommit": "4e693552bfda329023d3f03d467a2466aa298b6a'
},
"jira": {
  "project": {
     "jiraBaseUrl": "https://jira-dev.biscrum.com/ORDGP",
     "enumDictionary": {
       "ProbabilityOfDetection": {
          "1": {
             "short": "I",
             "text": "Immediate",
             "value": 1
          },
          "2": {
             "short": "B",
             "text": "Before Impact",
             "value": 2
          },
          "3": {
             "short": "A",
             "text": "After Impact",
             "value": 3
          }
        },
        "SeverityOfImpact": {
          "1": {
             "short": "L",
             "text": "Low",
             "value": 1
          },
          "2": {
             "short": "M",
             "text": "Medium",
             "value": 2
          },
          "3": {
             "short": "H",
             "text": "High",
             "value": 3
        "ProbabilityOfOccurrence": {
          "1": {
             "short": "L",
             "text": "LOW",
             "value": 1
          },
          "2": {
```

```
"short": "M",
     "text": "MEDIUM",
     "value": 2
  },
  "3": {
     "short": "H",
     "text": "HIGH",
     "value": 3
  }
},
"RiskPriority": {
  "0": {
     "short": "N",
     "text": "N/A",
     "value": 0
  },
  "1": {
     "short": "H",
     "text": "HIGH",
     "value": 1
  },
  "2": {
     "short": "M",
     "text": "MEDIUM",
     "value": 2
  },
  "3": {
     "short": "L",
     "text": "LOW",
     "value": 3
  }
},
"GxPRelevance": {
  "R2": {
     "short": "R2",
     "text": "Relevant",
     "value": 2
  },
  "N0": {
     "short": "N0",
     "text": "Not relevant/ZERO",
     "value": 0
  "N1": {
     "short": "N1",
     "text": "Not relevant/LESS",
     "value": 1
  },
  "N2": {
     "short": "N2",
     "text": "Not relevant/EQUAL",
```

```
"value": 2
            }
         }
       },
       "versions": [
         "1.0"
       "previousVersion": null,
       "name": "One Release DocGen Project",
       "description": "",
       "id": "30107",
       "gampTopics": [
          "operational requirements",
         "functional requirements",
         "data requirements",
         "technical requirements",
         "interface requirements",
         "environment requirements",
         "performance requirements",
         "availability requirements",
         "security requirements",
         "maintenance requirements",
         "regulatory requirements",
         "roles",
         "compatibility",
         "procedural constraints",
          "overarching requirements"
       "version": null,
       "key": "ORDGP",
       "projectProperties": {
         "PROJECT.POO CAT.LOW": "Frequency of the usage of the related function is <10
times per year.",
         "PROJECT.POO_CAT.HIGH": "Frequency of the usage of the related function is >10
times per week.",
          "WEBHOOK PROXY.URL": "https://webhook-proxy-ORDGP-cd.inh-
odsapps.eu.boehringer.com/build?trigger secret=f8055071-667e-4745-8d2e-deabf52f8a20",
          "RM.REPOSITORY": "ordgp-releasemanager",
         "PROJECT.POO CAT.MEDIUM": "Frequency of the usage of the related function is
<10 times per week.",
         "PROJECT.NON-GXP EVALUATION": "Non-GxP risks are not being evaluated",
         "PROJECT.USES POO": "true",
         "PROJECT.IS EDP PROJECT": "true",
          "PROJECT.CONFIG_ITEM": "BI-IT-DEVSTACK"
     "issueTypes": {
       "Bug": {
         "id": "1",
         "name": "Bug",
         "fields": {
```

```
"Assignee": {
  "id": "assignee",
  "name": "Assignee"
"Story Points": {
  "id": "customfield_10002",
  "name": "Story Points"
},
"Sprint": {
  "id": "customfield_10004",
  "name": "Sprint"
"Epic Link": {
  "id": "customfield 10005",
  "name": "Epic Link"
"EDP Definition of Ready for Bug": {
  "id": "customfield 19334",
  "name": "EDP Definition of Ready for Bug"
"EDP Definition of Done for Bug": {
  "id": "customfield_19335",
  "name": "EDP Definition of Done for Bug"
},
"Description": {
  "id": "description",
  "name": "Description"
"Fix Version/s": {
  "id": "fixVersions",
  "name": "Fix Version/s"
},
"Linked Issues": {
  "id": "issuelinks",
  "name": "Linked Issues"
},
"Issue Type": {
  "id": "issuetype",
  "name": "Issue Type"
},
"Labels": {
  "id": "labels",
  "name": "Labels"
"Priority": {
  "id": "priority",
  "name": "Priority"
"Project": {
  "id": "project",
  "name": "Project"
```

```
},
     "Reporter": {
       "id": "reporter",
       "name": "Reporter"
     "Summary": {
       "id": "summary",
       "name": "Summary"
     },
     "Affects Version/s": {
       "id": "versions",
       "name": "Affects Version/s"
  }
},
"Epic": {
  "id": "10000",
  "name": "Epic",
  "fields": {
     "Assignee": {
       "id": "assignee",
       "name": "Assignee"
     },
     "Story Points": {
       "id": "customfield_10002",
       "name": "Story Points"
     },
     "Sprint": {
       "id": "customfield_10004",
       "name": "Sprint"
     "Epic Name": {
       "id": "customfield_10006",
       "name": "Epic Name"
     "Description": {
       "id": "description",
       "name": "Description"
     "Fix Version/s": {
       "id": "fixVersions",
       "name": "Fix Version/s"
     "Linked Issues": {
       "id": "issuelinks",
       "name": "Linked Issues"
     "Issue Type": {
       "id": "issuetype",
       "name": "Issue Type"
     },
```

```
"Labels": {
       "id": "labels",
       "name": "Labels"
     "Priority": {
       "id": "priority",
       "name": "Priority"
     },
     "Project": {
       "id": "project",
       "name": "Project"
     "Reporter": {
       "id": "reporter",
       "name": "Reporter"
     },
     "Summary": {
       "id": "summary",
       "name": "Summary"
     "Affects Version/s": {
       "id": "versions",
       "name": "Affects Version/s"
  }
},
"Story": {
  "id": "10001",
  "name": "Story",
  "fields": {
     "Assignee": {
       "id": "assignee",
       "name": "Assignee"
     },
     "Component/s": {
       "id": "components",
       "name": "Component/s"
     "Story Points": {
       "id": "customfield_10002",
       "name": "Story Points"
     "Sprint": {
       "id": "customfield 10004",
       "name": "Sprint"
     },
     "Gamp Topic": {
       "id": "customfield_19318",
       "name": "Gamp Topic"
     },
     "Req Acceptance Criteria": {
```

```
"id": "customfield 19319",
  "name": "Req Acceptance Criteria"
},
"FuncSpec Summary": {
  "id": "customfield 19320",
  "name": "FuncSpec Summary"
"FuncSpec Description": {
  "id": "customfield 19321",
  "name": "FuncSpec Description"
"FuncSpec Acceptance Criteria": {
  "id": "customfield 19322",
  "name": "FuncSpec Acceptance Criteria"
},
"ConfigSpec Summary": {
  "id": "customfield 19323",
  "name": "ConfigSpec Summary"
"ConfigSpec Description": {
  "id": "customfield_19324",
  "name": "ConfigSpec Description"
"EDP Definition of Ready for Story": {
  "id": "customfield 19325",
  "name": "EDP Definition of Ready for Story"
"EDP Definition of Done for Story": {
  "id": "customfield 19326",
  "name": "EDP Definition of Done for Story"
"Description": {
  "id": "description",
  "name": "Description"
"Fix Version/s": {
  "id": "fixVersions",
  "name": "Fix Version/s"
"Linked Issues": {
  "id": "issuelinks",
  "name": "Linked Issues"
"Issue Type": {
  "id": "issuetype",
  "name": "Issue Type"
"Labels": {
  "id": "labels",
  "name": "Labels"
},
```

```
"Priority": {
       "id": "priority",
       "name": "Priority"
     "Project": {
       "id": "project",
       "name": "Project"
     },
     "Reporter": {
       "id": "reporter",
       "name": "Reporter"
     "Summary": {
       "id": "summary",
       "name": "Summary"
     "Affects Version/s": {
       "id": "versions",
       "name": "Affects Version/s"
  }
},
"Documentation": {
  "id": "10006",
  "name": "Documentation",
  "fields": {
     "Assignee": {
       "id": "assignee",
       "name": "Assignee"
     "Document Id": {
       "id": "customfield_19306",
       "name": "Document Id"
     },
     "Document Version": {
       "id": "customfield 19307",
       "name": "Document Version"
     "EDP Definition of Ready for Documentation": {
       "id": "customfield 19308",
       "name": "EDP Definition of Ready for Documentation"
     "EDP Definition of Done for Documentation": {
       "id": "customfield 19309",
       "name": "EDP Definition of Done for Documentation"
     },
     "Description": {
       "id": "description",
       "name": "Description"
     },
     "Environment": {
```

```
"id": "environment",
       "name": "Environment"
     },
     "Fix Version/s": {
       "id": "fixVersions",
       "name": "Fix Version/s"
     },
     "Linked Issues": {
       "id": "issuelinks",
       "name": "Linked Issues"
     },
     "Issue Type": {
       "id": "issuetype",
       "name": "Issue Type"
     },
     "Labels": {
       "id": "labels",
       "name": "Labels"
     },
     "Priority": {
       "id": "priority",
       "name": "Priority"
     },
     "Project": {
       "id": "project",
       "name": "Project"
     },
     "Summary": {
       "id": "summary",
       "name": "Summary"
     "Affects Version/s": {
       "id": "versions",
       "name": "Affects Version/s"
     }
  }
"Test": {
  "id": "10009",
  "name": "Test",
  "fields": {
     "Assignee": {
       "id": "assignee",
       "name": "Assignee"
     "Component/s": {
       "id": "components",
       "name": "Component/s"
     "Story Points": {
       "id": "customfield 10002",
```

```
"name": "Story Points"
},
"Sprint": {
  "id": "customfield 10004",
  "name": "Sprint"
"Epic Link": {
  "id": "customfield 10005",
  "name": "Epic Link"
},
"Zephyr Teststep": {
  "id": "customfield 10023",
  "name": "Zephyr Teststep"
"Test Execution Type": {
  "id": "customfield 19330",
  "name": "Test Execution Type"
"Test Level": {
  "id": "customfield 19331",
  "name": "Test Level"
"EDP Definition of Ready for Test": {
  "id": "customfield 19332",
  "name": "EDP Definition of Ready for Test"
"EDP Definition of Done for Test": {
  "id": "customfield 19333",
  "name": "EDP Definition of Done for Test"
},
"Description": {
  "id": "description",
  "name": "Description"
},
"Fix Version/s": {
  "id": "fixVersions",
  "name": "Fix Version/s"
"Linked Issues": {
  "id": "issuelinks",
  "name": "Linked Issues"
"Issue Type": {
  "id": "issuetype",
  "name": "Issue Type"
},
"Labels": {
  "id": "labels",
  "name": "Labels"
},
"Priority": {
```

```
"id": "priority",
       "name": "Priority"
     },
     "Project": {
       "id": "project",
       "name": "Project"
     },
     "Reporter": {
       "id": "reporter",
       "name": "Reporter"
     },
     "Summary": {
       "id": "summary",
       "name": "Summary"
     },
     "Affects Version/s": {
       "id": "versions",
       "name": "Affects Version/s"
  }
},
"Release Status": {
  "id": "14300",
  "name": "Release Status",
  "fields": {
     "Assignee": {
       "id": "assignee",
       "name": "Assignee"
     "Release Manager Status": {
       "id": "customfield 19301",
       "name": "Release Manager Status"
     },
     "Release Build": {
       "id": "customfield_19303",
       "name": "Release Build"
     "Preceding Versions": {
       "id": "customfield 20100",
       "name": "Preceding Versions"
     },
     "ProductRelease Version": {
       "id": "customfield 20101",
       "name": "ProductRelease Version"
     "Branch Id _ not used": {
       "id": "customfield_22101",
       "name": "Branch Id _ not used"
     "Description": {
       "id": "description",
```

```
"name": "Description"
     },
     "Fix Version/s": {
       "id": "fixVersions",
       "name": "Fix Version/s"
     },
     "Linked Issues": {
       "id": "issuelinks",
       "name": "Linked Issues"
     },
     "Issue Type": {
       "id": "issuetype",
       "name": "Issue Type"
     },
     "Labels": {
       "id": "labels",
       "name": "Labels"
     },
     "Priority": {
       "id": "priority",
       "name": "Priority"
     },
     "Project": {
       "id": "project",
       "name": "Project"
     "Reporter": {
       "id": "reporter",
       "name": "Reporter"
     "Summary": {
       "id": "summary",
       "name": "Summary"
     },
     "Affects Version/s": {
       "id": "versions",
       "name": "Affects Version/s"
  }
"Documentation Chapter": {
  "id": "14301",
  "name": "Documentation Chapter",
  "fields": {
     "Assignee": {
       "id": "assignee",
       "name": "Assignee"
     "Story Points": {
       "id": "customfield_10002",
       "name": "Story Points"
```

},

```
},
"Sprint": {
  "id": "customfield 10004",
  "name": "Sprint"
"EDP Heading Number": {
  "id": "customfield 19901",
  "name": "EDP Heading Number"
},
"EDP Content": {
  "id": "customfield 19902",
  "name": "EDP Content"
},
"Description": {
  "id": "description",
  "name": "Description"
},
"Fix Version/s": {
  "id": "fixVersions",
  "name": "Fix Version/s"
},
"Linked Issues": {
  "id": "issuelinks",
  "name": "Linked Issues"
},
"Issue Type": {
  "id": "issuetype",
  "name": "Issue Type"
},
"Labels": {
  "id": "labels".
  "name": "Labels"
},
"Priority": {
  "id": "priority",
  "name": "Priority"
"Project": {
  "id": "project",
  "name": "Project"
},
"Summary": {
  "id": "summary",
  "name": "Summary"
"Affects Version/s": {
  "id": "versions",
  "name": "Affects Version/s"
```

}

```
"Risk Assessment": {
  "id": "14302".
  "name": "Risk Assessment",
  "fields": {
     "Assignee": {
       "id": "assignee",
       "name": "Assignee"
     },
     "Story Points": {
       "id": "customfield_10002",
       "name": "Story Points"
     "Sprint": {
       "id": "customfield_10004",
       "name": "Sprint"
     "Risk Comment": {
       "id": "customfield 19310",
       "name": "Risk Comment"
     "GxP Relevance for Risk": {
       "id": "customfield 19311",
       "name": "GxP Relevance for Risk"
     },
     "Severity of Impact": {
       "id": "customfield 19312"
       "name": "Severity of Impact"
     "Probability of Detection": {
       "id": "customfield 19313",
       "name": "Probability of Detection"
     "Probability of Occurrence": {
       "id": "customfield 19314",
       "name": "Probability of Occurrence"
     "Risk Priority Number": {
       "id": "customfield 19315",
       "name": "Risk Priority Number"
     },
     "Risk Priority": {
       "id": "customfield 19316",
       "name": "Risk Priority"
     "EDP Definition of Done for Risk": {
       "id": "customfield 19317",
       "name": "EDP Definition of Done for Risk"
     "Description": {
       "id": "description",
       "name": "Description"
```

```
},
     "Fix Version/s": {
       "id": "fixVersions",
       "name": "Fix Version/s"
     "Linked Issues": {
        "id": "issuelinks",
        "name": "Linked Issues"
     },
     "Issue Type": {
       "id": "issuetype",
        "name": "Issue Type"
     },
     "Labels": {
       "id": "labels",
        "name": "Labels"
     },
     "Parent": {
       "id": "parent",
       "name": "Parent"
     },
     "Priority": {
       "id": "priority",
       "name": "Priority"
     },
     "Project": {
       "id": "project",
        "name": "Project"
     "Summary": {
        "id": "summary",
        "name": "Summary"
     },
     "Affects Version/s": {
       "id": "versions",
        "name": "Affects Version/s"
     }
  }
"Mitigation": {
  "id": "14303",
  "name": "Mitigation",
  "fields": {
     "Assignee": {
        "id": "assignee",
        "name": "Assignee"
     "Story Points": {
       "id": "customfield 10002",
        "name": "Story Points"
     },
```

},

```
"Sprint": {
       "id": "customfield 10004",
       "name": "Sprint"
    "Epic Link": {
       "id": "customfield_10005",
       "name": "Epic Link"
     },
     "Description": {
       "id": "description",
       "name": "Description"
     "Fix Version/s": {
       "id": "fixVersions",
       "name": "Fix Version/s"
     },
     "Linked Issues": {
       "id": "issuelinks",
       "name": "Linked Issues"
     "Issue Type": {
       "id": "issuetype",
       "name": "Issue Type"
     },
     "Labels": {
       "id": "labels",
       "name": "Labels"
     "Priority": {
       "id": "priority",
       "name": "Priority"
     },
     "Project": {
       "id": "project",
       "name": "Project"
     },
     "Reporter": {
       "id": "reporter",
       "name": "Reporter"
    },
     "Summary": {
       "id": "summary",
       "name": "Summary"
     "Affects Version/s": {
       "id": "versions",
       "name": "Affects Version/s"
  }
"Technical Specification Task": {
```

```
"id": "14304",
"name": "Technical Specification Task",
"fields": {
  "Assignee": {
     "id": "assignee",
     "name": "Assignee"
  "Component/s": {
     "id": "components",
     "name": "Component/s"
  "Story Points": {
     "id": "customfield 10002",
     "name": "Story Points"
  },
  "Sprint": {
     "id": "customfield 10004",
     "name": "Sprint"
  },
  "Epic Link": {
     "id": "customfield 10005",
     "name": "Epic Link"
  "System Design Specification": {
     "id": "customfield 19327",
     "name": "System Design Specification"
  "Software Design Specification": {
     "id": "customfield 19328",
     "name": "Software Design Specification"
  "EDP Definition of Done for Technical Specification": {
     "id": "customfield 19329",
     "name": "EDP Definition of Done for Technical Specification"
  },
  "Description": {
     "id": "description",
     "name": "Description"
  "Fix Version/s": {
     "id": "fixVersions",
     "name": "Fix Version/s"
  "Linked Issues": {
     "id": "issuelinks",
     "name": "Linked Issues"
  "Issue Type": {
     "id": "issuetype",
     "name": "Issue Type"
  },
```

```
"Labels": {
               "id": "labels",
               "name": "Labels"
             "Priority": {
               "id": "priority",
               "name": "Priority"
             },
             "Project": {
               "id": "project",
               "name": "Project"
             "Reporter": {
               "id": "reporter",
               "name": "Reporter"
             },
             "Summary": {
               "id": "summary",
               "name": "Summary"
             "Affects Version/s": {
               "id": "versions",
               "name": "Affects Version/s"
     "discontinuedKeys": [
     "precedingVersions": [
     ],
     "components": {
        "Technology-test": {
          "requirements": [
          ],
          "risks": [
          "tests": [
          "versions": [
             "1.0"
          "name": "Technology-test",
          "description": "Technology component ordgp-test stored at https://bitbucket-
dev.biscrum.com/projects/ORDGP/repos/ordgp-test/browse",
          "techSpecs": [
```

```
"epics": [
          "mitigations": [
          "key": "Technology-test"
       "Technology-frontend": {
          "requirements": [
          "risks": [
          ],
          "tests": [
          "versions": [
            "1.0"
          "name": "Technology-frontend",
          "description": "Technology component ordgp-frontend stored at https://bitbucket-
dev.biscrum.com/projects/ORDGP/repos/ordgp-frontend/browse",
          "techSpecs": [
          "epics": [
          "mitigations": [
          "key": "Technology-frontend"
        "Technology-releasemanager": {
          "requirements": [
          "risks": [
          "tests": [
          "versions": [
            "1.0"
          ],
          "name": "Technology-releasemanager",
```

```
"description": "Technology component ordgp-releasemanager stored at
https://bitbucket-dev.biscrum.com/projects/ORDGP/repos/ordgp-releasemanager/browse",
         "techSpecs": [
         "epics": [
         ],
         "mitigations": [
         "key": "Technology-releasemanager"
       "Technology-backend": {
         "requirements": [
         ],
         "risks": [
         ],
         "tests": [
            "ORDGP-137",
            "ORDGP-138",
            "ORDGP-139"
          "versions": [
            "1.0"
         "name": "Technology-backend",
         "description": "Technology component ordgp-backend stored at https://bitbucket-
dev.biscrum.com/projects/ORDGP/repos/ordgp-backend/browse",
         "techSpecs": [
         "epics": [
         "mitigations": [
         "key": "Technology-backend"
    },
    "requirements": {
       "ORDGP-126": {
          "components": [
          "predecessors": [
         ],
```

"gampTopic": "functional requirements",

"description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.

```
"resolution": "Implemented",
"epics": [
    "ORDGP-124"
],
"mitigations": [
],
"labels": [
```

"acceptanceCriteria": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.\r\n\r\n",

```
"bugs": [
],
"configSpec": {
    "name": "Story 2",
```

"description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.

```
},
"risks": [
   "ORDGP-141",
   "ORDGP-142"
],
"tests": [
],
"versions": [
   "1.0"
],
"name": "Story 2",
"techSpecs": [
],
"key": "ORDGP-126",
"status": "Done",
```

```
"funcSpec": {
```

"acceptanceCriteria": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.",

"name": "Story 2",

"description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.

```
}
},
"ORDGP-127": {
  "components": [

  ],
  "predecessors": [

  ],
  "gampTopic": "functional requirements",
```

"description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.

```
"resolution": "Implemented",
"epics": [
    "ORDGP-124"
],
"mitigations": [
],
"labels": [
```

"acceptanceCriteria": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.\r\n\r\n",

```
"bugs": [
],
"configSpec": {
    "name": "Story 3",
```

"description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.

```
},
"risks": [

],
"tests": [

],
"versions": [
    "1.0"
],
"name": "Story 3",
"techSpecs": [

],
"key": "ORDGP-127",
"status": "Done",
"funcSpec": {
```

"acceptanceCriteria": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.",

"name": "Story 3",

"description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.

```
}
},
"ORDGP-125": {
  "components": [

],
  "predecessors": [
```

"gampTopic": "functional requirements",

"description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere

```
tellus. Mauris posuere tellus sit amet tincidunt convallis.",
          "resolution": "Implemented",
          "epics": [
            "ORDGP-124"
          ],
          "mitigations": [
            "ORDGP-140"
          ],
          "labels": [
          "acceptanceCriteria": "Aliquam ipsum turpis, bibendum nec velit et, ultricies
vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et
malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut
consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec
quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere
tellus. Mauris posuere tellus sit amet tincidunt convallis.\r\n\r\n",
          "bugs": [
          ],
          "configSpec": {
            "name": "Story 1",
            "description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies
vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et
malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut
consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec
quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere
tellus. Mauris posuere tellus sit amet tincidunt convallis."
          },
          "risks": [
            "ORDGP-136"
          ],
          "tests": [
            "ORDGP-144",
            "ORDGP-145",
            "ORDGP-143",
            "ORDGP-137",
            "ORDGP-138",
            "ORDGP-139"
          ],
          "versions": [
            "1.0"
          ],
          "name": "Story 1",
```

"techSpecs": [ "ORDGP-134", "ORDGP-135"

"key": "ORDGP-125", "status": "Done", "funcSpec": {

"acceptanceCriteria": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.",

"name": "Story 1",

"description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.

```
},
"ORDGP-128": {
  "components": [
    ],
    "predecessors": [
    ],
    "gampTopic": "functional requirements",
```

"description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.

```
"resolution": "Implemented",
"epics": [
    "ORDGP-124"
],
"mitigations": [
],
"labels": [
```

"acceptanceCriteria": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.\r\n\r\n",

```
"bugs": [
],
"configSpec": {
    "name": "Story 4",
    "description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies
```

vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.

```
},
"risks": [
],
"tests": [
  "ORDGP-147"
],
"versions": [
  "1.0"
],
"name": "Story 4",
"techSpecs": [
  "ORDGP-146"
1,
"key": "ORDGP-128",
"status": "Done",
"funcSpec": {
```

"acceptanceCriteria": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.",

"name": "Story 4",

"description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.

```
}
},
"ORDGP-129": {
  "components": [

],
  "predecessors": [

],
```

"gampTopic": "functional requirements",

"description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.

```
"resolution": "Implemented",
"epics": [
    "ORDGP-124"
],
"mitigations": [
],
"labels": [
```

"acceptanceCriteria": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.\r\n\r\n",

```
"bugs": [
],
"configSpec": {
    "name": "Story 5",
```

"description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.

```
},
"risks": [
],
"tests": [
  "ORDGP-130",
  "ORDGP-133",
  "ORDGP-131",
  "ORDGP-132"
],
"versions": [
  "1.0"
"name": "Story 5",
"techSpecs": [
"key": "ORDGP-129",
"status": "Done",
"funcSpec": {
```

"acceptanceCriteria": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec

quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.",

"name": "Story 5",

"description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.

```
},
"notesAndHints": [
  "Non-EDP linkType Cloners ignored: ORDGP-144 -> ORDGP-143"
],
"version": "1.0",
"epics": {
  "ORDGP-124": {
     "predecessors": [
    ],
     "requirements": [
       "ORDGP-126",
       "ORDGP-127",
       "ORDGP-125".
       "ORDGP-128",
       "ORDGP-129"
    ],
     "versions": [
       "1.0"
    ],
     "epicName": "Epic 1",
```

"description": "Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla in tristique ante, sit amet accumsan purus. Vivamus at consequat dolor, in accumsan nibh. Proin imperdiet neque id dui ullamcorper feugiat. Praesent tristique vestibulum porttitor. Quisque ornare conque odio quis viverra. Duis non porttitor arcu. Curabitur pellentesque magna ultricies, ornare ipsum vitae, dignissim ligula. Mauris sit amet interdum ante, quis maximus nibh. Mauris id hendrerit risus, non viverra augue. Nulla nec condimentum ex. Nullam sed est ut nisl suscipit eleifend et vel metus. Cras libero justo, malesuada a auctor ut, accumsan et lacus.\n\nSuspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. Morbi pretium massa quis nunc pharetra, id faucibus purus condimentum. Sed augue lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique. In dictum purus sit amet justo dignissim tristique. Sed ligula ante, tempus non turpis eget, iaculis conseguat dui. Aenean orci tortor, interdum at magna vitae, euismod lacinia odio. Nullam ac ante orci. Quisque in mattis purus. Maecenas volutpat bibendum felis, in porttitor dui imperdiet et. Mauris ac feugiat lacus. Interdum et malesuada fames ac ante ipsum primis in faucibus. Maecenas feugiat, turpis nec finibus pellentesque, lectus arcu pellentesque ex, in tempus metus velit sit amet purus. Phasellus ut volutpat orci.",

```
"title": "Epic 1",
"resolution": "Implemented",
```

```
"key": "ORDGP-124",
    "status": "Done",
    "labels": [

    ]
},
"mitigations": {
    "CRDGP-140": {
    "components": [
        "ORDGP-125"
    ],
    "predecessors": [

    ],
```

"description": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. Morbi pretium massa quis nunc pharetra, id faucibus purus condimentum. Sed augue lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique. In dictum purus sit amet justo dignissim tristique. Sed ligula ante, tempus non turpis eget, iaculis consequat dui. Aenean orci tortor, interdum at magna vitae, euismod lacinia odio. Nullam ac ante orci. Quisque in mattis purus. Maecenas volutpat bibendum felis, in porttitor dui imperdiet et. Mauris ac feugiat lacus. Interdum et malesuada fames ac ante ipsum primis in faucibus. Maecenas feugiat, turpis nec finibus pellentesque, lectus arcu pellentesque ex, in tempus metus velit sit amet purus. Phasellus ut volutpat orci.

```
"resolution": "Defined",
    "labels": [
    ],
    "risks": [
        "ORDGP-136"
    ],
    "versions": [
        "1.0"
    ],
    "name": "Mitigation 1",
    "techSpecs": [
    ],
    "key": "ORDGP-140",
    "status": "Done"
    }
},
"modifiedKeys": {
},
"bugs": {
```

```
},
"risks": {
    "ORDGP-141": {
        "riskComment": null,
        "gxpRelevance": "R2",
        "requirements": [
             "ORDGP-126"
        ],
        "predecessors": [
```

"description": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. Morbi pretium massa quis nunc pharetra, id faucibus purus condimentum. Sed augue lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique. In dictum purus sit amet justo dignissim tristique. <br/>
hnSed ligula ante, tempus non turpis eget, iaculis consequat dui. Aenean orci tortor, interdum at magna vitae, euismod lacinia odio. Nullam ac ante orci. Quisque in mattis purus. Maecenas volutpat bibendum felis, in porttitor dui imperdiet et. Mauris ac feugiat lacus. Interdum et malesuada fames ac ante ipsum primis in faucibus. Maecenas feugiat, turpis nec finibus pellentesque, lectus arcu pellentesque ex, in tempus metus velit sit amet purus. Phasellus ut volutpat orci.

```
"resolution": "Defined",
  "probabilityOfDetection": 1,
  "mitigations": [
  "labels": [
  "probabilityOfOccurrence": 3,
  "severityOfImpact": 3,
  "tests": [
  "versions": [
    "1.0"
  ],
  "riskPriorityNumber": 18,
  "riskPriority": 1,
  "name": "RA 2",
  "techSpecs": [
  "kev": "ORDGP-141".
  "status": "Done"
"ORDGP-142": {
  "riskComment": null,
  "gxpRelevance": "N0",
  "requirements": [
     "ORDGP-126"
```

```
],
          "predecessors": [
         "description": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis
ultricies pellentesque mauris.",
         "resolution": "Defined",
         "probabilityOfDetection": 3,
         "mitigations": [
          "labels": [
          "probabilityOfOccurrence": 1,
         "severityOfImpact": 1,
         "tests": [
         ],
          "versions": [
            "1.0"
          "riskPriorityNumber": 0,
         "riskPriority": 0,
         "name": "RA 3",
         "techSpecs": [
         "key": "ORDGP-142",
          "status": "Done"
       "ORDGP-136": {
          "riskComment": null,
          "gxpRelevance": "N1",
          "requirements": [
            "ORDGP-125"
         ],
          "predecessors": [
          "description": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis
ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim
enim.",
          "resolution": "Defined",
          "probabilityOfDetection": 2,
          "mitigations": [
            "ORDGP-140"
         ],
          "labels": [
         ],
```

```
"probabilityOfOccurrence": 1,
    "severityOfImpact": 2,
     "tests": [
       "ORDGP-137",
       "ORDGP-138",
       "ORDGP-139"
    ],
    "versions": [
       "1.0"
    "riskPriorityNumber": 4,
    "riskPriority": 3,
    "name": "RA 1",
    "techSpecs": [
    "key": "ORDGP-136",
    "status": "Done"
},
"tests": {
  "ORDGP-130": {
    "components": [
    ],
     "requirements": [
       "ORDGP-129"
    "predecessors": [
    ],
    "executionType": "Automated",
    "description": "Acceptance Test 1",
    "testType": "Acceptance",
    "resolution": "Implemented",
    "steps": [
    ],
    "execLabel": "Succeeded",
    "labels": [
       "Succeeded"
    ],
     "risks": [
     "versions": [
       "1.0"
    "name": "Acceptance Test 1",
    "comment": "",
     "id": "896758",
```

```
"isUnexecuted": false,
  "techSpecs": [
  "key": "ORDGP-130",
  "status": "Done",
  "isSuccess": true,
  "timestamp": "2022-03-01T11:22:32",
  "actualResult": "Expected result verified by automated test"
},
"ORDGP-133": {
  "components": [
  "requirements": [
     "ORDGP-129"
  "predecessors": [
  "executionType": "Automated",
  "description": "Acceptance Test 1",
  "testType": "Acceptance",
  "resolution": "Implemented",
  "steps": [
  "execLabel": "Succeeded",
  "labels": [
    "Succeeded"
  ],
  "risks": [
  "versions": [
    "1.0"
  ],
  "name": "Acceptance Test 4",
  "comment": "",
  "id": "896761",
  "isUnexecuted": false,
  "techSpecs": [
  "key": "ORDGP-133",
  "status": "Done",
  "isSuccess": true,
  "timestamp": "2022-03-01T11:22:32",
  "actualResult": "Expected result verified by automated test"
"ORDGP-144": {
```

```
"components": [
],
"requirements": [
   "ORDGP-125"
],
"predecessors": [
],
"executionType": "Automated",
```

"description": "Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla in tristique ante, sit amet accumsan purus. Vivamus at consequat dolor, in accumsan nibh. Proin imperdiet neque id dui ullamcorper feugiat. Praesent tristique vestibulum portitor. Quisque ornare congue odio quis viverra. Duis non porttitor arcu. Curabitur pellentesque magna ultricies, ornare ipsum vitae, dignissim ligula. Mauris sit amet interdum ante, quis maximus nibh. Mauris id hendrerit risus, non viverra augue. Nulla nec condimentum ex. Nullam sed est ut nisl suscipit eleifend et vel metus. Cras libero justo, malesuada a auctor ut, accumsan et lacus.

```
"testType": "Integration",
  "resolution": "Implemented",
  "steps": [
  ],
  "execLabel": "Succeeded",
  "labels": [
    "Succeeded"
  ],
  "risks": [
  "versions": [
    "1.0"
  ],
  "name": "Integration Test 2",
  "comment": "",
  "id": "896772",
  "isUnexecuted": false,
  "techSpecs": [
    "ORDGP-134",
    "ORDGP-135"
  ],
  "key": "ORDGP-144",
  "status": "Done",
  "isSuccess": true.
  "timestamp": "2022-03-01T11:22:24",
  "actualResult": "Expected result verified by automated test"
"ORDGP-145": {
  "components": [
  ],
```

```
"requirements": [
    "ORDGP-125"
],
"predecessors": [
],
"executionType": "Automated",
```

"description": "Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla in tristique ante, sit amet accumsan purus. Vivamus at consequat dolor, in accumsan nibh. Proin imperdiet neque id dui ullamcorper feugiat. Praesent tristique vestibulum porttitor. Quisque ornare congue odio quis viverra. Duis non porttitor arcu. Curabitur pellentesque magna ultricies, ornare ipsum vitae, dignissim ligula. Mauris sit amet interdum ante, quis maximus nibh. Mauris id hendrerit risus, non viverra augue. Nulla nec condimentum ex. Nullam sed est ut nisl suscipit eleifend et vel metus. Cras libero justo, malesuada a auctor ut, accumsan et lacus.

```
"testType": "Integration",
  "resolution": "Implemented",
  "steps": [
  ],
  "execLabel": "Succeeded",
  "labels": [
    "Succeeded"
  1,
  "risks": [
  "versions": [
    "1.0"
  "name": "Integration Test 3",
  "comment": "",
  "id": "896773",
  "isUnexecuted": false,
  "techSpecs": [
    "ORDGP-134",
    "ORDGP-135"
  "key": "ORDGP-145",
  "status": "Done",
  "isSuccess": true,
  "timestamp": "2022-03-01T11:22:24",
  "actualResult": "Expected result verified by automated test"
"ORDGP-131": {
  "components": [
  "requirements": [
    "ORDGP-129"
  ],
```

```
"predecessors": [
  "executionType": "Automated",
  "description": "Acceptance Test 1",
  "testType": "Acceptance",
  "resolution": "Implemented",
  "steps": [
  ],
  "execLabel": "Succeeded",
  "labels": [
    "Succeeded"
  ],
  "risks": [
  ],
  "versions": [
    "1.0"
  ],
  "name": "Acceptance Test 2",
  "comment": "",
  "id": "896759",
  "isUnexecuted": false,
  "techSpecs": [
  "key": "ORDGP-131",
  "status": "Done",
  "isSuccess": true,
  "timestamp": "2022-03-01T11:22:32",
  "actualResult": "Expected result verified by automated test"
"ORDGP-132": {
  "components": [
  "requirements": [
     "ORDGP-129"
  "predecessors": [
  ],
  "executionType": "Automated",
  "description": "Acceptance Test 1",
  "testType": "Acceptance",
  "resolution": "Implemented",
  "steps": [
  ],
  "execLabel": "Succeeded",
```

```
"labels": [
     "Succeeded"
  "risks": [
  ],
  "versions": [
     "1.0"
  "name": "Acceptance Test 3",
  "comment": "".
  "id": "896760",
  "isUnexecuted": false,
  "techSpecs": [
  "key": "ORDGP-132",
  "status": "Done",
  "isSuccess": true,
  "timestamp": "2022-03-01T11:22:32",
  "actualResult": "Expected result verified by automated test"
},
"ORDGP-143": {
  "components": [
  ],
  "requirements": [
     "ORDGP-125"
  ],
  "predecessors": [
  "executionType": "Automated",
```

"description": "Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla in tristique ante, sit amet accumsan purus. Vivamus at consequat dolor, in accumsan nibh. Proin imperdiet neque id dui ullamcorper feugiat. Praesent tristique vestibulum porttitor. Quisque ornare congue odio quis viverra. Duis non porttitor arcu. Curabitur pellentesque magna ultricies, ornare ipsum vitae, dignissim ligula. Mauris sit amet interdum ante, quis maximus nibh. Mauris id hendrerit risus, non viverra augue. Nulla nec condimentum ex. Nullam sed est ut nisl suscipit eleifend et vel metus. Cras libero justo, malesuada a auctor ut, accumsan et lacus.

```
"testType": "Integration",
"resolution": "Implemented",
"steps": [
],
"execLabel": "Succeeded",
"labels": [
    "Succeeded"
],
"risks": [
```

```
"versions": [
            "1.0"
         "name": "Integration Test 1",
         "comment": "",
         "id": "896771",
         "isUnexecuted": false,
         "techSpecs": [
            "ORDGP-134",
            "ORDGP-135"
         "key": "ORDGP-143",
         "status": "Done",
         "isSuccess": true,
         "timestamp": "2022-03-01T11:22:24",
         "actualResult": "Expected result verified by automated test"
       },
       "ORDGP-137": {
         "components": [
            "Technology-backend"
         ],
         "requirements": [
            "ORDGP-125"
          "predecessors": [
         ],
         "executionType": "Automated",
         "description": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis
ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim
enim. Morbi pretium massa quis nunc pharetra, id faucibus purus condimentum. Sed augue
lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique. In dictum
purus sit amet justo dignissim tristique. Sed ligula ante, tempus non turpis eget, iaculis
consequat dui",
         "testType": "Unit",
          "resolution": "Implemented",
         "steps": [
         "execLabel": "Succeeded",
         "labels": [
            "Succeeded"
          "risks": [
            "ORDGP-136"
          "versions": [
            "1.0"
```

],

```
"name": "Unit Test 1",
         "id": "896765".
         "isUnexecuted": false,
         "techSpecs": [
          "key": "ORDGP-137",
         "status": "Done",
         "isSuccess": true,
         "timestamp": "2022-03-01T11:17:26"
       "ORDGP-138": {
          "components": [
            "Technology-backend"
         ],
          "requirements": [
            "ORDGP-125"
          "predecessors": [
         "executionType": "Automated",
          "description": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis
ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim
enim. Morbi pretium massa quis nunc pharetra, id faucibus purus condimentum. Sed augue
lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique. In dictum
purus sit amet justo dignissim tristique. Sed ligula ante, tempus non turpis eget, iaculis
consequat dui",
          "testType": "Unit",
          "resolution": "Implemented",
         "steps": [
         ],
          "execLabel": "Succeeded",
          "labels": [
            "Succeeded"
         ],
          "risks": [
            "ORDGP-136"
          "versions": [
            "1.0"
         ],
         "name": "Unit Test 2",
          "id": "896766",
          "isUnexecuted": false,
          "techSpecs": [
          "key": "ORDGP-138",
          "status": "Done",
```

```
"isSuccess": true,
         "timestamp": "2022-03-01T11:17:26"
       "ORDGP-147": {
         "components": [
          "requirements": [
            "ORDGP-128"
         ],
          "predecessors": [
         "executionType": "Automated",
         "description": "Curabitur pellentesque magna ultricies, ornare ipsum vitae,
dignissim ligula. Mauris sit amet interdum ante, quis maximus nibh. Mauris id hendrerit
risus, non viverra augue. Nulla nec condimentum ex. Nullam sed est ut nisl suscipit eleifend
et vel metus. Cras libero justo, malesuada a auctor ut, accumsan et lacus.",
          "testType": "Installation",
         "repoTypes": [
         "resolution": "Implemented",
         "steps": [
         ],
         "execLabel": "Succeeded",
         "labels": [
            "Succeeded"
         "risks": [
         ],
         "versions": [
            "1.0"
         ],
         "name": "Installation Test 1",
         "id": "896775",
         "isUnexecuted": false,
         "techSpecs": [
            "ORDGP-146"
         ],
         "key": "ORDGP-147",
         "status": "Done",
         "isSuccess": true,
          "timestamp": "2022-03-01T11:22:15"
       "ORDGP-139": {
         "components": [
            "Technology-backend"
```

],

```
"requirements": [
            "ORDGP-125"
          "predecessors": [
         ],
         "executionType": "Automated",
         "description": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis
ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim
enim. Morbi pretium massa quis nunc pharetra, id faucibus purus condimentum. Sed augue
lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique. In dictum
purus sit amet justo dignissim tristique. Sed ligula ante, tempus non turpis eget, iaculis
consequat dui",
          "testType": "Unit",
          "resolution": "Implemented",
         "steps": [
          "execLabel": "Succeeded",
         "labels": [
            "Succeeded"
         ],
         "risks": [
            "ORDGP-136"
          "versions": [
            "1.0"
         "name": "Unit Test 3",
         "id": "896767",
         "isUnexecuted": false,
         "techSpecs": [
         "key": "ORDGP-139",
         "status": "Done",
         "isSuccess": true,
          "timestamp": "2022-03-01T11:17:26"
       }
     },
     "docs": {
       "ORDGP-122": {
          "number": "3",
          "predecessors": [
         "heading": "Document History",
          "documents": [
            "TRC"
         ],
```

"versions": [

```
"1.0"
      ],
      "section": "sec3",
      "content": "<font color=\"blue\">The following table provides extra history of
the document.</font>\n\n<div class='table-wrap'>\n
\n\nVersion\n<th
class='confluenceTh'>Date\nAuthor\n<th
class='confluenceTh'>Reference\n\n 
\nSee summary of electronic document or signature page
of printout.\n \n<td
class='confluenceTd'>\ \n\n\n</div>\n",
      "key": "ORDGP-122",
      "status": "Done"
    "ORDGP-121": {
      "number": "1",
      "predecessors": [
      1,
      "heading": "Document History",
      "documents": [
        "TCP",
        "TCR"
      ],
      "versions": [
        "1.0"
      ],
      "section": "sec1",
      "content": "<font color=\"blue\">The following table provides extra history of
the document.</font>\n\n<div class='table-wrap'>\n
\n\nVersion\n<th
class='confluenceTh'>Date\nAuthor\n<th
class='confluenceTh'>Reference\n\n 
\nSee summary of electronic document or signature page
of printout.\n \n<td
class='confluenceTd'>\ \n\n\n</div>\n",
      "key": "ORDGP-121",
      "status": "Done"
     "ORDGP-120": {
      "number": "4",
      "predecessors": [
      "heading": "Risk Assessment",
      "documents": [
        "CFTR",
        "CFTR M"
      "versions": [
        "1.0"
```

```
],
          "section": "sec4",
         "content": "<font color=\"blue\">There have been no critical failures
observed in the testing. For failed test cases no unacceptable risks have been identified. No
follow-up actions are required.</font>",
          "key": "ORDGP-120",
          "status": "Done"
       },
       "ORDGP-119": {
          "number": "3.6",
          "predecessors": [
         "heading": "Traceability Matrix",
          "documents": [
            "CFTR",
            "CFTR M"
          "versions": [
            "1.0"
         ],
          "section": "sec3s6",
          "content": "<font color=\"blue\">The test coverage is captured in the
traceability matrix which maps user requirements and functional specifications to test cases.
The traceability matrix has been updated prior to execution of the test cases and has been
archived in the validation archive (add a reference).</font>",
          "key": "ORDGP-119",
          "status": "Done"
       },
       "ORDGP-118": {
          "number": "3.5.2",
         "predecessors": [
          "heading": "Non-Functional Testing Results",
          "documents": [
            "CFTR",
            "CFTR M"
         ],
          "versions": [
            "1.0"
         ],
          "section": "sec3s5s2",
          "content": "<font color=\"blue\">Non-Functional testing was performed
according to the approved functional / requirements test plan (final v1.0), approved on
<date&gt;.<br/>\n<br/>hr/>\nThe test execution run of the non-functional test cases was
performed on Mar 03. All the test cases of the project were executed without significant
failures.</font>",
          "key": "ORDGP-118",
          "status": "Done"
```

},

```
"ORDGP-117": {
         "number": "3.3",
         "predecessors": [
         "heading": "Discrepancy Log",
         "documents": [
            "CFTR",
            "CFTR M"
         ],
         "versions": [
            "1.0"
         ],
         "section": "sec3s3",
         "content": "<font color=\"blue\">All failures and problems which have been
observed during testing have been collected in a discrepancy log. The discrepancy log is
attached to this report.</font>",
         "key": "ORDGP-117",
         "status": "Done"
       },
       "ORDGP-116": {
         "number": "3.2",
         "predecessors": [
         "heading": "Responsibilities and Signature Resource Log",
         "documents": [
            "CFTR",
            "CFTR M"
         "versions": [
            "1.0"
         "section": "sec3s2",
         "content": "<font color=\"blue\">All Testers and Test Administrators have
signed the signature resource log prior to the start of testing activities. The signature
resource log is attached to this report.</font>",
          "key": "ORDGP-116",
         "status": "Done"
       },
       "ORDGP-115": {
         "number": "3.1",
         "predecessors": [
          "heading": "Training",
         "documents": [
            "CFTR",
            "CFTR M"
         ],
          "versions": [
```

```
"1.0"
         ],
         "section": "sec3s1",
         "content": "<font color=\"blue\">All Testers and Test Administrators have
been trained prior to the start of testing activities. Two classroom trainings have been
performed on 23-Apr-2001 in Ingelheim and on 26-Apr-2011 in Ridgefield. Copies of the
training records and agenda are attached to this report.</font>",
          "key": "ORDGP-115",
         "status": "Done"
       },
       "ORDGP-114": {
         "number": "2",
         "predecessors": [
         ],
         "heading": "Testing Environment",
         "documents": [
            "CFTR",
            "CFTR M"
         ],
         "versions": [
            "1.0"
         ],
         "section": "sec2",
         "content": "<font color=\"blue\">All integration and acceptance test cases
have been executed in the qualified validation environment as defined in the combined
functional / requirements testing plan (ref).</font>",
         "key": "ORDGP-114",
         "status": "Done"
       },
       "ORDGP-113": {
         "number": "1",
         "predecessors": [
         "heading": "Purpose",
         "documents": [
            "CFTR",
            "CFTR M"
          "versions": [
            "1.0"
         ],
         "section": "sec1",
          "content": "<font color=\"blue\">The purpose of this document is to report on
testing activities that were performed according to the functional / requirements testing
plan, to summarize and asses all failed and skipped test cases, and decide if the System
name can be formally released for installation in production environment.</font>",
         "key": "ORDGP-113",
         "status": "Done"
```

},

```
"ORDGP-112": {
       "number": "8",
       "predecessors": [
       "heading": "Document History",
       "documents": [
         "CFTR",
         "CFTR M"
       ],
       "versions": [
         "1.0"
       ],
       "section": "sec8",
       "content": "<font color=\"blue\">The following table provides extra history of
the document.</font>\n\n<div class='table-wrap'>\n
\n\nVersion\n<th
class='confluenceTh'>Date\nAuthor\n<th
class='confluenceTh'>Reference\n\n 
\nSee summary of electronic document or signature page
of printout.\n \n<td
class='confluenceTd'>\ \n\n\n</div>\n",
       "key": "ORDGP-112",
       "status": "Done"
     "ORDGP-111": {
       "number": "7",
       "predecessors": [
       "heading": "Reference Documents",
       "documents": [
         "CFTR",
         "CFTR M"
       ],
       "versions": [
         "1.0"
       ],
       "section": "sec7",
       "content": " ",
       "key": "ORDGP-111",
       "status": "Done"
     "ORDGP-110": {
       "number": "6.1",
       "predecessors": [
       "heading": "Definitions",
       "documents": [
         "CFTR",
```

```
"CFTR M"
      ],
      "versions": [
        "1.0"
      ],
      "section": "sec6s1",
      "content": "<div class='table-wrap'>\n
\n\nTerm\n<th
class='confluenceTh'>Definition\n\n\n<font
color=\"blue\">Jenkins</font>\n<font color=\"blue\">Build
engine supplied by cloudbees - part of OpenDevStack (BI-IT-DEVSTACK)</font>
\n\n<font color=\"blue\">xUnit</font>
\n<font color=\"blue\">Unit testing framework,
aggregaults across multiple languages</font>\n\n
\n</div>\n",
      "key": "ORDGP-110",
      "status": "Done"
     "ORDGP-109": {
      "number": "6.2",
      "predecessors": [
      ],
      "heading": "Abbreviations",
      "documents": [
        "CFTR",
        "CFTR M"
      ],
      "versions": [
        "1.0"
      ],
      "section": "sec6s2",
      "content": "<div class='table-wrap'>\n
\n\nAbbreviation\n<th
class='confluenceTh'>Meaning\n\n<font
color=\"blue\">ODS</font>\n<font
color=\"blue\">OpenDevStack</font>\n\n
<font color=\"blue\">EDP</font>\n<font
color=\"blue\">Enterprise Development Platform</font>\n\n
\n</div>\n",
      "key": "ORDGP-109",
      "status": "Done"
     "ORDGP-108": {
      "number": "9",
      "predecessors": [
      "heading": "Traceability Matrix",
      "documents": [
        "CFTP"
```

```
],
        "versions": [
          "1.0"
        ],
        "section": "sec9",
        "content": "<font color=\"blue\">The test coverage is captured in the
traceability matrix which maps user requirements and functional specifications to test cases.
The traceability matrix will be updated before test execution to include all functional and
requirements test cases.</font>",
        "key": "ORDGP-108",
        "status": "Done"
      "ORDGP-107": {
        "number": "8.1",
        "predecessors": [
        ],
        "heading": "Test Cases",
        "documents": [
          "CFTP"
        ],
        "versions": [
          "1.0"
        1,
        "section": "sec8s1".
        "content": "<div class='table-wrap'>\n
\n\nRisk Priority\n<th
class='confluenceTh'>Level of Testing\n\n
<b>3</b>\n<font color=\"blue\">No testing
required </font >  n  n  n  n  n  n  n  n  n  n  n  n  n  n 
\n<font color=\"blue\">Testing of functionality or
requirements without challenge/boundary tests</font>
\n\n\n\nclass='confluenceTd'><b>1</b>\n<td
class='confluenceTd'><font color=\"blue\">Full test of requirement or functionality
including challenge/boundary tests (e.g. invalid, borderline or missing input values, out-of-
order execution of functions, disconnected interfaces etc.)</font>\n\n
\n</div>\n",
        "key": "ORDGP-107",
        "status": "Done"
      },
      "ORDGP-106": {
        "number": "7.2.2",
        "predecessors": [
        "heading": "Scope of Non-Functional Testing",
        "documents": [
          "CFTP"
        "versions": [
          "1.0"
```

```
],
"section": "sec7s2s2",
```

"content": "<font color=\"blue\">The following aspects of system performance will be covered in requirements test cases:<br/>\n \* Concurrent access of 10 users accessing the same study (including data entry, modification of data, and deletion of data)<br/>\n \* Remote access via low-bandwidth connections, simulation slow DSL connections down to 1 Mbit/s and Ping time up to 1000ms. A WAN emulator will be used to simulate the exact conditions as specified in the test cases.<br/>\n<br/>\n<br/>\n/Performance testing will be done in the validation environment. Since the hardware of the future production environment is more powerful the risk of using the validation environment for performance testing is low and acceptable.</font>

```
"key": "ORDGP-106",
   "status": "Done"
},
"ORDGP-105": {
   "number": "7.1.2",
   "predecessors": [

   ],
   "heading": "Scope of Functional Testing",
   "documents": [
       "CFTP"
   ],
   "versions": [
       "1.0"
   ],
   "section": "sec7s1s2",
```

"content": "<font color=\"blue\">The System name is commercial off-the-shelf software which was configured according to the configuration specification. Since some user requirements could not be fulfilled via configuration and therefore have been implemented by in-house developed customizations.<br/>\\n \* Functional testing will be performed to verify correct functionality of all customizations, i.e. functional specifications will be 100% covered by functional test cases.<br/>\\n \* Configuration specification will not be tested on a functional level, but only implicitly in acceptance test cases.<br/>\\\n \* Standard product functionality will not be tested in functional testing since appropriate testing has already performed by the vendor. This has been verified in a vendor audit. <font><p>",

```
"key": "ORDGP-105",
    "status": "Done"
},
"ORDGP-104": {
    "number": "6.2",
    "predecessors": [

    ],
    "heading": "Scope of Integration Testing",
    "documents": [
        "CFTP"
    ],
    "versions": [
        "1.0"
```

```
],
"section": "sec6s2",
```

"content": "<font color=\"blue\">The System name is commercial off-the-shelf software which was configured according to the configuration specification. Since some user requirements could not be fulfilled via configuration and therefore have been implemented by in-house developed customizations.<br/>
\n \* Integration testing will be performed to verify correct functionality of all customizations, i.e. functional specifications will be 100% covered by functional test cases.<br/>
\n \* Configuration specification will not be tested on an integration level, but only implicitly in acceptance test cases.<br/>
\n \* Standard product functionality will not be tested in integration testing since appropriate testing has already performed by the vendor. This has been verified in a vendor audit.<br/>
</font>

```
"key": "ORDGP-104",
    "status": "Done"
},
"ORDGP-103": {
    "number": "5.2",
    "predecessors": [

    ],
    "heading": "Test Procedure 2: Verification of Training Documentation",
    "documents": [
        "CFTP"
    ],
    "versions": [
        "1.0"
    ],
    "section": "sec5s2",
```

"content": "Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nunc dignissim finibus imperdiet. Fusce hendrerit luctus purus, et suscipit nisl porttitor in. Mauris pellentesque vestibulum tristique. Integer vel velit id felis dictum auctor id et ligula. Fusce consequat vehicula mattis. Duis non hendrerit felis, ut pellentesque metus. Donec egestas leo quis viverra pharetra. Suspendisse eu nulla et mi eleifend varius. Donec ullamcorper aliquet magna sed congue. Nam nec neque ac diam interdum dictum nec ac urna. Mauris egestas urna nibh, facilisis lacinia ipsum volutpat vitae. Orci varius natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Fusce enim elit, venenatis non egestas sed, vestibulum at ante.

```
"key": "ORDGP-103",
"status": "Done"
},
"ORDGP-102": {
    "number": "5",
    "predecessors": [

    ],
    "heading": "Operational Qualification Activities and Training",
    "documents": [
        "CFTP"
    ],
    "versions": [
        "1.0"
```

```
],
        "section": "sec5",
        "content": "<font color=\"blue\">Before test execution the testers will receive
formal training on:<br/>\n * the testing process, including good documentation
practice<br/>\n * a basic end user training for System name<br/>\n * an overview of the
business processes supported by System name<br/>br/>\n<br/>hr/>\nThe training will be
documented and copies of the training records will be attached to the testing
documentation package.</font>",
        "key": "ORDGP-102",
        "status": "Done"
      },
      "ORDGP-101": {
        "number": "10",
        "predecessors": [
        "heading": "Validation Environment",
        "documents": [
          "CFTP"
        ],
        "versions": [
          "1.0"
        ],
        "section": "sec10",
        "content": "<font color=\"blue\">Description of the Environment of the
system that will be used for test execution.</font>",
        "key": "ORDGP-101",
        "status": "Done"
      },
      "ORDGP-100": {
        "number": "15".
        "predecessors": [
        "heading": "Document History",
        "documents": [
          "CFTP"
        ],
        "versions": [
          "1.0"
        ],
        "section": "sec15",
        "content": "<font color=\"blue\">The following table provides extra history of
the document.</font>\n\n<div class='table-wrap'>\n
\n\nVersion\n<th
class='confluenceTh'>Date\nAuthor\n<th
class='confluenceTh'>Reference\n\n 
\nSee summary of electronic document or signature page
of printout.\n \n<td
class='confluenceTd'>\ \n\n\n</div>\n",
        "key": "ORDGP-100",
```

```
"status": "Done"
            },
             "ORDGP-99": {
                 "number": "13.2",
                "predecessors": [
                 "heading": "Abbreviations",
                 "documents": [
                     "CFTP"
                 "versions": [
                     "1.0"
                 "section": "sec13s2",
                 "content": "<div class='table-wrap'>\n
\n\nAbbreviation\n<th
class='confluenceTh'>Meaning\n\n<font
color=\"blue\">ODS</font>\n<font
color = \blue \end{tabular} Open DevStack < font >  + (lass = 'confluenceTd' > )  (last = 'conf
<font color=\"blue\">EDP</font>\n<font
color=\"blue\">Enterprise Development Platform</font>\n\n
\n</div>\n",
                 "kev": "ORDGP-99",
                "status": "Done"
             "ORDGP-98": {
                 "number": "13.1",
                 "predecessors": [
                ],
                 "heading": "Definitions",
                 "documents": [
                     "CFTP"
                ],
                 "versions": [
                     "1.0"
                 ],
                 "section": "sec13s1",
                "content": "<div class='table-wrap'>\n
\n\nTerm\n<th
class = 'confluenceTh' > Definition  \n  \n  \n  < font
color=\"blue\">|enkins</font>\n<font color=\"blue\">Build
engine supplied by cloudbees - part of OpenDevStack (BI-IT-DEVSTACK) </font>
\n\n\n<font color=\"blue\">xUnit</font>
\n<font color=\"blue\">Unit testing framework,
aggregaults across multiple languages</font>\n\n
\n</div>\n",
                "kev": "ORDGP-98",
                 "status": "Done"
             },
```

```
"ORDGP-97": {
  "number": "12",
  "predecessors": [
  "heading": "Functional and Requirements Testing Documentation"
  "documents": [
     "CFTP"
  ],
  "versions": [
     "1.0"
  ],
  "section": "sec12",
  "content": " ",
  "key": "ORDGP-97",
  "status": "Done"
},
"ORDGP-96": {
  "number": "2",
  "predecessors": [
  ],
  "heading": "Scope",
  "documents": [
     "CFTP"
  ],
  "versions": [
     "1.0"
  ],
  "section": "sec2",
```

"content": "<font color=\"blue\">The Functional Testing of SCHEMA ST4 will include the standard functionalities of the system and the user account management. The Requirements Testing covers the workflow configuration and functionalities of SCHEMA ST4 according to the business process of the creation, management and handover of preparation specific texts.  $\$  \n \shr/\n \brace hr/>\n The components of SCHEMA ST4 that will be challenged during this Functions / Requirements Testing are as follows:  $\$  \brace hr \\* Rich/Architect client application software  $\$  \brace hr \\* Workflow Module \shr/\n \hr \n Therface to MS \text{Word} \shr/\n \hr \n The level of testing activities is based on the risk class as defined in the risk analysis (ref) for this system. Detailed definitions of the required depth and level of detail will be defined in the sections for functional and requirements testing.  $\$  \ref hort>

```
"key": "ORDGP-96",
"status": "Done"
},
"ORDGP-95": {
    "number": "9",
    "predecessors": [

],
    "heading": "Reference Documents",
```

"documents": [

```
"IVP".
         "IVR"
       ],
       "versions": [
         "1.0"
       "section": "sec9",
       "content": " ",
       "key": "ORDGP-95",
       "status": "Done"
     },
     "ORDGP-94": {
       "number": "8.2",
       "predecessors": [
       ],
       "heading": "Abbreviations",
       "documents": [
         "IVP",
         "IVR"
       ],
       "versions": [
        "1.0"
       "section": "sec8s2",
       "content": "<div class='table-wrap'>\n
<tbody>\n\nAbbreviation\n<th
class = 'confluenceTh' > Meaning  \\ n  \\ n  < font
color=\"blue\">ODS</font>\n<font
<font color=\"blue\">EDP</font>\n<font
color=\"blue\">Enterprise Development Platform</font>\n\n
\n</div>\n",
       "key": "ORDGP-94",
       "status": "Done"
     "ORDGP-93": {
       "number": "8.1",
       "predecessors": [
       ],
       "heading": "Definitions",
       "documents": [
         "IVP",
         "IVR"
       "versions": [
         "1.0"
       ],
       "section": "sec8s1",
```

```
"content": "<div class='table-wrap'>\n
\n\nTerm\n<th
color=\"blue\">Jenkins</font>\n<font color=\"blue\">Build
engine supplied by cloudbees - part of OpenDevStack (BI-IT-DEVSTACK) </font>
\n\n\n<font color=\"blue\">xUnit</font>
\n<font color=\"blue\">Unit testing framework,
aggregaults across multiple languages</font>\n\n
\n</div>\n",
       "key": "ORDGP-93",
       "status": "Done"
     "ORDGP-92": {
       "number": "2",
       "predecessors": [
       ],
       "heading": "Scope",
       "documents": [
         "IVP",
         "IVR"
       ],
       "versions": [
         "1.0"
       "section": "sec2",
       "content": "<font color=\"blue\">Hardware verification is out of scope, similar
runtime platform verification, because those are qualified. <br/>br/>\n||Runtime
Platform||Qualification Summary Report||<br/>br/>\n|BI-IT-CONTAINER-PAAS|tbd|</font>",
       "key": "ORDGP-92",
       "status": "Done"
     },
     "ORDGP-91": {
       "number": "12.2",
       "predecessors": [
       "heading": "Configuration database CMDB",
       "documents": [
        "IVP",
         "IVR"
      ],
       "versions": [
        "1.0"
       "section": "sec12s2",
       "content": "<div class='table-wrap'>\n
\n\nInstructions\n<th
class='confluenceTh'>Expected result / Evidence
class='confluenceTh'>Observed result
class='confluenceTh'>Comments\n\n<b>Role
```

assignment: </b> <br/>
\n Check if name of contact persons are entered to CMDBWeb: IT System Lead Validation Manager System Owner CSV& C function class='confluenceTd'><span class=\"image-wrap\" style=\"\"><img src=\"https://jiradev.biscrum.com/secure/attachment/552316/552316 image-2022-02-22-11-12-21-105.png\"  $height=\''402\'' \ width=\''676\'' \ style=\''border: 0px \ solid \ black\'' /></span>$ class='confluenceTd'>RAL is required and available<br/>\n \u2610 Yes \u2610 No <br/>\n CMDB entries are correct<br/>\n\u2610 Yes \u2610 No\n \n\n\n<b>Related components:</b><br/>\n Check if components are related to Environments as described in System Design Specification.\nComponents are related to Environments as listed in System Design Specification\nCMDB entries are correct<br/>\n \u2610 Yes \u2610 No\n \n\n\n\nClass='confluenceTd'><b>Emergency class:</b><br/>\n\n if emergency class is correctly set according to the related specification document\nEmergency class per environment (env) is correctly set<br/>\n &lt;enter defined class number per environment&gt;<br/>\n <em>Productive env: class</em> <br/>\n <em>Validation env: class</em> <br/>\n <em>Training env: class\n<em>Productive env:  $</em> </br/>\n <em>Validation env:</em> <br/>\n <em>Training env:</em> \n<td$ class='confluenceTd'> \n\n<b>GxP relevance</b>\nSuspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. Morbi pretium massa quis nunc pharetra, id faucibus purus condimentum. Sed augue lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique. In dictum purus sit amet justo dignissim tristique. Sed liqula ante, tempus non turpis eget, iaculis consequat dui. Aenean orci tortor, interdum at magna vitae, euismod lacinia odio. Nullam ac ante orci. Quisque in mattis purus. Maecenas volutpat bibendum felis, in porttitor dui imperdiet et. Mauris ac feugiat lacus. Interdum et malesuada fames ac ante ipsum primis in faucibus. Maecenas feugiat, turpis nec finibus pellentesque, lectus arcu pellentesque ex, in tempus metus velit sit amet purus. Phasellus ut volutpat orci. class='confluenceTd'>Actual setting in CMDB:\n \n\n\n<b>Support category:</b><br/>\n Check if support category is correctly set according to the related specification document\nSupport category per environment (env) is correctly set<br/>\n &lt;enter defined category number per environment&gt;<br/>\n <em>Productive env: class</em> <br/>\n <em>Validation env: class</em> <br/>\n <em>Training env: class\n<em>Productive env: </em> <br/>\n <em>Validation env:</em> <br/>\n <em>Training env:</em> \n<td  $class = 'confluenceTd' > \\ | /tr > | /tbody > | /td > | /tr > | /tbody > | /td > | /tr > | /tbody > | /td > | /tr > | /tbody > | /td > | /tr > | /tbody > | /td > | /td > | /tr > | /tbody >$ 

```
"key": "ORDGP-91",
  "status": "Done"
},
"ORDGP-90": {
   "number": "12.1",
   "predecessors": [

   ],
   "heading": "Operational documents on system level",
   "documents": [
        "IVP",
        "IVR"
```

```
],
       "versions": [
        "1.0"
      ],
      "section": "sec12s1",
       "content": "<font color=\"blue\">Operational documents at system level:
<br/>\n<br/>\n<br/>\n<br/>\n<div class='table-
wrap'>\n\n\n<th
class='confluenceTh'>Config Item\nDescription\n<th
class='confluenceTd'>BI-IT-Container-PAAS
\nTheplatform
that runs ODS based applications
\n\n\tPlan ID: ...
\n\tRelease date:\n\tReport ID: ....\n\tRelease date:
\n\n\n\n\n\n
backup :</b>\n<div class='table-wrap'>\n
<tbody>\n\nConfig Item\n<th
class='confluenceTh'>Description\nItems Doc Id (Plan /
Report)  n  n  BI-IT-Container-PAAS  n  BI-IT-Container-PAAS 
class='confluenceTd'>The platform that runs ODS based applications
class='confluenceTd'>\n\tPlan ID: ...\n\tRelease date:\n\tReport
ID: ....\n\tRelease date:\n\n\n
\n</div>\n\n <font color=\"blue\"><b>System level restore/recovery:</b>
</font>\n<div class='table-wrap'>\n
\n\nConfig Item\n<th
class='confluenceTh'>Description\nItems Doc Id (Plan /
Report)  n  n  BI-IT-Container-PAAS  n  BI-IT-Container-PAAS 
class='confluenceTd'>The platform that runs ODS based applications
class='confluenceTd'>\n\tPlan ID: ...\n\tRelease date:\n\tReport
\n</div>\n\n <b>System Operational instructions</b><b>:</b>
\n<div class='table-wrap'>\n\n\n<th
class='confluenceTh'>Config Item\nDescription\n<th
class='confluenceTh'>Items Doc Id (Plan / Report)\n\n<td
class='confluenceTd'>BI-IT-Container-PAAS\nThe platform
that runs ODS based applications\n\n\tPlan ID: ...
\n\tRelease date:\n\tReport ID: ....\n\tRelease date:\n\t
\n</ld>\n\n\n</div>\n\n\n<b>Service Agreement
:</b>\n<div class='table-wrap'>\n
<tbody>\n\nConfig Item\n<th
class='confluenceTh'>Description\nItems Doc
Id\n\n \n<td
class='confluenceTd'> \n\n\tDocument ID:
...\n\tRelease date:\n\n\n
 \n</div> \n\n<b>AAP/IAP/TAP</b> <b>:</b>  \n<div class='table-
wrap'>\n\n\n<th
class='confluenceTh'>Config Item\nDescription\n<th
class='confluenceTh'>Items Doc Id\n\n 
\n \n
<ul>\n\t<li>Document ID: ...\n\t<li>Release date:
\n\n\n\n\n</div>\n",
       "key": "ORDGP-90",
```

```
"status": "Done"
    },
    "ORDGP-89": {
      "number": "10",
      "predecessors": [
      "heading": "Document History",
      "documents": [
        "IVP",
        "IVR"
      ],
      "versions": [
        "1.0"
      ],
      "section": "sec10",
      "content": "<font color=\"blue\">The following table provides extra history of
the document.</font>\n\n<div class='table-wrap'>\n
\n\nVersion\n<th
class='confluenceTh'>Date\nAuthor\n<th
class='confluenceTh'>Reference\n\n 
\nSee summary of electronic document or signature page
of printout.\n \n<td
class='confluenceTd'>\ \n\n\n</div>\n",
      "key": "ORDGP-89",
      "status": "Done"
    },
    "ORDGP-88": {
      "number": "7",
      "predecessors": [
      "heading": "Document History",
      "documents": [
        "TIR"
      ],
      "versions": [
        "1.0"
      ],
      "section": "sec7",
      "content": "<font color=\"blue\">The following table provides extra history of
the document.</font>\n\n<div class='table-wrap'>\n
\n\nVersion\n<th
class='confluenceTh'>Date\nAuthor\n<th
class='confluenceTh'>Reference\n\n 
\nSee summary of electronic document or signature page
of printout.\n \n<td
class='confluenceTd'>\ \n\n\n</div>\n",
      "key": "ORDGP-88",
      "status": "Done"
    },
```

```
"ORDGP-87": {
       "number": "6",
       "predecessors": [
      "heading": "Reference Documents",
       "documents": [
        "TIR"
       "versions": [
        "1.0"
      ],
      "section": "sec6",
      "content": " ",
      "key": "ORDGP-87",
       "status": "Done"
     },
     "ORDGP-86": {
       "number": "5.2",
      "predecessors": [
      "heading": "Abbreviations",
      "documents": [
        "TIR"
       "versions": [
        "1.0"
      ],
      "section": "sec5s2",
       "content": "<div class='table-wrap'>\n
\n\nAbbreviation\n<th
class='confluenceTh'>Meaning\n\n<font
color=\"blue\">ODS</font>\n<font
<font color=\"blue\">EDP</font>\n<font
color=\"blue\">Enterprise Development Platform</font>\n\n
\n</div>\n",
       "key": "ORDGP-86",
      "status": "Done"
     },
     "ORDGP-85": {
       "number": "5.1",
       "predecessors": [
      "heading": "Definitions",
       "documents": [
        "TIR"
       1,
       "versions": [
```

```
"1.0"
       ],
       "section": "sec5s1",
       "content": "<div class='table-wrap'>\n
\n\nTerm\n<th
class='confluenceTh'>Definition\n\n<font
color=\"blue\">Jenkins</font>\n<font color=\"blue\">Build
engine supplied by cloudbees - part of OpenDevStack (BI-IT-DEVSTACK) </font>
\n\n\n<font color=\"blue\">xUnit</font>
\n<font color=\"blue\">Unit testing framework,
aggregaults across multiple languages</font>\n\n
\n</div>\n".
       "key": "ORDGP-85",
       "status": "Done"
     },
     "ORDGP-84": {
       "number": "3.4",
       "predecessors": [
       "heading": "Communication and Organization Tasks",
       "documents": [
         "TIP"
       ],
       "versions": [
         "1.0"
       ],
       "section": "sec3s4",
       "content": "<font color=\"blue\">N/A</font>",
       "key": "ORDGP-84",
       "status": "Done"
     },
     "ORDGP-83": {
       "number": "12",
       "predecessors": [
       "heading": "Document History",
       "documents": [
         "TIP"
       "versions": [
         "1.0"
       "section": "sec12",
       "content": "<font color=\"blue\">The following table provides extra history of
```

"content": "<font color=\"blue\">The following table provides extra history of the document.</font>\n\n<div class='table-wrap'>\n \n\nVersion\nAuthor\nReference\n\n\nReference\n\n&nbsp; \nSee summary of electronic document or signature page

```
of printout.\n \n<td
class='confluenceTd'>\ \n\n\n</div>\n",
       "key": "ORDGP-83",
      "status": "Done"
     "ORDGP-82": {
      "number": "11",
       "predecessors": [
      "heading": "Reference Documents",
       "documents": [
        "TIP"
      ],
       "versions": [
        "1.0"
      ],
      "section": "sec11",
       "content": " ",
      "key": "ORDGP-82",
       "status": "Done"
     },
     "ORDGP-81": {
       "number": "10.2",
       "predecessors": [
      "heading": "Abbreviations",
       "documents": [
        "TIP"
      ],
       "versions": [
        "1.0"
      ],
       "section": "sec10s2",
       "content": "<div class='table-wrap'>\n
\n\nAbbreviation\n<th
class='confluenceTh'>Meaning\n\n<font
color=\"blue\">ODS</font>\n<font
color=\"blue\">OpenDevStack</font>\n\n
<font color=\"blue\">EDP</font>\n<font
color=\"blue\">Enterprise Development Platform</font>\n\n
\n</div>\n",
       "kev": "ORDGP-81".
       "status": "Done"
     },
     "ORDGP-80": {
       "number": "10.1",
       "predecessors": [
      ],
```

```
"heading": "Definitions",
                          "documents": [
                                "TIP"
                         ],
                         "versions": [
                                "1.0"
                         "section": "sec10s1",
                         "content": "<div class='table-wrap'>\n
\n\nTerm\n<th
class='confluenceTh'>Definition\n\n<font in the confluence of the
color=\"blue\">Jenkins</font>\n<font color=\"blue\">Build
engine supplied by cloudbees - part of OpenDevStack (BI-IT-DEVSTACK) </font>
\n\n<font color=\"blue\">xUnit</font>
\n<font color=\"blue\">Unit testing framework,
aggregaults across multiple languages</font>\n\n
\n</div>\n",
                         "key": "ORDGP-80",
                         "status": "Done"
                   "ORDGP-79": {
                         "number": "3.2",
                          "predecessors": [
                         "heading": "System Description"
                         "documents": [
                                "SSDS"
                         ],
                         "versions": [
                                "1.0"
                         "section": "sec3s2",
                         "content": " ",
                         "key": "ORDGP-79",
                         "status": "Done"
                   "ORDGP-78": {
                          "number": "1",
                         "predecessors": [
                        ],
                          "heading": "Introduction",
                          "documents": [
                                "SSDS"
                          "versions": [
                                "1.0"
                          "section": "sec1",
```

"content": " ",

```
"key": "ORDGP-78",
  "status": "Done"
},
"ORDGP-77": {
  "number": "2.1",
  "predecessors": [
  ],
  "heading": "System Design Overview",
  "documents": [
    "SSDS"
  ],
  "versions": [
    "1.0"
  ],
  "section": "sec2s1",
  "content": " ",
  "key": "ORDGP-77",
  "status": "Done"
"ORDGP-76": {
  "number": "2.2",
  "predecessors": [
  "heading": "Software Design Overview",
  "documents": [
     "SSDS"
  ],
  "versions": [
     "1.0"
  "section": "sec2s2",
  "content": " ",
  "key": "ORDGP-76",
  "status": "Done"
"ORDGP-75": {
  "number": "2.3",
  "predecessors": [
  ],
  "heading": "Source Code Review Overview",
  "documents": [
     "SSDS"
  ],
  "versions": [
     "1.0"
  "section": "sec2s3",
  "content": " ",
```

```
"key": "ORDGP-75",
       "status": "Done"
     },
     "ORDGP-74": {
       "number": "3.1",
       "predecessors": [
       ],
       "heading": "System Design Profile",
       "documents": [
         "SSDS"
       ],
       "versions": [
         "1.0"
       ],
       "section": "sec3s1",
       "content": " ",
       "key": "ORDGP-74",
       "status": "Done"
     "ORDGP-73": {
       "number": "3.2.2",
       "predecessors": [
       "heading": "Interfaces between Modules",
       "documents": [
         "SSDS"
       ],
       "versions": [
         "1.0"
       "section": "sec3s2s2",
       "content": "<div class='table-wrap'>\n
<tbody>\n\nInterface\n<th
class='confluenceTh'>Between Module\nAnd
Module  \n  Purpose  \n  \n < td
class='confluenceTd'><font color=\"blue\">Interface A</font>\n<td
class='confluenceTd'><font color=\"blue\">frontend</font>\n<td
class='confluenceTd'>\ \n\n\n</div>\n",
       "key": "ORDGP-73",
       "status": "Done"
      "ORDGP-72": {
       "number": "3.2.3",
       "predecessors": [
       "heading": "Interfaces to External Systems",
       "documents": [
```

```
"SSDS"
       ],
        "versions": [
          "1.0"
       ],
       "section": "sec3s2s3",
        "content": "<div class='table-wrap'>\n
\n\nInterface\n<th
class='confluenceTh'>Between Module\nAnd External
System  \n  Purpose  \n  \n < td
class='confluenceTd'>< font \ color=\\"blue">BI-IF-</font>\\\ td \ class='confluenceTd'>
<font color=\"blue\">backend</font>\n&nbsp;\n<td
class='confluenceTd'>\ \n\n\n</div>\n",
        "key": "ORDGP-72",
        "status": "Done"
     "ORDGP-71": {
       "number": "3.2.4",
        "predecessors": [
       "heading": "System Diagram",
        "documents": [
          "SSDS"
        "versions": [
          "1.0"
       "section": "sec3s2s4",
        "content": "<font color=\"blue\">&lt; A system diagram to graphically
represent the module and interface information should be included here. > - Only if
different from the diagram in the 2.1 section</font>",
        "key": "ORDGP-71",
       "status": "Done"
      "ORDGP-70": {
        "number": "4",
        "predecessors": [
        "heading": "Architecture of the System",
        "documents": [
          "SSDS"
        "versions": [
          "1.0"
        "section": "sec4",
        "content": " ",
        "key": "ORDGP-70",
        "status": "Done"
```

```
},
     "ORDGP-69": {
       "number": "5.3",
       "predecessors": [
       "heading": "Utilisation of Existing Infrastructure Systems",
       "documents": [
         "SSDS"
       ],
       "versions": [
         "1.0"
       ],
       "section": "sec5s3",
       "content": "<div class='table-wrap'>\n
\n\nName of Infrastructure System\n<th
class='confluenceTh'>Documentation Reference\n\n<td
class='confluenceTd'><em><font color=\"blue\">BI-IT-APPL-LOAD-BALANCING</font>
</em>\n\nclass='confluenceTd'><em><font color=\"blue\">ITEMS
class='confluenceTd'><em><font color=\"blue\">BI-IT-AD</font></em>
\n\n\n<em><font color=\"blue\">ITEMS doc ID
20095172</font></em>\n\n<em><font
color=\"blue\">BI-RT-WINDOWSSERVER</font></em>\n\n
class='confluenceTd'><em><font color=\"blue\">Infrastructure Release Design and
Management ITEMS doc ID 20184916</font></em></td>\n</tr>\n</tr>\n</tr>\n</tr>
\n</div>\n",
       "key": "ORDGP-69",
       "status": "Done"
     },
     "ORDGP-68": {
       "number": "5.4",
       "predecessors": [
       "heading": "Utilisation of Existing Infrastructure Services",
       "documents": [
         "SSDS"
       "versions": [
         "1.0"
       ],
       "section": "sec5s4",
       "content": "<div class='table-wrap'>\n
\n\nName of Infrastructure Service\n<th
class='confluenceTh'>Documentation Reference\n\n<td
class='confluenceTd'><font color=\"blue\"><em>Monitoring</em></font>\n<td
class='confluenceTd'> <font color=\"blue\"><em>Standard Monitoring (Baseline
Monitoring) on component level is sufficient</em></font><br/>\n<font color=\"blue\">
<em>System specific Monitoring Plan required</font><br/>\n<font color=\"blue\">
<em>ITEMS doc ID ?..</em></font>\n\n<font
```

color=\"blue\"><em>Backup</em></font>\n<font color=\"blue\"><em>Standard Backup on component level is sufficient</em></font><br/>
<br/>\n<font color=\"blue\"><em>System specific Backup Plan required</em></font><br/>
<br/>
<br/>
<br/>
\n<font color=\"blue\"><em>ITEMS doc ID ?..</em></font><br/>
\n<font color=\"blue\"><em>\*\*</em></font>\nclass='confluenceTd'><<font color=\"blue\"><em>Recovery</em></font>\nclass='confluenceTd'><font color=\"blue\"><em>Standard Restore & amp; Recovery on component level is sufficient</em></font><br/>
\n<font color=\"blue\"><em>System specific Restore & amp; Recovery Plan required</em></font><br/>
\n<font color=\"blue\"><em>System specific Restore & amp; Recovery Plan required</em></font><br/>
\n<font color=\"blue\"><em>ITEMS doc ID ?..</em></font>\n

```
"key": "ORDGP-68",
  "status": "Done"
},
"ORDGP-67": {
  "number": "6.1",
  "predecessors": [
  "heading": "Development Environment",
  "documents": [
     "SSDS"
  ],
  "versions": [
     "1.0"
  "section": "sec6s1",
  "content": "<font color=\"blue\">N/A</font>",
  "key": "ORDGP-67",
  "status": "Done"
},
"ORDGP-66": {
  "number": "6.2",
  "predecessors": [
  ],
  "heading": "QA/Test Environment",
  "documents": [
     "SSDS"
  ],
  "versions": [
     "1.0"
  ],
  "section": "sec6s2",
  "content": "<font color=\"blue\">N/A</font>",
  "key": "ORDGP-66",
  "status": "Done"
"ORDGP-65": {
  "number": "6.3",
  "predecessors": [
```

```
],
"heading": "Training Environment",
"documents": [
    "SSDS"
],
"versions": [
    "1.0"
],
"section": "sec6s3",
```

"content": "Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla in tristique ante, sit amet accumsan purus. Vivamus at consequat dolor, in accumsan nibh. Proin imperdiet neque id dui ullamcorper feugiat. Praesent tristique vestibulum porttitor. Quisque ornare conque odio quis viverra. Duis non porttitor arcu. Curabitur pellentesque magna ultricies, ornare ipsum vitae, dignissim ligula. Mauris sit amet interdum ante, quis maximus nibh. Mauris id hendrerit risus, non viverra augue. Nulla nec condimentum ex. Nullam sed est ut nisl suscipit eleifend et vel metus. Cras libero justo, malesuada a auctor ut, accumsan et lacus.<br/>\n Suspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. Morbi pretium massa quis nunc pharetra, id faucibus purus condimentum. Sed augue lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique. In dictum purus sit amet justo dignissim tristique. Sed ligula ante, tempus non turpis eget, iaculis consequat dui. Aenean orci tortor, interdum at magna vitae, euismod lacinia odio. Nullam ac ante orci. Quisque in mattis purus. Maecenas volutpat bibendum felis, in porttitor dui imperdiet et. Mauris ac feugiat lacus. Interdum et malesuada fames ac ante ipsum primis in faucibus. Maecenas feugiat, turpis nec finibus pellentesque, lectus arcu pellentesque ex, in tempus metus velit sit amet purus. Phasellus ut volutpat orci.\n\nAliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis. \n\nMorbi aliquam viverra feugiat. Cras consequat pellentesque nisl quis gravida. Nullam tempus mattis justo, eget ultrices risus pretium non. Morbi maximus interdum condimentum. Sed non scelerisque felis, nec molestie massa. Nullam dui sem, consectetur eget consequat id, tempus lobortis tellus. Curabitur mollis malesuada est nec laoreet. Cras in porta mauris.\n\n<span class=\"image-wrap\" style=\"\"><img src=\"https://jiradev.biscrum.com/secure/attachment/552317/552317 image-2022-02-22-11-12-54-300.png\" height="501" width=\"842\" style=\"border: 0px solid black\" /></span>",

```
"key": "ORDGP-65",
  "status": "Done"
},
"ORDGP-64": {
  "number": "7",
  "predecessors": [

  ],
  "heading": "Environmental Conditions",
  "documents": [
      "SSDS"
  ],
  "versions": [
```

```
"1.0"
         ],
         "section": "sec7",
         "content": "<font color=\"blue\">&lt; Describe the environmental conditions
required for the system. A reference to an existing qualified computer room may be given.
The following conditions should be considered: e.g. temperature, humidity, power
conditions, physical security, etc. ></font>",
         "key": "ORDGP-64",
         "status": "Done"
       },
       "ORDGP-63": {
         "number": "8",
         "predecessors": [
         ],
         "heading": "Software Design Principles",
         "documents": [
           "SSDS"
         ],
         "versions": [
           "1.0"
         ],
         "section": "sec8",
         "content": "<p><font color="blue"><b>&lt;</b> The principles that may be
included are:</font>\n\n\t<font color=\"blue\">General layout rules for
windows and reports</font>\n\t<font color=\"blue\">Audit trail
implementation</font>\n\t<font color=\"blue\">Access control measures</font>
/li><font color=\"blue\">User administration</font>/li>\n\t<font
color=\"blue\">Function key assignments</font>\n\t<font
color=\"blue\">Minimum requirements (resources) needed for the application to run
properly, both hardware (e.g. storage space) as well as software (such as operating system,
drivers). \gt; </font>  \n, "
         "key": "ORDGP-63",
         "status": "Done"
       "ORDGP-62": {
         "number": "9",
         "predecessors": [
         "heading": "System Data",
         "documents": [
           "SSDS"
         "versions": [
           "1.0"
         "section": "sec9",
         "content": " ",
         "key": "ORDGP-62",
```

"status": "Done"

```
},
      "ORDGP-61": {
       "number": "12",
        "predecessors": [
       "heading": "Coding Review Results",
       "documents": [
          "SSDS"
       ],
        "versions": [
         "1.0"
       ],
       "section": "sec12",
        "content": "<font color=\"blue\">&lt; Identify the outcome of coding review.
Identify standards that were not met and their corrective actions. The corrective actions
should include evidence of agreement by developer and reviewer. ></font>",
        "key": "ORDGP-61",
       "status": "Done"
     },
      "ORDGP-60": {
       "number": "13.1",
        "predecessors": [
       "heading": "Definitions",
        "documents": [
          "SSDS"
       ],
        "versions": [
          "1.0"
       "section": "sec13s1",
        "content": "<div class='table-wrap'>\n
\n\n Term\n< th
class='confluenceTh'>Definition\n\n\n<font
color=\"blue\">Jenkins</font>\n<font color=\"blue\">Build
engine supplied by cloudbees - part of OpenDevStack (BI-IT-DEVSTACK)</font>
\n\n<font color=\"blue\">xUnit</font>
\n<font color=\"blue\">Unit testing framework,
aggregaults across multiple languages</font>\n\n
\n</div>\n",
        "key": "ORDGP-60",
        "status": "Done"
      "ORDGP-59": {
        "number": "13.2",
        "predecessors": [
        1,
        "heading": "Abbreviations",
```

```
"documents": [
        "SSDS"
      ],
      "versions": [
        "1.0"
      ],
      "section": "sec13s2",
      "content": "<div class='table-wrap'>\n
\n\nAbbreviation\n<th
class='confluenceTh'>Meaning\n\n<font
color=\"blue\">ODS</font>\n<font
color=\"blue">OpenDevStack</font>\n\n
<font color=\"blue\">EDP</font>\n<font
color=\"blue\">Enterprise Development Platform</font>\n\n
\n</div>\n",
      "key": "ORDGP-59",
      "status": "Done"
     "ORDGP-58": {
      "number": "15",
      "predecessors": [
      ],
      "heading": "Document History",
      "documents": [
        "SSDS"
      ],
      "versions": [
        "1.0"
      "section": "sec15".
      "content": "<font color=\"blue\">The following table provides extra history of
the document.</font>\n\n<div class='table-wrap'>\n
\n\nVersion\n<th
class='confluenceTh'>Date\nAuthor\n<th
class='confluenceTh'>Reference\n\n 
\nSee summary of electronic document or signature page
of printout.\n \n<td
class='confluenceTd'>\ \n\n\n</div>\n",
      "key": "ORDGP-58",
      "status": "Done"
    },
     "ORDGP-57": {
      "number": "14".
      "predecessors": [
      "heading": "Reference Documents",
      "documents": [
        "SSDS"
      ],
```

```
"versions": [
         "1.0"
       ],
       "section": "sec14",
       "content": "\n\t<em><font color=\"blue\">Reference document
1</font></em>\n\t<em><font color=\"blue\">Reference document 2</font>
</em>\n\n",
       "key": "ORDGP-57",
       "status": "Done"
     },
     "ORDGP-56": {
       "number": "7",
       "predecessors": [
       ],
       "heading": "Document History",
       "documents": [
         "DTR"
       ],
       "versions": [
         "1.0"
       ],
       "section": "sec7",
       "content": "<font color=\"blue\">The following table provides extra history of
the document.</font>\n\n<div class='table-wrap'>\n
\n\nVersion\n<th
class='confluenceTh'>Date\nAuthor\n<th
class='confluenceTh'>Reference\n\n 
\nSee summary of electronic document or signature page
of printout.\n \n<td
class='confluenceTd'>\ \n\n\n</div>\n",
       "key": "ORDGP-56",
       "status": "Done"
     },
     "ORDGP-55": {
       "number": "6",
       "predecessors": [
       "heading": "Reference Document",
       "documents": [
         "DTP"
       ],
       "versions": [
         "1.0"
       ],
       "section": "sec6",
       "content": "<font color=\"blue\">N/A</font>",
       "key": "ORDGP-55",
       "status": "Done"
```

```
"ORDGP-54": {
       "number": "7",
       "predecessors": [
       "heading": "Document History",
       "documents": [
         "DTP"
       "versions": [
         "1.0"
       ],
       "section": "sec7",
       "content": "<font color=\"blue\">The following table provides extra history of
the document.</font>\n\n<div class='table-wrap'>\n
\n\nVersion\n<th
class='confluenceTh'>Date\nAuthor\n<th
class='confluenceTh'>Reference\n\n 
\nSee summary of electronic document or signature page
of printout.\n \n<td
class='confluenceTd'>\ \n\n\n</div>\n",
       "key": "ORDGP-54",
       "status": "Done"
     },
     "ORDGP-53": {
       "number": "6",
       "predecessors": [
       "heading": "Reference Documents",
       "documents": [
         "DTR"
       ],
       "versions": [
         "1.0"
       ],
       "section": "sec6",
       "content": "<font color=\"blue\">N/A</font>",
       "key": "ORDGP-53",
       "status": "Done"
     "ORDGP-52": {
       "number": "5.2",
       "predecessors": [
       "heading": "Abbreviations",
       "documents": [
         "DTP",
         "DTR"
       1.
```

```
"versions": [
        "1.0"
      ],
      "section": "sec5s2",
      "content": "<div class='table-wrap'>\n
\n\nAbbreviation\n<th
class='confluenceTh'>Meaning\n\n<font
color=\"blue\">ODS</font>\n<font
color=\"blue\">OpenDevStack</font>\n\n
<font color=\"blue\">EDP</font>\n<font
color=\"blue\">Enterprise Development Platform</font>\n\n
\n</div>\n",
      "key": "ORDGP-52",
      "status": "Done"
    },
     "ORDGP-51": {
      "number": "5.1",
      "predecessors": [
      "heading": "Definitions",
      "documents": [
        "DTP",
        "DTR"
      "versions": [
        "1.0"
      "section": "sec5s1",
      "content": "<div class='table-wrap'>\n
\n\nTerm\n<th
class='confluenceTh'>Definition\n\n\n<font
color=\"blue\">Jenkins</font>\n<font color=\"blue\">Build
engine supplied by cloudbees - part of OpenDevStack (BI-IT-DEVSTACK) </font>
\n\n<font color=\"blue\">xUnit</font>
\n<font color=\"blue\">Unit testing framework,
aggregaults across multiple languages</font>\n\n
\n</div>\n",
      "key": "ORDGP-51",
      "status": "Done"
    },
     "ORDGP-50": {
      "number": "8",
      "predecessors": [
      "heading": "Document History",
      "documents": [
        "RA"
      1,
      "versions": [
```

```
"1.0"
      ],
      "section": "sec8",
      "content": "<font color=\"blue\">The following table provides extra history of
the document.\n<div class='table-wrap'>\n
\n\nVersion\n<th
class='confluenceTh'>Date\nAuthor\n<th
class='confluenceTh'>Reference\n\n 
\nSee summary of electronic document or signature page
of printout.\n \n<td
class='confluenceTd'>\ \n\n\n</div>\n",
      "key": "ORDGP-50",
      "status": "Done"
    "ORDGP-49": {
      "number": "7",
      "predecessors": [
      1,
      "heading": "Reference Documents",
      "documents": [
        "RA"
      ],
      "versions": [
        "1.0"
      "section": "sec7",
      "content": "<font color=\"blue\">No further reference documents</font>
",
      "key": "ORDGP-49",
      "status": "Done"
    "ORDGP-48": {
      "number": "6.2",
      "predecessors": [
      "heading": "Abbreviations",
      "documents": [
        "RA"
      "versions": [
        "1.0"
      "section": "sec6s2",
      "content": "<div class='table-wrap'>\n
\n\nAbbreviation\n<th
class='confluenceTh'>Meaning\n\n<font
color=\"blue\">ODS</font>\n<font
color=\"blue\">OpenDevStack</font>\n\n
<font color=\"blue\">EDP</font>\n<font
```

```
color=\"blue\">Enterprise Development Platform</font>\n\n
\n</div>\n",
       "key": "ORDGP-48",
       "status": "Done"
     "ORDGP-47": {
       "number": "6.1",
       "predecessors": [
       ],
       "heading": "Definitions",
       "documents": [
         "RA"
       ],
       "versions": [
         "1.0"
       "section": "sec6s1",
       "content": "<div class='table-wrap'>\n
\n\nTerm\n<th
class='confluenceTh'>Definition\n\n\nclass='confluenceTd'><font
color=\"blue\">Jenkins</font>\n<font color=\"blue\">Build
engine supplied by cloudbees - part of OpenDevStack (BI-IT-DEVSTACK) </font>
\n\n<font color=\"blue\">xUnit</font>
\n<font color=\"blue\">Unit testing framework,
aggregaults across multiple languages</font>\n\n
\n</div>\n",
       "key": "ORDGP-47",
       "status": "Done"
     },
     "ORDGP-46": {
       "number": "3",
       "predecessors": [
       "heading": "Assumptions",
       "documents": [
         "RA"
       ],
       "versions": [
         "1.0"
       ],
       "section": "sec3",
       "content": "<em><font color=\"blue\">None</font></em>",
       "key": "ORDGP-46",
       "status": "Done"
     "ORDGP-45": {
       "number": "3.2",
       "predecessors": [
```

```
],
         "heading": "Operational Requirements",
         "documents": [
           "CSD"
         ],
         "versions": [
           "1.0"
         ],
         "section": "sec3s2",
         "content": " ",
         "key": "ORDGP-45",
         "status": "Done"
       },
       "ORDGP-44": {
         "number": "6",
         "predecessors": [
         "heading": "Reference Documents",
         "documents": [
           "CSD"
         ],
         "versions": [
           "1.0"
         ],
         "section": "sec6",
         "content": "\n\t<em><font color=\"blue\">Reference document
1</font></em>\n\t<em><font color=\"blue\">Reference document 2</font>
</em>\n\n",
         "key": "ORDGP-44",
         "status": "Done"
       },
       "ORDGP-43": {
         "number": "1",
         "predecessors": [
         "heading": "Introduction and Purpose",
         "documents": [
           "CSD"
         "versions": [
           "1.0"
         "section": "sec1",
         "content": " ",
         "key": "ORDGP-43",
         "status": "Done"
       "ORDGP-42": {
         "number": "2",
```

```
"predecessors": [
         "heading": "Overview",
         "documents": [
            "CSD"
         "versions": [
            "1.0"
         ],
         "section": "sec2",
         "content": "Curabitur pellentesque magna ultricies, ornare ipsum vitae,
dignissim ligula. Mauris sit amet interdum ante, quis maximus nibh. Mauris id hendrerit
risus, non viverra augue. Nulla nec condimentum ex. Nullam sed est ut nisl suscipit eleifend
et vel metus. Cras libero justo, malesuada a auctor ut, accumsan et lacus.
\n\n<b><span class=\"image-wrap\" style=\"\"><img src=\"https://jira-
dev.biscrum.com/secure/attachment/552315/552315 image-2022-02-22-11-11-22-023.png\"
height=\"142\" width=\"484\" style=\"border: 0px solid black\" /></span></b>
\n\p>",
         "key": "ORDGP-42",
         "status": "Done"
       },
       "ORDGP-41": {
         "number": "3.1",
         "predecessors": [
         "heading": "Related Business / GxP Process",
         "documents": [
            "CSD"
         ],
         "versions": [
            "1.0"
         "section": "sec3s1",
         "content": " ",
         "key": "ORDGP-41",
         "status": "Done"
       "ORDGP-40": {
         "number": "5.1",
         "predecessors": [
         "heading": "Definitions",
         "documents": [
            "CSD"
         "versions": [
            "1.0"
```

],

```
"section": "sec5s1",
      "content": "<div class='table-wrap'>\n
\n\nTerm\n<th
class='confluenceTh'>Definition\n\n<font
color=\"blue\">Jenkins</font>\n<font color=\"blue\">Build
engine supplied by cloudbees - part of OpenDevStack (BI-IT-DEVSTACK) </font>
\n\n\n<font color=\"blue\">xUnit</font>
\n<font color=\"blue\">Unit testing framework,
aggregaults across multiple languages</font>\n\n
\n</div>\n",
      "key": "ORDGP-40",
      "status": "Done"
     },
     "ORDGP-39": {
      "number": "5.2",
      "predecessors": [
      "heading": "Abbreviations",
      "documents": [
        "CSD"
      ],
      "versions": [
        "1.0"
      "section": "sec5s2",
      "content": "<div class='table-wrap'>\n
\n\nAbbreviation\n<th
class = 'confluenceTh' > Meaning  \\ n  \\ n  < font
color=\"blue\">ODS</font>\n<font
color=\"blue">OpenDevStack</font>\n\n
<font color=\"blue\">EDP</font>\n<font
color=\"blue\">Enterprise Development Platform</font>\n\n
\n</div>\n",
      "key": "ORDGP-39"
      "status": "Done"
     "ORDGP-38": {
      "number": "7",
      "predecessors": [
      ],
      "heading": "Document History",
      "documents": [
        "CSD"
      ],
      "versions": [
        "1.0"
      "section": "sec7",
      "content": "<font color=\"blue\">The following table provides extra history of
```

```
the document.</font>\n\n<div class='table-wrap'>\n
\n\nVersion\n<th
class = 'confluenceTh' > Date  \\ n  Author  Author < < th < \\ n < th \ class = 'confluenceTh' > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < > Author < < th < \\ n < th < < th < \\ n < < th < > Author < < th < \\ n <
class='confluenceTh'>Reference\n\n 
\nSee summary of electronic document or signature page
of printout.\n \n<td
class='confluenceTd'>\ \n\n\n</div>\n",
                  "key": "ORDGP-38",
                 "status": "Done"
             }
         },
         "continuedKeys": [
        "releaseState": "Change Ready for Implementation",
        "techSpecs": {
             "ORDGP-134": {
                 "components": [
                 ],
                 "requirements": [
                      "ORDGP-125"
                 ],
                 "predecessors": [
                 "description": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis
ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim
enim.",
                  "systemDesignSpec": "Suspendisse potenti. Cras ante quam, hendrerit vel
massa quis, ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae,
dignissim enim. ",
                 "resolution": "Implemented",
                 "mitigations": [
                 ],
                 "labels": [
                  "bugs": [
                  "risks": [
                  "tests": [
                      "ORDGP-144",
                      "ORDGP-145",
                      "ORDGP-143"
                 1,
                  "versions": [
```

```
"1.0"
         ],
         "name": "TST 1",
         "key": "ORDGP-134",
         "softwareDesignSpec": "Suspendisse potenti. Cras ante quam, hendrerit vel
massa quis, ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae,
dignissim enim. ",
         "status": "Done"
       },
       "ORDGP-135": {
         "components": [
         ],
         "requirements": [
            "ORDGP-125"
         ],
         "predecessors": [
         "description": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis
ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim
enim.",
         "systemDesignSpec": "Suspendisse potenti. Cras ante quam, hendrerit vel
massa quis, ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae,
dignissim enim. ",
         "resolution": "Implemented",
         "mitigations": [
         ],
         "labels": [
         "bugs": [
         "risks": [
         ],
         "tests": [
         "versions": [
            "1.0"
         ],
         "name": "TST 2",
         "key": "ORDGP-135",
         "softwareDesignSpec": "Suspendisse potenti. Cras ante quam, hendrerit vel
massa quis, ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae,
dignissim enim. ",
         "status": "Done"
       },
```

```
"ORDGP-146": {
    "components": [
    ],
    "requirements": [
        "ORDGP-128"
    ],
    "predecessors": [
    ],
```

"description": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. Morbi pretium massa quis nunc pharetra, id faucibus purus condimentum. Sed augue lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique. In dictum purus sit amet justo dignissim tristique. Sed liqula ante, tempus non turpis eget, iaculis consequat dui. Aenean orci tortor, interdum at magna vitae, euismod lacinia odio. Nullam ac ante orci. Quisque in mattis purus. Maecenas volutpat bibendum felis, in porttitor dui imperdiet et. Mauris ac feugiat lacus. Interdum et malesuada fames ac ante ipsum primis in faucibus. Maecenas feugiat, turpis nec finibus pellentesque, lectus arcu pellentesque ex, in tempus metus velit sit amet purus. Phasellus ut volutpat orci.\n\nAliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis. \n\nMorbi aliquam viverra feugiat. Cras consequat pellentesque nisl quis gravida. Nullam tempus mattis justo, eget ultrices risus pretium non. Morbi maximus interdum condimentum. Sed non scelerisque felis, nec molestie massa. Nullam dui sem, consectetur eget consequat id, tempus lobortis tellus. Curabitur mollis malesuada est nec laoreet. Cras in porta mauris.",

"systemDesignSpec": "<span class=\"image-wrap\" style=\"\"><img src=\"https://jira-dev.biscrum.com/secure/attachment/552314/552314\_image-2022-02-22-11-10-21-018.png\" height=\"123\" width=\"419\" style=\"border: 0px solid black\" /> </span>",

```
"1.0"
         ],
         "name": "TST 3",
         "key": "ORDGP-146",
         "softwareDesignSpec": "Aliquam ipsum turpis, bibendum nec velit et, ultricies
vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et
malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut
consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec
quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere
tellus. Mauris posuere tellus sit amet tincidunt convallis.",
         "status": "Done"
       }
     },
     "trackingDocs": {
       "ORDGP-37": {
          "key": "ORDGP-37",
         "name": "Validation Summary Report",
         "description": "C-VSR",
         "status": "To Do",
         "labels": [
            "Doc:VSR"
         ]
       },
       "ORDGP-36": {
         "key": "ORDGP-36",
         "name": "Restore/Recovery Plan"
         "description": "C-REP",
         "status": "To Do",
         "labels": [
            "Doc:REP"
         1
       },
       "ORDGP-35": {
         "key": "ORDGP-35",
         "name": "Backup Plan",
         "description": "C-BUP",
         "status": "To Do",
         "labels": [
            "Doc:BUP"
       "ORDGP-34": {
          "key": "ORDGP-34",
          "name": "System Monitoring Plan",
          "description": "C-SMP",
          "status": "To Do",
         "labels": [
            "Doc:SMP"
         1
```

"ORDGP-33": {

```
"key": "ORDGP-33",
  "name": "Part 11 Compliance Assessment",
  "description": "C-P11",
  "status": "To Do",
  "labels": [
     "Doc:P11"
  ]
},
"ORDGP-32": {
  "key": "ORDGP-32",
  "name": "Infrastructure Administration Plan",
  "description": "C-IAP",
  "status": "To Do",
  "labels": [
     "Doc:IAP"
  ]
},
"ORDGP-31": {
  "key": "ORDGP-31",
  "name": "Technical Administration Plan",
  "description": "C-TAP",
  "status": "To Do",
  "labels": [
     "Doc:TAP"
  ]
"ORDGP-30": {
  "key": "ORDGP-30",
  "name": "Application Administration Plan",
  "description": "C-AAP",
  "status": "To Do",
  "labels": [
     "Doc:AAP"
  ]
},
"ORDGP-29": {
  "key": "ORDGP-29",
  "name": "Traceability Matrix",
  "description": "C-TRC",
  "status": "To Do",
  "labels": [
     "Doc:TRC"
  ]
"ORDGP-28": {
  "key": "ORDGP-28",
  "name": "Configuration and Installation Testing Report for P",
  "description": "C-IVR for P",
  "status": "To Do",
  "labels": [
     "Doc:IVR P"
```

```
]
},
"ORDGP-27": {
  "key": "ORDGP-27",
  "name": "Technical Installation Report for P",
  "description": "C-TIR for P",
  "status": "To Do",
  "labels": [
     "Doc:TIR P"
  ]
},
"ORDGP-26": {
  "key": "ORDGP-26",
  "name": "Configuration and Installation Testing Plan for P",
  "description": "C-IVP for P",
  "status": "To Do",
  "labels": [
     "Doc:IVP P"
"ORDGP-25": {
  "key": "ORDGP-25",
  "name": "Technical Installation Plan for P",
  "description": "C-TIP for P",
  "status": "To Do",
  "labels": [
     "Doc:TIP P"
  ]
},
"ORDGP-24": {
  "key": "ORDGP-24",
  "name": "Discrepancy Log for P",
  "description": "C-DIL P",
  "status": "To Do",
  "labels": [
     "Doc:DIL P"
  ]
},
"ORDGP-23": {
  "key": "ORDGP-23",
  "name": "Discrepancy Log for Q",
  "description": "C-DIL Q",
  "status": "To Do",
  "labels": [
     "Doc:DIL Q"
  ]
"ORDGP-22": {
  "key": "ORDGP-22",
  "name": "Combined Functional / Requirements Testing Report",
  "description": "C-CFTR",
```

```
"status": "To Do",
  "labels": [
     "Doc:CFTR"
  ]
},
"ORDGP-21": {
  "key": "ORDGP-21",
  "name": "Test Cases Report",
  "description": "C-TCR",
  "status": "To Do",
  "labels": [
     "Doc:TCR"
  ]
"ORDGP-20": {
  "key": "ORDGP-20",
  "name": "Test Cases Plan",
  "description": "C-TCP",
  "status": "To Do",
  "labels": [
    "Doc:TCP"
  ]
},
"ORDGP-19": {
  "key": "ORDGP-19",
  "name": "Combined Functional / Requirements Testing Plan",
  "description": "C-CFTP",
  "status": "To Do",
  "labels": [
     "Doc:CFTP"
  ]
},
"ORDGP-18": {
  "key": "ORDGP-18",
  "name": "Development Test Report",
  "description": "C-DTR",
  "status": "To Do",
  "labels": [
     "Doc:DTR"
"ORDGP-17": {
  "key": "ORDGP-17",
  "name": "Configuration and Installation Testing Report for Q",
  "description": "C-IVR for Q",
  "status": "To Do",
  "labels": [
     "Doc:IVR_Q"
  1
"ORDGP-16": {
```

```
"key": "ORDGP-16",
          "name": "Technical Installation Report for Q",
          "description": "C-TIR for Q",
          "status": "To Do",
          "labels": [
            "Doc:TIR Q"
          ]
       },
       "ORDGP-15": {
          "key": "ORDGP-15",
          "name": "Development Test Plan",
          "description": "C-DTP",
          "status": "To Do",
          "labels": [
            "Doc:DTP"
          ]
       },
       "ORDGP-14": {
          "key": "ORDGP-14",
          "name": "System and Software Design Specification including Source Code
Review",
          "description": "C-SSDS",
          "status": "To Do",
          "labels": [
            "Doc:SSDS"
          1
       },
       "ORDGP-13": {
          "key": "ORDGP-13",
          "name": "Configuration and Installation Testing Plan for Q",
          "description": "C-IVP for Q",
          "status": "To Do",
          "labels": [
            "Doc:IVP_Q"
          ]
       },
       "ORDGP-12": {
          "key": "ORDGP-12",
          "name": "Technical Installation Plan for Q",
          "description": "C-TIP for Q",
          "status": "To Do",
          "labels": [
            "Doc:TIP Q"
          1
       "ORDGP-11": {
          "key": "ORDGP-11",
          "name": "Configuration and Installation Testing Report for DEV",
          "description": "C-IVR for Dev",
          "status": "To Do",
          "labels": [
```

```
"Doc:IVR"
  1
},
"ORDGP-10": {
  "key": "ORDGP-10",
  "name": "Discrepancy Log for Developer Preview",
  "description": "C-DIL for Dev Preview",
  "status": "To Do",
  "labels": [
     "Doc:DIL"
  ]
},
"ORDGP-9": {
  "key": "ORDGP-9",
  "name": "Technical Installation Report for DEV",
  "description": "C-TIR for Dev",
  "status": "To Do",
  "labels": [
     "Doc:TIR"
  ]
},
"ORDGP-8": {
  "key": "ORDGP-8",
  "name": "Configuration and Installation Testing Plan for DEV",
  "description": "C-IVP for Dev",
  "status": "To Do",
  "labels": [
     "Doc:IVP"
  ]
},
"ORDGP-7": {
  "key": "ORDGP-7",
  "name": "Technical Installation Plan for DEV",
  "description": "C-TIP for Dev",
  "status": "To Do",
  "labels": [
     "Doc:TIP"
"ORDGP-6": {
  "key": "ORDGP-6",
  "name": "Risk Assessment",
  "description": "C-RA",
  "status": "To Do",
  "labels": [
     "Doc:RA"
"ORDGP-5": {
  "key": "ORDGP-5",
  "name": "Combined Specification Document",
```

```
"description": "C-CSD",
    "status": "To Do",
    "labels": [
       "Doc:CSD"
    ]
  },
  "ORDGP-4": {
     "key": "ORDGP-4",
    "name": "Client Site Qualification",
    "description": "C-CSQ",
    "status": "To Do",
    "labels": [
       "Doc:CSQ"
    ]
  },
  "ORDGP-3": {
    "key": "ORDGP-3",
    "name": "Role Assignment Log",
    "description": "C-RAL",
    "status": "To Do",
    "labels": [
       "Doc:RAL"
    ]
  },
  "ORDGP-2": {
    "key": "ORDGP-2",
    "name": "Supplier Assessment Mail Questionnaire",
    "description": "C-SMQ",
    "status": "To Do",
    "labels": [
       "Doc:SMQ"
    ]
  },
  "ORDGP-1": {
    "key": "ORDGP-1",
    "name": "Validation Plan",
    "description": "C-VP",
    "status": "To Do",
    "labels": [
       "Doc:VP"
    ]
  }
},
"trackingDocsForHistory": {
  "ORDGP-37": {
     "key": "ORDGP-37",
    "name": "Validation Summary Report",
     "description": "C-VSR",
    "status": "To Do",
    "labels": [
       "Doc:VSR"
```

```
]
},
"ORDGP-36": {
  "key": "ORDGP-36",
  "name": "Restore/Recovery Plan",
  "description": "C-REP",
  "status": "To Do",
  "labels": [
     "Doc:REP"
  ]
"ORDGP-35": {
  "key": "ORDGP-35",
  "name": "Backup Plan",
  "description": "C-BUP",
  "status": "To Do",
  "labels": [
     "Doc:BUP"
"ORDGP-34": {
  "key": "ORDGP-34",
  "name": "System Monitoring Plan"
  "description": "C-SMP",
  "status": "To Do",
  "labels": [
     "Doc:SMP"
  ]
},
"ORDGP-33": {
  "key": "ORDGP-33",
  "name": "Part 11 Compliance Assessment",
  "description": "C-P11",
  "status": "To Do",
  "labels": [
     "Doc:P11"
  ]
"ORDGP-32": {
  "key": "ORDGP-32",
  "name": "Infrastructure Administration Plan",
  "description": "C-IAP",
  "status": "To Do",
  "labels": [
     "Doc:IAP"
  ]
"ORDGP-31": {
  "key": "ORDGP-31",
  "name": "Technical Administration Plan",
  "description": "C-TAP",
```

```
"status": "To Do",
  "labels": [
     "Doc:TAP"
  ]
},
"ORDGP-30": {
  "key": "ORDGP-30",
  "name": "Application Administration Plan",
  "description": "C-AAP",
  "status": "To Do",
  "labels": [
     "Doc:AAP"
  ]
},
"ORDGP-29": {
  "key": "ORDGP-29",
  "name": "Traceability Matrix",
  "description": "C-TRC",
  "status": "To Do",
  "labels": [
     "Doc:TRC"
  ]
},
"ORDGP-28": {
  "key": "ORDGP-28",
  "name": "Configuration and Installation Testing Report for P",
  "description": "C-IVR for P",
  "status": "To Do",
  "labels": [
     "Doc:IVR P"
  ]
},
"ORDGP-27": {
  "key": "ORDGP-27",
  "name": "Technical Installation Report for P",
  "description": "C-TIR for P",
  "status": "To Do",
  "labels": [
     "Doc:TIR P"
"ORDGP-26": {
  "key": "ORDGP-26",
  "name": "Configuration and Installation Testing Plan for P",
  "description": "C-IVP for P",
  "status": "To Do",
  "labels": [
     "Doc:IVP_P"
  1
"ORDGP-25": {
```

```
"key": "ORDGP-25",
  "name": "Technical Installation Plan for P",
  "description": "C-TIP for P",
  "status": "To Do",
  "labels": [
     "Doc:TIP P"
  ]
},
"ORDGP-24": {
  "key": "ORDGP-24",
  "name": "Discrepancy Log for P",
  "description": "C-DIL P",
  "status": "To Do",
  "labels": [
     "Doc:DIL P"
  ]
},
"ORDGP-23": {
  "key": "ORDGP-23",
  "name": "Discrepancy Log for Q",
  "description": "C-DIL Q",
  "status": "To Do",
  "labels": [
     "Doc:DIL Q"
  1
"ORDGP-22": {
  "key": "ORDGP-22",
  "name": "Combined Functional / Requirements Testing Report",
  "description": "C-CFTR",
  "status": "To Do",
  "labels": [
     "Doc:CFTR"
  ]
},
"ORDGP-21": {
  "key": "ORDGP-21",
  "name": "Test Cases Report",
  "description": "C-TCR",
  "status": "To Do",
  "labels": [
    "Doc:TCR"
  ]
"ORDGP-20": {
  "key": "ORDGP-20",
  "name": "Test Cases Plan",
  "description": "C-TCP",
  "status": "To Do",
  "labels": [
     "Doc:TCP"
```

```
]
       },
       "ORDGP-19": {
          "key": "ORDGP-19",
         "name": "Combined Functional / Requirements Testing Plan",
         "description": "C-CFTP",
         "status": "To Do",
         "labels": [
            "Doc:CFTP"
         ]
       },
       "ORDGP-18": {
         "key": "ORDGP-18",
         "name": "Development Test Report",
         "description": "C-DTR",
         "status": "To Do",
         "labels": [
            "Doc:DTR"
         1
       "ORDGP-17": {
         "key": "ORDGP-17",
         "name": "Configuration and Installation Testing Report for Q",
         "description": "C-IVR for Q",
         "status": "To Do",
         "labels": [
            "Doc:IVR Q"
         ]
       },
       "ORDGP-16": {
          "key": "ORDGP-16",
         "name": "Technical Installation Report for Q",
         "description": "C-TIR for Q",
         "status": "To Do",
         "labels": [
            "Doc:TIR_Q"
         ]
       },
       "ORDGP-15": {
         "key": "ORDGP-15",
         "name": "Development Test Plan",
         "description": "C-DTP",
         "status": "To Do",
         "labels": [
            "Doc:DTP"
         ]
       "ORDGP-14": {
         "kev": "ORDGP-14",
         "name": "System and Software Design Specification including Source Code
Review",
```

```
"description": "C-SSDS",
  "status": "To Do",
  "labels": [
     "Doc:SSDS"
  ]
},
"ORDGP-13": {
  "key": "ORDGP-13",
  "name": "Configuration and Installation Testing Plan for Q",
  "description": "C-IVP for Q",
  "status": "To Do",
  "labels": [
     "Doc:IVP Q"
  ]
},
"ORDGP-12": {
  "key": "ORDGP-12",
  "name": "Technical Installation Plan for Q",
  "description": "C-TIP for Q",
  "status": "To Do",
  "labels": [
     "Doc:TIP_Q"
  ]
},
"ORDGP-11": {
  "key": "ORDGP-11",
  "name": "Configuration and Installation Testing Report for DEV",
  "description": "C-IVR for Dev",
  "status": "To Do",
  "labels": [
     "Doc:IVR"
  ]
},
"ORDGP-10": {
  "key": "ORDGP-10",
  "name": "Discrepancy Log for Developer Preview",
  "description": "C-DIL for Dev Preview",
  "status": "To Do",
  "labels": [
     "Doc:DIL"
  ]
},
"ORDGP-9": {
  "key": "ORDGP-9",
  "name": "Technical Installation Report for DEV",
  "description": "C-TIR for Dev",
  "status": "To Do",
  "labels": [
     "Doc:TIR"
  ]
},
```

```
"ORDGP-8": {
  "key": "ORDGP-8",
  "name": "Configuration and Installation Testing Plan for DEV",
  "description": "C-IVP for Dev",
  "status": "To Do",
  "labels": [
     "Doc:IVP"
  ]
},
"ORDGP-7": {
  "key": "ORDGP-7",
  "name": "Technical Installation Plan for DEV",
  "description": "C-TIP for Dev",
  "status": "To Do",
  "labels": [
     "Doc:TIP"
  ]
"ORDGP-6": {
  "key": "ORDGP-6",
  "name": "Risk Assessment",
  "description": "C-RA",
  "status": "To Do",
  "labels": [
     "Doc:RA"
  1
},
"ORDGP-5": {
  "key": "ORDGP-5",
  "name": "Combined Specification Document",
  "description": "C-CSD",
  "status": "To Do",
  "labels": [
     "Doc:CSD"
  ]
},
"ORDGP-4": {
  "key": "ORDGP-4",
  "name": "Client Site Qualification",
  "description": "C-CSQ",
  "status": "To Do",
  "labels": [
     "Doc:CSO"
  ]
"ORDGP-3": {
  "key": "ORDGP-3",
  "name": "Role Assignment Log",
  "description": "C-RAL",
  "status": "To Do",
  "labels": [
```

```
"Doc:RAL"
    ]
  },
  "ORDGP-2": {
     "key": "ORDGP-2",
     "name": "Supplier Assessment Mail Questionnaire",
     "description": "C-SMQ",
     "status": "To Do",
     "labels": [
       "Doc:SMQ"
     ]
  },
  "ORDGP-1": {
     "key": "ORDGP-1",
     "name": "Validation Plan",
     "description": "C-VP",
     "status": "To Do",
     "labels": [
       "Doc:VP"
    ]
  }
},
"undone": {
  "bugs": [
  "epics": [
  "mitigations": [
  "requirements": [
  "risks": [
  "techSpecs": [
  "tests": [
  "docs": [
"undoneDocChapters": {
```

```
}
}
[Pipeline] echo
[docgen-ordgp-OVERALL TIR] Creating document of type 'OVERALL TIR' for project 'ordgp'
in phase 'Finalize' and stage 'PRE END'
expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but
wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createOverallTIR;
see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/
[Pipeline] dir
Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-
master/workspace/reports/backend
[Pipeline] {
[Pipeline] unstash
[Pipeline] }
[Pipeline] // dir
[Pipeline] dir
Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-
master/workspace/reports/frontend
[Pipeline] {
[Pipeline] unstash
[Pipeline] }
[Pipeline] // dir
[Pipeline] archiveArtifacts
Archiving artifacts
[Pipeline] echo
2022-03-01 11:24:26Z Document TIR uploaded @ https://nexus-odsalpha.inh-
odsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/TIR-ordgp-WIP-13.zip
[Pipeline] echo
DEBUG: [docgen-ordgp-OVERALL_TIR] (took 7210 ms)
[Pipeline] echo
DEBUG: [jira-update-release-ORDGP-123] (took 2 ms)
[Pipeline] echo
[Finalize] **** ENDED orchestration stage **** (took 32895 ms)
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] echo
[ods-mro-pipeline] **** ENDED orchestration pipeline **** (took 678870 ms)
[Pipeline] }
[Pipeline] // podTemplate
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

Information

Name: Project ordgp: backend Description: Description of ordgp.

Version: WIP

Date Created: 2022-01-21T10:15:30

Git Commit: 46a05fce73c811e74f4f96d8f418daa4246ace09

Git Tag:

Git URL: http://bitbucket.odsbox.lan:7990/scm/ofi2004/ofi2004-backend.git

OpenShift Cluster API URL: https://openshift-sample
Created by Jenkins Job Name: ordgp-cd/ordgp-releasemanager

Created by Jenkins Build Number: 13 Target environment: dev

## Technical Installation Report for 'Project ordgp: backend'

### **TABLE OF CONTENTS**

- 1 INTRODUCTION
- 2 INSTALLATION
- **3 DIAGNOSTICS AND TESTING**
- **4 CONCLUSION STATEMENT**
- **5 DEFINITIONS AND ABBREVIATIONS** 
  - **5.1 DEFINITIONS**
  - **5.2 ABBREVIATIONS**
- **6 REFERENCE DOCUMENTS**
- **7 DOCUMENT HISTORY**

### 1 INTRODUCTION

This document describes the installation of the software-defined component *backend*. The installation is based on the corresponding Technical Installation Plan (*TIP*) of Config Item: BI-IT-DEVSTACK.

The plan outlines additional chapters, namely Installation Prerequisites (3) and Environmental Conditions (4).

Installation plan reference: ITEMS Document Number WIP-13, Version: BI-IT-DEVSTACK / WIP-13-WIP.

### **PARAMETERS**

	Parameters			
Parameter	Value			
Git Commit Component	46a05fce73c811e74f4f96d8f418daa4246ace09			
Git Repo Component	http://bitbucket.odsbox.lan:7990/scm/ofi2004/ofi2004-backend.git			
ODS Component Type	ods			
Environment	dev			
Change Description	UNDEFINED			
Version	WIP			
Config Item	BI-IT-DEVSTACK			

### **2 INSTALLATION**

Installations steps have been successfully conducted. Overall installation status:

Status	ОК		

### 2.1 JENKINS

Jenkins Job has been successfully executed:

Name	Value
Job Number	13
Job Name	ordgp-cd/ordgp-releasemanager
Build URL	https://jenkins-sample

#### 2.2 COMPONENTS

**Note:** Components were built & deployed during installation.

The following components have been successfully installed:backend

BuildConfig: backend

Name	Value
buildId	backend-3
image	172.30.1.1:5000/ofi2004-cd/backend@sha256:f6bc9aaed8a842a8e0a4f7e69b044a12c69e057333cd81906c08fd94be044ac4

DeploymentConfig: backend

Name	Value
podName	backend-3-dshjl
podNamespace	ofi2004-dev
podMetaDataCreationTimestamp	2021-11-21T22:31:04Z
deploymentId	backend-3
podNode	localhost
podlp	172.17.0.39
podStatus	Running
podStartupTimeStamp	2021-11-21T22:31:04Z
containers	{backend=172.30.1.1:5000/ofi2004-cd/backend@sha256:f6bc9aaed8a842a8e0a4f7e69b044a12c69e057333cd81906c08fd94be044ac4}

### 3 DIAGNOSTICS AND TESTING

 $\label{lem:decomposition} \mbox{Diagnostic steps have been successfully applied to the requested component.}$ 

### **DIAGNOSTIC STATUS**

Status OK
-----------

### **DIAGNOSTIC RESULT**

### Component backend

Step	Instruction for Testing	Expected Result	Actual Result	Pass / Fail
1	automated configuration appplication (Q/P environment)	Configuration applied	Configuration applied	pass
2	POD is running	POD is in status running	POD is in status running	pass

### **4 CONCLUSION STATEMENT**

All deliverables of the Technical Installation Plan have been successfully executed and the signature of this Report verifies that the system has been installed according to all requirements stated in the Installation Plan or, in the event the requirements are not met, that the deviations and/or failures are properly documented and addressed.

### 5 DEFINITIONS AND ABBREVIATIONS

## 5.1 **DEFINITIONS**

Term	Definition
Jenkins	Build engine supplied by cloudbees - part of OpenDevStack (BI-IT-DEVSTACK)
xUnit	Unit testing framework, aggregaults across multiple languages

### 5.2 ABBREVIATIONS

Abbreviation	Meaning
ODS	OpenDevStack
EDP	Enterprise Development Platform

### **6 REFERENCE DOCUMENTS**

• Technical Installation Plan(version BI-IT-DEVSTACK / WIP-13-WIP)

### 7 DOCUMENT HISTORY

Version	Date	Author	Change Reference	
1	of election	ure page	Initial document version.	

The following table provides extra history of the document.

Version	Date		Author	Reference
	See summary of electronic document or signature page of printout.			

Information

Name: Project ordgp: frontend Description: Description of ordgp.

Version: WIP

Date Created: 2022-01-21T10:15:30

Git Commit: 46a05fce73c811e74f4f96d8f418daa4246ace09

Git Tag:

Git URL: http://bitbucket.odsbox.lan:7990/scm/ofi2004/ofi2004-frontend.git

OpenShift Cluster API URL: https://openshift-sample
Created by Jenkins Job Name: ordgp-cd/ordgp-releasemanager

Created by Jenkins Build Number: 13 Target environment: dev

## Technical Installation Report for 'Project ordgp: frontend'

### **TABLE OF CONTENTS**

- 1 INTRODUCTION
- 2 INSTALLATION
- **3 DIAGNOSTICS AND TESTING**
- **4 CONCLUSION STATEMENT**
- **5 DEFINITIONS AND ABBREVIATIONS** 
  - **5.1 DEFINITIONS**
  - **5.2 ABBREVIATIONS**
- **6 REFERENCE DOCUMENTS**
- **7 DOCUMENT HISTORY**

### 1 INTRODUCTION

This document describes the installation of the software-defined component frontend. The installation is based on the corresponding Technical Installation Plan (TIP) of Config Item: BI-IT-DEVSTACK.

The plan outlines additional chapters, namely Installation Prerequisites (3) and Environmental Conditions (4).

Installation plan reference: ITEMS Document Number WIP-13, Version: BI-IT-DEVSTACK / WIP-13-WIP.

### **PARAMETERS**

	Parameters				
Parameter	Value				
Git Commit Component	46a05fce73c811e74f4f96d8f418daa4246ace09				
Git Repo Component	http://bitbucket.odsbox.lan:7990/scm/ofi2004/ofi2004-frontend.git				
ODS Component Type	ods				
Environment	dev				
Change Description	UNDEFINED				
Version	WIP				
Config Item	BI-IT-DEVSTACK				

### **2 INSTALLATION**

Installations steps have been successfully conducted. Overall installation status:

Status	ОК		

### 2.1 JENKINS

Jenkins Job has been successfully executed:

Name	Value
Job Number	13
Job Name	ordgp-cd/ordgp-releasemanager
Build URL	https://jenkins-sample

#### 2.2 COMPONENTS

**Note:** Components were built & deployed during installation.

The following components have been successfully installed.frontend

BuildConfig: frontend

Name	Value
buildId	frontend-3
image	172.30.1.1:5000/ofi2004-cd/frontend@sha256:f6bc9aaed8a842a8e0a4f7e69b044a12c69e057333cd81906c08fd94be044ac4

DeploymentConfig: **frontend** 

Name	Value
podName	frontend-3-dshjl
podNamespace	ofi2004-dev
podMetaDataCreationTimestamp	2021-11-21T22:31:04Z
deploymentId	frontend-3
podNode	localhost
podlp	172.17.0.39
podStatus	Running
podStartupTimeStamp	2021-11-21T22:31:04Z
containers	{frontend=172.30.1.1:5000/ofi2004-cd/frontend@sha256:f6bc9aaed8a842a8e0a4f7e69b044a12c69e057333cd81906c08fd94be044ac4}

### 3 DIAGNOSTICS AND TESTING

 $\label{lem:decomposition} \mbox{Diagnostic steps have been successfully applied to the requested component.}$ 

### **DIAGNOSTIC STATUS**

|--|

### **DIAGNOSTIC RESULT**

### **Component frontend**

Step	Instruction for Testing	Expected Result	Actual Result	Pass / Fail
1	automated configuration appplication (Q/P environment)	Configuration applied	Configuration applied	pass
2	POD is running	POD is in status running	POD is in status running	pass

### **4 CONCLUSION STATEMENT**

All deliverables of the Technical Installation Plan have been successfully executed and the signature of this Report verifies that the system has been installed according to all requirements stated in the Installation Plan or, in the event the requirements are not met, that the deviations and/or failures are properly documented and addressed.

### 5 DEFINITIONS AND ABBREVIATIONS

## 5.1 **DEFINITIONS**

Term	Definition
Jenkins	Build engine supplied by cloudbees - part of OpenDevStack (BI-IT-DEVSTACK)
xUnit	Unit testing framework, aggregaults across multiple languages

### 5.2 ABBREVIATIONS

Abbreviation	Meaning
ODS	OpenDevStack
EDP	Enterprise Development Platform

### **6 REFERENCE DOCUMENTS**

• Technical Installation Plan(version BI-IT-DEVSTACK / WIP-13-WIP)

### 7 DOCUMENT HISTORY

Version	Date	Author	Change Reference	
1	of elec	ent or ure page	Initial document version.	

The following table provides extra history of the document.

Version	Date		Author	Reference
	See summary of electronic document or signature page of printout.			