

### Information

|                                  |   |
|----------------------------------|---|
| Name:                            | Project ordgp   |
| Description:                     | Description of ordgp.   |
| Version:                         | WIP   |
| Date Created:                    | 2022-01-21T10:15:30   |
| Git Commit:                      | 1e84b5100e09d9b6c5ea1b6c2ccee8957391beec  |
| Git Tag:                         | ods-generated-v3.0-3.0-0b11-D   |
| Git URL:                         | <a href="http://wiremockTest/ordgp/ordgp-releasemanager">http://wiremockTest/ordgp/ordgp-releasemanager</a> |
| OpenShift Cluster API URL:       | <a href="https://openshift-sample">https://openshift-sample</a>   |
| Created by Jenkins Job Name:     | ordgp-cd/ordgp-releasemanager   |
| Created by Jenkins Build Number: | 13  |
| Target environment:              | dev   |

## Overall Software Development Testing Report for 'Project ordgp'

### TABLE OF CONTENTS

- 1 DTR FOR COMPONENT: BACKEND (MERGED)**
- 2 DTR FOR COMPONENT: FRONTEND (MERGED)**

## Information

|                                  |  |
|----------------------------------|--|
| Name:                            | Project ordgp: backend   |
| Description:                     | Description of ordgp.  |
| Version:                         | WIP  |
| Date Created:                    | 2022-01-21T10:15:30  |
| Git Commit:                      | 46a05fce73c811e74f4f96d8f418daa4246ace09                         |
| Git Tag:                         | ods-generated-v3.0-3.0-0b11-D                                    |
| Git URL:                         | http://bitbucket.odsbox.lan:7990/scm/ofi2004/ofi2004-backend.git |
| OpenShift Cluster API URL:       | https://openshift-sample   |
| Created by Jenkins Job Name:     | ordgp-cd/ordgp-releasemanager                                    |
| Created by Jenkins Build Number: | 13   |
| Target environment:              | dev  |

## Software Development Testing Report for 'Project ordgp: backend'

### TABLE OF CONTENTS

- [1 INTRODUCTION](#)**
- [2 RESPONSIBILITIES](#)**
- [3 DEVELOPMENT TESTING RESULTS](#)**
  - [3.1 OVERVIEW OF UNIT TESTED MODULES](#)**
  - [3.2 OVERVIEW OF INTEGRATION TESTS](#)**
  - [3.3 OVERVIEW OF SYSTEM TESTS](#)**
  - [3.4 OVERVIEW OF TEST CASE DISCREPANCIES](#)**
- [4 CONCLUSION STATEMENT](#)**
- [5 DEFINITIONS AND ABBREVIATIONS](#)**
  - [5.1 DEFINITIONS](#)**
  - [5.2 ABBREVIATIONS](#)**
- [6 REFERENCE DOCUMENTS](#)**
- [7 DOCUMENT HISTORY](#)**
- [8 ATTACHMENTS](#)**
  - [8.1 XUNIT XML DOCUMENTS \(INCLUDING TEST EVIDENCE\)](#)**

## **1 INTRODUCTION**

The purpose of the Development Test Summary Report is to document the structural and/or functional testing of Project ordgp: backend that was conducted to verify the implementation of the design for each unit/module of the computer system, and the system functions as specified in the System and Software Design / Functional Specifications.

## **2 RESPONSIBILITIES**

The Development Testing has been executed according to the roles and responsibilities defined in the Development Testing Plan.

### 3 DEVELOPMENT TESTING RESULTS

Please, see chapter ["8.1 xUnit XML Documents \(including Test Evidence\)"](#) to consult the exhaustive Development Testing Results.

#### 3.1 OVERVIEW OF UNIT TESTED MODULES

The following table shows only the Unit test cases which mitigate or cover the corresponding Risks or System Requirements and are defined in Jira by the project team. They can be found in the detailed Unit Test Report searching by the ID from Jira.

| CSD ID | Test ID | Reference to System and Software Design Spec | Assigned Risk Level per Risk Assessment | Description | Passed (Y/N) | Comments |
|--------|---------|--|---|-------------|--------------|----------|
|--------|---------|--|---|-------------|--------------|----------|

|           |           |     |        |  |   |     |
|-----------|-----------|-----|--------|--|---|-----|
| ORDGP-125 | ORDGP-137 | N/A | Medium | Suspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. Morbi pretium massa quis nunc pharetra, id faucibus purus condimentum. Sed augue lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique. In dictum purus sit amet justo dignissim tristique. Sed ligula ante, tempus non turpis eget, iaculis consequat dui | Y | N/A |
|-----------|-----------|-----|--------|--|---|-----|

|           |           |     |        |  |   |     |
|-----------|-----------|-----|--------|--|---|-----|
| ORDGP-125 | ORDGP-138 | N/A | Medium | Suspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. Morbi pretium massa quis nunc pharetra, id faucibus purus condimentum. Sed augue lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique. In dictum purus sit amet justo dignissim tristique. Sed ligula ante, tempus non turpis eget, iaculis consequat dui | Y | N/A |
|-----------|-----------|-----|--------|--|---|-----|

|           |           |     |        |  |   |     |
|-----------|-----------|-----|--------|--|---|-----|
| ORDGP-125 | ORDGP-139 | N/A | Medium | Suspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. Morbi pretium massa quis nunc pharetra, id faucibus purus condimentum. Sed augue lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique. In dictum purus sit amet justo dignissim tristique. Sed ligula ante, tempus non turpis eget, iaculis consequat dui | Y | N/A |
|-----------|-----------|-----|--------|--|---|-----|

Additional Unit Tests not defined in Jira and executed:

### 3.2 OVERVIEW OF INTEGRATION TESTS

N/A

### 3.3 OVERVIEW OF SYSTEM TESTS

N/A

### 3.4 OVERVIEW OF TEST CASE DISCREPANCIES

No discrepancies found.



#### 4 CONCLUSION STATEMENT

Having completed the execution of the Development Tests for *Project ordgp: backend* and assessed the activities and respective outcomes, which are documented above, the conclusion drawn is as follows:

|                                    |   |
|------------------------------------|---|
| Complete success, no discrepancies | It is determined that all steps of the Development Tests have been successfully executed and signature of this report verifies that the tests have been performed according to the plan. No discrepancies occurred. |
|------------------------------------|---|

## 5 DEFINITIONS AND ABBREVIATIONS

### 5.1 DEFINITIONS

| Term    | Definition   |
|---------|--|
| Jenkins | Build engine supplied by cloudbees - part of OpenDevStack (BI-IT-DEVSTACK) |
| xUnit   | Unit testing framework, aggregaults across multiple languages              |

### 5.2 ABBREVIATIONS

| Abbreviation | Meaning                         |
|--------------|---------------------------------|
| ODS          | OpenDevStack                    |
| EDP          | Enterprise Development Platform |

## 6 REFERENCE DOCUMENTS

- Combined Specification Document (version BI-IT-DEVSTACK / WIP-13-WIP)
- System and Software Design Specification including Source Code Review Plan (version BI-IT-DEVSTACK / WIP-13-WIP)
- Risk Assessment (version BI-IT-DEVSTACK / WIP-13-WIP)
- Software Development Testing Plan (version BI-IT-DEVSTACK / WIP-13-WIP)

N/A

## 7 DOCUMENT HISTORY

| Version | Date  | Author | Change Reference          |
|---------|---|--------|---------------------------|
| 1       | See Summary of electronic document or signature page of printout. |        | Initial document version. |

The following table provides extra history of the document.

| Version | Date  | Author | Reference |
|---------|---|--------|-----------|
|         | See summary of electronic document or signature page of printout. |        |           |

## 8 ATTACHMENTS

### 8.1 XUNIT XML DOCUMENTS (INCLUDING TEST EVIDENCE)

This section provides the xUnit XML results, including any test evidence, of the execution of the system Project ordgp: backend created by Jenkins Job Name ordgp-cd/ordgp-releasemanager and Jenkins Build Number 13.

#### TEST-com.boehringer.ordgp.backend.BackendApplicationTests.xml

```
<?xml version="1.0" encoding="UTF-8"?><testsuite
name="com.boehringer.ordgp.backend.BackendApplicationTests" tests="3" skipped="0"
failures="0" errors="0" timestamp="2022-03-01T11:17:26" hostname="pod-87af8ccf-3284-4203-
b048-da5aa2e15a20-s63cc-rvlsx" time="0.728">

  <properties/>

  <testcase name="ORDGP138_workingunittest()"
classname="com.boehringer.ordgp.backend.BackendApplicationTests" time="0.718"/>

  <testcase name="ORDGP139_workingunittest()"
classname="com.boehringer.ordgp.backend.BackendApplicationTests" time="0.005"/>

  <testcase name="ORDGP137_workingunittest()"
classname="com.boehringer.ordgp.backend.BackendApplicationTests" time="0.003"/>

  <system-out>
    <![CDATA[11:17:11.704 [Test worker] DEBUG org.springframework.test.context.BootstrapUtils -
Instantiating CacheAwareContextLoaderDelegate from class
[org.springframework.test.context.cache.DefaultCacheAwareContextLoaderDelegate]
11:17:11.779 [Test worker] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating
BootstrapContext using constructor [public
org.springframework.test.context.support.DefaultBootstrapContext(java.lang.Class,org.springframe
work.test.context.CacheAwareContextLoaderDelegate)]
11:17:11.901 [Test worker] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating
TestContextBootstrapper for test class [com.boehringer.ordgp.backend.BackendApplicationTests]
from class [org.springframework.boot.test.context.SpringBootTestContextBootstrapper]
11:17:11.980 [Test worker] INFO
org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Neither
@ContextConfiguration nor @ContextHierarchy found for test class
[com.boehringer.ordgp.backend.BackendApplicationTests], using SpringBootTestContextLoader
11:17:11.989 [Test worker] DEBUG
org.springframework.test.context.support.AbstractContextLoader - Did not detect default resource
location for test class [com.boehringer.ordgp.backend.BackendApplicationTests]: class path
resource [com/boehringer/ordgp/backend/BackendApplicationTests-context.xml] does not exist
11:17:11.990 [Test worker] DEBUG
org.springframework.test.context.support.AbstractContextLoader - Did not detect default resource
location for test class [com.boehringer.ordgp.backend.BackendApplicationTests]: class path
resource [com/boehringer/ordgp/backend/BackendApplicationTestsContext.groovy] does not exist
11:17:11.990 [Test worker] INFO org.springframework.test.context.support.AbstractContextLoader
- Could not detect default resource locations for test class
[com.boehringer.ordgp.backend.BackendApplicationTests]: no resource found for suffixes {-
context.xml, Context.groovy}.
11:17:11.991 [Test worker] INFO
org.springframework.test.context.support.AnnotationConfigContextLoaderUtils - Could not detect
```

default configuration classes for test class

[com.boehringer.ordgp.backend.BackendApplicationTests]: BackendApplicationTests does not declare any static, non-private, non-final, nested classes annotated with @Configuration.

11:17:12.113 [Test worker] DEBUG org.springframework.test.context.support.ActiveProfilesUtils - Could not find an 'annotation declaring class' for annotation type

[org.springframework.test.context.ActiveProfiles] and class

[com.boehringer.ordgp.backend.BackendApplicationTests]

11:17:12.390 [Test worker] DEBUG

org.springframework.context.annotation.ClassPathScanningCandidateComponentProvider - Identified candidate component class: file [/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/build/classes/java/main/com/boehringer/ordgp/backend/BackendApplication.class]

11:17:12.392 [Test worker] INFO

org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Found @SpringBootConfiguration com.boehringer.ordgp.backend.BackendApplication for test class com.boehringer.ordgp.backend.BackendApplicationTests

11:17:12.714 [Test worker] DEBUG

org.springframework.boot.test.context.SpringBootTestContextBootstrapper - @TestExecutionListeners is not present for class

[com.boehringer.ordgp.backend.BackendApplicationTests]: using defaults.

11:17:12.715 [Test worker] INFO

org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Loaded default TestExecutionListener class names from location [META-INF/spring.factories]:

[org.springframework.security.test.context.support.WithSecurityContextTestExecutionListener, org.springframework.security.test.context.support.ReactorContextTestExecutionListener, org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener, org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionListener, org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecutionListener, org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener, org.springframework.boot.test.autoconfigure.webservices.client.MockWebServiceServerTestExecutionListener, org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener, org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener, org.springframework.test.context.web.ServletTestExecutionListener, org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener, org.springframework.test.context.event.ApplicationEventsTestExecutionListener, org.springframework.test.context.support.DependencyInjectionTestExecutionListener, org.springframework.test.context.support DirtiesContextTestExecutionListener, org.springframework.test.context.transaction.TransactionalTestExecutionListener, org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener, org.springframework.test.context.event.EventPublishingTestExecutionListener]

11:17:12.804 [Test worker] INFO

org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Using TestExecutionListeners:

[org.springframework.test.context.web.ServletTestExecutionListener@6749fe50, org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener@52bf7bf6, org.springframework.test.context.event.ApplicationEventsTestExecutionListener@261db982, org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener@ae73c80, org.springframework.boot.test.autoconfigure.SpringBootDependencyInjectionTestExecutionListener@22f4f8f2, org.springframework.test.context.support DirtiesContextTestExecutionListener@bbd4791, org.springframework.test.context.transaction.TransactionalTestExecutionListener@40a72ecd, org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener@73971965, org.springframework.security.test.context.support.WithSecurityContextTestExecutionListener@76a14c8d, org.springframework.test.context.event.EventPublishingTestExecutionListener@17410c07,

```
org.springframework.bo
org.springframework.bo
stomizer@7ae9a33a,
org.springframework.bo
org.springframework.bo
bjectContextCustomizer
org.springframework.bo
org.springframework.bo
org.springframework.bo
org.springframework.bo
resourceBasePath = 'sr
'org.springframework.bo
map['org.springframework
true]], class annotated
11:17:12.985 [Test wor
Activating profiles []
11:17:12.986 [Test wor
org.springframework.te
environment: {spring.jn
org.springframework.bo
```

[illegible]

Software Development Testing Report, Config Item: BI-IT-DEVSTACK  
Doc ID/Version: see auto-generated cover page

da5aa2e15a20-s63cc-rvlsx with PID 476 (started by default in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master)

2022-03-01 11:17:13.981 INFO 476 --- [ Test worker] c.b.o.backend.BackendApplicationTests : The following profiles are active: dev

2022-03-01 11:17:13.981 DEBUG 476 --- [ Test worker] o.s.boot.SpringApplication : Loading source class com.boehringer.ordgp.backend.BackendApplication

2022-03-01 11:17:14.088 DEBUG 476 --- [ Test worker] o.s.w.c.s.GenericWebApplicationContext : Refreshing org.springframework.web.context.support.GenericWebApplicationContext@53314f76

2022-03-01 11:17:15.979 INFO 476 --- [ Test worker] .s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping Spring Data JPA repositories in DEFAULT mode.

2022-03-01 11:17:15.996 DEBUG 476 --- [ Test worker] o.s.b.a.AutoConfigurationPackages : @EnableAutoConfiguration was declared on a class in the package 'com.boehringer.ordgp.backend'. Automatic @Repository and @Entity scanning is enabled.

2022-03-01 11:17:15.998 INFO 476 --- [ Test worker] .s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data repository scanning in 6 ms. Found 0 JPA repository interfaces.

2022-03-01 11:17:18.008 INFO 476 --- [ Test worker] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Starting...

2022-03-01 11:17:18.799 INFO 476 --- [ Test worker] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Start completed.

2022-03-01 11:17:19.019 INFO 476 --- [ Test worker] o.hibernate.jpa.internal.util.LogHelper : HHH000204: Processing PersistenceUnitInfo [name: default]

2022-03-01 11:17:19.203 INFO 476 --- [ Test worker] org.hibernate.Version : HHH000412: Hibernate ORM core version 5.6.1.Final

2022-03-01 11:17:19.784 INFO 476 --- [ Test worker] o.hibernate.annotations.common.Version : HCANN000001: Hibernate Commons Annotations {5.1.2.Final}

2022-03-01 11:17:20.118 INFO 476 --- [ Test worker] org.hibernate.dialect.Dialect : HHH000400: Using dialect: org.hibernate.dialect.HSQLDialect

2022-03-01 11:17:20.877 INFO 476 --- [ Test worker] o.h.e.t.j.p.i.JtaPlatformInitiator : HHH000490: Using JtaPlatform implementation:

[org.hibernate.engine.transaction.jta.platform.internal.NoJtaPlatform]

2022-03-01 11:17:20.889 INFO 476 --- [ Test worker] j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for persistence unit 'default'

2022-03-01 11:17:21.519 WARN 476 --- [ Test worker] JpaBaseConfiguration\$JpaWebConfiguration : spring.jpa.open-in-view is enabled by default. Therefore, database queries may be performed during view rendering. Explicitly configure spring.jpa.open-in-view to disable this warning

2022-03-01 11:17:23.594 DEBUG 476 --- [ Test worker] s.w.s.m.m.a.RequestMappingHandlerAdapter : ControllerAdvice beans: 0 @ModelAttribute, 0 @InitBinder, 1 RequestBodyAdvice, 1 ResponseBodyAdvice

2022-03-01 11:17:23.807 DEBUG 476 --- [ Test worker] s.w.s.m.m.a.RequestMappingHandlerMapping : 2 mappings in 'requestMappingHandlerMapping'

2022-03-01 11:17:23.981 DEBUG 476 --- [ Test worker] o.s.w.s.handler.SimpleUrlHandlerMapping : Patterns [/webjars/\*\*, /\*\*] in 'resourceHandlerMapping'

2022-03-01 11:17:23.997 DEBUG 476 --- [ Test worker] .m.m.a.ExceptionHandlerExceptionResolver : ControllerAdvice beans: 1 @ExceptionHandler, 1 ResponseBodyAdvice

2022-03-01 11:17:24.876 INFO 476 --- [ Test worker] .s.s.UserDetailsServiceAutoConfiguration : Using generated security password: efb4543f-81be-434d-9d4b-2d4759f69822

2022-03-01 11:17:25.395 INFO 476 --- [ Test worker] o.s.s.web.DefaultSecurityFilterChain : Will secure any request with

[org.springframework.security.web.context.request.async.WebAsyncManagerIntegrationFilter@2a0dda9e, org.springframework.security.web.context.SecurityContextPersistenceFilter@d98fc62, org.springframework.security.web.header.HeaderWriterFilter@5d33742,



org.springframework.security.web.csrf.CsrfFilter@6f601ce0,  
org.springframework.security.web.authentication.logout.LogoutFilter@71122014,  
org.springframework.security.web.authentication.UsernamePasswordAuthenticationFilter@4cfd3d7  
e,  
org.springframework.security.web.authentication.ui.DefaultLoginPageGeneratingFilter@16c1fc82,  
org.springframework.security.web.authentication.ui.DefaultLogoutPageGeneratingFilter@a046448,  
org.springframework.security.web.authentication.www.BasicAuthenticationFilter@2d301b0e,  
org.springframework.security.web.savedrequest.RequestCacheAwareFilter@28ec960b,  
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@62dd1498  
, org.springframework.security.web.authentication.AnonymousAuthenticationFilter@2741f66d,  
org.springframework.security.web.session.SessionManagementFilter@266737c4,  
org.springframework.security.web.access.ExceptionTranslationFilter@572c013f,  
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@148a3112]  
2022-03-01 11:17:25.813 DEBUG 476 --- [ Test worker]  
ConditionEvaluationReportLoggingListener :

=====  
CONDITIONS EVALUATION REPORT  
=====

Positive matches:  
-----

AopAutoConfiguration matched:

- @ConditionalOnProperty (spring.aop.auto=true) matched (OnPropertyCondition)

AopAutoConfiguration.AspectJAutoProxyingConfiguration matched:

- @ConditionalOnClass found required class 'org.aspectj.weaver.Advice' (OnClassCondition)

AopAutoConfiguration.AspectJAutoProxyingConfiguration.CglibAutoProxyConfiguration matched:

- @ConditionalOnProperty (spring.aop.proxy-target-class=true) matched (OnPropertyCondition)

DataSourceAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.sql.DataSource',  
'org.springframework.jdbc.datasource.embedded.EmbeddedDatabaseType' (OnClassCondition)
- @ConditionalOnMissingBean (types: io.r2dbc.spi.ConnectionFactory; SearchStrategy: all) did  
not find any beans (OnBeanCondition)

DataSourceAutoConfiguration.PooledDataSourceConfiguration matched:

- AnyNestedCondition 1 matched 1 did not; NestedCondition on  
DataSourceAutoConfiguration.PooledDataSourceCondition.PooledDataSourceAvailable  
PooledDataSource found supported DataSource; NestedCondition on  
DataSourceAutoConfiguration.PooledDataSourceCondition.ExplicitType @ConditionalOnProperty  
(spring.datasource.type) did not find property 'type'  
(DataSourceAutoConfiguration.PooledDataSourceCondition)
- @ConditionalOnMissingBean (types: javax.sql.DataSource;javax.sql.XADataSource;  
SearchStrategy: all) did not find any beans (OnBeanCondition)

DataSourceConfiguration.Hikari matched:

- @ConditionalOnClass found required class 'com.zaxxer.hikari.HikariDataSource'  
(OnClassCondition)
- @ConditionalOnProperty (spring.datasource.type=com.zaxxer.hikari.HikariDataSource)  
matched (OnPropertyCondition)

- @ConditionalOnMissingBean (types: javax.sql.DataSource; SearchStrategy: all) did not find any beans (OnBeanCondition)

DataSourceInitializationConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.jdbc.datasource.init.DatabasePopulator' (OnClassCondition)
- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource'; @ConditionalOnMissingBean (types: org.springframework.boot.autoconfigure.sql.init.SqlDataSourceScriptDatabaseInitializer,org.springframework.boot.autoconfigure.sql.init.SqlR2dbcScriptDatabaseInitializer; SearchStrategy: all) did not find any beans (OnBeanCondition)

DataSourcePoolMetadataProvidersConfiguration.HikariPoolDataSourceMetadataProviderConfiguration matched:

- @ConditionalOnClass found required class 'com.zaxxer.hikari.HikariDataSource' (OnClassCondition)

DataSourceTransactionManagerAutoConfiguration matched:

- @ConditionalOnClass found required classes 'org.springframework.jdbc.core.JdbcTemplate', 'org.springframework.transaction.TransactionManager' (OnClassCondition)

DataSourceTransactionManagerAutoConfiguration.JdbcTransactionManagerConfiguration matched:

- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource' (OnBeanCondition)

DispatcherServletAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.web.servlet.DispatcherServlet' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)

DispatcherServletAutoConfiguration.DispatcherServletConfiguration matched:

- @ConditionalOnClass found required class 'javax.servlet.ServletRegistration' (OnClassCondition)
- Default DispatcherServlet did not find dispatcher servlet beans (DispatcherServletAutoConfiguration.DefaultDispatcherServletCondition)

DispatcherServletAutoConfiguration.DispatcherServletRegistrationConfiguration matched:

- @ConditionalOnClass found required class 'javax.servlet.ServletRegistration' (OnClassCondition)
- DispatcherServlet Registration did not find servlet registration bean (DispatcherServletAutoConfiguration.DispatcherServletRegistrationCondition)

DispatcherServletAutoConfiguration.DispatcherServletRegistrationConfiguration#dispatcherServletRegistration matched:

- @ConditionalOnBean (names: dispatcherServlet types: org.springframework.web.servlet.DispatcherServlet; SearchStrategy: all) found bean 'dispatcherServlet' (OnBeanCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration matched:

- @ConditionalOnWebApplication (required) found 'session' scope (OnWebApplicationCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.TomcatWebServerFactoryCustomizerConfiguration matched:

- @ConditionalOnClass found required classes 'org.apache.catalina.startup.Tomcat', 'org.apache.coyote.UpgradeProtocol' (OnClassCondition)

ErrorMvcAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet', 'org.springframework.web.servlet.DispatcherServlet' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)

ErrorMvcAutoConfiguration#basicErrorController matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.web.servlet.error.ErrorController; SearchStrategy: current) did not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration#errorAttributes matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.web.servlet.error.ErrorAttributes; SearchStrategy: current) did not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration.DefaultErrorViewResolverConfiguration#conventionErrorViewResolver matched:

- @ConditionalOnBean (types: org.springframework.web.servlet.DispatcherServlet; SearchStrategy: all) found bean 'dispatcherServlet'; @ConditionalOnMissingBean (types: org.springframework.boot.autoconfigure.web.servlet.error.ErrorViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration.WhitelabelErrorViewConfiguration matched:

- @ConditionalOnProperty (server.error.whitelabel.enabled) matched (OnPropertyCondition)
- ErrorTemplate Missing did not find error template view (ErrorMvcAutoConfiguration.ErrorTemplateMissingCondition)

ErrorMvcAutoConfiguration.WhitelabelErrorViewConfiguration#beanNameViewResolver matched:

- @ConditionalOnMissingBean (types: org.springframework.web.servlet.view.BeanNameViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration.WhitelabelErrorViewConfiguration#defaultErrorView matched:

- @ConditionalOnMissingBean (names: error; SearchStrategy: all) did not find any beans (OnBeanCondition)

ErrorPageSecurityFilterConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.security.web.access.WebInvocationPrivilegeEvaluator' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)

ErrorPageSecurityFilterConfiguration#errorPageSecurityInterceptor matched:

- @ConditionalOnBean (types: org.springframework.security.web.access.WebInvocationPrivilegeEvaluator; SearchStrategy: all) found bean 'privilegeEvaluator' (OnBeanCondition)

GenericCacheConfiguration matched:

- Cache org.springframework.boot.autoconfigure.cache.GenericCacheConfiguration automatic cache type (CacheCondition)

HibernateJpaAutoConfiguration matched:

- @ConditionalOnClass found required classes 'org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean', 'javax.persistence.EntityManager', 'org.hibernate.engine.spi.SessionImplementor' (OnClassCondition)

HibernateJpaConfiguration matched:

- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource' (OnBeanCondition)

HttpEncodingAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.web.filter.CharacterEncodingFilter' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnProperty (server.servlet.encoding.enabled) matched (OnPropertyCondition)

HttpEncodingAutoConfiguration#characterEncodingFilter matched:

- @ConditionalOnMissingBean (types: org.springframework.web.filter.CharacterEncodingFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

HttpMessageConvertersAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.http.converter.HttpMessageConverter' (OnClassCondition)
- NoneNestedConditions 0 matched 1 did not; NestedCondition on HttpMessageConvertersAutoConfiguration.NotReactiveWebApplicationCondition.ReactiveWebApplication did not find reactive web application classes (HttpMessageConvertersAutoConfiguration.NotReactiveWebApplicationCondition)

HttpMessageConvertersAutoConfiguration#messageConverters matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.autoconfigure.http.HttpMessageConverters; SearchStrategy: all) did not find any beans (OnBeanCondition)

HttpMessageConvertersAutoConfiguration.StringHttpMessageConverterConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.http.converter.StringHttpMessageConverter' (OnClassCondition)

HttpMessageConvertersAutoConfiguration.StringHttpMessageConverterConfiguration#stringHttpMessageConverter matched:

- @ConditionalOnMissingBean (types: org.springframework.http.converter.StringHttpMessageConverter; SearchStrategy: all) did not find any beans (OnBeanCondition)

HypermediaAutoConfiguration matched:

- @ConditionalOnClass found required classes 'org.springframework.hateoas.EntityModel', 'org.springframework.web.bind.annotation.RequestMapping', 'org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter', 'org.springframework.plugin.core.Plugin' (OnClassCondition)
- @ConditionalOnWebApplication (required) found 'session' scope (OnWebApplicationCondition)

HypermediaAutoConfiguration#applicationJsonHalConfiguration matched:

- @ConditionalOnClass found required class 'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)

- @ConditionalOnProperty (spring.hateoas.use-hal-as-default-json-media-type) matched (OnPropertyCondition)  
- @ConditionalOnMissingBean (types: org.springframework.hateoas.mediatype.hal.HalConfiguration; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonAutoConfiguration matched:  
- @ConditionalOnClass found required class 'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)

JacksonAutoConfiguration.Jackson2ObjectMapperBuilderCustomizerConfiguration matched:  
- @ConditionalOnClass found required class 'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)

JacksonAutoConfiguration.JacksonObjectMapperBuilderConfiguration matched:  
- @ConditionalOnClass found required class 'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)

JacksonAutoConfiguration.JacksonObjectMapperBuilderConfiguration#jacksonObjectMapperBuilder matched:  
- @ConditionalOnMissingBean (types: org.springframework.http.converter.json.Jackson2ObjectMapperBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonAutoConfiguration.JacksonObjectMapperConfiguration matched:  
- @ConditionalOnClass found required class 'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)

JacksonAutoConfiguration.JacksonObjectMapperConfiguration#jacksonObjectMapper matched:  
- @ConditionalOnMissingBean (types: com.fasterxml.jackson.databind.ObjectMapper; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonAutoConfiguration.ParameterNamesModuleConfiguration matched:  
- @ConditionalOnClass found required class 'com.fasterxml.jackson.module.paramnames.ParameterNamesModule' (OnClassCondition)

JacksonAutoConfiguration.ParameterNamesModuleConfiguration#parameterNamesModule matched:  
- @ConditionalOnMissingBean (types: com.fasterxml.jackson.module.paramnames.ParameterNamesModule; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonHttpMessageConvertersConfiguration.MappingJackson2HttpMessageConverterConfiguration matched:  
- @ConditionalOnClass found required class 'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)  
- @ConditionalOnProperty (spring.mvc.converters.preferred-json-mapper=jackson) matched (OnPropertyCondition)  
- @ConditionalOnBean (types: com.fasterxml.jackson.databind.ObjectMapper; SearchStrategy: all) found bean 'jacksonObjectMapper' (OnBeanCondition)

JacksonHttpMessageConvertersConfiguration.MappingJackson2HttpMessageConverterConfiguration

#mappingJackson2HttpMessageConverter matched:

- @ConditionalOnMissingBean (types: org.springframework.http.converter.json.MappingJackson2HttpMessageConverter ignored: org.springframework.hateoas.server.mvc.TypeConstrainedMappingJackson2HttpMessageConverter, org.springframework.data.rest.webmvc.alps.AlpsJsonHttpMessageConverter; SearchStrategy: all) did not find any beans (OnBeanCondition)

JdbcTemplateAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.sql.DataSource', 'org.springframework.jdbc.core.JdbcTemplate' (OnClassCondition)
- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource' (OnBeanCondition)

JdbcTemplateConfiguration matched:

- @ConditionalOnMissingBean (types: org.springframework.jdbc.core.JdbcOperations; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#entityManagerFactory matched:

- @ConditionalOnMissingBean (types: org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean,javax.persistence.EntityManagerFactory; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#entityManagerFactoryBuilder matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.orm.jpa.EntityManagerFactoryBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#jpaVendorAdapter matched:

- @ConditionalOnMissingBean (types: org.springframework.orm.jpa.JpaVendorAdapter; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#transactionManager matched:

- @ConditionalOnMissingBean (types: org.springframework.transaction.TransactionManager; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration.JpaWebConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.web.servlet.config.annotation.WebMvcConfigurer' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnProperty (spring.jpa.open-in-view=true) matched (OnPropertyCondition)
- @ConditionalOnMissingBean (types: org.springframework.orm.jpa.support.OpenEntityManagerInViewInterceptor,org.springframework.orm.jpa.support.OpenEntityManagerInViewFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaRepositoriesAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.data.jpa.repository.JpaRepository' (OnClassCondition)
- @ConditionalOnProperty (spring.data.jpa.repositories.enabled=true) matched (OnPropertyCondition)
- @ConditionalOnBean (types: javax.sql.DataSource; SearchStrategy: all) found bean 'dataSource'; @ConditionalOnMissingBean (types: org.springframework.data.jpa.repository.support.JpaRepositoryFactoryBean,org.springframework.data.jpa.repository.config.JpaRepositoryConfigExtension; SearchStrategy: all) did not find any beans (OnBeanCondition)

JtaAutoConfiguration matched:

- @ConditionalOnClass found required class 'javax.transaction.Transaction' (OnClassCondition)
- @ConditionalOnProperty (spring.jta.enabled) matched (OnPropertyCondition)

LifecycleAutoConfiguration#defaultLifecycleProcessor matched:

- @ConditionalOnMissingBean (names: lifecycleProcessor; SearchStrategy: current) did not find any beans (OnBeanCondition)

MultipartAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet', 'org.springframework.web.multipart.support.StandardServletMultipartResolver', 'javax.servlet.MultipartConfigElement' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnProperty (spring.servlet.multipart.enabled) matched (OnPropertyCondition)

MultipartAutoConfiguration#multipartConfigElement matched:

- @ConditionalOnMissingBean (types: javax.servlet.MultipartConfigElement,org.springframework.web.multipart.commons.CommonsMultipartResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

MultipartAutoConfiguration#multipartResolver matched:

- @ConditionalOnMissingBean (types: org.springframework.web.multipart.MultipartResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

NamedParameterJdbcTemplateConfiguration matched:

- @ConditionalOnSingleCandidate (types: org.springframework.jdbc.core.JdbcTemplate; SearchStrategy: all) found a primary bean from beans 'jdbcTemplate'; @ConditionalOnMissingBean (types: org.springframework.jdbc.core.namedparam.NamedParameterJdbcOperations; SearchStrategy: all) did not find any beans (OnBeanCondition)

NoOpCacheConfiguration matched:

- Cache org.springframework.boot.autoconfigure.cache.NoOpCacheConfiguration automatic cache type (CacheCondition)

PersistenceExceptionTranslationAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.dao.annotation.PersistenceExceptionTranslationPostProcessor' (OnClassCondition)

PersistenceExceptionTranslationAutoConfiguration#persistenceExceptionTranslationPostProcessor matched:

- @ConditionalOnProperty (spring.dao.exceptiontranslation.enabled) matched (OnPropertyCondition)
- @ConditionalOnMissingBean (types: org.springframework.dao.annotation.PersistenceExceptionTranslationPostProcessor; SearchStrategy: all) did not find any beans (OnBeanCondition)

PropertyPlaceholderAutoConfiguration#propertySourcesPlaceholderConfigurer matched:

- @ConditionalOnMissingBean (types: org.springframework.context.support.PropertySourcesPlaceholderConfigurer; SearchStrategy: current) did not find any beans (OnBeanCondition)

RepositoryRestMvcAutoConfiguration matched:

- @ConditionalOnClass found required class  
'org.springframework.data.rest.webmvc.config.RepositoryRestMvcConfiguration'  
(OnClassCondition)  
- found 'session' scope (OnWebApplicationCondition)  
- @ConditionalOnMissingBean (types:  
org.springframework.data.rest.webmvc.config.RepositoryRestMvcConfiguration; SearchStrategy:  
all) did not find any beans (OnBeanCondition)

RestTemplateAutoConfiguration matched:  
- @ConditionalOnClass found required class 'org.springframework.web.client.RestTemplate'  
(OnClassCondition)  
- NoneNestedConditions 0 matched 1 did not; NestedCondition on  
RestTemplateAutoConfiguration.NotReactiveWebApplicationCondition.ReactiveWebApplication did  
not find reactive web application classes  
(RestTemplateAutoConfiguration.NotReactiveWebApplicationCondition)

RestTemplateAutoConfiguration#restTemplateBuilder matched:  
- @ConditionalOnMissingBean (types:  
org.springframework.boot.web.client.RestTemplateBuilder; SearchStrategy: all) did not find any  
beans (OnBeanCondition)

RestTemplateAutoConfiguration#restTemplateBuilderConfigurer matched:  
- @ConditionalOnMissingBean (types:  
org.springframework.boot.autoconfigure.web.client.RestTemplateBuilderConfigurer;  
SearchStrategy: all) did not find any beans (OnBeanCondition)

SecurityAutoConfiguration matched:  
- @ConditionalOnClass found required class  
'org.springframework.security.authentication.DefaultAuthenticationEventPublisher'  
(OnClassCondition)

SecurityAutoConfiguration#authenticationEventPublisher matched:  
- @ConditionalOnMissingBean (types:  
org.springframework.security.authentication.AuthenticationEventPublisher; SearchStrategy: all) did  
not find any beans (OnBeanCondition)

SecurityFilterAutoConfiguration matched:  
- @ConditionalOnClass found required classes  
'org.springframework.security.web.context.AbstractSecurityWebApplicationInitializer',  
'org.springframework.security.config.http.SessionCreationPolicy' (OnClassCondition)  
- found 'session' scope (OnWebApplicationCondition)

SecurityFilterAutoConfiguration#securityFilterChainRegistration matched:  
- @ConditionalOnBean (names: springSecurityFilterChain; SearchStrategy: all) found bean  
'springSecurityFilterChain' (OnBeanCondition)

ServletWebServerFactoryAutoConfiguration matched:  
- @ConditionalOnClass found required class 'javax.servlet.ServletRequest' (OnClassCondition)  
- found 'session' scope (OnWebApplicationCondition)

ServletWebServerFactoryAutoConfiguration#tomcatServletWebServerFactoryCustomizer  
matched:  
- @ConditionalOnClass found required class 'org.apache.catalina.startup.Tomcat'  
(OnClassCondition)



ServletWebServerFactoryConfiguration.EmbeddedTomcat matched:  
- @ConditionalOnClass found required classes 'javax.servlet.Servlet',  
'org.apache.catalina.startup.Tomcat', 'org.apache.coyote.UpgradeProtocol' (OnClassCondition)  
- @ConditionalOnMissingBean (types:  
org.springframework.boot.web.servlet.server.ServletWebServerFactory; SearchStrategy: current)  
did not find any beans (OnBeanCondition)

SimpleCacheConfiguration matched:  
- Cache org.springframework.boot.autoconfigure.cache.SimpleCacheConfiguration automatic  
cache type (CacheCondition)

SpringBootWebSecurityConfiguration matched:  
- found 'session' scope (OnWebApplicationCondition)  
- AllNestedConditions 2 matched 0 did not; NestedCondition on  
DefaultWebSecurityCondition.Beans @ConditionalOnMissingBean (types:  
org.springframework.security.config.annotation.web.configuration.WebSecurityConfigurerAdapter,o  
rg.springframework.security.web.SecurityFilterChain; SearchStrategy: all) did not find any beans;  
NestedCondition on DefaultWebSecurityCondition.Classes @ConditionalOnClass found required  
classes 'org.springframework.security.web.SecurityFilterChain',  
'org.springframework.security.config.annotation.web.builders.HttpSecurity'  
(DefaultWebSecurityCondition)

SqlInitializationAutoConfiguration matched:  
- @ConditionalOnProperty (spring.sql.init.enabled) matched (OnPropertyCondition)  
- NoneNestedConditions 0 matched 1 did not; NestedCondition on  
SqlInitializationAutoConfiguration.SqlInitializationModeCondition.ModelsNever  
@ConditionalOnProperty (spring.sql.init.mode=never) did not find property 'mode'  
(SqlInitializationAutoConfiguration.SqlInitializationModeCondition)

TaskExecutionAutoConfiguration matched:  
- @ConditionalOnClass found required class  
'org.springframework.scheduling.concurrent.ThreadPoolTaskExecutor' (OnClassCondition)

TaskExecutionAutoConfiguration#applicationTaskExecutor matched:  
- @ConditionalOnMissingBean (types: java.util.concurrent.Executor; SearchStrategy: all) did not  
find any beans (OnBeanCondition)

TaskExecutionAutoConfiguration#taskExecutorBuilder matched:  
- @ConditionalOnMissingBean (types: org.springframework.boot.task.TaskExecutorBuilder;  
SearchStrategy: all) did not find any beans (OnBeanCondition)

TaskSchedulingAutoConfiguration matched:  
- @ConditionalOnClass found required class  
'org.springframework.scheduling.concurrent.ThreadPoolTaskScheduler' (OnClassCondition)

TaskSchedulingAutoConfiguration#taskSchedulerBuilder matched:  
- @ConditionalOnMissingBean (types: org.springframework.boot.task.TaskSchedulerBuilder;  
SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration matched:  
- @ConditionalOnClass found required class  
'org.springframework.transaction.PlatformTransactionManager' (OnClassCondition)

TransactionAutoConfiguration#platformTransactionManagerCustomizers matched:  
- @ConditionalOnMissingBean (types:

org.springframework.boot.autoconfigure.transaction.TransactionManagerCustomizers;  
SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration.EnableTransactionManagementConfiguration matched:  
- @ConditionalOnBean (types: org.springframework.transaction.TransactionManager;  
SearchStrategy: all) found bean 'transactionManager'; @ConditionalOnMissingBean (types:  
org.springframework.transaction.annotation.AbstractTransactionManagementConfiguration;  
SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration.EnableTransactionManagementConfiguration.CglibAutoProxyConfigu-  
ration matched:  
- @ConditionalOnProperty (spring.aop.proxy-target-class=true) matched (OnPropertyCondition)

TransactionAutoConfiguration.TransactionTemplateConfiguration matched:  
- @ConditionalOnSingleCandidate (types:  
org.springframework.transaction.PlatformTransactionManager; SearchStrategy: all) found a  
primary bean from beans 'transactionManager' (OnBeanCondition)

TransactionAutoConfiguration.TransactionTemplateConfiguration#transactionTemplate matched:  
- @ConditionalOnMissingBean (types:  
org.springframework.transaction.support.TransactionOperations; SearchStrategy: all) did not find  
any beans (OnBeanCondition)

UserDetailsServiceAutoConfiguration matched:  
- @ConditionalOnClass found required class  
'org.springframework.security.authentication.AuthenticationManager' (OnClassCondition)  
- @ConditionalOnBean (types:  
org.springframework.security.config.annotation.ObjectPostProcessor; SearchStrategy: all) found  
bean 'objectPostProcessor'; @ConditionalOnMissingBean (types:  
org.springframework.security.authentication.AuthenticationManager,org.springframework.security.  
authentication.AuthenticationProvider,org.springframework.security.core.userdetails.UserDetailsSe-  
rvice,org.springframework.security.authentication.AuthenticationManagerResolver,org.springframe-  
work.security.oauth2.jwt.JwtDecoder,org.springframework.security.oauth2.server.resource.introspe-  
ction.OpaqueTokenIntrospector,org.springframework.security.oauth2.client.registration.ClientRegis-  
trationRepository; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration matched:  
- @ConditionalOnClass found required classes 'javax.servlet.Servlet',  
'org.springframework.web.servlet.DispatcherServlet',  
'org.springframework.web.servlet.config.annotation.WebMvcConfigurer' (OnClassCondition)  
- found 'session' scope (OnWebApplicationCondition)  
- @ConditionalOnMissingBean (types:  
org.springframework.web.servlet.config.annotation.WebMvcConfigurationSupport; SearchStrategy:  
all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration#formContentFilter matched:  
- @ConditionalOnProperty (spring.mvc.formcontent.filter.enabled) matched  
(OnPropertyCondition)  
- @ConditionalOnMissingBean (types: org.springframework.web.filter.FormContentFilter;  
SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.EnableWebMvcConfiguration#flashMapManager matched:  
- @ConditionalOnMissingBean (names: flashMapManager; SearchStrategy: all) did not find any  
beans (OnBeanCondition)

WebMvcAutoConfiguration.EnableWebMvcConfiguration#localeResolver matched:  
- @ConditionalOnMissingBean (names: localeResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.EnableWebMvcConfiguration#themeResolver matched:  
- @ConditionalOnMissingBean (names: themeResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.WebMvcAutoConfigurationAdapter#defaultViewResolver matched:  
- @ConditionalOnMissingBean (types: org.springframework.web.servlet.view.InternalResourceViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.WebMvcAutoConfigurationAdapter#requestContextFilter matched:  
- @ConditionalOnMissingBean (types: org.springframework.web.context.request.RequestContextListener,org.springframework.web.filter.RequestContextFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.WebMvcAutoConfigurationAdapter#viewResolver matched:  
- @ConditionalOnBean (types: org.springframework.web.servlet.ViewResolver; SearchStrategy: all) found beans 'defaultViewResolver', 'beanNameViewResolver', 'mvcViewResolver';  
@ConditionalOnMissingBean (names: viewResolver types: org.springframework.web.servlet.view.ContentNegotiatingViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebSecurityEnablerConfiguration matched:  
- @ConditionalOnClass found required class 'org.springframework.security.config.annotation.web.configuration.EnableWebSecurity' (OnClassCondition)  
- found 'session' scope (OnWebApplicationCondition)  
- @ConditionalOnMissingBean (names: springSecurityFilterChain; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebSocketServletAutoConfiguration matched:  
- @ConditionalOnClass found required classes 'javax.servlet.Servlet', 'javax.websocket.server.ServerContainer' (OnClassCondition)  
- found 'session' scope (OnWebApplicationCondition)

WebSocketServletAutoConfiguration.TomcatWebSocketConfiguration matched:  
- @ConditionalOnClass found required classes 'org.apache.catalina.startup.Tomcat', 'org.apache.tomcat.websocket.server.WsSci' (OnClassCondition)

WebSocketServletAutoConfiguration.TomcatWebSocketConfiguration#websocketServletWebServerCustomizer matched:  
- @ConditionalOnMissingBean (names: websocketServletWebServerCustomizer; SearchStrategy: all) did not find any beans (OnBeanCondition)

Negative matches:

-----

ActiveMQAutoConfiguration:  
Did not match:

- @ConditionalOnClass did not find required class 'javax.jms.ConnectionFactory' (OnClassCondition)

AopAutoConfiguration.AspectJAutoProxyingConfiguration.JdkDynamicAutoProxyConfiguration:

Did not match:

- @ConditionalOnProperty (spring.aop.proxy-target-class=false) did not find property 'proxy-target-class' (OnPropertyCondition)

AopAutoConfiguration.ClassProxyingConfiguration:

Did not match:

- @ConditionalOnMissingClass found unwanted class 'org.aspectj.weaver.Advice' (OnClassCondition)

ArtemisAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.jms.ConnectionFactory' (OnClassCondition)

AtomikosJtaConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.atomikos.icatch.jta.UserTransactionManager' (OnClassCondition)

BatchAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.batch.core.launch.JobLauncher' (OnClassCondition)

CacheAutoConfiguration:

Did not match:

- @ConditionalOnBean (types: org.springframework.cache.interceptor.CacheAspectSupport; SearchStrategy: all) did not find any beans of type org.springframework.cache.interceptor.CacheAspectSupport (OnBeanCondition)

Matched:

- @ConditionalOnClass found required class 'org.springframework.cache.CacheManager' (OnClassCondition)

CacheAutoConfiguration.CacheManagerEntityManagerFactoryDependsOnPostProcessor:

Did not match:

- Ancestor org.springframework.boot.autoconfigure.cache.CacheAutoConfiguration did not match (ConditionEvaluationReport.AncestorsMatchedCondition)

Matched:

- @ConditionalOnClass found required class 'org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean' (OnClassCondition)

CaffeineCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.github.benmanes.caffeine.cache.Caffeine' (OnClassCondition)

CassandraAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

CassandraDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

CassandraReactiveDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

CassandraReactiveRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.data.cassandra.ReactiveSession' (OnClassCondition)

CassandraRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

ClientHttpConnectorAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.web.reactive.function.client.WebClient' (OnClassCondition)

CodecsAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.web.reactive.function.client.WebClient' (OnClassCondition)

CouchbaseAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster'

(OnClassCondition)

CouchbaseCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster'

(OnClassCondition)

CouchbaseDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Bucket'

(OnClassCondition)

CouchbaseReactiveDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster'

(OnClassCondition)

CouchbaseReactiveRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster'

(OnClassCondition)

CouchbaseRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Bucket' (OnClassCondition)

DataSourceAutoConfiguration.EmbeddedDatabaseConfiguration:

Did not match:

- EmbeddedDataSource found supported pooled data source (DataSourceAutoConfiguration.EmbeddedDatabaseCondition)

DataSourceConfiguration.Dbcp2:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.commons.dbcp2.BasicDataSource' (OnClassCondition)

DataSourceConfiguration.Generic:

Did not match:

- @ConditionalOnProperty (spring.datasource.type) did not find property 'spring.datasource.type' (OnPropertyCondition)

DataSourceConfiguration.OracleUcp:

Did not match:

- @ConditionalOnClass did not find required classes 'oracle.ucp.jdbc.PoolDataSourceImpl', 'oracle.jdbc.OracleConnection' (OnClassCondition)

DataSourceConfiguration.Tomcat:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.tomcat.jdbc.pool.DataSource' (OnClassCondition)

DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration:

Did not match:

- AnyNestedCondition 0 matched 2 did not; NestedCondition on DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.DifferentCredentialsCondition.DataCredentials @ConditionalOnProperty (spring.datasource.data-username) did not find property 'data-username'; NestedCondition on DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.DifferentCredentialsCondition.SchemaCredentials @ConditionalOnProperty (spring.datasource.schema-username) did not find property 'schema-username' (DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.DifferentCredentialsCondition)

DataSourceInitializationConfiguration.SharedCredentialsDataSourceInitializationConfiguration:

Did not match:

- DataSource Initialization did not find configured properties spring.datasource.data-username, spring.datasource.schema-password, spring.datasource.schema[0], spring.datasource.data[0], spring.datasource.data, spring.datasource.schema-username, spring.datasource.data-password, spring.datasource.initialization-mode, spring.datasource.schema, spring.datasource.sql-script-encoding, spring.datasource.separator, spring.datasource.platform, spring.datasource.continue-on-error (DataSourceInitializationConfiguration.SharedCredentialsDataSourceInitializationConfiguration.DataSourceInitializationCondition)

DataSourceJmxConfiguration:

Did not match:

- @ConditionalOnProperty (spring.jmx.enabled=true) found different value in property 'enabled' (OnPropertyCondition)

DataSourcePoolMetadataProvidersConfiguration.CommonsDbc2PoolDataSourceMetadataProvider Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.commons.dbcp2.BasicDataSource' (OnClassCondition)

DataSourcePoolMetadataProvidersConfiguration.OracleUcpPoolDataSourceMetadataProvider Configuration:

Did not match:

- @ConditionalOnClass did not find required classes 'oracle.ucp.jdbc.PoolDataSource', 'oracle.jdbc.OracleConnection' (OnClassCondition)

DataSourcePoolMetadataProvidersConfiguration.TomcatDataSourcePoolMetadataProvider Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.tomcat.jdbc.pool.DataSource' (OnClassCondition)

DataSourceTransactionManagerAutoConfiguration.JdbcTransactionManagerConfiguration#transactionManager:

Did not match:

- @ConditionalOnMissingBean (types: org.springframework.transaction.TransactionManager; SearchStrategy: all) found beans of type 'org.springframework.transaction.TransactionManager' transactionManager (OnBeanCondition)

DispatcherServletAutoConfiguration.DispatcherServletConfiguration#multipartResolver:

Did not match:

- @ConditionalOnBean (types: org.springframework.web.multipart.MultipartResolver; SearchStrategy: all) did not find any beans of type org.springframework.web.multipart.MultipartResolver (OnBeanCondition)

EhCacheCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'net.sf.ehcache.Cache' (OnClassCondition)

ElasticsearchDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.elasticsearch.core.ElasticsearchRestTemplate' (OnClassCondition)

ElasticsearchRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.elasticsearch.client.Client' (OnClassCondition)

ElasticsearchRestClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.elasticsearch.client.RestClientBuilder' (OnClassCondition)

EmbeddedLdapAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.unboundid.ldap.listener.InMemoryDirectoryServer' (OnClassCondition)

EmbeddedMongoAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.MongoClientSettings' (OnClassCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.JettyWebServerFactoryCustomizerConfiguration:

Did not match:

- @ConditionalOnClass did not find required classes 'org.eclipse.jetty.server.Server', 'org.eclipse.jetty.util.Loader', 'org.eclipse.jetty.webapp.WebAppContext' (OnClassCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.NettyWebServerFactoryCustomizerConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.netty.http.server.HttpServer' (OnClassCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.UndertowWebServerFactoryCustomizerConfiguration:

Did not match:

- @ConditionalOnClass did not find required classes 'io.undertow.Undertow', 'org.xnio.SslClientAuthMode' (OnClassCondition)

ErrorWebFluxAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.config.WebFluxConfigurer' (OnClassCondition)

FlywayAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.flywaydb.core.Flyway' (OnClassCondition)

FreeMarkerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'freemarker.template.Configuration' (OnClassCondition)

GroovyTemplateAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'groovy.text.markup.MarkupTemplateEngine' (OnClassCondition)



GsonAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.google.gson.Gson' (OnClassCondition)

GsonHttpMessageConvertersConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.google.gson.Gson' (OnClassCondition)

H2ConsoleAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.h2.console.enabled=true) did not find property 'enabled' (OnPropertyCondition)

Matched:

- @ConditionalOnClass found required class 'org.h2.server.web.WebServlet' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)

HazelcastAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.hazelcast.core.HazelcastInstance' (OnClassCondition)

HazelcastCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.hazelcast.core.HazelcastInstance' (OnClassCondition)

HazelcastJpaDependencyAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.hazelcast.core.HazelcastInstance' (OnClassCondition)

HttpHandlerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.DispatcherHandler' (OnClassCondition)

HypermediaAutoConfiguration.HypermediaConfiguration:

Did not match:

- @ConditionalOnMissingBean (types: org.springframework.hateoas.client.LinkDiscoverers; SearchStrategy: all) found beans of type 'org.springframework.hateoas.client.LinkDiscoverers' linkDiscoverers (OnBeanCondition)

Matched:

- @ConditionalOnClass found required class 'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)

InfinispanCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.infinispan.spring.embedded.provider.SpringEmbeddedCacheManager' (OnClassCondition)

InfluxDbAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.influxdb.InfluxDB' (OnClassCondition)

IntegrationAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.integration.config.EnableIntegration' (OnClassCondition)

JCacheCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.cache.Caching' (OnClassCondition)

JacksonHttpMessageConvertersConfiguration.MappingJackson2XmlHttpMessageConverterConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'com.fasterxml.jackson.dataformat.xml.XmlMapper' (OnClassCondition)

JdbcRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.data.jdbc.repository.config.AbstractJdbcConfiguration' (OnClassCondition)

JerseyAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.glassfish.jersey.server.spring.SpringComponentProvider' (OnClassCondition)

JmsAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.jms.Message' (OnClassCondition)

JmxAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.jmx.enabled=true) found different value in property

'enabled' (OnPropertyCondition)

Matched:

- @ConditionalOnClass found required class 'org.springframework.jmx.export.MBeanExporter'

(OnClassCondition)

JndiConnectionFactoryAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.jms.core.JmsTemplate' (OnClassCondition)

JndiDataSourceAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.datasource.jndi-name) did not find property 'jndi-name'

(OnPropertyCondition)

Matched:

- @ConditionalOnClass found required classes 'javax.sql.DataSource',

'org.springframework.jdbc.datasource.embedded.EmbeddedDatabaseType' (OnClassCondition)

JndiJtaConfiguration:

Did not match:

- @ConditionalOnJndi JNDI environment is not available (OnJndiCondition)

Matched:

- @ConditionalOnClass found required class  
'org.springframework.transaction.jta.JtaTransactionManager' (OnClassCondition)

JooqAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.jooq.DSLContext' (OnClassCondition)

JpaRepositoriesAutoConfiguration#entityManagerFactoryBootstrapExecutorCustomizer:

Did not match:

- AnyNestedCondition 0 matched 2 did not; NestedCondition on  
JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition.LazyBootstrapMode  
@ConditionalOnProperty (spring.data.jpa.repositories.bootstrap-mode=lazy) did not find property  
'bootstrap-mode'; NestedCondition on  
JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition.DeferredBootstrapMode  
@ConditionalOnProperty (spring.data.jpa.repositories.bootstrap-mode=deferred) did not find  
property 'bootstrap-mode' (JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition)

JsonbAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.json.bind.Jsonb' (OnClassCondition)

JsonbHttpMessageConvertersConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.json.bind.Jsonb' (OnClassCondition)

KafkaAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class  
'org.springframework.kafka.core.KafkaTemplate' (OnClassCondition)

LdapAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class  
'org.springframework.ldap.core.ContextSource' (OnClassCondition)

LdapRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class  
'org.springframework.data.ldap.repository.LdapRepository' (OnClassCondition)

LiquibaseAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'liquibase.change.DatabaseChange'  
(OnClassCondition)

MailSenderAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.mail.internet.MimeMessage'  
(OnClassCondition)

MailSenderValidatorAutoConfiguration:

Did not match:

- @ConditionalOnSingleCandidate did not find required type  
'org.springframework.mail.javamail.JavaMailSenderImpl' (OnBeanCondition)

MessageSourceAutoConfiguration:  
Did not match:  
- ResourceBundle did not find bundle with basename messages  
(MessageSourceAutoConfiguration.ResourceBundleCondition)

MongoAutoConfiguration:  
Did not match:  
- @ConditionalOnClass did not find required class 'com.mongodb.client.MongoClient'  
(OnClassCondition)

MongoDataAutoConfiguration:  
Did not match:  
- @ConditionalOnClass did not find required class 'com.mongodb.client.MongoClient'  
(OnClassCondition)

MongoReactiveAutoConfiguration:  
Did not match:  
- @ConditionalOnClass did not find required class  
'com.mongodb.reactivestreams.client.MongoClient' (OnClassCondition)

MongoReactiveDataAutoConfiguration:  
Did not match:  
- @ConditionalOnClass did not find required class  
'com.mongodb.reactivestreams.client.MongoClient' (OnClassCondition)

MongoReactiveRepositoriesAutoConfiguration:  
Did not match:  
- @ConditionalOnClass did not find required class  
'com.mongodb.reactivestreams.client.MongoClient' (OnClassCondition)

MongoRepositoriesAutoConfiguration:  
Did not match:  
- @ConditionalOnClass did not find required class 'com.mongodb.client.MongoClient'  
(OnClassCondition)

MustacheAutoConfiguration:  
Did not match:  
- @ConditionalOnClass did not find required class 'com.samskivert.mustache.Mustache'  
(OnClassCondition)

Neo4jAutoConfiguration:  
Did not match:  
- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

Neo4jDataAutoConfiguration:  
Did not match:  
- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

Neo4jReactiveDataAutoConfiguration:  
Did not match:  
- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

Neo4jReactiveRepositoriesAutoConfiguration:  
Did not match:  
- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

Neo4jRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

NettyAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.netty.util.NettyRuntime'
- (OnClassCondition)

OAuth2ClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.security.oauth2.client.registration.ClientRegistration'
- (OnClassCondition)

OAuth2ResourceServerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.security.oauth2.server.resource.BearerTokenAuthenticationToken'
- (OnClassCondition)

ProjectInfoAutoConfiguration#buildProperties:

Did not match:

- @ConditionalOnResource did not find resource '\${spring.info.build.location:classpath:META-INF/build-info.properties}' (OnResourceCondition)

ProjectInfoAutoConfiguration#gitProperties:

Did not match:

- GitResource did not find git info at classpath:git.properties
- (ProjectInfoAutoConfiguration.GitResourceAvailableCondition)

QuartzAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.quartz.Scheduler' (OnClassCondition)

R2dbcAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.r2dbc.spi.ConnectionFactory'
- (OnClassCondition)

R2dbcDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.r2dbc.core.R2dbcEntityTemplate'
- (OnClassCondition)

R2dbcInitializationConfiguration:

Did not match:

- @ConditionalOnClass did not find required classes 'io.r2dbc.spi.ConnectionFactory', 'org.springframework.r2dbc.connection.init.DatabasePopulator'
- (OnClassCondition)

R2dbcRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.r2dbc.spi.ConnectionFactory'
- (OnClassCondition)

R2dbcTransactionManagerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.r2dbc.connection.R2dbcTransactionManager' (OnClassCondition)

RSocketMessagingAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.rsocket.RSocket' (OnClassCondition)

RSocketRequesterAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.rsocket.RSocket' (OnClassCondition)

RSocketSecurityAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.security.rsocket.core.SecuritySocketAcceptorInterceptor' (OnClassCondition)

RSocketServerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.rsocket.core.RSocketServer'

(OnClassCondition)

RSocketStrategiesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.netty.buffer.PooledByteBufAllocator'

(OnClassCondition)

RabbitAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.rabbitmq.client.Channel'

(OnClassCondition)

ReactiveElasticsearchRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.data.elasticsearch.client.reactive.ReactiveElasticsearchClient'

(OnClassCondition)

ReactiveElasticsearchRestClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.netty.http.client.HttpClient'

(OnClassCondition)

ReactiveMultipartAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.web.reactive.config.WebFluxConfigurer' (OnClassCondition)

ReactiveOAuth2ClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux'

(OnClassCondition)

ReactiveOAuth2ResourceServerAutoConfiguration:

Did not match:

- @ConditionalOnWebApplication did not find reactive web application classes (OnWebApplicationCondition)

ReactiveSecurityAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux' (OnClassCondition)

ReactiveUserDetailsServiceAutoConfiguration:

Did not match:

- AnyNestedCondition 0 matched 2 did not; NestedCondition on ReactiveUserDetailsServiceAutoConfiguration.ReactiveUserDetailsServiceCondition.ReactiveWebApplicationCondition did not find reactive web application classes; NestedCondition on ReactiveUserDetailsServiceAutoConfiguration.ReactiveUserDetailsServiceCondition.RSocketSecurityEnabledCondition @ConditionalOnBean (types: org.springframework.messaging.rsocket.annotation.support.RSocketMessageHandler; SearchStrategy: all) did not find any beans of type org.springframework.messaging.rsocket.annotation.support.RSocketMessageHandler (ReactiveUserDetailsServiceAutoConfiguration.ReactiveUserDetailsServiceCondition)

Matched:

- @ConditionalOnClass found required class 'org.springframework.security.authentication.ReactiveAuthenticationManager' (OnClassCondition)

ReactiveWebServerFactoryAutoConfiguration:

Did not match:

- @ConditionalOnWebApplication did not find reactive web application classes (OnWebApplicationCondition)

RedisAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.redis.core.RedisOperations' (OnClassCondition)

RedisCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.redis.connection.RedisConnectionFactory' (OnClassCondition)

RedisReactiveAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux' (OnClassCondition)

RedisRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.redis.repository.configuration.EnableRedisRepositories' (OnClassCondition)

Saml2RelyingPartyAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.security.saml2.provider.service.registration.RelyingPartyRegistrationRepository' (OnClassCondition)

SecurityDataConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.security.data.repository.query.SecurityEvaluationContextExtension'  
(OnClassCondition)

SendGridAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.sendgrid.SendGrid'

(OnClassCondition)

ServletWebServerFactoryAutoConfiguration#forwardedHeaderFilter:

Did not match:

- @ConditionalOnProperty (server.forward-headers-strategy=framework) did not find property 'server.forward-headers-strategy' (OnPropertyCondition)

ServletWebServerFactoryConfiguration.EmbeddedJetty:

Did not match:

- @ConditionalOnClass did not find required classes 'org.eclipse.jetty.server.Server', 'org.eclipse.jetty.util.Loader', 'org.eclipse.jetty.webapp.WebAppContext' (OnClassCondition)

ServletWebServerFactoryConfiguration.EmbeddedUndertow:

Did not match:

- @ConditionalOnClass did not find required classes 'io.undertow.Undertow', 'org.xnio.SslClientAuthMode' (OnClassCondition)

SessionAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.session.Session' (OnClassCondition)

SolrAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.solr.client.solrj.impl.CloudSolrClient' (OnClassCondition)

SpringApplicationAdminJmxAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.application.admin.enabled=true) did not find property 'enabled' (OnPropertyCondition)

SpringDataWebAutoConfiguration:

Did not match:

- @ConditionalOnMissingBean (types: org.springframework.data.web.PageableHandlerMethodArgumentResolver; SearchStrategy: all) found beans of type 'org.springframework.data.web.PageableHandlerMethodArgumentResolver' pageableResolver (OnBeanCondition)

Matched:

- @ConditionalOnClass found required classes 'org.springframework.data.web.PageableHandlerMethodArgumentResolver', 'org.springframework.web.servlet.config.annotation.WebMvcConfigurer' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)

TaskSchedulingAutoConfiguration#taskScheduler:



Did not match:

- @ConditionalOnBean (names: org.springframework.context.annotation.internalScheduledAnnotationProcessor; SearchStrategy: all) did not find any beans named org.springframework.context.annotation.internalScheduledAnnotationProcessor (OnBeanCondition)

ThymeleafAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.thymeleaf.spring5.SpringTemplateEngine' (OnClassCondition)

TransactionAutoConfiguration#transactionalOperator:

Did not match:

- @ConditionalOnSingleCandidate (types: org.springframework.transaction.ReactiveTransactionManager; SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration.EnableTransactionManagementConfiguration.JdkDynamicAutoProxyConfiguration:

Did not match:

- @ConditionalOnProperty (spring.aop.proxy-target-class=false) did not find property 'proxy-target-class' (OnPropertyCondition)

ValidationAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.validation.executable.ExecutableValidator' (OnClassCondition)

WebClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.function.client.WebClient' (OnClassCondition)

WebFluxAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.config.WebFluxConfigurer' (OnClassCondition)

WebMvcAutoConfiguration#hiddenHttpMethodFilter:

Did not match:

- @ConditionalOnProperty (spring.mvc.hiddenmethod.filter.enabled) did not find property 'enabled' (OnPropertyCondition)

WebMvcAutoConfiguration.ResourceChainCustomizerConfiguration:

Did not match:

- @ConditionalOnEnabledResourceChain did not find class org.webjars.WebJarAssetLocator (OnEnabledResourceChainCondition)

WebMvcAutoConfiguration.WebMvcAutoConfigurationAdapter#beanNameViewResolver:

Did not match:

- @ConditionalOnMissingBean (types: org.springframework.web.servlet.view.BeanNameViewResolver; SearchStrategy: all) found beans of type 'org.springframework.web.servlet.view.BeanNameViewResolver' beanNameViewResolver (OnBeanCondition)

WebServiceTemplateAutoConfiguration:  
Did not match:  
- @ConditionalOnClass did not find required class 'org.springframework.xml.Marshaller'  
(OnClassCondition)

WebServicesAutoConfiguration:  
Did not match:  
- @ConditionalOnClass did not find required class  
'org.springframework.ws.transport.http.MessageDispatcherServlet' (OnClassCondition)

WebSessionIdResolverAutoConfiguration:  
Did not match:  
- @ConditionalOnClass did not find required class 'reactor.core.publisher.Mono'  
(OnClassCondition)

WebSocketMessagingAutoConfiguration:  
Did not match:  
- @ConditionalOnClass did not find required class  
'org.springframework.web.socket.config.annotation.WebSocketMessageBrokerConfigurer'  
(OnClassCondition)

WebSocketReactiveAutoConfiguration:  
Did not match:  
- @ConditionalOnWebApplication did not find reactive web application classes  
(OnWebApplicationCondition)

WebSocketServletAutoConfiguration.Jetty10WebSocketConfiguration:  
Did not match:  
- @ConditionalOnClass did not find required classes  
'org.eclipse.jetty.websocket.javax.server.internal.JavaxWebSocketServerContainer',  
'org.eclipse.jetty.websocket.server.JettyWebSocketServerContainer' (OnClassCondition)

WebSocketServletAutoConfiguration.JettyWebSocketConfiguration:  
Did not match:  
- @ConditionalOnClass did not find required class  
'org.eclipse.jetty.websocket.jsr356.server.deploy.WebSocketServerContainerInitializer'  
(OnClassCondition)

WebSocketServletAutoConfiguration.UndertowWebSocketConfiguration:  
Did not match:  
- @ConditionalOnClass did not find required class 'io.undertow.websockets.jsr.Bootstrap'  
(OnClassCondition)

XADataSourceAutoConfiguration:  
Did not match:  
- @ConditionalOnBean (types: org.springframework.boot.jdbc.XADataSourceWrapper;  
SearchStrategy: all) did not find any beans of type  
org.springframework.boot.jdbc.XADataSourceWrapper (OnBeanCondition)  
Matched:  
- @ConditionalOnClass found required classes 'javax.sql.DataSource',  
'javax.transaction.TransactionManager',  
'org.springframework.jdbc.datasource.embedded.EmbeddedDatabaseType' (OnClassCondition)

Exclusions:

-----

None

Unconditional classes:

-----

org.springframework.boot.autoconfigure.context.ConfigurationPropertiesAutoConfiguration  
org.springframework.boot.autoconfigure.context.LifecycleAutoConfiguration  
org.springframework.boot.autoconfigure.context.PropertyPlaceholderAutoConfiguration  
org.springframework.boot.autoconfigure.availability.ApplicationAvailabilityAutoConfiguration  
org.springframework.boot.autoconfigure.info.ProjectInfoAutoConfiguration

2022-03-01 11:17:25.979 INFO 476 --- [ Test worker] c.b.o.backend.BackendApplicationTests :  
Started BackendApplicationTests in 12.991 seconds (JVM running for 16.982)  
2022-03-01 11:17:25.981 DEBUG 476 --- [ Test worker] o.s.b.a.ApplicationAvailabilityBean :  
Application availability state LivenessState changed to CORRECT  
2022-03-01 11:17:25.983 DEBUG 476 --- [ Test worker] o.s.b.a.ApplicationAvailabilityBean :  
Application availability state ReadinessState changed to ACCEPTING\_TRAFFIC  
The item is added to the cart  
The item is added to the cart  
The item is added to the cart  
]]>  
</system-out>  
  
<system-err/>  
  
</testsuite>

## Information

|                                  |   |
|----------------------------------|---|
| Name:                            | Project ordgp: frontend   |
| Description:                     | Description of ordgp.   |
| Version:                         | WIP   |
| Date Created:                    | 2022-01-21T10:15:30   |
| Git Commit:                      | 46a05fce73c811e74f4f96d8f418daa4246ace09                          |
| Git Tag:                         | ods-generated-v3.0-3.0-0b11-D                                     |
| Git URL:                         | http://bitbucket.odsbox.lan:7990/scm/ofi2004/ofi2004-frontend.git |
| OpenShift Cluster API URL:       | https://openshift-sample  |
| Created by Jenkins Job Name:     | ordgp-cd/ordgp-releasemanager                                     |
| Created by Jenkins Build Number: | 13  |
| Target environment:              | dev   |

## Software Development Testing Report for 'Project ordgp: frontend'

### TABLE OF CONTENTS

- [1 INTRODUCTION](#)**
- [2 RESPONSIBILITIES](#)**
- [3 DEVELOPMENT TESTING RESULTS](#)**
  - [3.1 OVERVIEW OF UNIT TESTED MODULES](#)**
  - [3.2 OVERVIEW OF INTEGRATION TESTS](#)**
  - [3.3 OVERVIEW OF SYSTEM TESTS](#)**
  - [3.4 OVERVIEW OF TEST CASE DISCREPANCIES](#)**
- [4 CONCLUSION STATEMENT](#)**
- [5 DEFINITIONS AND ABBREVIATIONS](#)**
  - [5.1 DEFINITIONS](#)**
  - [5.2 ABBREVIATIONS](#)**
- [6 REFERENCE DOCUMENTS](#)**
- [7 DOCUMENT HISTORY](#)**
- [8 ATTACHMENTS](#)**
  - [8.1 XUNIT XML DOCUMENTS \(INCLUDING TEST EVIDENCE\)](#)**

## **1 INTRODUCTION**

The purpose of the Development Test Summary Report is to document the structural and/or functional testing of Project ordgp: frontend that was conducted to verify the implementation of the design for each unit/module of the computer system, and the system functions as specified in the System and Software Design / Functional Specifications.

## **2 RESPONSIBILITIES**

The Development Testing has been executed according to the roles and responsibilities defined in the Development Testing Plan.

### **3 DEVELOPMENT TESTING RESULTS**

Please, see chapter ["8.1 xUnit XML Documents \(including Test Evidence\)"](#) to consult the exhaustive Development Testing Results.

#### **3.1 OVERVIEW OF UNIT TESTED MODULES**

No Unit test cases which mitigate or cover the corresponding Risks or System Requirements and are defined in Jira for this module.

Additional Unit Tests not defined in Jira and executed:

#### **3.2 OVERVIEW OF INTEGRATION TESTS**

N/A

#### **3.3 OVERVIEW OF SYSTEM TESTS**

N/A

#### **3.4 OVERVIEW OF TEST CASE DISCREPANCIES**

No discrepancies found.

#### 4 CONCLUSION STATEMENT

Having completed the execution of the Development Tests for *Project ordgp: frontend* and assessed the activities and respective outcomes, which are documented above, the conclusion drawn is as follows:

|                                    |   |
|------------------------------------|---|
| Complete success, no discrepancies | It is determined that all steps of the Development Tests have been successfully executed and signature of this report verifies that the tests have been performed according to the plan. No discrepancies occurred. |
|------------------------------------|---|



## 5 DEFINITIONS AND ABBREVIATIONS

### 5.1 DEFINITIONS

| Term    | Definition   |
|---------|--|
| Jenkins | Build engine supplied by cloudbees - part of OpenDevStack (BI-IT-DEVSTACK) |
| xUnit   | Unit testing framework, aggregaults across multiple languages              |

### 5.2 ABBREVIATIONS

| Abbreviation | Meaning                         |
|--------------|---------------------------------|
| ODS          | OpenDevStack                    |
| EDP          | Enterprise Development Platform |

## 6 REFERENCE DOCUMENTS

- Combined Specification Document (version BI-IT-DEVSTACK / WIP-13-WIP)
- System and Software Design Specification including Source Code Review Plan (version BI-IT-DEVSTACK / WIP-13-WIP)
- Risk Assessment (version BI-IT-DEVSTACK / WIP-13-WIP)
- Software Development Testing Plan (version BI-IT-DEVSTACK / WIP-13-WIP)

N/A

## 7 DOCUMENT HISTORY

| Version | Date  | Author | Change Reference          |
|---------|---|--------|---------------------------|
| 1       | See Summary of electronic document or signature page of printout. |        | Initial document version. |

The following table provides extra history of the document.

| Version | Date  | Author | Reference |
|---------|---|--------|-----------|
|         | See summary of electronic document or signature page of printout. |        |           |

## 8 ATTACHMENTS

### 8.1 XUNIT XML DOCUMENTS (INCLUDING TEST EVIDENCE)

This section provides the xUnit XML results, including any test evidence, of the execution of the system Project ordgp: frontend created by Jenkins Job Name ordgp-cd/ordgp-releasemanager and Jenkins Build Number 13.

#### test-results.xml

```
<?xml version="1.0" encoding="UTF-8"?><testsuite name="HeadlessChrome 94.0.4606 (Linux 0.0.0)" package="" timestamp="2022-03-01T11:19:00" id="0" hostname="pod-d37d024c-2832-4049-9847-7054e8a20989-gpc5g-6t74v" tests="3" errors="0" failures="0" time="0.183">
```

```
<properties>
```

```
<property name="browser.fullName" value="Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/94.0.4606.81 Safari/537.36"/>
```

```
</properties>
```

```
<testcase name="AppComponent should create the app" time="0.077" classname="AppComponent"/>
```

```
<testcase name="AppComponent should have as title 'frontend'" time="0.019" classname="AppComponent"/>
```

```
<testcase name="AppComponent should render title in a h1 tag" time="0.087" classname="AppComponent"/>
```

```
<system-out>
```

```
<![CDATA[
]]>
```

```
</system-out>
```

```
<system-err/>
```

```
</testsuite>
```