Information

Name:	Project ordgp: backend
Description:	Description of ordgp.
Version:	WIP
Date Created:	2022-01-21T10:15:30
Git Commit:	46a05fce73c811e74f4f96d8f418daa4246ace09
Git Tag:	
Git URL:	http://bitbucket.odsbox.lan:7990/scm/ofi2004/ofi2004-backend.git
OpenShift Cluster API URL:	https://openshift-sample
Created by Jenkins Job Name:	ordgp-cd/ordgp-releasemanager
Created by Jenkins Build Number:	666
Target environment:	dev

Software Development Testing Report for 'Project ordgp: backend'

TABLE OF CONTENTS

1   INTRODUCTION

The purpose of the Development Test Summary Report is to document the structural and/or functional testing of Project ordgp: backend that was conducted to verify the implementation of the design for each unit/module of the computer system, and the system functions as specified in the System and Software Design / Functional Specifications.

2   RESPONSIBILITIES

The Development Testing has been executed according to the roles and responsibilities
defined in the Development Testing Plan.

3   DEVELOPMENT TESTING RESULTS

Please, see chapter <u>"8.1 xUnit XML Documents (including Test Evidence)"</u> to consult the exhaustive Development Testing Results.

3.1   OVERVIEW OF UNIT TESTED MODULES

The following table shows only the Unit test cases which mitigate or cover the corresponding Risks or System Requirements and are defined in Jira by the project team. They can be found in the detailed Unit Test Report searching by the ID from Jira.

CSD ID	Test ID	Reference to System and Software Design Spec	Assigned Risk Level per Risk Assessment	Description	Passed (Y/N)	Comments
ORDGP-125	ORDGP-137	N/A	Medium	Suspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. Morbi pretium massa quis nunc pharetra, id faucibus purus condimentum. Sed augue lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique. In dictum purus sit amet justo dignissim tristique. Sed ligula ante, tempus non turpis eget, iaculis consequat dui	Y	N/A

| ORDGP-125 | ORDGP-138 | N/A | Medium | Suspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. Morbi pretium massa quis nunc pharetra, id faucibus purus condimentum. Sed augue lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique. In dictum purus sit amet justo dignissim tristique. Sed ligula ante, tempus non turpis eget, iaculis consequat dui | Y | N/A |
| ORDGP-125 | ORDGP-139 | N/A | Medium | Suspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. Morbi pretium massa quis nunc pharetra, id faucibus purus condimentum. Sed augue lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique. In dictum purus sit amet justo dignissim tristique. Sed ligula ante, tempus non turpis eget, iaculis consequat dui | Y | N/A |

Additional Unit Tests not defined in Jira and executed: 0

3.2 OVERVIEW OF INTEGRATION TESTS

N/A

3.3 OVERVIEW OF SYSTEM TESTS

N/A

3.4 OVERVIEW OF TEST CASE DISCREPANCIES

No discrepancies found.

4   CONCLUSION STATEMENT

Having completed the execution of the Development Tests for *Project ordgp: backend* and assessed the activities and respective outcomes, which are documented above, the conclusion drawn is as follows:

Complete success, no discrepancies	It is determined that all steps of the Development Tests have been successfully executed and signature of this report verifies that the tests have been performed according to the plan. No discrepancies occurred.

5 DEFINITIONS AND ABBREVIATIONS

5.1 DEFINITIONS

Term	Definition
Jenkins	Build engine supplied by cloudbees - part of OpenDevStack (BI-IT-DEVSTACK)
xUnit	Unit testing framework, aggregaults across multiple languages

5.2 ABBREVIATIONS

Abbreviation	Meaning
ODS	OpenDevStack
EDP	Enterprise Development Platform

6   REFERENCE DOCUMENTS

- Combined Specification Document (version BI-IT-DEVSTACK / WIP-666-WIP)
- System and Software Design Specification including Source Code Review Plan (version BI-IT-DEVSTACK / WIP-666-WIP)
- Risk Assessment (version BI-IT-DEVSTACK / WIP-666-WIP)
- Software Development Testing Plan (version BI-IT-DEVSTACK / WIP-666-WIP)

N/A

7   DOCUMENT HISTORY

Version	Date	Author	Change Reference
1	See Summary of electronic document or signature page of printout.		Initial document version.

The following table provides extra history of the document.

Version	Date	Author	Reference
	See summary of electronic document or signature page of printout.		

8   ATTACHMENTS

8.1   XUNIT XML DOCUMENTS (INCLUDING TEST EVIDENCE)

This section provides the xUnit XML results, including any test evidence, of the execution
of the system Project ordgp: backend created by Jenkins Job Name ordgp-cd/ordgp-
releasemanager and Jenkins Build Number 666.

TEST-com.boehringer.ordgp.backend.BackendApplicationTests.xml

```
<?xml version="1.0" encoding="UTF-8"?><testsuite
name="com.boehringer.ordgp.backend.BackendApplicationTests" tests="3" skipped="0"
failures="0" errors="0" timestamp="2022-03-01T11:17:26" hostname="pod-87af8ccf-3284-4203-
b048-da5aa2e15a20-s63cc-rvlsx" time="0.728">

  <properties/>

  <testcase name="ORDGP138_workingunittest()"
classname="com.boehringer.ordgp.backend.BackendApplicationTests" time="0.718"/>

  <testcase name="ORDGP139_workingunittest()"
classname="com.boehringer.ordgp.backend.BackendApplicationTests" time="0.005"/>

  <testcase name="ORDGP137_workingunittest()"
classname="com.boehringer.ordgp.backend.BackendApplicationTests" time="0.003"/>

  <system-out>
    <![CDATA[11:17:11.704 [Test worker] DEBUG
org.springframework.test.context.BootstrapUtils - Instantiating
CacheAwareContextLoaderDelegate from class
[org.springframework.test.context.cache.DefaultCacheAwareContextLoaderDelegate]
11:17:11.779 [Test worker] DEBUG org.springframework.test.context.BootstrapUtils -
Instantiating BootstrapContext using constructor [public
org.springframework.test.context.support.DefaultBootstrapContext(java.lang.Class,org.sprin
gframework.test.context.CacheAwareContextLoaderDelegate)]
11:17:11.901 [Test worker] DEBUG org.springframework.test.context.BootstrapUtils -
Instantiating TestContextBootstrapper for test class
[com.boehringer.ordgp.backend.BackendApplicationTests] from class
[org.springframework.boot.test.context.SpringBootTestContextBootstrapper]
11:17:11.980 [Test worker] INFO
org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Neither
@ContextConfiguration nor @ContextHierarchy found for test class
[com.boehringer.ordgp.backend.BackendApplicationTests], using SpringBootContextLoader
11:17:11.989 [Test worker] DEBUG
org.springframework.test.context.support.AbstractContextLoader - Did not detect default
resource location for test class [com.boehringer.ordgp.backend.BackendApplicationTests]:
class path resource [com/boehringer/ordgp/backend/BackendApplicationTests-context.xml]
does not exist
11:17:11.990 [Test worker] DEBUG
org.springframework.test.context.support.AbstractContextLoader - Did not detect default
resource location for test class [com.boehringer.ordgp.backend.BackendApplicationTests]:
class path resource [com/boehringer/ordgp/backend/BackendApplicationTestsContext.groovy]
does not exist
11:17:11.990 [Test worker] INFO
org.springframework.test.context.support.AbstractContextLoader - Could not detect default
resource locations for test class [com.boehringer.ordgp.backend.BackendApplicationTests]:
no resource found for suffixes {-context.xml, Context.groovy}.
11:17:11.991 [Test worker] INFO
org.springframework.test.context.support.AnnotationConfigContextLoaderUtils - Could not
```

detect default configuration classes for test class
[com.boehringer.ordgp.backend.BackendApplicationTests]: BackendApplicationTests does not
declare any static, non-private, non-final, nested classes annotated with @Configuration.
11:17:12.113 [Test worker] DEBUG
org.springframework.test.context.support.ActiveProfilesUtils - Could not find an
'annotation declaring class' for annotation type
[org.springframework.test.context.ActiveProfiles] and class
[com.boehringer.ordgp.backend.BackendApplicationTests]
11:17:12.390 [Test worker] DEBUG
org.springframework.context.annotation.ClassPathScanningCandidateComponentProvider -
Identified candidate component class: file [/tmp/workspace/ordgp-cd/ordgp-cd-
releasemanager-
master/build/classes/java/main/com/boehringer/ordgp/backend/BackendApplication.class]
11:17:12.392 [Test worker] INFO
org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Found
@SpringBootConfiguration com.boehringer.ordgp.backend.BackendApplication for test class
com.boehringer.ordgp.backend.BackendApplicationTests
11:17:12.714 [Test worker] DEBUG
org.springframework.boot.test.context.SpringBootTestContextBootstrapper -
@TestExecutionListeners is not present for class
[com.boehringer.ordgp.backend.BackendApplicationTests]: using defaults.
11:17:12.715 [Test worker] INFO
org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Loaded default
TestExecutionListener class names from location [META-INF/spring.factories]:
[org.springframework.security.test.context.support.WithSecurityContextTestExecutionListene
r, org.springframework.security.test.context.support.ReactorContextTestExecutionListener,
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener,
org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecu
tionListener,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecu
tionListener,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener,
org.springframework.boot.test.autoconfigure.webservices.client.MockWebServiceServerTestExe
cutionListener, org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener,
org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener,
org.springframework.test.context.web.ServletTestExecutionListener,
org.springframework.test.context.support.DirtiesContextBeforeModesTestExecutionListener,
org.springframework.test.context.event.ApplicationEventsTestExecutionListener,
org.springframework.test.context.support.DependencyInjectionTestExecutionListener,
org.springframework.test.context.support.DirtiesContextTestExecutionListener,
org.springframework.test.context.transaction.TransactionalTestExecutionListener,
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener,
org.springframework.test.context.event.EventPublishingTestExecutionListener]
11:17:12.804 [Test worker] INFO
org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Using
TestExecutionListeners:
[org.springframework.test.context.web.ServletTestExecutionListener@6749fe50,
org.springframework.test.context.support.DirtiesContextBeforeModesTestExecutionListener@52
bf7bf6,
org.springframework.test.context.event.ApplicationEventsTestExecutionListener@261db982,
org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener@ae73c80,
org.springframework.boot.test.autoconfigure.SpringBootDependencyInjectionTestExecutionList
ener@22f4f8f2,
org.springframework.test.context.support.DirtiesContextTestExecutionListener@bbd4791,
org.springframework.test.context.transaction.TransactionalTestExecutionListener@40a72ecd,
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener@73971965,
org.springframework.security.test.context.support.WithSecurityContextTestExecutionListener
@76a14c8d,
org.springframework.test.context.event.EventPublishingTestExecutionListener@17410c07,
org.springframework.security.test.context.support.ReactorContextTestExecutionListener@6ee9

```
9964,
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener@257ef9e
d,
org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecu
tionListener@59c70ceb,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecu
tionListener@46f902e0,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener@64f
981e2,
org.springframework.boot.test.autoconfigure.webservices.client.MockWebServiceServerTestExe
cutionListener@361abd01,
org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener@575b5f7d]
11:17:12.809 [Test worker] DEBUG
org.springframework.test.context.support.AbstractDirtiesContextTestExecutionListener -
Before test class: context [DefaultTestContext@30839e44 testClass =
BackendApplicationTests, testInstance = [null], testMethod = [null], testException =
[null], mergedContextConfiguration = [WebMergedContextConfiguration@5f174dd2 testClass =
BackendApplicationTests, locations = '{}', classes = '{class
com.boehringer.ordgp.backend.BackendApplication}', contextInitializerClasses = '[]',
activeProfiles = '{}', propertySourceLocations = '{}', propertySourceProperties =
'{org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true}',
contextCustomizers =
set[org.springframework.boot.test.autoconfigure.actuate.metrics.MetricsExportContextCustom
izerFactory$DisableMetricExportContextCustomizer@76c548f,
org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@0,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverContextCustomizerFactory$
Customizer@7ae9a33a,
org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@73ad7e90,
org.springframework.boot.test.json.DuplicateJsonObjectContextCustomizerFactory$DuplicateJs
onObjectContextCustomizer@29528a22,
org.springframework.boot.test.mock.mockito.MockitoContextCustomizer@0,
org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@474fae39,
org.springframework.boot.test.context.SpringBootTestArgs@1,
org.springframework.boot.test.context.SpringBootTestWebEnvironment@6b9ce1bf],
resourceBasePath = 'src/main/webapp', contextLoader =
'org.springframework.boot.test.context.SpringBootContextLoader', parent = [null]],
attributes =
map['org.springframework.test.context.web.ServletTestExecutionListener.activateListener'
-> true]], class annotated with @DirtiesContext [false] with mode [null].
11:17:12.985 [Test worker] DEBUG org.springframework.boot.ApplicationServletEnvironment -
Activating profiles []
11:17:12.986 [Test worker] DEBUG
org.springframework.test.context.support.TestPropertySourceUtils - Adding inlined
properties to environment: {spring.jmx.enabled=false,
org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true}


  .   ____          _            __ _ _
 /\\ / ___'_ __ _ _(_)_ __  __ _ \ \ \ \
( ( )\___ | '_ | '_| | '_ \/ _` | \ \ \ \
 \\/  ___)| |_)| | | | | || (_| |  ) ) ) )
  '  |____| .__|_| |_|_| |_\__, | / / / /
 =========|_|==============|___/=/_/_/_/
 :: Spring Boot ::                (v2.6.1)

2022-03-01 11:17:13.980  INFO 476 --- [    Test worker]
c.b.o.backend.BackendApplicationTests    : Starting BackendApplicationTests using Java
17.0.1 on pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx with PID 476 (started by
default in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master)
2022-03-01 11:17:13.981  INFO 476 --- [    Test worker]
c.b.o.backend.BackendApplicationTests    : The following profiles are active: dev
```

```
2022-03-01 11:17:13.981 DEBUG 476 --- [    Test worker] o.s.boot.SpringApplication
: Loading source class com.boehringer.ordgp.backend.BackendApplication
2022-03-01 11:17:14.088 DEBUG 476 --- [    Test worker]
o.s.w.c.s.GenericWebApplicationContext   : Refreshing
org.springframework.web.context.support.GenericWebApplicationContext@53314f76
2022-03-01 11:17:15.979  INFO 476 --- [    Test worker]
.s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping Spring Data JPA repositories in
DEFAULT mode.
2022-03-01 11:17:15.996 DEBUG 476 --- [    Test worker] o.s.b.a.AutoConfigurationPackages
: @EnableAutoConfiguration was declared on a class in the package
'com.boehringer.ordgp.backend'. Automatic @Repository and @Entity scanning is enabled.
2022-03-01 11:17:15.998  INFO 476 --- [    Test worker]
.s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data repository scanning in 6
ms. Found 0 JPA repository interfaces.
2022-03-01 11:17:18.008  INFO 476 --- [    Test worker]
com.zaxxer.hikari.HikariDataSource       : HikariPool-1 - Starting...
2022-03-01 11:17:18.799  INFO 476 --- [    Test worker]
com.zaxxer.hikari.HikariDataSource       : HikariPool-1 - Start completed.
2022-03-01 11:17:19.019  INFO 476 --- [    Test worker]
o.hibernate.jpa.internal.util.LogHelper  : HHH000204: Processing PersistenceUnitInfo
[name: default]
2022-03-01 11:17:19.203  INFO 476 --- [    Test worker] org.hibernate.Version
: HHH000412: Hibernate ORM core version 5.6.1.Final
2022-03-01 11:17:19.784  INFO 476 --- [    Test worker]
o.hibernate.annotations.common.Version   : HCANN000001: Hibernate Commons Annotations
{5.1.2.Final}
2022-03-01 11:17:20.118  INFO 476 --- [    Test worker] org.hibernate.dialect.Dialect
: HHH000400: Using dialect: org.hibernate.dialect.HSQLDialect
2022-03-01 11:17:20.877  INFO 476 --- [    Test worker]
o.h.e.t.j.p.i.JtaPlatformInitiator       : HHH000490: Using JtaPlatform implementation:
[org.hibernate.engine.transaction.jta.platform.internal.NoJtaPlatform]
2022-03-01 11:17:20.889  INFO 476 --- [    Test worker]
j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for
persistence unit 'default'
2022-03-01 11:17:21.519  WARN 476 --- [    Test worker]
JpaBaseConfiguration$JpaWebConfiguration : spring.jpa.open-in-view is enabled by default.
Therefore, database queries may be performed during view rendering. Explicitly configure
spring.jpa.open-in-view to disable this warning
2022-03-01 11:17:23.594 DEBUG 476 --- [    Test worker]
s.w.s.m.m.a.RequestMappingHandlerAdapter : ControllerAdvice beans: 0 @ModelAttribute, 0
@InitBinder, 1 RequestBodyAdvice, 1 ResponseBodyAdvice
2022-03-01 11:17:23.807 DEBUG 476 --- [    Test worker]
s.w.s.m.m.a.RequestMappingHandlerMapping : 2 mappings in 'requestMappingHandlerMapping'
2022-03-01 11:17:23.981 DEBUG 476 --- [    Test worker]
o.s.w.s.handler.SimpleUrlHandlerMapping  : Patterns [/webjars/**, /**] in
'resourceHandlerMapping'
2022-03-01 11:17:23.997 DEBUG 476 --- [    Test worker]
.m.m.a.ExceptionHandlerExceptionResolver : ControllerAdvice beans: 1 @ExceptionHandler, 1
ResponseBodyAdvice
2022-03-01 11:17:24.876  INFO 476 --- [    Test worker]
.s.s.UserDetailsServiceAutoConfiguration :

Using generated security password: efb4543f-81be-434d-9d4b-2d4759f69822


2022-03-01 11:17:25.395  INFO 476 --- [    Test worker]
o.s.s.web.DefaultSecurityFilterChain     : Will secure any request with
[org.springframework.security.web.context.request.async.WebAsyncManagerIntegrationFilter@2
a0dda9e,
org.springframework.security.web.context.SecurityContextPersistenceFilter@d98fc62,
org.springframework.security.web.header.HeaderWriterFilter@5d33742,
```

```
org.springframework.security.web.csrf.CsrfFilter@6f601ce0,
org.springframework.security.web.authentication.logout.LogoutFilter@71122014,
org.springframework.security.web.authentication.UsernamePasswordAuthenticationFilter@4cfd3
d7e,
org.springframework.security.web.authentication.ui.DefaultLoginPageGeneratingFilter@16c1fc
82,
org.springframework.security.web.authentication.ui.DefaultLogoutPageGeneratingFilter@a0464
48,
org.springframework.security.web.authentication.www.BasicAuthenticationFilter@2d301b0e,
org.springframework.security.web.savedrequest.RequestCacheAwareFilter@28ec960b,
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@62dd14
98,
org.springframework.security.web.authentication.AnonymousAuthenticationFilter@2741f66d,
org.springframework.security.web.session.SessionManagementFilter@266737c4,
org.springframework.security.web.access.ExceptionTranslationFilter@572c013f,
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@148a3112]
2022-03-01 11:17:25.813 DEBUG 476 --- [    Test worker]
ConditionEvaluationReportLoggingListener :


=============================
CONDITIONS EVALUATION REPORT
=============================


Positive matches:
-----------------

    AopAutoConfiguration matched:
       - @ConditionalOnProperty (spring.aop.auto=true) matched (OnPropertyCondition)

    AopAutoConfiguration.AspectJAutoProxyingConfiguration matched:
       - @ConditionalOnClass found required class 'org.aspectj.weaver.Advice'
(OnClassCondition)

    AopAutoConfiguration.AspectJAutoProxyingConfiguration.CglibAutoProxyConfiguration
matched:
       - @ConditionalOnProperty (spring.aop.proxy-target-class=true) matched
(OnPropertyCondition)

    DataSourceAutoConfiguration matched:
       - @ConditionalOnClass found required classes 'javax.sql.DataSource',
'org.springframework.jdbc.datasource.embedded.EmbeddedDatabaseType' (OnClassCondition)
       - @ConditionalOnMissingBean (types: io.r2dbc.spi.ConnectionFactory; SearchStrategy:
all) did not find any beans (OnBeanCondition)

    DataSourceAutoConfiguration.PooledDataSourceConfiguration matched:
       - AnyNestedCondition 1 matched 1 did not; NestedCondition on
DataSourceAutoConfiguration.PooledDataSourceCondition.PooledDataSourceAvailable
PooledDataSource found supported DataSource; NestedCondition on
DataSourceAutoConfiguration.PooledDataSourceCondition.ExplicitType @ConditionalOnProperty
(spring.datasource.type) did not find property 'type'
(DataSourceAutoConfiguration.PooledDataSourceCondition)
       - @ConditionalOnMissingBean (types: javax.sql.DataSource,javax.sql.XADataSource;
SearchStrategy: all) did not find any beans (OnBeanCondition)

    DataSourceConfiguration.Hikari matched:
       - @ConditionalOnClass found required class 'com.zaxxer.hikari.HikariDataSource'
(OnClassCondition)
       - @ConditionalOnProperty
```

(spring.datasource.type=com.zaxxer.hikari.HikariDataSource) matched (OnPropertyCondition)
      - @ConditionalOnMissingBean (types: javax.sql.DataSource; SearchStrategy: all) did
not find any beans (OnBeanCondition)

    DataSourceInitializationConfiguration matched:
      - @ConditionalOnClass found required class
'org.springframework.jdbc.datasource.init.DatabasePopulator' (OnClassCondition)
      - @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all)
found a primary bean from beans 'dataSource'; @ConditionalOnMissingBean (types:
org.springframework.boot.autoconfigure.sql.init.SqlDataSourceScriptDatabaseInitializer,org
.springframework.boot.autoconfigure.sql.init.SqlR2dbcScriptDatabaseInitializer;
SearchStrategy: all) did not find any beans (OnBeanCondition)

DataSourcePoolMetadataProvidersConfiguration.HikariPoolDataSourceMetadataProviderConfigura
tion matched:
      - @ConditionalOnClass found required class 'com.zaxxer.hikari.HikariDataSource'
(OnClassCondition)

    DataSourceTransactionManagerAutoConfiguration matched:
      - @ConditionalOnClass found required classes
'org.springframework.jdbc.core.JdbcTemplate',
'org.springframework.transaction.TransactionManager' (OnClassCondition)

    DataSourceTransactionManagerAutoConfiguration.JdbcTransactionManagerConfiguration
matched:
      - @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all)
found a primary bean from beans 'dataSource' (OnBeanCondition)

    DispatcherServletAutoConfiguration matched:
      - @ConditionalOnClass found required class
'org.springframework.web.servlet.DispatcherServlet' (OnClassCondition)
      - found 'session' scope (OnWebApplicationCondition)

    DispatcherServletAutoConfiguration.DispatcherServletConfiguration matched:
      - @ConditionalOnClass found required class 'javax.servlet.ServletRegistration'
(OnClassCondition)
      - Default DispatcherServlet did not find dispatcher servlet beans
(DispatcherServletAutoConfiguration.DefaultDispatcherServletCondition)

    DispatcherServletAutoConfiguration.DispatcherServletRegistrationConfiguration matched:
      - @ConditionalOnClass found required class 'javax.servlet.ServletRegistration'
(OnClassCondition)
      - DispatcherServlet Registration did not find servlet registration bean
(DispatcherServletAutoConfiguration.DispatcherServletRegistrationCondition)

DispatcherServletAutoConfiguration.DispatcherServletRegistrationConfiguration#dispatcherSe
rvletRegistration matched:
      - @ConditionalOnBean (names: dispatcherServlet types:
org.springframework.web.servlet.DispatcherServlet; SearchStrategy: all) found bean
'dispatcherServlet' (OnBeanCondition)

    EmbeddedWebServerFactoryCustomizerAutoConfiguration matched:
      - @ConditionalOnWebApplication (required) found 'session' scope
(OnWebApplicationCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.TomcatWebServerFactoryCustomizerConfig
uration matched:

       - @ConditionalOnClass found required classes 'org.apache.catalina.startup.Tomcat',
'org.apache.coyote.UpgradeProtocol' (OnClassCondition)

   ErrorMvcAutoConfiguration matched:
       - @ConditionalOnClass found required classes 'javax.servlet.Servlet',
'org.springframework.web.servlet.DispatcherServlet' (OnClassCondition)
       - found 'session' scope (OnWebApplicationCondition)

   ErrorMvcAutoConfiguration#basicErrorController matched:
       - @ConditionalOnMissingBean (types:
org.springframework.boot.web.servlet.error.ErrorController; SearchStrategy: current) did
not find any beans (OnBeanCondition)

   ErrorMvcAutoConfiguration#errorAttributes matched:
       - @ConditionalOnMissingBean (types:
org.springframework.boot.web.servlet.error.ErrorAttributes; SearchStrategy: current) did
not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration.DefaultErrorViewResolverConfiguration#conventionErrorViewResolve
r matched:
       - @ConditionalOnBean (types: org.springframework.web.servlet.DispatcherServlet;
SearchStrategy: all) found bean 'dispatcherServlet'; @ConditionalOnMissingBean (types:
org.springframework.boot.autoconfigure.web.servlet.error.ErrorViewResolver;
SearchStrategy: all) did not find any beans (OnBeanCondition)

   ErrorMvcAutoConfiguration.WhitelabelErrorViewConfiguration matched:
       - @ConditionalOnProperty (server.error.whitelabel.enabled) matched
(OnPropertyCondition)
       - ErrorTemplate Missing did not find error template view
(ErrorMvcAutoConfiguration.ErrorTemplateMissingCondition)

   ErrorMvcAutoConfiguration.WhitelabelErrorViewConfiguration#beanNameViewResolver
matched:
       - @ConditionalOnMissingBean (types:
org.springframework.web.servlet.view.BeanNameViewResolver; SearchStrategy: all) did not
find any beans (OnBeanCondition)

   ErrorMvcAutoConfiguration.WhitelabelErrorViewConfiguration#defaultErrorView matched:
       - @ConditionalOnMissingBean (names: error; SearchStrategy: all) did not find any
beans (OnBeanCondition)

   ErrorPageSecurityFilterConfiguration matched:
       - @ConditionalOnClass found required class
'org.springframework.security.web.access.WebInvocationPrivilegeEvaluator'
(OnClassCondition)
       - found 'session' scope (OnWebApplicationCondition)

   ErrorPageSecurityFilterConfiguration#errorPageSecurityInterceptor matched:
       - @ConditionalOnBean (types:
org.springframework.security.web.access.WebInvocationPrivilegeEvaluator; SearchStrategy:
all) found bean 'privilegeEvaluator' (OnBeanCondition)

   GenericCacheConfiguration matched:
       - Cache org.springframework.boot.autoconfigure.cache.GenericCacheConfiguration
automatic cache type (CacheCondition)

   HibernateJpaAutoConfiguration matched:
       - @ConditionalOnClass found required classes
'org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean',

'javax.persistence.EntityManager', 'org.hibernate.engine.spi.SessionImplementor'
(OnClassCondition)

    HibernateJpaConfiguration matched:
      - @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all)
found a primary bean from beans 'dataSource' (OnBeanCondition)

    HttpEncodingAutoConfiguration matched:
      - @ConditionalOnClass found required class
'org.springframework.web.filter.CharacterEncodingFilter' (OnClassCondition)
        - found 'session' scope (OnWebApplicationCondition)
        - @ConditionalOnProperty (server.servlet.encoding.enabled) matched
(OnPropertyCondition)

    HttpEncodingAutoConfiguration#characterEncodingFilter matched:
      - @ConditionalOnMissingBean (types:
org.springframework.web.filter.CharacterEncodingFilter; SearchStrategy: all) did not find
any beans (OnBeanCondition)

    HttpMessageConvertersAutoConfiguration matched:
      - @ConditionalOnClass found required class
'org.springframework.http.converter.HttpMessageConverter' (OnClassCondition)
      - NoneNestedConditions 0 matched 1 did not; NestedCondition on
HttpMessageConvertersAutoConfiguration.NotReactiveWebApplicationCondition.ReactiveWebAppli
cation did not find reactive web application classes
(HttpMessageConvertersAutoConfiguration.NotReactiveWebApplicationCondition)

    HttpMessageConvertersAutoConfiguration#messageConverters matched:
      - @ConditionalOnMissingBean (types:
org.springframework.boot.autoconfigure.http.HttpMessageConverters; SearchStrategy: all)
did not find any beans (OnBeanCondition)

    HttpMessageConvertersAutoConfiguration.StringHttpMessageConverterConfiguration matched:
      - @ConditionalOnClass found required class
'org.springframework.http.converter.StringHttpMessageConverter' (OnClassCondition)

HttpMessageConvertersAutoConfiguration.StringHttpMessageConverterConfiguration#stringHttpM
essageConverter matched:
      - @ConditionalOnMissingBean (types:
org.springframework.http.converter.StringHttpMessageConverter; SearchStrategy: all) did
not find any beans (OnBeanCondition)

    HypermediaAutoConfiguration matched:
      - @ConditionalOnClass found required classes
'org.springframework.hateoas.EntityModel',
'org.springframework.web.bind.annotation.RequestMapping',
'org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter',
'org.springframework.plugin.core.Plugin' (OnClassCondition)
      - @ConditionalOnWebApplication (required) found 'session' scope
(OnWebApplicationCondition)

    HypermediaAutoConfiguration#applicationJsonHalConfiguration matched:
      - @ConditionalOnClass found required class
'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)
      - @ConditionalOnProperty (spring.hateoas.use-hal-as-default-json-media-type)
matched (OnPropertyCondition)
      - @ConditionalOnMissingBean (types:
org.springframework.hateoas.mediatype.hal.HalConfiguration; SearchStrategy: all) did not
find any beans (OnBeanCondition)

```
    JacksonAutoConfiguration matched:
      - @ConditionalOnClass found required class
'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)

    JacksonAutoConfiguration.Jackson2ObjectMapperBuilderCustomizerConfiguration matched:
      - @ConditionalOnClass found required class
'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)

    JacksonAutoConfiguration.JacksonObjectMapperBuilderConfiguration matched:
      - @ConditionalOnClass found required class
'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)


JacksonAutoConfiguration.JacksonObjectMapperBuilderConfiguration#jacksonObjectMapperBuilde
r matched:
      - @ConditionalOnMissingBean (types:
org.springframework.http.converter.json.Jackson2ObjectMapperBuilder; SearchStrategy: all)
did not find any beans (OnBeanCondition)

    JacksonAutoConfiguration.JacksonObjectMapperConfiguration matched:
      - @ConditionalOnClass found required class
'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)

    JacksonAutoConfiguration.JacksonObjectMapperConfiguration#jacksonObjectMapper matched:
      - @ConditionalOnMissingBean (types: com.fasterxml.jackson.databind.ObjectMapper;
SearchStrategy: all) did not find any beans (OnBeanCondition)

    JacksonAutoConfiguration.ParameterNamesModuleConfiguration matched:
      - @ConditionalOnClass found required class
'com.fasterxml.jackson.module.paramnames.ParameterNamesModule' (OnClassCondition)

    JacksonAutoConfiguration.ParameterNamesModuleConfiguration#parameterNamesModule
matched:
      - @ConditionalOnMissingBean (types:
com.fasterxml.jackson.module.paramnames.ParameterNamesModule; SearchStrategy: all) did not
find any beans (OnBeanCondition)


JacksonHttpMessageConvertersConfiguration.MappingJackson2HttpMessageConverterConfiguration
matched:
      - @ConditionalOnClass found required class
'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)
      - @ConditionalOnProperty (spring.mvc.converters.preferred-json-mapper=jackson)
matched (OnPropertyCondition)
      - @ConditionalOnBean (types: com.fasterxml.jackson.databind.ObjectMapper;
SearchStrategy: all) found bean 'jacksonObjectMapper' (OnBeanCondition)


JacksonHttpMessageConvertersConfiguration.MappingJackson2HttpMessageConverterConfiguration
#mappingJackson2HttpMessageConverter matched:
      - @ConditionalOnMissingBean (types:
org.springframework.http.converter.json.MappingJackson2HttpMessageConverter ignored:
org.springframework.hateoas.server.mvc.TypeConstrainedMappingJackson2HttpMessageConverter,
org.springframework.data.rest.webmvc.alps.AlpsJsonHttpMessageConverter; SearchStrategy:
all) did not find any beans (OnBeanCondition)

    JdbcTemplateAutoConfiguration matched:
      - @ConditionalOnClass found required classes 'javax.sql.DataSource',
'org.springframework.jdbc.core.JdbcTemplate' (OnClassCondition)
```

```
   - @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all)
found a primary bean from beans 'dataSource' (OnBeanCondition)

  JdbcTemplateConfiguration matched:
     - @ConditionalOnMissingBean (types: org.springframework.jdbc.core.JdbcOperations;
SearchStrategy: all) did not find any beans (OnBeanCondition)

  JpaBaseConfiguration#entityManagerFactory matched:
     - @ConditionalOnMissingBean (types:
org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean,javax.persistence.Entit
yManagerFactory; SearchStrategy: all) did not find any beans (OnBeanCondition)

  JpaBaseConfiguration#entityManagerFactoryBuilder matched:
     - @ConditionalOnMissingBean (types:
org.springframework.boot.orm.jpa.EntityManagerFactoryBuilder; SearchStrategy: all) did not
find any beans (OnBeanCondition)

  JpaBaseConfiguration#jpaVendorAdapter matched:
     - @ConditionalOnMissingBean (types: org.springframework.orm.jpa.JpaVendorAdapter;
SearchStrategy: all) did not find any beans (OnBeanCondition)

  JpaBaseConfiguration#transactionManager matched:
     - @ConditionalOnMissingBean (types:
org.springframework.transaction.TransactionManager; SearchStrategy: all) did not find any
beans (OnBeanCondition)

  JpaBaseConfiguration.JpaWebConfiguration matched:
     - @ConditionalOnClass found required class
'org.springframework.web.servlet.config.annotation.WebMvcConfigurer' (OnClassCondition)
     - found 'session' scope (OnWebApplicationCondition)
     - @ConditionalOnProperty (spring.jpa.open-in-view=true) matched
(OnPropertyCondition)
     - @ConditionalOnMissingBean (types:
org.springframework.orm.jpa.support.OpenEntityManagerInViewInterceptor,org.springframework
.orm.jpa.support.OpenEntityManagerInViewFilter; SearchStrategy: all) did not find any
beans (OnBeanCondition)

  JpaRepositoriesAutoConfiguration matched:
     - @ConditionalOnClass found required class
'org.springframework.data.jpa.repository.JpaRepository' (OnClassCondition)
     - @ConditionalOnProperty (spring.data.jpa.repositories.enabled=true) matched
(OnPropertyCondition)
     - @ConditionalOnBean (types: javax.sql.DataSource; SearchStrategy: all) found bean
'dataSource'; @ConditionalOnMissingBean (types:
org.springframework.data.jpa.repository.support.JpaRepositoryFactoryBean,org.springframewo
rk.data.jpa.repository.config.JpaRepositoryConfigExtension; SearchStrategy: all) did not
find any beans (OnBeanCondition)

  JtaAutoConfiguration matched:
     - @ConditionalOnClass found required class 'javax.transaction.Transaction'
(OnClassCondition)
     - @ConditionalOnProperty (spring.jta.enabled) matched (OnPropertyCondition)

  LifecycleAutoConfiguration#defaultLifecycleProcessor matched:
     - @ConditionalOnMissingBean (names: lifecycleProcessor; SearchStrategy: current)
did not find any beans (OnBeanCondition)

  MultipartAutoConfiguration matched:
     - @ConditionalOnClass found required classes 'javax.servlet.Servlet',
'org.springframework.web.multipart.support.StandardServletMultipartResolver',
```

'javax.servlet.MultipartConfigElement' (OnClassCondition)
      - found 'session' scope (OnWebApplicationCondition)
      - @ConditionalOnProperty (spring.servlet.multipart.enabled) matched
(OnPropertyCondition)

    MultipartAutoConfiguration#multipartConfigElement matched:
      - @ConditionalOnMissingBean (types:
javax.servlet.MultipartConfigElement,org.springframework.web.multipart.commons.CommonsMult
ipartResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

    MultipartAutoConfiguration#multipartResolver matched:
      - @ConditionalOnMissingBean (types:
org.springframework.web.multipart.MultipartResolver; SearchStrategy: all) did not find any
beans (OnBeanCondition)

    NamedParameterJdbcTemplateConfiguration matched:
      - @ConditionalOnSingleCandidate (types: org.springframework.jdbc.core.JdbcTemplate;
SearchStrategy: all) found a primary bean from beans 'jdbcTemplate';
@ConditionalOnMissingBean (types:
org.springframework.jdbc.core.namedparam.NamedParameterJdbcOperations; SearchStrategy:
all) did not find any beans (OnBeanCondition)

    NoOpCacheConfiguration matched:
      - Cache org.springframework.boot.autoconfigure.cache.NoOpCacheConfiguration
automatic cache type (CacheCondition)

    PersistenceExceptionTranslationAutoConfiguration matched:
      - @ConditionalOnClass found required class
'org.springframework.dao.annotation.PersistenceExceptionTranslationPostProcessor'
(OnClassCondition)

PersistenceExceptionTranslationAutoConfiguration#persistenceExceptionTranslationPostProces
sor matched:
      - @ConditionalOnProperty (spring.dao.exceptiontranslation.enabled) matched
(OnPropertyCondition)
      - @ConditionalOnMissingBean (types:
org.springframework.dao.annotation.PersistenceExceptionTranslationPostProcessor;
SearchStrategy: all) did not find any beans (OnBeanCondition)

    PropertyPlaceholderAutoConfiguration#propertySourcesPlaceholderConfigurer matched:
      - @ConditionalOnMissingBean (types:
org.springframework.context.support.PropertySourcesPlaceholderConfigurer; SearchStrategy:
current) did not find any beans (OnBeanCondition)

    RepositoryRestMvcAutoConfiguration matched:
      - @ConditionalOnClass found required class
'org.springframework.data.rest.webmvc.config.RepositoryRestMvcConfiguration'
(OnClassCondition)
      - found 'session' scope (OnWebApplicationCondition)
      - @ConditionalOnMissingBean (types:
org.springframework.data.rest.webmvc.config.RepositoryRestMvcConfiguration;
SearchStrategy: all) did not find any beans (OnBeanCondition)

    RestTemplateAutoConfiguration matched:
      - @ConditionalOnClass found required class
'org.springframework.web.client.RestTemplate' (OnClassCondition)
      - NoneNestedConditions 0 matched 1 did not; NestedCondition on
RestTemplateAutoConfiguration.NotReactiveWebApplicationCondition.ReactiveWebApplication
did not find reactive web application classes

(RestTemplateAutoConfiguration.NotReactiveWebApplicationCondition)

    RestTemplateAutoConfiguration#restTemplateBuilder matched:
       - @ConditionalOnMissingBean (types:
org.springframework.boot.web.client.RestTemplateBuilder; SearchStrategy: all) did not find
any beans (OnBeanCondition)

    RestTemplateAutoConfiguration#restTemplateBuilderConfigurer matched:
       - @ConditionalOnMissingBean (types:
org.springframework.boot.autoconfigure.web.client.RestTemplateBuilderConfigurer;
SearchStrategy: all) did not find any beans (OnBeanCondition)

    SecurityAutoConfiguration matched:
       - @ConditionalOnClass found required class
'org.springframework.security.authentication.DefaultAuthenticationEventPublisher'
(OnClassCondition)

    SecurityAutoConfiguration#authenticationEventPublisher matched:
       - @ConditionalOnMissingBean (types:
org.springframework.security.authentication.AuthenticationEventPublisher; SearchStrategy:
all) did not find any beans (OnBeanCondition)

    SecurityFilterAutoConfiguration matched:
       - @ConditionalOnClass found required classes
'org.springframework.security.web.context.AbstractSecurityWebApplicationInitializer',
'org.springframework.security.config.http.SessionCreationPolicy' (OnClassCondition)
       - found 'session' scope (OnWebApplicationCondition)

    SecurityFilterAutoConfiguration#securityFilterChainRegistration matched:
       - @ConditionalOnBean (names: springSecurityFilterChain; SearchStrategy: all) found
bean 'springSecurityFilterChain' (OnBeanCondition)

    ServletWebServerFactoryAutoConfiguration matched:
       - @ConditionalOnClass found required class 'javax.servlet.ServletRequest'
(OnClassCondition)
       - found 'session' scope (OnWebApplicationCondition)

    ServletWebServerFactoryAutoConfiguration#tomcatServletWebServerFactoryCustomizer
matched:
       - @ConditionalOnClass found required class 'org.apache.catalina.startup.Tomcat'
(OnClassCondition)

    ServletWebServerFactoryConfiguration.EmbeddedTomcat matched:
       - @ConditionalOnClass found required classes 'javax.servlet.Servlet',
'org.apache.catalina.startup.Tomcat', 'org.apache.coyote.UpgradeProtocol'
(OnClassCondition)
       - @ConditionalOnMissingBean (types:
org.springframework.boot.web.servlet.server.ServletWebServerFactory; SearchStrategy:
current) did not find any beans (OnBeanCondition)

    SimpleCacheConfiguration matched:
       - Cache org.springframework.boot.autoconfigure.cache.SimpleCacheConfiguration
automatic cache type (CacheCondition)

    SpringBootWebSecurityConfiguration matched:
       - found 'session' scope (OnWebApplicationCondition)
       - AllNestedConditions 2 matched 0 did not; NestedCondition on
DefaultWebSecurityCondition.Beans @ConditionalOnMissingBean (types:
org.springframework.security.config.annotation.web.configuration.WebSecurityConfigurerAdap
ter,org.springframework.security.web.SecurityFilterChain; SearchStrategy: all) did not

find any beans; NestedCondition on DefaultWebSecurityCondition.Classes @ConditionalOnClass
found required classes 'org.springframework.security.web.SecurityFilterChain',
'org.springframework.security.config.annotation.web.builders.HttpSecurity'
(DefaultWebSecurityCondition)

    SqlInitializationAutoConfiguration matched:
       - @ConditionalOnProperty (spring.sql.init.enabled) matched (OnPropertyCondition)
       - NoneNestedConditions 0 matched 1 did not; NestedCondition on
SqlInitializationAutoConfiguration.SqlInitializationModeCondition.ModeIsNever
@ConditionalOnProperty (spring.sql.init.mode=never) did not find property 'mode'
(SqlInitializationAutoConfiguration.SqlInitializationModeCondition)

    TaskExecutionAutoConfiguration matched:
       - @ConditionalOnClass found required class
'org.springframework.scheduling.concurrent.ThreadPoolTaskExecutor' (OnClassCondition)

    TaskExecutionAutoConfiguration#applicationTaskExecutor matched:
       - @ConditionalOnMissingBean (types: java.util.concurrent.Executor; SearchStrategy:
all) did not find any beans (OnBeanCondition)

    TaskExecutionAutoConfiguration#taskExecutorBuilder matched:
       - @ConditionalOnMissingBean (types:
org.springframework.boot.task.TaskExecutorBuilder; SearchStrategy: all) did not find any
beans (OnBeanCondition)

    TaskSchedulingAutoConfiguration matched:
       - @ConditionalOnClass found required class
'org.springframework.scheduling.concurrent.ThreadPoolTaskScheduler' (OnClassCondition)

    TaskSchedulingAutoConfiguration#taskSchedulerBuilder matched:
       - @ConditionalOnMissingBean (types:
org.springframework.boot.task.TaskSchedulerBuilder; SearchStrategy: all) did not find any
beans (OnBeanCondition)

    TransactionAutoConfiguration matched:
       - @ConditionalOnClass found required class
'org.springframework.transaction.PlatformTransactionManager' (OnClassCondition)

    TransactionAutoConfiguration#platformTransactionManagerCustomizers matched:
       - @ConditionalOnMissingBean (types:
org.springframework.boot.autoconfigure.transaction.TransactionManagerCustomizers;
SearchStrategy: all) did not find any beans (OnBeanCondition)

    TransactionAutoConfiguration.EnableTransactionManagementConfiguration matched:
       - @ConditionalOnBean (types: org.springframework.transaction.TransactionManager;
SearchStrategy: all) found bean 'transactionManager'; @ConditionalOnMissingBean (types:
org.springframework.transaction.annotation.AbstractTransactionManagementConfiguration;
SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration.EnableTransactionManagementConfiguration.CglibAutoProxyConfig
uration matched:
       - @ConditionalOnProperty (spring.aop.proxy-target-class=true) matched
(OnPropertyCondition)

    TransactionAutoConfiguration.TransactionTemplateConfiguration matched:
       - @ConditionalOnSingleCandidate (types:
org.springframework.transaction.PlatformTransactionManager; SearchStrategy: all) found a
primary bean from beans 'transactionManager' (OnBeanCondition)

TransactionAutoConfiguration.TransactionTemplateConfiguration#transactionTemplate matched:
- @ConditionalOnMissingBean (types:
org.springframework.transaction.support.TransactionOperations; SearchStrategy: all) did not find any beans (OnBeanCondition)

UserDetailsServiceAutoConfiguration matched:
- @ConditionalOnClass found required class
'org.springframework.security.authentication.AuthenticationManager' (OnClassCondition)
- @ConditionalOnBean (types:
org.springframework.security.config.annotation.ObjectPostProcessor; SearchStrategy: all) found bean 'objectPostProcessor'; @ConditionalOnMissingBean (types:
org.springframework.security.authentication.AuthenticationManager,org.springframework.security.authentication.AuthenticationProvider,org.springframework.security.core.userdetails.UserDetailsService,org.springframework.security.authentication.AuthenticationManagerResolver,org.springframework.security.oauth2.jwt.JwtDecoder,org.springframework.security.oauth2.server.resource.introspection.OpaqueTokenIntrospector,org.springframework.security.oauth2.client.registration.ClientRegistrationRepository; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration matched:
- @ConditionalOnClass found required classes 'javax.servlet.Servlet',
'org.springframework.web.servlet.DispatcherServlet',
'org.springframework.web.servlet.config.annotation.WebMvcConfigurer' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnMissingBean (types:
org.springframework.web.servlet.config.annotation.WebMvcConfigurationSupport;
SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration#formContentFilter matched:
- @ConditionalOnProperty (spring.mvc.formcontent.filter.enabled) matched (OnPropertyCondition)
- @ConditionalOnMissingBean (types:
org.springframework.web.filter.FormContentFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.EnableWebMvcConfiguration#flashMapManager matched:
- @ConditionalOnMissingBean (names: flashMapManager; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.EnableWebMvcConfiguration#localeResolver matched:
- @ConditionalOnMissingBean (names: localeResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.EnableWebMvcConfiguration#themeResolver matched:
- @ConditionalOnMissingBean (names: themeResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.WebMvcAutoConfigurationAdapter#defaultViewResolver matched:
- @ConditionalOnMissingBean (types:
org.springframework.web.servlet.view.InternalResourceViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.WebMvcAutoConfigurationAdapter#requestContextFilter matched:
- @ConditionalOnMissingBean (types:
org.springframework.web.context.request.RequestContextListener,org.springframework.web.filter.RequestContextFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.WebMvcAutoConfigurationAdapter#viewResolver matched:
- @ConditionalOnBean (types: org.springframework.web.servlet.ViewResolver;

SearchStrategy: all) found beans 'defaultViewResolver', 'beanNameViewResolver',
'mvcViewResolver'; @ConditionalOnMissingBean (names: viewResolver types:
org.springframework.web.servlet.view.ContentNegotiatingViewResolver; SearchStrategy: all)
did not find any beans (OnBeanCondition)

    WebSecurityEnablerConfiguration matched:
      - @ConditionalOnClass found required class
'org.springframework.security.config.annotation.web.configuration.EnableWebSecurity'
(OnClassCondition)
      - found 'session' scope (OnWebApplicationCondition)
      - @ConditionalOnMissingBean (names: springSecurityFilterChain; SearchStrategy: all)
did not find any beans (OnBeanCondition)

    WebSocketServletAutoConfiguration matched:
      - @ConditionalOnClass found required classes 'javax.servlet.Servlet',
'javax.websocket.server.ServerContainer' (OnClassCondition)
      - found 'session' scope (OnWebApplicationCondition)

    WebSocketServletAutoConfiguration.TomcatWebSocketConfiguration matched:
      - @ConditionalOnClass found required classes 'org.apache.catalina.startup.Tomcat',
'org.apache.tomcat.websocket.server.WsSci' (OnClassCondition)

WebSocketServletAutoConfiguration.TomcatWebSocketConfiguration#websocketServletWebServerCu
stomizer matched:
      - @ConditionalOnMissingBean (names: websocketServletWebServerCustomizer;
SearchStrategy: all) did not find any beans (OnBeanCondition)

Negative matches:

    ActiveMQAutoConfiguration:
      Did not match:
        - @ConditionalOnClass did not find required class 'javax.jms.ConnectionFactory'
(OnClassCondition)

AopAutoConfiguration.AspectJAutoProxyingConfiguration.JdkDynamicAutoProxyConfiguration:
      Did not match:
        - @ConditionalOnProperty (spring.aop.proxy-target-class=false) did not find
property 'proxy-target-class' (OnPropertyCondition)

    AopAutoConfiguration.ClassProxyingConfiguration:
      Did not match:
        - @ConditionalOnMissingClass found unwanted class 'org.aspectj.weaver.Advice'
(OnClassCondition)

    ArtemisAutoConfiguration:
      Did not match:
        - @ConditionalOnClass did not find required class 'javax.jms.ConnectionFactory'
(OnClassCondition)

    AtomikosJtaConfiguration:
      Did not match:
        - @ConditionalOnClass did not find required class
'com.atomikos.icatch.jta.UserTransactionManager' (OnClassCondition)

    BatchAutoConfiguration:
      Did not match:

        - @ConditionalOnClass did not find required class
'org.springframework.batch.core.launch.JobLauncher' (OnClassCondition)

    CacheAutoConfiguration:
        Did not match:
        - @ConditionalOnBean (types:
org.springframework.cache.interceptor.CacheAspectSupport; SearchStrategy: all) did not
find any beans of type org.springframework.cache.interceptor.CacheAspectSupport
(OnBeanCondition)
        Matched:
        - @ConditionalOnClass found required class
'org.springframework.cache.CacheManager' (OnClassCondition)

    CacheAutoConfiguration.CacheManagerEntityManagerFactoryDependsOnPostProcessor:
        Did not match:
        - Ancestor org.springframework.boot.autoconfigure.cache.CacheAutoConfiguration
did not match (ConditionEvaluationReport.AncestorsMatchedCondition)
        Matched:
        - @ConditionalOnClass found required class
'org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean' (OnClassCondition)

    CaffeineCacheConfiguration:
        Did not match:
        - @ConditionalOnClass did not find required class
'com.github.benmanes.caffeine.cache.Caffeine' (OnClassCondition)

    CassandraAutoConfiguration:
        Did not match:
        - @ConditionalOnClass did not find required class
'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

    CassandraDataAutoConfiguration:
        Did not match:
        - @ConditionalOnClass did not find required class
'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

    CassandraReactiveDataAutoConfiguration:
        Did not match:
        - @ConditionalOnClass did not find required class
'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

    CassandraReactiveRepositoriesAutoConfiguration:
        Did not match:
        - @ConditionalOnClass did not find required class
'org.springframework.data.cassandra.ReactiveSession' (OnClassCondition)

    CassandraRepositoriesAutoConfiguration:
        Did not match:
        - @ConditionalOnClass did not find required class
'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

    ClientHttpConnectorAutoConfiguration:
        Did not match:
        - @ConditionalOnClass did not find required class
'org.springframework.web.reactive.function.client.WebClient' (OnClassCondition)

    CodecsAutoConfiguration:
        Did not match:
        - @ConditionalOnClass did not find required class
'org.springframework.web.reactive.function.client.WebClient' (OnClassCondition)

```
    CouchbaseAutoConfiguration:
        Did not match:
            - @ConditionalOnClass did not find required class
'com.couchbase.client.java.Cluster' (OnClassCondition)

    CouchbaseCacheConfiguration:
        Did not match:
            - @ConditionalOnClass did not find required class
'com.couchbase.client.java.Cluster' (OnClassCondition)

    CouchbaseDataAutoConfiguration:
        Did not match:
            - @ConditionalOnClass did not find required class
'com.couchbase.client.java.Bucket' (OnClassCondition)

    CouchbaseReactiveDataAutoConfiguration:
        Did not match:
            - @ConditionalOnClass did not find required class
'com.couchbase.client.java.Cluster' (OnClassCondition)

    CouchbaseReactiveRepositoriesAutoConfiguration:
        Did not match:
            - @ConditionalOnClass did not find required class
'com.couchbase.client.java.Cluster' (OnClassCondition)

    CouchbaseRepositoriesAutoConfiguration:
        Did not match:
            - @ConditionalOnClass did not find required class
'com.couchbase.client.java.Bucket' (OnClassCondition)

    DataSourceAutoConfiguration.EmbeddedDatabaseConfiguration:
        Did not match:
            - EmbeddedDataSource found supported pooled data source
(DataSourceAutoConfiguration.EmbeddedDatabaseCondition)

    DataSourceConfiguration.Dbcp2:
        Did not match:
            - @ConditionalOnClass did not find required class
'org.apache.commons.dbcp2.BasicDataSource' (OnClassCondition)

    DataSourceConfiguration.Generic:
        Did not match:
            - @ConditionalOnProperty (spring.datasource.type) did not find property
'spring.datasource.type' (OnPropertyCondition)

    DataSourceConfiguration.OracleUcp:
        Did not match:
            - @ConditionalOnClass did not find required classes
'oracle.ucp.jdbc.PoolDataSourceImpl', 'oracle.jdbc.OracleConnection' (OnClassCondition)

    DataSourceConfiguration.Tomcat:
        Did not match:
            - @ConditionalOnClass did not find required class
'org.apache.tomcat.jdbc.pool.DataSource' (OnClassCondition)


DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializ
ationConfiguration:
        Did not match:
```

          - AnyNestedCondition 0 matched 2 did not; NestedCondition on
DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializ
ationConfiguration.DifferentCredentialsCondition.DataCredentials @ConditionalOnProperty
(spring.datasource.data-username) did not find property 'data-username'; NestedCondition
on
DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializ
ationConfiguration.DifferentCredentialsCondition.SchemaCredentials @ConditionalOnProperty
(spring.datasource.schema-username) did not find property 'schema-username'
(DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitiali
zationConfiguration.DifferentCredentialsCondition)

DataSourceInitializationConfiguration.SharedCredentialsDataSourceInitializationConfigurati
on:
      Did not match:
         - DataSource Initialization did not find configured properties
spring.datasource.data-username, spring.datasource.schema-password,
spring.datasource.schema[0], spring.datasource.data[0], spring.datasource.data,
spring.datasource.schema-username, spring.datasource.data-password,
spring.datasource.initialization-mode, spring.datasource.schema, spring.datasource.sql-
script-encoding, spring.datasource.separator, spring.datasource.platform,
spring.datasource.continue-on-error
(DataSourceInitializationConfiguration.SharedCredentialsDataSourceInitializationConfigurat
ion.DataSourceInitializationCondition)

   DataSourceJmxConfiguration:
      Did not match:
         - @ConditionalOnProperty (spring.jmx.enabled=true) found different value in
property 'enabled' (OnPropertyCondition)

DataSourcePoolMetadataProvidersConfiguration.CommonsDbcp2PoolDataSourceMetadataProviderCon
figuration:
      Did not match:
         - @ConditionalOnClass did not find required class
'org.apache.commons.dbcp2.BasicDataSource' (OnClassCondition)

DataSourcePoolMetadataProvidersConfiguration.OracleUcpPoolDataSourceMetadataProviderConfig
uration:
      Did not match:
         - @ConditionalOnClass did not find required classes
'oracle.ucp.jdbc.PoolDataSource', 'oracle.jdbc.OracleConnection' (OnClassCondition)

DataSourcePoolMetadataProvidersConfiguration.TomcatDataSourcePoolMetadataProviderConfigura
tion:
      Did not match:
         - @ConditionalOnClass did not find required class
'org.apache.tomcat.jdbc.pool.DataSource' (OnClassCondition)

DataSourceTransactionManagerAutoConfiguration.JdbcTransactionManagerConfiguration#transact
ionManager:
      Did not match:
         - @ConditionalOnMissingBean (types:
org.springframework.transaction.TransactionManager; SearchStrategy: all) found beans of
type 'org.springframework.transaction.TransactionManager' transactionManager
(OnBeanCondition)

```
DispatcherServletAutoConfiguration.DispatcherServletConfiguration#multipartResolver:
    Did not match:
      - @ConditionalOnBean (types:
org.springframework.web.multipart.MultipartResolver; SearchStrategy: all) did not find any
beans of type org.springframework.web.multipart.MultipartResolver (OnBeanCondition)

  EhCacheCacheConfiguration:
    Did not match:
      - @ConditionalOnClass did not find required class 'net.sf.ehcache.Cache'
(OnClassCondition)

  ElasticsearchDataAutoConfiguration:
    Did not match:
      - @ConditionalOnClass did not find required class
'org.springframework.data.elasticsearch.core.ElasticsearchRestTemplate' (OnClassCondition)

  ElasticsearchRepositoriesAutoConfiguration:
    Did not match:
      - @ConditionalOnClass did not find required class
'org.elasticsearch.client.Client' (OnClassCondition)

  ElasticsearchRestClientAutoConfiguration:
    Did not match:
      - @ConditionalOnClass did not find required class
'org.elasticsearch.client.RestClientBuilder' (OnClassCondition)

  EmbeddedLdapAutoConfiguration:
    Did not match:
      - @ConditionalOnClass did not find required class
'com.unboundid.ldap.listener.InMemoryDirectoryServer' (OnClassCondition)

  EmbeddedMongoAutoConfiguration:
    Did not match:
      - @ConditionalOnClass did not find required class
'com.mongodb.MongoClientSettings' (OnClassCondition)


EmbeddedWebServerFactoryCustomizerAutoConfiguration.JettyWebServerFactoryCustomizerConfigu
ration:
    Did not match:
      - @ConditionalOnClass did not find required classes
'org.eclipse.jetty.server.Server', 'org.eclipse.jetty.util.Loader',
'org.eclipse.jetty.webapp.WebAppContext' (OnClassCondition)


EmbeddedWebServerFactoryCustomizerAutoConfiguration.NettyWebServerFactoryCustomizerConfigu
ration:
    Did not match:
      - @ConditionalOnClass did not find required class
'reactor.netty.http.server.HttpServer' (OnClassCondition)


EmbeddedWebServerFactoryCustomizerAutoConfiguration.UndertowWebServerFactoryCustomizerConf
iguration:
    Did not match:
      - @ConditionalOnClass did not find required classes 'io.undertow.Undertow',
'org.xnio.SslClientAuthMode' (OnClassCondition)

  ErrorWebFluxAutoConfiguration:
    Did not match:
```

```
      - @ConditionalOnClass did not find required class
'org.springframework.web.reactive.config.WebFluxConfigurer' (OnClassCondition)

   FlywayAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class 'org.flywaydb.core.Flyway'
(OnClassCondition)

   FreeMarkerAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class
'freemarker.template.Configuration' (OnClassCondition)

   GroovyTemplateAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class
'groovy.text.markup.MarkupTemplateEngine' (OnClassCondition)

   GsonAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class 'com.google.gson.Gson'
(OnClassCondition)

   GsonHttpMessageConvertersConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class 'com.google.gson.Gson'
(OnClassCondition)

   H2ConsoleAutoConfiguration:
      Did not match:
         - @ConditionalOnProperty (spring.h2.console.enabled=true) did not find property
'enabled' (OnPropertyCondition)
      Matched:
         - @ConditionalOnClass found required class 'org.h2.server.web.WebServlet'
(OnClassCondition)
         - found 'session' scope (OnWebApplicationCondition)

   HazelcastAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class
'com.hazelcast.core.HazelcastInstance' (OnClassCondition)

   HazelcastCacheConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class
'com.hazelcast.core.HazelcastInstance' (OnClassCondition)

   HazelcastJpaDependencyAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class
'com.hazelcast.core.HazelcastInstance' (OnClassCondition)

   HttpHandlerAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class
'org.springframework.web.reactive.DispatcherHandler' (OnClassCondition)

   HypermediaAutoConfiguration.HypermediaConfiguration:
      Did not match:
         - @ConditionalOnMissingBean (types:
```

org.springframework.hateoas.client.LinkDiscoverers; SearchStrategy: all) found beans of type 'org.springframework.hateoas.client.LinkDiscoverers' linkDiscoverers (OnBeanCondition)
        Matched:
          - @ConditionalOnClass found required class 'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)

    InfinispanCacheConfiguration:
        Did not match:
          - @ConditionalOnClass did not find required class 'org.infinispan.spring.embedded.provider.SpringEmbeddedCacheManager' (OnClassCondition)

    InfluxDbAutoConfiguration:
        Did not match:
          - @ConditionalOnClass did not find required class 'org.influxdb.InfluxDB' (OnClassCondition)

    IntegrationAutoConfiguration:
        Did not match:
          - @ConditionalOnClass did not find required class 'org.springframework.integration.config.EnableIntegration' (OnClassCondition)

    JCacheCacheConfiguration:
        Did not match:
          - @ConditionalOnClass did not find required class 'javax.cache.Caching' (OnClassCondition)

JacksonHttpMessageConvertersConfiguration.MappingJackson2XmlHttpMessageConverterConfiguration:
        Did not match:
          - @ConditionalOnClass did not find required class 'com.fasterxml.jackson.dataformat.xml.XmlMapper' (OnClassCondition)

    JdbcRepositoriesAutoConfiguration:
        Did not match:
          - @ConditionalOnClass did not find required class 'org.springframework.data.jdbc.repository.config.AbstractJdbcConfiguration' (OnClassCondition)

    JerseyAutoConfiguration:
        Did not match:
          - @ConditionalOnClass did not find required class 'org.glassfish.jersey.server.spring.SpringComponentProvider' (OnClassCondition)

    JmsAutoConfiguration:
        Did not match:
          - @ConditionalOnClass did not find required class 'javax.jms.Message' (OnClassCondition)

    JmxAutoConfiguration:
        Did not match:
          - @ConditionalOnProperty (spring.jmx.enabled=true) found different value in property 'enabled' (OnPropertyCondition)
        Matched:
          - @ConditionalOnClass found required class 'org.springframework.jmx.export.MBeanExporter' (OnClassCondition)

    JndiConnectionFactoryAutoConfiguration:
        Did not match:

```
      - @ConditionalOnClass did not find required class
'org.springframework.jms.core.JmsTemplate' (OnClassCondition)

   JndiDataSourceAutoConfiguration:
      Did not match:
         - @ConditionalOnProperty (spring.datasource.jndi-name) did not find property
'jndi-name' (OnPropertyCondition)
      Matched:
         - @ConditionalOnClass found required classes 'javax.sql.DataSource',
'org.springframework.jdbc.datasource.embedded.EmbeddedDatabaseType' (OnClassCondition)

   JndiJtaConfiguration:
      Did not match:
         - @ConditionalOnJndi JNDI environment is not available (OnJndiCondition)
      Matched:
         - @ConditionalOnClass found required class
'org.springframework.transaction.jta.JtaTransactionManager' (OnClassCondition)

   JooqAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class 'org.jooq.DSLContext'
(OnClassCondition)

   JpaRepositoriesAutoConfiguration#entityManagerFactoryBootstrapExecutorCustomizer:
      Did not match:
         - AnyNestedCondition 0 matched 2 did not; NestedCondition on
JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition.LazyBootstrapMode
@ConditionalOnProperty (spring.data.jpa.repositories.bootstrap-mode=lazy) did not find
property 'bootstrap-mode'; NestedCondition on
JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition.DeferredBootstrapMode
@ConditionalOnProperty (spring.data.jpa.repositories.bootstrap-mode=deferred) did not find
property 'bootstrap-mode' (JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition)

   JsonbAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class 'javax.json.bind.Jsonb'
(OnClassCondition)

   JsonbHttpMessageConvertersConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class 'javax.json.bind.Jsonb'
(OnClassCondition)

   KafkaAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class
'org.springframework.kafka.core.KafkaTemplate' (OnClassCondition)

   LdapAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class
'org.springframework.ldap.core.ContextSource' (OnClassCondition)

   LdapRepositoriesAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class
'org.springframework.data.ldap.repository.LdapRepository' (OnClassCondition)

   LiquibaseAutoConfiguration:
      Did not match:
```

```
      - @ConditionalOnClass did not find required class
'liquibase.change.DatabaseChange' (OnClassCondition)

   MailSenderAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class
'javax.mail.internet.MimeMessage' (OnClassCondition)

   MailSenderValidatorAutoConfiguration:
      Did not match:
         - @ConditionalOnSingleCandidate did not find required type
'org.springframework.mail.javamail.JavaMailSenderImpl' (OnBeanCondition)

   MessageSourceAutoConfiguration:
      Did not match:
         - ResourceBundle did not find bundle with basename messages
(MessageSourceAutoConfiguration.ResourceBundleCondition)

   MongoAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class
'com.mongodb.client.MongoClient' (OnClassCondition)

   MongoDataAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class
'com.mongodb.client.MongoClient' (OnClassCondition)

   MongoReactiveAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class
'com.mongodb.reactivestreams.client.MongoClient' (OnClassCondition)

   MongoReactiveDataAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class
'com.mongodb.reactivestreams.client.MongoClient' (OnClassCondition)

   MongoReactiveRepositoriesAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class
'com.mongodb.reactivestreams.client.MongoClient' (OnClassCondition)

   MongoRepositoriesAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class
'com.mongodb.client.MongoClient' (OnClassCondition)

   MustacheAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class
'com.samskivert.mustache.Mustache' (OnClassCondition)

   Neo4jAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver'
(OnClassCondition)

   Neo4jDataAutoConfiguration:
      Did not match:
```

```
      - @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver'
(OnClassCondition)

   Neo4jReactiveDataAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver'
(OnClassCondition)

   Neo4jReactiveRepositoriesAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver'
(OnClassCondition)

   Neo4jRepositoriesAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver'
(OnClassCondition)

   NettyAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class 'io.netty.util.NettyRuntime'
(OnClassCondition)

   OAuth2ClientAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class
'org.springframework.security.oauth2.client.registration.ClientRegistration'
(OnClassCondition)

   OAuth2ResourceServerAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class
'org.springframework.security.oauth2.server.resource.BearerTokenAuthenticationToken'
(OnClassCondition)

   ProjectInfoAutoConfiguration#buildProperties:
      Did not match:
         - @ConditionalOnResource did not find resource
'${spring.info.build.location:classpath:META-INF/build-info.properties}'
(OnResourceCondition)

   ProjectInfoAutoConfiguration#gitProperties:
      Did not match:
         - GitResource did not find git info at classpath:git.properties
(ProjectInfoAutoConfiguration.GitResourceAvailableCondition)

   QuartzAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class 'org.quartz.Scheduler'
(OnClassCondition)

   R2dbcAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class
'io.r2dbc.spi.ConnectionFactory' (OnClassCondition)

   R2dbcDataAutoConfiguration:
      Did not match:
         - @ConditionalOnClass did not find required class
'org.springframework.data.r2dbc.core.R2dbcEntityTemplate' (OnClassCondition)
```

```
    R2dbcInitializationConfiguration:
        Did not match:
            - @ConditionalOnClass did not find required classes
'io.r2dbc.spi.ConnectionFactory',
'org.springframework.r2dbc.connection.init.DatabasePopulator' (OnClassCondition)

    R2dbcRepositoriesAutoConfiguration:
        Did not match:
            - @ConditionalOnClass did not find required class
'io.r2dbc.spi.ConnectionFactory' (OnClassCondition)

    R2dbcTransactionManagerAutoConfiguration:
        Did not match:
            - @ConditionalOnClass did not find required class
'org.springframework.r2dbc.connection.R2dbcTransactionManager' (OnClassCondition)

    RSocketMessagingAutoConfiguration:
        Did not match:
            - @ConditionalOnClass did not find required class 'io.rsocket.RSocket'
(OnClassCondition)

    RSocketRequesterAutoConfiguration:
        Did not match:
            - @ConditionalOnClass did not find required class 'io.rsocket.RSocket'
(OnClassCondition)

    RSocketSecurityAutoConfiguration:
        Did not match:
            - @ConditionalOnClass did not find required class
'org.springframework.security.rsocket.core.SecuritySocketAcceptorInterceptor'
(OnClassCondition)

    RSocketServerAutoConfiguration:
        Did not match:
            - @ConditionalOnClass did not find required class
'io.rsocket.core.RSocketServer' (OnClassCondition)

    RSocketStrategiesAutoConfiguration:
        Did not match:
            - @ConditionalOnClass did not find required class
'io.netty.buffer.PooledByteBufAllocator' (OnClassCondition)

    RabbitAutoConfiguration:
        Did not match:
            - @ConditionalOnClass did not find required class 'com.rabbitmq.client.Channel'
(OnClassCondition)

    ReactiveElasticsearchRepositoriesAutoConfiguration:
        Did not match:
            - @ConditionalOnClass did not find required class
'org.springframework.data.elasticsearch.client.reactive.ReactiveElasticsearchClient'
(OnClassCondition)

    ReactiveElasticsearchRestClientAutoConfiguration:
        Did not match:
            - @ConditionalOnClass did not find required class
'reactor.netty.http.client.HttpClient' (OnClassCondition)

    ReactiveMultipartAutoConfiguration:
```

```
    Did not match:
       - @ConditionalOnClass did not find required class
'org.springframework.web.reactive.config.WebFluxConfigurer' (OnClassCondition)

  ReactiveOAuth2ClientAutoConfiguration:
    Did not match:
       - @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux'
(OnClassCondition)

  ReactiveOAuth2ResourceServerAutoConfiguration:
    Did not match:
       - @ConditionalOnWebApplication did not find reactive web application classes
(OnWebApplicationCondition)

  ReactiveSecurityAutoConfiguration:
    Did not match:
       - @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux'
(OnClassCondition)

  ReactiveUserDetailsServiceAutoConfiguration:
    Did not match:
       - AnyNestedCondition 0 matched 2 did not; NestedCondition on
ReactiveUserDetailsServiceAutoConfiguration.ReactiveUserDetailsServiceCondition.ReactiveWe
bApplicationCondition did not find reactive web application classes; NestedCondition on
ReactiveUserDetailsServiceAutoConfiguration.ReactiveUserDetailsServiceCondition.RSocketSec
urityEnabledCondition @ConditionalOnBean (types:
org.springframework.messaging.rsocket.annotation.support.RSocketMessageHandler;
SearchStrategy: all) did not find any beans of type
org.springframework.messaging.rsocket.annotation.support.RSocketMessageHandler
(ReactiveUserDetailsServiceAutoConfiguration.ReactiveUserDetailsServiceCondition)
    Matched:
       - @ConditionalOnClass found required class
'org.springframework.security.authentication.ReactiveAuthenticationManager'
(OnClassCondition)

  ReactiveWebServerFactoryAutoConfiguration:
    Did not match:
       - @ConditionalOnWebApplication did not find reactive web application classes
(OnWebApplicationCondition)

  RedisAutoConfiguration:
    Did not match:
       - @ConditionalOnClass did not find required class
'org.springframework.data.redis.core.RedisOperations' (OnClassCondition)

  RedisCacheConfiguration:
    Did not match:
       - @ConditionalOnClass did not find required class
'org.springframework.data.redis.connection.RedisConnectionFactory' (OnClassCondition)

  RedisReactiveAutoConfiguration:
    Did not match:
       - @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux'
(OnClassCondition)

  RedisRepositoriesAutoConfiguration:
    Did not match:
       - @ConditionalOnClass did not find required class
'org.springframework.data.redis.repository.configuration.EnableRedisRepositories'
(OnClassCondition)
```

```
    Saml2RelyingPartyAutoConfiguration:
        Did not match:
          - @ConditionalOnClass did not find required class
'org.springframework.security.saml2.provider.service.registration.RelyingPartyRegistration
Repository' (OnClassCondition)

    SecurityDataConfiguration:
        Did not match:
          - @ConditionalOnClass did not find required class
'org.springframework.security.data.repository.query.SecurityEvaluationContextExtension'
(OnClassCondition)

    SendGridAutoConfiguration:
        Did not match:
          - @ConditionalOnClass did not find required class 'com.sendgrid.SendGrid'
(OnClassCondition)

    ServletWebServerFactoryAutoConfiguration#forwardedHeaderFilter:
        Did not match:
          - @ConditionalOnProperty (server.forward-headers-strategy=framework) did not
find property 'server.forward-headers-strategy' (OnPropertyCondition)

    ServletWebServerFactoryConfiguration.EmbeddedJetty:
        Did not match:
          - @ConditionalOnClass did not find required classes
'org.eclipse.jetty.server.Server', 'org.eclipse.jetty.util.Loader',
'org.eclipse.jetty.webapp.WebAppContext' (OnClassCondition)

    ServletWebServerFactoryConfiguration.EmbeddedUndertow:
        Did not match:
          - @ConditionalOnClass did not find required classes 'io.undertow.Undertow',
'org.xnio.SslClientAuthMode' (OnClassCondition)

    SessionAutoConfiguration:
        Did not match:
          - @ConditionalOnClass did not find required class
'org.springframework.session.Session' (OnClassCondition)

    SolrAutoConfiguration:
        Did not match:
          - @ConditionalOnClass did not find required class
'org.apache.solr.client.solrj.impl.CloudSolrClient' (OnClassCondition)

    SpringApplicationAdminJmxAutoConfiguration:
        Did not match:
          - @ConditionalOnProperty (spring.application.admin.enabled=true) did not find
property 'enabled' (OnPropertyCondition)

    SpringDataWebAutoConfiguration:
        Did not match:
          - @ConditionalOnMissingBean (types:
org.springframework.data.web.PageableHandlerMethodArgumentResolver; SearchStrategy: all)
found beans of type 'org.springframework.data.web.PageableHandlerMethodArgumentResolver'
pageableResolver (OnBeanCondition)
        Matched:
          - @ConditionalOnClass found required classes
'org.springframework.data.web.PageableHandlerMethodArgumentResolver',
'org.springframework.web.servlet.config.annotation.WebMvcConfigurer' (OnClassCondition)
          - found 'session' scope (OnWebApplicationCondition)
```

```
    TaskSchedulingAutoConfiguration#taskScheduler:
        Did not match:
          - @ConditionalOnBean (names:
org.springframework.context.annotation.internalScheduledAnnotationProcessor;
SearchStrategy: all) did not find any beans named
org.springframework.context.annotation.internalScheduledAnnotationProcessor
(OnBeanCondition)

    ThymeleafAutoConfiguration:
        Did not match:
          - @ConditionalOnClass did not find required class
'org.thymeleaf.spring5.SpringTemplateEngine' (OnClassCondition)

    TransactionAutoConfiguration#transactionalOperator:
        Did not match:
          - @ConditionalOnSingleCandidate (types:
org.springframework.transaction.ReactiveTransactionManager; SearchStrategy: all) did not
find any beans (OnBeanCondition)


TransactionAutoConfiguration.EnableTransactionManagementConfiguration.JdkDynamicAutoProxyC
onfiguration:
        Did not match:
          - @ConditionalOnProperty (spring.aop.proxy-target-class=false) did not find
property 'proxy-target-class' (OnPropertyCondition)

    ValidationAutoConfiguration:
        Did not match:
          - @ConditionalOnClass did not find required class
'javax.validation.executable.ExecutableValidator' (OnClassCondition)

    WebClientAutoConfiguration:
        Did not match:
          - @ConditionalOnClass did not find required class
'org.springframework.web.reactive.function.client.WebClient' (OnClassCondition)

    WebFluxAutoConfiguration:
        Did not match:
          - @ConditionalOnClass did not find required class
'org.springframework.web.reactive.config.WebFluxConfigurer' (OnClassCondition)

    WebMvcAutoConfiguration#hiddenHttpMethodFilter:
        Did not match:
          - @ConditionalOnProperty (spring.mvc.hiddenmethod.filter.enabled) did not find
property 'enabled' (OnPropertyCondition)

    WebMvcAutoConfiguration.ResourceChainCustomizerConfiguration:
        Did not match:
          - @ConditionalOnEnabledResourceChain did not find class
org.webjars.WebJarAssetLocator (OnEnabledResourceChainCondition)

    WebMvcAutoConfiguration.WebMvcAutoConfigurationAdapter#beanNameViewResolver:
        Did not match:
          - @ConditionalOnMissingBean (types:
org.springframework.web.servlet.view.BeanNameViewResolver; SearchStrategy: all) found
beans of type 'org.springframework.web.servlet.view.BeanNameViewResolver'
beanNameViewResolver (OnBeanCondition)

    WebServiceTemplateAutoConfiguration:
```

```
     Did not match:
        - @ConditionalOnClass did not find required class
'org.springframework.oxm.Marshaller' (OnClassCondition)

   WebServicesAutoConfiguration:
      Did not match:
        - @ConditionalOnClass did not find required class
'org.springframework.ws.transport.http.MessageDispatcherServlet' (OnClassCondition)

   WebSessionIdResolverAutoConfiguration:
      Did not match:
        - @ConditionalOnClass did not find required class 'reactor.core.publisher.Mono'
(OnClassCondition)

   WebSocketMessagingAutoConfiguration:
      Did not match:
        - @ConditionalOnClass did not find required class
'org.springframework.web.socket.config.annotation.WebSocketMessageBrokerConfigurer'
(OnClassCondition)

   WebSocketReactiveAutoConfiguration:
      Did not match:
        - @ConditionalOnWebApplication did not find reactive web application classes
(OnWebApplicationCondition)

   WebSocketServletAutoConfiguration.Jetty10WebSocketConfiguration:
      Did not match:
        - @ConditionalOnClass did not find required classes
'org.eclipse.jetty.websocket.javax.server.internal.JavaxWebSocketServerContainer',
'org.eclipse.jetty.websocket.server.JettyWebSocketServerContainer' (OnClassCondition)

   WebSocketServletAutoConfiguration.JettyWebSocketConfiguration:
      Did not match:
        - @ConditionalOnClass did not find required class
'org.eclipse.jetty.websocket.jsr356.server.deploy.WebSocketServerContainerInitializer'
(OnClassCondition)

   WebSocketServletAutoConfiguration.UndertowWebSocketConfiguration:
      Did not match:
        - @ConditionalOnClass did not find required class
'io.undertow.websockets.jsr.Bootstrap' (OnClassCondition)

   XADataSourceAutoConfiguration:
      Did not match:
        - @ConditionalOnBean (types: org.springframework.boot.jdbc.XADataSourceWrapper;
SearchStrategy: all) did not find any beans of type
org.springframework.boot.jdbc.XADataSourceWrapper (OnBeanCondition)
      Matched:
        - @ConditionalOnClass found required classes 'javax.sql.DataSource',
'javax.transaction.TransactionManager',
'org.springframework.jdbc.datasource.embedded.EmbeddedDatabaseType' (OnClassCondition)


Exclusions:
-----------

   None


Unconditional classes:
```

----

org.springframework.boot.autoconfigure.context.ConfigurationPropertiesAutoConfiguration

    org.springframework.boot.autoconfigure.context.LifecycleAutoConfiguration

    org.springframework.boot.autoconfigure.context.PropertyPlaceholderAutoConfiguration

org.springframework.boot.autoconfigure.availability.ApplicationAvailabilityAutoConfigurati
on

    org.springframework.boot.autoconfigure.info.ProjectInfoAutoConfiguration


```
2022-03-01 11:17:25.979  INFO 476 --- [    Test worker]
c.b.o.backend.BackendApplicationTests    : Started BackendApplicationTests in 12.991
seconds (JVM running for 16.982)
2022-03-01 11:17:25.981 DEBUG 476 --- [    Test worker]
o.s.b.a.ApplicationAvailabilityBean      : Application availability state LivenessState
changed to CORRECT
2022-03-01 11:17:25.983 DEBUG 476 --- [    Test worker]
o.s.b.a.ApplicationAvailabilityBean      : Application availability state ReadinessState
changed to ACCEPTING_TRAFFIC
The item is added to the cart
The item is added to the cart
The item is added to the cart
]]>
  </system-out>

  <system-err/>

</testsuite>
```