Information

Name: Project ordgp

Description: Description of ordgp.

Version: WIP

Date Created: 2022-01-21T10:15:30

Git Commit: 1e84b5100e09d9b6c5ea1b6c2ccee8957391beec

Git Base Tag: ods-generated-v3.0-3.0-0b11-D
Git Target Tag: ods-generated-v3.0-3.0-0b11-D

Git URL: http://wiremockTest/ordgp/ordgp-releasemanager.git

OpenShift Cluster API URL: https://openshift-sample
Created by Jenkins Job Name: ordgp-cd/ordgp-releasemanager

Created by Jenkins Build Number: 13
Target environment: dev

Overall Technical Installation Report for 'Project ordgp'

TABLE OF CONTENTS

1 INSTALLED COMPONENT SUMMARY

2 JENKINS BUILD LOG

3 TIR FOR COMPONENT: BACKEND (MERGED)
4 TIR FOR COMPONENT: FRONTEND (MERGED)

1 INSTALLED COMPONENT SUMMARY

Based on the component type, as mentioned in the TIP, the following components were installed, and where applicable:

- Tags for promotion were generated (Git Tag Created)
- Configuration was exported, and stored (Exported Configuration Commit)

Component ID	Туре	Installed by ODS	Branch	Commit Build/Installed Exported Configuration Commit	Git Tag Used (optional)	Git Tag Created (optional)
backend	ods	true	master	138495888301232315f5455aeb17cc635982ba2c	ods- generated- v3.0-3.0- 0b11-D	ods- generated- v3.0-3.0- 0b11-D
frontend	ods	true	master	3b5a62fbb2307d95360da386408b7f668f0e89ae	ods- generated- v3.0-3.0- 0b11-D	ods- generated- v3.0-3.0- 0b11-D
test	ods- test	false	master	417c5b12c0af838cf0b843feb16ee5b7b1dab4ec	ods- generated- v3.0-3.0- 0b11-D	ods- generated- v3.0-3.0- 0b11-D

2 JENKINS BUILD LOG

OpenShift Build ordgp-cd/releasemanager-master-13 from https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git

Checking out git https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git into /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace@script to read Jenkinsfile

The recommended git tool is: NONE

using credential ordgp-cd-cd-user-with-password

> git rev-parse --resolve-git-dir /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-

master/workspace@script/.git # timeout=10

Fetching changes from the remote Git repository

> git config remote.origin.url https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git # timeout=10

Fetching upstream changes from https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git

> git --version # timeout=10

> git --version # 'git version 1.8.3.1'

using GIT_ASKPASS to set credentials ordgp-cd-cd-user-with-password

Setting http proxy: appaccess-zscaler.boehringer.com:80

> git fetch --tags --progress https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git

+refs/heads/*:refs/remotes/origin/* # timeout=10

> git rev-parse origin/master^{commit} # timeout=10

Checking out Revision be2537272ddc579f97f2e2eba6cdc0788f81341b (origin/master)

> git config core.sparsecheckout # timeout=10

> git checkout -f be2537272ddc579f97f2e2eba6cdc0788f81341b # timeout=10

Commit message: "ODS: Record commits deployed into D"

> git rev-list --no-walk be2537272ddc579f97f2e2eba6cdc0788f81341b # timeout=10

Running in Durability level: MAX_SURVIVABILITY Loading library ods-jenkins-shared-library@4.x

Attempting to resolve 4.x from remote references...

> git --version # timeout=10

> git --version # 'git version 1.8.3.1'

using GIT_ASKPASS to set credentials ordgp-cd-cd-user-with-password

Setting http proxy: appaccess-zscaler.boehringer.com:80

> git ls-remote -h https://bitbucket-dev.biscrum.com/scm/odsalpha/ods-jenkins-shared-library.git # timeout=10

Found match: refs/heads/4.x revision 384c8e94d172f304e0860440491bacf817f7ea37

The recommended git tool is: git

using credential ordgp-cd-cd-user-with-password

> git rev-parse --resolve-git-dir /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace@libs/ods-jenkins-shared-library/.git # timeout=10

Fetching changes from the remote Git repository

> git config remote.origin.url https://bitbucket-dev.biscrum.com/scm/odsalpha/ods-jenkins-shared-library.git # timeout=10

Fetching without tags

Fetching upstream changes from https://bitbucket-dev.biscrum.com/scm/odsalpha/ods-jenkins-shared-library.git

> git --version # timeout=10

> git --version # 'git version 1.8.3.1'

using GIT_ASKPASS to set credentials ordgp-cd-cd-user-with-password

Setting http proxy: appaccess-zscaler.boehringer.com:80

> git fetch --no-tags --progress https://bitbucket-dev.biscrum.com/scm/odsalpha/ods-jenkins-shared-library.git

+refs/heads/*:refs/remotes/origin/* # timeout=10

Checking out Revision 384c8e94d172f304e0860440491bacf817f7ea37 (4.x)

> git config core.sparsecheckout # timeout=10

> git checkout -f 384c8e94d172f304e0860440491bacf817f7ea37 # timeout=10

Commit message: "[ci skip] remove latest antora page alias from 4.x branch (#859)"

 $> \mathsf{git}\;\mathsf{rev\text{-}list}\;\mathsf{--no\text{-}walk}\;384\mathsf{c}8e94\mathsf{d}172\mathsf{f}304e0860440491\mathsf{bacf}817\mathsf{f}7ea37\;\#\;\mathsf{timeout} = 10$

[Pipeline] Start of Pipeline

[Pipeline] echo

DEBUG: Start agent stage: Init

[Pipeline] node

Running on Jenkins in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace

[Pipeline] {
[Pipeline] echo

DEBUG: [orchestration-master-node] (took 1521 ms)

[Pipeline] echo

DEBUG: Cleaning workspace directory 'artifacts' from previous runs

[Pipeline] echo DEBUG: Cleaning workspace directory 'sonarqube' from previous runs [Pipeline] echo DEBUG: Cleaning workspace directory 'xunit' from previous runs [Pipeline] echo DEBUG: Cleaning workspace directory 'repositories' from previous runs [Pipeline] sh + git Ifs [Pipeline] checkout The recommended git tool is: NONE using credential ordgp-cd-cd-user-with-password > git rev-parse --resolve-git-dir /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/.git # Fetching changes from the remote Git repository > git config remote.origin.url https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git # timeout=10 Cleaning workspace > git rev-parse --verify HEAD # timeout=10 Resetting working tree > git reset --hard # timeout=10 > git clean -fdx # timeout=10 Fetching upstream changes from https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git > git --version # timeout=10 > git --version # 'git version 1.8.3.1' using GIT ASKPASS to set credentials ordgp-cd-cd-user-with-password Setting http proxy: appaccess-zscaler.boehringer.com:80 > git fetch --tags --progress https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git +refs/heads/*:refs/remotes/origin/* # timeout=10 > git rev-parse refs/remotes/origin/master^{commit} # timeout=10 Checking out Revision be2537272ddc579f97f2e2eba6cdc0788f81341b (refs/remotes/origin/master) > git config core.sparsecheckout # timeout=10 > git checkout -f be2537272ddc579f97f2e2eba6cdc0788f81341b # timeout=10 > git branch -a -v --no-abbrev # timeout=10 > git branch -D master # timeout=10 > git checkout -b master be2537272ddc579f97f2e2eba6cdc0788f81341b # timeout=10 Commit message: "ODS: Record commits deployed into D" Cleaning workspace > git rev-parse --verify HEAD # timeout=10 Resetting working tree > git reset --hard # timeout=10 > git clean -fdx # timeout=10 [Pipeline] echo DEBUG: [pipeline-git-releasemanager] (took 1165 ms) [Pipeline] sh + oc project odsalpha [Pipeline] echo 2022-03-01 11:13:10Z OpenShift project 'odsalpha' exists [Pipeline] podTemplate [Pipeline] { [Pipeline] echo DEBUG: [pod-template] (took 992 ms) [Pipeline] withEnv [Pipeline] { [Pipeline] stage [Pipeline] { (Init) [Pipeline] echo [Init] **** STARTING orchestration stage **** [Pipeline] echo DEBUG: Release Manager Build Parameters: [changeDescription:UNDEFINED, changeld:1.0, configItem:BI-IT-DEVSTACK, releaseStatusJiralssueKey:ORDGP-123, targetEnvironment:dev, targetEnvironmentToken:D, version:WIP, rePromote:false] [Pipeline] echo Load env state from ods-state/dev.json

[Pipeline] sh + mkdir -p ods-state [Pipeline] fileExists [Pipeline] echo

DEBUG: Env state ods-state/dev.json found [Pipeline] readJSON [Pipeline] echo DEBUG: [git-releasemanager-Init] (took 3 ms) [Pipeline] echo DEBUG: Load build params and metadata file information DEBUG: Could not determine Git URL for repo 'backend' from project meta data. Attempting to resolve automatically... [Pipeline] dir Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace [Pipeline] { [Pipeline] sh + git config --get remote.origin.url [Pipeline] } [Pipeline] // dir [Pipeline] echo DEBUG: Resolved Git URL for repo 'backend' to 'https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git' [Pipeline] echo DEBUG: Could not determine Git branch for repo 'backend' from project meta data. Assuming 'master'. DEBUG: Could not determine Git URL for repo 'frontend' from project meta data. Attempting to resolve automatically... [Pipeline] dir Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace [Pipeline] { [Pipeline] sh + git config --get remote.origin.url [Pipeline] } [Pipeline] // dir [Pipeline] echo DEBUG: Resolved Git URL for repo 'frontend' to 'https://bitbucket-dev.biscrum.com/scm/ordqp/ordqp-frontend.git' [Pipeline] echo DEBUG: Could not determine Git branch for repo 'frontend' from project meta data. Assuming 'master'. DEBUG: Could not determine Git URL for repo 'test' from project meta data. Attempting to resolve automatically... [Pipeline] dir Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace [Pipeline] { [Pipeline] sh + git config --get remote.origin.url [Pipeline] } [Pipeline] // dir [Pipeline] echo DEBUG: Resolved Git URL for repo 'test' to 'https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git' [Pipeline] echo DEBUG: Could not determine Git branch for repo 'test' from project meta data. Assuming 'master'. [Pipeline] echo DEBUG: Register global services [Pipeline] withCredentials Masking supported pattern matches of \$JIRA_USERNAME or \$JIRA_PASSWORD [Pipeline] { [Pipeline] } [Pipeline] // withCredentials [Pipeline] sh + git config --global user.email undefined + git config --global user.name 'ODS Jenkins Shared Library System User' [Pipeline] withCredentials Masking supported pattern matches of \$BITBUCKET_USER or \$BITBUCKET_PW [Pipeline] { [Pipeline] writeFile

[Pipeline] sh

+ git config --global credential.helper store

[Pipeline] echo

dev.biscrum.com

2022-03-01 11:13:17Z wrote /var/lib/jenkins/.git-credentials-input with credentials for **** on https://bitbucket-

[Pipeline] sh + cat /var/lib/jenkins/.git-credentials-input + git credential-store store [Pipeline] } [Pipeline] // withCredentials [Pipeline] echo DEBUG: Checkout repositories into the workspace [Pipeline] sh + git rev-parse HEAD [Pipeline] sh + git config --get remote.origin.url [Pipeline] sh + git --no-pager show -s '--format=%an (%ae)' HEAD [Pipeline] sh + git log -1 --pretty=%B HEAD [Pipeline] sh + git show -s --format=%ci HEAD [Pipeline] echo DEBUG: Using release manager commit: be2537272ddc579f97f2e2eba6cdc0788f81341b [Pipeline] parallel [Pipeline] { (Branch: Init) [Pipeline] { (Branch: orchestration) [Pipeline] echo Loading Repository: [id:backend, type:ods, data:[openshift:[:], documents:[:]], url:https://bitbucketdev.biscrum.com/scm/ordgp/ordgp-backend.git, branch:master] [Pipeline] echo DEBUG: [Project#load] [Pipeline] echo Loading Repository: [id:frontend, type:ods, data:[openshift:[:], documents:[:]], url:https://bitbucketdev.biscrum.com/scm/ordgp/ordgp-frontend.git, branch:master] Loading Repository: [id:test, type:ods-test, data:[openshift:[:], documents:[:]], url:https://bitbucketdev.biscrum.com/scm/ordgp/ordgp-test.git, branch:master] [Pipeline] parallel [Pipeline] { (Branch: backend) [Pipeline] { (Branch: frontend) [Pipeline] { (Branch: test) [Pipeline] echo Checkout branch backend@master [Pipeline] echo Checkout branch frontend@master [Pipeline] echo Checkout branch test@master [Pipeline] sh [Pipeline] sh [Pipeline] sh + git Ifs + git Ifs + git lfs [Pipeline] checkout The recommended git tool is: NONE using credential ordgp-cd-cd-user-with-password Cloning the remote Git repository [Pipeline] checkout Cloning repository https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git > git init /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/repositories/backend # timeout=10 The recommended git tool is: NONE using credential ordgp-cd-cd-user-with-password Cloning the remote Git repository Cloning repository https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git > git init /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/repositories/frontend #

timeout=10
[Pipeline] checkout

The recommended git tool is: NONE

using credential ordgp-cd-cd-user-with-password Cloning the remote Git repository Cloning repository https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git > git init /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/repositories/test # timeout=10 Fetching upstream changes from https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git > git --version # timeout=10 > git --version # 'git version 1.8.3.1' using GIT_ASKPASS to set credentials ordgp-cd-cd-user-with-password Setting http proxy: appaccess-zscaler.boehringer.com:80 > git fetch --tags --progress https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git +refs/heads/*:refs/remotes/origin/* # timeout=10 Fetching upstream changes from https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git > git --version # timeout=10 > git --version # 'git version 1.8.3.1' using GIT_ASKPASS to set credentials ordgp-cd-cd-user-with-password Setting http proxy: appaccess-zscaler.boehringer.com:80 > git fetch --tags --progress https://bitbucket-dev.biscrum.com/scm/ordqp/ordqp-frontend.git +refs/heads/*:refs/remotes/origin/* # timeout=10 Fetching upstream changes from https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git > git --version # timeout=10 > git --version # 'git version 1.8.3.1' using GIT ASKPASS to set credentials ordgp-cd-cd-user-with-password Setting http proxy: appaccess-zscaler.boehringer.com:80 > git fetch --tags --progress https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git +refs/heads/*:refs/remotes/origin/* # timeout=10 > git config remote.origin.url https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git # timeout=10 > git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10 Avoid second fetch > git rev-parse refs/remotes/origin/master^{commit} # timeout=10 Checking out Revision c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293 (refs/remotes/origin/master) > git config core.sparsecheckout # timeout=10 > git checkout -f c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293 # timeout=10 > git config remote.origin.url https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git # timeout=10 > git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10 > git rev-parse refs/remotes/origin/master^{commit} # timeout=10 Checking out Revision 27eb2abe4554932afa94f9a40a72d2165158ae6b (refs/remotes/origin/master) > git config core.sparsecheckout # timeout=10 > git checkout -f 27eb2abe4554932afa94f9a40a72d2165158ae6b # timeout=10 > git config remote.origin.url https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git # timeout=10 > git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10 Avoid second fetch > git rev-parse refs/remotes/origin/master^{commit} # timeout=10 Checking out Revision 61a229c55991e0e89362016bf53d968df233aa80 (refs/remotes/origin/master) > git config core.sparsecheckout # timeout=10 > git checkout -f 61a229c55991e0e89362016bf53d968df233aa80 # timeout=10 > git branch -a -v --no-abbrev # timeout=10 > git branch -a -v --no-abbrev # timeout=10 > git checkout -b master 27eb2abe4554932afa94f9a40a72d2165158ae6b # timeout=10 > git checkout -b master c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293 # timeout=10 > git branch -a -v --no-abbrev # timeout=10 Commit message: "ODS: Export OpenShift configuration Build (assemble) #7 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version: WIP https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/7/ [ci skip]" > git rev-list --no-walk 27eb2abe4554932afa94f9a40a72d2165158ae6b # timeout=10 > git checkout -b master 61a229c55991e0e89362016bf53d968df233aa80 # timeout=10

Commit message: "ODS: Export OpenShift configuration

Build (assemble) #7 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version: WIP

https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/7/ [ci skip]"

 $> {\it git\ rev-list\ --no-walk\ c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293\ \#\ timeout=10}$

Cleaning workspace

> git rev-parse --verify HEAD # timeout=10

Resetting working tree

> git reset --hard # timeout=10

Cleaning workspace > git rev-parse --verify HEAD # timeout=10 Resetting working tree > git reset --hard # timeout=10 Commit message: "DemoAcceptanceSpec.groovy edited online with Bitbucket" > git rev-list --no-walk 3e9ed20ad8199d1918747615bd883eab81b03d59 # timeout=10 > git clean -fdx # timeout=10 Cleaning workspace > git rev-parse --verify HEAD # timeout=10 > git clean -fdx # timeout=10 Resetting working tree > git reset --hard # timeout=10 [Pipeline] echo DEBUG: [backend-scm-checkout] (took 2619 ms) [Pipeline] echo > git clean -fdx # timeout=10 DEBUG: [frontend-scm-checkout] (took 2618 ms) [Pipeline] echo DEBUG: Repository type 'ods' configured on 'backend' thru component's metadata.yml [Pipeline] echo DEBUG: Repository type 'ods' configured on 'frontend' thru component's metadata.yml [Pipeline] echo DEBUG: Project forces global rebuild ... [Pipeline] } [Pipeline] echo DEBUG: Project forces global rebuild ... [Pipeline] } [Pipeline] echo DEBUG: [test-scm-checkout] (took 3321 ms) [Pipeline] echo DEBUG: Repository type 'ods-test' configured on 'test' thru component's metadata.yml [Pipeline] echo DEBUG: Project forces global rebuild ... [Pipeline] } [Pipeline] // parallel [Pipeline] } [Pipeline] echo Project has versioning enabled. [Pipeline] echo No predecessor project version found. Loading only data from Jira. [Pipeline] echo DEBUG: Verify that each unit test in Jira project ordgp has exactly one component assigned. [Pipeline] echo DEBUG: [Project#load] (took 22841 ms) [Pipeline] echo DEBUG: Validate that for Q and P we have a valid version [Pipeline] echo DEBUG: Configure current build description [Pipeline] echo DEBUG: Nexus repository for project/version 'ordgp-WIP' exists? true [Pipeline] sh + oc whoami --show-server [Pipeline] echo DEBUG: Agent start stage: Init [Pipeline] echo DEBUG: Current stage: 'Init' -> start agent stage: 'Init' [Pipeline] echo DEBUG: [mro-jenkins-agent-13] [Pipeline] node Created Pod: ordgp-cd/mro-jenkins-agent-13-3hf5q-62d6x

'Page 8 of 215'

[Normal][ordgp-cd/mro-jenkins-agent-13-3hf5q-62d6x][Scheduled] Successfully assigned ordgp-cd/mro-jenkins-agent-13-

[Normal][ordgp-cd/mro-jenkins-agent-13-3hf5q-62d6x][Pulling] pulling image "docker-

3hf5q-62d6x to inhas71255.eu.boehringer.com

Still waiting to schedule task

registry.default.svc:5000/odsalpha/jenkins-agent-base:4.x"

```
'mro-jenkins-agent-13-3hf5q-62d6x' is offline
[Normal][ordgp-cd/mro-jenkins-agent-13-3hf5q-62d6x][Pulled] Successfully pulled image "docker-
registry.default.svc:5000/odsalpha/jenkins-agent-base:4.x"
[Normal][ordgp-cd/mro-jenkins-agent-13-3hf5q-62d6x][Created] Created container
[Normal][ordgp-cd/mro-jenkins-agent-13-3hf5q-62d6x][Started] Started container
Agent mro-jenkins-agent-13-3hf5q-62d6x is provisioned from template mro-jenkins-agent-13-3hf5q
apiVersion: "v1"
kind: "Pod"
metadata:
 annotations:
  buildUrl: "http://jenkins.ordgp-cd.svc:80/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"
  runUrl: "job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"
 labels:
  jenkins: "slave"
  jenkins/label: "mro-jenkins-agent-13"
 name: "mro-jenkins-agent-13-3hf5q-62d6x"
spec:
 containers:
 - args:
  - "mro-jenkins-agent-13-3hf5q-62d6x"
  env:
  - name: "JENKINS SECRET"
   value: "******
  - name: "JENKINS_TUNNEL"
   value: "jenkins-jnlp.ordgp-cd.svc:50000"
  - name: "JENKINS_AGENT_NAME"
   value: "mro-jenkins-agent-13-3hf5q-62d6x"
  - name: "JENKINS NAME"
   value: "mro-jenkins-agent-13-3hf5q-62d6x"
  - name: "JENKINS_AGENT_WORKDIR"
   value: "/tmp"
  - name: "JENKINS_URL"
   value: "http://jenkins.ordgp-cd.svc:80/"
  image: "docker-registry.default.svc:5000/odsalpha/jenkins-agent-base:4.x"
  imagePullPolicy: "Always"
  name: "jnlp"
  resources:
   limits:
     memory: "1Gi"
     cpu: "1"
   requests:
     memory: "512Mi"
     cpu: "200m"
  securityContext:
   privileged: false
  tty: false
  volumeMounts:
  - mountPath: "/tmp"
   name: "workspace-volume"
   readOnly: false
  workingDir: "/tmp"
 nodeSelector:
  beta.kubernetes.io/os: "linux"
 restartPolicy: "Never"
 securityContext: {}
 serviceAccount: "jenkins"
 volumes:
 - emptyDir:
   medium: ""
```

Running on mro-jenkins-agent-13-3hf5q-62d6x in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master

name: "workspace-volume"

[Pipeline] { [Pipeline] echo DEBUG: [mro-jenkins-agent-13] (took 44393 ms) [Pipeline] } [Pipeline] // node [Pipeline] } [Pipeline] // parallel [Pipeline] echo DEBUG: -< Initing Repository: backend [Pipeline] echo DEBUG: -< Initing Repository: frontend [Pipeline] echo DEBUG: -< Initing Repository: test [Pipeline] parallel [Pipeline] { (Branch: backend) [Pipeline] { (Branch: frontend) [Pipeline] { (Branch: test) [Pipeline] echo DEBUG: Repo 'test', init phase - configured hook: 'null'

[Pipeline] } [Pipeline] echo

DEBUG: Repo 'backend' is of type ODS Code Component. Nothing to do in phase 'Init' for target environment 'D'.

[Pipeline] } [Pipeline] echo

DEBUG: Repo 'frontend' is of type ODS Code Component. Nothing to do in phase 'Init' for target environment 'D'.

[Pipeline] }

[Pipeline] // parallel [Pipeline] sh

+ oc project ordgp-dev

[Pipeline] echo

2022-03-01 11:14:28Z OpenShift project 'ordgp-dev' exists

DEBUG: Compute groups of repository configs for convenient parallelization

[Pipeline] echo

[docgen-ordgp-CSD] Creating document of type 'CSD' for project 'ordgp' in phase 'Init' and stage 'PRE_END' expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createCSD; see: https://jenkins.io/redirect/pipeline-cps-methodmismatches/

[Pipeline] echo

DEBUG: Retrieving saved document history with name 'documentHistory-D-CSD' in workspace '/var/lib/jenkins/jobs/ordgpcd/jobs/ordgp-cd-releasemanager-master/workspace'.

[Pipeline] readFile

[Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-D-CSD.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[], epics:[[key:ORDGP-124, action:add]], mitigations:[], requirements:[[key:ORDGP-126, action:add], [key:ORDGP-127, action:add], [key:ORDGP-125, action:add], [key:ORDGP-128, action:add], [key:ORDGP-129, action:add]], risks:[], techSpecs:[], tests:[], docs: [[key:ORDGP-45, action:add, documents:[CSD], number:3.2, heading:Operational Requirements], [key:ORDGP-44, action:add, documents:[CSD], number:6, heading:Reference Documents], [key:ORDGP-43, action:add, documents:[CSD], number:1, heading:Introduction and Purpose], [key:ORDGP-42, action:add, documents:[CSD], number:2, heading:Overview], [key:ORDGP-41, action:add, documents:[CSD], number:3.1, heading:Related Business / GxP Process], [key:ORDGP-40, action:add, documents:[CSD], number:5.1, heading:Definitions], [key:ORDGP-39, action:add, documents: [CSD], number:5.2, heading:Abbreviations], [key:ORDGP-38, action:add, documents:[CSD], number:7, heading:Document History]]]

[Pipeline] echo

DEBUG: Creating a new history entry with version 1 for CSD

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-14]

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-6]

[Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-29] [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-15] [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-18] [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-19] [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22] [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-9, ORDGP-16, ORDGP-27] [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-12, ORDGP-25, ORDGP-7] [Pipeline] archiveArtifacts Archiving artifacts [Pipeline] echo 2022-03-01 11:14:39Z Document CSD uploaded @ https://nexus-odsalpha.inhodsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/CSD-ordgp-WIP-13.zip DEBUG: [docgen-ordgp-CSD] (took 11700 ms) [Pipeline] echo [Init] **** ENDED orchestration stage **** (took 89912 ms) [Pipeline] } [Pipeline] // stage [Pipeline] stage [Pipeline] { (Build) [Pipeline] echo [Build] **** STARTING orchestration stage **** [Pipeline] parallel [Pipeline] { (Branch: Build) [Pipeline] { (Branch: orchestration) [Pipeline] parallel [Pipeline] { (Branch: backend) [Pipeline] { (Branch: frontend)

[Pipeline] { (Branch: test) [Pipeline] echo

[docgen-ordgp-DTP] Creating document of type 'DTP' for project 'ordgp' in phase 'Build' and stage 'POST_START' expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createDTP; see: https://jenkins.io/redirect/pipeline-cps-methodmismatches/

[Pipeline] echo

DEBUG: Retrieving saved document history with name 'documentHistory-D-DTP' in workspace '/var/lib/jenkins/jobs/ordgpcd/jobs/ordgp-cd-releasemanager-master/workspace'.

[Pipeline] readFile [Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-D-DTP.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parse|iraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[[key:Technology-test, action:add], [key:Technology-frontend, action:add], [key:Technology-backend, action:add]], epics:[], mitigations:[], requirements: [[key:ORDGP-125, action:add]], risks:[], techSpecs:[], tests:[[key:ORDGP-137, action:add], [key:ORDGP-138, action:add], [key:ORDGP-139, action:add]], docs:[[key:ORDGP-55, action:add, documents:[DTP], number:6, heading:Reference Document], [key:ORDGP-54, action:add, documents:[DTP], number:7, heading:Document History], [key:ORDGP-52, action:add, documents:[DTP, DTR], number:5.2, heading:Abbreviations], [key:ORDGP-51, action:add, documents:[DTP, DTR], number:5.1, heading:Definitions]]]

[Pipeline] echo

DEBUG: Creating a new history entry with version 1 for DTP

Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/repositories/backend [Pipeline] {

[Pipeline] dir Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/repositories/frontend [Pipeline] { [Pipeline] echo DEBUG: Repo 'test' is of type ODS Test Component. Nothing to do in phase 'Build' for target environment 'D' [Pipeline] sh [Pipeline] sh [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-14] [Pipeline] } + grep library.ods-mro-jenkins-shared-library.version + cut -d = -f2+ env + cut -d = -f2+ grep library.ods-mro-jenkins-shared-library.version [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-6] [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-29] [Pipeline] withEnv [Pipeline] { [Pipeline] withEnv [Pipeline] { [Pipeline] load [Pipeline] { (/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/repositories/backend/Jenkinsfile) [Pipeline] load [Pipeline] { (/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/repositories/frontend/Jenkinsfile) [Pipeline] echo DEBUG: -> ODS Component pipeline setup, debug mode? true [Pipeline] echo DEBUG: -> ODS Component pipeline setup, debug mode? true [Pipeline] echo -> Detected multirepo orchestration pipeline build [Pipeline] echo -> Detected multirepo orchestration pipeline build [Pipeline] echo DEBUG: Setting target environment: 'dev' [Pipeline] echo DEBUG: Setting target environment: 'dev' [Pipeline] echo DEBUG: Amending project / component name based on Git origin URL DEBUG: Amending project / component name based on Git origin URL [Pipeline] sh [Pipeline] sh + git config --get remote.origin.url + git config --get remote.origin.url [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-18] [Pipeline] echo DEBUG: Retrieved Git origin URL from filesystem: https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git [Pipeline] echo DEBUG: Retrieved Git origin URL from filesystem: https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git [Pipeline] echo DEBUG: Project- / component-name config: ordgp / backend [Pipeline] echo DEBUG: Project- / component-name config: ordgp / frontend [Pipeline] echo [backend] ***** Starting ODS Component Pipeline ***** [Pipeline] echo

[frontend] ***** Starting ODS Component Pipeline *****

[Pipeline] wrap

[Pipeline] wrap [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-19] [Pipeline] stage [Pipeline] { (odsPipeline start) [Pipeline] { [Pipeline] stage [Pipeline] { (odsPipeline start) [Pipeline] echo DEBUG: Validating input ... [Pipeline] echo DEBUG: Collecting environment variables ... [Pipeline] echo DEBUG: Validating input ... [Pipeline] echo DEBUG: Collecting environment variables ... [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22] [Pipeline] sh [Pipeline] sh + env + grep ods.build. + env + grep ods.build. [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-9, ORDGP-16, ORDGP-27] [Pipeline] sh [Pipeline] sh + env + grep OPENSHIFT BUILD + env + grep OPENSHIFT BUILD [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-12, ORDGP-25, ORDGP-7] [Pipeline] echo DEBUG: Got external build labels: [ods.build.rm.ordgp.repo.url:https://bitbucket-dev.biscrum.com/scm/ordgp/ordgpreleasemanager.git, ods.build.rm.ordgp.repo.commit.author:ODS Jenkins Shared Library System User (undefined), ods.build.rm.ordgp.repo.commit.sha:be2537272ddc579f97f2e2eba6cdc0788f81341b, ods.build.rm.ordgp.repo.commit.timestamp:2022-01-28 13:14:04 +0000, ods.build.rm.ordgp.repo.commit.msg:ODS: Record commits deployed into D, JENKINS MASTER OPENSHIFT BUILD COMMIT:a541165cff3874ce420e3109e951a9b50c24fc3f, JENKINS MASTER OPENSHIFT BUILD NAME: jenkins-master-43, JENKINS MASTER OPENSHIFT BUILD SOURCE:https://bitbucket-dev.biscrum.com/scm/odsalpha/ods-core.git, JENKINS MASTER OPENSHIFT BUILD NAMESPACE:odsalpha, JENKINS MASTER OPENSHIFT BUILD REFERENCE:4.x] [Pipeline] echo DEBUG: Got external build labels: [ods.build.rm.ordgp.repo.url:https://bitbucket-dev.biscrum.com/scm/ordgp/ordgpreleasemanager.git, ods.build.rm.ordgp.repo.commit.author:ODS Jenkins Shared Library System User (undefined), ods.build.rm.ordgp.repo.commit.sha:be2537272ddc579f97f2e2eba6cdc0788f81341b, ods.build.rm.ordgp.repo.commit.timestamp:2022-01-28 13:14:04 +0000, ods.build.rm.ordgp.repo.commit.msg:ODS: Record commits deployed into D, JENKINS MASTER OPENSHIFT BUILD COMMIT:a541165cff3874ce420e3109e951a9b50c24fc3f, JENKINS MASTER OPENSHIFT BUILD NAME: jenkins-master-43, JENKINS MASTER OPENSHIFT BUILD SOURCE:https://bitbucket-dev.biscrum.com/scm/odsalpha/ods-core.git, JENKINS MASTER OPENSHIFT BUILD NAMESPACE:odsalpha, JENKINS MASTER OPENSHIFT BUILD REFERENCE:4.x] [Pipeline] sh

[Pipeline] archiveArtifacts

Archiving artifacts

- + env
- + grep library.ods-jenkins-shared-library.version
- + cut -d = -f2
- + env
- + grep library.ods-jenkins-shared-library.version

+ cut -d = -f2[Pipeline] echo 2022-03-01 11:14:51Z Document DTP uploaded @ https://nexus-odsalpha.inhodsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/DTP-ordgp-WIP-13.zip [Pipeline] echo DEBUG: Validating environment variables ... [Pipeline] echo DEBUG: Validating environment variables ... [Pipeline] echo DEBUG: Deriving configuration from input ... [Pipeline] echo DEBUG: Deriving configuration from input ... [Pipeline] echo DEBUG: Setting defaults ... [Pipeline] echo DEBUG: Setting defaults ... [Pipeline] echo DEBUG: Retrieving Git information ... [Pipeline] sh [Pipeline] echo DEBUG: Retrieving Git information ... [Pipeline] sh + git config --get remote.origin.url + git config --get remote.origin.url [Pipeline] sh [Pipeline] sh [Pipeline] echo DEBUG: [docgen-ordgp-DTP] (took 11788 ms) [Pipeline] echo [docgen-ordgp-RA] Creating document of type 'RA' for project 'ordgp' in phase 'Build' and stage 'POST START' expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createRA; see: https://jenkins.io/redirect/pipeline-cps-methodmismatches/ + git rev-parse --abbrev-ref HEAD + git rev-parse --abbrev-ref HEAD [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-14] [Pipeline] sh [Pipeline] sh + git name-rev master + sed -e 's|remotes/origin/||g' + cut -d ' ' -f2 + git name-rev master + cut -d ' ' -f2 + sed -e 's|remotes/origin/||g' [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-6] [Pipeline] echo DEBUG: resolved branch master [Pipeline] echo DEBUG: resolved branch master [Pipeline] sh [Pipeline] sh + git rev-parse HEAD + git rev-parse HEAD [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-29] [Pipeline] sh [Pipeline] sh + git --no-pager show -s '--format=%an (%ae)' HEAD + git --no-pager show -s '--format=%an (%ae)' HEAD [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-18]

[Pipeline] sh [Pipeline] sh

+ git log -1 --format=%f HEAD

+ git log -1 --format=%f HEAD [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-19] [Pipeline] sh [Pipeline] sh + git log -1 --pretty=%B HEAD + git log -1 --pretty=%B HEAD [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22] [Pipeline] sh [Pipeline] sh + git show -s --format=%ci HEAD + git show -s --format=%ci HEAD [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-9, ORDGP-16, ORDGP-27] [Pipeline] echo DEBUG: Setting target OCP environment ... [Pipeline] echo DEBUG: Setting target OCP environment ... [Pipeline] echo DEBUG: Commit workingtree? false [Pipeline] echo DEBUG: Commit workingtree? false [Pipeline] echo DEBUG: Assembled configuration: [testResults:, podServiceAccount:jenkins, groupId:org.opendevstack.ordgp, branchToEnvironmentMapping:[master:dev], globalExtensionImageLabels: [JENKINS MASTER OPENSHIFT BUILD COMMIT:a541165cff3874ce420e3109e951a9b50c24fc3f, ods.build.rm.ordgp.repo.url:https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git, JENKINS MASTER OPENSHIFT BUILD SOURCE:https://bitbucket-dev.biscrum.com/scm/odsalpha/ods-core.git, ods.build.rm.ordgp.repo.commit.timestamp:2022-01-28 13:14:04 +0000, JENKINS_MASTER_OPENSHIFT_BUILD_REFERENCE:4.x, JENKINS_MASTER_OPENSHIFT_BUILD_NAME:jenkins-master-43, ods.build.rm.ordgp.repo.commit.msg:ODS: Record commits deployed into D, ods.build.rm.ordgp.repo.commit.author:ODS Jenkins Shared Library System User (undefined), JENKINS_MASTER_OPENSHIFT_BUILD_NAMESPACE:odsalpha, ods.build.rm.ordgp.repo.commit.sha:be2537272ddc579f97f2e2eba6cdc0788f81341b], dockerDir:docker, buildNumber:13, odsSharedLibVersion:4.x, resourceRequestCpu:100m, buildUrl:https://jenkins-ordgp-cd.inhodsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/, nexusUsername:****, triggeredByOrchestrationPipeline:true, jobName:ordgp-cd/ordgp-cd-releasemanager-master, image:dockerregistry.default.svc:5000/odsalpha/jenkins-agent-maven:4.x, buildTime:2022-03-01T11:14:46+0000, openshiftBuildTimeout:15, targetProject:ordgp-dev, bitbucketUrl:https://bitbucket-dev.biscrum.com, gitCommitTime:2022-01-28 13:14:00 +0000, resourceLimitCpu:1, environmentLimit:5, emailextRecipients:null, alwaysPullImage:true, podVolumes:[], failOnSnykScanVulnerabilities:true, projectId:ordgp, tagversion:13-27eb2abe, ciSkipEnabled:false, sonarQubeBranch:*, componentId:backend, openshiftRolloutTimeout:5, sonarQubeEdition:enterprise, openshiftHost:https://openshift.default.svc.cluster.local, credentialsld:ordgp-cd-cd-user-with-password, cdProject:ordgpcd, commitGitWorkingTree:false, odsBitbucketProject:opendevstack, localCheckoutEnabled:false, notifyNotGreen:false, gitBranch:master, bitbucketNotificationEnabled:true, debug:true, resourceRequestMemory:1Gi, repoName:ordgpbackend, resourceLimitMemory:2Gi, gitCommitRawMessage:ODS: Export OpenShift configuration Build (assemble) #7 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version: WIP https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/7/ [ci skip], imageStreamTag:odsalpha/jenkins-agent-maven:4.x, environment:dev, nexusUrl:https://nexus-odsalpha.inhodsapps.eu.boehringer.com, openshiftRolloutTimeoutRetries:5, nexusPassword:****, gitCommit:27eb2abe4554932afa94f9a40a72d2165158ae6b, buildTag:jenkins-ordgp-cd-ordgp-cd-releasemanagermaster-13, podLabel:pod-87af8ccf-3284-4203-b048-da5aa2e15a20, displayNameUpdateEnabled:false, gitCommitAuthor:ODS Jenkins Shared Library System User (undefined), gitCommitMessage:ODS-Export-OpenShiftconfiguration-Build-assemble-7-Change-1.0-Project-ordgp-Target-Environment-ordgp-dev-Version-WIP-https-jenkinsordgp-cd.inh-odsapps.eu.boehringer.com-job-ordgp-cd-job-ordgp-cd-releasemanager-master-7-ci-skip, gitUrl:https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git] [Pipeline] echo DEBUG: Assembled configuration: [testResults:, podServiceAccount:jenkins, groupId:org.opendevstack.ordgp, branchToEnvironmentMapping:[master:dev], globalExtensionImageLabels: [JENKINS MASTER OPENSHIFT BUILD COMMIT:a541165cff3874ce420e3109e951a9b50c24fc3f, ods.build.rm.ordgp.repo.url:https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git, JENKINS MASTER OPENSHIFT BUILD SOURCE:https://bitbucket-dev.biscrum.com/scm/odsalpha/ods-core.git, ods.build.rm.ordgp.repo.commit.timestamp:2022-01-28 13:14:04 +0000,

JENKINS MASTER OPENSHIFT BUILD REFERENCE: 4.x, JENKINS MASTER OPENSHIFT BUILD NAME: jenkins-master-43, ods.build.rm.ordqp.repo.commit.msq:ODS: Record commits deployed into D, ods.build.rm.ordqp.repo.commit.author:ODS Jenkins Shared Library System User (undefined), JENKINS MASTER OPENSHIFT BUILD NAMESPACE:odsalpha, ods.build.rm.ordgp.repo.commit.sha:be2537272ddc579f97f2e2eba6cdc0788f81341b], dockerDir:docker, buildNumber:13, odsSharedLibVersion:4.x, resourceRequestCpu:100m, buildUrl:https://jenkins-ordgp-cd.inhodsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/, nexusUsername:*****, triggered By Orchestration Pipeline: true, job Name: ordgp-cd/ordgp-cd-release manager-master, image: docker-master, image: dockerregistry.default.svc:5000/odsalpha/jenkins-agent-nodejs12:4.x, buildTime:2022-03-01T11:14:46+0000, openshiftBuildTimeout:15, targetProject:ordgp-dev, bitbucketUrl:https://bitbucket-dev.biscrum.com, gitCommitTime:2022-01-28 13:13:59 +0000, resourceLimitCpu:1, environmentLimit:5, emailextRecipients:null, alwaysPullImage:true, podVolumes:[], failOnSnykScanVulnerabilities:true, projectId:ordgp, tagversion:13-c385c58e, ciSkipEnabled:false, sonarQubeBranch:*, componentId:frontend, openshiftRolloutTimeout:5, sonarQubeEdition:enterprise, openshiftHost:https://openshift.default.svc.cluster.local, credentialsId:ordgp-cd-cd-user-with-password, cdProject:ordgpcd, commitGitWorkingTree:false, odsBitbucketProject:opendevstack, localCheckoutEnabled:false, notifyNotGreen:false, gitBranch:master, bitbucketNotificationEnabled:true, debug:true, resourceRequestMemory:1Gi, repoName:ordgpfrontend, resourceLimitMemory:2Gi, gitCommitRawMessage:ODS: Export OpenShift configuration Build (assemble) #7 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version: WIP https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/7/ [ci skip], imageStreamTag:odsalpha/jenkins-agent-nodejs12:4.x, environment:dev, nexusUrl:https://nexus-odsalpha.inh $od sapps. eu. boehringer. com, openshift Rollout Timeout Retries: 5, nexus Password: {*****}, nexus Password: {*****}, nexus Password: {*****}, nexus Password: {*****}, nexus Password: {****}, nexus Password: {*****}, nexus Password: {*****}, nexus Password: {****}, nexus Password: {*****}, nexus Password: {*****}, nexus Password: {****}, nexus Password: {***}, nexus Password: {***$ qitCommit:c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293, buildTaq:jenkins-ordgp-cd-ordgp-cd-releasemanager-master-13, podLabel:pod-d37d024c-2832-4049-9847-7054e8a20989, displayNameUpdateEnabled:false, gitCommitAuthor:ODS Jenkins Shared Library System User (undefined), gitCommitMessage:ODS-Export-OpenShift-configuration-Build-assemble-7-Change-1.0-Project-ordgp-Target-Environment-ordgp-dev-Version-WIP-https-jenkins-ordgp-cd.inhodsapps.eu.boehringer.com-job-ordgp-cd-job-ordgp-cd-releasemanager-master-7-ci-skip, gitUrl:https://bitbucketdev.biscrum.com/scm/ordgp/ordgp-frontend.git] [Pipeline] echo DEBUG: -> Registering & loading global services [Pipeline] echo DEBUG: -> Registering & loading global services [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-12, ORDGP-25, ORDGP-7] [Pipeline] } [Pipeline] } [Pipeline] // stage [Pipeline] // stage [Pipeline] } [Pipeline] } [Pipeline] echo DEBUG: Retrieving saved document history with name 'documentHistory-D-RA' in workspace '/var/lib/jenkins/jobs/ordgpcd/jobs/ordgp-cd-releasemanager-master/workspace'. [Pipeline] readFile [Pipeline] // wrap [Pipeline] // wrap [Pipeline] echo ****** Continuing on node 'pod-87af8ccf-3284-4203-b048-da5aa2e15a20' based on image 'dockerregistry.default.svc:5000/odsalpha/jenkins-agent-maven:4.x' ***** [Pipeline] echo ***** Continuing on node 'pod-d37d024c-2832-4049-9847-7054e8a20989' based on image 'dockerregistry.default.svc:5000/odsalpha/jenkins-agent-nodejs12:4.x' ***** [Pipeline] podTemplate [Pipeline] { [Pipeline] podTemplate [Pipeline] { [Pipeline] node [Pipeline] node [Pipeline] echo DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-D-RA.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

[Pipeline] echo

DEBUG: Parsing jira data to document history

action:add], [key:ORDGP-142, action:add], [key:ORDGP-136, action:add]], techSpecs:[], tests:[[key:ORDGP-137, action:add]], [key:ORDGP-138, action:add], [key:ORDGP-139, action:add]], docs:[[key:ORDGP-50, action:add, documents: [RA], number:8, heading:Document History], [key:ORDGP-49, action:add, documents:[RA], number:7, heading:Reference Documents], [key:ORDGP-48, action:add, documents:[RA], number:6.2, heading:Abbreviations], [key:ORDGP-47, action:add, documents:[RA], number:6.1, heading:Definitions], [key:ORDGP-46, action:add, documents:[RA], number:3, heading:Assumptions]]]

[Pipeline] echo

DEBUG: Creating a new history entry with version 1 for RA

[Pipeline] archiveArtifacts

Archiving artifacts

[Pipeline] echo

 $2022-03-01\ 11:15:01Z\ Document\ RA\ uploaded\ @\ https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/levadocumentation/ordgp-WIP/RA-ordgp-WIP-13.zip$

[Pipeline] echo

DEBUG: [docgen-ordgp-RA] (took 10007 ms)

[Pipeline] echo

[docgen-ordgp-CFTP] Creating document of type 'CFTP' for project 'ordgp' in phase 'Build' and stage 'POST_START' expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createCFTP; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/

[Pipeline] echo

DEBUG: Retrieving saved document history with name 'documentHistory-D-CFTP' in workspace

'/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace'.

[Pipeline] readFile

[Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-D-CFTP.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[], epics:[], mitigations:[], requirements:[], risks:[], techSpecs:[], tests:[], docs:[[key:ORDGP-108, action:add, documents:[CFTP], number:9, heading:Traceability Matrix], [key:ORDGP-107, action:add, documents:[CFTP], number:8.1, heading:Test Cases], [key:ORDGP-106, action:add, documents:[CFTP], number:7.2.2, heading:Scope of Non-Functional Testing], [key:ORDGP-105, action:add, documents:[CFTP], number:7.1.2, heading:Scope of Functional Testing], [key:ORDGP-104, action:add, documents:[CFTP], number:5.2, heading:Test Procedure 2: Verification of Training Documentation], [key:ORDGP-102, action:add, documents: [CFTP], number:5, heading:Operational Qualification Activities and Training], [key:ORDGP-101, action:add, documents: [CFTP], number:10, heading:Validation Environment], [key:ORDGP-100, action:add, documents:[CFTP], number:15, heading:Document History], [key:ORDGP-99, action:add, documents:[CFTP], number:13.2, heading:Abbreviations], [key:ORDGP-98, action:add, documents:[CFTP], number:13.1, heading:Definitions], [key:ORDGP-97, action:add, documents:[CFTP], number:12, heading:Functional and Requirements Testing Documentation], [key:ORDGP-96, action:add, documents:[CFTP], number:2, heading:Scope]]]

[Pipeline] echo

DEBUG: Creating a new history entry with version 1 for CFTP

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-14]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-29]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-18]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-9, ORDGP-16, ORDGP-27]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-12, ORDGP-25, ORDGP-7]

[Pipeline] archiveArtifacts

Archiving artifacts

[Pipeline] echo

2022-03-01 11:15:09Z Document CFTP uploaded @ https://nexus-odsalpha.inh-

od sapps. eu. boehringer. com/repository/leva-documentation/ordgp-WIP/CFTP-ordgp-WIP-13.zip

[Pipeline] echo

DEBUG: [docgen-ordgp-CFTP] (took 8103 ms) [Pipeline] echo [docgen-ordgp-IVP] Creating document of type 'IVP' for project 'ordgp' in phase 'Build' and stage 'POST START' expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org. ods. or chest ration. use case. LeVAD ocument Use Case. create IVP; see: https://jenkins.io/redirect/pipeline-cps-method-new rational control of the control of themismatches/ [Pipeline] echo DEBUG: Retrieving saved document history with name 'documentHistory-D-IVP' in workspace '/var/lib/jenkins/jobs/ordgpcd/jobs/ordgp-cd-releasemanager-master/workspace'. [Pipeline] readFile [Pipeline] echo DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-D-IVP.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature. [Pipeline] echo DEBUG: Parsing jira data to document history [Pipeline] echo DEBUG: parse Jira Data To Document History Entry: version Map = [bugs:[], components:[], epics:[], mitigations:[], components:[], epics:[], mitigations:[], components:[], epics:[], mitigations:[], epics:[], mitigations:[], epics:[], erequirements:[], risks:[], techSpecs:[[key:ORDGP-146, action:add]], tests:[[key:ORDGP-147, action:add]], docs: [[key:ORDGP-95, action:add, documents:[IVP, IVR], number:9, heading:Reference Documents], [key:ORDGP-94, action:add, documents:[IVP, IVR], number:8.2, heading:Abbreviations], [key:ORDGP-93, action:add, documents:[IVP, IVR], number:8.1, heading:Definitions], [key:ORDGP-92, action:add, documents:[IVP, IVR], number:2, heading:Scope], [key:ORDGP-91, action:add, documents:[IVP, IVR], number:12.2, heading:Configuration database CMDB], [key:ORDGP-90, action:add, documents:[IVP, IVR], number:12.1, heading:Operational documents on system level], [key:ORDGP-89, action:add, documents:[IVP, IVR], number:10, heading:Document History]]] [Pipeline] echo DEBUG: Creating a new history entry with version 1 for IVP [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-14] [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-29] DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-18] DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22] [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-9, ORDGP-16, ORDGP-27] Still waiting to schedule task 'pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx' is offline Still waiting to schedule task 'pod-d37d024c-2832-4049-9847-7054e8a20989-gpc5g-6t74v' is offline [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-12, ORDGP-25, ORDGP-7] [Pipeline] archiveArtifacts Archiving artifacts [Pipeline] echo 2022-03-01 11:15:18Z Document IVP uploaded @ https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/levadocumentation/ordgp-WIP/IVP-ordgp-WIP-13.zip Agent pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx is provisioned from template pod-87af8ccf-3284-4203b048-da5aa2e15a20-s63cc apiVersion: "v1" kind: "Pod" metadata: annotations: buildUrl: "http://jenkins.ordgp-cd.svc:80/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/" runUrl: "job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/" labels: ienkins: "slave" jenkins/label: "pod-87af8ccf-3284-4203-b048-da5aa2e15a20" name: "pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx" spec: containers:

- args:

```
- "pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx"
  env:
  - name: "JENKINS SECRET"
   value: "*******
  - name: "JENKINS_TUNNEL"
   value: "jenkins-jnlp.ordgp-cd.svc:50000"
  - name: "JENKINS_AGENT_NAME"
   value: "pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx"
  - name: "JENKINS NAME"
   value: "pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx"
  - name: "JENKINS_AGENT_WORKDIR"
   value: "/tmp"
  - name: "JENKINS_URL"
   value: "http://jenkins.ordgp-cd.svc:80/"
  image: "docker-registry.default.svc:5000/odsalpha/jenkins-agent-maven:4.x"
  imagePullPolicy: "Always"
  name: "jnlp"
  resources:
   limits:
     memory: "2Gi"
     cpu: "1"
   requests:
     memory: "1Gi"
     cpu: "100m"
  securityContext:
   privileged: false
  tty: false
  volumeMounts:
  - mountPath: "/tmp"
   name: "workspace-volume"
   readOnly: false
  workingDir: "/tmp"
 nodeSelector:
  beta.kubernetes.io/os: "linux"
 restartPolicy: "Never"
 securityContext: {}
 serviceAccount: "jenkins"
 volumes:
 - emptyDir:
   medium: ""
  name: "workspace-volume"
[Pipeline] echo
DEBUG: [docgen-ordgp-IVP] (took 10299 ms)
[Pipeline] echo
[docgen-ordgp-SSDS] Creating document of type 'SSDS' for project 'ordgp' in phase 'Build' and stage 'POST START'
expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching
org.ods.orchestration.usecase.LeVADocumentUseCase.createSSDS; see: https://jenkins.io/redirect/pipeline-cps-method-
mismatches/
[Pipeline] withCredentials
Masking supported pattern matches of $USERNAME or $TOKEN
Running on pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx in /tmp/workspace/ordgp-cd/ordgp-cd-
releasemanager-master
[Pipeline] }
[Pipeline] {
[Pipeline] // withCredentials
[Pipeline] echo
DEBUG: Secret cd-user-bitbucket-token exists and is synced.
[Pipeline] withCredentials
Masking supported pattern matches of $USERNAME or $TOKEN
[Pipeline] echo
DEBUG: [pod-87af8ccf-3284-4203-b048-da5aa2e15a20] (took 20889 ms)
[Pipeline] {
```

[Pipeline] }
[Pipeline] echo

DEBUG: [buildstatus-27eb2abe-INPROGRESS] Setting Bitbucket build status to 'INPROGRESS' on commit '27eb2abe4554932afa94f9a40a72d2165158ae6b' / 'https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/'

[Pipeline] withCredentials

Masking supported pattern matches of \$USERNAME or \$TOKEN

[Pipeline] // withCredentials

[Pipeline] {

[Pipeline] sh

+ curl --fail -sS --request POST --header 'Authorization: Bearer **** --header 'Content-Type: application/json' --data '{"state":"INPROGRESS","key":"27eb2abe","name":"27eb2abe","url":"https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"}' https://bitbucket-dev.biscrum.com/rest/build-status/1.0/commits/27eb2abe4554932afa94f9a40a72d2165158ae6b

[Pipeline] }

[Pipeline] // withCredentials

[Pipeline] echo

DEBUG: [buildstatus-27eb2abe-INPROGRESS] (took 3312 ms)

[Pipeline] wrap [Pipeline] sh

[Pipeline] {

[Pipeline] sh

+ git config --get remote.origin.url

[Pipeline] sh

+ git Ifs

[Pipeline] checkout

The recommended git tool is: NONE

+ git config --get remote.origin.url

[Pipeline] sh

+ git config --get remote.origin.url

[Pipeline] sh

+ git config --get remote.origin.url

[Pipeline] echo

DEBUG: Retrieving saved document history with name 'documentHistory-D-SSDS' in workspace

"/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-release manager-master/work space".

[Pipeline] readFile

[Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-D-SSDS.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[[key:Technology-test, action:add], [key:Technology-frontend, action:add], [key:Technology-backend, action:add]], epics:[], mitigations:[], requirements: [[key:ORDGP-125, action:add], [key:ORDGP-128, action:add]], risks:[], techSpecs:[[key:ORDGP-134, action:add], [key:ORDGP-135, action:add], [key:ORDGP-146, action:add]], tests:[], docs:[[key:ORDGP-79, action:add, documents: [SSDS], number:3.2, heading:System Description], [key:ORDGP-78, action:add, documents:[SSDS], number:1, heading:Introduction], [key:ORDGP-77, action:add, documents:[SSDS], number:2.1, heading:System Design Overview], [key:ORDGP-76, action:add, documents:[SSDS], number:2.2, heading:Software Design Overview], [key:ORDGP-75, action:add, documents:[SSDS], number:2.3, heading:Source Code Review Overview], [key:ORDGP-74, action:add, documents:[SSDS], number:3.1, heading:System Design Profile], [key:ORDGP-73, action:add, documents:[SSDS], number:3.2.2, heading:Interfaces between Modules], [key:ORDGP-72, action:add, documents:[SSDS], number:3.2.3, heading:Interfaces to External Systems], [key:ORDGP-71, action:add, documents:[SSDS], number:3.2.4, heading:System Diagram], [key:ORDGP-70, action:add, documents:[SSDS], number:4, heading:Architecture of the System], [key:ORDGP-69, action:add, documents:[SSDS], number:5.3, heading:Utilisation of Existing Infrastructure Systems], [key:ORDGP-68, action:add, documents:[SSDS], number:5.4, heading:Utilisation of Existing Infrastructure Services], [key:ORDGP-67, action:add, documents:[SSDS], number:6.1, heading:Development Environment], [key:ORDGP-66, action:add, documents: [SSDS], number:6.2, heading:QA/Test Environment], [key:ORDGP-65, action:add, documents:[SSDS], number:6.3, heading:Training Environment], [key:ORDGP-64, action:add, documents:[SSDS], number:7, heading:Environmental Conditions], [key:ORDGP-63, action:add, documents:[SSDS], number:8, heading:Software Design Principles], [key:ORDGP-62, action:add, documents:[SSDS], number:9, heading:System Data], [key:ORDGP-61, action:add, documents:[SSDS], number:12, heading:Coding Review Results], [key:ORDGP-60, action:add, documents:[SSDS], number:13.1, heading:Definitions], [key:ORDGP-59, action:add, documents:[SSDS], number:13.2, heading:Abbreviations], [key:ORDGP-59, action:add, actio 58, action:add, documents:[SSDS], number:15, heading:Document History], [key:ORDGP-57, action:add, documents:

[SSDS], number:14, heading:Reference Documents]]]

DEBUG: Creating a new history entry with version 1 for SSDS

[Pipeline] echo

[Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-29] using credential ordgp-cd-cd-user-with-password Cloning the remote Git repository [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-18] Avoid second fetch Checking out Revision 27eb2abe4554932afa94f9a40a72d2165158ae6b (detached) Enabling Git LFS pull Cloning repository https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git > git init /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master # timeout=10 Fetching upstream changes from https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git > git --version # timeout=10 > git --version # 'git version 1.8.3.1' using GIT ASKPASS to set credentials ordgp-cd-cd-user-with-password Setting http proxy: appaccess-zscaler.boehringer.com:80 > git fetch --tags --progress https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git +refs/heads/*:refs/remotes/origin/* # timeout=10 > git config remote.origin.url https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git # timeout=10 > git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10 > git rev-parse 27eb2abe4554932afa94f9a40a72d2165158ae6b^{commit} # timeout=10 > git config core.sparsecheckout # timeout=10 > git checkout -f 27eb2abe4554932afa94f9a40a72d2165158ae6b # timeout=10 > git config --get remote.origin.url # timeout=10 using GIT ASKPASS to set credentials ordgp-cd-cd-user-with-password Setting http proxy: appaccess-zscaler.boehringer.com:80 > git Ifs pull origin # timeout=10 [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22] [Pipeline] echo DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-9, ORDGP-16, ORDGP-27] DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-12, ORDGP-25, ORDGP-7] Commit message: "ODS: Export OpenShift configuration Build (assemble) #7 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version: WIP $https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-release manager-master/7/\ [ci\ skip]"$ Cleaning workspace > git rev-parse --verify HEAD # timeout=10 Resetting working tree > git reset --hard # timeout=10 > git clean -fdx # timeout=10 [Pipeline] sh [Pipeline] archiveArtifacts Archiving artifacts [Pipeline] echo 2022-03-01 11:15:33Z Document SSDS uploaded @ https://nexus-odsalpha.inhodsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/SSDS-ordgp-WIP-13.zip + env + grep OPENSHIFT BUILD [Pipeline] echo DEBUG: [docgen-ordgp-SSDS] (took 12871 ms) [Pipeline] echo Orchestration pipeline runs always execute the 'orElse' block as image building is handled in the orchestration pipeline. [Pipeline] stage [Pipeline] { (Build and Unit Test) [Pipeline] withEnv [Pipeline] { [Pipeline] sh [Pipeline] echo

[docgen-ordgp-TCP] Creating document of type 'TCP' for project 'ordgp' in phase 'Build' and stage 'POST_START' expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching

org.ods.orchestration.usecase.LeVADocumentUseCase.createTCP; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/

[Pipeline] echo

DEBUG: Retrieving saved document history with name 'documentHistory-D-TCP' in workspace '/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace'.

[Pipeline] readFile

[Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-D-TCP.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[], epics:[], mitigations:[], requirements:[[key:ORDGP-125, action:add], [key:ORDGP-129, action:add]], risks:[], techSpecs:[], tests:[[key:ORDGP-130, action:add], [key:ORDGP-133, action:add], [key:ORDGP-144, action:add], [key:ORDGP-145, action:add], [key:ORDGP-131, action:add], [key:ORDGP-132, action:add], [key:ORDGP-143, action:add]], docs:[[key:ORDGP-121, action:add, documents: [TCP, TCR], number:1, heading:Document History]]]

+ /home/jenkins/use-j17.sh

Switching to java 17:

 $\label{lockexperimental} Picked up JAVA_TOOL_OPTIONS: -XX:+UnlockExperimentalVMOptions -Dsun.zip.disableMemoryMapping=true openjdk version "17.0.1" 2021-10-19$

OpenJDK Runtime Environment 21.9 (build 17.0.1+12)

OpenJDK 64-Bit Server VM 21.9 (build 17.0.1+12, mixed mode, sharing)

Picked up JAVA_TOOL_OPTIONS: -XX:+UnlockExperimentalVMOptions -Dsun.zip.disableMemoryMapping=true [Pipeline] echo

DEBUG: Creating a new history entry with version 1 for TCP

javac 17.0.1

+ ./gradlew clean build --stacktrace --no-daemon

Picked up JAVA_TOOL_OPTIONS: -XX:+UnlockExperimentalVMOptions -Dsun.zip.disableMemoryMapping=true Downloading https://services.gradle.org/distributions/gradle-7.3-bin.zip

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-29]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-18]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22]

[Pipeline] echo

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-12, ORDGP-25, ORDGP-7]

[Pipeline] archiveArtifacts

Archiving artifacts

[Pipeline] echo

 $2022-03-01\ 11:15:40Z\ Document\ TCP\ uploaded\ @\ https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/levadocumentation/ordgp-WIP/TCP-ordgp-WIP-13.zip$

Welcome to Gradle 7.3!

Here are the highlights of this release:

- Easily declare new test suites in Java projects
- Support for Java 17
- Support for Scala 3

For more details see https://docs.gradle.org/7.3/release-notes.html

To honour the JVM settings for this build a single-use Daemon process will be forked. See https://docs.gradle.org/7.3/userguide/gradle_daemon.html#sec:disabling_the_daemon.

[Pipeline] echo

DEBUG: [docgen-ordgp-TCP] (took 6920 ms)

[Pipeline] echo

[docgen-ordgp-TIP] Creating document of type 'TIP' for project 'ordgp' in phase 'Build' and stage 'POST_START' expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createTIP; see: https://jenkins.io/redirect/pipeline-cps-method-

mismatches/

[Pipeline] echo

DEBUG: Retrieving saved document history with name 'documentHistory-D-TIP' in workspace '/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace'.

[Pipeline] readFile

[Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-D-TIP.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[[key:Technology-test, action:add], [key:Technology-frontend, action:add], [key:Technology-releasemanager, action:add], [key:Technology-backend, action:add]], epics:[], mitigations:[], requirements:[], risks:[], techSpecs:[], tests:[], docs:[[key:ORDGP-84, action:add, documents:[TIP], number:3.4, heading:Communication and Organization Tasks], [key:ORDGP-83, action:add, documents:[TIP], number:12, heading:Document History], [key:ORDGP-82, action:add, documents:[TIP], number:10.2, heading:Abbreviations],

[key:ORDGP-80, action:add, documents:[TIP], number:10.1, heading:Definitions]]]

[Pipeline] echo

DEBUG: Creating a new history entry with version 1 for TIP

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-29]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-18]

Daemon will be stopped at the end of the build

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-9, ORDGP-16, ORDGP-27]

[Pipeline] archiveArtifacts

Archiving artifacts

[Pipeline] echo

 $2022-03-01\ 11:15:45Z\ Document\ TIP\ uploaded\ @\ https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/levadocumentation/ordgp-WIP/TIP-ordgp-WIP-13.zip$

[Pipeline] echo

DEBUG: [docgen-ordgp-TIP] (took 6714 ms)

[Pipeline] echo

[docgen-ordgp-TRC] Creating document of type 'TRC' for project 'ordgp' in phase 'Build' and stage 'POST_START' expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createTRC; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/

[Pipeline] echo

DEBUG: createTRC - repo:null, data:null

[Pipeline] echo

DEBUG: Retrieving saved document history with name 'documentHistory-Q-TRC' in workspace '/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace'.

[Pipeline] readFile

[Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-Q-TRC.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[], epics:[], mitigations:[], requirements:[[key:ORDGP-126, action:add], [key:ORDGP-127, action:add], [key:ORDGP-125, action:add], [key:ORDGP-128, action:add], [key:ORDGP-149, action:add], risks:[[key:ORDGP-141, action:add], [key:ORDGP-142, action:add], [key:ORDGP-136, action:add], [key:ORDGP-130, action:add], [key:ORDGP-133, action:add], [key:ORDGP-144, action:add], [key:ORDGP-145, action:add], [key:ORDGP-131, action:add], [key:ORDGP-132, action:add], [key:ORDGP-143, action:add], [key:ORDGP-137, action:add], [key:ORDGP-138, action:add], [key:ORDGP-147, action:add], [key:ORDGP-139, action:add], [key:ORDGP-122, action:add, documents:[TRC], number:3, heading:Document History]]]

[Pipeline] echo

```
DEBUG: Creating a new history entry with version 1 for TRC
[Pipeline] echo
DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-18]
[Pipeline] echo
DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22]
[Pipeline] echo
DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-9, ORDGP-16, ORDGP-27]
[Pipeline] archiveArtifacts
Archiving artifacts
[Pipeline] echo
2022-03-01 11:15:53Z Document TRC uploaded @ https://nexus-odsalpha.inh-
odsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/TRC-ordgp-WIP-13.zip
DEBUG: [docgen-ordgp-TRC] (took 5287 ms)
[Pipeline] echo
DEBUG: Current stage: 'Build' -> start agent stage: 'Init'
[Pipeline] }
Agent pod-d37d024c-2832-4049-9847-7054e8a20989-gpc5g-6t74v is provisioned from template pod-d37d024c-2832-
4049-9847-7054e8a20989-gpc5g
apiVersion: "v1"
kind: "Pod"
metadata:
 annotations:
  buildUrl: "http://jenkins.ordgp-cd.svc:80/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"
  runUrl: "job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"
 labels:
  jenkins: "slave"
  jenkins/label: "pod-d37d024c-2832-4049-9847-7054e8a20989"
 name: "pod-d37d024c-2832-4049-9847-7054e8a20989-gpc5g-6t74v"
spec:
 containers:
 - args:
  - "pod-d37d024c-2832-4049-9847-7054e8a20989-gpc5g-6t74v"
  env:
  - name: "JENKINS SECRET"
   value: "******
  - name: "JENKINS_TUNNEL"
   value: "jenkins-jnlp.ordgp-cd.svc:50000"
  - name: "JENKINS_AGENT_NAME"
   value: "pod-d37d024c-2832-4049-9847-7054e8a20989-gpc5g-6t74v"
  - name: "JENKINS_NAME"
   value: "pod-d37d024c-2832-4049-9847-7054e8a20989-gpc5g-6t74v"
  - name: "JENKINS_AGENT_WORKDIR"
   value: "/tmp"
  - name: "JENKINS URL"
   value: "http://jenkins.ordgp-cd.svc:80/"
  image: "docker-registry.default.svc:5000/odsalpha/jenkins-agent-nodejs12:4.x"
  imagePullPolicy: "Always"
  name: "jnlp"
  resources:
   limits:
    memory: "2Gi"
    cpu: "1"
   requests:
    memory: "1Gi"
    cpu: "100m"
  securityContext:
   privileged: false
  tty: false
  volumeMounts:
  - mountPath: "/tmp"
   name: "workspace-volume"
```

readOnly: false

workingDir: "/tmp" nodeSelector: beta.kubernetes.io/os: "linux" restartPolicy: "Never" securityContext: {} serviceAccount: "jenkins" volumes: - emptyDir: medium: "" name: "workspace-volume" Running on pod-d37d024c-2832-4049-9847-7054e8a20989-gpc5g-6t74v in /tmp/workspace/ordgp-cd/ordgp-cdreleasemanager-master [Pipeline] { [Pipeline] echo DEBUG: [pod-d37d024c-2832-4049-9847-7054e8a20989] (took 71931 ms) [Pipeline] echo DEBUG: [buildstatus-c385c58e-INPROGRESS] Setting Bitbucket build status to 'INPROGRESS' on commit 'c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293' / 'https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgpcd/job/ordgp-cd-releasemanager-master/13/ [Pipeline] withCredentials Masking supported pattern matches of \$USERNAME or \$TOKEN [Pipeline] { [Pipeline] sh + curl --fail -sS --request POST --header 'Authorization: Bearer **** --header 'Content-Type: application/json' --data "{"state":"INPROGRESS","key":"c385c58e","name":"c385c58e","url":"https://jenkins-ordgp-cd.inhodsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"}' https://bitbucket-[Pipeline] } [Pipeline] // withCredentials [Pipeline] echo DEBUG: [buildstatus-c385c58e-INPROGRESS] (took 3468 ms) [Pipeline] wrap [Pipeline] { [Pipeline] sh + git Ifs [Pipeline] checkout The recommended git tool is: NONE using credential ordgp-cd-cd-user-with-password Cloning the remote Git repository Cloning repository https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git Avoid second fetch Checking out Revision c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293 (detached) Enabling Git LFS pull > git init /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master # timeout=10 Fetching upstream changes from https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git > git --version # timeout=10 > git --version # 'git version 1.8.3.1' using GIT_ASKPASS to set credentials ordgp-cd-cd-user-with-password Setting http proxy: appaccess-zscaler.boehringer.com:80 > git fetch --tags --progress https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git +refs/heads/*:refs/remotes/origin/* # timeout=10 > git config remote.origin.url https://bitbucket-dev.biscrum.com/scm/ordqp/ordqp-frontend.git # timeout=10 > git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10 > git rev-parse c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293^{commit} # timeout=10 > git config core.sparsecheckout # timeout=10 > git checkout -f c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293 # timeout=10 > git config --get remote.origin.url # timeout=10 using GIT ASKPASS to set credentials ordgp-cd-cd-user-with-password Setting http proxy: appaccess-zscaler.boehringer.com:80 > git lfs pull origin # timeout=10 Commit message: "ODS: Export OpenShift configuration Build (assemble) #7 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version: WIP

https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/7/ [ci skip]"

Cleaning workspace [Pipeline] sh

> git rev-parse --verify HEAD # timeout=10

Resetting working tree

- > git reset --hard # timeout=10
- > git clean -fdx # timeout=10
- + env
- + grep OPENSHIFT BUILD

[Pipeline] echo

WARN: odsComponentStageImportOpenShiftImageOrElse has been replaced by odsComponentFindOpenShiftImageOrElse, please update your Jenkinsfile.

[Pipeline] echo

Orchestration pipeline runs always execute the 'orElse' block as image building is handled in the orchestration pipeline.

[Pipeline] stage

[Pipeline] { (Build)

[Pipeline] withEnv

[Pipeline] {

[Pipeline] sh

+ npm install

npm WARN deprecated tslint-sonarts@1.9.0: Package no longer supported. Consider using eslint-plugin-sonarjs. npm WARN deprecated chokidar@2.1.8: Chokidar 2 does not receive security updates since 2019. Upgrade to chokidar 3 with 15x fewer dependencies

> Task :clean UP-TO-DATE

npm WARN deprecated core-js@3.0.1: core-js@<3.4 is no longer maintained and not recommended for usage due to the number of issues. Because of the V8 engine whims, feature detection in old core-js versions could cause a slowdown up to 100x even if nothing is polyfilled. Please, upgrade your dependencies to the actual version of core-js.

npm WARN deprecated core-js@2.6.12: core-js@<3.4 is no longer maintained and not recommended for usage due to the number of issues. Because of the V8 engine whims, feature detection in old core-js versions could cause a slowdown up to 100x even if nothing is polyfilled. Please, upgrade your dependencies to the actual version of core-js.

npm WARN deprecated ini@1.3.5: Please update to ini >=1.3.6 to avoid a prototype pollution issue

npm WARN deprecated read-package-tree@5.2.2: The functionality that this package provided is now in @npmcli/arborist npm WARN deprecated uuid@3.4.0: Please upgrade to version 7 or higher. Older versions may use Math.random() in certain circumstances, which is known to be problematic. See https://v8.dev/blog/math-random for details.

npm WARN deprecated fsevents@1.2.13: fsevents 1 will break on node v14+ and could be using insecure binaries. Upgrade to fsevents 2.

npm WARN deprecated request@2.88.2: request has been deprecated, see

https://github.com/request/request/issues/3142

npm WARN deprecated har-validator@5.1.5: this library is no longer supported

npm WARN deprecated querystring @0.2.0: The querystring API is considered Legacy. new code should use the URLSearchParams API instead.

npm WARN deprecated source-map-resolve@0.5.3: See https://github.com/lydell/source-map-resolve#deprecated npm WARN deprecated source-map-url@0.4.1: See https://github.com/lydell/source-map-url#deprecated

npm WARN deprecated resolve-url@0.2.1: https://github.com/lydell/resolve-url#deprecated

npm WARN deprecated urix@0.1.0: Please see https://github.com/lydell/urix#deprecated

- > Task :compileJava
- > Task :processResources
- > Task :classes
- > Task :bootJarMainClassName
- > Task :bootJar
- > Task :jar
- > Task :assemble
- > Task :compileTestJava
- > Task :processTestResources NO-SOURCE
- > Task :testClasses
- > Task :test

Picked up JAVA TOOL OPTIONS: -XX:+UnlockExperimentalVMOptions -Dsun.zip.disableMemoryMapping=true

> core-js@2.6.12 postinstall /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/node_modules/babel-runtime/node modules/core-js

> node -e "try{require('./postinstall')}catch(e){}"

> core-js@2.6.12 postinstall /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/node modules/karma/node modules/core-js

> node -e "try{require('./postinstall')}catch(e){}"

 $> @angular/cli@8.0.6 postinstall /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/node_modules/@angular/cli > node ./bin/postinstall/script.js$

npm notice created a lockfile as package-lock.json. You should commit this file.

npm WARN optional SKIPPING OPTIONAL DEPENDENCY: fsevents@^1.2.7

(node modules/chokidar/node modules/fsevents):

npm WARN notsup SKIPPING OPTIONAL DEPENDENCY: Unsupported platform for fsevents@1.2.13: wanted {"os":"darwin","arch":"any"} (current: {"os":"linux","arch":"x64"})

npm WARN optional SKIPPING OPTIONAL DEPENDENCY: fsevents@~2.3.2

(node_modules/watchpack/node_modules/chokidar/node_modules/fsevents):

 $npm\ WARN\ not sup\ SKIPPING\ OPTIONAL\ DEPENDENCY:\ Unsupported\ platform\ for\ fsevents @2.3.2:\ wanted$

{"os":"darwin","arch":"any"} (current: {"os":"linux","arch":"x64"})

npm WARN karma-jasmine-html-reporter@1.7.0 requires a peer of jasmine-core@>=3.8 but none is installed. You must install peer dependencies yourself.

added 1050 packages from 1080 contributors in 47.657s

26 packages are looking for funding run `npm fund` for details

[Pipeline] sh

- + npm run build
- > frontend@0.0.0 build /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master
- > ng build --prod --build-optimizer --progress=false

Browserslist: caniuse-lite is outdated. Please run next command `npm update`

2022-03-01 11:17:27.021 DEBUG 476 --- [ionShutdownHook] o.s.w.c.s.GenericWebApplicationContext : Closing org.springframework.web.context.support.GenericWebApplicationContext@53314f76, started on Tue Mar 01 11:17:14

2022-03-01 11:17:27.079 INFO 476 --- [ionShutdownHook] j.LocalContainerEntityManagerFactoryBean : Closing JPA EntityManagerFactory for persistence unit 'default'

2022-03-01 11:17:27.080 INFO 476 --- [ionShutdownHook] .SchemaDropperImpl\$DelayedDropActionImpl : HHH000477:

Starting delayed evictData of schema as part of SessionFactory shut-down'

2022-03-01 11:17:27.082 INFO 476 --- [ionShutdownHook] com.zaxxer.hikari.HikariDataSource : HikariPool-1 -

Shutdown initiated...

2022-03-01 11:17:27.084 INFO 476 --- [ionShutdownHook] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Shutdown completed.

> Task :check

> Task :build

Deprecated Gradle features were used in this build, making it incompatible with Gradle 8.0.

You can use '--warning-mode all' to show the individual deprecation warnings and determine if they come from your own scripts or plugins.

See https://docs.gradle.org/7.3/userguide/command_line_interface.html#sec:command_line_warnings

BUILD SUCCESSFUL in 1m 52s

8 actionable tasks: 7 executed, 1 up-to-date

+ /home/jenkins/use-j11.sh

Switching to java 11:

Picked up JAVA_TOOL_OPTIONS: -XX:+UnlockExperimentalVMOptions -Dsun.zip.disableMemoryMapping=true openjdk version "11.0.13" 2021-10-19 LTS

OpenJDK Runtime Environment 18.9 (build 11.0.13+8-LTS)

OpenJDK 64-Bit Server VM 18.9 (build 11.0.13+8-LTS, mixed mode, sharing)

 $Picked \ up \ JAVA_TOOL_OPTIONS: \ -XX: + Unlock Experimental VMO ptions \ -Dsun. zip. disable Memory Mapping = true javac \ 11.0.13$

[Pipeline] }

[Pipeline] // withEnv

```
[Pipeline] }
[Pipeline] // stage
[Pipeline] echo
[SonarQube Analysis-backend] **** STARTING stage 'SonarQube Analysis' for component 'backend' branch 'master' ****
[Pipeline] stage
[Pipeline] { (SonarQube Analysis)
[Pipeline] echo
Long-lived branches: master
[Pipeline] readProperties
[Pipeline] echo
PR analysis is disabled.
[Pipeline] withSonarQubeEnv
Injecting SonarQube environment variables using the configuration: SonarServerConfig
[Pipeline] {
[Pipeline] sh
+ which sonar-scanner
/usr/local/sonar-scanner-cli/bin/sonar-scanner
[Pipeline] sh
+ sonar-scanner -Dsonar.host.url=https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com -Dsonar.auth.token=******
-Dsonar.scm.provider = git - Dsonar.project Key = ordgp-backend - Dsonar.project Name = ordgp-backend - Ordg
Dsonar.projectVersion=27eb2abe -X -Dsonar.branch.name=master
Picked up JAVA TOOL OPTIONS: -XX:+UnlockExperimentalVMOptions -Dsun.zip.disableMemoryMapping=true
11:17:30.129 INFO: Scanner configuration file: /usr/local/sonar-scanner-cli/conf/sonar-scanner.properties
11:17:30.176 INFO: Project root configuration file: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/sonar-
project.properties
11:17:30.207 INFO: SonarQube Scanner 3.1.0.1141
11:17:30.207 INFO: Java 11.0.13 Red Hat, Inc. (64-bit)
11:17:30.207 INFO: Linux 3.10.0-1160.45.1.el7.x86 64 amd64
11:17:30.475 DEBUG: keyStore is :
11:17:30.475 DEBUG: keyStore type is: pkcs12
11:17:30.475 DEBUG: keyStore provider is:
11:17:30.475 DEBUG: init keystore
11:17:30.475 DEBUG: init keymanager of type SunX509
11:17:30.698 DEBUG: Create: /home/jenkins/.sonar/cache
11:17:30.699 INFO: User cache: /home/jenkins/.sonar/cache
11:17:30.699 DEBUG: Create: /home/jenkins/.sonar/cache/_tmp
11:17:30.701 DEBUG: Extract sonar-scanner-api-batch in temp...
11:17:30.704 DEBUG: Get bootstrap index...
11:17:30.704 DEBUG: Download: https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/batch/index
11:17:31.091 DEBUG: Get bootstrap completed
11:17:31.094 DEBUG: Download https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/batch/file?name=scanner-
enterprise-8.2.0.32929-all.jar to /home/jenkins/.sonar/cache/ tmp/fileCache16979359753423585583.tmp
11:17:31.929 DEBUG: Create isolated classloader...
11:17:31.937 DEBUG: Start temp cleaning...
11:17:31.975 DEBUG: Temp cleaning done
11:17:31.975 DEBUG: Execution getVersion
11:17:31.985 INFO: SonarQube server 8.2.0
11:17:31.985 INFO: Default locale: "en_US", source code encoding: "UTF-8"
11:17:31.986 DEBUG: Work directory: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/.scannerwork
11:17:31.987 DEBUG: Execution execute
11:17:32.479 DEBUG: Enterprise 8.2.0.32929
11:17:32.619 INFO: Load global settings
11:17:32.715 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/settings/values.protobuf |
time=94ms
11:17:32.784 INFO: Load global settings (done) | time=165ms
11:17:32.789 INFO: Server id: 39E0EBC1-AXck41ETZVUYa3zX7DgH
11:17:32.791 DEBUG: Create:/home/jenkins/.sonar/tmp
11:17:32.791 INFO: User cache: /home/jenkins/.sonar/cache
11:17:32.794 INFO: Load/download plugins
11:17:32.794 INFO: Load plugins index
11:17:32.802 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/installed |
time=8ms
11:17:32.830 INFO: Load plugins index (done) | time=36ms
```

11:17:32.834 DEBUG: Download plugin 'sonarapex' to '/home/jenkins/.sonar/_tmp/fileCache1105350927837919098.tmp' 11:17:32.875 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?

```
plugin=sonarapex&acceptCompressions=pack200 | time=41ms
11:17:33.078 DEBUG: Download plugin 'csharp' to '/home/jenkins/.sonar/ tmp/fileCache7520550461693992076.tmp'
11:17:33.088 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=csharp&acceptCompressions=pack200 | time=10ms
11:17:33.229 DEBUG: Download plugin 'crowd' to '/home/jenkins/.sonar/_tmp/fileCache4786965961050030393.tmp'
11:17:33.237 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=crowd&acceptCompressions=pack200 | time=8ms
11:17:33.320 DEBUG: Download plugin 'scmgit' to '/home/jenkins/.sonar/_tmp/fileCache18114272069753660567.tmp'
11:17:33.328 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=scmgit&acceptCompressions=pack200 | time=7ms
11:17:33.409 DEBUG: Download plugin 'groovy' to '/home/jenkins/.sonar/ tmp/fileCache16211683733048342046.tmp'
11:17:33.417 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=groovy&acceptCompressions=pack200 | time=7ms
11:17:33.810 DEBUG: Download plugin 'jacoco' to '/home/jenkins/.sonar/ tmp/fileCache3802901012679693114.tmp'
11:17:33.817 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=jacoco&acceptCompressions=pack200 | time=6ms
11:17:33.819 DEBUG: Download plugin 'license' to '/home/jenkins/.sonar/ tmp/fileCache11931066108120130167.tmp'
11:17:33.825 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=license&acceptCompressions=pack200 | time=6ms
11:17:33.827 DEBUG: Download plugin 'authoidc' to '/home/jenkins/.sonar/_tmp/fileCache13388127758094852732.tmp'
11:17:33.835 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=authoidc&acceptCompressions=pack200 | time=8ms
11:17:33.865 DEBUG: Download plugin 'r' to '/home/jenkins/.sonar/_tmp/fileCache13363529478045420416.tmp'
11:17:33.872 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=r&acceptCompressions=pack200 | time=7ms
11:17:33.886 DEBUG: Download plugin 'go' to '/home/jenkins/.sonar/_tmp/fileCache9730161094344752387.tmp'
11:17:33.893 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=go&acceptCompressions=pack200 | time=7ms
11:17:34.020 DEBUG: Download plugin 'javascript' to '/home/jenkins/.sonar/ tmp/fileCache9889997984707064685.tmp'
11:17:34.028 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=javascript&acceptCompressions=pack200 | time=7ms
11:17:34.220 DEBUG: Download plugin 'java' to '/home/jenkins/.sonar/ tmp/fileCache14891925712425854954.tmp'
11:17:34.227 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=java&acceptCompressions=pack200 | time=6ms
11:17:34.875 DEBUG: Download plugin 'php' to '/home/jenkins/.sonar/ tmp/fileCache18272211409588053256.tmp'
11:17:34.886 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=php&acceptCompressions=pack200 | time=11ms
11:17:35.148 DEBUG: Download plugin 'python' to '/home/jenkins/.sonar/_tmp/fileCache16336418126125239005.tmp'
11:17:35.174 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=python&acceptCompressions=pack200 | time=26ms
11:17:35.336 DEBUG: Download plugin 'sonarscala' to '/home/jenkins/.sonar/ tmp/fileCache2618908721121880684.tmp'
11:17:35.359 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=sonarscala&acceptCompressions=pack200 | time=23ms
11:17:35.532 DEBUG: Download plugin 'typescript' to '/home/jenkins/.sonar/ tmp/fileCache6282173418774791357.tmp'
11:17:35.546 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=typescript&acceptCompressions=pack200 | time=14ms
11:17:35.547 INFO: Load/download plugins (done) | time=2753ms
11:17:35.981 DEBUG: Plugins:
11:17:35.982 DEBUG: * SonarPython 2.1.0.5269 (python)
11:17:35.982 DEBUG: * Crowd 2.1.3 (crowd)
11:17:35.982 DEBUG: * JaCoCo 1.0.2.475 (jacoco)
11:17:35.982 DEBUG: * SonarGo 1.6.0.719 (go)
11:17:35.982 DEBUG: * OpenID Connect Authentication for SonarQube 1.1.0 (authoidc) 11:17:35.982 DEBUG: * Apex Code Quality and Security 1.8.2.1946 (sonarapex)
11:17:35.982 DEBUG: * SonarJS 6.1.0.11503 (javascript)
11:17:35.982 DEBUG: * SonarScala 1.5.0.315 (sonarscala)
11:17:35.982 DEBUG: * License for SonarLint 8.2.0.32929 (license)
11:17:35.982 DEBUG: * C# Code Quality and Security 8.6.1.17183 (csharp)
11:17:35.982 DEBUG: * Sonar R Plugin 0.1.3 (r)
11:17:35.982 DEBUG: * Groovy 1.6 (groovy)
11:17:35.982 DEBUG: * SonarJava 6.2.0.21135 (java)
11:17:35.982 DEBUG: * Git 1.9.1.1834 (scmgit)
```

11:17:35.982 DEBUG: * SonarPHP 3.3.0.5166 (php)
11:17:35.982 DEBUG: * SonarTS 2.1.0.4359 (typescript)

```
11:17:36.016 INFO: Loaded core extensions: developer-scanner
11:17:36.087 DEBUG: Installed core extension: developer-scanner
11:17:36.709 INFO: Process project properties
11:17:36.775 INFO: Process project properties (done) | time=66ms
11:17:36.776 INFO: Execute project builders
11:17:36.776 DEBUG: Execute project builder: org.sonar.plugins.csharp.CSharpGlobalProtobufFileProcessor
11:17:36.778 INFO: Execute project builders (done) | time=2ms
11:17:36.779 INFO: Project key: ordgp-backend
11:17:36.780 INFO: Base dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master
11:17:36.780 INFO: Working dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/.scannerwork
11:17:36.780 DEBUG: Project global encoding: UTF-8, default locale: en US
11:17:36.781 DEBUG: Creating module hierarchy
11:17:36.781 DEBUG: Init module 'ordgp-backend'
11:17:36.781 DEBUG: Base dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master
11:17:36.781 DEBUG:
                       Working dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/.scannerwork
11:17:36.781 DEBUG:
                       Module global encoding: UTF-8, default locale: en US
11:17:36.784 INFO: Load project settings for component key: 'ordgp-backend'
11:17:36.801 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/settings/values.protobuf?
component=ordgp-backend | time=17ms
11:17:36.802 INFO: Load project settings for component key: 'ordgp-backend' (done) | time=18ms
11:17:36.891 INFO: Load project branches
11:17:36.911 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/project_branches/list?
project=ordgp-backend | time=20ms
11:17:36.915 INFO: Load project branches (done) | time=24ms
11:17:36.916 INFO: Load project pull requests
11:17:36.930 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/project_pull_requests/list?
project=ordgp-backend | time=14ms
11:17:36.976 INFO: Load project pull requests (done) | time=60ms
11:17:36.977 INFO: Load branch configuration
11:17:36.977 DEBUG: Found manual configuration of branch/PR analysis. Skipping automatic configuration.
11:17:36.978 INFO: Load branch configuration (done) | time=1ms
11:17:36.987 DEBUG: Available languages:
11:17:36.987 DEBUG: * Python => "py"
11:17:36.987 DEBUG: * Go => "go"
11:17:36.987 DEBUG: * Apex => "apex"
11:17:36.987 DEBUG: * JavaScript => "js"
11:17:36.987 DEBUG: * TypeScript => "ts"
11:17:36.987 DEBUG: * Scala => "scala"
11:17:36.987 DEBUG: * C# => "cs"
11:17:36.987 DEBUG: * R => "r"
11:17:36.987 DEBUG: * Groovy => "grvy"
11:17:36.987 DEBUG: * Java => "java"
11:17:36.987 DEBUG: * PHP => "php"
11:17:36.990 INFO: Load quality profiles
11:17:37.012 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/qualityprofiles/search.protobuf?project=ordgp-backend | time=21ms
11:17:37.025 INFO: Load quality profiles (done) | time=35ms
11:17:37.076 INFO: Detected Jenkins
11:17:37.079 INFO: Load active rules
11:17:37.122 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation = true \& qprofile = AX20
C4zj589iycgaYc8g&ps=500&p=1 | time=43ms
11:17:37.217 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation = true \& qprofile = AXck
49P0ZVUYa3zX7E G&ps=500&p=1 | time=13ms
```

 $11:17:37.403\ DEBUG:\ GET\ 200\ https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?\\ f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&activation=true&qprofile=AXck\ 4918ZVUYa3zX7FMD&ps=500&p=1 | time=15ms$

 $11:17:37.416\ DEBUG:\ GET\ 200\ https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?\\ f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&activation=true&qprofile=AXck\ 49q-ZVUYa3zX7FM7&ps=500&p=1 | time=11ms$

11:17:37.437 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?

f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&activation=true&gprofile=AXck49-4ZVUYa3zX7FTI&ps=500&p=1 | time=18ms 11:17:37.496 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf? f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At & activation = true & qprofile = AXck49viZVUYa3zX7FO9&ps=500&p=1 | time=20ms 11:17:37.514 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf? f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At & activation = true & qprofile = AXck = AX4-M2ZVUYa3zX7FbF&ps=500&p=1 | time=15ms 11:17:37.537 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf? f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&activation=true&qprofile=AXck4-TQZVUYa3zX7FdE&ps=500&p=1 | time=21ms 11:17:37.589 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf? f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At & activation = true & qprofile = AXj6E + Ap04fgN3gVMmkodg&ps=500&p=1 | time=14ms 11:17:37.607 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf? f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At & activation = true & qprofile = AXck4-ZoZVUYa3zX7FfF&ps=500&p=1 | time=17ms 11:17:37.613 INFO: Load active rules (done) | time=534ms 11:17:37.625 INFO: Branch name: master 11:17:37.701 DEBUG: Declared extensions of language Python were converted to sonar.lang.patterns.py: **/*.py 11:17:37.701 DEBUG: Declared extensions of language Go were converted to sonar.lang.patterns.go: **/*.go 11:17:37.701 DEBUG: Declared extensions of language Apex were converted to sonar.lang.patterns.apex: **/*.cls,**/*.trigger $11:17:37.701\ \mathsf{DEBUG}\colon \mathsf{Declared}\ \mathsf{extensions}\ \mathsf{of}\ \mathsf{language}\ \mathsf{JavaScript}\ \mathsf{were}\ \mathsf{converted}\ \mathsf{to}\ \mathsf{sonar}. \mathsf{lang.patterns.js}:$ **/*.js,**/*.jsx,**/*.vue 11:17:37.702 DEBUG: Declared extensions of language TypeScript were converted to sonar.lang.patterns.ts: **/*.ts,**/*.tsx 11:17:37.702 DEBUG: Declared extensions of language Scala were converted to sonar.lang.patterns.scala: **/*.scala 11:17:37.702 DEBUG: Declared extensions of language C# were converted to sonar.lang.patterns.cs : **/*.cs 11:17:37.702 DEBUG: Declared extensions of language R were converted to sonar.lang.patterns.r: **/*.r 11:17:37.702 DEBUG: Declared extensions of language Groovy were converted to sonar.lang.patterns.grvy: **/*.groovy 11:17:37.702 DEBUG: Declared extensions of language Java were converted to sonar.lang.patterns.java : **/*.java,**/*.jav 11:17:37.703 DEBUG: Declared extensions of language PHP were converted to sonar.lang.patterns.php: **/*.php,**/*.php3,**/*.php4,**/*.php5,**/*.phtml,**/*.inc 11:17:37.705 DEBUG: Will ignore generated code 11:17:37.706 INFO: Indexing files... 11:17:37.706 INFO: Project configuration: 11:17:37.799 DEBUG: readpipe [git, --version],/usr/bin 11:17:37.808 DEBUG: readpipe may return 'git version 1.8.3.1' 11:17:37.809 DEBUG: remaining output: 11:17:37.809 DEBUG: readpipe [git, config, --system, --edit],/usr/bin 11:17:37.811 DEBUG: readpipe may return '/etc/gitconfig' 11:17:37.811 DEBUG: remaining output: 11:17:37.891 DEBUG: 22 non excluded files in this Git repository 11:17:37.901 DEBUG: 'src/main/java/com/boehringer/ordgp/backend/BackendApplication.java' indexed with language 11:17:37.902 DEBUG: 'src/main/resources/application-dev.properties' indexed with language 'null' 11:17:37.903 DEBUG: 'src/main/resources/application.properties' indexed with language 'null' 11:17:37.905 DEBUG: 'src/test/java/com/boehringer/ordgp/backend/BackendApplicationTests.java' indexed with language 'iava' 11:17:37.906 INFO: 4 files indexed

11:17:37.906 INFO: 0 files ignored because of scm ignore settings

11:17:37.906 INFO: Quality profile for java: Sonar way

11:17:37.906 INFO: ----- Run sensors on module ordgp-backend

11:17:38.098 INFO: Load metrics repository

11:17:38.106 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/metrics/search?

f=name,description,direction,qualitative,custom&ps=500&p=1 | time=8ms

11:17:38.114 INFO: Load metrics repository (done) | time=16ms

WARNING: An illegal reflective access operation has occurred

WARNING: Illegal reflective access by net.sf.cglib.core.ReflectUtils\$1

(file:/home/jenkins/.sonar/cache/a2b6a8802525720c8af2ca4fa85a2513/sonar-javascript-plugin.jar) to method java.lang. Class Loader. define Class (java.lang. String, byte[], int, int, java.security. Protection Domain)

```
WARNING: Please consider reporting this to the maintainers of net.sf.cglib.core.ReflectUtils$1
WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access operations
WARNING: All illegal access operations will be denied in a future release
11:17:40.285 DEBUG: 'Import external issues report' skipped because one of the required properties is missing
11:17:40.285 DEBUG: 'Python Sensor' skipped because there is no related file in current project
11:17:40.285 DEBUG: 'Cobertura Sensor for Python coverage' skipped because there is no related file in current project
11:17:40.285 DEBUG: 'PythonXUnitSensor' skipped because there is no related file in current project
11:17:40.285 DEBUG: 'PylintSensor' skipped because there is no related file in current project
11:17:40.286 DEBUG: 'PylintImportSensor' skipped because there is no related file in current project
11:17:40.286 DEBUG: 'Import of Bandit issues' skipped because there is no related file in current project
11:17:40.286 DEBUG: 'SonarGo' skipped because there is no related file in current project
11:17:40.286 DEBUG: 'Go Unit Test Report' skipped because there is no related file in current project
11:17:40.287 DEBUG: 'Go Cover sensor for Go coverage' skipped because one of the required properties is missing
11:17:40.287 DEBUG: 'Import of go vet issues' skipped because there is no related file in current project
11:17:40.287 DEBUG: 'Import of Golint issues' skipped because there is no related file in current project
11:17:40.287 DEBUG: 'Import of GoMetaLinter issues' skipped because there is no related file in current project
11:17:40.288 DEBUG: 'Import of GolangCI-Lint issues' skipped because there is no related file in current project
11:17:40.288 DEBUG: 'Apex Sensor' skipped because there is no related file in current project
11:17:40.288 DEBUG: 'Test coverage Sensor for Apex' skipped because there is no related file in current project
11:17:40.288 DEBUG: 'Import of PMD issues' skipped because there is no related file in current project
11:17:40.288 DEBUG: 'JavaScript analysis' skipped because there is no related file in current project
11:17:40.289 DEBUG: 'SonarJS Coverage' skipped because there is no related file in current project
11:17:40.289 DEBUG: 'Import of ESLint issues' skipped because one of the required properties is missing
11:17:40.289 DEBUG: 'TypeScript analysis' skipped because there is no related file in current project
11:17:40.289 DEBUG: 'Import of TSLint issues' skipped because one of the required properties is missing
11:17:40.289 DEBUG: 'Scala Sensor' skipped because there is no related file in current project
11:17:40.290 DEBUG: 'Scoverage sensor for Scala coverage' skipped because one of the required properties is missing
11:17:40.290 DEBUG: 'Import of Scalastyle issues' skipped because there is no related file in current project
11:17:40.290 DEBUG: 'Import of Scapegoat issues' skipped because there is no related file in current project
11:17:40.290 DEBUG: 'C# Properties' skipped because there is no related file in current project
11:17:40.291 DEBUG: 'LintR Sensor for R files' skipped because there is no related file in current project
11:17:40.291 DEBUG: 'CodeNarc' skipped because there is no related file in current project
11:17:40.291 DEBUG: 'GroovySensor' skipped because there is no related file in current project
11:17:40.291 DEBUG: 'GroovySurefireSensor' skipped because there is no related file in current project
11:17:40.291 DEBUG: 'Groovy CoberturaSensor' skipped because there is no related file in current project
11:17:40.291 DEBUG: 'Groovy JaCoCo Coverage' skipped because there is no related file in current project
11:17:40.292 DEBUG: 'Import of Checkstyle issues' skipped because one of the required properties is missing
11:17:40.292 DEBUG: 'Import of PMD issues' skipped because one of the required properties is missing
11:17:40.292 DEBUG: 'Import of SpotBugs issues' skipped because one of the required properties is missing
11:17:40.293 DEBUG: 'Removed properties sensor' skipped because one of the required properties is missing
11:17:40.293 DEBUG: 'PHP sensor' skipped because there is no related file in current project
11:17:40.294 DEBUG: 'Analyzer for "php.ini" files' skipped because there is no related file in current project
11:17:40.294 DEBUG: 'SonarTS' skipped because there is no related file in current project
11:17:40.295 DEBUG: 'Generic Test Executions Report' skipped because one of the required properties is missing
11:17:40.296 DEBUG: 'C#' skipped because there is no related file in current project
11:17:40.296 DEBUG: 'C# Tests Coverage Report Import' skipped because there is no related file in current project
11:17:40.296 DEBUG: '[Deprecated] C# Integration Tests Coverage Report Import' skipped because there is no related
file in current project
11:17:40.296 DEBUG: 'C# Unit Test Results Import' skipped because there is no related file in current project
11:17:40.296 DEBUG: Sensors : JavaSquidSensor -> JaCoCo XML Report Importer -> SurefireSensor -> JavaXmlSensor
11:17:40.297 INFO: Sensor JavaSquidSensor [java]
11:17:40.507 INFO: Configured Java source version (sonar.java.source): none
11:17:40.576 INFO: JavaClasspath initialization
11:17:40.585 INFO: JavaClasspath initialization (done) | time=9ms
11:17:40.586 INFO: JavaTestClasspath initialization
11:17:40.586 INFO: JavaTestClasspath initialization (done) | time=0ms
11:17:40.594 DEBUG: ----- Classpath analyzed by Squid:
11:17:40.594 DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/build/classes
11:17:40.594 DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/docker/app.jar
11:17:40.594 DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/docker
11:17:40.594 DEBUG: ----
11:17:40.613 DEBUG: ----- Classpath analyzed by Squid:
11:17:40.613 DEBUG: -----
11:17:40.613 INFO: Java Main Files AST scan
```

11:17:40.615 INFO: 2 source files to be analyzed

```
11:17:40.678 INFO: Load project repositories
11:17:40.689 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/batch/project.protobuf?
key=ordgp-backend&branch=master | time=10ms
11:17:40.695 INFO: Load project repositories (done) | time=17ms
11:17:40.695 DEBUG: 'src/main/java/com/boehringer/ordgp/backend/BackendApplication.java' generated metadata with
charset 'UTF-8'
11:17:42.479 DEBUG: 'src/test/java/com/boehringer/ordgp/backend/BackendApplicationTests.java' generated metadata
with charset 'UTF-8'
11:17:42.803 INFO: 2/2 source files have been analyzed
11:17:42.874 INFO: Java Main Files AST scan (done) | time=2261ms
11:17:42.874 INFO: Java Test Files AST scan
11:17:42.875 INFO: 0 source files to be analyzed
11:17:42.875 INFO: Java Test Files AST scan (done) | time=1ms
11:17:42.875 INFO: Sensor JavaSquidSensor [java] (done) | time=2578ms
11:17:42.875 INFO: 0/0 source files have been analyzed
11:17:42.875 INFO: Sensor JaCoCo XML Report Importer [jacoco]
11:17:42.877 WARN: Report doesn't exist: '/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager
master/build/reports/jacoco/test/jacocoTestReport.xml'
11:17:42.878 INFO: Sensor JaCoCo XML Report Importer [jacoco] (done) | time=2ms
11:17:42.878 INFO: Sensor SurefireSensor [java]
11:17:42.879 INFO: parsing [/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/build/test-results/test]
11:17:42.896 INFO: Sensor SurefireSensor [java] (done) | time=18ms
11:17:42.896 INFO: Sensor JavaXmlSensor [java]
11:17:42.897 INFO: Sensor JavaXmlSensor [java] (done) | time=1ms
11:17:43.026 INFO: ----- Run sensors on project
11:17:43.029 DEBUG: 'Generic Coverage Report' skipped because one of the required properties is missing
11:17:43.029 DEBUG: Sensors : Zero Coverage Sensor -> Java CPD Block Indexer
11:17:43.029 INFO: Sensor Zero Coverage Sensor
11:17:43.036 INFO: Sensor Zero Coverage Sensor (done) | time=7ms
11:17:43.036 INFO: Sensor Java CPD Block Indexer
11:17:43.076 DEBUG: Populating index from src/main/java/com/boehringer/ordgp/backend/BackendApplication.java
11:17:43.080 DEBUG: Not enough content in 'src/main/java/com/boehringer/ordgp/backend/BackendApplication.java' to
have CPD blocks, it will not be part of the duplication detection
11:17:43.080 DEBUG: Populating index from src/test/java/com/boehringer/ordgp/backend/BackendApplicationTests.java
11:17:43.084 INFO: Sensor Java CPD Block Indexer (done) | time=48ms
11:17:43.091 INFO: CPD Executor 1 file had no CPD blocks
11:17:43.091 INFO: CPD Executor Calculating CPD for 1 file
11:17:43.091 DEBUG: Detection of duplications for /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/src/test/java/com/boehringer/ordgp/backend/BackendApplicationTests.java
11:17:43.096 INFO: CPD Executor CPD calculation finished (done) | time=5ms
11:17:43.199 INFO: Analysis report generated in 102ms, dir size=73 KB
11:17:43.209 INFO: Analysis report compressed in 10ms, zip size=13 KB
11:17:43.209 INFO: Analysis report generated in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/.scannerwork/scanner-report
11:17:43.209 DEBUG: Upload report
11:17:43.230 DEBUG: POST 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/ce/submit?
projectKey=ordgp-backend&projectName=ordgp-
backend&characteristic=branch%3Dmaster&characteristic=branchType%3DBRANCH | time=21ms
11:17:43.274 INFO: Analysis report uploaded in 65ms
11:17:43.276 DEBUG: Report metadata written to /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/.scannerwork/report-task.txt
11:17:43.276 INFO: ANALYSIS SUCCESSFUL, you can browse https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/dashboard?id=ordgp-backend&branch=master
11:17:43.276 INFO: Note that you will be able to access the updated dashboard once the server has processed the
submitted analysis report
11:17:43.276 INFO: More about the report processing at https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/ce/task?id=AX9FM0i3ZA8H6zlkgaky
11:17:43.278 DEBUG: Post-jobs:
11:17:43.279 INFO: Analysis total time: 7.263 s
11:17:43.281 INFO: -----
11:17:43.281 INFO: EXECUTION SUCCESS
11:17:43.281 INFO: -----
```

11:17:43.281 INFO: Total time: 13.157s 11:17:43.343 INFO: Final Memory: 18M/67M

11:17:43.343 INFO: ------[Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] echo DEBUG: [ordgp-backend-sq-scan] (took 14087 ms) [Pipeline] readProperties [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh + curl -s -u ******: 'https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/ce/task?id=AX9FM0i3ZA8H6zlkqaky' [Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] readJSON [Pipeline] echo SonarQube background task has not finished yet. [Pipeline] sleep Sleeping for 5 sec [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh [Pipeline] // withSonarQubeEnv [Pipeline] read[SON [Pipeline] echo SonarQube background task has finished successfully. [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh + java -jar /usr/local/cnes/cnesreport.jar -s https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com -t ****** -p ordgpbackend -a jenkins-ordgp-cd-ordgp-cd-releasemanager-master-13 -b master Picked up JAVA TOOL OPTIONS: -XX:+UnlockExperimentalVMOptions -Dsun.zip.disableMemoryMapping=true SonarQube URL: https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com SonarQube online: true Detected SonarQube version: 8.2.0 WARNING: An illegal reflective access operation has occurred WARNING: Illegal reflective access by org.apache.poi.openxml4j.util.ZipSecureFile\$1 (file:/usr/local/cnes/cnesreport.jar) to field java.io.FilterInputStream.in WARNING: Please consider reporting this to the maintainers of org.apache.poi.openxml4j.util.ZipSecureFile\$1 WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access operations WARNING: All illegal access operations will be denied in a future release Report generation: SUCCESS [Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] sh + mkdir -p artifacts [Pipeline] sh + mv 2022-03-01-ordgp-backend-analysis-report.docx artifacts/ + mv 2022-03-01-ordgp-backend-analysis-report.md artifacts/ + mv artifacts/2022-03-01-ordgp-backend-analysis-report.docx artifacts/SCRR-ordgp-backend.docx + mv artifacts/2022-03-01-ordgp-backend-analysis-report.md artifacts/SCRR-ordgp-backend.md [Pipeline] stash Stashed 2 file(s) [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh + curl -s -u ******: 'https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/qualitygates/project_status? projectKey=ordgp-backend' [Pipeline] }

[Pipeline] // withSonarQubeEnv

[Pipeline] readISON

[Pipeline] echo SonarQube Quality Gate value: OK [Pipeline] readFile [Pipeline] echo Report stored in: https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/levadocumentation/ordgp/backend/2022-03-01-13/sonarQube/report.pdf [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] withCredentials Masking supported pattern matches of \$USERNAME or \$TOKEN [Pipeline] { [Pipeline] sh + curl --fail -sS --request PUT --header 'Authorization: Bearer **** --header 'Content-Type: application/json' --data "{"title":"SonarQube","reporter":"OpenDevStack","createdDate":1646133481275,"details":"Please visit the following links to review the SonarQube report:", "result": "PASS", "link": "https://nexus-odsalpha.inhods apps. eu. boehringer. com/repository/leva-documentation/ordgp/backend/2022-03-01-13/sonar Qube/report.pdf", "data": approximation/ordgp/backend/2022-03-01-13/sonar Qube/report.pdf", "data":[{"title":"Report","value":{"linktext":"Result in SonarQube","href":"https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/dashboard?id=ordgp-backend"},"type":"LINK"},{"title":"Report","value":{"linktext":"Result in Nexus", "href": "https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/levadocumentation/ordgp/backend/2022-03-01-13/sonarQube/report.pdf"},"type":"LINK"}]}' https://bitbucketdev.biscrum.com/rest/insights/1.0/projects/ordgp/repos/ordgpbackend/commits/27eb2abe4554932afa94f9a40a72d2165158ae6b/reports/org. open devstack. son arqubetack and the substack of the[Pipeline] } [Pipeline] // withCredentials [Pipeline] } [Pipeline] // stage [Pipeline] echo [SonarQube Analysis-backend] **** ENDED stage 'SonarQube Analysis' for component 'backend' branch 'master' **** (took 32663 ms) [Pipeline] echo [Build OpenShift Image-backend] **** STARTING stage 'Build OpenShift Image' for component 'backend' branch 'master' [Pipeline] stage [Pipeline] { (Build OpenShift Image) [Pipeline] sh + oc -n ordgp-cd get BuildConfig/backend [Pipeline] sh + oc -n ordgp-cd get ImageStream/backend [Pipeline] writeFile [Pipeline] sh + oc -n ordgp-cd get bc/backend -o 'jsonpath={.spec.output.imageLabels}' + oc -n ordgp-cd patch bc backend --type=json --patch '[{"op": "replace", "path": "/spec/source", "value": {"type":"Binary"}},{"op": "replace", "path": "/spec/output/to/name", "value": "backend:27eb2abe"},{"op": "replace", "path": "/spec/output/imageLabels", "value": [{"name": "ods.build.source.repo.url", "value": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgpbackend.git"},{"name": "ods.build.source.repo.commit.sha", "value": "27eb2abe4554932afa94f9a40a72d2165158ae6b"},{"name": "ods.build.source.repo.commit.msg", "value": "ODS-Export-OpenShift-configuration-Build-assemble-7-Change-1.0-Project-ordgp-Target-Environment-ordgp-dev-Version-WIP-httpsjenkins-ordgp-cd.inh-odsapps.eu.boehringer.com-job-ordgp-cd-job-ordgp-cd-releasemanager-master-7-ci-skip"},{"name": "ods.build.source.repo.commit.author", "value": "ODS Jenkins Shared Library System User (undefined)"}, { "name": "ods.build.source.repo.commit.timestamp", "value": "2022-01-28 13:14:00 +0000"}, { "name": "ods.build.source.repo.branch", "value": "master"},{"name": "ods.build.jenkins.job.url", "value": "https://jenkins-ordgpcd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"}, { "name": ods.build.timestamp", "value": "Tue Mar 01 11:14:46 UTC 2022"},{"name": "ods.build.lib.version", "value": "4.x"}, {"name": "ext.ods.build.rm.ordgp.repo.url", "value": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgpreleasemanager.git"},{"name": "ext.ods.build.rm.ordgp.repo.commit.author", "value": "ODS Jenkins Shared Library System User (undefined)"}, {"name": "ext.ods.build.rm.ordgp.repo.commit.sha", "value": "be2537272ddc579f97f2e2eba6cdc0788f81341b"},{"name": "ext.ods.build.rm.ordgp.repo.commit.timestamp", "value": "2022-01-28 13:14:04 +0000"},{"name": "ext.ods.build.rm.ordgp.repo.commit.msg", "value": "ODS: Record commits

```
deployed into D"},{"name": "ext.JENKINS MASTER OPENSHIFT BUILD COMMIT", "value":
"a541165cff3874ce420e3109e951a9b50c24fc3f"},{"name": "ext.JENKINS MASTER OPENSHIFT BUILD NAME", "value":
"jenkins-master-43"},{"name": "ext.JENKINS MASTER OPENSHIFT BUILD SOURCE", "value": "https://bitbucket-
dev. biscrum. com/scm/odsalpha/ods-core. git"\}, \{"name": "ext.] ENKINS\_MASTER\_OPENSHIFT\_BUILD\_NAMESPACE", "value": "ext.] ENKINS\_MASTER\_OPENSHIFT_BUILD\_NAMESPACE", "ext.] ENKINS\_MASTER_OPENSHIFT_BUILD\_NAMESPACE", "ext.] ENKINS\_MASTER_OPENSHIFT_BUILD\_NAMESPACE", "ext.] ENKINS\_MASTER_OPENSHIFT_BUILD\_NAMESPACE", "ext.] ENKINS\_MASTER_OPENSHIFT_BUILD\_NAMESPACE", "ext.] ENKINS\_MASTER_OPENSHIFT_BUILD\_NAMESPACE", "ext.] ENKINS_MASTER_OPENSHIFT_BUILD\_NAMESPACE", "ext.] ENKINS_MASTER_OPENSHIFT_BUILD_NAMESPACE", "ext.] ENKINS_MASTER_OPENSHIFT_BUILD_MASTER_OPENSHIFT_BUILD_MASTER_OPENSHIFT_BUILD_MASTER_OPENSHIFT_BUILD_MASTER_OPENSHIFT_BUILD
"odsalpha"},{"name": "ext.JENKINS_MASTER_OPENSHIFT_BUILD_REFERENCE", "value": "4.x"},{"name":
 "ext.JENKINS_AGENT_OPENSHIFT_BUILD_COMMIT", "value": "d19bbfe64d1394dee67bcd03ac268c196ec9962b"},{"name":
 "ext.JENKINS_AGENT_OPENSHIFT_BUILD_NAME", "value": "jenkins-agent-maven-17"},{"name":
"ext.JENKINS AGENT OPENSHIFT BUILD SOURCE", "value": "https://bitbucket-dev.biscrum.com/scm/odsalpha/ods-
quick starters.git"\}, \{"name": "ext.JENKINS\_AGENT\_OPENSHIFT\_BUILD\_NAMESPACE", "value": "odsalpha"\}, \{"name": "ext.JENKINS\_AGENT\_OPENSHIFT\_BUILD\_NAMESPACE", "value": "odsalpha"\}, \{"name": "ext.JENKINS\_AGENT\_OPENSHIFT\_BUILD\_NAMESPACE", "value": "odsalpha"\}, \{"name": "ext.JENKINS\_AGENT\_OPENSHIFT\_BUILD\_NAMESPACE", "value": "odsalpha"\}, \{"name": "ext.JENKINS\_AGENT\_OPENSHIFT\_BUILD\_NAMESPACE", "value": "odsalpha", \{"name": "ext.JENKINS\_AGENT\_OPENSHIFT\_BUILD\_NAMESPACE", "value": "ext.JENKINS\_AGENT\_OPENSHIFT\_BUILD\_NAMESPACE", "value": "ext.JENKINS\_AGENT\_OPENSHIFT\_BUILD\_NAMESPACE", "value": "ext.JENKINS\_AGENT\_OPENSHIFT\_BUILD\_NAMESPACE", "value": "ext.JENKINS\_AGENT\_OPENSHIFT\_BUILD\_NAMESPACE", "value": "ext.JENKINS\_AGENT\_OPENSHIFT\_BUILD\_NAMESPACE", "value": "ext.JENKINS\_AGENT\_OPENSHIFT\_DENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIPS\_AGENT\_OPENSHIP
 "ext.JENKINS_AGENT_OPENSHIFT_BUILD_REFERENCE", "value": "4.x-test"}
               ]}]' --loglevel=5
l0301 11:18:03.506778 842 merged_client_builder.go:122] Using in-cluster configuration
10301 11:18:03.508774 842 merged client builder.go:122] Using in-cluster configuration
I0301 11:18:03.512511 842 merged_client_builder.go:122] Using in-cluster configuration
I0301 11:18:03.521780 842 merged client builder.go:122] Using in-cluster configuration
buildconfig.build.openshift.io/backend patched
[Pipeline] timeout
Timeout set to expire in 15 min
[Pipeline] {
[Pipeline] sh
+ oc -n ordgp-cd start-build backend --from-dir docker --loglevel=5
I0301 11:18:03.847457 863 merged_client_builder.go:122] Using in-cluster configuration
10301 11:18:03.847999 863 merged_client_builder.go:122] Using in-cluster configuration
I0301 11:18:03.848871 863 merged client builder.go:122] Using in-cluster configuration
l0301 11:18:03.849343 863 merged_client_builder.go:122] Using in-cluster configuration
10301 11:18:03.849792 863 repository.go:424] Executing git show -s HEAD --
format=%H%n%an%n%ae%n%cn%n%ce%n%B
Uploading directory "docker" as binary input for the build ...
I0301 11:18:03.876464 863 tar.go:217] Adding "/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/docker" to
tar ...
I0301 11:18:03.876749 863 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/docker/Dockerfile as Dockerfile
I0301 11:18:03.877272 863 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/docker/app.jar as app.jar
Date: 2022-03-01T11:18:04.3157
Hash: 98e2bd99f4e29e81c713
Time: 47646ms
chunk {0} runtime-es5.741402d1d47331ce975c.js (runtime) 1.41 kB [entry] [rendered]
chunk {1} main-es5.9ecc6c53b4763251a8db.js (main) 153 kB [initial] [rendered]
chunk {2} polyfills-es5.4e06eb653a3c8a2d581f.js (polyfills) 111 kB [initial] [rendered]
..I0301 11:18:15.853792 863 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/docker/release.json as release.json
Uploading finished
[Pipeline] sh
+ oc -n ordgp-cd get bc/backend -o 'jsonpath= {.status.lastVersion}'
[Pipeline] sh
+ oc -n ordgp-cd logs -f --version=8 bc/backend
[Pipeline] echo
Receiving source from STDIN as archive ...
Step 1/8: FROM registry.access.redhat.com/ubi8/openjdk-17
Step 2/8: ENV "HTTP_PROXY" "http://appaccess-zscaler.boehringer.com:80" "HTTPS_PROXY" "http://appaccess-
zscaler.boehringer.com:80" "NO PROXY"
".svc,.default,.local,localhost,.boehringer.com,.biscrum.com,10.250.0.0/16,10.251.0.0/16,10.183.203.189,10.183.203.186,
0.183.203.185, 10.183.203.187, 10.183.203.188, 10.183.203.19, 10.183.203.191, 10.183.203.190, 10.183.203.192, 10.250.0.\\
 "http://appaccess-zscaler.boehringer.com:80" "https://appaccess-zscaler.boehringer.com:80"
 "no proxy"
".svc,.default,.local,localhost,.boehringer.com,.biscrum.com,10.250.0.0/16,10.251.0.0/16,10.183.203.189,10.183.203.186,
0.183.203.185, 10.183.203.187, 10.183.203.188, 10.183.203.19, 10.183.203.191, 10.183.203.190, 10.183.203.192, 10.250.0.\\
```

Step 3/8: ENV LOG4J_FORMAT_MSG_NO_LOOKUPS true

^{---&}gt; Using cache

^{---&}gt; 8022617a119f

---> Using cache ---> 5b1591db8567 Step 4/8: COPY app.jar app.jar ---> 0c67d794f6e8 Removing intermediate container 42459c295e1a Step 5/8: EXPOSE 8080 ---> Running in 9661f24e5745 ---> e699b2738ce9 Removing intermediate container 9661f24e5745 Step 6/8 : CMD java -Xmx512m -jar app.jar ---> Running in 781df20f3189 ---> 4aea7a607766 Removing intermediate container 781df20f3189 Step 7/8: ENV "OPENSHIFT_BUILD_NAME" "backend-8" "OPENSHIFT BUILD NAMESPACE" "ordgp-cd" ---> Running in 9e7192a319c2 ---> 3f65b6db74a6 Removing intermediate container 9e7192a319c2 Step 8/8: LABEL "io.openshift.build.name" "backend-8" "io.openshift.build.namespace" "ordgp-cd" "ods.build.source.repo.url" "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git" "ods.build.source.repo.commit.sha" "27eb2abe4554932afa94f9a40a72d2165158ae6b" "ods.build.source.repo.commit.msg" "ODS-Export-OpenShift-configuration-Build-assemble-7-Change-1.0-Project-ordgp-Target-Environment-ordgp-dev-Version-WIP-https-jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com-job-ordgp-cd-jobordgp-cd-releasemanager-master-7-ci-skip" "ods.build.source.repo.commit.author" "ODS Jenkins Shared Library System User (undefined)" "ods.build.source.repo.commit.timestamp" "2022-01-28 13:14:00 +0000" "ods.build.source.repo.branch" "master" "ods.build.jenkins.job.url" "https://jenkins-ordgp-cd.inhodsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/" "ods.build.timestamp" "Tue Mar 01 11:14:46 UTC 2022" "ods.build.lib.version" "4.x" "ext.ods.build.rm.ordgp.repo.url" "https://bitbucketdev. biscrum. com/scm/ordgp/ordgp-release manager. git "ext.ods. build.rm. ordgp. repo. commit. author "ODS Jenkins" author "ODS JenkShared Library System User (undefined)" "ext.ods.build.rm.ordgp.repo.commit.sha" "be2537272ddc579f97f2e2eba6cdc0788f81341b" "ext.ods.build.rm.ordqp.repo.commit.timestamp" "2022-01-28 13:14:04 +0000" "ext.ods.build.rm.ordgp.repo.commit.msg" "ODS: Record commits deployed into D" "ext.JENKINS_MASTER_OPENSHIFT_BUILD_COMMIT" "a541165cff3874ce420e3109e951a9b50c24fc3f" "ext.JENKINS_MASTER_OPENSHIFT_BUILD_NAME" "jenkins-master-43" "ext.JENKINS_MASTER_OPENSHIFT_BUILD_SOURCE" "https://bitbucket-dev.biscrum.com/scm/odsalpha/ods-core.git" "ext.JENKINS_MASTER_OPENSHIFT_BUILD_NAMESPACE" "odsalpha" "ext.JENKINS MASTER OPENSHIFT BUILD REFERENCE" "4.x" "ext.JENKINS AGENT OPENSHIFT BUILD COMMIT" "d19bbfe64d1394dee67bcd03ac268c196ec9962b" "ext.JENKINS_AGENT_OPENSHIFT_BUILD_NAME" "jenkins-agentmaven-17" "ext.JENKINS AGENT OPENSHIFT BUILD SOURCE" "https://bitbucket-dev.biscrum.com/scm/odsalpha/odsquickstarters.git" "ext.JENKINS_AGENT_OPENSHIFT_BUILD_NAMESPACE" "odsalpha" "ext.JENKINS_AGENT_OPENSHIFT_BUILD_REFERENCE" "4.x-test" ---> Running in e04552631940 ---> 6b8128352bb6 Removing intermediate container e04552631940 Successfully built 6b8128352bb6 Pushing image docker-registry.default.svc:5000/ordgp-cd/backend:27eb2abe ... Pushed 3/4 layers, 83% complete Pushed 4/4 layers, 100% complete Push successful [Pipeline] echo DEBUG: [backend-build] (took 25128 ms) [Pipeline] } [Pipeline] // timeout [Pipeline] sh + oc -n ordgp-cd get build backend-8 -o 'jsonpath={.status.phase}' [Pipeline] echo DEBUG: Build: 'backend-8' - status: 'complete' [Pipeline] sh + oc -n ordgp-cd get istag backend:27eb2abe -o 'jsonpath={.image.dockerImageReference}' Build #8 of 'backend' has produced image: docker-registry.default.svc:5000/ordgpcd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d8492ff9.[Pipeline] } [Pipeline] // stage

[Pipeline] echo

[Build OpenShift Image-backend] **** ENDED stage 'Build OpenShift Image' for component 'backend' branch 'master' **** (took 27455 ms) [Pipeline] sh + oc -n odsalpha get ConfigMap/aqua -o json [Pipeline] echo Not parameter 'projects.ordgp.enabled' at cluster level. Default enabled [Pipeline] echo WARN: Skipping Aqua scan because is not enabled at cluster level in 'aqua' ConfigMap in odsalpha project [Pipeline] echo [Deploy to OpenShift-backend] **** STARTING stage 'Deploy to OpenShift' for component 'backend' branch 'master' **** [Pipeline] stage [Pipeline] { (Deploy to OpenShift) [Pipeline] sh + oc -n ordgp-dev get Deployment,DeploymentConfig -l app=ordgp-backend -o 'template={{range .items}}{{.kind}}: {{.metadata.name}} {{end}}' [Pipeline] sh + oc -n ordgp-dev get DeploymentConfig/backend -o 'jsonpath={.status.latestVersion}' expected to call org.codehaus.groovy.runtime.MethodClosure.call but wound up catching org.ods.services.OpenShiftService.pause; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/ [Pipeline] echo DEBUG: Pausing DeploymentConfig/backend [Pipeline] sh + oc rollout pause DeploymentConfig/backend -n ordgp-dev + oc -n ordgp-dev get ImageStream/backend [Pipeline] sh + oc -n ordgp-dev tag ordgp-cd/backend:27eb2abe backend:27eb2abe Tag backend:27eb2abe set to ordgpcd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d8492ff9.[Pipeline] fileExists [Pipeline] fileExists [Pipeline] fileExists [Pipeline] readYaml [Pipeline] fileExists [Pipeline] echo DEBUG: Setting labels app.kubernetes.io/name='OpenJDK' app.kubernetes.io/version='4.x' app.kubernetes.io/instance='backend' app.kubernetes.io/part-of- app.kubernetes.io/managed-by='tailor' app.openshift.io/runtime- app.openshift.io/runtime-version- helm.sh/chart- app.opendevstack.org/type='ods' app.opendevstack.org/system-name='BI-IT-DEVSTACK' app.opendevstack.org/project='ordgp' app.opendevstack.org/project-version='1.0' app.opendevstack.org/work-in-progress='true' to resources all selected by app=ordgp-backend [Pipeline] sh + oc label --overwrite all -l app=ordgp-backend -n ordgp-dev app.kubernetes.io/name=OpenJDK app.kubernetes.io/version=4.x app.kubernetes.io/instance=backend app.kubernetes.io/part-ofapp.kubernetes.io/managed-by=tailor app.openshift.io/runtime- app.openshift.io/runtime-version- helm.sh/chartapp.opendevstack.org/type=ods app.opendevstack.org/system-name=BI-IT-DEVSTACK app.opendevstack.org/project=ordgp app.opendevstack.org/project-version=1.0 app.opendevstack.org/work-inprogress=true [Pipeline] echo DEBUG: Patching DeploymentConfig/backend in the ordgp-dev project with {"spec":{"template":{"metadata":{"labels": {"app.kubernetes.io/name":"OpenJDK","app.kubernetes.io/version":"4.x","app.kubernetes.io/instance":"backend","app.kub ernetes. io/part-of":null, "app.kubernetes. io/managed-by": "tailor", "app.openshift. io/runtime":null, "aversion":null, "helm.sh/chart":null, "app.opendevstack.org/type":"ods", "app.opendevstack.org/system-name":"BI-IT-DEVSTACK", "app.opendevstack.org/project": "ordgp", "app.opendevstack.org/projectversion":"1.0", "app.opendevstack.org/work-in-progress":"true"}}}, "paused":true}} [Pipeline] sh + oc patch DeploymentConfig/backend --type=merge -p '{"spec":{"template":{"metadata":{"labels": {"app.kubernetes.io/name":"OpenJDK","app.kubernetes.io/version":"4.x","app.kubernetes.io/instance":"backend","app.kub ernetes.io/part-of":null,"app.kubernetes.io/managed-by":"tailor","app.openshift.io/runtime":null,"app.openshift.io/runtime version":null,"helm.sh/chart":null,"app.opendevstack.org/type":"ods","app.opendevstack.org/system-name":"BI-IT-DEVSTACK", "app.opendevstack.org/project": "ordgp", "app.opendevstack.org/project $version":"1.0"," app. opendevstack.org/work-in-progress":"true"\}\}\}, "paused": true\}\}'-n \ ordgp-devolution of the progress o$

+ oc -n ordgp-dev get DeploymentConfig backend -o 'jsonpath={.spec.template.spec.containers[*].image}'

[Pipeline] sh

+ oc -n ordgp-dev get ImageStream/backend [Pipeline] sh + oc -n ordgp-dev tag backend:27eb2abe backend:latest Tag backend:latest set to backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d8492ff9. [Pipeline] echo DEBUG: Resuming DeploymentConfig/backend [Pipeline] sh + oc rollout resume DeploymentConfig/backend -n ordgp-dev + oc -n ordgp-dev get DeploymentConfig/backend -o 'jsonpath={.status.latestVersion}' [Pipeline] echo Rollout of deployment for 'backend' has been triggered automatically. [Pipeline] timeout Timeout set to expire in 5 min 0 sec [Pipeline] { [Pipeline] sh + oc -n ordgp-dev rollout status DeploymentConfig/backend --watch=true Waiting for rollout to finish: 0 out of 1 new replicas have been updated... Date: 2022-03-01T11:18:39.952Z Hash: facbca689b9bb617c4fd Time: 35571ms chunk {0} runtime-es2015.858f8dd898b75fe86926.js (runtime) 1.41 kB [entry] [rendered] chunk {1} main-es2015.9f73a6a248b6402cb22d.js (main) 133 kB [initial] [rendered] chunk {2} polyfills-es2015.5728f680576ca47e99fe.js (polyfills) 36.4 kB [initial] [rendered] chunk {3} styles.09e2c710755c8867a460.css (styles) 0 bytes [initial] [rendered] [Pipeline] } [Pipeline] // withEnv [Pipeline] sh + cp -r dist/frontend docker/dist [Pipeline] } [Pipeline] // stage [Pipeline] stage [Pipeline] { (Unit Test) [Pipeline] sh + npm run test > frontend@0.0.0 test /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master > ng test --watch=false --progress=false --code-coverage --reporters=junit Waiting for rollout to finish: 0 out of 1 new replicas have been updated... Waiting for rollout to finish: 1 old replicas are pending termination... Browserslist: caniuse-lite is outdated. Please run next command `npm update` Waiting for rollout to finish: 1 old replicas are pending termination... Waiting for latest deployment config spec to be observed by the controller loop... replication controller "backend-10" successfully rolled out [Pipeline] echo DEBUG: [backend-watch-rollout] (took 12680 ms) [Pipeline] } [Pipeline] // timeout + oc -n ordgp-dev get DeploymentConfig/backend -o 'jsonpath= {.status.latestVersion}' [Pipeline] sh + oc -n ordgp-dev get rc/backend-10 -o 'jsonpath={.metadata.annotations.openshift\.io/deployment\.phase}' [Pipeline] echo Rollout #10 of DeploymentConfig 'backend' successful. [Pipeline] sh + oc -n ordgp-dev get pod -l deployment=backend-10 -o json [Pipeline] } [Pipeline] // stage [Pipeline] echo [Deploy to OpenShift-backend] **** ENDED stage 'Deploy to OpenShift' for component 'backend' branch 'master' **** (took 18510 ms)

[Pipeline] }

```
[Pipeline] // wrap
[Pipeline] stage
[Pipeline] { (odsPipeline finished)
[Pipeline] echo
DEBUG: [buildstatus-27eb2abe-SUCCESSFUL] Setting Bitbucket build status to 'SUCCESSFUL' on commit
'27eb2abe4554932afa94f9a40a72d2165158ae6b' / 'https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-
cd/job/ordgp-cd-releasemanager-master/13/
[Pipeline] withCredentials
Masking supported pattern matches of $USERNAME or $TOKEN
[Pipeline] {
[Pipeline] sh
+ curl --fail -sS --request POST --header 'Authorization: Bearer **** --header 'Content-Type: application/json' --data
'{"state":"SUCCESSFUL","key":"27eb2abe","name":"27eb2abe","url":"https://jenkins-ordgp-cd.inh-
odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"}' https://bitbucket-
dev.biscrum.com/rest/build-status/1.0/commits/27eb2abe4554932afa94f9a40a72d2165158ae6b
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] echo
DEBUG: [buildstatus-27eb2abe-SUCCESSFUL] (took 763 ms)
[Pipeline] echo
[backend] ***** Finished ODS Pipeline ***** (took 245112 ms)
[Pipeline] }
[Pipeline] // stage
[Pipeline] echo
DEBUG: Collecting (applicable) testresults from location: 'build/test-results/test'
[Pipeline] sh
+ mkdir -p build/test-results/test build/test-results/test
+ \ cp \ -rf \ build/test-results/test/TEST-com.boehringer.ordgp.backend. Backend Application Tests.xml \ build/test-results/test/TEST-com.boehringer.ordgp.backend Application Tests.xml \ build/test-results/test/TEST-com.boehringer.
results/test/binary build/test-results/test
+ true
cp: 'build/test-results/test/TEST-com.boehringer.ordgp.backend.BackendApplicationTests.xml' and 'build/test-
results/test/TEST-com.boehringer.ordgp.backend.BackendApplicationTests.xml' are the same file
cp: 'build/test-results/test/binary' and 'build/test-results/test/binary' are the same file
[Pipeline] sh
+ \ ls \ -la \ build/test-results/test/TEST-com.boehringer.ordgp.backend.BackendApplicationTests.xml
+ wc -l
[Pipeline] echo
DEBUG: Found 1 test files in 'build/test-results/test'
[Pipeline] junit
Recording test results
[Pipeline] stash
Stashed 1 file(s)
[Pipeline] echo
DEBUG: [backend] ODS Component Pipeline 'backend-13'
ODS Build Artifacts 'backend':
      "builds": {
             "backend": {
                   "buildId": "backend-8",
                   "image": "docker-registry.default.svc:5000/ordgp-
cd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d8492ff9" and the contraction of the contraction of
            }
       "deployments": {
             "backend": {
                   "podName": "backend-10-95wsv",
                   "podNamespace": "ordgp-dev",
                    "podMetaDataCreationTimestamp": "2022-03-01T11:18:41Z",
                   "deploymentId": "backend-10",
                   "podNode": "inhas71256.eu.boehringer.com",
                   "podlp": "10.251.16.83",
                   "podStatus": "Running",
                   "podStartupTimeStamp": "2022-03-01T11:18:41Z",
                    "containers": {
                          "backend": "docker-registry.default.svc:5000/ordgp-
```

```
cd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d8492ff9"
       }
    },
    "sonarqubeScanStashPath": "scrr-report-backend-13",
    "SCRR": "SCRR-ordgp-backend.docx",
    "SCRR-MD": "SCRR-ordgp-backend.md",
    "testResultsFolder": "build/test-results/test",
    "testResults": "1",
    "xunitTestResultsStashPath": "test-reports-junit-xml-backend-13"
} (took 246387 ms)
[Pipeline] }
[Pipeline] // node
[Pipeline] }
[Pipeline] // podTemplate
[Pipeline] }
[Pipeline] // load
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] echo
DEBUG: Collected ODS build artifacts for repo 'backend': [builds:[backend:[buildld:backend-8, image:docker-
registry.default.svc:5000/ordgp-
cd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d8492ff9]], \ deployments:
[backend:[podName:backend-10-95wsv, podNamespace:ordgp-dev, podMetaDataCreationTimestamp:2022-03-
01T11:18:41Z, deploymentId:backend-10, podNode:inhas71256.eu.boehringer.com, podIp:10.251.16.83,
podStatus:Running, podStartupTimeStamp:2022-03-01T11:18:41Z, containers:[backend:docker-
registry.default.svc:5000/ordgp-
cd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d8492ff9]]],
sonarqubeScanStashPath:scrr-report-backend-13, SCRR:SCRR-ordgp-backend.docx, SCRR-MD:SCRR-ordgp-backend.md,
testResultsFolder:build/test-results/test, testResults:1, xunitTestResultsStashPath:test-reports-junit-xml-backend-13,
CREATED BY BUILD:WIP/13]
[Pipeline] }
[Pipeline] // dir
[Pipeline] echo
DEBUG: Collecting JUnit XML Reports ('unit') for backend
[Pipeline] dir
Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/backend/unit
[Pipeline] {
[Pipeline] unstash
[32m01 03 2022 11:18:50.774:INFO [karma-server]: [39mKarma v4.1.0 server started at http://0.0.0.0:9876/
[32m01 03 2022 11:18:50.776:INFO [launcher]: [39mLaunching browsers ChromeNoSandboxHeadless with concurrency
unlimited
[32m01 03 2022 11:18:50.790:INFO [launcher]: [39mStarting browser Chrome
[Pipeline] }
[Pipeline] // dir
[Pipeline] echo
DEBUG: Reporting unit test results to corresponding test cases in Jira for component 'Technology-backend'. Test type:
Test results: [testsuites:[[hostname:pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx, failures:0, tests:3,
name:com.boehringer.ordgp.backend.BackendApplicationTests, time:0.728, errors:0, timestamp:2022-03-01T11:17:26,
skipped:0, properties:[], testcases:[[classname:com.boehringer.ordgp.backend.BackendApplicationTests,
name:ORDGP138 workingunittest(), time:0.718, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:17:26],
[classname:com.boehringer.ordgp.backend.BackendApplicationTests, name:ORDGP139 workingunittest(), time:0.005,
skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:17:26],
[classname:com.boehringer.ordqp.backend.BackendApplicationTests, name:ORDGP137 workingunittest(), time:0.003,
skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:17:26]], systemOut:11:17:11.704 [Test worker] DEBUG
org.spring framework. test. context. Bootstrap Utils-Instantiating\ Cache Aware Context Loader Delegate\ from\ class
[org.springframework.test.context.cache.DefaultCacheAwareContextLoaderDelegate]
11:17:11.779 [Test worker] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating BootstrapContext
using constructor [public
org.spring framework. test. context. support. Default Bootstrap Context (java.lang. Class, org. spring framework. test. context. Cachine and the properties of the context of the properties o
eAwareContextLoaderDelegate)]
11:17:11.901 [Test worker] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating
TestContextBootstrapper for test class [com.boehringer.ordgp.backend.BackendApplicationTests] from class
```

[org.springframework.boot.test.context.SpringBootTestContextBootstrapper]

11:17:11.980 [Test worker] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Neither @ContextConfiguration nor @ContextHierarchy found for test class

[com.boehringer.ordgp.backend.BackendApplicationTests], using SpringBootContextLoader

11:17:11.989 [Test worker] DEBUG org.springframework.test.context.support.AbstractContextLoader - Did not detect default resource location for test class [com.boehringer.ordgp.backend.BackendApplicationTests]: class path resource [com/boehringer/ordgp/backend/BackendApplicationTests-context.xml] does not exist

11:17:11.990 [Test worker] DEBUG org.springframework.test.context.support.AbstractContextLoader - Did not detect default resource location for test class [com.boehringer.ordgp.backend.BackendApplicationTests]: class path resource [com/boehringer/ordgp/backend/BackendApplicationTestsContext.groovy] does not exist

11:17:11.990 [Test worker] INFO org.springframework.test.context.support.AbstractContextLoader - Could not detect default resource locations for test class [com.boehringer.ordgp.backend.BackendApplicationTests]: no resource found for suffixes {-context.xml, Context.groovy}.

11:17:11.991 [Test worker] INFO org.springframework.test.context.support.AnnotationConfigContextLoaderUtils - Could not detect default configuration classes for test class [com.boehringer.ordgp.backend.BackendApplicationTests]: BackendApplicationTests does not declare any static, non-private, non-final, nested classes annotated with @Configuration.

11:17:12.113 [Test worker] DEBUG org.springframework.test.context.support.ActiveProfilesUtils - Could not find an 'annotation declaring class' for annotation type [org.springframework.test.context.ActiveProfiles] and class [com.boehringer.ordgp.backend.BackendApplicationTests]

11:17:12.390 [Test worker] DEBUG

org.springframework.context.annotation.ClassPathScanningCandidateComponentProvider - Identified candidate component class: file [/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-

master/build/classes/java/main/com/boehringer/ordgp/backend/BackendApplication.class]

11:17:12.392 [Test worker] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Found @SpringBootConfiguration com.boehringer.ordgp.backend.BackendApplication for test class com.boehringer.ordgp.backend.BackendApplicationTests

11:17:12.714 [Test worker] DEBUG org.springframework.boot.test.context.SpringBootTestContextBootstrapper - @TestExecutionListeners is not present for class [com.boehringer.ordgp.backend.BackendApplicationTests]: using defaults.

11:17:12.715 [Test worker] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Loaded default TestExecutionListener class names from location [META-INF/spring.factories]:

[org.spring framework.security.test.context.support.With Security Context Test Execution Listener,

org.spring framework.security.test.context.support.Reactor Context Test Execution Listener,

org.spring framework.boot.test. autoconfigure.rest docs. Rest Docs Test Execution Listener,

org.spring framework.boot.test. autoconfigure.web.client. MockRestServiceServerResetTestExecution Listener, and the state of the stat

org.spring framework.boot.test.autoconfigure.web.servlet. Mock MvcPrintOnlyOnFailure Test Execution Listener, and the substitution of the substi

org.spring framework.boot.test. autoconfigure.web.servlet. WebDriver Test Execution Listener, and the state of the state

org.spring framework.boot.test.autoconfigure.webservices.client.MockWebServiceServerTestExecutionListener, and the substitution of the substitut

org.spring framework.boot.test.mock.mockito.Mockito Test Execution Listener,

 $org.spring framework.boot.test.mock.mockito.Reset {\tt MocksTestExecutionListener}, \\$

org.springframework.test.context.web.ServletTestExecutionListener,

org.spring framework.test.context.support.Dirties Context Before Modes Test Execution Listener,

 $org. spring framework. test. context. event. Application {\tt EventsTestExecutionListener}, \\$

org. spring framework. test. context. support. Dependency Injection Test Execution Listener,

org.spring framework.test.context.support.Dirties Context Test Execution Listener,

org. spring framework. test. context. transaction. Transaction al Test Execution Listener, the state of the

org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener,

org.spring framework.test.context.event. Event Publishing Test Execution Listener]

11:17:12.804 [Test worker] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Using

Test Execution Listeners: [org.springframework.test.context.web. Servlet Test Execution Listener @6749 fe50, the state of the state o

org.spring framework.test.context.support.Dirties Context Before Modes Test Execution Listener @ 52bf7bf6, and the support of the support o

 $org.spring framework.test.context.event. Application Events Test Execution Listener @261db982, \\org.spring framework.boot.test.mock.mockito.Mockito Test Execution Listener @ae73c80, \\$

org.springframework.boot.test.autoconfigure.SpringBootDependencyInjectionTestExecutionListener@22f4f8f2,

org.spring framework.test.context.support.Dirties Context Test Execution Listener @bbd4791,

org.spring framework.test.context.transaction. Transactional Test Execution Listener @40a72ecd, and the state of the sta

org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener@73971965,

org. spring framework. security. test. context. support. With Security Context Test Execution Listener @76a14c8d, and the support of the su

org.spring framework.test.context.event. Event Publishing Test Execution Listener @17410c07, and the property of the propert

org.spring framework.security.test.context.support.Reactor Context Test Execution Listener @ 6ee 99964, and the support test of the support test

org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener@257ef9ed,

 $org.spring framework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionListener @59c70ceb, \\org.spring framework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecutionListener @46f902e0, \\org.spring framework.boot.framework.fram$

org.spring framework.boot.test. autoconfigure. web.servlet. WebDriver Test Execution Listener @ 64f981e2, autoconfigure. WebDriver Test Execution Listener & Grand France Franc

org.spring framework.boot.test.autoconfigure.webservices.client.MockWebServiceServerTestExecutionListener@361abd01, org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener@575b5f7d] 11:17:12.809 [Test worker] DEBUG $org.spring framework.test.context.support. Abstract Dirties Context Test Execution Listener-Before \ test \ class: \ context$ [DefaultTestContext@30839e44 testClass = BackendApplicationTests, testInstance = [null], testMethod = [null], $Backend Application Tests, \ location s = '\{\}', \ classes = '\{class\ com.boehringer.ordgp.backend.Backend Application\}', \ location s = '\{\}', \ classes = '\{class\ com.boehringer.ordgp.backend.Backend Application\}', \ location s = '\{backend Application S = '\{ba$ $context Initializer Classes = '[]', active Profiles = '\{\}', property Source Locations = '\{\}', property Source Properties = (Particular Locations) = (Partiuar Locations) = (Particular Locations) = (Particular Locations)$ '{org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true}', contextCustomizers = set[org.springframework.boot.test.autoconfigure.actuate.metrics.MetricsExportContextCustomizerFactory\$DisableMetricExportContextCustomizerFactorityFactoritxportContextCustomizer@76c548f, org.spring framework.boot.test. autoconfigure.properties. Property Mapping Context Customizer @0, and the context Customizer (a) and the context Customizer (b) and the context Customizer (b) and the context Customizer (c) and the context Customizorg.springframework.boot.test.autoconfigure.web.servlet.WebDriverContextCustomizerFactory\$Customizer@7ae9a33a, org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@73ad7e90, org.spring framework.boot.test.json.Duplicate] son Object Context Customizer Factory \$Duplicate] son Object Context Customizer Factor Factor@29528a22, org.springframework.boot.test.mock.mockito.MockitoContextCustomizer@0, org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@474fae39, org.springframework.boot.test.context.SpringBootTestArgs@1, $org.springframework.boot.test.context.SpringBootTestWebEnvironment@6b9ce1bf], \\ resourceBasePath = \\$'s rc/main/webapp', context Loader = 'org.springframework.boot.test.context.SpringBootContext Loader', parent = [null]], the context Loader' is a context Loader' in the context Loader' in theattributes = map['org.springframework.test.context.web.ServletTestExecutionListener.activateListener' -> true]], class = map['org.springframework.test.web.ServletTestExecutionListener.activateListener' -> true]], class = map['org.springframework.test.web.ServletTeannotated with @DirtiesContext [false] with mode [null]. 11:17:12.985 [Test worker] DEBUG org.springframework.boot.ApplicationServletEnvironment - Activating profiles [] 11:17:12.986 [Test worker] DEBUG org.springframework.test.context.support.TestPropertySourceUtils - Adding inlined properties to environment: {spring.jmx.enabled=false, $org.spring framework.boot.test.context.Spring Boot Test Context Bootstrapper = true \} \\$ _(_)_ _ (()\<u></u>|'<u>|</u>'|''\\ W __)||_)|||||(_||)))) ======|_/=/_/_/_ :: Spring Boot :: (v2.6.1)2022-03-01 11:17:13.980 INFO 476 --- [Test worker] c.b.o.backend.BackendApplicationTests : Starting BackendApplicationTests using Java 17.0.1 on pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx with PID 476 (started by default in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master) 2022-03-01 11:17:13.981 INFO 476 --- [Test worker] c.b.o.backend.BackendApplicationTests : The following profiles are active: dev 2022-03-01 11:17:13.981 DEBUG 476 --- [Test worker] o.s.boot.SpringApplication : Loading source class com.boehringer.ordgp.backend.BackendApplication 2022-03-01 11:17:14.088 DEBUG 476 --- [Test worker] o.s.w.c.s.GenericWebApplicationContext : Refreshing org.springframework.web.context.support.GenericWebApplicationContext@53314f76 2022-03-01 11:17:15.979 INFO 476 --- [Test worker] .s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping Spring Data JPA repositories in DEFAULT mode. 2022-03-01 11:17:15.996 DEBUG 476 --- [Test worker] o.s.b.a.AutoConfigurationPackages @EnableAutoConfiguration was declared on a class in the package 'com.boehringer.ordgp.backend'. Automatic @Repository and @Entity scanning is enabled. 2022-03-01 11:17:15.998 INFO 476 --- [Test worker] .s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data repository scanning in 6 ms. Found 0 JPA repository interfaces. 2022-03-01 11:17:18.008 INFO 476 --- [Test worker] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Starting... 2022-03-01 11:17:18.799 INFO 476 --- [Test worker] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Start completed. 2022-03-01 11:17:19.019 INFO 476 --- [Test worker] o.hibernate.jpa.internal.util.LogHelper : HHH000204: Processing PersistenceUnitInfo [name: default] 2022-03-01 11:17:19.203 INFO 476 --- [Test worker] org.hibernate.Version : HHH000412: Hibernate ORM core version 5.6.1.Final 2022-03-01 11:17:19.784 INFO 476 --- [Test worker] o.hibernate.annotations.common.Version : HCANN000001: Hibernate Commons Annotations {5.1.2.Final} 2022-03-01 11:17:20.118 INFO 476 --- [Test worker] org.hibernate.dialect.Dialect : HHH000400: Using dialect:

: HHH000490: Using JtaPlatform

2022-03-01 11:17:20.877 INFO 476 --- [Test worker] o.h.e.t.j.p.i.JtaPlatformInitiator

implementation: [org.hibernate.engine.transaction.jta.platform.internal.NoJtaPlatform]

org.hibernate.dialect.HSQLDialect

2022-03-01 11:17:20.889 INFO 476 --- [Test worker] j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for persistence unit 'default' 2022-03-01 11:17:21.519 WARN 476 --- [Test worker] JpaBaseConfiguration\$JpaWebConfiguration : spring.jpa.open-inview is enabled by default. Therefore, database queries may be performed during view rendering. Explicitly configure spring.jpa.open-in-view to disable this warning

2022-03-01 11:17:23.594 DEBUG 476 --- [Test worker] s.w.s.m.m.a.RequestMappingHandlerAdapter : ControllerAdvice beans: 0 @ModelAttribute, 0 @InitBinder, 1 RequestBodyAdvice, 1 ResponseBodyAdvice

2022-03-01 11:17:23.807 DEBUG 476 --- [Test worker] s.w.s.m.m.a.RequestMappingHandlerMapping : 2 mappings in 'requestMappingHandlerMapping'

2022-03-01 11:17:23.981 DEBUG 476 --- [Test worker] o.s.w.s.handler.SimpleUrlHandlerMapping : Patterns [/webjars/**, /**] in 'resourceHandlerMapping'

2022-03-01 11:17:23.997 DEBUG 476 --- [Test worker] .m.m.a.ExceptionHandlerExceptionResolver : ControllerAdvice beans: 1 @ExceptionHandler, 1 ResponseBodyAdvice

2022-03-01 11:17:24.876 INFO 476 --- [Test worker] .s.s.UserDetailsServiceAutoConfiguration :

Using generated security password: efb4543f-81be-434d-9d4b-2d4759f69822

2022-03-01 11:17:25.395 INFO 476 --- [Test worker] o.s.s.web.DefaultSecurityFilterChain : Will secure any request with [org.springframework.security.web.context.request.async.WebAsyncManagerIntegrationFilter@2a0dda9e, org.springframework.security.web.context.SecurityContextPersistenceFilter@d98fc62, org.springframework.security.web.header.HeaderWriterFilter@5d33742, org.springframework.security.web.csrf.CsrfFilter@6f601ce0, org.springframework.security.web.authentication.logout.LogoutFilter@71122014, org.springframework.security.web.authentication.UsernamePasswordAuthenticationFilter@4cfd3d7e, org.springframework.security.web.authentication.ui.DefaultLoginPageGeneratingFilter@16c1fc82, org.springframework.security.web.authentication.ui.DefaultLogoutPageGeneratingFilter@a046448, org.springframework.security.web.authentication.www.BasicAuthenticationFilter@2d301b0e, org.springframework.security.web.savedrequest.RequestCacheAwareFilter@28ec960b,

org. spring framework. security. we b. servlet api. Security Context Holder Aware Request Filter @62 dd 1498, org. spring framework. security. we b. authentication. Anonymous Authentication Filter @2741 f66 d, and the security of the se

org.spring framework.security.web.session.SessionManagementFilter @266737c4, org.spring framework.security.web.access.ExceptionTranslationFilter @572c013f, and the contract of the contract

org.spring framework.security.web.access.intercept.FilterSecurityInterceptor @148a3112]

2022-03-01 11:17:25.813 DEBUG 476 --- [Test worker] ConditionEvaluationReportLoggingListener :

CONDITIONS EVALUATION REPORT

Positive matches:

AopAutoConfiguration matched:

 $\hbox{-} @ Conditional On Property (spring.aop.auto=true) matched (On Property Condition) \\$

 $A op Auto Configuration. A spect JAuto Proxying Configuration\ matched:$

 $\hbox{-} @ Conditional On Class found required class 'org. a spectj. we aver. Advice' (On Class Condition)\\$

 $A op Auto Configuration. A spect JAuto Proxying Configuration. Cglib Auto Proxy Configuration \ matched: \\$

- @ConditionalOnProperty (spring.aop.proxy-target-class=true) matched (OnPropertyCondition)

DataSourceAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.sql.DataSource',

 $'org.spring framework.jdbc.data source.embedded.EmbeddedDatabase Type' \ (On Class Condition) \\$

- @ConditionalOnMissingBean (types: io.r2dbc.spi.ConnectionFactory; SearchStrategy: all) did not find any beans (OnBeanCondition)

 ${\bf Data Source Auto Configuration. Pooled Data Source Configuration\ matched:}$

- AnyNestedCondition 1 matched 1 did not; NestedCondition on

DataSourceAutoConfiguration.PooledDataSourceCondition.PooledDataSourceAvailable PooledDataSource found supported DataSource; NestedCondition on DataSourceAutoConfiguration.PooledDataSourceCondition.ExplicitType @ConditionalOnProperty (spring.datasource.type) did not find property 'type' (DataSourceAutoConfiguration.PooledDataSourceCondition)

- @ConditionalOnMissingBean (types: javax.sql.DataSource,javax.sql.XADataSource; SearchStrategy: all) did not find any beans (OnBeanCondition)

DataSourceConfiguration.Hikari matched:

- @ConditionalOnClass found required class 'com.zaxxer.hikari.HikariDataSource' (OnClassCondition)
- @ConditionalOnProperty (spring.datasource.type=com.zaxxer.hikari.HikariDataSource) matched (OnPropertyCondition)
- @ConditionalOnMissingBean (types: javax.sql.DataSource; SearchStrategy: all) did not find any beans (OnBeanCondition)

DataSourceInitializationConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.jdbc.datasource.init.DatabasePopulator'
 OnClassCondition)
- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource'; @ConditionalOnMissingBean (types:

org.springframework.boot.autoconfigure.sql.init.SqlDataSourceScriptDatabaseInitializer,org.springframework.boot.autoconfigure.sql.init.SqlR2dbcScriptDatabaseInitializer; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $Data Source Pool Metadata Providers Configuration. Hikari Pool Data Source Metadata Provider Configuration \ matched: \\$

- @ConditionalOnClass found required class 'com.zaxxer.hikari.HikariDataSource' (OnClassCondition)

DataSourceTransactionManagerAutoConfiguration matched:

- @ConditionalOnClass found required classes 'org.springframework.jdbc.core.JdbcTemplate', 'org.springframework.transaction.TransactionManager' (OnClassCondition)

 $Data Source Transaction Manager Auto Configuration. Jdbc Transaction Manager Configuration \ matched: \\$

- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource' (OnBeanCondition)

DispatcherServletAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.web.servlet.DispatcherServlet' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)

 $Dispatcher Servlet Auto Configuration. Dispatcher Servlet Configuration\ matched:$

- @ConditionalOnClass found required class 'javax.servlet.ServletRegistration' (OnClassCondition)
- Default DispatcherServlet did not find dispatcher servlet beans

(Dispatcher Servlet Auto Configuration. Default Dispatcher Servlet Condition)

 $Dispatcher Servlet Auto Configuration. Dispatcher Servlet Registration Configuration\ matched:$

- @ConditionalOnClass found required class 'javax.servlet.ServletRegistration' (OnClassCondition)
- DispatcherServlet Registration did not find servlet registration bean

(Dispatcher Servlet Auto Configuration. Dispatcher Servlet Registration Condition)

Dispatcher Servlet Auto Configuration. Dispatcher Servlet Registration Configuration # dispatcher Servlet Registration matched:

- @ConditionalOnBean (names: dispatcherServlet types: org.springframework.web.servlet.DispatcherServlet; SearchStrategy: all) found bean 'dispatcherServlet' (OnBeanCondition)

 $Embedded Web Server Factory Customizer Auto Configuration\ matched:$

- @ConditionalOnWebApplication (required) found 'session' scope (OnWebApplicationCondition)

Embedded Web Server Factory Customizer Auto Configuration. To mcat Web Server Factory Customizer Configuration matched:

- @ConditionalOnClass found required classes 'org.apache.catalina.startup.Tomcat',

'org.apache.coyote.UpgradeProtocol' (OnClassCondition)

 ${\bf Error Mvc Auto Configuration\ matched:}$

- @ConditionalOnClass found required classes 'javax.servlet.Servlet',
- $'org.spring framework.web.servlet. Dispatcher Servlet' \ (On Class Condition)\\$
 - found 'session' scope (OnWebApplicationCondition)

ErrorMvcAutoConfiguration#basicErrorController matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.web.servlet.error.ErrorController; SearchStrategy: current) did not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration#errorAttributes matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.web.servlet.error.ErrorAttributes; SearchStrategy: current) did not find any beans (OnBeanCondition)

Error Mvc Auto Configuration. Default Error View Resolver Configuration # convention Error View Resolver matched:

- @ConditionalOnBean (types: org.springframework.web.servlet.DispatcherServlet; SearchStrategy: all) found bean 'dispatcherServlet'; @ConditionalOnMissingBean (types:

org.springframework.boot.autoconfigure.web.servlet.error.ErrorViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration.WhitelabelErrorViewConfiguration matched:

- @ConditionalOnProperty (server.error.whitelabel.enabled) matched (OnPropertyCondition)
- ErrorTemplate Missing did not find error template view (ErrorMvcAutoConfiguration.ErrorTemplateMissingCondition)

 $Error Mvc Auto Configuration. White label Error View Configuration \# bean Name View Resolver \ matched: \\$

- @ConditionalOnMissingBean (types: org.springframework.web.servlet.view.BeanNameViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $Error Mvc Auto Configuration. White label Error View Configuration \# default Error View \ matched:$

- @ConditionalOnMissingBean (names: error; SearchStrategy: all) did not find any beans (OnBeanCondition)

ErrorPageSecurityFilterConfiguration matched:

- @ConditionalOnClass found required class
- 'org.springframework.security.web.access.WebInvocationPrivilegeEvaluator' (OnClassCondition)
 - found 'session' scope (OnWebApplicationCondition)

ErrorPageSecurityFilterConfiguration#errorPageSecurityInterceptor matched:

- @ConditionalOnBean (types: org.springframework.security.web.access.WebInvocationPrivilegeEvaluator; SearchStrategy: all) found bean 'privilegeEvaluator' (OnBeanCondition)

GenericCacheConfiguration matched:

 $- \ Cache\ org. spring framework. boot. autoconfigure. cache. Generic Cache Configuration\ automatic\ cache\ type\ (Cache Condition)$

HibernateJpaAutoConfiguration matched:

- @ConditionalOnClass found required classes

'org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean', 'javax.persistence.EntityManager', 'org.hibernate.engine.spi.SessionImplementor' (OnClassCondition)

HibernateJpaConfiguration matched:

- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource' (OnBeanCondition)

HttpEncodingAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.web.filter.CharacterEncodingFilter' (OnClassCondition)
 - found 'session' scope (OnWebApplicationCondition)
 - $\hbox{-} @ Conditional On Property (server. servlet. encoding. enabled) matched (On Property Condition)\\$

 $Http Encoding Auto Configuration \# character Encoding Filter\ matched:$

- @ConditionalOnMissingBean (types: org.springframework.web.filter.CharacterEncodingFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

HttpMessageConvertersAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.http.converter.HttpMessageConverter' (OnClassCondition)
 - NoneNestedConditions 0 matched 1 did not: NestedCondition on

HttpMessageConvertersAutoConfiguration.NotReactiveWebApplicationCondition.ReactiveWebApplication did not find reactive web application classes (HttpMessageConvertersAutoConfiguration.NotReactiveWebApplicationCondition)

 $Http {\tt Message Converters Auto Configuration \#message Converters\ matched:}$

- @ConditionalOnMissingBean (types: org.springframework.boot.autoconfigure.http.HttpMessageConverters; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $Http Message Converters Auto Configuration. String Http Message Converter Configuration\ matched: \\$

- @ConditionalOnClass found required class 'org.springframework.http.converter.StringHttpMessageConverter' (OnClassCondition)

Http Message Converter SAuto Configuration. String Http Message Converter Configuration #string Http Message Converter matched:

- @ConditionalOnMissingBean (types: org.springframework.http.converter.StringHttpMessageConverter; SearchStrategy: all) did not find any beans (OnBeanCondition)

HypermediaAutoConfiguration matched:

- @ConditionalOnClass found required classes 'org.springframework.hateoas.EntityModel',

'org.springframework.web.bind.annotation.RequestMapping',

'org.spring framework.web.servlet.mvc.method.annotation. Request Mapping Handler Adapter', and the state of the state of

'org.springframework.plugin.core.Plugin' (OnClassCondition)

- @ConditionalOnWebApplication (required) found 'session' scope (OnWebApplicationCondition)

HypermediaAutoConfiguration#applicationJsonHalConfiguration matched:

- @ConditionalOnClass found required class 'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)
- @ConditionalOnProperty (spring.hateoas.use-hal-as-default-json-media-type) matched (OnPropertyCondition)
- @ConditionalOnMissingBean (types: org.springframework.hateoas.mediatype.hal.HalConfiguration; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonAutoConfiguration matched:

- @ConditionalOnClass found required class 'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)

 $Jackson Auto Configuration. Jackson 2 Object Mapper Builder Customizer Configuration\ matched:$

 @ConditionalOnClass found required class 'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)

JacksonAutoConfiguration.JacksonObjectMapperBuilderConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)

- @ConditionalOnMissingBean (types: org.springframework.http.converter.json.Jackson2ObjectMapperBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $\label{lem:lacksonAutoConfiguration.} Jackson Object Mapper Configuration\ matched:$

- @ConditionalOnClass found required class 'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)

- @ConditionalOnMissingBean (types: com.fasterxml.jackson.databind.ObjectMapper; SearchStrategy: all) did not find any beans (OnBeanCondition)

- @ConditionalOnClass found required class 'com.fasterxml.jackson.module.paramnames.ParameterNamesModule' (OnClassCondition)

 $Jackson Auto Configuration. Parameter Names Module Configuration \#parameter Names Module \ matched: \\$

- @ConditionalOnMissingBean (types: com.fasterxml.jackson.module.paramnames.ParameterNamesModule; SearchStrategy: all) did not find any beans (OnBeanCondition)

- @ConditionalOnClass found required class 'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)
- @ConditionalOnProperty (spring.mvc.converters.preferred-json-mapper=jackson) matched (OnPropertyCondition)
- @ConditionalOnBean (types: com.fasterxml.jackson.databind.ObjectMapper; SearchStrategy: all) found bean 'jacksonObjectMapper' (OnBeanCondition)

- @ConditionalOnMissingBean (types:

org. spring framework. http. converter. js on. Mapping Jackson 2 Http Message Converter ignored:

org.spring framework. hat eo as. server. mvc. Type Constrained Mapping Jackson 2 Http Message Converter, org. spring framework. description of the contraction of t

ata.rest.webmvc.alps.AlpsJsonHttpMessageConverter; SearchStrategy: all) did not find any beans (OnBeanCondition)

JdbcTemplateAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.sql.DataSource', 'org.springframework.jdbc.core.JdbcTemplate' (OnClassCondition)
- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource' (OnBeanCondition)

JdbcTemplateConfiguration matched:

- @ConditionalOnMissingBean (types: org.springframework.jdbc.core.JdbcOperations; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#entityManagerFactory matched:

- @ConditionalOnMissingBean (types:

org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean,javax.persistence.EntityManagerFactory; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#entityManagerFactoryBuilder matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.orm.jpa.EntityManagerFactoryBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#jpaVendorAdapter matched:

- @ConditionalOnMissingBean (types: org.springframework.orm.jpa.JpaVendorAdapter; SearchStrategy: all) did not find any beans (OnBeanCondition)

lpaBaseConfiguration#transactionManager matched:

- @ConditionalOnMissingBean (types: org.springframework.transaction.TransactionManager; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration.JpaWebConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.web.servlet.config.annotation.WebMvcConfigurer' (OnClassCondition)
 - found 'session' scope (OnWebApplicationCondition)
 - @ConditionalOnProperty (spring.jpa.open-in-view=true) matched (OnPropertyCondition)
 - $@ Conditional On Missing Bean \ (types:$

org.springframework.orm.jpa.support.OpenEntityManagerInViewInterceptor,org.springframework.orm.jpa.support.OpenEntityManagerInViewFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaRepositoriesAutoConfiguration matched:

- @ Conditional On Class found required class 'org. spring framework. data. jpa. repository. Jpa Repository' (On Class Condition)
 - $@ Conditional On Property \ (spring. data. jpa. repositories. enabled = true) \ matched \ (On Property Condition)$
 - $@ Conditional On Bean\ (types: javax.sql. Data Source;\ Search Strategy:\ all)\ found\ bean\ 'data Source';$

@ConditionalOnMissingBean (types:

org.springframework.data.jpa.repository.support.JpaRepositoryFactoryBean,org.springframework.data.jpa.repository.config.JpaRepositoryConfigExtension; SearchStrategy: all) did not find any beans (OnBeanCondition)

JtaAutoConfiguration matched:

- @ConditionalOnClass found required class 'javax.transaction.Transaction' (OnClassCondition)
- @ConditionalOnProperty (spring.jta.enabled) matched (OnPropertyCondition)

LifecycleAutoConfiguration#defaultLifecycleProcessor matched:

- @ConditionalOnMissingBean (names: lifecycleProcessor; SearchStrategy: current) did not find any beans (OnBeanCondition)

MultipartAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet',
- 'org.springframework.web.multipart.support.StandardServletMultipartResolver', 'javax.servlet.MultipartConfigElement' (OnClassCondition)
 - found 'session' scope (OnWebApplicationCondition)
 - $@ Conditional On Property \ (spring. servlet. multipart. enabled) \ matched \ (On Property Condition)$

 ${\bf Multipart Auto Configuration \# multipart ConfigElement\ matched:}$

- @ConditionalOnMissingBean (types:

javax.servlet. Multipart Config Element, org. spring framework. web. multipart. commons. Commons Multipart Resolver;

SearchStrategy: all) did not find any beans (OnBeanCondition)

MultipartAutoConfiguration#multipartResolver matched:

- @ConditionalOnMissingBean (types: org.springframework.web.multipart.MultipartResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

NamedParameterJdbcTemplateConfiguration matched:

- @ConditionalOnSingleCandidate (types: org.springframework.jdbc.core.JdbcTemplate; SearchStrategy: all) found a primary bean from beans 'jdbcTemplate'; @ConditionalOnMissingBean (types: org.springframework.jdbc.core.namedparam.NamedParameterJdbcOperations; SearchStrategy: all) did not find any beans (OnBeanCondition)

NoOpCacheConfiguration matched:

 $- Cache\ org. spring framework. boot. autoconfigure. cache. No Op Cache Configuration\ automatic\ cache\ type\ (Cache Condition)$

PersistenceExceptionTranslationAutoConfiguration matched:

- @ConditionalOnClass found required class

 $'org.spring framework.dao.annotation.Persistence {\tt ExceptionTranslationPostProcessor'}~(On Class {\tt Condition})$

Persistence Exception Translation Auto Configuration #persistence Exception Translation Post Processor matched:

- @ConditionalOnProperty (spring.dao.exceptiontranslation.enabled) matched (OnPropertyCondition)
- @ConditionalOnMissingBean (types:

org.springframework.dao.annotation.PersistenceExceptionTranslationPostProcessor; SearchStrategy: all) did not find any beans (OnBeanCondition)

PropertyPlaceholderAutoConfiguration#propertySourcesPlaceholderConfigurer matched:

- @ConditionalOnMissingBean (types: org.springframework.context.support.PropertySourcesPlaceholderConfigurer; SearchStrategy: current) did not find any beans (OnBeanCondition)

RepositoryRestMvcAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.data.rest.webmvc.config.RepositoryRestMvcConfiguration' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnMissingBean (types: org.springframework.data.rest.webmvc.config.RepositoryRestMvcConfiguration; SearchStrategy: all) did not find any beans (OnBeanCondition)

RestTemplateAutoConfiguration matched:

- $@ Conditional On Class \ found \ required \ class \ 'org. spring framework. we b. client. Rest Template' \ (On Class Condition)$
- NoneNestedConditions 0 matched 1 did not; NestedCondition on

RestTemplateAutoConfiguration.NotReactiveWebApplicationCondition.ReactiveWebApplication did not find reactive web application classes (RestTemplateAutoConfiguration.NotReactiveWebApplicationCondition)

 $RestTemplate Auto Configuration \#restTemplate Builder\ matched:$

- @ConditionalOnMissingBean (types: org.springframework.boot.web.client.RestTemplateBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $RestTemplate Auto Configuration \#restTemplate Builder Configurer\ matched:$

- @ConditionalOnMissingBean (types:

org.springframework.boot.autoconfigure.web.client.RestTemplateBuilderConfigurer; SearchStrategy: all) did not find any beans (OnBeanCondition)

SecurityAutoConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.security.authentication.DefaultAuthenticationEventPublisher' (OnClassCondition)

 $Security Auto Configuration \# authentication Event Publisher\ matched:$

- @ConditionalOnMissingBean (types: org.springframework.security.authentication.AuthenticationEventPublisher; SearchStrategy: all) did not find any beans (OnBeanCondition)

SecurityFilterAutoConfiguration matched:

- @ConditionalOnClass found required classes

'org.springframework.security.web.context.AbstractSecurityWebApplicationInitializer', 'org.springframework.security.config.http.SessionCreationPolicy' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)

SecurityFilterAutoConfiguration#securityFilterChainRegistration matched:

- @ConditionalOnBean (names: springSecurityFilterChain; SearchStrategy: all) found bean 'springSecurityFilterChain' (OnBeanCondition)

 $Servlet Web Server Factory Auto Configuration\ matched:$

- @ConditionalOnClass found required class 'javax.servlet.ServletRequest' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)

 $ServletWebServerFactoryAutoConfiguration \#tomcatServletWebServerFactoryCustomizer\ matched:$

- @ConditionalOnClass found required class 'org.apache.catalina.startup.Tomcat' (OnClassCondition)

ServletWebServerFactoryConfiguration.EmbeddedTomcat matched:

- @ConditionalOnClass found required classes 'javax.servlet'. 'org.apache.catalina.startup.Tomcat', 'org.apache.coyote.UpgradeProtocol' (OnClassCondition)
- @ConditionalOnMissingBean (types: org.springframework.boot.web.servlet.server.ServletWebServerFactory; SearchStrategy: current) did not find any beans (OnBeanCondition)

SimpleCacheConfiguration matched:

 $- \ Cache\ org. spring framework. boot. autoconfigure. cache. Simple Cache Configuration\ automatic\ cache\ type\ (Cache Condition)$

SpringBootWebSecurityConfiguration matched:

- found 'session' scope (OnWebApplicationCondition)
- AllNestedConditions 2 matched 0 did not; NestedCondition on DefaultWebSecurityCondition.Beans @ConditionalOnMissingBean (types:

org. spring framework. security. config. annotation. web. configuration. Web Security Configurer Adapter, org. spring framework. security. web. Security Filter Chain; Search Strategy: all) did not find any beans; Nested Condition on the security of the security of the security filter Chain; Search Strategy: all) did not find any beans; Nested Condition on the security filter Chain; Search Strategy: all) did not find any beans; Nested Condition on the security filter Chain; Search Strategy: all) did not find any beans; Nested Condition on the security filter Chain; Search Strategy: all) did not find any beans; Nested Condition on the security filter Chain; Search Strategy: all) did not find any beans; Nested Condition on the security filter Chain; Search Strategy: all) did not find any beans; Nested Condition on the security filter Chain; Search Strategy: all the security filter C

 $Default Web Security Condition. Classes @ Conditional On Class \ found \ required \ classes$

'org.springframework.security.web.SecurityFilterChain',

'org.springframework.security.config.annotation.web.builders.HttpSecurity' (DefaultWebSecurityCondition)

SqlInitializationAutoConfiguration matched:

- $\hbox{-} @ Conditional On Property (spring. sql. in it. enabled) matched (On Property Condition)\\$
- NoneNestedConditions 0 matched 1 did not; NestedCondition on

SqlInitialization Auto Configuration. SqlInitialization Mode Condition. Models Never @Conditional On Property (spring. sql.init. mode = never) did not find property 'mode'

(SqlInitialization Auto Configuration. SqlInitialization Mode Condition)

TaskExecutionAutoConfiguration matched:

- @Conditional On Class found required class 'org.spring framework.scheduling.concurrent. Thread Pool Task Executor' (On Class Condition)

 $Task Execution Auto Configuration \#application Task Executor\ matched:$

- @ConditionalOnMissingBean (types: java.util.concurrent.Executor; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $Task Execution Auto Configuration \# task Executor Builder\ matched:$

- @ConditionalOnMissingBean (types: org.springframework.boot.task.TaskExecutorBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

TaskSchedulingAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.scheduling.concurrent.ThreadPoolTaskScheduler' (OnClassCondition)

TaskSchedulingAutoConfiguration#taskSchedulerBuilder matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.task.TaskSchedulerBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.transaction.PlatformTransactionManager' (OnClassCondition)

TransactionAutoConfiguration#platformTransactionManagerCustomizers matched:

- @ConditionalOnMissingBean (types:

org.springframework.boot.autoconfigure.transaction.TransactionManagerCustomizers; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $Transaction Auto Configuration. Enable Transaction Management Configuration\ matched:$

- @ConditionalOnBean (types: org.springframework.transaction.TransactionManager; SearchStrategy: all) found bean 'transactionManager'; @ConditionalOnMissingBean (types:

org.springframework.transaction.annotation.AbstractTransactionManagementConfiguration; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $Transaction Auto Configuration. Enable Transaction Management Configuration. Cglib Auto Proxy Configuration \ matched: \\$

- @ConditionalOnProperty (spring.aop.proxy-target-class=true) matched (OnPropertyCondition)

TransactionAutoConfiguration.TransactionTemplateConfiguration matched:

- @ConditionalOnSingleCandidate (types: org.springframework.transaction.PlatformTransactionManager; SearchStrategy: all) found a primary bean from beans 'transactionManager' (OnBeanCondition)

 $Transaction Auto Configuration. Transaction Template Configuration \# transaction Template \ matched: \\$

- @ConditionalOnMissingBean (types: org.springframework.transaction.support.TransactionOperations; SearchStrategy: all) did not find any beans (OnBeanCondition)

UserDetailsServiceAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.security.authentication.AuthenticationManager' (OnClassCondition)
- @ConditionalOnBean (types: org.springframework.security.config.annotation.ObjectPostProcessor; SearchStrategy: all) found bean 'objectPostProcessor'; @ConditionalOnMissingBean (types:

org.springframework.security.authentication.AuthenticationManager,org.springframework.security.authentication.AuthenticationProvider,org.springframework.security.core.userdetails.UserDetailsService,org.springframework.security.authentication.Authentication.AuthenticationManagerResolver,org.springframework.security.oauth2.jwt.JwtDecoder,org.springframework.security.oauth2.server.resource.introspection.OpaqueTokenIntrospector,org.springframework.security.oauth2.client.registration.ClientRegistrationRepository; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $WebMvcAutoConfiguration\ matched:$

- @ConditionalOnClass found required classes 'javax.servlet.Servlet',

'org.spring framework.web.servlet. Dispatcher Servlet',

'org.springframework.web.servlet.config.annotation.WebMvcConfigurer' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnMissingBean (types:

org.springframework.web.servlet.config.annotation.WebMvcConfigurationSupport; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration#formContentFilter matched:

- $@ Conditional On Property \ (spring.mvc.form content. filter.enabled) \ matched \ (On Property Condition)$
- @ConditionalOnMissingBean (types: org.springframework.web.filter.FormContentFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $WebMvcAutoConfiguration. EnableWebMvcConfiguration \#flashMapManager\ matched:$

 $- @Conditional On Missing Bean \ (names: flash Map Manager; Search Strategy: all) \ did \ not \ find \ any \ beans \ (On Bean Condition)$

 $WebMvcAutoConfiguration. EnableWebMvcConfiguration \#localeResolver\ matched:$

- @ConditionalOnMissingBean (names: localeResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.EnableWebMvcConfiguration#themeResolver matched:

- @ConditionalOnMissingBean (names: themeResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $WebMvcAutoConfiguration. WebMvcAutoConfigurationAdapter \# default ViewResolver\ matched: \\$

- @ConditionalOnMissingBean (types: org.springframework.web.servlet.view.InternalResourceViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $WebMvcAutoConfiguration. WebMvcAutoConfigurationAdapter \#requestContextFilter\ matched: \\$

- @ConditionalOnMissingBean (types:

org.spring framework.web. context.request. Request Context Listener, org.spring framework.web. filter. Request Context Filter; Search Strategy: all) did not find any beans (On Bean Condition)

WebMvcAutoConfiguration.WebMvcAutoConfigurationAdapter#viewResolver matched:

- @ConditionalOnBean (types: org.springframework.web.servlet.ViewResolver; SearchStrategy: all) found beans 'defaultViewResolver', 'beanNameViewResolver', 'mvcViewResolver'; @ConditionalOnMissingBean (names: viewResolver types: org.springframework.web.servlet.view.ContentNegotiatingViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebSecurityEnablerConfiguration matched:

- @ConditionalOnClass found required class
- 'org.springframework.security.config.annotation.web.configuration.EnableWebSecurity' (OnClassCondition)
 - found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnMissingBean (names: springSecurityFilterChain; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebSocketServletAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet', 'javax.websocket.server.ServerContainer' (OnClassCondition)
 - found 'session' scope (OnWebApplicationCondition)

$WebSocket Servlet Auto Configuration. To mcat WebSocket Configuration\ matched:$

- @ConditionalOnClass found required classes 'org.apache.catalina.startup.Tomcat',

'org.apache.tomcat.websocket.server.WsSci' (OnClassCondition)

Web Socket Servlet Auto Configuration. To mcat Web Socket Configuration # web socket Servlet Web Server Customizer matched:

- @ConditionalOnMissingBean (names: websocketServletWebServerCustomizer; SearchStrategy: all) did not find any beans (OnBeanCondition)

Negative matches:

ActiveMQAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.jms.ConnectionFactory' (OnClassCondition)

AopAutoConfiguration.AspectJAutoProxyingConfiguration.JdkDynamicAutoProxyConfiguration:

Did not match:

- @ConditionalOnProperty (spring.aop.proxy-target-class=false) did not find property 'proxy-target-class' (OnPropertyCondition)

AopAutoConfiguration.ClassProxyingConfiguration:

Did not match:

- @ConditionalOnMissingClass found unwanted class 'org.aspectj.weaver.Advice' (OnClassCondition)

ArtemisAutoConfiguration:

Did not match:

 $- @ Conditional On Class \ did \ not \ find \ required \ class \ 'javax.jms. Connection Factory' \ (On Class Condition)$

AtomikosJtaConfiguration:

Did not match:

 $- @Conditional On Class \ did \ not \ find \ required \ class \ 'com. atomikos.icatch.jta. User Transaction Manager' (On Class Condition)$

BatchAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.batch.core.launch.JobLauncher' (OnClassCondition)

CacheAutoConfiguration:

Did not match:

- @ConditionalOnBean (types: org.springframework.cache.interceptor.CacheAspectSupport; SearchStrategy: all) did not find any beans of type org.springframework.cache.interceptor.CacheAspectSupport (OnBeanCondition)
 - @ConditionalOnClass found required class 'org.springframework.cache.CacheManager' (OnClassCondition)

 ${\sf CacheAutoConfiguration.CacheManagerEntityManagerFactoryDependsOnPostProcessor:}$

Did not match:

 $- Ancestor\ org.spring framework. boot. autoconfigure. cache. Cache Auto Configuration\ did\ not\ match\ (Condition Evaluation Report. Ancestors Matched Condition)$

Matched:

- @ConditionalOnClass found required class

'org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean' (OnClassCondition)

CaffeineCacheConfiguration:

Did not match:

 $- @ Conditional On Class \ did \ not \ find \ required \ class \ 'com.github.benmanes.caffeine.cache. Caffeine' (On Class Condition)$

CassandraAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

CassandraDataAutoConfiguration:

Did not match

- @ConditionalOnClass did not find required class 'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

CassandraReactiveDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

CassandraReactiveRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.cassandra.ReactiveSession' (OnClassCondition)

Cass and ra Repositories Auto Configuration:

Did not match

- @ConditionalOnClass did not find required class 'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

${\bf Client Http Connector Auto Configuration:}$

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.function.client.WebClient' (OnClassCondition)

CodecsAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.function.client.WebClient' (OnClassCondition)

Couch base Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster' (OnClassCondition)

CouchbaseCacheConfiguration:

Did not match

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster' (OnClassCondition)

Couch base Data Auto Configuration:

Did not match:

 $- @ Conditional On Class \ did \ not \ find \ required \ class \ 'com. couch base. client. java. Bucket' \ (On Class Condition)$

Couch base Reactive Data Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster' (OnClassCondition)

CouchbaseReactiveRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster' (OnClassCondition)

CouchbaseRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Bucket' (OnClassCondition)

 ${\tt DataSourceAutoConfiguration.EmbeddedDatabaseConfiguration:}$

Did not match:

- EmbeddedDataSource found supported pooled data source (DataSourceAutoConfiguration.EmbeddedDatabaseCondition)

DataSourceConfiguration.Dbcp2:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.commons.dbcp2.BasicDataSource' (OnClassCondition)

DataSourceConfiguration.Generic:

Did not match

 $- @Conditional On Property \ (spring. datasource.type) \ did \ not \ find \ property \ 'spring. datasource.type' \ (On Property Condition)$

Data Source Configuration. Oracle Ucp:

Did not match:

- @ConditionalOnClass did not find required classes 'oracle.ucp.jdbc.PoolDataSourceImpl', 'oracle.jdbc.OracleConnection' (OnClassCondition)

 ${\bf Data Source Configuration. Tomcat:}$

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.tomcat.jdbc.pool.DataSource' (OnClassCondition)

Data Source Initialization Configuration. Initialization Specific Credentials Data Source Initialization Configuration:

Did not match:

- AnyNestedCondition 0 matched 2 did not; NestedCondition on

DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.DifferentCreder tialsCondition.DataCredentials @ConditionalOnProperty (spring.datasource.data-username) did not find property 'data-username'; NestedCondition on

DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.DifferentCreder tialsCondition.SchemaCredentials @ConditionalOnProperty (spring.datasource.schema-username) did not find property

(DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.DifferentCredentialsCondition)

Data Source Initialization Configuration. Shared Credentials Data Source Initialization Configuration:

Did not match:

- DataSource Initialization did not find configured properties spring.datasource.data-username,

spring.datasource.schema-password, spring.datasource.schema[0], spring.datasource.data[0], spring.datasource.data, spring.datasource.schema-username, spring.datasource.data-password, spring.datasource.initialization-mode,

spring. data source. schema, spring. data source. sql-script-encoding, spring. data source. separator,

 $spring. data source. platform, \, spring. datas ource. continue-on-error$

(Data Source Initialization Configuration. Shared Credentials Data Source Initialization Configuration. Data Source Initialization Configuration (Data Source Initialization Configuration) and the property of the property

DataSourceJmxConfiguration:

Did not match:

- @ConditionalOnProperty (spring.jmx.enabled=true) found different value in property 'enabled' (OnPropertyCondition)

DataSourcePoolMetadataProvidersConfiguration.CommonsDbcp2PoolDataSourceMetadataProviderConfiguration:

- @ConditionalOnClass did not find required class 'org.apache.commons.dbcp2.BasicDataSource' (OnClassCondition)

 $\label{thm:policy} Data Source Pool Metadata Providers Configuration. Or a cleUcp Pool Data Source Metadata Provider Configuration: \\ District Provider Configuration Co$

- @ConditionalOnClass did not find required classes 'oracle.ucp.jdbc.PoolDataSource', 'oracle.jdbc.OracleConnection' (OnClassCondition)

Data Source Pool Metadata Provider Sconfiguration. To mcat Data Source Pool Metadata Provider Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.tomcat.jdbc.pool.DataSource' (OnClassCondition)

DataSourceTransactionManagerAutoConfiguration.JdbcTransactionManagerConfiguration#transactionManager:
Did not match:

- @ConditionalOnMissingBean (types: org.springframework.transaction.TransactionManager; SearchStrategy: all) found beans of type 'org.springframework.transaction.TransactionManager' transactionManager (OnBeanCondition)

Dispatcher Servlet Auto Configuration. Dispatcher Servlet Configuration # multipart Resolver:

Did not match:

- @ConditionalOnBean (types: org.springframework.web.multipart.MultipartResolver; SearchStrategy: all) did not find any beans of type org.springframework.web.multipart.MultipartResolver (OnBeanCondition)

EhCacheCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'net.sf.ehcache.Cache' (OnClassCondition)

ElasticsearchDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.data.elasticsearch.core.ElasticsearchRestTemplate' (OnClassCondition)

ElasticsearchRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.elasticsearch.client.Client' (OnClassCondition)

${\bf Elastic search Rest Client Auto Configuration:}$

Did not match:

- @ConditionalOnClass did not find required class 'org.elasticsearch.client.RestClientBuilder' (OnClassCondition)

EmbeddedLdapAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.unboundid.ldap.listener.InMemoryDirectoryServer' (OnClassCondition)

Embedded Mongo Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.MongoClientSettings' (OnClassCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.JettyWebServerFactoryCustomizerConfiguration:

Did not match:

- @ConditionalOnClass did not find required classes 'org.eclipse.jetty.server.Server', 'org.eclipse.jetty.util.Loader', 'org.eclipse.jetty.webapp.WebAppContext' (OnClassCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.NettyWebServerFactoryCustomizerConfiguration:

- @ConditionalOnClass did not find required class 'reactor.netty.http.server.HttpServer' (OnClassCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.UndertowWebServerFactoryCustomizerConfiguration:

- @ConditionalOnClass did not find required classes 'io.undertow.Undertow', 'org.xnio.SslClientAuthMode' (OnClassCondition)

ErrorWebFluxAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.config.WebFluxConfigurer' (OnClassCondition)

FlywayAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.flywaydb.core.Flyway' (OnClassCondition)

FreeMarkerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'freemarker.template.Configuration' (OnClassCondition)

GroovyTemplateAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'groovy.text.markup.MarkupTemplateEngine' (OnClassCondition)

GsonAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.google.gson.Gson' (OnClassCondition)

Gson Http Message Converters Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'com.google.gson.Gson' (OnClassCondition)

H2ConsoleAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.h2.console.enabled=true) did not find property 'enabled' (OnPropertyCondition) Matched:
 - @ConditionalOnClass found required class 'org.h2.server.web.WebServlet' (OnClassCondition)
 - found 'session' scope (OnWebApplicationCondition)

HazelcastAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.hazelcast.core.HazelcastInstance' (OnClassCondition)

HazelcastCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.hazelcast.core.HazelcastInstance' (OnClassCondition)

HazelcastJpaDependencyAutoConfiguration:

Did not match

- @ConditionalOnClass did not find required class 'com.hazelcast.core.HazelcastInstance' (OnClassCondition)

HttpHandlerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.DispatcherHandler' (OnClassCondition)

Hypermedia Auto Configuration. Hypermedia Configuration:

Did not match:

- @ConditionalOnMissingBean (types: org.springframework.hateoas.client.LinkDiscoverers; SearchStrategy: all) found beans of type 'org.springframework.hateoas.client.LinkDiscoverers' linkDiscoverers (OnBeanCondition) Matched:

- @ConditionalOnClass found required class 'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)

InfinispanCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

 $'org. in finispan. spring. embedded. provider. Spring Embedded Cache Manager' \ (On Class Condition)$

InfluxDbAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.influxdb.InfluxDB' (OnClassCondition)

IntegrationAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.integration.config.EnableIntegration' (OnClassCondition)

$\label{lem:configuration:configuration:} J Cache Cache Configuration:$

Did not match:

- @ConditionalOnClass did not find required class 'javax.cache.Caching' (OnClassCondition)

JacksonHttpMessageConvertersConfiguration.MappingJackson2XmlHttpMessageConverterConfiguration: Did not match:

 $- @Conditional On Class \ did \ not \ find \ required \ class \ 'com.fasterxml.jackson.data format.xml.XmlMapper' (On Class Condition)$

JdbcRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

 $'org.spring framework.data.jdbc.repository.config. AbstractJdbc Configuration' \ (On Class Condition)$

JerseyAutoConfiguration:

Did not match:

@ConditionalOnClass did not find required class 'org.glassfish.jersey.server.spring.SpringComponentProvider'
 (OnClassCondition)

ImsAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.jms.Message' (OnClassCondition)

JmxAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.jmx.enabled=true) found different value in property 'enabled' (OnPropertyCondition)

Matched

- @ConditionalOnClass found required class 'org.springframework.jmx.export.MBeanExporter' (OnClassCondition)

JndiConnectionFactoryAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.jms.core.JmsTemplate' (OnClassCondition)

JndiDataSourceAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.datasource.jndi-name) did not find property 'jndi-name' (OnPropertyCondition) Matched:
- @ConditionalOnClass found required classes 'javax.sql.DataSource',

 $'org.spring framework.jdbc.datasource.embedded. Embedded Database Type' \ (On Class Condition)$

JndiJtaConfiguration:

Did not match:

- @ConditionalOnJndi JNDI environment is not available (OnJndiCondition)

Matched:

 $- @ Conditional On Class\ found\ required\ class\ 'org. spring framework. transaction. jta. Jta Transaction Manager' (On Class Condition)$

${\sf JooqAutoConfiguration:}$

Did not match:

- @ConditionalOnClass did not find required class 'org.joog.DSLContext' (OnClassCondition)

Jpa Repositories Auto Configuration #entity Manager Factory Bootstrap Executor Customizer:

Did not match:

- AnyNestedCondition 0 matched 2 did not; NestedCondition on

JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition.LazyBootstrapMode @ConditionalOnProperty (spring.data.jpa.repositories.bootstrap-mode=lazy) did not find property 'bootstrap-mode'; NestedCondition on JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition.DeferredBootstrapMode @ConditionalOnProperty (spring.data.jpa.repositories.bootstrap-mode=deferred) did not find property 'bootstrap-mode' (JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition)

JsonbAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.json.bind.Jsonb' (OnClassCondition)

JsonbHttpMessageConvertersConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.json.bind.Jsonb' (OnClassCondition)

KafkaAutoConfiguration:

Did not match

 $- @Conditional On Class \ did \ not \ find \ required \ class \ 'org.spring framework.kafka.core.Kafka Template' \ (On Class Condition)$

LdapAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.ldap.core.ContextSource' (OnClassCondition)

LdapRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.ldap.repository.LdapRepository' (OnClassCondition)

LiquibaseAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'liquibase.change.DatabaseChange' (OnClassCondition)

MailSenderAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.mail.internet.MimeMessage' (OnClassCondition)

${\it Mail Sender Validator Auto Configuration:}$

Did not match:

- @ConditionalOnSingleCandidate did not find required type 'org.springframework.mail.javamail.javaMailSenderImpl' (OnBeanCondition)

MessageSourceAutoConfiguration:

Did not match:

- ResourceBundle did not find bundle with basename messages

(MessageSourceAutoConfiguration.ResourceBundleCondition)

MongoAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.client.MongoClient' (OnClassCondition)

MongoDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.client.MongoClient' (OnClassCondition)

MongoReactiveAutoConfiguration:

Did not match:

 $- @Conditional On Class \ did \ not \ find \ required \ class \ 'com.mongodb.reactive streams. client. Mongo Client' (On Class Condition)$

MongoReactive Data Auto Configuration:

Did not match:

 $- @Conditional On Class \ did \ not \ find \ required \ class \ 'com.mongodb.reactive streams.client.Mongo Client' \ (On Class Condition)$

MongoReactive Repositories Auto Configuration:

Did not match:

 $- @Conditional On Class \ did \ not \ find \ required \ class \ 'com.mongodb.reactive streams.client.MongoClient' \ (On Class Condition)$

MongoRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.client.MongoClient' (OnClassCondition)

MustacheAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.samskivert.mustache.Mustache' (OnClassCondition)

Neo4jAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

Neo4jDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

Neo4j Reactive Data Auto Configuration:

Did not match

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

Neo 4j Reactive Repositories Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

Neo4jRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

NettyAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.netty.util.NettyRuntime' (OnClassCondition)

OAuth2ClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.security.oauth2.client.registration.ClientRegistration' (OnClassCondition)

OAuth2ResourceServerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.spring framework.security.oauth 2.server.resource. Bearer Token Authentication Token' (On Class Condition)

$\label{projectInfoAutoConfiguration\#buildProperties:} ProjectInfoAutoConfiguration\#buildProperties:$

Did not match:

- @ConditionalOnResource did not find resource '\${spring.info.build.location:classpath:META-INF/build-info.properties}' (OnResourceCondition)

ProjectInfoAutoConfiguration#gitProperties:

Did not match:

- GitResource did not find git info at classpath:git.properties

(ProjectInfoAutoConfiguration.GitResourceAvailableCondition)

QuartzAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.quartz.Scheduler' (OnClassCondition)

R2dbcAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.r2dbc.spi.ConnectionFactory' (OnClassCondition)

R2dbcDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.r2dbc.core.R2dbcEntityTemplate' (OnClassCondition)

R2dbcInitialization Configuration:

Did not match:

- @ConditionalOnClass did not find required classes 'io.r2dbc.spi.ConnectionFactory',

 $'org.spring framework.r2 dbc.connection.init. Database Populator'\ (On Class Condition)$

R2dbcRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.r2dbc.spi.ConnectionFactory' (OnClassCondition)

R2dbcTransactionManagerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.r2dbc.connection.R2dbcTransactionManager' (OnClassCondition)

RSocket Messaging Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'io.rsocket.RSocket' (OnClassCondition)

RSocketRequesterAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.rsocket.RSocket' (OnClassCondition)

RSocketSecurityAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.security.rsocket.core.SecuritySocketAcceptorInterceptor' (OnClassCondition)

RSocketServerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.rsocket.core.RSocketServer' (OnClassCondition)

RSocket Strategies Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'io.netty.buffer.PooledByteBufAllocator' (OnClassCondition)

RabbitAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.rabbitmq.client.Channel' (OnClassCondition)

ReactiveElasticsearchRepositoriesAutoConfiguration:

Did not match

- @ConditionalOnClass did not find required class

'org.springframework.data.elasticsearch.client.reactive.ReactiveElasticsearchClient' (OnClassCondition)

Reactive Elastic search Rest Client Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.netty.http.client.HttpClient' (OnClassCondition)

Reactive Multipart Auto Configuration:

Did not match:

 $- @ Conditional On Class \ did \ not \ find \ required \ class \ 'org.spring framework.web.reactive.config. WebFlux Configurer' (On Class Condition)$

ReactiveOAuth2ClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux' (OnClassCondition)

Reactive OAuth 2 Resource Server Auto Configuration:

Did not match:

- @ConditionalOnWebApplication did not find reactive web application classes (OnWebApplicationCondition)

ReactiveSecurityAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux' (OnClassCondition)

Reactive User Details Service Auto Configuration:

Did not match:

- AnyNestedCondition 0 matched 2 did not; NestedCondition on

ReactiveUserDetailsServiceAutoConfiguration.ReactiveUserDetailsServiceCondition.ReactiveWebApplicationCondition did not find reactive web application classes; NestedCondition on

ReactiveUserDetailsServiceAutoConfiguration.ReactiveUserDetailsServiceCondition.RSocketSecurityEnabledCondition @ConditionalOnBean (types: org.springframework.messaging.rsocket.annotation.support.RSocketMessageHandler; SearchStrategy: all) did not find any beans of type

org.springframework.messaging.rsocket.annotation.support.RSocketMessageHandler

(Reactive User Details Service Auto Configuration. Reactive User Details Service Condition)

Matched:

- @ConditionalOnClass found required class

 $'org.spring framework.security. authentication. Reactive Authentication Manager' \ (On Class Condition) \\$

Reactive Web Server Factory Auto Configuration:

Did not match:

- @ConditionalOnWebApplication did not find reactive web application classes (OnWebApplicationCondition)

RedisAutoConfiguration:

Did not match:

 @ConditionalOnClass did not find required class 'org.springframework.data.redis.core.RedisOperations' (OnClassCondition)

RedisCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.data.redis.connection.RedisConnectionFactory' (OnClassCondition)

RedisReactiveAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux' (OnClassCondition)

RedisRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.data.redis.repository.configuration.EnableRedisRepositories' (OnClassCondition)

Saml2RelyingPartyAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.security.saml2.provider.service.registration.RelyingPartyRegistrationRepository' (OnClassCondition)

SecurityDataConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.security.data.repository.query.SecurityEvaluationContextExtension' (OnClassCondition)

SendGridAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.sendgrid.SendGrid' (OnClassCondition)

ServletWebServerFactory Auto Configuration # forwarded Header Filter:

Did not match:

- @ConditionalOnProperty (server.forward-headers-strategy=framework) did not find property 'server.forward-headers-strategy' (OnPropertyCondition)

Servlet Web Server Factory Configuration. Embedded Jetty:

Did not match:

- @ConditionalOnClass did not find required classes 'org.eclipse.jetty.server.Server', 'org.eclipse.jetty.util.Loader', 'org.eclipse.jetty.webapp.WebAppContext' (OnClassCondition)

Servlet Web Server Factory Configuration. Embedded Undertow:

Did not match:

- @ConditionalOnClass did not find required classes 'io.undertow.Undertow', 'org.xnio.SslClientAuthMode' (OnClassCondition)

SessionAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.session.Session' (OnClassCondition)

SolrAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.solr.client.solrj.impl.CloudSolrClient' (OnClassCondition)

Spring Application Admin Jmx Auto Configuration:

Did not match:

 @ConditionalOnProperty (spring.application.admin.enabled=true) did not find property 'enabled' (OnPropertyCondition)

SpringDataWebAutoConfiguration:

Did not match:

- @ConditionalOnMissingBean (types: org.springframework.data.web.PageableHandlerMethodArgumentResolver; SearchStrategy: all) found beans of type 'org.springframework.data.web.PageableHandlerMethodArgumentResolver' pageableResolver (OnBeanCondition)

Matched:

- @ConditionalOnClass found required classes

'org.springframework.data.web.PageableHandlerMethodArgumentResolver',

'org.springframework.web.servlet.config.annotation.WebMvcConfigurer' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)

Task Scheduling Auto Configuration # task Scheduler:

Did not match:

- @ConditionalOnBean (names: org.springframework.context.annotation.internalScheduledAnnotationProcessor; SearchStrategy: all) did not find any beans named org.springframework.context.annotation.internalScheduledAnnotationProcessor (OnBeanCondition)

ThymeleafAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.thymeleaf.spring5.SpringTemplateEngine' (OnClassCondition)

TransactionAutoConfiguration#transactionalOperator:

Did not match

- @ConditionalOnSingleCandidate (types: org.springframework.transaction.ReactiveTransactionManager; SearchStrategy: all) did not find any beans (OnBeanCondition)

Transaction Auto Configuration. Enable Transaction Management Configuration. Jdk Dynamic Auto Proxy Configuration:

Did not match:

- @ConditionalOnProperty (spring.aop.proxy-target-class=false) did not find property 'proxy-target-class' (OnPropertyCondition)

Validation Auto Configuration:

Did not match:

 $- @ Conditional On Class \ did \ not \ find \ required \ class \ 'javax.validation.executable. Executable Validator' \ (On Class Condition)$

WebClientAutoConfiguration:

Did not match:

 $- @Conditional On Class \ did \ not \ find \ required \ class \ 'org.spring framework.web.reactive.function.client.WebClient' (On Class Condition)$

WebFluxAutoConfiguration:

Did not match:

 $- @Conditional On Class \ did \ not \ find \ required \ class \ 'org.spring framework.web.reactive.config. WebFlux Configurer' (On Class Condition)$

WebMvcAutoConfiguration#hiddenHttpMethodFilter:

Did not match:

- @ConditionalOnProperty (spring.mvc.hiddenmethod.filter.enabled) did not find property 'enabled' (OnPropertyCondition)

 $Web {\tt Mvc} Auto {\tt Configuration}. Resource {\tt Chain Customizer Configuration}:$

Did not match:

- @ConditionalOnEnabledResourceChain did not find class org.webjars.WebJarAssetLocator (OnEnabledResourceChainCondition)

 $Web {\tt Mvc} Auto {\tt Configuration}. Web {\tt Mvc} Auto {\tt Configuration} A dapter {\tt \#beanNameViewResolver}:$

Did not match:

- @ConditionalOnMissingBean (types: org.springframework.web.servlet.view.BeanNameViewResolver;

SearchStrategy: all) found beans of type 'org.springframework.web.servlet.view.BeanNameViewResolver' beanNameViewResolver (OnBeanCondition)

Web Service Template Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.oxm.Marshaller' (OnClassCondition)

WebServicesAutoConfiguration:

 - @ConditionalOnClass did not find required class 'org.springframework.ws.transport.http.MessageDispatcherServlet' (OnClassCondition)

Web Session Id Resolver Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Mono' (OnClassCondition)

WebSocketMessagingAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.spring framework.web.socket.config.annotation. WebSocket Message Broker Configurer' (On Class Condition)

WebSocketReactiveAutoConfiguration:

Did not match:

- @ConditionalOnWebApplication did not find reactive web application classes (OnWebApplicationCondition)

WebSocket Servlet Auto Configuration. Jetty 10 WebSocket Configuration:

Did not match:

- @ConditionalOnClass did not find required classes

'org.eclipse.jetty.websocket.javax.server.internal.JavaxWebSocketServerContainer',

'org.eclipse.jetty.websocket.server.JettyWebSocketServerContainer' (OnClassCondition)

WebSocketServletAutoConfiguration.JettyWebSocketConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.eclipse.jetty.websocket.jsr356.server.deploy.WebSocketServerContainerInitializer' (OnClassCondition)

WebSocketServletAutoConfiguration.UndertowWebSocketConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.undertow.websockets.jsr.Bootstrap' (OnClassCondition)

XADataSourceAutoConfiguration:

- @ConditionalOnBean (types: org.springframework.boot.jdbc.XADataSourceWrapper; SearchStrategy: all) did not find any beans of type org.springframework.boot.jdbc.XADataSourceWrapper (OnBeanCondition)

Matched:

Exclusions:

- @ConditionalOnClass found required classes 'javax.sql.DataSource', 'javax.transaction.TransactionManager', 'org.springframework.jdbc.datasource.embedded.EmbeddedDatabaseType' (OnClassCondition)

None
Unconditional classes:
org.springframework.boot.autoconfigure.context.ConfigurationPropertiesAutoConfiguratio

org.spring framework.boot.autoconfigure.context.Lifecycle Auto Configuration

org. spring framework. boot. autoconfigure. context. Property Placeholder Auto Configuration and the property of the propert

org. spring framework. boot. autoconfigure. availability. Application Availability Auto Configuration and the strength of th

org.spring framework.boot.autoconfigure.info. Project Info Auto Configuration

2022-03-01 11:17:25.979 INFO 476 --- [Test worker] c.b.o.backend.BackendApplicationTests : Started BackendApplicationTests in 12.991 seconds (JVM running for 16.982)

2022-03-01 11:17:25.981 DEBUG 476 --- [Test worker] o.s.b.a.ApplicationAvailabilityBean : Application availability

state LivenessState changed to CORRECT

2022-03-01 11:17:25.983 DEBUG 476 --- [Test worker] o.s.b.a.ApplicationAvailabilityBean : Application availability

state ReadinessState changed to ACCEPTING_TRAFFIC

The item is added to the cart

The item is added to the cart

The item is added to the cart

, systemErr:]]]

[Pipeline] echo

 ${\tt DEBUG:} \ [Technology-backend-jira-fetch-tests-[Unit]] \ Found \ automated \ tests \ for \ component \ 'Technology-backend'. \ Test \ automated \ tests \ for \ component \ 'Technology-backend'. \ Test \ automated \ tests \ for \ component \ 'Technology-backend'. \ Test \ automated \ tests \ for \ component \ 'Technology-backend'. \ Test \ automated \ tests \ for \ component \ 'Technology-backend'. \ Test \ automated \ tests \ for \ component \ 'Technology-backend'. \ Test \ automated \ tests \ for \ component \ 'Technology-backend'. \ Test \ automated \ tests \ for \ component \ 'Technology-backend'. \ Test \ automated \ tests \ for \ component \ 'Technology-backend'. \ Test \ automated \ tests \ for \ component \ 'Technology-backend'. \ Test \ automated \ tests \ for \ component \ 'Technology-backend'. \ Test \ automated \ tests \ for \ component \ 'Technology-backend'. \ Test \ automated \ tests \ for \ component \ for \ compon$

type: [Unit]: 3 (took 3 ms)

[32m01 03 2022 11:18:58.538:INFO [HeadlessChrome 94.0.4606 (Linux 0.0.0)]: [39mConnected on socket

BG7bC1jmzktskzL-AAAA with id 9681668

TOTAL: 3 SUCCESS

======= Coverage summary

Statements : 100% (6/6)
Branches : 100% (0/0)
Functions : 100% (1/1)
Lines : 100% (5/5)

=====

[Pipeline] }

[Pipeline] // stage

[Pipeline] echo

[SonarQube Analysis-frontend] **** STARTING stage 'SonarQube Analysis' for component 'frontend' branch 'master' ****

[Pipeline] stage

[Pipeline] { (SonarQube Analysis)

[Pipeline] echo

DEBUG: [Technology-backend-jira-report-tests-[Unit]] (took 13169 ms)

[Pipeline] echo

Long-lived branches: master

[Pipeline] readProperties

[Pipeline] echo

levaDocScheduler.run start

[Pipeline] echo

PR analysis is disabled.

[Pipeline] withSonarQubeEnv

Injecting SonarQube environment variables using the configuration: SonarServerConfig

[Pipeline] {

[Pipeline] sh

[Pipeline] echo

[docgen-ordgp-DTR-backend] Creating document of type 'DTR' for project 'ordgp' and repo 'backend' in phase 'Build' and stage 'POST EXECUTE REPO'

expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createDTR; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/

[Pipeline] echo

DEBUG: createDTR - repo:[id:backend, type:ods, data:[openshift:[builds:[backend:[buildld:backend-8, image:docker-registry.default.svc:5000/ordgp-

01T11:18:41Z, deploymentId:backend-10, podNode:inhas71256.eu.boehringer.com, podIp:10.251.16.83, podStatus:Running, podStartupTimeStamp:2022-03-01T11:18:41Z, containers:[backend:docker-

registry.default.svc:5000/ordgp-

sonarqubeScanStashPath:scrr-report-backend-13, SCRR:SCRR-ordgp-backend.docx, SCRR-MD:SCRR-ordgp-backend.md, testResultsFolder:build/test-results/test, testResults:1, xunitTestResultsStashPath:test-reports-junit-xml-backend-13, CREATED_BY_BUILD:WIP/13], documents:[:], envStateCommit:27eb2abe4554932afa94f9a40a72d2165158ae6b, git: [branch:master, commit:27eb2abe4554932afa94f9a40a72d2165158ae6b,

previous Commit: 27eb 2abe 4554932 afa 94f 9a 40a 72d 2165158 ae 6b,

previousSucessfulCommit:6f8daea49927f08c0be572fc745f8396d2aec66f, url:https://bitbucket-

dev.biscrum.com/scm/ordgp/ordgp-backend.git, baseTag:, targetTag:]], url:https://bitbucket-

dev.biscrum.com/scm/ordgp/ordgp-backend.git, branch:master, pipelineConfig:[dependencies:[]], metadata:

[name:OpenJDK, description:OpenJDK is a free and open-source implementation of the Java Platform, Standard Edition.

Technologies: Spring Boot 2.1, OpenJDK 17, supplier:https://openjdk.java.net/, version:4.x, type:ods], doInstall:true], data: [tests:[unit:[testReportFiles:[/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-

master/workspace/xunit/backend/unit/build/test-results/test/TEST-

com.boehringer.ordgp.backend.BackendApplicationTests.xml], testResults: [testsuites:[[hostname:pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx, failures:0, tests:3, name:com.boehringer.ordgp.backend.BackendApplicationTests, time:0.728, errors:0, timestamp:2022-03-01T11:17:26, skipped:0, properties:[], testcases:

[[classname:com.boehringer.ordgp.backend.BackendApplicationTests, name:ORDGP138_workingunittest(), time:0.718, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:17:26],

[classname:com.boehringer.ordgp.backend.BackendApplicationTests, name:ORDGP139_workingunittest(), time:0.005, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:17:26],

[classname:com.boehringer.ordgp.backend.BackendApplicationTests, name:ORDGP137_workingunittest(), time:0.003, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:17:26]], systemOut:11:17:11.704 [Test worker] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating CacheAwareContextLoaderDelegate from class [org.springframework.test.context.cache.DefaultCacheAwareContextLoaderDelegate]

11:17:11.779 [Test worker] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating BootstrapContext using constructor [public

org.springframework.test.context.support.DefaultBootstrapContext(java.lang.Class,org.springframework.test.context.CacheAwareContextLoaderDelegate)]

11:17:11.901 [Test worker] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating

 $TestContextBootstrapper\ for\ test\ class\ [com.boehringer.ordgp.backend.BackendApplicationTests]\ from\ class\ [org.springframework.boot.test.context.SpringBootTestContextBootstrapper]$

11:17:11.980 [Test worker] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Neither @ContextConfiguration nor @ContextHierarchy found for test class

 $[com.boehringer.ordgp.backend.BackendApplicationTests],\ using\ SpringBootContextLoader$

11:17:11.989 [Test worker] DEBUG org.springframework.test.context.support.AbstractContextLoader - Did not detect default resource location for test class [com.boehringer.ordgp.backend.BackendApplicationTests]: class path resource [com/boehringer/ordgp/backend/BackendApplicationTests-context.xml] does not exist

11:17:11.990 [Test worker] DEBUG org.springframework.test.context.support.AbstractContextLoader - Did not detect default resource location for test class [com.boehringer.ordgp.backend.BackendApplicationTests]: class path resource [com/boehringer/ordgp/backend/BackendApplicationTestsContext.groovy] does not exist

11:17:11.990 [Test worker] INFO org.springframework.test.context.support.AbstractContextLoader - Could not detect default resource locations for test class [com.boehringer.ordgp.backend.BackendApplicationTests]: no resource found for suffixes {-context.xml, Context.groovy}.

11:17:11.991 [Test worker] INFO org.springframework.test.context.support.AnnotationConfigContextLoaderUtils - Could not detect default configuration classes for test class [com.boehringer.ordgp.backend.BackendApplicationTests]: BackendApplicationTests does not declare any static, non-private, non-final, nested classes annotated with @Configuration.

11:17:12.113 [Test worker] DEBUG org.springframework.test.context.support.ActiveProfilesUtils - Could not find an 'annotation declaring class' for annotation type [org.springframework.test.context.ActiveProfiles] and class [com.boehringer.ordgp.backend.BackendApplicationTests]

11:17:12.390 [Test worker] DEBUG

org.spring framework. context. annotation. Class Path Scanning Candidate Component Provider - Identified candidate component class: file [/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-path context conte

master/build/classes/java/main/com/boehringer/ordgp/backend/BackendApplication.class]

11:17:12.392 [Test worker] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Found @SpringBootConfiguration com.boehringer.ordgp.backend.BackendApplication for test class com.boehringer.ordgp.backend.BackendApplicationTests

11:17:12.714 [Test worker] DEBUG org.springframework.boot.test.context.SpringBootTestContextBootstrapper - @TestExecutionListeners is not present for class [com.boehringer.ordgp.backend.BackendApplicationTests]: using defaults

 $11:17:12.715\ [Test\ worker]\ INFO\ org.springframework.boot.test.context.SpringBootTestContextBootstrapper-Loaded\ default\ TestExecutionListener\ class\ names\ from\ location\ [META-INF/spring.factories]:$

[org.spring framework.security.test.context.support.With Security Context Test Execution Listener, and the support of the su

org.spring framework.security.test.context.support.Reactor Context Test Execution Listener,

org.spring framework.boot.test. autoconfigure.restdocs. RestDocsTestExecution Listener,

```
org.spring framework.boot.test. autoconfigure.web.client. MockRestServiceServerResetTestExecution Listener, and the state of the stat
org.spring framework.boot.test. autoconfigure.web.servlet. Mock Mvc Print Only On Failure Test Execution Listener, and the control of the c
org.spring framework.boot.test. autoconfigure.web.servlet. WebDriver Test Execution Listener, web.servlet. WebDriver Test Ex
 org.spring framework.boot.test.autoconfigure.webservices.client.MockWebServiceServerTestExecutionListener, and the subservices of the subservice
 org.spring framework.boot.test.mock.mockito.MockitoTestExecutionListener,\\
 org.spring framework.boot.test.mock.mock ito.Reset Mocks Test Execution Listener,\\
 org.spring framework. test. context. web. Servlet Test Execution Listener,\\
 org.springframework.test.context.support.DirtiesContextBeforeModesTestExecutionListener,\\
 org.spring framework.test.context.event.Application Events Test Execution Listener,\\
 org.springframework.test.context.support.DependencyInjectionTestExecutionListener,
 org.spring framework.test.context.support.Dirties Context Test Execution Listener,\\
org.spring framework.test.context.transaction. Transactional Test {\tt Execution Listener},
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener,
 org.springframework.test.context.event.EventPublishingTestExecutionListener]
 11:17:12.804\ [Test\ worker]\ INFO\ org.springframework.boot.test.context.SpringBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootTestContextBootstrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-UsingBootStrapper-Usin
 TestExecutionListeners: [org.springframework.test.context.web.ServletTestExecutionListener@6749fe50,
 org.spring framework. test. context. support. Dirties Context Before Modes Test Execution Listener @52bf7bf6, and the context of the contex
org.springframework.test.context.event.ApplicationEventsTestExecutionListener@261db982,
 org.spring framework.boot.test.mock.mockito.MockitoTestExecutionListener@ae73c80, \\
 org.spring framework.boot.test. autoconfigure. Spring Boot Dependency Injection Test Execution Listener @22f4f8f2, and the properties of the properties of
 org.springframework.test.context.support.DirtiesContextTestExecutionListener@bbd4791,
 org.spring framework.test.context.transaction. Transactional Test Execution Listener @40a72ecd,\\
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener@73971965,
 org.spring framework.security.test.context.support.With Security Context Test Execution Listener @76a14c8d, and the context test of the context 
 org.spring framework.test.context.event. Event Publishing Test Execution Listener @17410c07, and the property of the propert
 org.springframework.security.test.context.support.ReactorContextTestExecutionListener@6ee99964,
 org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener@257ef9ed,
 org.spring framework.boot.test.autoconfigure.web.client. MockRestServiceServerResetTestExecutionListener @ 59c70ceb, where the statement of 
 org.spring framework.boot.test.autoconfigure.web.servlet. Mock Mvc Print Only On Failure Test Execution Listener @46f902e0, and the failure Test Execution Listener and Listener and Listener and Listener a
 org.spring framework.boot.test. autoconfigure. web.servlet. WebDriver Test Execution Listener @ 64f981e2, autoconfigure. WebDriver Test Execution Listener & Grand Listener & 
 org.spring framework.boot.test.autoconfigure.webservices.client.MockWebServiceServerTestExecutionListener@361abd01\\
    , or g. spring framework. boot. test. mock. mockito. Reset Mocks Test Execution Listener @575b5f7d] \\
 11:17:12.809 [Test worker] DEBUG
 org.springframework.test.context.support.AbstractDirtiesContextTestExecutionListener - Before test class: context
 [DefaultTestContext@30839e44 testClass = BackendApplicationTests, testInstance = [null], testMethod = [null],
 BackendApplicationTests, locations = '{}', classes = '{class com.boehringer.ordgp.backend.BackendApplication}',
 context Initializer Classes = '[]', active Profiles = '\{\}', property Source Locations = '\{\}', property Source Properties = (Particular Locations) | Particular Locations | Particular
  '{org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true}', contextCustomizers =
  set[org.springframework.boot.test.autoconfigure.actuate.metrics.MetricsExportContextCustomizerFactory \$DisableMetricExportContextCustomizerFactory \$Disabl
 xportContextCustomizer@76c548f,
 org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@0,
org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@73ad7e90,
 org.spring framework.boot.test.js on. Duplicate Js on Object Context Customizer Factory \$Duplicate Factory \$Duplicat
 @29528a22, org.springframework.boot.test.mock.mockito.MockitoContextCustomizer @0, \\
 org.spring framework.boot.test.web.client. TestRestTemplate Context Customizer @474 fae 39, the context Customizer and the cont
 org.springframework.boot.test.context.SpringBootTestArgs@1,\\
org.springframework.boot.test.context.SpringBootTestWebEnvironment @6b9ce1bf], \ resourceBasePath = \\
  'src/main/webapp', contextLoader = 'org.springframework.boot.test.context.SpringBootContextLoader', parent = [null]],
 attributes = map['org.springframework.test.context.web.ServletTestExecutionListener.activateListener' -> true]], class = map['org.springframework.test.web.ServletTestExecutionListener.activateListener' -> true]], class = map['org.springframework.test.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTest.web.ServletTe
 annotated with @DirtiesContext [false] with mode [null].
 11:17:12.985 [Test worker] DEBUG org.springframework.boot.ApplicationServletEnvironment - Activating profiles []
 11:17:12.986 [Test worker] DEBUG org.springframework.test.context.support.TestPropertySourceUtils - Adding inlined
 properties to environment: {spring.jmx.enabled=false,
 org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true}
```

```
2022-03-01 11:17:13.980 INFO 476 --- [ Test worker] c.b.o.backend.BackendApplicationTests : Starting
BackendApplicationTests using Java 17.0.1 on pod-87af8ccf-3284-4203-b048-da5aa2e15a20-s63cc-rvlsx with PID 476
(started by default in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master)
2022-03-01 11:17:13.981 INFO 476 --- [ Test worker] c.b.o.backend.BackendApplicationTests : The following profiles
are active: dev
2022-03-01 11:17:13.981 DEBUG 476 --- [ Test worker] o.s.boot.SpringApplication
                                                                                                                                                                                                     : Loading source class
com.boehringer.ordgp.backend.BackendApplication
2022-03-01 11:17:14.088 DEBUG 476 --- [ Test worker] o.s.w.c.s.GenericWebApplicationContext : Refreshing
org.spring framework.web.context.support.GenericWeb Application Context @ 53314f76\\
2022-03-01 11:17:15.979 INFO 476 --- [ Test worker] .s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping Spring
Data IPA repositories in DEFAULT mode.
2022-03-01 11:17:15.996 DEBUG 476 --- [ Test worker] o.s.b.a.AutoConfigurationPackages
@EnableAutoConfiguration was declared on a class in the package 'com.boehringer.ordgp.backend'. Automatic
@Repository and @Entity scanning is enabled.
2022-03-01 11:17:15.998 INFO 476 --- [ Test worker] .s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data
repository scanning in 6 ms. Found 0 JPA repository interfaces.
2022-03-01 11:17:18.008 INFO 476 --- [ Test worker] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Starting... 2022-03-01 11:17:18.799 INFO 476 --- [ Test worker] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Start
completed.
2022-03-01 11:17:19.019 INFO 476 --- [ Test worker] o.hibernate.jpa.internal.util.LogHelper : HHH000204: Processing
PersistenceUnitInfo [name: default]
2022-03-01 11:17:19.203 INFO 476 --- [ Test worker] org.hibernate.Version
                                                                                                                                                                                              : HHH000412: Hibernate ORM
core version 5.6.1.Final
2022-03-01 11:17:19.784 INFO 476 --- [ Test worker] o.hibernate.annotations.common.Version : HCANN000001:
Hibernate Commons Annotations {5.1.2.Final}
2022-03-01 11:17:20.118 INFO 476 --- [ Test worker] org.hibernate.dialect.Dialect
                                                                                                                                                                                                 : HHH000400: Using dialect:
org.hibernate.dialect.HSQLDialect
2022-03-01 11:17:20.877 INFO 476 --- [ Test worker] o.h.e.t.j.p.i.JtaPlatformInitiator
                                                                                                                                                                                              : HHH000490: Using JtaPlatform
implementation: [org.hibernate.engine.transaction.jta.platform.internal.NoJtaPlatform]
2022-03-01 11:17:20.889 INFO 476 --- [ Test worker] j.LocalContainerEntityManagerFactoryBean: Initialized JPA
EntityManagerFactory for persistence unit 'default'
2022-03-01 11:17:21.519 WARN 476 --- [ Test worker] JpaBaseConfiguration$JpaWebConfiguration: spring.jpa.open-in-
view is enabled by default. Therefore, database queries may be performed during view rendering. Explicitly configure
spring.jpa.open-in-view to disable this warning
2022-03-01 11:17:23.594 DEBUG 476 --- [ Test worker] s.w.s.m.m.a.RequestMappingHandlerAdapter : ControllerAdvice
beans: 0 @ModelAttribute, 0 @InitBinder, 1 RequestBodyAdvice, 1 ResponseBodyAdvice
2022-03-01 11:17:23.807 DEBUG 476 --- [ Test worker] s.w.s.m.m.a.RequestMappingHandlerMapping : 2 mappings in
'requestMappingHandlerMapping'
2022-03-01 11:17:23.981 DEBUG 476 --- [ Test worker] o.s.w.s.handler.SimpleUrlHandlerMapping : Patterns
[/webjars/**, /**] in 'resourceHandlerMapping'
2022-03-01 11:17:23.997 DEBUG 476 --- [ Test worker] .m.m.a.ExceptionHandlerExceptionResolver : ControllerAdvice
beans: 1 @ExceptionHandler, 1 ResponseBodyAdvice
2022-03-01 11:17:24.876 INFO 476 --- [ Test worker] .s.s.UserDetailsServiceAutoConfiguration :
Using generated security password: efb4543f-81be-434d-9d4b-2d4759f69822
2022-03-01 11:17:25.395 INFO 476 --- [ Test worker] o.s.s.web.DefaultSecurityFilterChain : Will secure any request
with [org.spring framework.security.web.context.request.async. Web Async Manager Integration Filter @2a0dda9e, and the context of the conte
org.spring framework.security.web.context. Security Context Persistence Filter @d98fc62,\\
org.springframework.security.web.header.HeaderWriterFilter@5d33742,
org.springframework.security.web.csrf.CsrfFilter@6f601ce0,
org.springframework.security.web.authentication.logout.LogoutFilter@71122014,
org.springframework.security.web.authentication.UsernamePasswordAuthenticationFilter@4cfd3d7e,
org.spring framework.security.web.authentication.ui.DefaultLoginPageGeneratingFilter@16c1fc82, and the state of the stat
org.springframework.security.web.authentication.ui.DefaultLogoutPageGeneratingFilter@a046448,
org.spring framework.security.web.authentication.www.BasicAuthenticationFilter@2d301b0e, \\
org.springframework.security.web.savedrequest.RequestCacheAwareFilter@28ec960b,
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@62dd1498,
org. spring framework. security. web. authentication. Anonymous Authentication Filter @2741f66d, and the strength of the str
org.spring framework.security.web.session. Session Management Filter @ 266737c4,\\
org.spring framework.security.web.access. Exception Translation Filter @572c013f, \\
org.spring framework.security.web.access.intercept.Filter Security Interceptor @148a3112]\\
```

2022-03-01 11:17:25.813 DEBUG 476 --- [Test worker] ConditionEvaluationReportLoggingListener :

	_
CONDITIONS EVALUATION REPORT	_
	=

Positive matches:

AopAutoConfiguration matched:

- @ConditionalOnProperty (spring.aop.auto=true) matched (OnPropertyCondition)

AopAutoConfiguration.Aspect|AutoProxyingConfiguration matched:

- @ConditionalOnClass found required class 'org.aspectj.weaver.Advice' (OnClassCondition)

AopAutoConfiguration.AspectJAutoProxyingConfiguration.CglibAutoProxyConfiguration matched:

- @ConditionalOnProperty (spring.aop.proxy-target-class=true) matched (OnPropertyCondition)

DataSourceAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.sql.DataSource',

'org.springframework.jdbc.datasource.embedded.EmbeddedDatabaseType' (OnClassCondition)

- @ConditionalOnMissingBean (types: io.r2dbc.spi.ConnectionFactory; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $Data Source Auto Configuration. Pooled Data Source Configuration\ matched:$

- AnyNestedCondition 1 matched 1 did not; NestedCondition on

DataSourceAutoConfiguration.PooledDataSourceCondition.PooledDataSourceAvailable PooledDataSource found supported DataSource; NestedCondition on DataSourceAutoConfiguration.PooledDataSourceCondition.ExplicitType @ConditionalOnProperty (spring.datasource.type) did not find property 'type' (DataSourceAutoConfiguration.PooledDataSourceCondition)

- @ Conditional On Missing Bean (types: javax.sql. Data Source, javax.sql. XAData Source; Search Strategy: all) did not find any beans (On Bean Condition)

DataSourceConfiguration.Hikari matched:

- @ConditionalOnClass found required class 'com.zaxxer.hikari.HikariDataSource' (OnClassCondition)
- @ConditionalOnProperty (spring.datasource.type=com.zaxxer.hikari.HikariDataSource) matched (OnPropertyCondition)
- @ConditionalOnMissingBean (types: javax.sql.DataSource; SearchStrategy: all) did not find any beans (OnBeanCondition)

DataSourceInitializationConfiguration matched:

- @Conditional On Class found required class 'org.spring framework.jdbc.datasource.init. Database Populator' (On Class Condition)
- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource'; @ConditionalOnMissingBean (types:

org.springframework.boot.autoconfigure.sql.init.SqlDataSourceScriptDatabaseInitializer,org.springframework.boot.autoconfigure.sql.init.SqlR2dbcScriptDatabaseInitializer; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $Data Source Pool Metadata Provider SConfiguration. Hikari Pool Data Source Metadata Provider Configuration \ matched: \\$

- @ConditionalOnClass found required class 'com.zaxxer.hikari.HikariDataSource' (OnClassCondition)

DataSourceTransactionManagerAutoConfiguration matched:

@ConditionalOnClass found required classes 'org.springframework.jdbc.core.JdbcTemplate',
 'org.springframework.transaction.TransactionManager' (OnClassCondition)

 $Data Source Transaction Manager Auto Configuration. \\ Jdbc Transaction Manager Configuration\ matched:$

- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource' (OnBeanCondition)

 ${\bf Dispatcher Servlet Auto Configuration\ matched:}$

- @ConditionalOnClass found required class 'org.springframework.web.servlet.DispatcherServlet' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)

 $Dispatcher Servlet Auto Configuration. Dispatcher Servlet Configuration\ matched:$

- @ConditionalOnClass found required class 'javax.servlet.ServletRegistration' (OnClassCondition)

- Default DispatcherServlet did not find dispatcher servlet beans (DispatcherServletAutoConfiguration.DefaultDispatcherServletCondition)

 $Dispatcher Servlet Auto Configuration. Dispatcher Servlet Registration Configuration\ matched:$

- @ConditionalOnClass found required class 'javax.servlet.ServletRegistration' (OnClassCondition)
- DispatcherServlet Registration did not find servlet registration bean

(Dispatcher Servlet Auto Configuration. Dispatcher Servlet Registration Condition)

Dispatcher Servlet Auto Configuration. Dispatcher Servlet Registration Configuration # dispatcher Servlet Registration matched:

- @ConditionalOnBean (names: dispatcherServlet types: org.springframework.web.servlet.DispatcherServlet; SearchStrategy: all) found bean 'dispatcherServlet' (OnBeanCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration matched:

@ConditionalOnWebApplication (required) found 'session' scope (OnWebApplicationCondition)

Embedded Web Server Factory Customizer Auto Configuration. To mcat Web Server Factory Customizer Configuration matched:

- @ConditionalOnClass found required classes 'org.apache.catalina.startup.Tomcat', 'org.apache.coyote.UpgradeProtocol' (OnClassCondition)

ErrorMvcAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet',

 $'org.spring framework.web.servlet. Dispatcher Servlet' \ (On Class Condition)\\$

- found 'session' scope (OnWebApplicationCondition)

ErrorMvcAutoConfiguration#basicErrorController matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.web.servlet.error.ErrorController; SearchStrategy: current) did not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration#errorAttributes matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.web.servlet.error.ErrorAttributes; SearchStrategy: current) did not find any beans (OnBeanCondition)

Error Mvc Auto Configuration. Default Error View Resolver Configuration # convention Error View Resolver matched:

- @ConditionalOnBean (types: org.springframework.web.servlet.DispatcherServlet; SearchStrategy: all) found bean 'dispatcherServlet'; @ConditionalOnMissingBean (types:

org.springframework.boot.autoconfigure.web.servlet.error.ErrorViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

ErrorMvcAutoConfiguration.WhitelabelErrorViewConfiguration matched:

- @ConditionalOnProperty (server.error.whitelabel.enabled) matched (OnPropertyCondition)
- ErrorTemplate Missing did not find error template view (ErrorMvcAutoConfiguration.ErrorTemplateMissingCondition)

 $Error Mvc Auto Configuration. White label Error View Configuration \# bean Name View Resolver \ matched: \\$

- @ConditionalOnMissingBean (types: org.springframework.web.servlet.view.BeanNameViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $\label{thm:configuration} Error \textit{MvcAutoConfiguration.WhitelabelErrorViewConfiguration\#defaultErrorView\ matched:}$

- @ConditionalOnMissingBean (names: error; SearchStrategy: all) did not find any beans (OnBeanCondition)

ErrorPageSecurityFilterConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.security.web.access.WebInvocationPrivilegeEvaluator' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)

 $\label{lem:configuration} \textbf{ErrorPageSecurityFilterConfiguration\#errorPageSecurityInterceptor\ matched:}$

- @ConditionalOnBean (types: org.springframework.security.web.access.WebInvocationPrivilegeEvaluator; SearchStrategy: all) found bean 'privilegeEvaluator' (OnBeanCondition)

GenericCacheConfiguration matched:

 $- \ Cache\ org. spring framework. boot. autoconfigure. cache. Generic Cache Configuration\ automatic\ cache\ type\ (Cache Condition)$

HibernateJpaAutoConfiguration matched:

- @ConditionalOnClass found required classes

'org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean', 'javax.persistence.EntityManager', 'org.hibernate.engine.spi.SessionImplementor' (OnClassCondition)

HibernateJpaConfiguration matched:

- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource' (OnBeanCondition)

HttpEncodingAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.web.filter.CharacterEncodingFilter'
 (OnClassCondition)
 - found 'session' scope (OnWebApplicationCondition)
 - @ConditionalOnProperty (server.servlet.encoding.enabled) matched (OnPropertyCondition)

HttpEncodingAutoConfiguration#characterEncodingFilter matched:

- @ConditionalOnMissingBean (types: org.springframework.web.filter.CharacterEncodingFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

HttpMessageConvertersAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.http.converter.HttpMessageConverter' (OnClassCondition)
 - NoneNestedConditions 0 matched 1 did not; NestedCondition on

HttpMessageConvertersAutoConfiguration.NotReactiveWebApplicationCondition.ReactiveWebApplication did not find reactive web application classes (HttpMessageConvertersAutoConfiguration.NotReactiveWebApplicationCondition)

HttpMessageConvertersAutoConfiguration#messageConverters matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.autoconfigure.http.HttpMessageConverters; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $Http Message Converter S Auto Configuration. String Http Message Converter Configuration\ matched:$

- @ Conditional On Class found required class 'org. spring framework. http. converter. String Http Message Converter' (On Class Condition)

HttpMessageConvertersAutoConfiguration.StringHttpMessageConverterConfiguration#stringHttpMessageConverter matched:

- @ConditionalOnMissingBean (types: org.springframework.http.converter.StringHttpMessageConverter; SearchStrategy: all) did not find any beans (OnBeanCondition)

HypermediaAutoConfiguration matched:

- @ConditionalOnClass found required classes 'org.springframework.hateoas.EntityModel',

'org.spring framework.web.bind.annotation. Request Mapping',

'org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter',

'org.springframework.plugin.core.Plugin' (OnClassCondition)

- @ConditionalOnWebApplication (required) found 'session' scope (OnWebApplicationCondition)

 $Hypermedia Auto Configuration \#application Js on Hal Configuration \ matched:$

- $@ Conditional On Class\ found\ required\ class\ 'com. fasterxml. jackson. databind. Object Mapper'\ (On Class Condition)$
- @ConditionalOnProperty (spring.hateoas.use-hal-as-default-json-media-type) matched (OnPropertyCondition)
- @ConditionalOnMissingBean (types: org.springframework.hateoas.mediatype.hal.HalConfiguration; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonAutoConfiguration matched:

- @ConditionalOnClass found required class 'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)

 @ConditionalOnClass found required class 'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)

JacksonAutoConfiguration.JacksonObjectMapperBuilderConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)

- @ConditionalOnMissingBean (types: org.springframework.http.converter.json.Jackson2ObjectMapperBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonAutoConfiguration.JacksonObjectMapperConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.http.converter.json.Jackson2ObjectMapperBuilder' (OnClassCondition)

JacksonAutoConfiguration.JacksonObjectMapperConfiguration#jacksonObjectMapper matched:

- @ConditionalOnMissingBean (types: com.fasterxml.jackson.databind.ObjectMapper; SearchStrategy: all) did not find any beans (OnBeanCondition)

JacksonAutoConfiguration.ParameterNamesModuleConfiguration matched:

- @ConditionalOnClass found required class 'com.fasterxml.jackson.module.paramnames.ParameterNamesModule' (OnClassCondition)

JacksonAutoConfiguration.ParameterNamesModuleConfiguration#parameterNamesModule matched:

- @ConditionalOnMissingBean (types: com.fasterxml.jackson.module.paramnames.ParameterNamesModule; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $Jackson Http Message Converters Configuration. Mapping Jackson 2 Http Message Converter Configuration \ matched: \\$

- @ConditionalOnClass found required class 'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)
- @ConditionalOnProperty (spring.mvc.converters.preferred-json-mapper=jackson) matched (OnPropertyCondition)
- @ConditionalOnBean (types: com.fasterxml.jackson.databind.ObjectMapper; SearchStrategy: all) found bean 'jacksonObjectMapper' (OnBeanCondition)

- @ConditionalOnMissingBean (types:

org.spring framework. http. converter. json. Mapping Jackson 2 Http Message Converter ignored:

org.springframework.hateoas.server.mvc.TypeConstrainedMappingJackson2HttpMessageConverter,org.springframework.d ata.rest.webmvc.alps.AlpsJsonHttpMessageConverter; SearchStrategy: all) did not find any beans (OnBeanCondition)

 ${\tt JdbcTemplateAutoConfiguration\ matched:}$

- @ConditionalOnClass found required classes 'javax.sql.DataSource', 'org.springframework.jdbc.core.JdbcTemplate' (OnClassCondition)
- @ConditionalOnSingleCandidate (types: javax.sql.DataSource; SearchStrategy: all) found a primary bean from beans 'dataSource' (OnBeanCondition)

JdbcTemplateConfiguration matched:

- @ConditionalOnMissingBean (types: org.springframework.jdbc.core.JdbcOperations; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#entityManagerFactory matched:

 $- @ Conditional On Missing Bean \ (types:$

org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean,javax.persistence.EntityManagerFactory; SearchStrategy: all) did not find any beans (OnBeanCondition)

- @Conditional On Missing Bean (types: org.spring framework.boot.orm.jpa. Entity Manager Factory Builder; Search Strategy: all) did not find any beans (On Bean Condition)

JpaBaseConfiguration#jpaVendorAdapter matched:

- @ConditionalOnMissingBean (types: org.springframework.orm.jpa.JpaVendorAdapter; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration#transactionManager matched:

- @ConditionalOnMissingBean (types: org.springframework.transaction.TransactionManager; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaBaseConfiguration.JpaWebConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.web.servlet.config.annotation.WebMvcConfigurer' (OnClassCondition)
 - found 'session' scope (OnWebApplicationCondition)
 - @ConditionalOnProperty (spring.jpa.open-in-view=true) matched (OnPropertyCondition)
 - @ConditionalOnMissingBean (types:

org.springframework.orm.jpa.support.OpenEntityManagerInViewInterceptor,org.springframework.orm.jpa.support.OpenEntityManagerInViewFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

JpaRepositoriesAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.data.jpa.repository.JpaRepository' (OnClassCondition)
 - @ConditionalOnProperty (spring.data.jpa.repositories.enabled=true) matched (OnPropertyCondition)
 - $\hbox{-} @ Conditional On Bean \ (types: javax.sql. Data Source; Search Strategy: all) found bean \ 'data Source'; \\$

@ConditionalOnMissingBean (types:

org.springframework.data.jpa.repository.support.JpaRepositoryFactoryBean,org.springframework.data.jpa.repository.config.jpaRepositoryConfigExtension; SearchStrategy: all) did not find any beans (OnBeanCondition)

JtaAutoConfiguration matched:

- @ConditionalOnClass found required class 'javax.transaction.Transaction' (OnClassCondition)
- @ConditionalOnProperty (spring.jta.enabled) matched (OnPropertyCondition)

 $Life cycle Auto Configuration \# default Life cycle Processor\ matched:$

- @ConditionalOnMissingBean (names: lifecycleProcessor; SearchStrategy: current) did not find any beans (OnBeanCondition)

MultipartAutoConfiguration matched:

- @ConditionalOnClass found required classes 'javax.servlet.Servlet',

'org.springframework.web.multipart.support.StandardServletMultipartResolver', 'javax.servlet.MultipartConfigElement' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnProperty (spring.servlet.multipart.enabled) matched (OnPropertyCondition)

 ${\bf Multipart Auto Configuration \# multipart ConfigElement\ matched:}$

- @ConditionalOnMissingBean (types:

javax.servlet.MultipartConfigElement,org.springframework.web.multipart.commons.CommonsMultipartResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

MultipartAutoConfiguration#multipartResolver matched:

- @ConditionalOnMissingBean (types: org.springframework.web.multipart.MultipartResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

NamedParameterJdbcTemplateConfiguration matched:

- @ConditionalOnSingleCandidate (types: org.springframework.jdbc.core.JdbcTemplate; SearchStrategy: all) found a primary bean from beans 'jdbcTemplate'; @ConditionalOnMissingBean (types:

org.springframework.jdbc.core.namedparam.NamedParameterJdbcOperations; SearchStrategy: all) did not find any beans (OnBeanCondition)

NoOpCacheConfiguration matched:

 $- Cache\ org.spring framework.boot.autoconfigure.cache.No Op Cache Configuration\ automatic\ cache\ type\ (Cache Condition)$

 $Persistence {\sf Exception Translation Auto Configuration\ matched:}$

- @ConditionalOnClass found required class

 $'org.spring framework. dao.annotation. Persistence Exception Translation Post Processor' \ (On Class Condition)$

Persistence Exception Translation Auto Configuration # persistence Exception Translation Post Processor matched:

- @ConditionalOnProperty (spring.dao.exceptiontranslation.enabled) matched (OnPropertyCondition)
- @ConditionalOnMissingBean (types:

org.springframework.dao.annotation.PersistenceExceptionTranslationPostProcessor; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $\label{propertyPlaceholderAutoConfiguration\#propertySourcesPlaceholderConfigurer\ matched: \\$

- @ConditionalOnMissingBean (types: org.springframework.context.support.PropertySourcesPlaceholderConfigurer; SearchStrategy: current) did not find any beans (OnBeanCondition)

 $Repository Rest Mvc Auto Configuration\ matched:$

- @ConditionalOnClass found required class

'org.springframework.data.rest.webmvc.config.RepositoryRestMvcConfiguration' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnMissingBean (types: org.springframework.data.rest.webmvc.config.RepositoryRestMvcConfiguration;

SearchStrategy: all) did not find any beans (OnBeanCondition)

RestTemplateAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.web.client.RestTemplate' (OnClassCondition)
- NoneNestedConditions 0 matched 1 did not; NestedCondition on

RestTemplateAutoConfiguration.NotReactiveWebApplicationCondition.ReactiveWebApplication did not find reactive web application classes (RestTemplateAutoConfiguration.NotReactiveWebApplicationCondition)

RestTemplateAutoConfiguration#restTemplateBuilder matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.web.client.RestTemplateBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $RestTemplate Auto Configuration \#restTemplate Builder Configurer\ matched:$

- @ConditionalOnMissingBean (types:

org.springframework.boot.autoconfigure.web.client.RestTemplateBuilderConfigurer; SearchStrategy: all) did not find any beans (OnBeanCondition)

SecurityAutoConfiguration matched:

- @ConditionalOnClass found required class

 $'org.spring framework.security.authentication.Default Authentication Event Publisher' \ (On Class Condition)$

SecurityAutoConfiguration#authenticationEventPublisher matched:

- @ConditionalOnMissingBean (types: org.springframework.security.authentication.AuthenticationEventPublisher; SearchStrategy: all) did not find any beans (OnBeanCondition)

SecurityFilterAutoConfiguration matched:

- @ConditionalOnClass found required classes

'org.springframework.security.web.context.AbstractSecurityWebApplicationInitializer',

'org.springframework.security.config.http.SessionCreationPolicy' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)

SecurityFilterAutoConfiguration#securityFilterChainRegistration matched:

- @ConditionalOnBean (names: springSecurityFilterChain; SearchStrategy: all) found bean 'springSecurityFilterChain' (OnBeanCondition)

 $Servlet Web Server Factory Auto Configuration\ matched:$

- @ConditionalOnClass found required class 'javax.servlet.ServletRequest' (OnClassCondition)
- found 'session' scope (OnWebApplicationCondition)

ServletWebServerFactoryAutoConfiguration#tomcatServletWebServerFactoryCustomizer matched:

- @ConditionalOnClass found required class 'org.apache.catalina.startup.Tomcat' (OnClassCondition)

 $Servlet Web Server Factory Configuration. Embedded Tomcat\ matched:$

- @ConditionalOnClass found required classes 'javax.servlet.Servlet', 'org.apache.catalina.startup.Tomcat', 'org.apache.coyote.UpgradeProtocol' (OnClassCondition)
- @ Conditional On Missing Bean (types: org.spring framework.boot.web.servlet.server. Servlet Web Server Factory; Search Strategy: current) did not find any beans (On Bean Condition)

SimpleCacheConfiguration matched:

 $- Cache\ org. spring framework. boot. autoconfigure. cache. Simple Cache Configuration\ automatic\ cache\ type\ (Cache Condition)$

SpringBootWebSecurityConfiguration matched:

- found 'session' scope (OnWebApplicationCondition)
- AllNestedConditions 2 matched 0 did not; NestedCondition on DefaultWebSecurityCondition.Beans @ConditionalOnMissingBean (types:

org.springframework.security.config.annotation.web.configuration.WebSecurityConfigurerAdapter,org.springframework.security.web.SecurityFilterChain; SearchStrategy: all) did not find any beans; NestedCondition on

DefaultWebSecurityCondition.Classes @ConditionalOnClass found required classes

'org.springframework.security.web.SecurityFilterChain',

'org.springframework.security.config.annotation.web.builders.HttpSecurity' (DefaultWebSecurityCondition)

SqlInitializationAutoConfiguration matched:

- @ConditionalOnProperty (spring.sql.init.enabled) matched (OnPropertyCondition)

- NoneNestedConditions 0 matched 1 did not; NestedCondition on SqlInitializationAutoConfiguration.SqlInitializationModeCondition.ModelsNever @ConditionalOnProperty (spring.sql.init.mode=never) did not find property 'mode' (SqlInitializationAutoConfiguration.SqlInitializationModeCondition)

TaskExecutionAutoConfiguration matched:

 @ConditionalOnClass found required class 'org.springframework.scheduling.concurrent.ThreadPoolTaskExecutor' (OnClassCondition)

TaskExecutionAutoConfiguration#applicationTaskExecutor matched:

- @ConditionalOnMissingBean (types: java.util.concurrent.Executor; SearchStrategy: all) did not find any beans (OnBeanCondition)

TaskExecutionAutoConfiguration#taskExecutorBuilder matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.task.TaskExecutorBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

TaskSchedulingAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.scheduling.concurrent.ThreadPoolTaskScheduler' (OnClassCondition)

TaskSchedulingAutoConfiguration#taskSchedulerBuilder matched:

- @ConditionalOnMissingBean (types: org.springframework.boot.task.TaskSchedulerBuilder; SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.transaction.PlatformTransactionManager' (OnClassCondition)

 $Transaction Auto Configuration \#platform Transaction Manager Customizers\ matched:$

- @ConditionalOnMissingBean (types:

org.springframework.boot.autoconfigure.transaction.TransactionManagerCustomizers; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $Transaction Auto Configuration. Enable Transaction Management Configuration\ matched:$

- @ConditionalOnBean (types: org.springframework.transaction.TransactionManager; SearchStrategy: all) found bean 'transactionManager'; @ConditionalOnMissingBean (types:

org.springframework.transaction.annotation.AbstractTransactionManagementConfiguration; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $Transaction Auto Configuration. Enable Transaction Management Configuration. Cglib Auto Proxy Configuration \ matched: \\$

- @ConditionalOnProperty (spring.aop.proxy-target-class=true) matched (OnPropertyCondition)

 $Transaction Auto Configuration. Transaction Template Configuration\ matched:$

- @ConditionalOnSingleCandidate (types: org.springframework.transaction.PlatformTransactionManager; SearchStrategy: all) found a primary bean from beans 'transactionManager' (OnBeanCondition)

 $Transaction Auto Configuration. Transaction Template Configuration \# transaction Template \ matched: \\$

- @ConditionalOnMissingBean (types: org.springframework.transaction.support.TransactionOperations; SearchStrategy: all) did not find any beans (OnBeanCondition)

UserDetailsServiceAutoConfiguration matched:

- @ConditionalOnClass found required class 'org.springframework.security.authentication.AuthenticationManager' (OnClassCondition)
- @ConditionalOnBean (types: org.springframework.security.config.annotation.ObjectPostProcessor; SearchStrategy: all) found bean 'objectPostProcessor'; @ConditionalOnMissingBean (types:

org.springframework.security.authentication.AuthenticationManager,org.springframework.security.authentication.AuthenticationProvider,org.springframework.security.core.userdetails.UserDetailsService,org.springframework.security.authentication.Authentication.AuthenticationManagerResolver,org.springframework.security.oauth2.jwt.JwtDecoder,org.springframework.security.oauth2.server.resource.introspection.OpaqueTokenIntrospector,org.springframework.security.oauth2.client.registration.ClientRegistrationRepository; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration matched:

 @ConditionalOnClass found required classes 'javax.servlet.Servlet', 'org.springframework.web.servlet.DispatcherServlet',

'org.springframework.web.servlet.config.annotation.WebMvcConfigurer' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnMissingBean (types:

org.springframework.web.servlet.config.annotation.WebMvcConfigurationSupport; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration#formContentFilter matched:

- @ConditionalOnProperty (spring.mvc.formcontent.filter.enabled) matched (OnPropertyCondition)
- @ConditionalOnMissingBean (types: org.springframework.web.filter.FormContentFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $WebMvcAutoConfiguration. EnableWebMvcConfiguration \#flashMapManager\ matched:$

- @ConditionalOnMissingBean (names: flashMapManager; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.EnableWebMvcConfiguration#localeResolver matched:

- @ConditionalOnMissingBean (names: localeResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.EnableWebMvcConfiguration#themeResolver matched:

- @ConditionalOnMissingBean (names: themeResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $WebMvcAutoConfiguration. WebMvcAutoConfigurationAdapter \#defaultViewResolver\ matched: \\$

- @ConditionalOnMissingBean (types: org.springframework.web.servlet.view.InternalResourceViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $WebMvcAutoConfiguration. WebMvcAutoConfigurationAdapter \#requestContextFilter\ matched: \\$

- @ConditionalOnMissingBean (types:

org.springframework.web.context.request.RequestContextListener,org.springframework.web.filter.RequestContextFilter; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebMvcAutoConfiguration.WebMvcAutoConfigurationAdapter#viewResolver matched:

- @ConditionalOnBean (types: org.springframework.web.servlet.ViewResolver; SearchStrategy: all) found beans 'defaultViewResolver', 'beanNameViewResolver', 'mvcViewResolver'; @ConditionalOnMissingBean (names: viewResolver types: org.springframework.web.servlet.view.ContentNegotiatingViewResolver; SearchStrategy: all) did not find any beans (OnBeanCondition)

WebSecurityEnablerConfiguration matched:

- @ConditionalOnClass found required class

'org.springframework.security.config.annotation.web.configuration.EnableWebSecurity' (OnClassCondition)

- found 'session' scope (OnWebApplicationCondition)
- @ConditionalOnMissingBean (names: springSecurityFilterChain; SearchStrategy: all) did not find any beans (OnBeanCondition)

 $WebSocket Servlet Auto Configuration\ matched:$

- @ConditionalOnClass found required classes 'javax.servlet.Servlet', 'javax.websocket.server.ServerContainer' (OnClassCondition)
 - found 'session' scope (OnWebApplicationCondition)

 $WebSocket Servlet Auto Configuration. Tomcat WebSocket Configuration\ matched:$

- @ConditionalOnClass found required classes 'org.apache.catalina.startup.Tomcat',

'org.apache.tomcat.websocket.server.WsSci' (OnClassCondition)

Web Socket Servlet Auto Configuration. To mcat Web Socket Configuration # web socket Servlet Web Server Customizer matched:

- @ConditionalOnMissingBean (names: websocketServletWebServerCustomizer; SearchStrategy: all) did not find any beans (OnBeanCondition)

Negative matches:

ActiveMQAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.jms.ConnectionFactory' (OnClassCondition)

A op Auto Configuration. A spect JAuto Proxying Configuration. Jdk Dynamic Auto Proxy Configuration:

Did not match:

- @ConditionalOnProperty (spring.aop.proxy-target-class=false) did not find property 'proxy-target-class' (OnPropertyCondition)

A op Auto Configuration. Class Proxying Configuration:

Did not match:

- @ConditionalOnMissingClass found unwanted class 'org.aspectj.weaver.Advice' (OnClassCondition)

ArtemisAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.jms.ConnectionFactory' (OnClassCondition)

AtomikosJtaConfiguration:

Did not match

- @ConditionalOnClass did not find required class 'com.atomikos.icatch.jta.UserTransactionManager' (OnClassCondition)

BatchAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.batch.core.launch.JobLauncher' (OnClassCondition)

CacheAutoConfiguration:

Did not match:

- @ConditionalOnBean (types: org.springframework.cache.interceptor.CacheAspectSupport; SearchStrategy: all) did not find any beans of type org.springframework.cache.interceptor.CacheAspectSupport (OnBeanCondition)

- @ConditionalOnClass found required class 'org.springframework.cache.CacheManager' (OnClassCondition)

Cache Auto Configuration. Cache Manager Entity Manager Factory Depends On Post Processor:

Did not match

- Ancestor org.springframework.boot.autoconfigure.cache.CacheAutoConfiguration did not match (ConditionEvaluationReport.AncestorsMatchedCondition)

Matched:

- @ConditionalOnClass found required class

 $'org.spring framework.orm.jpa. Local Container Entity Manager Factory Bean' \ (On Class Condition)\\$

CaffeineCacheConfiguration:

Did not match:

 $- @ Conditional On Class \ did \ not \ find \ required \ class \ 'com.github.benmanes.caffeine.cache. Caffeine' (On Class Condition)$

CassandraAutoConfiguration:

Did not match:

 $- @ Conditional On Class \ did \ not \ find \ required \ class \ 'com. data stax.oss. driver. api. core. Cql Session' \ (On Class Condition) \ data stax.oss. driver. api. core. Cql Session' \ (On Class Condition) \ data stax.oss. driver. api. core. Cql Session' \ (On Class Condition) \ data stax.oss. driver. api. core. Cql Session' \ (On Class Condition) \ data stax.oss. driver. api. core. Cql Session' \ (On Class Condition) \ data stax.oss. driver. api. core. Cql Session' \ (On Class Condition) \ data stax.oss. driver. api. core. Cql Session' \ (On Class Condition) \ data stax.oss. driver. api. core. Cql Session' \ (On Class Condition) \ data stax.oss. driver. api. core. Cql Session' \ (On Class Condition) \ data stax.oss. driver. api. core. Cql Session' \ (On Class Condition) \ data stax.oss. driver. api. core. Cql Session' \ (On Class Condition) \ data stax.oss. driver. api. core. Cql Session' \ (On Class Condition) \ data stax.oss. driver. api. core. Cql Session' \ (On Class Condition) \ data stax.oss. driver. api. core. c$

Cass and raData Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

Cassandra Reactive Data Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

Cassandra Reactive Repositories Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.data.cassandra.ReactiveSession' (OnClassCondition)

Cass and ra Repositories Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'com.datastax.oss.driver.api.core.CqlSession' (OnClassCondition)

ClientHttpConnectorAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.function.client.WebClient' (OnClassCondition)

CodecsAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.function.client.WebClient' (OnClassCondition)

CouchbaseAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster' (OnClassCondition)

CouchbaseCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster' (OnClassCondition)

CouchbaseDataAutoConfiguration:

Did not match

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Bucket' (OnClassCondition)

CouchbaseReactiveDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster' (OnClassCondition)

Couch base Reactive Repositories Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Cluster' (OnClassCondition)

CouchbaseRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.couchbase.client.java.Bucket' (OnClassCondition)

${\bf Data Source Auto Configuration. Embedded Database Configuration:}$

Did not match:

- EmbeddedDataSource found supported pooled data source

(Data Source Auto Configuration. Embedded Database Condition)

DataSourceConfiguration.Dbcp2:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.commons.dbcp2.BasicDataSource' (OnClassCondition)

DataSourceConfiguration.Generic:

Did not match:

 $- @ Conditional On Property \ (spring. data source.type) \ did \ not \ find \ property \ 'spring. data source.type' \ (On Property Condition)$

DataSourceConfiguration.OracleUcp:

Did not match:

 $- @Conditional On Class \ did \ not \ find \ required \ classes \ 'oracle.ucp.jdbc.PoolDataSourceImpl', 'oracle.jdbc.OracleConnection' (On Class Condition)$

DataSourceConfiguration.Tomcat:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.tomcat.jdbc.pool.DataSource' (OnClassCondition)

Data Source Initialization Configuration. Initialization Specific Credentials Data Source Initialization Configuration:

- AnyNestedCondition 0 matched 2 did not; NestedCondition on

DataSourceInitializationConfiguration.InitializationSpecificCredentialsDataSourceInitializationConfiguration.DifferentCreder tialsCondition.DataCredentials @ConditionalOnProperty (spring.datasource.data-username) did not find property 'data-username'; NestedCondition on

Data Source Initialization Configuration. In itialization Specific Credentials Data Source Initialization Configuration. Different Credentials Data Source Initialization Configuration Conf

tialsCondition.SchemaCredentials @ConditionalOnProperty (spring.datasource.schema-username) did not find property 'schema-username'

(Data Source Initialization Configuration. In itialization Specific Credentials Data Source Initialization Configuration. Different Credentials Condition)

Data Source Initialization Configuration. Shared Credentials Data Source Initialization Configuration:

Did not match:

- DataSource Initialization did not find configured properties spring.datasource.data-username, spring.datasource.schema-password, spring.datasource.schema[0], spring.datasource.data[0], spring.datasource.data, spring.datasource.schema-username, spring.datasource.data-password, spring.datasource.initialization-mode, spring.datasource.schema, spring.datasource.sql-script-encoding, spring.datasource.separator, spring.datasource.platform, spring.datasource.continue-on-error

(Data Source Initialization Configuration. Shared Credentials Data Source Initialization Configuration. Data Source Initialization Configuration (Data Source Initialization Configuration) and the property of the property

DataSourceJmxConfiguration:

Did not match:

 $- @Conditional On Property \ (spring.jmx.enabled=true) \ found \ different \ value \ in \ property \ 'enabled' \ (On Property Condition)$

Data Source Pool Metadata Providers Configuration. Commons Dbcp 2 Pool Data Source Metadata Provider Configuration:

- @ConditionalOnClass did not find required class 'org.apache.commons.dbcp2.BasicDataSource' (OnClassCondition)

Data Source Pool Metadata Providers Configuration. Or a cleUcp Pool Data Source Metadata Provider Configuration:

Did not match

- @ConditionalOnClass did not find required classes 'oracle.ucp.jdbc.PoolDataSource', 'oracle.jdbc.OracleConnection' (OnClassCondition)

Data Source Pool Metadata Providers Configuration. To mcat Data Source Pool Metadata Provider Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.tomcat.jdbc.pool.DataSource' (OnClassCondition)

DataSourceTransactionManagerAutoConfiguration.JdbcTransactionManagerConfiguration#transactionManager:
Did not match:

- @ConditionalOnMissingBean (types: org.springframework.transaction.TransactionManager; SearchStrategy: all) found beans of type 'org.springframework.transaction.TransactionManager' transactionManager (OnBeanCondition)

Dispatcher Servlet Auto Configuration. Dispatcher Servlet Configuration # multipart Resolver:

Did not match:

- @ConditionalOnBean (types: org.springframework.web.multipart.MultipartResolver; SearchStrategy: all) did not find any beans of type org.springframework.web.multipart.MultipartResolver (OnBeanCondition)

Eh Cache Cache Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'net.sf.ehcache.Cache' (OnClassCondition)

ElasticsearchDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

 $'org.spring framework. data. elastics earch. core. Elastics earch Rest Template' \ (On Class Condition)$

ElasticsearchRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.elasticsearch.client.Client' (OnClassCondition)

ElasticsearchRestClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.elasticsearch.client.RestClientBuilder' (OnClassCondition)

EmbeddedLdap Auto Configuration:

Did not match

- @ConditionalOnClass did not find required class 'com.unboundid.ldap.listener.lnMemoryDirectoryServer' (OnClassCondition)

EmbeddedMongoAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.MongoClientSettings' (OnClassCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.JettyWebServerFactoryCustomizerConfiguration: Did not match:

- @ConditionalOnClass did not find required classes 'org.eclipse.jetty.server.Server', 'org.eclipse.jetty.util.Loader', 'org.eclipse.jetty.webapp.WebAppContext' (OnClassCondition)

EmbeddedWebServerFactoryCustomizerAutoConfiguration.NettyWebServerFactoryCustomizerConfiguration:

- @ConditionalOnClass did not find required class 'reactor.netty.http.server.HttpServer' (OnClassCondition)

 $\label{lem:embeddedWebServerFactoryCustomizerAutoConfiguration.} Under tow WebServer Factory Customizer Configuration: \\ \begin{picture}(100,000) \put(0.000) \put(0.000$

- @ConditionalOnClass did not find required classes 'io.undertow.Undertow', 'org.xnio.SslClientAuthMode' (OnClassCondition)

ErrorWebFluxAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.config.WebFluxConfigurer' (OnClassCondition)

FlywayAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.flywaydb.core.Flyway' (OnClassCondition)

FreeMarkerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'freemarker.template.Configuration' (OnClassCondition)

GroovyTemplateAutoConfiguration:

Did not match

- @ConditionalOnClass did not find required class 'groovy.text.markup.MarkupTemplateEngine' (OnClassCondition)

GsonAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.google.gson.Gson' (OnClassCondition)

GsonHttpMessageConvertersConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.google.gson.Gson' (OnClassCondition)

H2ConsoleAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.h2.console.enabled=true) did not find property 'enabled' (OnPropertyCondition) Matched:
 - @ConditionalOnClass found required class 'org.h2.server.web.WebServlet' (OnClassCondition)
 - found 'session' scope (OnWebApplicationCondition)

HazelcastAutoConfiguration:

Did not match:

 $- @ Conditional On Class \ did \ not \ find \ required \ class \ 'com. hazel cast. core. Hazel cast Instance' \ (On Class Condition)$

Hazel cast Cache Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'com.hazelcast.core.HazelcastInstance' (OnClassCondition)

${\bf Hazel cast Jpa Dependency Auto Configuration:}$

Did not match:

- @ConditionalOnClass did not find required class 'com.hazelcast.core.HazelcastInstance' (OnClassCondition)

HttpHandlerAutoConfiguration:

Did not match:

 $- @ Conditional On Class \ did \ not \ find \ required \ class \ 'org. spring framework. web. reactive. Dispatcher Handler' (On Class Condition)$

HypermediaAutoConfiguration.HypermediaConfiguration:

Did not match:

- @ConditionalOnMissingBean (types: org.springframework.hateoas.client.LinkDiscoverers; SearchStrategy: all)
 found beans of type 'org.springframework.hateoas.client.LinkDiscoverers' linkDiscoverers (OnBeanCondition)
 Matched:
 - @ConditionalOnClass found required class 'com.fasterxml.jackson.databind.ObjectMapper' (OnClassCondition)

InfinispanCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.infinispan.spring.embedded.provider.SpringEmbeddedCacheManager' (OnClassCondition)

InfluxDbAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.influxdb.InfluxDB' (OnClassCondition)

IntegrationAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.integration.config.EnableIntegration' (OnClassCondition)

JCacheCacheConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.cache.Caching' (OnClassCondition)

Jackson Http Message Converters Configuration. Mapping Jackson 2 XmIHttp Message Converter Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'com.fasterxml.jackson.dataformat.xml.XmlMapper' (OnClassCondition)

${\tt JdbcRepositoriesAutoConfiguration:}$

Did not match:

- @ConditionalOnClass did not find required class

 $'org.spring framework.data.jdbc.repository.config. Abstract Jdbc Configuration' \ (On Class Condition)\\$

JerseyAutoConfiguration:

Did not match:

 $- @ Conditional On Class \ did \ not \ find \ required \ class \ 'org. glass fish. jersey. server. spring. Spring Component Provider' (On Class Condition)$

Jms Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.jms.Message' (OnClassCondition)

JmxAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.jmx.enabled=true) found different value in property 'enabled'

(OnPropertyCondition)

Matched:

 $- @ Conditional On Class \ found \ required \ class \ 'org. spring framework. jmx. export. MB ean Exporter' \ (On Class Condition)$

IndiConnectionFactoryAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.jms.core.JmsTemplate' (OnClassCondition)

JndiDataSourceAutoConfiguration:

Did not match:

- @ConditionalOnProperty (spring.datasource.jndi-name) did not find property 'jndi-name' (OnPropertyCondition)
- @ConditionalOnClass found required classes 'javax.sql.DataSource',

'org.spring framework.jdbc.datasource.embedded. Embedded Database Type' (On Class Condition)

JndiJtaConfiguration:

Did not match:

- @ConditionalOnJndi JNDI environment is not available (OnJndiCondition)

Matched

- @ConditionalOnClass found required class 'org.springframework.transaction.jta.JtaTransactionManager' (OnClassCondition)

JooqAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.jooq.DSLContext' (OnClassCondition)

Jpa Repositories Auto Configuration # entity Manager Factory Bootstrap Executor Customizer:

Did not match

- AnyNestedCondition 0 matched 2 did not; NestedCondition on

JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition.LazyBootstrapMode @ConditionalOnProperty (spring.data.jpa.repositories.bootstrap-mode=lazy) did not find property 'bootstrap-mode'; NestedCondition on JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition.DeferredBootstrapMode @ConditionalOnProperty (spring.data.jpa.repositories.bootstrap-mode=deferred) did not find property 'bootstrap-mode' (JpaRepositoriesAutoConfiguration.BootstrapExecutorCondition)

JsonbAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.json.bind.Jsonb' (OnClassCondition)

JsonbHttpMessageConvertersConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.json.bind.Jsonb' (OnClassCondition)

KafkaAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.kafka.core.KafkaTemplate'
 (OnClassCondition)

LdapAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.ldap.core.ContextSource' (OnClassCondition)

LdapRepositoriesAutoConfiguration:

Did not match:

 $- @Conditional On Class \ did \ not \ find \ required \ class \ 'org.spring framework.data.ldap.repository.Ldap Repository' (On Class Condition)$

${\bf Liquibase Auto Configuration:}$

Did not match:

 $- @ Conditional On Class \ did \ not \ find \ required \ class \ 'liquibase.change. Database Change' \ (On Class Condition)$

MailSenderAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.mail.internet.MimeMessage' (OnClassCondition)

MailSenderValidatorAutoConfiguration:

Did not match:

- @ConditionalOnSingleCandidate did not find required type 'org.springframework.mail.javamail.javaMailSenderImpl' (OnBeanCondition)

${\bf Message Source Auto Configuration:}$

Did not match:

- ResourceBundle did not find bundle with basename messages

(MessageSourceAutoConfiguration.ResourceBundleCondition)

MongoAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.client.MongoClient' (OnClassCondition)

MongoDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.client.MongoClient' (OnClassCondition)

MongoReactiveAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.reactivestreams.client.MongoClient' (OnClassCondition)

MongoReactiveDataAutoConfiguration:

Did not match

- @ConditionalOnClass did not find required class 'com.mongodb.reactivestreams.client.MongoClient' (OnClassCondition)

MongoReactiveRepositoriesAutoConfiguration:

Did not match

- @ConditionalOnClass did not find required class 'com.mongodb.reactivestreams.client.MongoClient' (OnClassCondition)

MongoRepositories Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'com.mongodb.client.MongoClient' (OnClassCondition)

MustacheAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.samskivert.mustache.Mustache' (OnClassCondition)

Neo4jAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

Neo4jDataAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

Neo 4j Reactive Data Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

Neo4jReactiveRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

Neo4jRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.neo4j.driver.Driver' (OnClassCondition)

NettyAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.netty.util.NettyRuntime' (OnClassCondition)

OAuth2ClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.security.oauth2.client.registration.ClientRegistration' (OnClassCondition)

OAuth2ResourceServerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.spring framework.security.oauth 2.server.resource. Bearer Token Authentication Token' (On Class Condition) and the control of the cont

Project Info Auto Configuration #build Properties:

Did not match:

- @ConditionalOnResource did not find resource '\${spring.info.build.location:classpath:META-INF/build-info.properties}' (OnResourceCondition)

ProjectInfoAutoConfiguration#gitProperties:

Did not match:

- GitResource did not find git info at classpath:git.properties

(ProjectInfoAutoConfiguration. GitResource Available Condition)

QuartzAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.quartz.Scheduler' (OnClassCondition)

R2dbcAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.r2dbc.spi.ConnectionFactory' (OnClassCondition)

R2dbcDataAutoConfiguration:

Did not match:

 $- @ Conditional On Class \ did \ not \ find \ required \ class \ 'org. spring framework. data. r2 dbc. core. R2 dbc Entity Template' (On Class Condition)$

R2dbcInitializationConfiguration:

Did not match:

- @ConditionalOnClass did not find required classes 'io.r2dbc.spi.ConnectionFactory',

 $'org.spring framework.r2 dbc.connection.init.Database Populator' \ (On Class Condition)\\$

R2dbcRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.r2dbc.spi.ConnectionFactory' (OnClassCondition)

R2dbcTransactionManagerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

 $'org.spring framework.r2dbc.connection.R2dbcTransaction Manager'\ (On Class Condition)$

RSocket Messaging Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'io.rsocket.RSocket' (OnClassCondition)

RSocketRequesterAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.rsocket.RSocket' (OnClassCondition)

RSocketSecurityAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

 $'org.spring framework.security.rsocket.core.Security Socket Acceptor Interceptor' \ (On Class Condition) \\$

RSocketServerAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.rsocket.core.RSocketServer' (OnClassCondition)

RSocketStrategiesAutoConfiguration:

Did not match:

 $- @ Conditional On Class \ did \ not \ find \ required \ class \ 'io.netty.buffer. Pooled Byte Buf Allocator' \ (On Class Condition)$

Rabbit Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'com.rabbitmq.client.Channel' (OnClassCondition)

Reactive Elastic search Repositories Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.data.elasticsearch.client.reactive.ReactiveElasticsearchClient' (OnClassCondition)

Reactive Elastic search Rest Client Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.netty.http.client.HttpClient' (OnClassCondition)

ReactiveMultipartAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.config.WebFluxConfigurer' (OnClassCondition)

ReactiveOAuth2ClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux' (OnClassCondition)

Reactive OAuth 2 Resource Server Auto Configuration:

Did not match:

- @ConditionalOnWebApplication did not find reactive web application classes (OnWebApplicationCondition)

ReactiveSecurityAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux' (OnClassCondition)

ReactiveUserDetailsServiceAutoConfiguration:

Did not match:

- AnyNestedCondition 0 matched 2 did not; NestedCondition on

ReactiveUserDetailsServiceAutoConfiguration.ReactiveUserDetailsServiceCondition.ReactiveWebApplicationCondition did not find reactive web application classes; NestedCondition on

ReactiveUserDetailsServiceAutoConfiguration.ReactiveUserDetailsServiceCondition.RSocketSecurityEnabledCondition @ConditionalOnBean (types: org.springframework.messaging.rsocket.annotation.support.RSocketMessageHandler; SearchStrategy: all) did not find any beans of type

org. spring framework. messaging. rsocket. annotation. support. RSocket Message Handler and the support of th

(Reactive User Details Service Auto Configuration. Reactive User Details Service Condition)

Matched:

- @ConditionalOnClass found required class

'org.springframework.security.authentication.ReactiveAuthenticationManager' (OnClassCondition)

Reactive Web Server Factory Auto Configuration:

Did not match:

- @ConditionalOnWebApplication did not find reactive web application classes (OnWebApplicationCondition)

RedisAutoConfiguration:

Did not match:

 $- @Conditional On Class \ did \ not \ find \ required \ class \ 'org.spring framework.data.red is.core. Red is Operations' (On Class Condition)$

Redis Cache Configuration:

Did not match:

- @ConditionalOnClass did not find required class

 $'org.spring framework. data.red is.connection. Red is Connection Factory' \ (On Class Condition) \\$

RedisReactiveAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Flux' (OnClassCondition)

RedisRepositoriesAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.data.redis.repository.configuration.EnableRedisRepositories' (OnClassCondition)

Saml 2 Relying Party Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class

'org.spring framework.security.saml 2. provider.service.registration. Relying Party Registration Repository' (On Class Condition)

SecurityDataConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.security.data.repository.query.SecurityEvaluationContextExtension' (OnClassCondition)

SendGridAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'com.sendgrid.SendGrid' (OnClassCondition)

Servlet Web Server Factory Auto Configuration # forwarded Header Filter:

Did not match:

- @ConditionalOnProperty (server.forward-headers-strategy=framework) did not find property 'server.forward-headers-strategy' (OnPropertyCondition)

ServletWebServerFactoryConfiguration.EmbeddedJetty:

Did not match:

- @ConditionalOnClass did not find required classes 'org.eclipse.jetty.server.Server', 'org.eclipse.jetty.util.Loader', 'org.eclipse.jetty.webapp.WebAppContext' (OnClassCondition)

ServletWebServerFactoryConfiguration.EmbeddedUndertow:

Did not match:

- @ConditionalOnClass did not find required classes 'io.undertow.Undertow', 'org.xnio.SslClientAuthMode' (OnClassCondition)

SessionAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.session.Session' (OnClassCondition)

SolrAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.apache.solr.client.solrj.impl.CloudSolrClient' (OnClassCondition)

SpringApplicationAdminJmxAutoConfiguration:

Did not match:

 $- @Conditional On Property \ (spring. application. admin. enabled = true) \ did \ not \ find \ property \ 'enabled' \ (On Property Condition)$

SpringDataWebAutoConfiguration:

Did not match:

- @ConditionalOnMissingBean (types: org.springframework.data.web.PageableHandlerMethodArgumentResolver; SearchStrategy: all) found beans of type 'org.springframework.data.web.PageableHandlerMethodArgumentResolver' pageableResolver (OnBeanCondition)

Matched:

- @ConditionalOnClass found required classes

'org.spring framework.data.web. Pageable Handler Method Argument Resolver',

 $'org.spring framework.web.servlet.config.annotation. Web Mvc Configurer' \ (On Class Condition)$

- found 'session' scope (OnWebApplicationCondition)

Task Scheduling Auto Configuration # task Scheduler:

Did not match:

 $- @ Conditional On Bean \ (names: org.spring framework.context.annotation.internal Scheduled Annotation Processor; Search Strategy: all) \ did \ not \ find \ any \ beans \ named$

 $org. spring framework. context. annotation. internal Scheduled Annotation Processor \ (On Bean Condition) \\$

Thy meleaf Auto Configuration:

Did not match:

- @ConditionalOnClass did not find required class 'org.thymeleaf.spring5.SpringTemplateEngine' (OnClassCondition)

TransactionAutoConfiguration#transactionalOperator:

Did not match:

- @ConditionalOnSingleCandidate (types: org.springframework.transaction.ReactiveTransactionManager; SearchStrategy: all) did not find any beans (OnBeanCondition)

TransactionAutoConfiguration.EnableTransactionManagementConfiguration.JdkDynamicAutoProxyConfiguration:

Did not match:

- @ConditionalOnProperty (spring.aop.proxy-target-class=false) did not find property 'proxy-target-class'

(OnPropertyCondition)

ValidationAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'javax.validation.executable.ExecutableValidator' (OnClassCondition)

WebClientAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.function.client.WebClient' (OnClassCondition)

WebFluxAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'org.springframework.web.reactive.config.WebFluxConfigurer' (OnClassCondition)

WebMvcAutoConfiguration#hiddenHttpMethodFilter:

Did not match:

- @ConditionalOnProperty (spring.mvc.hiddenmethod.filter.enabled) did not find property 'enabled' (OnPropertyCondition)

 $Web {\tt MvcAutoConfiguration}. Resource {\tt ChainCustomizerConfiguration}:$

Did not match:

- @ConditionalOnEnabledResourceChain did not find class org.webjars.WebJarAssetLocator (OnEnabledResourceChainCondition)

WebMvcAutoConfiguration. WebMvcAutoConfigurationAdapter #beanNameViewResolver:

Did not match

- @ConditionalOnMissingBean (types: org.springframework.web.servlet.view.BeanNameViewResolver; SearchStrategy: all) found beans of type 'org.springframework.web.servlet.view.BeanNameViewResolver' beanNameViewResolver (OnBeanCondition)

Web Service Template Auto Configuration:

Did not match:

 $- @Conditional On Class \ did \ not \ find \ required \ class \ 'org. spring framework.oxm. Marshaller' \ (On Class Condition)$

WebServicesAutoConfiguration:

Did not match:

 $- @ Conditional On Class \ did \ not \ find \ required \ class \ 'org.spring framework.ws.transport.http. Message Dispatcher Servlet' (On Class Condition)$

WebSessionIdResolverAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'reactor.core.publisher.Mono' (OnClassCondition)

WebSocketMessagingAutoConfiguration:

Did not match:

- @ConditionalOnClass did not find required class

'org.springframework.web.socket.config.annotation.WebSocketMessageBrokerConfigurer' (OnClassCondition)

WebSocketReactiveAutoConfiguration:

Did not match:

- @ConditionalOnWebApplication did not find reactive web application classes (OnWebApplicationCondition)

WebSocket Servlet Auto Configuration. Jetty 10 WebSocket Configuration:

Did not match:

- @ConditionalOnClass did not find required classes

'org.eclipse.jetty.websocket.javax.server.internal.JavaxWebSocketServerContainer',

 $'org.eclipse.jetty.websocket.server.JettyWebSocketServerContainer'\ (OnClassCondition)$

WebSocket Servlet Auto Configuration. Jetty WebSocket Configuration:

Did not match:

- @ConditionalOnClass did not find required class

'org.eclipse.jetty.websocket.jsr356.server.deploy.WebSocketServerContainerInitializer' (OnClassCondition)

WebSocketServletAutoConfiguration. UndertowWebSocketConfiguration:

Did not match:

- @ConditionalOnClass did not find required class 'io.undertow.websockets.jsr.Bootstrap' (OnClassCondition)

XADataSourceAutoConfiguration:

Did not match:

- @ConditionalOnBean (types: org.springframework.boot.jdbc.XADataSourceWrapper; SearchStrategy: all) did not find any beans of type org.springframework.boot.jdbc.XADataSourceWrapper (OnBeanCondition) Matched:
- @ConditionalOnClass found required classes 'javax.sql.DataSource', 'javax.transaction.TransactionManager', 'org.springframework.jdbc.datasource.embedded.EmbeddedDatabaseType' (OnClassCondition)

Exclusions:		
None		
Unconditional classes:		
org.springframework.boot.autoconfigu	re.context.ConfigurationPropertiesAutoConfiguration	
org.springframework.boot.autoconfigu	re.context.LifecycleAutoConfiguration	
org.springframework.boot.autoconfigu	re.context.PropertyPlaceholderAutoConfiguration	
org.springframework.boot.autoconfigu	re.availability.ApplicationAvailabilityAutoConfiguratio	on
org.springframework.boot.autoconfigu	re.info.ProjectInfoAutoConfiguration	
BackendApplicationTests in 12.991 secon 2022-03-01 11:17:25.981 DEBUG 476 state LivenessState changed to CORRECT 2022-03-01 11:17:25.983 DEBUG 476	[Test worker] o.s.b.a.ApplicationAvailabilityBean T [Test worker] o.s.b.a.ApplicationAvailabilityBean	ts : Started : Application availability : Application availability
state ReadinessState changed to ACCEPT The item is added to the cart The item is added to the cart The item is added to the cart , systemErr:]]]]] [Singling Looks	"ING_TRAFFIC	
[Pipeline] echo 2022-03-01 11:19:05Z Resurrected DTR f [Pipeline] echo DEBUG: Retrieving saved document histo '/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp- [Pipeline] readFile [Pipeline] echo	ory with name 'documentHistory-D-DTR-backend' in w	vorkspace
· · ·	on message: File 'projectData/documentHistory-D-DTF	R-backend.json' is expected

to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature. [Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[], epics:[], mitigations:[], requirements:[[key:ORDGP-125, action:add]], risks:[], techSpecs:[], tests:[[key:ORDGP-137, action:add], [key:ORDGP-138, action:add], [key:ORDGP-139, action:add]], docs:[[key:ORDGP-56, action:add, documents:[DTR], number:7, heading:Document History], [key:ORDGP-53, action:add, documents:[DTR], number:6, heading:Reference Documents], [key:ORDGP-52, action:add, documents:[DTP, DTR], number:5.2, heading:Abbreviations], [key:ORDGP-51, action:add, documents:[DTP, DTR], number:5.1, heading:Definitions]]]

```
+ which sonar-scanner
/usr/local/sonar-scanner-cli/bin/sonar-scanner
[Pipeline] echo
DEBUG: Creating a new history entry with version 1 for DTR-backend
[Pipeline] sh
+ sonar-scanner -Dsonar.host.url=https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com -Dsonar.auth.token=*******
-D sonar. scm. provider = git - D sonar. project Key = ordgp-front end - D sonar. project Name = ordgp-front end
Dsonar.projectVersion=c385c58e -X -Dsonar.branch.name=master
11:19:06.221 INFO: Scanner configuration file: /usr/local/sonar-scanner-cli/conf/sonar-scanner.properties
11:19:06.223 INFO: Project root configuration file: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/sonar-
project.properties
11:19:06.255 INFO: SonarQube Scanner 3.1.0.1141
11:19:06.256 INFO: Java 11.0.11 Red Hat, Inc. (64-bit)
11:19:06.256 INFO: Linux 3.10.0-1160.45.1.el7.x86 64 amd64
11:19:06.537 DEBUG: keyStore is :
11:19:06.537 DEBUG: keyStore type is: pkcs12
11:19:06.537 DEBUG: keyStore provider is :
11:19:06.537 DEBUG: init keystore
11:19:06.538 DEBUG: init keymanager of type SunX509
[Pipeline] echo
DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22]
11:19:06.814 DEBUG: Create: /home/jenkins/.sonar/cache
11:19:06.815 INFO: User cache: /home/jenkins/.sonar/cache
11:19:06.815 DEBUG: Create: /home/jenkins/.sonar/cache/ tmp
11:19:06.817 DEBUG: Extract sonar-scanner-api-batch in temp...
11:19:06.820 DEBUG: Get bootstrap index...
11:19:06.821 DEBUG: Download: https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/batch/index
11:19:07.227 DEBUG: Get bootstrap completed
11:19:07.230 DEBUG: Download https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/batch/file?name=scanner-
enterprise-8.2.0.32929-all.jar to /home/jenkins/.sonar/cache/ tmp/fileCache3735671403835092333.tmp
[Pipeline] echo
DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-9, ORDGP-16, ORDGP-27]
11:19:08.204 DEBUG: Create isolated classloader...
11:19:08.213 DEBUG: Start temp cleaning...
11:19:08.216 DEBUG: Temp cleaning done
11:19:08.216 DEBUG: Execution getVersion
11:19:08.225 INFO: SonarQube server 8.2.0
11:19:08.225 INFO: Default locale: "en_US", source code encoding: "UTF-8"
11:19:08.226 DEBUG: Work directory: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/.scannerwork
11:19:08.226 DEBUG: Execution execute
11:19:08.717 DEBUG: Enterprise 8.2.0.32929
11:19:08.924 INFO: Load global settings
11:19:09.032 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/settings/values.protobuf |
time=107ms
11:19:09.114 INFO: Load global settings (done) | time=190ms
11:19:09.121 INFO: Server id: 39E0EBC1-AXck41ETZVUYa3zX7DgH
11:19:09.125 DEBUG: Create:/home/jenkins/.sonar/tmp
11:19:09.125 INFO: User cache: /home/jenkins/.sonar/cache
11:19:09.130 INFO: Load/download plugins
11:19:09.130 INFO: Load plugins index
11:19:09.141 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/installed |
time=11ms
11:19:09.231 INFO: Load plugins index (done) | time=101ms
11:19:09.233 DEBUG: Download plugin 'sonarapex' to '/home/jenkins/.sonar/ tmp/fileCache18110772038162077261.tmp'
11:19:09.245 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=sonarapex&acceptCompressions=pack200 | time=12ms
[Pipeline] dir
Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/artifacts
[Pipeline] {
[Pipeline] stash
Stashed 1 file(s)
[Pipeline] }
```

11:19:09.513 DEBUG: Download plugin 'csharp' to '/home/jenkins/.sonar/_tmp/fileCache7763815161366746876.tmp' 11:19:09.521 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?

[Pipeline] // dir

```
plugin=csharp&acceptCompressions=pack200 | time=8ms
[Pipeline] echo
2022-03-01 11:19:09Z Document DTR for backend uploaded @ https://nexus-odsalpha.inh-
ods apps. eu. boehringer. com/repository/leva-documentation/ordgp-WIP/DTR-ordgp-backend-WIP-13. zipned appear of the company of the company
[Pipeline] echo
DEBUG: [docgen-ordgp-DTR-backend] (took 4074 ms)
[Pipeline] echo
levaDocScheduler.run end
[Pipeline] }
11:19:09.717 DEBUG: Download plugin 'crowd' to '/home/jenkins/.sonar/ tmp/fileCache11061015344673349391.tmp'
11:19:09.726 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=crowd&acceptCompressions=pack200 | time=9ms
11:19:09.872 DEBUG: Download plugin 'scmgit' to '/home/jenkins/.sonar/_tmp/fileCache10209074811662279132.tmp'
11:19:09.904 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=scmgit&acceptCompressions=pack200 | time=32ms
11:19:10.035 DEBUG: Download plugin 'groovy' to '/home/jenkins/.sonar/ tmp/fileCache13683832791095638621.tmp'
11:19:10.104 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=groovy&acceptCompressions=pack200 | time=69ms
11:19:10.635 DEBUG: Download plugin 'jacoco' to '/home/jenkins/.sonar/ tmp/fileCache11882351144335660706.tmp'
11:19:10.646 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=jacoco&acceptCompressions=pack200 | time=11ms
11:19:10.649 DEBUG: Download plugin 'license' to '/home/jenkins/.sonar/ tmp/fileCache1145779176423046413.tmp'
11:19:10.704 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=license&acceptCompressions=pack200 | time=55ms
11:19:10.707 DEBUG: Download plugin 'authoidc' to '/home/jenkins/.sonar/_tmp/fileCache10080889354960917487.tmp'
11:19:10.717 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=authoidc&acceptCompressions=pack200 | time=10ms
11:19:10.819 DEBUG: Download plugin 'r' to '/home/jenkins/.sonar/ tmp/fileCache12724170066665061127.tmp'
11:19:10.827 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=r&acceptCompressions=pack200 | time=8ms
11:19:10.848 DEBUG: Download plugin 'go' to '/home/jenkins/.sonar/ tmp/fileCache12968941949060055063.tmp'
11:19:10.855 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=go&acceptCompressions=pack200 | time=7ms
11:19:11.082 DEBUG: Download plugin 'javascript' to '/home/jenkins/.sonar/_tmp/fileCache10187415954836908118.tmp'
11:19:11.090 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=javascript&acceptCompressions=pack200 | time=8ms
11:19:11.278 DEBUG: Download plugin 'java' to '/home/jenkins/.sonar/ tmp/fileCache16410289474663403100.tmp'
11:19:11.287 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=java&acceptCompressions=pack200 | time=9ms
11:19:11.727 DEBUG: Download plugin 'php' to '/home/jenkins/.sonar/ tmp/fileCache6502319705877599366.tmp'
11:19:11.734 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=php&acceptCompressions=pack200 | time=7ms
11:19:11.863 DEBUG: Download plugin 'python' to '/home/jenkins/.sonar/ tmp/fileCache12163994570729538646.tmp'
11:19:11.871 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=python&acceptCompressions=pack200 | time=8ms
11:19:11.978 DEBUG: Download plugin 'sonarscala' to '/home/jenkins/.sonar/ tmp/fileCache5223335887331457.tmp'
11:19:11.989 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=sonarscala&acceptCompressions=pack200 | time=10ms
11:19:12.183 DEBUG: Download plugin 'typescript' to '/home/jenkins/.sonar/_tmp/fileCache10960954107336898741.tmp'
11:19:12.193 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=typescript&acceptCompressions=pack200 | time=10ms
11:19:12.194 INFO: Load/download plugins (done) | time=3064ms
11:19:12.708 DEBUG: Plugins:
11:19:12.708 DEBUG: * SonarPython 2.1.0.5269 (python)
11:19:12.708 DEBUG: * Crowd 2.1.3 (crowd)
11:19:12.709 DEBUG: * JaCoCo 1.0.2.475 (jacoco)
11:19:12.709 DEBUG: * SonarGo 1.6.0.719 (go)
11:19:12.709 DEBUG: * OpenID Connect Authentication for SonarQube 1.1.0 (authoidc)
11:19:12.709 DEBUG: * Apex Code Quality and Security 1.8.2.1946 (sonarapex)
11:19:12.709 DEBUG: * SonarJS 6.1.0.11503 (javascript)
11:19:12.709 DEBUG: * SonarScala 1.5.0.315 (sonarscala)
11:19:12.709 DEBUG: * License for SonarLint 8.2.0.32929 (license)
```

11:19:12.709 DEBUG: * C# Code Quality and Security 8.6.1.17183 (csharp)

11:19:12.709 DEBUG: * Sonar R Plugin 0.1.3 (r)

```
11:19:12.709 DEBUG: * Groovy 1.6 (groovy)
11:19:12.709 DEBUG: * SonarJava 6.2.0.21135 (java)
11:19:12.709 DEBUG: * Git 1.9.1.1834 (scmgit)
11:19:12.709 DEBUG: * SonarPHP 3.3.0.5166 (php)
11:19:12.709 DEBUG: * SonarTS 2.1.0.4359 (typescript)
11:19:12.734 INFO: Loaded core extensions: developer-scanner
11:19:12.816 DEBUG: Installed core extension: developer-scanner
11:19:13.531 INFO: Process project properties
11:19:13.539 INFO: Process project properties (done) | time=8ms
11:19:13.539 INFO: Execute project builders
11:19:13.539 DEBUG: Execute project builder: org.sonar.plugins.csharp.CSharpGlobalProtobufFileProcessor
11:19:13.541 INFO: Execute project builders (done) | time=2ms
11:19:13.544 INFO: Project key: ordgp-frontend
11:19:13.544 INFO: Base dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master
11:19:13.544 INFO: Working dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/.scannerwork
11:19:13.544 DEBUG: Project global encoding: UTF-8, default locale: en US
11:19:13.545 DEBUG: Creating module hierarchy
11:19:13.545 DEBUG: Init module 'ordgp-frontend'
11:19:13.604 DEBUG: Base dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master
11:19:13.604 DEBUG:
                      Working dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/.scannerwork
11:19:13.604 DEBUG:
                      Module global encoding: UTF-8, default locale: en US
11:19:13.608 INFO: Load project settings for component key: 'ordgp-frontend'
11:19:13.635 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/settings/values.protobuf?
component=ordgp-frontend | time=27ms
11:19:13.636 INFO: Load project settings for component key: 'ordgp-frontend' (done) | time=28ms
11:19:13.726 INFO: Load project branches
11:19:13.740 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/project_branches/list?
project=ordgp-frontend | time=14ms
11:19:13.745 INFO: Load project branches (done) | time=19ms
11:19:13.746 INFO: Load project pull requests
11:19:13.752 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/project_pull_requests/list?
project=ordgp-frontend | time=6ms
11:19:13.804 INFO: Load project pull requests (done) | time=58ms
11:19:13.804 INFO: Load branch configuration
11:19:13.805 DEBUG: Found manual configuration of branch/PR analysis. Skipping automatic configuration.
11:19:13.806 INFO: Load branch configuration (done) | time=2ms
11:19:13.815 DEBUG: Available languages:
11:19:13.815 DEBUG: * Python => "py"
11:19:13.815 DEBUG: * Go => "go"
11:19:13.815 DEBUG: * Apex => "apex"
11:19:13.815 DEBUG: * JavaScript => "js"
11:19:13.815 DEBUG: * TypeScript => "ts"
11:19:13.815 DEBUG: * Scala => "scala"
11:19:13.816 DEBUG: * C# => "cs"
11:19:13.816 DEBUG: * R => "r"
11:19:13.816 DEBUG: * Groovy => "grvy"
11:19:13.816 DEBUG: * Java => "java"
11:19:13.816 DEBUG: * PHP => "php"
11:19:13.819 INFO: Load quality profiles
11:19:13.857 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/qualityprofiles/search.protobuf?project=ordgp-frontend | time=37ms
11:19:13.870 INFO: Load quality profiles (done) | time=51ms
11:19:13.876 INFO: Detected Jenkins
11:19:13.906 INFO: Load active rules
11:19:13.964 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&activation=true&qprofile=AX20
C4zj589iycgaYc8q&ps=500&p=1 | time=56ms
```

 $11:19:14.227\ DEBUG:\ GET\ 200\ https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?\\ f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&activation=true&qprofile=AXck linear content of the conte$

```
49I8ZVUYa3zX7FMD&ps=500&p=1 | time=14ms
11:19:14.240 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation = true \& qprofile = AXck
49q-ZVUYa3zX7FM7&ps=500&p=1 | time=12ms
11:19:14.261 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&activation=true&qprofile=AXck
49-4ZVUYa3zX7FTI&ps=500&p=1 | time=19ms
11:19:14.330 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation = true \& qprofile = AXck
49viZVUYa3zX7FO9&ps=500&p=1 | time=23ms
11:19:14.349 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation = true \& qprofile = AXck
4-M2ZVUYa3zX7FbF&ps=500&p=1 | time=16ms
11:19:14.366 DEBUG: GET 200 https://sonargube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&activation=true&qprofile=AXck
4-TQZVUYa3zX7FdE&ps=500&p=1 | time=15ms
11:19:14.382 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation = true \& qprofile = AXj6E actives active for the several seve
p04fgN3gVMmkodg&ps=500&p=1 | time=14ms
11:19:14.423 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation = true \& qprofile = AXck
4-ZoZVUYa3zX7FfF&ps=500&p=1 | time=19ms
11:19:14.429 INFO: Load active rules (done) | time=523ms
11:19:14.442 INFO: Branch name: master
11:19:14.604 DEBUG: Declared extensions of language Python were converted to sonar.lang.patterns.py: **/*.py
11:19:14.604 DEBUG: Declared extensions of language Go were converted to sonar.lang.patterns.go: ***/*.go
11:19:14.605 DEBUG: Declared extensions of language Apex were converted to sonar.lang.patterns.apex :
**/*.cls,**/*.trigger
11:19:14.605 DEBUG: Declared extensions of language JavaScript were converted to sonar.lang.patterns.js:
**/*.js,**/*.jsx,**/*.vue
11:19:14.605 DEBUG: Declared extensions of language TypeScript were converted to sonar.lang.patterns.ts:
**/*.ts,**/*.tsx
11:19:14.605 DEBUG: Declared extensions of language Scala were converted to sonar.lang.patterns.scala: **/*.scala
11:19:14.605 DEBUG: Declared extensions of language C# were converted to sonar.lang.patterns.cs : **/*.cs
11:19:14.605 DEBUG: Declared extensions of language R were converted to sonar.lang.patterns.r: **/*.r
11:19:14.606 DEBUG: Declared extensions of language Groovy were converted to sonar.lang.patterns.grvy: **/*.groovy
11:19:14.606 DEBUG: Declared extensions of language Java were converted to sonar.lang.patterns.java : **/*.java
11:19:14.606 DEBUG: Declared extensions of language PHP were converted to sonar.lang.patterns.php:
**/*.php,**/*.php3,**/*.php4,**/*.php5,**/*.phtml,**/*.inc
11:19:14.608 DEBUG: Will ignore generated code
11:19:14.610 INFO: Indexing files...
11:19:14.610 INFO: Project configuration:
11:19:14.610 INFO: Excluded sources: **/*.html, **/*.scss, **/*.json, **/*.ico, **/*.svg
11:19:14.611 INFO: Excluded sources for coverage: **/*.spec.ts, **/*.module.ts, src/environments/**
11:19:14.647 DEBUG: readpipe [git, --version],/usr/bin
11:19:14.657 DEBUG: readpipe may return 'git version 1.8.3.1'
11:19:14.657 DEBUG: remaining output:
11:19:14.657 DEBUG: readpipe [git, config, --system, --edit],/usr/bin
11:19:14.660 DEBUG: readpipe may return '/etc/gitconfig'
11:19:14.660 DEBUG: remaining output:
11:19:14.747 DEBUG: 51 non excluded files in this Git repository
11:19:14.758 DEBUG: 'src/app/app.component.spec.ts' indexed with language 'ts'
11:19:14.759 DEBUG: File src/app/app.component.spec.ts excluded for coverage
11:19:14.804 DEBUG: 'src/app/app.component.ts' indexed with language 'ts'
11:19:14.805 DEBUG: 'src/app/app.module.ts' indexed with language 'ts'
11:19:14.806 DEBUG: File src/app/app.module.ts excluded for coverage
11:19:14.807 DEBUG: 'src/environments/environment.prod.ts' indexed with language 'ts'
11:19:14.807 DEBUG: File src/environments/environment.prod.ts excluded for coverage
11:19:14.808 DEBUG: 'src/environments/environment.ts' indexed with language 'ts'
11:19:14.808 DEBUG: File src/environments/environment.ts excluded for coverage
```

11:19:14.809 DEBUG: 'src/main.ts' indexed with language 'ts' 11:19:14.810 DEBUG: 'src/polyfills.ts' indexed with language 'ts'

```
11:19:14.811 DEBUG: 'src/test.ts' indexed with language 'ts'
11:19:14.812 INFO: 8 files indexed
11:19:14.813 INFO: 0 files ignored because of inclusion/exclusion patterns
11:19:14.813 INFO: 0 files ignored because of scm ignore settings
11:19:14.813 INFO: Quality profile for ts: Sonar way
11:19:14.814 INFO: ----- Run sensors on module ordgp-frontend
11:19:15.017 INFO: Load metrics repository
11:19:15.028 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/metrics/search?
f=name,description,direction,qualitative,custom&ps=500&p=1 | time=11ms
11:19:15.037 INFO: Load metrics repository (done) | time=20ms
WARNING: An illegal reflective access operation has occurred
WARNING: Illegal reflective access by net.sf.cglib.core.ReflectUtils$1
(file:/home/jenkins/.sonar/cache/a2b6a8802525720c8af2ca4fa85a2513/sonar-javascript-plugin.jar) to method
java.lang.ClassLoader.defineClass(java.lang.String,byte[],int,int,java.security.ProtectionDomain)
WARNING: Please consider reporting this to the maintainers of net.sf.cglib.core.ReflectUtils$1
WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access operations
WARNING: All illegal access operations will be denied in a future release
11:19:17.338 DEBUG: 'JavaSquidSensor' skipped because there is no related file in current project
11:19:17.339 DEBUG: 'Import external issues report' skipped because one of the required properties is missing
11:19:17.339 DEBUG: 'Python Sensor' skipped because there is no related file in current project
11:19:17.339 DEBUG: 'Cobertura Sensor for Python coverage' skipped because there is no related file in current project
11:19:17.339 DEBUG: 'PythonXUnitSensor' skipped because there is no related file in current project
11:19:17.340 DEBUG: 'PylintSensor' skipped because there is no related file in current project
11:19:17.340 DEBUG: 'PylintImportSensor' skipped because there is no related file in current project
11:19:17.340 DEBUG: 'Import of Bandit issues' skipped because there is no related file in current project
11:19:17.340 DEBUG: 'SonarGo' skipped because there is no related file in current project
11:19:17.341 DEBUG: 'Go Unit Test Report' skipped because there is no related file in current project
11:19:17.341 DEBUG: 'Go Cover sensor for Go coverage' skipped because one of the required properties is missing
11:19:17.342 DEBUG: 'Import of go vet issues' skipped because there is no related file in current project
11:19:17.342 DEBUG: 'Import of Golint issues' skipped because there is no related file in current project
11:19:17.342 DEBUG: 'Import of GoMetaLinter issues' skipped because there is no related file in current project
11:19:17.342 DEBUG: 'Import of GolangCl-Lint issues' skipped because there is no related file in current project
11:19:17.342 DEBUG: 'Apex Sensor' skipped because there is no related file in current project
11:19:17.342 DEBUG: 'Test coverage Sensor for Apex' skipped because there is no related file in current project
11:19:17.343 DEBUG: 'Import of PMD issues' skipped because there is no related file in current project
11:19:17.343 DEBUG: 'JavaScript analysis' skipped because there is no related file in current project
11:19:17.344 DEBUG: 'Import of ESLint issues' skipped because one of the required properties is missing
11:19:17.344 DEBUG: 'Import of TSLint issues' skipped because one of the required properties is missing
11:19:17.344 DEBUG: 'Scala Sensor' skipped because there is no related file in current project
11:19:17.344 DEBUG: 'Scoverage sensor for Scala coverage' skipped because one of the required properties is missing
11:19:17.404 DEBUG: 'Import of Scalastyle issues' skipped because there is no related file in current project
11:19:17.405 DEBUG: 'Import of Scapegoat issues' skipped because there is no related file in current project
11:19:17.405 DEBUG: 'C# Properties' skipped because there is no related file in current project
11:19:17.406 DEBUG: 'LintR Sensor for R files' skipped because there is no related file in current project
11:19:17.406 DEBUG: 'CodeNarc' skipped because there is no related file in current project
11:19:17.406 DEBUG: 'GroovySensor' skipped because there is no related file in current project
11:19:17.406 DEBUG: 'GroovySurefireSensor' skipped because there is no related file in current project
11:19:17.406 DEBUG: 'Groovy CoberturaSensor' skipped because there is no related file in current project
11:19:17.406 DEBUG: 'Groovy JaCoCo Coverage' skipped because there is no related file in current project
11:19:17.407 DEBUG: 'Import of Checkstyle issues' skipped because there is no related file in current project
11:19:17.407 DEBUG: 'Import of PMD issues' skipped because one of the required properties is missing
11:19:17.408 DEBUG: 'Import of SpotBugs issues' skipped because there is no related file in current project
11:19:17.408 DEBUG: 'SurefireSensor' skipped because there is no related file in current project
11:19:17.408 DEBUG: 'Removed properties sensor' skipped because there is no related file in current project
11:19:17.409 DEBUG: 'PHP sensor' skipped because there is no related file in current project
11:19:17.409 DEBUG: 'Analyzer for "php.ini" files' skipped because there is no related file in current project
11:19:17.411 DEBUG: 'Generic Test Executions Report' skipped because one of the required properties is missing
11:19:17.411 DEBUG: 'C#' skipped because there is no related file in current project
11:19:17.411 DEBUG: 'C# Tests Coverage Report Import' skipped because there is no related file in current project
11:19:17.411 DEBUG: '[Deprecated] C# Integration Tests Coverage Report Import' skipped because there is no related
file in current project
11:19:17.411 DEBUG: 'C# Unit Test Results Import' skipped because there is no related file in current project
11:19:17.412 DEBUG: Sensors : JaCoCo XML Report Importer -> SonarJS Coverage -> TypeScript analysis ->
JavaXmlSensor -> SonarTS
```

```
11:19:17.416 DEBUG: No reports found
11:19:17.416 INFO: Sensor JaCoCo XML Report Importer [jacoco] (done) | time=4ms
11:19:17.416 INFO: Sensor Sonar|S Coverage [javascript]
11:19:17.417 INFO: Analysing [/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/coverage/frontend/lcov.info]
11:19:17.428 INFO: Load project repositories
11:19:17.441 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/batch/project.protobuf?
key=ordgp-frontend&branch=master | time=13ms
11:19:17.447 INFO: Load project repositories (done) | time=19ms
11:19:17.447 DEBUG: 'src/polyfills.ts' generated metadata with charset 'UTF-8'
11:19:17.448 DEBUG: 'src/test.ts' generated metadata with charset 'UTF-8'
11:19:17.450 DEBUG: 'src/app/app.component.ts' generated metadata with charset 'UTF-8'
11:19:17.513 INFO: Sensor SonarJS Coverage [javascript] (done) | time=97ms
11:19:17.513 INFO: Sensor TypeScript analysis [javascript]
11:19:17.513 DEBUG: Deploying bundle
11:19:17.513 DEBUG: Deploying eslint-bridge into /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/.scannerwork/.sonartmp/eslint-bridge-bundle
11:19:19.068 DEBUG: Deploying bundle (done) | time=1555ms
11:19:19.068 DEBUG: Starting server
11:19:19.105 DEBUG: Looking for TypeScript recursively in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master
11:19:19.123 INFO: Using TypeScript at: '/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/node_modules/@angular-devkit/build-optimizer/node_modules'
11:19:19.127 DEBUG: Using default Node.js executable: 'node'.
11:19:19.128 DEBUG: Checking Node.js version
11:19:19.129 DEBUG: Launching command node -v
11:19:19.134 DEBUG: Using Node.js v12.22.9.
11:19:19.134 DEBUG: Starting Node.js process to start eslint-bridge server at port 37064
11:19:19.134 DEBUG: Launching command {NODE PATH=/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/node modules/@angular-devkit/build-optimizer/node modules} node /tmp/workspace/ordgp-cd/ordgp-cd-
releasemanager-master/.scannerwork/.sonartmp/eslint-bridge-bundle/package/bin/server 37064
11:19:20.317 DEBUG: starting eslint-bridge server at port 37064
11:19:20.331 DEBUG: eslint-bridge server is running at port 37064
11:19:20.340 DEBUG: Starting server (done) | time=1272ms
11:19:20.851 INFO: Found 2 tsconfig.json file(s): [/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/e2e/tsconfig.json, /tmp/workspace/ordgp-cd/ordgp-cd-release manager-master/tsconfig.json]\\
11:19:21.024 DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/src/test.ts matched
/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/tsconfig.json
11:19:21.024 DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/src/environments/environment.prod.ts
matched /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/tsconfig.json
11:19:21.024 DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/src/app/app.component.spec.ts
matched /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/tsconfig.json
11:19:21.025 DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/src/app/app.module.ts matched
/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/tsconfig.json
11:19:21.025 DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/src/environments/environment.ts
matched /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/tsconfig.json
11:19:21.025 DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/src/polyfills.ts matched
/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/tsconfig.json
11:19:21.025 DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/src/app/app.component.ts matched
/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/tsconfig.json
11:19:21.025 DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/src/main.ts matched
/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/tsconfig.json
11:19:21.025 INFO: 8 source files to be analyzed
11:19:21.026 INFO: Analyzing 8 files using tsconfig: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/tsconfig.json
11:19:26.910 DEBUG: 'src/environments/environment.prod.ts' generated metadata with charset 'UTF-8'
11:19:26.964 DEBUG: Not enough content in 'src/environments/environment.prod.ts' to have CPD blocks, it will not be
part of the duplication detection
11:19:26.967 DEBUG: 'src/app/app.component.spec.ts' generated metadata with charset 'UTF-8'
11:19:27.110 DEBUG: 'src/app/app.module.ts' generated metadata with charset 'UTF-8'
11:19:27.206 DEBUG: 'src/environments/environment.ts' generated metadata with charset 'UTF-8'
11:19:27.242 DEBUG: Not enough content in 'src/environments/environment.ts' to have CPD blocks, it will not be part of
the duplication detection
11:19:27.334 DEBUG: Not enough content in 'src/polyfills.ts' to have CPD blocks, it will not be part of the duplication
```

11:19:27.616 DEBUG: Not enough content in 'src/app/app.component.ts' to have CPD blocks, it will not be part of the

detection

```
duplication detection
11:19:27.706 DEBUG: 'src/main.ts' generated metadata with charset 'UTF-8'
11:19:27.922 DEBUG: Not enough content in 'src/main.ts' to have CPD blocks, it will not be part of the duplication
11:19:27.926 INFO: 8/8 source files have been analyzed
11:19:27.926 INFO: Sensor TypeScript analysis [javascript] (done) | time=10413ms
11:19:27.926 INFO: Sensor JavaXmlSensor [java]
11:19:27.927 INFO: Sensor JavaXmlSensor [java] (done) | time=1ms
11:19:27.927 INFO: Sensor SonarTS [typescript]
11:19:27.927 INFO: Since SonarTS v2.0, TypeScript analysis is performed by SonarJS analyzer v6.0 or later. No TypeScript
analysis is performed by SonarTS.
11:19:27.927 INFO: Sensor SonarTS [typescript] (done) | time=0ms
11:19:27.931 INFO: ----- Run sensors on project
11:19:27.934 DEBUG: 'Generic Coverage Report' skipped because one of the required properties is missing
11:19:27.935 DEBUG: 'Java CPD Block Indexer' skipped because there is no related file in current project
11:19:27.935 DEBUG: Sensors : Zero Coverage Sensor
11:19:27.935 INFO: Sensor Zero Coverage Sensor
11:19:27.937 INFO: Sensor Zero Coverage Sensor (done) | time=2ms
11:19:27.946 INFO: CPD Executor 5 files had no CPD blocks
11:19:27.946 INFO: CPD Executor Calculating CPD for 3 files
11:19:27.947 DEBUG: Detection of duplications for /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/src/app/app.component.spec.ts
11:19:27.959 DEBUG: Detection of duplications for /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/src/test.ts
11:19:27.960 DEBUG: Detection of duplications for /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/src/app/app.module.ts
11:19:27.960 INFO: CPD Executor CPD calculation finished (done) | time=13ms
11:19:28.117 INFO: Analysis report generated in 155ms, dir size=79 KB
11:19:28.135 INFO: Analysis report compressed in 18ms, zip size=21 KB
11:19:28.135 INFO: Analysis report generated in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/.scannerwork/scanner-report
11:19:28.135 DEBUG: Upload report
11:19:28.158 DEBUG: POST 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/ce/submit?
projectKey=ordgp-frontend&projectName=ordgp-
frontend&characteristic=branch%3Dmaster&characteristic=branchType%3DBRANCH | time=22ms
11:19:28.161 INFO: Analysis report uploaded in 25ms
11:19:28.162 DEBUG: Report metadata written to /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/.scannerwork/report-task.txt
11:19:28.162 INFO: ANALYSIS SUCCESSFUL, you can browse https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/dashboard?id=ordgp-frontend&branch=master
11:19:28.162 INFO: Note that you will be able to access the updated dashboard once the server has processed the
submitted analysis report
11:19:28.162 INFO: More about the report processing at https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/ce/task?id=AX9FNOKWZA8H6zlkqak1
11:19:28.165 DEBUG: Post-jobs:
11:19:28.573 INFO: Analysis total time: 15.838 s
11:19:28.575 INFO: ------
11:19:28.575 INFO: EXECUTION SUCCESS
11:19:28.575 INFO: --
11:19:28.575 INFO: Total time: 22.363s
11:19:28.657 INFO: Final Memory: 15M/46M
11:19:28.657 INFO: -----
[Pipeline] }
[Pipeline] // withSonarQubeEnv
[Pipeline] echo
DEBUG: [ordgp-frontend-sq-scan] (took 23311 ms)
[Pipeline] readProperties
[Pipeline] withSonarQubeEnv
Injecting SonarQube environment variables using the configuration: SonarServerConfig
[Pipeline] {
[Pipeline] sh
+ curl -s -u ******: 'https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/ce/task?id=AX9FNOKWZA8H6zlkqak1'
[Pipeline] }
[Pipeline] // withSonarQubeEnv
```

[Pipeline] readJSON [Pipeline] echo

SonarQube background task has not finished yet. [Pipeline] sleep Sleeping for 5 sec [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh + curl -s -u ******: 'https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/ce/task?id=AX9FNOKWZA8H6zlkqak1' [Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] readJSON [Pipeline] echo SonarQube background task has finished successfully. [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh + java -jar /usr/local/cnes/cnesreport.jar -s https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com -t ****** -p ordgpfrontend -a jenkins-ordgp-cd-ordgp-cd-releasemanager-master-13 -b master SonarQube URL: https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com SonarQube online: true Detected SonarQube version: 8.2.0 WARNING: An illegal reflective access operation has occurred WARNING: Illegal reflective access by org.apache.poi.openxml4j.util.ZipSecureFile\$1 (file:/usr/local/cnes/cnesreport.jar) to field java.io.FilterInputStream.in WARNING: Please consider reporting this to the maintainers of org.apache.poi.openxml4j.util.ZipSecureFile\$1 WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access operations WARNING: All illegal access operations will be denied in a future release Report generation: SUCCESS [Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] sh + mkdir -p artifacts [Pipeline] sh + mv 2022-03-01-ordgp-frontend-analysis-report.docx artifacts/ + mv 2022-03-01-ordgp-frontend-analysis-report.md artifacts/ + mv artifacts/2022-03-01-ordgp-frontend-analysis-report.docx artifacts/SCRR-ordgp-frontend.docx + mv artifacts/2022-03-01-ordgp-frontend-analysis-report.md artifacts/SCRR-ordgp-frontend.md [Pipeline] stash Stashed 2 file(s) [Pipeline] withSonarOubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh + curl -s -u ******: 'https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/qualitygates/project status? projectKey=ordgp-frontend' [Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] readJSON [Pipeline] echo SonarQube Quality Gate value: OK [Pipeline] readFile [Pipeline] echo Report stored in: https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/levadocumentation/ordgp/frontend/2022-03-01-13/sonarQube/report.pdf [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] withCredentials Masking supported pattern matches of \$USERNAME or \$TOKEN

[Pipeline] {

```
[Pipeline] sh
+ curl --fail -sS --request PUT --header 'Authorization: Bearer **** --header 'Content-Type: application/json' --data
'{"title": "SonarQube", "reporter": "OpenDevStack", "createdDate": 1646133585193, "details": "Please visit the following links
to review the SonarQube report:","result":"PASS","link":"https://nexus-odsalpha.inh-
ods apps. eu. boehringer. com/repository/leva-documentation/ordgp/frontend/2022-03-01-13/sonar Qube/report.pdf", "data": appearance of the contraction of the contr
[{"title":"Report","value":{"linktext":"Result in SonarQube","href":"https://sonarqube-odsalpha.inh-
ods apps. eu. boehringer. com/dashboard? id=ordgp-frontend"\}, "type": "LINK"\}, \{"title": "Report", "value": \{"linktext": "Result in the content of the con
Nexus", "href": "https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/leva-
documentation/ordgp/frontend/2022-03-01-13/sonarQube/report.pdf"},"type":"LINK"}]]' https://bitbucket-
dev.biscrum.com/rest/insights/1.0/projects/ordgp/repos/ordgp-
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] }
[Pipeline] // stage
[Pipeline] echo
[SonarQube Analysis-frontend] **** ENDED stage 'SonarQube Analysis' for component 'frontend' branch 'master' ****
(took 40353 ms)
[Pipeline] echo
[Build OpenShift Image-frontend] **** STARTING stage 'Build OpenShift Image' for component 'frontend' branch 'master'
[Pipeline] stage
[Pipeline] { (Build OpenShift Image)
[Pipeline] sh
+ oc -n ordgp-cd get BuildConfig/frontend
[Pipeline] sh
 + oc -n ordgp-cd get ImageStream/frontend
[Pipeline] writeFile
[Pipeline] sh
+ oc -n ordgp-cd get bc/frontend -o 'jsonpath={.spec.output.imageLabels}'
[Pipeline] sh
+ oc -n ordgp-cd patch bc frontend --type=json --patch '[{"op": "replace", "path": "/spec/source", "value":
{"type":"Binary"}},{"op": "replace", "path": "/spec/output/to/name", "value": "frontend:c385c58e"},{"op": "replace",
"path": "/spec/output/imageLabels", "value": [
                      {"name": "ods.build.source.repo.url", "value": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-
frontend.git"\}, \{"name": "ods.build.source.repo.commit.sha", "value": "c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293"\}, frontend.git", figure (sample of the commit of the co
{"name": "ods.build.source.repo.commit.msg", "value": "ODS-Export-OpenShift-configuration-Build-assemble-7-Change-
1.0-Project-ordgp-Target-Environment-ordgp-dev-Version-WIP-https-jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com-job-
ordgp-cd-job-ordgp-cd-releasemanager-master-7-ci-skip"}, { "name": "ods.build.source.repo.commit.author", "value":
"ODS Jenkins Shared Library System User (undefined)"},{"name": "ods.build.source.repo.commit.timestamp", "value":
"2022-01-28 13:13:59 +0000"},{"name": "ods.build.source.repo.branch", "value": "master"},{"name":
"ods.build.jenkins.job.url", "value": "https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-
releasemanager-master/13/"}, {"name": "ods.build.timestamp", "value": "Tue Mar 01 11:14:46 UTC 2022"}, {"name":
"ods.build.lib.version", "value": "4.x"},{"name": "ext.ods.build.rm.ordqp.repo.url", "value": "https://bitbucket-
dev. biscrum. com/scm/ordgp/ordgp-release manager. git"\}, \{"name": "ext.ods. build.rm. ordgp. repo. commit. author", "value": "ext.ods. build.rm. ordgp. repo. commit. author "ext.ods. build.rm. ordgp. repo. com
"ODS Jenkins Shared Library System User (undefined)"},{"name": "ext.ods.build.rm.ordgp.repo.commit.sha", "value":
 "be2537272ddc579f97f2e2eba6cdc0788f81341b"},{"name": "ext.ods.build.rm.ordgp.repo.commit.timestamp", "value":
"2022-01-28 13:14:04 +0000"},{"name": "ext.ods.build.rm.ordgp.repo.commit.msg", "value": "ODS: Record commits
deployed into D"},{"name": "ext.JENKINS MASTER OPENSHIFT BUILD COMMIT", "value":
"a541165cff3874ce420e3109e951a9b50c24fc3f"},{"name": "ext.JENKINS MASTER OPENSHIFT BUILD NAME", "value":
"jenkins-master-43"},{"name": "ext.JENKINS_MASTER_OPENSHIFT_BUILD_SOURCE", "value": "https://bitbucket-
dev.biscrum.com/scm/odsalpha/ods-core.git"}, { "name": "ext.JENKINS MASTER OPENSHIFT BUILD NAMESPACE", "value":
"odsalpha"},{"name": "ext.JENKINS_MASTER_OPENSHIFT_BUILD_REFERENCE", "value": "4.x"},{"name":
 ext.JENKINS AGENT OPENSHIFT BUILD COMMIT", "value": "84a9d964c7e6970e4ff9544a611738b8ee066fa5"},{"name":
"ext.JENKINS AGENT OPENSHIFT BUILD NAME", "value": "jenkins-agent-nodejs12-10"}, { "name":
"ext.JENKINS_AGENT_OPENSHIFT_BUILD_SOURCE", "value": "https://bitbucket-dev.biscrum.com/scm/odsalpha/ods-
quickstarters.git"},{"name": "ext.JENKINS AGENT OPENSHIFT BUILD NAMESPACE", "value": "odsalpha"},{"name":
 "ext.JENKINS AGENT OPENSHIFT BUILD REFERENCE", "value": "4.x"}
                  ]}]' --loglevel=5
10301 11:19:47.142584
                                                                 932 merged client builder.go:122] Using in-cluster configuration
10301 11:19:47.145110
                                                                 932 merged_client_builder.go:122] Using in-cluster configuration
10301 11:19:47.152525
                                                                 932 merged client builder.go:122] Using in-cluster configuration
10301 11:19:47.164799
                                                                 932 merged_client_builder.go:122] Using in-cluster configuration
buildconfig.build.openshift.io/frontend patched
```

[Pipeline] timeout

Timeout set to expire in 15 min

---> Using cache
---> bb1ea4c8ccd4

/etc/nginx

[Pipeline] { [Pipeline] sh + oc -n ordgp-cd start-build frontend --from-dir docker --loglevel=5 I0301 11:19:47.611061 952 merged_client_builder.go:122] Using in-cluster configuration 10301 11:19:47.611623952 merged_client_builder.go:122] Using in-cluster configuration10301 11:19:47.612671952 merged_client_builder.go:122] Using in-cluster configuration 952 merged_client_builder.go:122] Using in-cluster configuration 10301 11:19:47.613151 952 merged_client_builder.go:122] Using in-cluster configuration 10301 11:19:47.613573 952 repository.go:424] Executing git show -s HEAD -format=%H%n%an%n%ae%n%cn%n%ce%n%B Uploading directory "docker" as binary input for the build ... I0301 11:19:47.615872 952 tar.go:217] Adding "/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/docker" to I0301 11:19:47.616153 952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/docker/Dockerfile as Dockerfile I0301 11:19:47.616757 952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/docker/dist as dist I0301 11:19:47.617000 952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/docker/dist/3rdpartylicenses.txt as dist/3rdpartylicenses.txt I0301 11:19:47.617126 952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/docker/dist/favicon.ico as dist/favicon.ico I0301 11:19:47.617843 952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/docker/dist/index.html as dist/index.html I0301 11:19:47.618224 952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/docker/dist/main-es2015.9f73a6a248b6402cb22d.js as dist/main-es2015.9f73a6a248b6402cb22d.js I0301 11:19:47.634542 952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/docker/dist/main-es5.9ecc6c53b4763251a8db.js as dist/main-es5.9ecc6c53b4763251a8db.js I0301 11:19:47.642616 952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/docker/dist/polyfills-es2015.5728f680576ca47e99fe.js as dist/polyfills-es2015.5728f680576ca47e99fe.js I0301 11:19:47.647646 952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/docker/dist/polyfills-es5.4e06eb653a3c8a2d581f.js as dist/polyfills-es5.4e06eb653a3c8a2d581f.js I0301 11:19:47.656243 952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/docker/dist/runtime-es2015.858f8dd898b75fe86926.js as dist/runtime-es2015.858f8dd898b75fe86926.js I0301 11:19:47.657009 952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/docker/dist/runtime-es5.741402d1d47331ce975c.js as dist/runtime-es5.741402d1d47331ce975c.js I0301 11:19:47.657188 952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/docker/dist/styles.09e2c710755c8867a460.css as dist/styles.09e2c710755c8867a460.css I0301 11:19:47.657314 952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/docker/nginx.vh.default.conf.nginx as nginx.vh.default.conf.nginx I0301 11:19:47.657397 952 tar.go:312] Adding to tar: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/docker/release.json as release.json Uploading finished [Pipeline] sh + oc -n ordgp-cd get bc/frontend -o 'jsonpath={.status.lastVersion}' + oc -n ordgp-cd logs -f --version=8 bc/frontend [Pipeline] echo Receiving source from STDIN as archive ... Step 1/9: FROM nginx:1.20.1-alpine ---> e1ccef1fb908 Step 2/9: ENV "HTTP_PROXY" "http://appaccess-zscaler.boehringer.com:80" "HTTPS_PROXY" "http://appaccesszscaler.boehringer.com:80" "NO PROXY' ".svc,.default,.local,localhost,.boehringer.com,.biscrum.com,10.250.0.0/16,10.251.0.0/16,10.183.203.189,10.183.203.186, 0.183.203.185, 10.183.203.187, 10.183.203.188, 10.183.203.19, 10.183.203.191, 10.183.203.190, 10.183.203.192, 10.250.0."http://appaccess-zscaler.boehringer.com:80" "https://appaccess-zscaler.boehringer.com:80" svc, default, local, localhost, boehringer.com, biscrum.com, 10.250.0.0/16, 10.251.0.0/16, 10.183.203.189, 10.183.203.186, 0.183.203.185, 10.183.203.187, 10.183.203.188, 10.183.203.19, 10.183.203.191, 10.183.203.190, 10.183.203.192, 10.250.0.

'Page 97 of 215'

&& chmod -R g+rwX

Step 3/9 : RUN chmod -R 777 /var/log/nginx /var/cache/nginx /var/run && chgrp -R 0 /etc/nginx

```
---> Using cache
---> 7e3c0b25cfd6
Step 4/9: COPY dist /docroot
---> Using cache
---> d1d27347eda9
Step 5/9: COPY nginx.vh.default.conf.nginx /etc/nginx/conf.d/default.conf
---> Using cache
---> 6f46ccf99cb3
Step 6/9: RUN chown -R nginx: /docroot
---> Using cache
---> 69556db09541
Step 7/9 : EXPOSE 8080
---> Using cache
---> 35099c77b769
Step 8/9: ENV "OPENSHIFT BUILD NAME" "frontend-8" "OPENSHIFT BUILD NAMESPACE" "ordgp-cd"
---> Running in 044808739b2f
---> 44ac8a1cfcbd
Removing intermediate container 044808739b2f
Step 9/9: LABEL "io.openshift.build.name" "frontend-8" "io.openshift.build.namespace" "ordgp-cd"
"ods.build.source.repo.url" "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git"
"ods.build.source.repo.commit.sha" "c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293"
"ods.build.source.repo.commit.msg" "ODS-Export-OpenShift-configuration-Build-assemble-7-Change-1.0-Project-ordgp-
Target-Environment-ordgp-dev-Version-WIP-https-jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com-job-ordgp-cd-job-
ordgp-cd-releasemanager-master-7-ci-skip" "ods.build.source.repo.commit.author" "ODS Jenkins Shared Library System
User (undefined)" "ods.build.source.repo.commit.timestamp" "2022-01-28 13:13:59 +0000"
"ods.build.source.repo.branch" "master" "ods.build.jenkins.job.url" "https://jenkins-ordgp-cd.inh-
odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/" "ods.build.timestamp" "Tue Mar 01
11:14:46 UTC 2022" "ods.build.lib.version" "4.x" "ext.ods.build.rm.ordgp.repo.url" "https://bitbucket-
dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git" "ext.ods.build.rm.ordgp.repo.commit.author" "ODS Jenkins
Shared Library System User (undefined)" "ext.ods.build.rm.ordgp.repo.commit.sha"
"be2537272ddc579f97f2e2eba6cdc0788f81341b" "ext.ods.build.rm.ordgp.repo.commit.timestamp" "2022-01-28
13:14:04 +0000" "ext.ods.build.rm.ordgp.repo.commit.msg" "ODS: Record commits deployed into D"
"ext.JENKINS_MASTER_OPENSHIFT_BUILD_COMMIT" "a541165cff3874ce420e3109e951a9b50c24fc3f"
"ext.JENKINS_MASTER_OPENSHIFT_BUILD_NAME" "jenkins-master-43" "ext.JENKINS_MASTER_OPENSHIFT_BUILD_SOURCE"
"https://bitbucket-dev.biscrum.com/scm/odsalpha/ods-core.git" "ext.JENKINS\_MASTER\_OPENSHIFT\_BUILD\_NAMESPACE" \\
"odsalpha" "ext.JENKINS_MASTER_OPENSHIFT_BUILD_REFERENCE" "4.x" "ext.JENKINS_AGENT_OPENSHIFT_BUILD_COMMIT"
"84a9d964c7e6970e4ff9544a611738b8ee066fa5" "ext.JENKINS AGENT OPENSHIFT BUILD NAME" "jenkins-agent-
nodejs12-10" "ext.JENKINS_AGENT_OPENSHIFT_BUILD_SOURCE" "https://bitbucket-dev.biscrum.com/scm/odsalpha/ods-
quickstarters.git" "ext.JENKINS AGENT OPENSHIFT BUILD NAMESPACE" "odsalpha"
"ext.JENKINS_AGENT_OPENSHIFT_BUILD_REFERENCE" "4.x"
---> Running in 9b9f3acb6c18
---> 8591b667e0e8
Removing intermediate container 9b9f3acb6c18
Successfully built 8591b667e0e8
Pushing image docker-registry.default.svc:5000/ordgp-cd/frontend:c385c58e ...
Pushed 5/10 layers, 50% complete
Pushed 6/10 layers, 60% complete
Pushed 7/10 layers, 70% complete
Pushed 8/10 layers, 80% complete
Pushed 9/10 layers, 90% complete
Pushed 10/10 layers, 100% complete
Push successful
[Pipeline] echo
DEBUG: [frontend-build] (took 15068 ms)
[Pipeline] }
[Pipeline] // timeout
[Pipeline] sh
+ oc -n ordgp-cd get build frontend-8 -o 'jsonpath={.status.phase}'
[Pipeline] echo
DEBUG: Build: 'frontend-8' - status: 'complete'
[Pipeline] sh
+ oc -n ordgp-cd get istag frontend:c385c58e -o 'jsonpath={.image.dockerImageReference}'
```

Build #8 of 'frontend' has produced image: docker-registry.default.svc:5000/ordgp-

cd/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1b2b5295.[Pipeline] } [Pipeline] // stage [Pipeline] echo [Build OpenShift Image-frontend] **** ENDED stage 'Build OpenShift Image' for component 'frontend' branch 'master' **** (took 17387 ms) [Pipeline] sh + oc -n odsalpha get ConfigMap/aqua -o json [Pipeline] echo Not parameter 'projects.ordgp.enabled' at cluster level. Default enabled [Pipeline] echo WARN: Skipping Aqua scan because is not enabled at cluster level in 'aqua' ConfigMap in odsalpha project [Pipeline] echo [Deploy to OpenShift-frontend] **** STARTING stage 'Deploy to OpenShift' for component 'frontend' branch 'master' **** [Pipeline] stage [Pipeline] { (Deploy to OpenShift) [Pipeline] sh + oc -n ordgp-dev get Deployment, DeploymentConfig -l app=ordgp-frontend -o 'template={{range .items}}{{.kind}}: {{.metadata.name}} {{end}}' + oc -n ordgp-dev get DeploymentConfig/frontend -o 'jsonpath={.status.latestVersion}' expected to call org.codehaus.groovy.runtime.MethodClosure.call but wound up catching org.ods.services.OpenShiftService.pause; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/ [Pipeline] echo DEBUG: Pausing DeploymentConfig/frontend [Pipeline] sh + oc rollout pause DeploymentConfig/frontend -n ordgp-dev [Pipeline] sh + oc -n ordgp-dev get ImageStream/frontend [Pipeline] sh + oc -n ordgp-dev tag ordgp-cd/frontend:c385c58e frontend:c385c58e Tag frontend:c385c58e set to ordgpcd/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1b2b5295.[Pipeline] fileExists [Pipeline] fileExists [Pipeline] fileExists [Pipeline] readYaml [Pipeline] fileExists [Pipeline] echo DEBUG: Setting labels app.kubernetes.io/name='Angular' app.kubernetes.io/version='4.x' app.kubernetes.io/instance='frontend' app.kubernetes.io/part-of- app.kubernetes.io/managed-by='tailor' app.openshift.io/runtime- app.openshift.io/runtime-version- helm.sh/chart- app.opendevstack.org/type='ods' app.opendevstack.org/system-name='BI-IT-DEVSTACK' app.opendevstack.org/project='ordqp' app.opendevstack.org/project-version='1.0' app.opendevstack.org/work-in-progress='true' to resources all selected by app=ordgp-frontend [Pipeline] sh + oc label --overwrite all -l app=ordgp-frontend -n ordgp-dev app.kubernetes.io/name=Angular app.kubernetes.io/version=4.x app.kubernetes.io/instance=frontend app.kubernetes.io/part-ofapp.kubernetes.io/managed-by=tailor app.openshift.io/runtime- app.openshift.io/runtime-version- helm.sh/chartapp.opendevstack.org/type=ods app.opendevstack.org/system-name=BI-IT-DEVSTACK app.opendevstack.org/project=ordgp app.opendevstack.org/project-version=1.0 app.opendevstack.org/work-inprogress=true [Pipeline] echo DEBUG: Patching DeploymentConfig/frontend in the ordgp-dev project with {"spec":{"template":{"metadata":{"labels": {"app,kubernetes.jo/name":"Angular","app,kubernetes.jo/versjon":"4.x","app,kubernetes.jo/instance";"frontend","app,kube rnetes.io/part-of":null,"app.kubernetes.io/managed-by":"tailor","app.openshift.io/runtime":null,"app.openshift.io/runtime version":null,"helm.sh/chart":null,"app.opendevstack.org/type":"ods","app.opendevstack.org/system-name":"BI-IT-DEVSTACK","app.opendevstack.org/project":"ordgp","app.opendevstack.org/projectversion":"1.0","app.opendevstack.org/work-in-progress":"true"}}},"paused":true}} [Pipeline] sh + oc patch DeploymentConfig/frontend --type=merge -p '{"spec":{"template":{"metadata":{"labels": {"app.kubernetes.io/name":"Angular","app.kubernetes.io/version":"4.x","app.kubernetes.io/instance":"frontend","app.kube

rnetes.io/part-of":null,"app.kubernetes.io/managed-by":"tailor","app.openshift.io/runtime":null,"app.openshift.io/runtimeversion":null,"helm.sh/chart":null,"app.opendevstack.org/type":"ods","app.opendevstack.org/system-name":"BI-IT-

DEVSTACK", "app.opendevstack.org/project": "ordgp", "app.opendevstack.org/projectversion":"1.0","app.opendevstack.org/work-in-progress":"true"}}},"paused":true}}' -n ordgp-dev + oc -n ordgp-dev get DeploymentConfig frontend -o 'jsonpath= {.spec.template.spec.containers[*].image}' [Pipeline] sh + oc -n ordgp-dev get ImageStream/frontend [Pipeline] sh + oc -n ordgp-dev tag frontend:c385c58e frontend:latest Tag frontend:latest set to [Pipeline] echo DEBUG: Resuming DeploymentConfig/frontend [Pipeline] sh + oc rollout resume DeploymentConfig/frontend -n ordgp-dev [Pipeline] sh + oc -n ordgp-dev get DeploymentConfig/frontend -o 'jsonpath={.status.latestVersion}' [Pipeline] echo Rollout of deployment for 'frontend' has been triggered automatically. [Pipeline] timeout Timeout set to expire in 5 min 0 sec [Pipeline] { [Pipeline] sh + oc -n ordgp-dev rollout status DeploymentConfig/frontend --watch=true Waiting for rollout to finish: 0 out of 1 new replicas have been updated... Waiting for rollout to finish: 0 out of 1 new replicas have been updated... Waiting for rollout to finish: 1 old replicas are pending termination... Waiting for rollout to finish: 1 old replicas are pending termination... Waiting for latest deployment config spec to be observed by the controller loop... replication controller "frontend-8" successfully rolled out [Pipeline] echo DEBUG: [frontend-watch-rollout] (took 12676 ms) [Pipeline] } [Pipeline] // timeout [Pipeline] sh + oc -n ordgp-dev get DeploymentConfig/frontend -o 'jsonpath={.status.latestVersion}' [Pipeline] sh + oc -n ordgp-dev get rc/frontend-8 -o 'jsonpath={.metadata.annotations.openshift\.io/deployment\.phase}' [Pipeline] echo Rollout #8 of DeploymentConfig 'frontend' successful. [Pipeline] sh + oc -n ordgp-dev get pod -l deployment=frontend-8 -o json [Pipeline] } [Pipeline] // stage [Pipeline] echo [Deploy to OpenShift-frontend] **** ENDED stage 'Deploy to OpenShift' for component 'frontend' branch 'master' **** (took 18311 ms) [Pipeline] } [Pipeline] // wrap [Pipeline] stage [Pipeline] { (odsPipeline finished) [Pipeline] echo DEBUG: [buildstatus-c385c58e-SUCCESSFUL] Setting Bitbucket build status to 'SUCCESSFUL' on commit 'c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293' / 'https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgpcd/job/ordgp-cd-releasemanager-master/13/ [Pipeline] withCredentials Masking supported pattern matches of \$USERNAME or \$TOKEN [Pipeline] { [Pipeline] sh + curl --fail -sS --request POST --header 'Authorization: Bearer **** --header 'Content-Type: application/json' --data '{"state":"SUCCESSFUL","key":"c385c58e","name":"c385c58e","url":"https://jenkins-ordgp-cd.inh $ods apps. eu. boehringer. com/job/ordgp-cd/job/ordgp-cd-release manager-master/13/"\}'\ https://bitbucket-new. for all of the control of the$ dev.biscrum.com/rest/build-status/1.0/commits/c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293 [Pipeline] } [Pipeline] // withCredentials

[Pipeline] echo

```
DEBUG: [buildstatus-c385c58e-SUCCESSFUL] (took 671 ms)
[Pipeline] echo
[frontend] ***** Finished ODS Pipeline ***** (took 337603 ms)
[Pipeline] }
[Pipeline] // stage
[Pipeline] echo
DEBUG: Collecting (applicable) testresults from location: 'build/test-results/test'
[Pipeline] sh
+ mkdir -p build/test-results/test build/test-results/test
+ cp -rf build/test-results/test/test-results.xml build/test-results/test
+ true
cp: 'build/test-results/test/test-results.xml' and 'build/test-results/test/test-results.xml' are the same file
[Pipeline] sh
+ Is -la build/test-results/test/test-results.xml
+ wc -l
[Pipeline] echo
DEBUG: Found 1 test files in 'build/test-results/test'
[Pipeline] junit
Recording test results
[Pipeline] stash
Stashed 1 file(s)
[Pipeline] echo
DEBUG: [frontend] ODS Component Pipeline 'frontend-13'
ODS Build Artifacts 'frontend':
  "builds": {
     "frontend": {
       "buildId": "frontend-8",
       "image": "docker-registry.default.svc:5000/ordgp-
cd/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1b2b5295"
  },
  "deployments": {
     "frontend": {
        "podName": "frontend-8-k6mwm",
       "podNamespace": "ordgp-dev",
        "podMetaDataCreationTimestamp": "2022-03-01T11:20:13Z",
        "deploymentId": "frontend-8",
       "podNode": "inhas71256.eu.boehringer.com",
       "podlp": "10.251.16.86",
       "podStatus": "Running",
        "podStartupTimeStamp": "2022-03-01T11:20:13Z",
        "containers": {
          "frontend": "docker-registry.default.svc:5000/ordgp-
\tt dev/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1b2b5295"
     }
  },
  "sonarqubeScanStashPath": "scrr-report-frontend-13",
  "SCRR": "SCRR-ordgp-frontend.docx",
  "SCRR-MD": "SCRR-ordgp-frontend.md",
  "testResultsFolder": "build/test-results/test",
  "testResults": "1",
  "xunitTestResultsStashPath": "test-reports-junit-xml-frontend-13"
} (took 338708 ms)
[Pipeline] }
[Pipeline] // node
[Pipeline] }
[Pipeline] // podTemplate
[Pipeline] }
[Pipeline] // load
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] echo
```

DEBUG: Collected ODS build artifacts for repo 'frontend': [builds:[frontend:[buildld:frontend-8, image:docker-registry.default.svc:5000/ordgp-

cd/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1b2b5295]], deployments: [frontend:[podName:frontend-8-k6mwm, podNamespace:ordgp-dev, podMetaDataCreationTimestamp:2022-03-01T11:20:13Z, deploymentId:frontend-8, podNode:inhas71256.eu.boehringer.com, podIp:10.251.16.86, podStatus:Running, podStartupTimeStamp:2022-03-01T11:20:13Z, containers:[frontend:docker-registry.default.svc:5000/ordgp-

dev/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1b2b5295]]], sonarqubeScanStashPath:scrr-report-frontend-13, SCRR:SCRR-ordgp-frontend.docx, SCRR-MD:SCRR-ordgp-frontend.md, testResultsFolder:build/test-results/test, testResults:1, xunitTestResultsStashPath:test-reports-junit-xml-frontend-13, CREATED_BY_BUILD:WIP/13]

[Pipeline] }

[Pipeline] // dir

[Pipeline] echo

DEBUG: Collecting JUnit XML Reports ('unit') for frontend

[Pipeline] dir

Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/frontend/unit

[Pipeline] {

[Pipeline] unstash

[Pipeline] }

[Pipeline] // dir

[Pipeline] echo

DEBUG: Reporting unit test results to corresponding test cases in Jira for component 'Technology-frontend'. Test type: '[Unit]'.

Test results: [testsuites:[[hostname:pod-d37d024c-2832-4049-9847-7054e8a20989-gpc5g-6t74v, failures:0, tests:3, package:, name:HeadlessChrome 94.0.4606 (Linux 0.0.0), time:0.183, id:0, errors:0, timestamp:2022-03-01T11:19:00, properties:[[name:browser.fullName, value:Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/94.0.4606.81 Safari/537.36]], testcases:[[classname:AppComponent, name:AppComponent should create the app, time:0.077, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:19:00], [classname:AppComponent, name:AppComponent should have as title 'frontend', time:0.019, skipped:false, systemOut:,

systemErr:, timestamp:2022-03-01T11:19:00], [classname:AppComponent, name:AppComponent should render title in a h1 tag, time:0.087, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:19:00]], systemOut:, systemErr:]]] [Pipeline] echo

DEBUG: [Technology-frontend-jira-fetch-tests-[Unit]] Found automated tests for component 'Technology-frontend'. Test type: [Unit]: 0 (took 1 ms)

[Pipeline] echo

DEBUG: [Technology-frontend-jira-report-tests-[Unit]] (took 3 ms)

[Pipeline] echo

levaDocScheduler.run start

[Pipeline] echo

[docgen-ordgp-DTR-frontend] Creating document of type 'DTR' for project 'ordgp' and repo 'frontend' in phase 'Build' and stage 'POST_EXECUTE_REPO'

expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createDTR; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/

[Pipeline] echo

DEBUG: createDTR - repo:[id:frontend, type:ods, data:[openshift:[builds:[frontend:[buildId:frontend-8, image:docker-registry.default.svc:5000/ordgp-

cd/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1b2b5295]], deployments: [frontend:[podName:frontend-8-k6mwm, podNamespace:ordgp-dev, podMetaDataCreationTimestamp:2022-03-01T11:20:13Z, deploymentId:frontend-8, podNode:inhas71256.eu.boehringer.com, podIp:10.251.16.86, podStatus:Running, podStartupTimeStamp:2022-03-01T11:20:13Z, containers:[frontend:docker-registry.default.svc:5000/ordgp-

dev/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1b2b5295]]], sonarqubeScanStashPath:scrr-report-frontend-13, SCRR:SCRR-ordgp-frontend.docx, SCRR-MD:SCRR-ordgp-frontend.md, testResultsFolder:build/test-results/test, testResults:1, xunitTestResultsStashPath:test-reports-junit-xml-frontend-13, CREATED_BY_BUILD:WIP/13], documents:[:], envStateCommit:c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293, git: [branch:master, commit:c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293,

previousCommit:c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293,

previousSucessfulCommit:1d20ca4cbd91841d48f85866f309030f06cf0fa2, url:https://bitbucket-

dev.biscrum.com/scm/ordgp/ordgp-frontend.git, baseTag:, targetTag:]], url:https://bitbucket-

 $dev. biscrum. com/scm/ordgp/ordgp-frontend. git, \ branch: master, \ pipeline Config: [dependencies: []], \ metadata: branch: master, \ pipeline Config: [dependencies: []], \ metadata: branch: master, \ pipeline Config: [dependencies: []], \ metadata: branch: master, \ pipeline Config: [dependencies: []], \ metadata: branch: master, \ pipeline Config: [dependencies: []], \ metadata: branch: master, \ pipeline Config: [dependencies: []], \ metadata: branch: master, \ pipeline Config: [dependencies: []], \ metadata: branch: master, \ pipeline Config: [dependencies: []], \ metadata: branch: master, \ pipeline Config: [dependencies: []], \ metadata: branch: master, \ pipeline Config: [dependencies: []], \ metadata: branch: master, \ pipeline Config: [dependencies: []], \ metadata: branch: master, \ pipeline Config: [dependencies: []], \ metadata: branch: master, \ pipeline Config: [], \ metadata: branch: master, \ pipeline Config: [], \ metadata: branch: master, \ pipeline Config: [], \ metadata: \ pipeline Config: [], \$

[name:Angular, description:Angular is a TypeScript-based open-source web application framework led by the Angular Team at Google and by a community of individuals and corporations. Technologies: Angular 8.0,

supplier:https://angular.io, version:4.x, type:ods], doInstall:true], data:[tests:[unit:[testReportFiles:

[/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/frontend/unit/build/test-results/test/test-results.xml], testResults:[testsuites:[[hostname:pod-d37d024c-2832-4049-9847-7054e8a20989-gpc5g-6t74v, failures:0, tests:3, package:, name:HeadlessChrome 94.0.4606 (Linux 0.0.0), time:0.183, id:0, errors:0, timestamp:2022-03-01T11:19:00, properties:[[name:browser.fullName, value:Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/94.0.4606.81 Safari/537.36]], testcases: [[classname:AppComponent, name:AppComponent should create the app, time:0.077, skipped:false, systemOut:,

systemErr:, timestamp:2022-03-01T11:19:00], [classname:AppComponent, name:AppComponent should have as title 'frontend', time:0.019, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:19:00],

[classname:AppComponent, name:AppComponent should render title in a h1 tag, time:0.087, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:19:00]], systemOut:, systemErr:]]]]]]

[Pipeline] echo

2022-03-01 11:20:24Z Resurrected DTR for frontend -> (false)

[Pipeline] echo

DEBUG: Retrieving saved document history with name 'documentHistory-D-DTR-frontend' in workspace '/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace'.

[Pipeline] readFile

[Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-D-DTR-frontend.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[], epics:[], mitigations:[], requirements:[], risks:[], techSpecs:[], tests:[], docs:[[key:ORDGP-56, action:add, documents:[DTR], number:7, heading:Document History], [key:ORDGP-53, action:add, documents:[DTR], number:6, heading:Reference Documents], [key:ORDGP-52, action:add, documents:[DTP, DTR], number:5.2, heading:Abbreviations], [key:ORDGP-51, action:add, documents:[DTP, DTR], number:5.1, heading:Definitions]]]

[Pipeline] echo

DEBUG: Creating a new history entry with version 1 for DTR-frontend

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-9, ORDGP-16, ORDGP-27]

[Pipeline] di

Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/artifacts

[Pipeline] {

[Pipeline] stash

Stashed 1 file(s)

[Pipeline] }

[Pipeline] // dir

[Pipeline] echo

2022-03-01 11:20:28Z Document DTR for frontend uploaded @ https://nexus-odsalpha.inh-

ods apps. eu. boehringer. com/repository/leva-documentation/ordgp-WIP/DTR-ordgp-front end-WIP-13.zip

[Pipeline] echo

DEBUG: [docgen-ordgp-DTR-frontend] (took 3504 ms)

[Pipeline] echo

levaDocScheduler.run end

[Pipeline] }

[Pipeline] // parallel

[Pipeline] }

[Pipeline] // parallel

[Pipeline] echo

[docgen-ordgp-OVERALL_DTR] Creating document of type 'OVERALL_DTR' for project 'ordgp' in phase 'Build' and stage 'PRE_END'

expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createOveralIDTR; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22]

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-9, ORDGP-16, ORDGP-27]

[Pipeline] dir

Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/reports/backend

```
[Pipeline] {
[Pipeline] unstash
[Pipeline] }
[Pipeline] // dir
[Pipeline] dir
Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/reports/frontend
[Pipeline] {
[Pipeline] unstash
[Pipeline] }
[Pipeline] // dir
[Pipeline] archiveArtifacts
Archiving artifacts
[Pipeline] echo
2022-03-01 11:20:31Z Document DTR uploaded @ https://nexus-odsalpha.inh-
odsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/DTR-ordgp-WIP-13.zip
[Pipeline] echo
DEBUG: [docgen-ordgp-OVERALL_DTR] (took 4455 ms)
[Pipeline] echo
[Build] **** ENDED orchestration stage **** (took 352179 ms)
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Deploy)
[Pipeline] echo
[Deploy] **** STARTING orchestration stage ****
[Pipeline] parallel
[Pipeline] { (Branch: Deploy)
[Pipeline] { (Branch: orchestration)
[Pipeline] parallel
[Pipeline] { (Branch: backend)
[Pipeline] { (Branch: frontend)
[Pipeline] { (Branch: test)
[Pipeline] echo
DEBUG: Current stage: 'Deploy' -> start agent stage: 'Init'
[Pipeline] }
[Pipeline] echo
DEBUG: Repo 'test' is of type ODS Test Component. Nothing to do in phase 'Deploy' for target environment 'D'.
[Pipeline] echo
DEBUG: Repo 'backend' is of type ODS Code Component. Nothing to do in phase 'Deploy' for target environment 'D'.
[Pipeline] echo
DEBUG: Repo 'frontend' is of type ODS Code Component. Nothing to do in phase 'Deploy' for target environment 'D'.
[Pipeline] echo
[docgen-ordgp-TIR-backend] Creating document of type 'TIR' for project 'ordgp' and repo 'backend' in phase 'Deploy' and
stage 'POST EXECUTE REPO'
[Pipeline] echo
[docgen-ordgp-TIR-frontend] Creating document of type 'TIR' for project 'ordgp' and repo 'frontend' in phase 'Deploy' and
stage 'POST EXECUTE REPO'
expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching
org.ods.orchestration.usecase.LeVADocumentUseCase.createTIR; see: https://jenkins.io/redirect/pipeline-cps-method-
expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching
org.ods.orchestration.usecase.LeVADocumentUseCase.createTIR; see: https://jenkins.io/redirect/pipeline-cps-method-
mismatches/
[Pipeline] echo
DEBUG: createTIR - repo:{
  "id": "backend",
  "type": "ods",
  "data": {
     "openshift": {
       "builds": {
          "backend": {
            "buildId": "backend-8",
            "image": "docker-registry.default.svc:5000/ordgp-
cd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d8492ff9"
          }
```

```
},
                        "deployments": {
                               "backend": {
                                       "podName": "backend-10-95wsv",
                                       "podNamespace": "ordgp-dev",
                                       "podMetaDataCreationTimestamp": "2022-03-01T11:18:41Z",
                                       "deploymentId": "backend-10",
                                       "podNode": "inhas71256.eu.boehringer.com",
                                       "podlp": "10.251.16.83",
                                       "podStatus": "Running",
                                       "podStartupTimeStamp": "2022-03-01T11:18:41Z",
                                       "containers": {
                                               "backend": "docker-registry.default.svc:5000/ordgp-
cd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d8492ff9" and the contraction of the contraction of
                              }
                       },
                        "sonarqubeScanStashPath": "scrr-report-backend-13",
                       "SCRR": "SCRR-ordgp-backend.docx",
                       "SCRR-MD": "SCRR-ordgp-backend.md",
                       "testResultsFolder": "build/test-results/test",
                        "testResults": "1",
                        "xunitTestResultsStashPath": "test-reports-junit-xml-backend-13",
                       "CREATED_BY_BUILD": "WIP/13"
                "documents": {
                "envStateCommit": "27eb2abe4554932afa94f9a40a72d2165158ae6b",
                "git": {
                       "branch": "master",
                        "commit": "27eb2abe4554932afa94f9a40a72d2165158ae6b",
                        "previousCommit": "27eb2abe4554932afa94f9a40a72d2165158ae6b",
                       "previousSucessfulCommit": "6f8daea49927f08c0be572fc745f8396d2aec66f",
                       "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git",
                      "baseTag": "",
                        "targetTag": ""
        },
        "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git",
        "branch": "master",
        "pipelineConfig": {
                 "dependencies": [
              ]
        },
        "metadata": {
                "name": "OpenJDK",
                "description": "OpenJDK is a free and open-source implementation of the Java Platform, Standard Edition.
Technologies: Spring Boot 2.1, OpenJDK 17",
                "supplier": "https://openjdk.java.net/",
                "version": "4.x",
                "type": "ods"
        "doInstall": true
}, data:{
        "openshift": {
                "builds": {
                        "backend": {
                              "buildId": "backend-8",
                              "image": "docker-registry.default.svc:5000/ordgp-
cd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d8492ff9" and the contraction of the contraction of
```

```
"deployments": {
               "backend": {
                    "podName": "backend-10-95wsv",
                   "podNamespace": "ordgp-dev",
                   "podMetaDataCreationTimestamp": "2022-03-01T11:18:41Z",
                   "deploymentId": "backend-10",
                   "podNode": "inhas71256.eu.boehringer.com",
                   "podlp": "10.251.16.83",
                   "podStatus": "Running",
                   "podStartupTimeStamp": "2022-03-01T11:18:41Z",
                    "containers": {
                        "backend": "docker-registry.default.svc:5000/ordgp-
cd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d8492ff9"
              }
          },
          "sonarqubeScanStashPath": "scrr-report-backend-13",
          "SCRR": "SCRR-ordgp-backend.docx",
          "SCRR-MD": "SCRR-ordgp-backend.md",
          "testResultsFolder": "build/test-results/test",
          "testResults": "1",
          "xunitTestResultsStashPath": "test-reports-junit-xml-backend-13",
          "CREATED_BY_BUILD": "WIP/13"
     "documents": {
     "envStateCommit": "27eb2abe4554932afa94f9a40a72d2165158ae6b",
     "git": {
          "branch": "master",
          "commit": "27eb2abe4554932afa94f9a40a72d2165158ae6b",
          "previousCommit": "27eb2abe4554932afa94f9a40a72d2165158ae6b",
          "previousSucessfulCommit": "6f8daea49927f08c0be572fc745f8396d2aec66f",
          "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git",
          "baseTag": "",
          "targetTag": ""
[Pipeline] echo
DEBUG: createTIR - repo:{
     "id": "frontend",
     "type": "ods",
     "data": {
          "openshift": {
               "builds": {
                   "frontend": {
                        "buildId": "frontend-8",
"image": "docker-registry.default.svc:5000/ordgp-
cd/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1b2b5295 "including the content of the content of
                   }
               "deployments": {
                    "frontend": {
                         "podName": "frontend-8-k6mwm",
                         "podNamespace": "ordgp-dev",
                         "podMetaDataCreationTimestamp": "2022-03-01T11:20:13Z",
                         "deploymentId": "frontend-8",
                         "podNode": "inhas71256.eu.boehringer.com",
                         "podlp": "10.251.16.86",
                         "podStatus": "Running",
                         "podStartupTimeStamp": "2022-03-01T11:20:13Z",
                         "containers": {
                             "frontend": "docker-registry.default.svc:5000/ordgp-
dev/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1b2b5295 \\
```

```
}
               "sonarqubeScanStashPath": "scrr-report-frontend-13",
               "SCRR": "SCRR-ordgp-frontend.docx",
               "SCRR-MD": "SCRR-ordgp-frontend.md",
               "testResultsFolder": "build/test-results/test",
               "testResults": "1",
               "xunitTestResultsStashPath": "test-reports-junit-xml-frontend-13",
               "CREATED BY BUILD": "WIP/13"
          "documents": {
          "envStateCommit": "c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293",
          "git": {
               "branch": "master",
               "commit": "c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293",
               "previousCommit": "c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293",
               "previousSucessfulCommit": "1d20ca4cbd91841d48f85866f309030f06cf0fa2",
               "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git",
               "baseTag": "",
               "targetTag": ""
     },
     "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git",
     "branch": "master",
     "pipelineConfig": {
          "dependencies": [
     "metadata": {
          "name": "Angular",
          "description": "Angular is a TypeScript-based open-source web application framework led by the Angular Team at
Google and by a community of individuals and corporations. Technologies: Angular 8.0",
          "supplier": "https://angular.io",
          "version": "4.x",
          "type": "ods"
     },
     "doInstall": true
}, data:{
     "openshift": {
          "builds": {
               "frontend": {
                    "buildId": "frontend-8",
                    "image": "docker-registry.default.svc:5000/ordgp-
cd/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1b2b5295"
           "deployments": {
               "frontend": {
                    "podName": "frontend-8-k6mwm",
                    "podNamespace": "ordgp-dev",
                     "podMetaDataCreationTimestamp": "2022-03-01T11:20:13Z",
                    "deploymentId": "frontend-8",
                    "podNode": "inhas71256.eu.boehringer.com",
                    "podlp": "10.251.16.86",
                    "podStatus": "Running",
                     "podStartupTimeStamp": "2022-03-01T11:20:13Z",
                    "containers": {
                         "frontend": "docker-registry.default.svc:5000/ordgp-
dev/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1b2b5295" and the contract of th
```

```
"sonarqubeScanStashPath": "scrr-report-frontend-13",
     "SCRR": "SCRR-ordgp-frontend.docx",
     "SCRR-MD": "SCRR-ordgp-frontend.md",
     "testResultsFolder": "build/test-results/test",
     "testResults": "1",
     "xunitTestResultsStashPath": "test-reports-junit-xml-frontend-13",
     "CREATED BY BUILD": "WIP/13"
  "documents": {
  "envStateCommit": "c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293",
  "git": {
     "branch": "master",
     "commit": "c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293",
     "previousCommit": "c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293",
     "previousSucessfulCommit": "1d20ca4cbd91841d48f85866f309030f06cf0fa2",
     "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git",
     "baseTag": "",
     "targetTag": ""
[Pipeline] }
[Pipeline] echo
DEBUG: Retrieving saved document history with name 'documentHistory-D-TIR-backend' in workspace
'/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace'.
[Pipeline] echo
DEBUG: Retrieving saved document history with name 'documentHistory-D-TIR-frontend' in workspace
'/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace'.
[Pipeline] readFile
[Pipeline] readFile
[Pipeline] echo
DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-D-TIR-backend.json' is expected
to be inside the release manager repository but was not found and thus, document history cannot be build. If you come
from and old ODS version, create one for each document to use the automated document history feature.
[Pipeline] echo
DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-D-TIR-frontend.json' is expected
to be inside the release manager repository but was not found and thus, document history cannot be build. If you come
from and old ODS version, create one for each document to use the automated document history feature.
[Pipeline] echo
DEBUG: Parsing jira data to document history
[Pipeline] echo
DEBUG: Parsing jira data to document history
[Pipeline] echo
action:add]], epics:[], mitigations:[], requirements:[], risks:[], techSpecs:[], tests:[], docs:[[key:ORDGP-88, action:add,
documents:[TIR], number:7, heading:Document History], [key:ORDGP-87, action:add, documents:[TIR], number:6,
heading:Reference Documents], [key:ORDGP-86, action:add, documents:[TIR], number:5.2, heading:Abbreviations],
[key:ORDGP-85, action:add, documents:[TIR], number:5.1, heading:Definitions]]]
[Pipeline] echo
DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[[key:Technology-frontend,
action:add]], epics:[], mitigations:[], requirements:[], risks:[], techSpecs:[], tests:[], docs:[[key:ORDGP-88, action:add,
documents:[TIR], number:7, heading:Document History], [key:ORDGP-87, action:add, documents:[TIR], number:6,
heading:Reference Documents], [key:ORDGP-86, action:add, documents:[TIR], number:5.2, heading:Abbreviations],
[key:ORDGP-85, action:add, documents:[TIR], number:5.1, heading:Definitions]]]
[Pipeline] echo
DEBUG: Creating a new history entry with version 1 for TIR-backend
[Pipeline] echo
DEBUG: Creating a new history entry with version 1 for TIR-frontend
[Pipeline] echo
DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22]
DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22]
[Pipeline] dir
```

```
Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/artifacts
[Pipeline] {
[Pipeline] dir
Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/artifacts
[Pipeline] {
[Pipeline] stash
Stashed 1 file(s)
[Pipeline] stash
Stashed 1 file(s)
[Pipeline] }
[Pipeline] }
[Pipeline] // dir
[Pipeline] // dir
[Pipeline] echo
2022-03-01 11:20:36Z Document TIR for backend uploaded @ https://nexus-odsalpha.inh-
odsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/TIR-ordgp-backend-WIP-13.zip
[Pipeline] echo
2022-03-01 11:20:36Z Document TIR for frontend uploaded @ https://nexus-odsalpha.inh-
odsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/TIR-ordgp-frontend-WIP-13.zip
[Pipeline] echo
DEBUG: [docgen-ordgp-TIR-backend] (took 3116 ms)
[Pipeline] echo
DEBUG: [docgen-ordgp-TIR-frontend] (took 3116 ms)
[Pipeline] }
[Pipeline] }
[Pipeline] // parallel
[Pipeline] }
[Pipeline] // parallel
[Pipeline] echo
[Deploy] **** ENDED orchestration stage **** (took 3757 ms)
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Test)
[Pipeline] echo
[Test] **** STARTING orchestration stage ****
[Pipeline] parallel
[Pipeline] { (Branch: Test)
[Pipeline] { (Branch: orchestration)
[Pipeline] parallel
[Pipeline] { (Branch: backend)
[Pipeline] { (Branch: frontend)
[Pipeline] { (Branch: test)
[Pipeline] echo
DEBUG: Current stage: 'Test' -> start agent stage: 'Init'
[Pipeline] }
[Pipeline] dir
Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/repositories/test
[Pipeline] {
[Pipeline] sh
[Pipeline] echo
DEBUG: Repo 'backend' is of type ODS Code Component. Nothing to do in phase 'Test' for target environment 'D'.
[Pipeline] echo
DEBUG: Repo 'frontend' is of type ODS Code Component. Nothing to do in phase 'Test' for target environment 'D'.
[Pipeline] }
[Pipeline] }
+ env
+ grep library.ods-mro-jenkins-shared-library.version
+ cut -d= -f2
[Pipeline] withEnv
[Pipeline] {
[Pipeline] load
[Pipeline] { (/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/repositories/test/Jenkinsfile)
```

[Pipeline] echo

DEBUG: -> ODS Component pipeline setup, debug mode? true [Pipeline] echo -> Detected multirepo orchestration pipeline build [Pipeline] echo DEBUG: Setting target environment: 'dev' [Pipeline] echo DEBUG: Amending project / component name based on Git origin URL [Pipeline] sh + git config --get remote.origin.url [Pipeline] echo DEBUG: Retrieved Git origin URL from filesystem: https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git [Pipeline] echo DEBUG: Project- / component-name config: ordgp / test [Pipeline] echo [test] ***** Starting ODS Component Pipeline ***** [Pipeline] wrap [Pipeline] { [Pipeline] stage [Pipeline] { (odsPipeline start) [Pipeline] echo DEBUG: Validating input ... [Pipeline] echo DEBUG: Collecting environment variables ... [Pipeline] sh + env + grep ods.build. [Pipeline] sh + env + grep OPENSHIFT BUILD [Pipeline] echo DEBUG: Got external build labels: [ods.build.rm.ordqp.repo.url:https://bitbucket-dev.biscrum.com/scm/ordqp/ordqpreleasemanager.git, ods.build.rm.ordgp.repo.commit.author:ODS Jenkins Shared Library System User (undefined), ods.build.rm.ordgp.repo.commit.sha:be2537272ddc579f97f2e2eba6cdc0788f81341b, ods.build.rm.ordgp.repo.commit.timestamp:2022-01-28 13:14:04 +0000, ods.build.rm.ordgp.repo.commit.msg:ODS: Record commits deployed into D, JENKINS_MASTER_OPENSHIFT_BUILD_COMMIT:a541165cff3874ce420e3109e951a9b50c24fc3f, JENKINS MASTER OPENSHIFT BUILD NAME: jenkins-master-43, JENKINS MASTER_OPENSHIFT_BUILD_SOURCE:https://bitbucket-dev.biscrum.com/scm/odsalpha/ods-core.git, JENKINS_MASTER_OPENSHIFT_BUILD_NAMESPACE:odsalpha, JENKINS_MASTER_OPENSHIFT_BUILD_REFERENCE:4.x] [Pipeline] sh + env + grep library.ods-jenkins-shared-library.version + cut -d = -f2[Pipeline] echo DEBUG: Validating environment variables ... [Pipeline] echo DEBUG: Deriving configuration from input ... [Pipeline] echo DEBUG: Setting defaults ... [Pipeline] echo DEBUG: Retrieving Git information ... [Pipeline] sh + git config --get remote.origin.url [Pipeline] sh + git rev-parse --abbrev-ref HEAD [Pipeline] sh + git name-rev master + cut -d ' ' -f2 + sed -e 's|remotes/origin/||g'

[Pipeline] echo

DEBUG: resolved branch master

[Pipeline] sh

+ git rev-parse HEAD

[Pipeline] sh

+ git --no-pager show -s '--format=%an (%ae)' HEAD

```
[Pipeline] sh
+ git log -1 --format=%f HEAD
[Pipeline] sh
+ git log -1 --pretty=%B HEAD
[Pipeline] sh
+ git show -s --format=%ci HEAD
[Pipeline] echo
DEBUG: Setting target OCP environment ...
[Pipeline] echo
DEBUG: Commit workingtree? false
[Pipeline] echo
DEBUG: Assembled configuration: [testResults:, podServiceAccount:jenkins, groupId:org.opendevstack.ordgp,
branchToEnvironmentMapping:[master:dev], globalExtensionImageLabels:
[JENKINS MASTER OPENSHIFT BUILD COMMIT:a541165cff3874ce420e3109e951a9b50c24fc3f,
ods.build.rm.ordgp.repo.url:https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git,
JENKINS MASTER OPENSHIFT BUILD SOURCE:https://bitbucket-dev.biscrum.com/scm/odsalpha/ods-core.git,
ods.build.rm.ordgp.repo.commit.timestamp:2022-01-28 13:14:04 +0000,
JENKINS MASTER OPENSHIFT BUILD REFERENCE:4.x, JENKINS MASTER OPENSHIFT BUILD NAME:jenkins-master-43,
ods.build.rm.ordqp.repo.commit.msg:ODS: Record commits deployed into D, ods.build.rm.ordqp.repo.commit.author:ODS
Jenkins Shared Library System User (undefined), JENKINS_MASTER_OPENSHIFT_BUILD_NAMESPACE:odsalpha,
ods.build.rm.ordgp.repo.commit.sha:be2537272ddc579f97f2e2eba6cdc0788f81341b], dockerDir:docker, buildNumber:13,
odsSharedLibVersion:4.x, resourceRequestCpu:100m, buildUrl:https://jenkins-ordgp-cd.inh-
odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/, nexusUsername:****,
triggeredByOrchestrationPipeline:true, jobName:ordgp-cd/ordgp-cd-releasemanager-master, image:docker-
registry.default.svc:5000/odsalpha/jenkins-agent-maven:4.x, buildTime:2022-03-01T11:20:38+0000,
openshiftBuildTimeout:15, targetProject:ordgp-dev, bitbucketUrl:https://bitbucket-dev.biscrum.com, gitCommitTime:2022-
03-01 12:12:44 +0100, resourceLimitCpu:1, environmentLimit:5, emailextRecipients:null, alwaysPullImage:true,
podVolumes:[], failOnSnykScanVulnerabilities:true, projectId:ordgp, tagversion:13-61a229c5, ciSkipEnabled:false,
sonarQubeBranch:*, componentId:test, openshiftRolloutTimeout:5, sonarQubeEdition:enterprise,
openshiftHost:https://openshift.default.svc.cluster.local, credentialsld:ordgp-cd-cd-user-with-password, cdProject:ordgp-
cd, commitGitWorkingTree: false, odsBitbucketProject: opendevstack, localCheckoutEnabled: false, notifyNotGreen: false, false, notifyNotG
qitBranch:master, bitbucketNotificationEnabled:true, debug:true, resourceRequestMemory:1Gi, repoName:ordqp-test,
resourceLimitMemory:2Gi, gitCommitRawMessage:DemoAcceptanceSpec.groovy edited online with Bitbucket,
imageStreamTag:odsalpha/jenkins-agent-maven:4.x, environment:dev, nexusUrl:https://nexus-odsalpha.inh-
odsapps.eu.boehringer.com, openshiftRolloutTimeoutRetries:5, nexusPassword:****,
gitCommit:61a229c55991e0e89362016bf53d968df233aa80, buildTag:jenkins-ordgp-cd-ordgp-cd-releasemanager-
master-13, podLabel:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9, displayNameUpdateEnabled:false,
gitCommitAuthor:zxBCN Paraiso,Gonzalo (IT EDS) EXTERNAL (gonzalo.paraiso.ext@boehringer-ingelheim.com),
git Commit Message: DemoAcceptance Spec. groovy-edited-online-with-Bit bucket, \ git Url: https://bit bucket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-picket-pic
dev.biscrum.com/scm/ordgp/ordgp-test.git]
[Pipeline] echo
DEBUG: -> Registering & loading global services
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // wrap
[Pipeline] echo
***** Continuing on node 'pod-3d3cc6d9-b447-4430-a9eb-92909af215a9' based on image 'docker-
registry.default.svc:5000/odsalpha/jenkins-agent-maven:4.x' *****
[Pipeline] podTemplate
[Pipeline] {
[Pipeline] node
Still waiting to schedule task
'pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm' is offline
Agent pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm is provisioned from template pod-3d3cc6d9-b447-
4430-a9eb-92909af215a9-drsw3
apiVersion: "v1"
kind: "Pod"
metadata:
  annotations:
    buildUrl: "http://jenkins.ordgp-cd.svc:80/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"
    runUrl: "job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"
```

labels:

```
jenkins: "slave"
  jenkins/label: "pod-3d3cc6d9-b447-4430-a9eb-92909af215a9"
 name: "pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm"
 containers:
 - args:
  - "pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm"
  - name: "JENKINS_SECRET"
   value: "******
  - name: "JENKINS_TUNNEL"
   value: "jenkins-jnlp.ordgp-cd.svc:50000"
  - name: "JENKINS AGENT NAME"
   value: "pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm"
  - name: "JENKINS NAME"
   value: "pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm"
  - name: "JENKINS_AGENT_WORKDIR"
   value: "/tmp"
  - name: "JENKINS_URL"
   value: "http://jenkins.ordgp-cd.svc:80/"
  image: "docker-registry.default.svc:5000/odsalpha/jenkins-agent-maven:4.x"
  imagePullPolicy: "Always"
  name: "jnlp"
  resources:
   limits:
    memory: "2Gi"
    cpu: "1"
   requests:
    memory: "1Gi"
    cpu: "100m"
  securityContext:
   privileged: false
  tty: false
  volumeMounts:
  - mountPath: "/tmp"
   name: "workspace-volume"
   readOnly: false
  workingDir: "/tmp"
 nodeSelector:
  beta.kubernetes.io/os: "linux"
 restartPolicy: "Never"
 securityContext: {}
 serviceAccount: "jenkins"
 volumes:
 - emptyDir:
   medium: ""
  name: "workspace-volume"
Running on pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm in /tmp/workspace/ordgp-cd/ordgp-cd-
releasemanager-master
[Pipeline] {
[Pipeline] echo
DEBUG: [pod-3d3cc6d9-b447-4430-a9eb-92909af215a9] (took 19541 ms)
DEBUG: [buildstatus-61a229c5-INPROGRESS] Setting Bitbucket build status to 'INPROGRESS' on commit
'61a229c55991e0e89362016bf53d968df233aa80' / 'https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-
cd/job/ordgp-cd-releasemanager-master/13/
[Pipeline] withCredentials
Masking supported pattern matches of $USERNAME or $TOKEN
[Pipeline] {
[Pipeline] sh
+ curl --fail -sS --request POST --header 'Authorization: Bearer **** --header 'Content-Type: application/json' --data
'{"state":"INPROGRESS","key":"61a229c5","name":"61a229c5","url":"https://jenkins-ordgp-cd.inh-
odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"}' https://bitbucket-
```

dev.biscrum.com/rest/build-status/1.0/commits/61a229c55991e0e89362016bf53d968df233aa80 [Pipeline] } [Pipeline] // withCredentials [Pipeline] echo DEBUG: [buildstatus-61a229c5-INPROGRESS] (took 3024 ms) [Pipeline] wrap [Pipeline] { [Pipeline] sh + git Ifs [Pipeline] checkout The recommended git tool is: NONE using credential ordgp-cd-cd-user-with-password Cloning the remote Git repository Avoid second fetch Checking out Revision 61a229c55991e0e89362016bf53d968df233aa80 (detached) Enabling Git LFS pull Cloning repository https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git > git init /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master # timeout=10 Fetching upstream changes from https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git > git --version # timeout=10 > git --version # 'git version 1.8.3.1' using GIT ASKPASS to set credentials ordgp-cd-cd-user-with-password Setting http proxy: appaccess-zscaler.boehringer.com:80 > git fetch --tags --progress https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git +refs/heads/*:refs/remotes/origin/* # timeout=10 > git config remote.origin.url https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git # timeout=10 > git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10 > git rev-parse 61a229c55991e0e89362016bf53d968df233aa80^{commit} # timeout=10 > git config core.sparsecheckout # timeout=10 > git checkout -f 61a229c55991e0e89362016bf53d968df233aa80 # timeout=10 > git config --get remote.origin.url # timeout=10 using GIT ASKPASS to set credentials ordgp-cd-cd-user-with-password Setting http proxy: appaccess-zscaler.boehringer.com:80 > git lfs pull origin # timeout=10 Commit message: "DemoAcceptanceSpec.groovy edited online with Bitbucket" Cleaning workspace [Pipeline] sh > git rev-parse --verify HEAD # timeout=10 Resetting working tree > git reset --hard # timeout=10 > git clean -fdx # timeout=10 + env + grep OPENSHIFT BUILD [Pipeline] stage [Pipeline] { (Integration Test) [Pipeline] sh + chmod a+x gradle gradlew gradlew.bat [Pipeline] sh + oc -n ordgp-dev create route edge test-route-1646133673371 --service=dummy --port=80 + true [Pipeline] sh + oc -n ordgp-dev get route test-route-1646133673371 -o 'jsonpath={.spec.host}' [Pipeline] sh + oc -n ordgp-dev delete route test-route-1646133673371 + true [Pipeline] echo DEBUG: [test-get-oc-app-domain] (took 1845 ms) [Pipeline] withEnv [Pipeline] { [Pipeline] sh + ./gradlew clean test --stacktrace --no-daemon Picked up JAVA_TOOL_OPTIONS: -XX:+UnlockExperimentalVMOptions -Dsun.zip.disableMemoryMapping=true

Downloading https://services.gradle.org/distributions/gradle-5.6.4-bin.zip

.....

Welcome to Gradle 5.6.4!

Here are the highlights of this release:

- Incremental Groovy compilation
- Groovy compile avoidance
- Test fixtures for Java projects
- Manage plugin versions via settings script

For more details see https://docs.gradle.org/5.6.4/release-notes.html

WARNING: An illegal reflective access operation has occurred

WARNING: Illegal reflective access by org.codehaus.groovy.vmplugin.v7.Java7\$1

(file:/home/jenkins/.gradle/wrapper/dists/gradle-5.6.4-bin/bxirm19 lnfz6 nurbatndyydux/gradle-5.6.4/lib/groovy-all-1.3-bin/bxirm19 lnfz6 nurbatndyydux/gradle-5.6.4/lib/groovy-all-1.3-bin/b

2.5.4.jar) to constructor java.lang.invoke.MethodHandles\$Lookup(java.lang.Class,int)

WARNING: Please consider reporting this to the maintainers of org.codehaus.groovy.vmplugin.v7.Java7\$1 WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access operations

WARNING: All illegal access operations will be denied in a future release

> Configure project :

using nexus repositories

- > Task :clean UP-TO-DATE
- > Task :compileJava NO-SOURCE
- > Task :compileGroovy NO-SOURCE
- > Task :processResources NO-SOURCE
- > Task :classes UP-TO-DATE
- > Task :compileTestJava NO-SOURCE
- > Task :compileTestGroovy NO-SOURCE
- > Task :processTestResources
- > Task :testClasses
- > Task :compileInstallationJava

> Task :compileInstallationGroovy

 $Picked \ up \ JAVA_TOOL_OPTIONS: \ -XX: + Unlock Experimental VMO ptions \ -Dsun. zip. disable Memory Mapping = true$

WARNING: An illegal reflective access operation has occurred

WARNING: Illegal reflective access by org.codehaus.groovy.reflection.CachedClass

(file:/home/jenkins/.gradle/caches/modules-2/files-

 $2.1/org. code haus. groovy/2.5.6/6936e 700 f0 fb 1b 50 bac 0698 ada 4347 a 769 d 40199/groovy -2.5.6. jar)\ to\ method\ java.util. Abstract Collection. huge Capacity (int)$

WARNING: Please consider reporting this to the maintainers of org.codehaus.groovy.reflection.CachedClass WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access operations

WARNING: All illegal access operations will be denied in a future release

- > Task :processInstallationResources
- $\verb| > Task : installation Classes| \\$
- > Task :installation-java

 $Picked\ up\ JAVA_TOOL_OPTIONS:\ -XX:+UnlockExperimental VMOptions\ -Dsun.zip. disable Memory Mapping=true$

[0K[1mDemoInstallationTest[m

[0K[1m Test [22mbasicTest()[32m PASSED[m

[0K[1;32mSUCCESS: [39mExecuted 1 tests in 2s[m

> Task :installation-groovy

 $Picked\ up\ JAVA_TOOL_OPTIONS:\ -XX:+UnlockExperimental VMOptions\ -Dsun.zip. disable Memory Mapping=true$

WARNING: An illegal reflective access operation has occurred

WARNING: Illegal reflective access by org.codehaus.groovy.vmplugin.v7.Java7\$1

(file:/home/jenkins/.gradle/caches/modules-2/files-

 $2.1/org. code haus. groovy/groovy/2.5.6/6936e700f0fb1b50bac0698ada4347a769d40199/groovy-2.5.6. jar)\ to\ constructor\ java.lang. invoke. Method Handles $Lookup (java.lang. Class, int)$

WARNING: Please consider reporting this to the maintainers of org.codehaus.groovy.vmplugin.v7.Java7\$1

WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access operations WARNING: All illegal access operations will be denied in a future release

[0K[1mDemoInstallation[m

[0K[1m Test [22mORDGP147 basic test[32m PASSED[m

[0K[1;32mSUCCESS: [39mExecuted 1 tests in 5.6s[m

- > Task :compileIntegrationJava
- > Task :compileIntegrationGroovy
- > Task :processIntegrationResources
- > Task :integrationClasses
- > Task :integration-java

Picked up JAVA TOOL OPTIONS: -XX:+UnlockExperimentalVMOptions -Dsun.zip.disableMemoryMapping=true

[0K[1mDemoIntegrationTest[m

[0K[1m Test [22mbasicTest()[32m PASSED[m

[0K[1;32mSUCCESS: [39mExecuted 1 tests in 1.9s[m

> Task :integration-groovy

Picked up IAVA TOOL OPTIONS: -XX:+UnlockExperimentalVMOptions -Dsun.zip.disableMemoryMapping=true

WARNING: An illegal reflective access operation has occurred

WARNING: Illegal reflective access by org.codehaus.groovy.vmplugin.v7.Java7\$1

(file:/home/jenkins/.gradle/caches/modules-2/files-

2.1/org.codehaus.groovy/groovy/2.5.6/6936e700f0fb1b50bac0698ada4347a769d40199/groovy-2.5.6.jar) to constructor java.lang.invoke.MethodHandles\$Lookup(java.lang.Class,int)

 $WARNING: Please\ consider\ reporting\ this\ to\ the\ maintainers\ of\ org. code haus. groovy. vmplugin. v7. Java7\1

WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access operations WARNING: All illegal access operations will be denied in a future release

[0K[1mDemoIntegration[m

[0K[1m Test [22mORDGP143 basic test[32m PASSED[m

[0K[1m Test [22mORDGP144 basic test[32m PASSED[m

[0K[1m Test [22mORDGP145_basic test[32m PASSED[m

[0K[1;32mSUCCESS: [39mExecuted 3 tests in 5.4s[m

- > Task :compileAcceptanceJava
- > Task :compileAcceptanceGroovy
- > Task :processAcceptanceResources
- > Task :acceptanceClasses
- > Task :acceptance-java

Picked up JAVA_TOOL_OPTIONS: -XX:+UnlockExperimentalVMOptions -Dsun.zip.disableMemoryMapping=true

[0K[1mDemoAcceptanceTest[m

[0K[1m Test [22mbasicTest()[32m PASSED[m

[0K[1;32mSUCCESS: [39mExecuted 1 tests in 1.8s[m

> Task :acceptance-groovy

Picked up JAVA_TOOL_OPTIONS: -XX:+UnlockExperimentalVMOptions -Dsun.zip.disableMemoryMapping=true

WARNING: An illegal reflective access operation has occurred

WARNING: Illegal reflective access by org.codehaus.groovy.vmplugin.v7.Java7\$1

(file:/home/jenkins/.gradle/caches/modules-2/files-2.1/org.codehaus.groovy/2.5.6/6936e700f0fb1b50bac0698ada4347a769d40199/groovy-2.5.6.jar) to constructor java.lang.invoke.MethodHandles\$Lookup(java.lang.Class,int) WARNING: Please consider reporting this to the maintainers of org.codehaus.groovy.vmplugin.v7.Java7\$1 WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access operations WARNING: All illegal access operations will be denied in a future release [0K[1mDemoAcceptance[m [0K[1m Test [22mORDGP130 goes to GH ods-quickstarters[32m PASSED[m [0K[1m Test [22mORDGP131 goes to GH ods-quickstarters[32m PASSED[m [0K[1m Test [22mORDGP132_goes to GH ods-quickstarters[32m PASSED[m [OK[1m Test [22mORDGP133 goes to GH ods-quickstarters[32m PASSED[m [0K[1;32mSUCCESS: [39mExecuted 4 tests in 5.3s[m > Task :test NO-SOURCE BUILD SUCCESSFUL in 1m 19s 17 actionable tasks: 16 executed, 1 up-to-date [Pipeline] junit Recording test results [Pipeline] stash Stashed 2 file(s) [Pipeline] stash Stashed 2 file(s) [Pipeline] stash Stashed 2 file(s) [Pipeline] } [Pipeline] // withEnv [Pipeline] } [Pipeline] // stage [Pipeline] echo [SonarQube Analysis-test] **** STARTING stage 'SonarQube Analysis' for component 'test' branch 'master' **** [Pipeline] stage [Pipeline] { (SonarQube Analysis) [Pipeline] echo Long-lived branches: master [Pipeline] readProperties [Pipeline] echo PR analysis is disabled. [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh + which sonar-scanner /usr/local/sonar-scanner-cli/bin/sonar-scanner + sonar-scanner -Dsonar.host.url=https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com -Dsonar.auth.token=****** -Dsonar.scm.provider=git -Dsonar.projectKey=ordgp-test -Dsonar.projectName=ordgp-test -Dsonar.projectVersion=61a229c5 -X -Dsonar.branch.name=master Picked up JAVA_TOOL_OPTIONS: -XX:+UnlockExperimentalVMOptions -Dsun.zip.disableMemoryMapping=true 11:22:36.727 INFO: Scanner configuration file: /usr/local/sonar-scanner-cli/conf/sonar-scanner.properties 11:22:36.729 INFO: Project root configuration file: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/sonarproject.properties 11:22:36.803 INFO: SonarOube Scanner 3.1.0.1141 11:22:36.803 INFO: Java 11.0.13 Red Hat, Inc. (64-bit) 11:22:36.804 INFO: Linux 3.10.0-1160.45.1.el7.x86_64 amd64 11:22:37.078 DEBUG: keyStore is : 11:22:37.078 DEBUG: keyStore type is: pkcs12 11:22:37.078 DEBUG: keyStore provider is:

11:22:37.078 DEBUG: init keystore

11:22:37.078 DEBUG: init keymanager of type SunX509 11:22:37.286 DEBUG: Create: /home/jenkins/.sonar/cache

```
11:22:37.286 INFO: User cache: /home/jenkins/.sonar/cache
11:22:37.286 DEBUG: Create: /home/jenkins/.sonar/cache/ tmp
11:22:37.288 DEBUG: Extract sonar-scanner-api-batch in temp...
11:22:37.291 DEBUG: Get bootstrap index...
11:22:37.291 DEBUG: Download: https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/batch/index
11:22:37.624 DEBUG: Get bootstrap completed
11:22:37.626 DEBUG: Download https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/batch/file?name=scanner-
enterprise-8.2.0.32929-all.jar to /home/jenkins/.sonar/cache/_tmp/fileCache11219879663342392652.tmp
11:22:38.624 DEBUG: Create isolated classloader...
11:22:38.632 DEBUG: Start temp cleaning...
11:22:38.634 DEBUG: Temp cleaning done
11:22:38.635 DEBUG: Execution getVersion
11:22:38.679 INFO: SonarOube server 8.2.0
11:22:38.680 INFO: Default locale: "en US", source code encoding: "UTF-8"
11:22:38.680 DEBUG: Work directory: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/.scannerwork
11:22:38.682 DEBUG: Execution execute
11:22:39.110 DEBUG: Enterprise 8.2.0.32929
11:22:39.300 INFO: Load global settings
11:22:39.407 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/settings/values.protobuf |
11:22:39.433 INFO: Load global settings (done) | time=133ms
11:22:39.478 INFO: Server id: 39E0EBC1-AXck41ETZVUYa3zX7DgH
11:22:39.481 DEBUG: Create:/home/jenkins/.sonar/_tmp
11:22:39.481 INFO: User cache: /home/jenkins/.sonar/cache
11:22:39.484 INFO: Load/download plugins
11:22:39.484 INFO: Load plugins index
11:22:39.494 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/installed |
time=10ms
11:22:39.528 INFO: Load plugins index (done) | time=44ms
11:22:39.530 DEBUG: Download plugin 'sonarapex' to '/home/jenkins/.sonar/ tmp/fileCache11829378416616770147.tmp'
11:22:39.544 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=sonarapex&acceptCompressions=pack200 | time=14ms
11:22:39.702 DEBUG: Download plugin 'csharp' to '/home/jenkins/.sonar/_tmp/fileCache14019058020945842183.tmp'
11:22:39.714 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=csharp&acceptCompressions=pack200 | time=11ms
11:22:39.903 DEBUG: Download plugin 'crowd' to '/home/jenkins/.sonar/_tmp/fileCache8988479214377534288.tmp'
11:22:39.914 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=crowd&acceptCompressions=pack200 | time=11ms
11:22:40.078 DEBUG: Download plugin 'scmgit' to '/home/jenkins/.sonar/ tmp/fileCache16914523321110053308.tmp'
11:22:40.086 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=scmgit&acceptCompressions=pack200 | time=8ms
11:22:40.192 DEBUG: Download plugin 'groovy' to '/home/jenkins/.sonar/ tmp/fileCache8504040758651365745.tmp'
11:22:40.208 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=groovy&acceptCompressions=pack200 | time=15ms
11:22:40.885 DEBUG: Download plugin 'jacoco' to '/home/jenkins/.sonar/ tmp/fileCache10564155421199490997.tmp'
11:22:40.895 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=jacoco&acceptCompressions=pack200 | time=10ms
11:22:40.897 DEBUG: Download plugin 'license' to '/home/jenkins/.sonar/ tmp/fileCache14413588741521500667.tmp'
11:22:40.904 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=license&acceptCompressions=pack200 | time=6ms
11:22:40.905 DEBUG: Download plugin 'authoidc' to '/home/jenkins/.sonar/_tmp/fileCache16022269229940744472.tmp'
11:22:40.916 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=authoidc&acceptCompressions=pack200 | time=11ms
11:22:40.982 DEBUG: Download plugin 'r' to '/home/jenkins/.sonar/ tmp/fileCache1639207883243094778.tmp'
11:22:40.995 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=r&acceptCompressions=pack200 | time=13ms
11:22:41.031 DEBUG: Download plugin 'go' to '/home/jenkins/.sonar/_tmp/fileCache10186709546296423288.tmp'
11:22:41.044 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=go&acceptCompressions=pack200 | time=13ms
11:22:41.306 DEBUG: Download plugin 'javascript' to '/home/jenkins/.sonar/_tmp/fileCache14591670253362774578.tmp'
11:22:41.317 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=javascript&acceptCompressions=pack200 | time=11ms
```

11:22:41.778 DEBUG: Download plugin 'java' to '/home/jenkins/.sonar/_tmp/fileCache672646882204484741.tmp' 11:22:41.793 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?

```
plugin=java&acceptCompressions=pack200 | time=15ms
11:22:42.584 DEBUG: Download plugin 'php' to '/home/jenkins/.sonar/ tmp/fileCache1822755568070936150.tmp'
11:22:42.596 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=php&acceptCompressions=pack200 | time=12ms
11:22:42.830 DEBUG: Download plugin 'python' to '/home/jenkins/.sonar/ tmp/fileCache17697389021124365497.tmp'
11:22:42.840 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=python&acceptCompressions=pack200 | time=10ms
11:22:42.983 DEBUG: Download plugin 'sonarscala' to '/home/jenkins/.sonar/ tmp/fileCache8406439792964573145.tmp'
11:22:42.997 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=sonarscala&acceptCompressions=pack200 | time=14ms
11:22:43.370 DEBUG: Download plugin 'typescript' to '/home/jenkins/.sonar/ tmp/fileCache7449724269245254774.tmp'
11:22:43.379 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/plugins/download?
plugin=typescript&acceptCompressions=pack200 | time=9ms
11:22:43.381 INFO: Load/download plugins (done) | time=3897ms
11:22:43.799 DEBUG: Plugins:
11:22:43.799 DEBUG: * SonarPython 2.1.0.5269 (python)
11:22:43.799 DEBUG: * Crowd 2.1.3 (crowd)
11:22:43.799 DEBUG: * JaCoCo 1.0.2.475 (jacoco)
11:22:43.799 DEBUG: * SonarGo 1.6.0.719 (go)
11:22:43.799 DEBUG: * OpenID Connect Authentication for SonarQube 1.1.0 (authoidc)
11:22:43.799 DEBUG: * Apex Code Quality and Security 1.8.2.1946 (sonarapex)
11:22:43.799 DEBUG: * SonarJS 6.1.0.11503 (javascript)
11:22:43.799 DEBUG: * SonarScala 1.5.0.315 (sonarscala)
11:22:43.800 DEBUG: * License for SonarLint 8.2.0.32929 (license)
11:22:43.800 DEBUG: * C# Code Quality and Security 8.6.1.17183 (csharp)
11:22:43.800 DEBUG: * Sonar R Plugin 0.1.3 (r)
11:22:43.800 DEBUG: * Groovy 1.6 (groovy)
11:22:43.800 DEBUG: * SonarJava 6.2.0.21135 (java)
11:22:43.800 DEBUG: * Git 1.9.1.1834 (scmgit)
11:22:43.800 DEBUG: * SonarPHP 3.3.0.5166 (php)
11:22:43.800 DEBUG: * SonarTS 2.1.0.4359 (typescript)
11:22:43.891 INFO: Loaded core extensions: developer-scanner
11:22:43.907 DEBUG: Installed core extension: developer-scanner
11:22:44.577 INFO: Process project properties
11:22:44.584 INFO: Process project properties (done) | time=7ms
11:22:44.584 INFO: Execute project builders
11:22:44.584 DEBUG: Execute project builder: org.sonar.plugins.csharp.CSharpGlobalProtobufFileProcessor
11:22:44.586 INFO: Execute project builders (done) | time=2ms
11:22:44.588 INFO: Project key: ordgp-test
11:22:44.588 INFO: Base dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master
11:22:44.588 INFO: Working dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/.scannerwork
11:22:44.588 DEBUG: Project global encoding: UTF-8, default locale: en US
11:22:44.589 DEBUG: Creating module hierarchy
11:22:44.589 DEBUG: Init module 'ordgp-test'
11:22:44.590 DEBUG: Base dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master
11:22:44.590 DEBUG: Working dir: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/.scannerwork
11:22:44.590 DEBUG: Module global encoding: UTF-8, default locale: en US
11:22:44.592 INFO: Load project settings for component key: 'ordgp-test'
11:22:44.617 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/settings/values.protobuf?
component=ordgp-test | time=25ms
11:22:44.617 INFO: Load project settings for component key: 'ordgp-test' (done) | time=25ms
11:22:44.703 INFO: Load project branches
11:22:44.719 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/project_branches/list?
project=ordgp-test | time=16ms
11:22:44.723 INFO: Load project branches (done) | time=20ms
11:22:44.724 INFO: Load project pull requests
11:22:44.742 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/project pull requests/list?
project=ordgp-test | time=17ms
11:22:44.776 INFO: Load project pull requests (done) | time=52ms
11:22:44.777 INFO: Load branch configuration
11:22:44.777 DEBUG: Found manual configuration of branch/PR analysis. Skipping automatic configuration.
11:22:44.778 INFO: Load branch configuration (done) | time=1ms
11:22:44.787 DEBUG: Available languages:
```

11:22:44.787 DEBUG: * Python => "py" 11:22:44.787 DEBUG: * Go => "go"

```
11:22:44.787 DEBUG: * Apex => "apex"
11:22:44.787 DEBUG: * JavaScript => "js"
11:22:44.787 DEBUG: * TypeScript => "ts"
11:22:44.787 DEBUG: * Scala => "scala"
11:22:44.787 DEBUG: * C# => "cs"
11:22:44.787 DEBUG: * R => "r"
11:22:44.787 DEBUG: * Groovy => "grvy"
11:22:44.787 DEBUG: * Java => "java"
11:22:44.787 DEBUG: * PHP => "php"
11:22:44.791 INFO: Load quality profiles
11:22:44.831 DEBUG: GET 200 https://sonarqube-odsalpha.inh-
odsapps.eu.boehringer.com/api/qualityprofiles/search.protobuf?project=ordgp-test | time=39ms
11:22:44.843 INFO: Load quality profiles (done) | time=52ms
11:22:44.849 INFO: Detected Jenkins
11:22:44.875 INFO: Load active rules
11:22:44.917 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&activation=true&qprofile=AX20
C4zj589iycgaYc8q&ps=500&p=1 | time=41ms
11:22:45.006 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation = true \& qprofile = AXck
49P0ZVUYa3zX7E G&ps=500&p=1 | time=12ms
11:22:45.059 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation = true \& qprofile = AXck
49bAZVUYa3zX7FFg&ps=500&p=1 | time=50ms
11:22:45.106 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation = true \& qprofile = AXck
49I8ZVUYa3zX7FMD&ps=500&p=1 | time=13ms
11:22:45.119 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation = true \& qprofile = AXck
49q-ZVUYa3zX7FM7&ps=500&p=1 | time=10ms
11:22:45.174 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation = true \& qprofile = AXck
49-4ZVUYa3zX7FTI&ps=500&p=1 | time=54ms
11:22:45.198 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation = true \& qprofile = AXck
49viZVUYa3zX7FO9&ps=500&p=1 | time=20ms
11:22:45.217 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation = true \& qprofile = AXck
4-M2ZVUYa3zX7FbF&ps=500&p=1 | time=16ms
11:22:45.234 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo,name,severity,lang,internalKey,templateKey,params,actives,createdAt,updatedAt&activation=true&qprofile=AXck
4-TQZVUYa3zX7FdE&ps=500&p=1 | time=15ms
11:22:45.264 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation = true \& qprofile = AXj6 Extractive for the several parameters of the several parameter
p04fgN3gVMmkodg&ps=500&p=1 | time=28ms
11:22:45.283 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/rules/search.protobuf?
f=repo, name, severity, lang, internal Key, template Key, params, actives, created At, updated At \& activation = true \& qprofile = AXck
4-ZoZVUYa3zX7FfF&ps=500&p=1 | time=18ms
11:22:45.289 INFO: Load active rules (done) | time=414ms
11:22:45.300 INFO: Branch name: master
11:22:45.383 DEBUG: Declared extensions of language Python were converted to sonar.lang.patterns.py: **/*.py
11:22:45.384 DEBUG: Declared extensions of language Go were converted to sonar.lang.patterns.go: ***/*.go
11:22:45.384 DEBUG: Declared extensions of language Apex were converted to sonar.lang.patterns.apex :
**/*.cls,**/*.trigger
11:22:45.384 DEBUG: Declared extensions of language JavaScript were converted to sonar.lang.patterns.js:
**/*.js,**/*.jsx,**/*.vue
11:22:45.384 DEBUG: Declared extensions of language TypeScript were converted to sonar.lang.patterns.ts:
**/*.ts,**/*.tsx
11:22:45.384 DEBUG: Declared extensions of language Scala were converted to sonar.lang.patterns.scala: **/*.scala
11:22:45.384 DEBUG: Declared extensions of language C# were converted to sonar.lang.patterns.cs : **/*.cs
11:22:45.384 DEBUG: Declared extensions of language R were converted to sonar.lang.patterns.r: **/*.r
11:22:45.385 DEBUG: Declared extensions of language Groovy were converted to sonar.lang.patterns.grvy: **/*.groovy
11:22:45.385 DEBUG: Declared extensions of language Java were converted to sonar.lang.patterns.java : **/*.java
11:22:45.385 DEBUG: Declared extensions of language PHP were converted to sonar.lang.patterns.php:
```

```
**/*.php,**/*.php3,**/*.php4,**/*.php5,**/*.phtml,**/*.inc
11:22:45.387 DEBUG: Will ignore generated code
11:22:45.387 INFO: Indexing files...
11:22:45.388 INFO: Project configuration:
11:22:45.479 DEBUG: readpipe [git, --version],/usr/bin
11:22:45.489 DEBUG: readpipe may return 'git version 1.8.3.1'
11:22:45.489 DEBUG: remaining output:
11:22:45.489 DEBUG: readpipe [git, config, --system, --edit],/usr/bin
11:22:45.491 DEBUG: readpipe may return '/etc/gitconfig'
11:22:45.491 DEBUG: remaining output:
11:22:45.583 DEBUG: 133 non excluded files in this Git repository
11:22:45.592 DEBUG: 'src/test/integration/java/DemoIntegrationTest.java' indexed with language 'java'
11:22:45.594 DEBUG: 'src/test/acceptance/java/DemoAcceptanceTest.java' indexed with language 'java'
11:22:45.595 DEBUG: 'src/test/resources/GebConfig.groovy' indexed with language 'grvy'
11:22:45.595 DEBUG: 'src/test/resources/SpecHelper.groovy' indexed with language 'grvy'
11:22:45.596 DEBUG: 'src/test/resources/application.properties' indexed with language 'null'
11:22:45.597 DEBUG: 'src/test/acceptance/groovy/DemoAcceptanceSpec.groovy' indexed with language 'grvy'
11:22:45.598 DEBUG: 'src/test/integration/groovy/DemoIntegrationSpec.groovy' indexed with language 'grvy'
11:22:45.599 INFO: 7 files indexed
11:22:45.599 INFO: 0 files ignored because of scm ignore settings
11:22:45.600 INFO: Quality profile for grvy: Sonar way
11:22:45.600 INFO: Quality profile for java: Sonar way
11:22:45.600 INFO: ------ Run sensors on module ordgp-test
11:22:45.785 INFO: Load metrics repository
11:22:45.795 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/metrics/search?
f=name,description,direction,qualitative,custom&ps=500&p=1 | time=10ms
11:22:45.802 INFO: Load metrics repository (done) | time=17ms
WARNING: An illegal reflective access operation has occurred
WARNING: Illegal reflective access by net.sf.cglib.core.ReflectUtils$1
(file:/home/jenkins/.sonar/cache/a2b6a8802525720c8af2ca4fa85a2513/sonar-javascript-plugin.jar) to method
java.lang. Class Loader. define Class (java.lang. String, byte [], int, int, java. security. Protection Domain) \\
WARNING: Please consider reporting this to the maintainers of net.sf.cglib.core.ReflectUtils$1
WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access operations
WARNING: All illegal access operations will be denied in a future release
11:22:47.714 DEBUG: 'Import external issues report' skipped because one of the required properties is missing
11:22:47.715 DEBUG: 'Python Sensor' skipped because there is no related file in current project
11:22:47.715 DEBUG: 'Cobertura Sensor for Python coverage' skipped because there is no related file in current project
11:22:47.715 DEBUG: 'PythonXUnitSensor' skipped because there is no related file in current project
11:22:47.715 DEBUG: 'PylintSensor' skipped because there is no related file in current project
11:22:47.716 DEBUG: 'PylintImportSensor' skipped because there is no related file in current project
11:22:47.716 DEBUG: 'Import of Bandit issues' skipped because there is no related file in current project
11:22:47.716 DEBUG: 'SonarGo' skipped because there is no related file in current project
11:22:47.716 DEBUG: 'Go Unit Test Report' skipped because there is no related file in current project
11:22:47.717 DEBUG: 'Go Cover sensor for Go coverage' skipped because one of the required properties is missing
11:22:47.717 DEBUG: 'Import of go vet issues' skipped because there is no related file in current project
11:22:47.717 DEBUG: 'Import of Golint issues' skipped because there is no related file in current project
11:22:47.717 DEBUG: 'Import of GoMetaLinter issues' skipped because there is no related file in current project
11:22:47.718 DEBUG: 'Import of GolangCI-Lint issues' skipped because there is no related file in current project
11:22:47.718 DEBUG: 'Apex Sensor' skipped because there is no related file in current project
11:22:47.718 DEBUG: 'Test coverage Sensor for Apex' skipped because there is no related file in current project
11:22:47.718 DEBUG: 'Import of PMD issues' skipped because there is no related file in current project
11:22:47.718 DEBUG: 'JavaScript analysis' skipped because there is no related file in current project
11:22:47.719 DEBUG: 'Sonar|S Coverage' skipped because there is no related file in current project
11:22:47.719 DEBUG: 'Import of ESLint issues' skipped because one of the required properties is missing
11:22:47.719 DEBUG: 'TypeScript analysis' skipped because there is no related file in current project
11:22:47.719 DEBUG: 'Import of TSLint issues' skipped because one of the required properties is missing
11:22:47.720 DEBUG: 'Scala Sensor' skipped because there is no related file in current project
11:22:47.720 DEBUG: 'Scoverage sensor for Scala coverage' skipped because one of the required properties is missing
11:22:47.720 DEBUG: 'Import of Scalastyle issues' skipped because there is no related file in current project
11:22:47.720 DEBUG: 'Import of Scapegoat issues' skipped because there is no related file in current project
11:22:47.720 DEBUG: 'C# Properties' skipped because there is no related file in current project
11:22:47.721 DEBUG: 'LintR Sensor for R files' skipped because there is no related file in current project
11:22:47.722 DEBUG: 'Import of Checkstyle issues' skipped because one of the required properties is missing
```

```
11:22:47.722 DEBUG: 'Import of PMD issues' skipped because one of the required properties is missing
11:22:47.722 DEBUG: 'Import of SpotBugs issues' skipped because one of the required properties is missing
11:22:47.723 DEBUG: 'Removed properties sensor' skipped because one of the required properties is missing
11:22:47.723 DEBUG: 'PHP sensor' skipped because there is no related file in current project
11:22:47.724 DEBUG: 'Analyzer for "php.ini" files' skipped because there is no related file in current project
11:22:47.724 DEBUG: 'SonarTS' skipped because there is no related file in current project
11:22:47.725 DEBUG: 'Generic Test Executions Report' skipped because one of the required properties is missing
11:22:47.726 DEBUG: 'C#' skipped because there is no related file in current project
11:22:47.726 DEBUG: 'C# Tests Coverage Report Import' skipped because there is no related file in current project
11:22:47.726 DEBUG: '[Deprecated] C# Integration Tests Coverage Report Import' skipped because there is no related
file in current project
11:22:47.726 DEBUG: 'C# Unit Test Results Import' skipped because there is no related file in current project
11:22:47.726 DEBUG: Sensors: JavaSquidSensor -> JaCoCo XML Report Importer -> CodeNarc -> GroovySensor ->
GroovySurefireSensor -> Groovy CoberturaSensor -> Groovy JaCoCo Coverage -> SurefireSensor -> JavaXmlSensor
11:22:47.727 INFO: Sensor JavaSquidSensor [java]
11:22:47.914 INFO: Configured Java source version (sonar.java.source): none
11:22:47.979 INFO: JavaClasspath initialization
11:22:47.987 WARN: Bytecode of dependencies was not provided for analysis of source files, you might end up with less
precise results. Bytecode can be provided using sonar.java.libraries property.
11:22:47.987 INFO: JavaClasspath initialization (done) | time=8ms
11:22:47.987 INFO: JavaTestClasspath initialization
11:22:47.987 INFO: JavaTestClasspath initialization (done) | time=0ms
11:22:48.000 DEBUG: ----- Classpath analyzed by Squid:
11:22:48.000 DEBUG: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/build/classes
11:22:48.000 DEBUG: ----
11:22:48.086 DEBUG: ---- Classpath analyzed by Squid:
11:22:48.087 DEBUG: ----
11:22:48.087 INFO: Java Main Files AST scan
11:22:48.089 INFO: 2 source files to be analyzed
11:22:48.093 INFO: Load project repositories
11:22:48.104 DEBUG: GET 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/batch/project.protobuf?
key=ordgp-test&branch=master | time=11ms
11:22:48.176 INFO: Load project repositories (done) | time=83ms
11:22:48.176 DEBUG: 'src/test/integration/java/DemoIntegrationTest.java' generated metadata with charset 'UTF-8'
11:22:49.879 DEBUG: 'src/test/acceptance/java/DemoAcceptanceTest.java' generated metadata with charset 'UTF-8'
11:22:49.907 INFO: Java Main Files AST scan (done) | time=1819ms
11:22:49.907 INFO: Java Test Files AST scan
11:22:49.907 INFO: 0 source files to be analyzed
11:22:49.907 INFO: Java Test Files AST scan (done) | time=0ms
11:22:49.907 INFO: 2/2 source files have been analyzed
11:22:49.907 INFO: 0/0 source files have been analyzed
11:22:49.908 INFO: Sensor JavaSquidSensor [java] (done) | time=2181ms
11:22:49.908 INFO: Sensor JaCoCo XML Report Importer [jacoco]
11:22:49.975 WARN: Report doesn't exist: '/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/build/reports/jacoco/test/jacocoTestReport.xml
11:22:49.975 INFO: Sensor JaCoCo XML Report Importer [jacoco] (done) | time=67ms
11:22:49.975 INFO: Sensor CodeNarc [groovy]
11:22:49.975 INFO: Executing CodeNarc
11:22:50.791 INFO: Loaded properties file in 102ms; 380 rules
11:22:50.875 INFO: Loading ruleset from [file:/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/.scannerwork/codenarc/profile.xml]
11:22:51.692 INFO: RuleSet configuration properties file [codenarc.properties] not found.
11:22:51.696 DEBUG: 'src/test/resources/SpecHelper.groovy' generated metadata with charset 'UTF-8'
11:22:53.003 DEBUG: 'src/test/acceptance/groovy/DemoAcceptanceSpec.groovy' generated metadata with charset 'UTF-
11:22:53.087 DEBUG: 'src/test/integration/groovy/DemoIntegrationSpec.groovy' generated metadata with charset 'UTF-8'
11:22:53.098 DEBUG: 'src/test/resources/GebConfig.groovy' generated metadata with charset 'UTF-8'
11:22:53.210 DEBUG: results=DirectoryResults(.) [FileResults(file:///tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/src/test/resources/SpecHelper.groovy) [Violation[rule=PrintlnRule[name=Println, priority=2], lineNumber=38,
sourceLine=println '==============,', message=println should be replaced
with something more robust], Violation[rule=PrintlnRule[name=Println, priority=2], lineNumber=39, sourceLine=println
"Test Case: ${spec.specificationContext.currentIteration.name}", message=printIn should be replaced with something
more robust], Violation[rule=PrintlnRule[name=Println, priority=2], lineNumber=40, sourceLine=println "Test Step:
```

\${testStepNumber}", message=println should be replaced with something more robust],

```
Violation[rule=PrintlnRule[name=Println, priority=2], lineNumber=41, sourceLine=println "Page URL:
${spec.getBrowser().getPage().getDriver().getCurrentUrl()}", message=println should be replaced with something more
robust], Violation[rule=PrintlnRule[name=Println, priority=2], lineNumber=47, sourceLine=println "---- Test Evidence
STARTS Here -----", message=println should be replaced with something more robust],
Violation[rule=PrintlnRule[name=Println, priority=2], lineNumber=49, sourceLine=println "Description:
${fragmentAndDescription.description}", message=println should be replaced with something more robust],
Violation[rule=PrintlnRule[name=Println, priority=2], lineNumber=52, sourceLine=println "----- Test Evidence ENDS Here
-----", message=println should be replaced with something more robust], Violation[rule=PrintlnRule[name=Println,
priority=2], lineNumber=78, sourceLine=println "${fragmentPrepend}${fragment} ${value}", message=println should
be replaced with something more robust], Violation[rule=PrintlnRule[name=Println, priority=2], lineNumber=81,
sourceLine=println "${fragmentPrepend}${fragment}", message=println should be replaced with something more
robust]], FileResults(file:///tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/src/test/acceptance/groovy/DemoAcceptanceSpec.groovy) [], FileResults(file:///tmp/workspace/ordgp-cd/ordgp-cd-
releasemanager-master/src/test/integration/groovy/DemoIntegrationSpec.groovy) [],
FileResults(file:///tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/src/test/resources/GebConfig.groovy) []]
CodeNarc completed: (p1=0; p2=9; p3=0) 2605ms
11:22:53.277 INFO: Sensor CodeNarc [groovy] (done) | time=3302ms
11:22:53.277 INFO: Sensor GroovySensor [groovy]
11:22:53.788 DEBUG: resultsNode=PackageResultsNode[path=null, packageName=, metricResults=
[NumberMetricResult[metric=CyclomaticComplexity, [total:23, average:1.6, minimum:null], maximum:null]],
NumberMetricResult[metric=ClassLineCount, [total:137, average:27.4, minimum:null, maximum:null]],
NumberMetricResult[metric=MethodLineCount, [total:113, average:8.7, minimum:null, maximum:null]]], children=
[src:PackageResultsNode[path=src, packageName=, metricResults=[NumberMetricResult[metric=CyclomaticComplexity,
[total:23, average:1.6, minimum:null, maximum:null]], NumberMetricResult[metric=ClassLineCount, [total:137,
average:27.4, minimum:null, maximum:null]], NumberMetricResult[metric=MethodLineCount, [total:113, average:8.7,
minimum:null, maximum:null]]], children=[test:PackageResultsNode[path=src/test, packageName=, metricResults=
[NumberMetricResult[metric=CyclomaticComplexity, [total:23, average:1.6, minimum:null, maximum:null]],
NumberMetricResult[metric=ClassLineCount, [total:137, average:27.4, minimum:null, maximum:null]],
NumberMetricResult[metric=MethodLineCount, [total:113, average:8.7, minimum:null, maximum:null]]], children=
[acceptance:PackageResultsNode[path=src/test/acceptance, packageName=, metricResults=
[NumberMetricResult[metric=CyclomaticComplexity, [total:5, average:1.0, minimum:null, maximum:null]],
NumberMetricResult[metric=ClassLineCount, [total:27, average:13.5, minimum:null, maximum:null]],
NumberMetricResult[metric=MethodLineCount, [total:17, average:3.4, minimum:null, maximum:null]]], children=
[groovy:PackageResultsNode[path=src/test/acceptance/groovy, packageName=, metricResults=
[NumberMetricResult[metric=CyclomaticComplexity, [total:5, average:1.0, minimum:null, maximum:null]],
NumberMetricResult[metric=ClassLineCount, [total:27, average:13.5, minimum:null, maximum:null]],
NumberMetricResult[metric=MethodLineCount, [total:17, average:3.4, minimum:null, maximum:null]]], children=
[W3CAcceptance Home Page: Class Results Node [class: metric Results = [Number Metric Result [metric = Cyclomatic Complexity, netric Results = [Number Metric Result [metric = Cyclomatic Complexity, netric Results = [Number Metric Results = [Numb
[total:1, average:1.0, minimum:null, maximum:null]], SingleNumberMetricResult[metric=ClassLineCount, 4],
NumberMetricResult[metric=MethodLineCount, [total:1, average:1.0, minimum:null, maximum:null]]], children=
[\{at\}: MethodResultsNode[metricResults=[SingleNumberMetricResult[metric=CyclomaticComplexity, 1], and the properties of the properties o
SingleNumberMetricResult[metric=MethodLineCount, 1]]]]], DemoAcceptance:ClassResultsNode[class: metricResults=
[NumberMetricResult[metric=CyclomaticComplexity, [total:4, average:1.0, minimum:null, maximum:null]],
SingleNumberMetricResult[metric=ClassLineCount, 23], NumberMetricResult[metric=MethodLineCount, [total:16,
average:4.0, minimum:null, maximum:null]]], children=[{java.lang.Object ORDGP130_goes to GH ods-
quickstarters()}:MethodResultsNode[metricResults=[SingleNumberMetricResult[metric=CyclomaticComplexity, 1],
SingleNumberMetricResult[metric=MethodLineCount, 4]]], {java.lang.Object ORDGP131 goes to GH ods-
quick starters()\}: Method Results Node [metric Results = [Single Number Metric Result [metric = Cyclomatic Complexity, 1], and the substantial properties of the substantial properties 
SingleNumberMetricResult[metric=MethodLineCount, 4]]], {java.lang.Object ORDGP132 goes to GH ods-
quickstarters()}:MethodResultsNode[metricResults=[SingleNumberMetricResult[metric=CyclomaticComplexity, 1],
SingleNumberMetricResult[metric=MethodLineCount, 4]]], {java.lang.Object ORDGP133_goes to GH ods-
quickstarters()):MethodResultsNode[metricResults=[SingleNumberMetricResult[metric=CyclomaticComplexity, 1],
SingleNumberMetricResult[metric=MethodLineCount, 4]]]]]]]],
integration:PackageResultsNode[path=src/test/integration, packageName=, metricResults=
[NumberMetricResult[metric=CyclomaticComplexity, [total:3, average:1.0, minimum:null, maximum:null]],
NumberMetricResult[metric=ClassLineCount, [total:18, average:18.0, minimum:null, maximum:null]],
NumberMetricResult[metric=MethodLineCount, [total:12, average:4.0, minimum:null, maximum:null]]], children=
[groovy:PackageResultsNode[path=src/test/integration/groovy, packageName=, metricResults=
[NumberMetricResult[metric=CyclomaticComplexity, [total:3, average:1.0, minimum:null, maximum:null]],
NumberMetricResult[metric=ClassLineCount, [total:18, average:18.0, minimum:null, maximum:null]],
NumberMetricResult[metric=MethodLineCount, [total:12, average:4.0, minimum:null, maximum:null]]], children=
[DemoIntegration:ClassResultsNode[class: metricResults=[NumberMetricResult[metric=CyclomaticComplexity, [total:3,
average:1.0, minimum:null, maximum:null]], SingleNumberMetricResult[metric=ClassLineCount, 18],
NumberMetricResult[metric=MethodLineCount, [total:12, average:4.0, minimum:null, maximum:null]]], children=
[{java.lang.Object ORDGP143 basic test()}:MethodResultsNode[metricResults=
```

```
[SingleNumberMetricResult[metric=CyclomaticComplexity, 1], SingleNumberMetricResult[metric=MethodLineCount, 4]]],
 {java.lang.Object ORDGP144 basic test()}:MethodResultsNode[metricResults=
[SingleNumberMetricResult[metric=CyclomaticComplexity, 1], SingleNumberMetricResult[metric=MethodLineCount, 4]]],
{java.lang.Object ORDGP145_basic test()}:MethodResultsNode[metricResults=
[SingleNumberMetricResult[metric=CyclomaticComplexity, 1], SingleNumberMetricResult[metric=MethodLineCount, 1], SingleNumberMetricResult
4]]]]]]], resources:PackageResultsNode[path=src/test/resources, packageName=, metricResults=
[NumberMetricResult[metric=CyclomaticComplexity, [total:15, average:2.5, minimum:null, maximum:null]],
Number Metric Result [metric = Class Line Count, [total: 92, average: 46.0, minimum: null, maximum: null]], where the count is a constant of the count of the c
NumberMetricResult[metric=MethodLineCount, [total:84, average:16.8, minimum:null, maximum:null]]], children=
[GebConfig: ClassResultsNode] class: metricResults=[NumberMetricResult[metric=CyclomaticComplexity, [total:2, netricResult]] and the properties of the pro
average:2.0, minimum:null, maximum:null]]], children=[{java.lang.Object run()}:MethodResultsNode[metricResults=
[SingleNumberMetricResult[metric=CyclomaticComplexity, 2]]]]], GebConfig$1:ClassResultsNode[class: metricResults=
[NumberMetricResult[metric=CyclomaticComplexity, [total:1, average:1.0, minimum:null, maximum:null]],
SingleNumberMetricResult[metric=ClassLineCount, 9], NumberMetricResult[metric=MethodLineCount, [total:7,
average:7.0, minimum:null, maximum:null]]], children=[{WebClient
newWebClient(BrowserVersion)}:MethodResultsNode[metricResults=
[SingleNumberMetricResult[metric=CyclomaticComplexity, 1], SingleNumberMetricResult[metric=MethodLineCount,
7]]]]], SpecHelper:ClassResultsNode[class: metricResults=[NumberMetricResult[metric=CyclomaticComplexity, [total:12,
average: 3.0, minimum: null, maximum: null]], SingleNumberMetricResult[metric=ClassLineCount, 83],
NumberMetricResult[metric=MethodLineCount, [total:77, average:19.3, minimum:null, maximum:null]]], children=
[{Properties getApplicationProperties()}:MethodResultsNode[metricResults=
[SingleNumberMetricResult[metric=CyclomaticComplexity, 2], SingleNumberMetricResult[metric=MethodLineCount,
23]]], {void printEvidenceForPageElement(GebReportingSpec, int, Navigator, String,
int)}:MethodResultsNode[metricResults=[SingleNumberMetricResult[metric=CyclomaticComplexity, 1],
SingleNumberMetricResult[metric=MethodLineCount, 3]]], {void printEvidenceForPageElements(GebReportingSpec, int,
List, int)}:MethodResultsNode[metricResults=[SingleNumberMetricResult[metric=CyclomaticComplexity, 3],
SingleNumberMetricResult[metric=MethodLineCount, 17]]], {java.lang.Object printEvidenceRecursive(Navigator, int,
int)}:MethodResultsNode[metricResults=[SingleNumberMetricResult[metric=CyclomaticComplexity, 6],
SingleNumberMetricResult[metric=MethodLineCount, 34]]]]]]]]]]
11:22:53.792 INFO: GMetrics completed: 397ms
11:22:53.882 INFO: Sensor GroovySensor [groovy] (done) | time=605ms
11:22:53.882 INFO: Sensor GroovySurefireSensor [groovy]
11:22:53.883 INFO: parsing /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/target/surefire-reports
11:22:53.883 WARN: Reports path not found: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/target/surefire-
11:22:53.883 INFO: Sensor GroovySurefireSensor [groovy] (done) | time=1ms
11:22:53.883 INFO: Sensor Groovy CoberturaSensor [groovy]
11:22:53.883 INFO: No Cobertura report provided (see 'sonar.groovy.cobertura.reportPath' property)
11:22:53.883 INFO: Sensor Groovy CoberturaSensor [groovy] (done) | time=0ms
11:22:53.883 INFO: Sensor Groovy JaCoCo Coverage [groovy]
11:22:53.883 INFO: Sensor Groovy JaCoCo Coverage [groovy] (done) | time=0ms
11:22:53.883 INFO: Sensor SurefireSensor [java]
11:22:53.884 INFO: parsing [/tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/build/test-results/test]
11:22:53.885 ERROR: Reports path not found or is not a directory: /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-
master/build/test-results/test
11:22:53.885 INFO: Sensor SurefireSensor [java] (done) | time=2ms
11:22:53.885 INFO: Sensor JavaXmlSensor [java]
11:22:53.886 INFO: Sensor JavaXmlSensor [java] (done) | time=1ms
11:22:53.888 INFO: ----- Run sensors on project
11:22:53.891 DEBUG: 'Generic Coverage Report' skipped because one of the required properties is missing
11:22:53.891 DEBUG: Sensors : Zero Coverage Sensor -> Java CPD Block Indexer
11:22:53.891 INFO: Sensor Zero Coverage Sensor
11:22:53.897 INFO: Sensor Zero Coverage Sensor (done) | time=6ms
11:22:53.897 INFO: Sensor Java CPD Block Indexer
11:22:53.902 DEBUG: Populating index from src/test/integration/java/DemoIntegrationTest.java
11:22:53.905 DEBUG: Not enough content in 'src/test/integration/java/DemoIntegrationTest.java' to have CPD blocks, it
will not be part of the duplication detection
11:22:53.905 DEBUG: Populating index from src/test/acceptance/java/DemoAcceptanceTest.java
11:22:53.906 DEBUG: Not enough content in 'src/test/acceptance/java/DemoAcceptanceTest.java' to have CPD blocks, it
will not be part of the duplication detection
11:22:53.906 INFO: Sensor Java CPD Block Indexer (done) | time=9ms
11:22:53.982 INFO: CPD Executor 2 files had no CPD blocks
11:22:53.982 INFO: CPD Executor Calculating CPD for 4 files
```

11:22:53.982 DEBUG: Detection of duplications for /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-

master/src/test/resources/SpecHelper.groovy 11:22:53.988 DEBUG: Detection of duplications for /tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/src/test/integration/groovy/DemoIntegrationSpec.groovy 11:22:53.992 DEBUG: Detection of duplications for /tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/src/test/resources/GebConfig.groovy 11:22:53.993 DEBUG: Detection of duplications for /tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/src/test/acceptance/groovy/DemoAcceptanceSpec.groovy 11:22:53.993 INFO: CPD Executor CPD calculation finished (done) | time=11ms 11:22:54.102 INFO: Analysis report generated in 107ms, dir size=81 KB 11:22:54.179 INFO: Analysis report compressed in 76ms, zip size=19 KB 11:22:54.179 INFO: Analysis report generated in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/.scannerwork/scanner-report 11:22:54.179 DEBUG: Upload report 11:22:54.201 DEBUG: POST 200 https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/ce/submit? projectKey=ordgp-test&projectName=ordgptest&characteristic=branch%3Dmaster&characteristic=branchType%3DBRANCH | time=22ms 11:22:54.202 INFO: Analysis report uploaded in 23ms 11:22:54.204 DEBUG: Report metadata written to /tmp/workspace/ordgp-cd/ordgp-cd-releasemanagermaster/.scannerwork/report-task.txt 11:22:54.204 INFO: ANALYSIS SUCCESSFUL, you can browse https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/dashboard?id=ordgp-test&branch=master 11:22:54.204 INFO: Note that you will be able to access the updated dashboard once the server has processed the submitted analysis report 11:22:54.204 INFO: More about the report processing at https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/api/ce/task?id=AX9FOAdvZA8H6zlkqak4 11:22:54.206 DEBUG: Post-jobs: 11:22:54.207 INFO: Analysis total time: 10.316 s 11:22:54.208 INFO: -----11:22:54.208 INFO: EXECUTION SUCCESS 11:22:54.208 INFO: -----11:22:54.208 INFO: Total time: 17.485s 11:22:54.348 INFO: Final Memory: 45M/108M 11:22:54.348 INFO: -----[Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] echo DEBUG: [ordgp-test-sq-scan] (took 18449 ms) [Pipeline] readProperties [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh + curl -s -u ******: 'https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/ce/task?id=AX9FOAdvZA8H6zlkqak4' [Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] readJSON [Pipeline] echo SonarQube background task has not finished yet. [Pipeline] sleep Sleeping for 5 sec [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh + curl -s -u ******: https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/ce/task?id=AX9FOAdvZA8H6zlkgak4' [Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] readJSON [Pipeline] echo SonarQube background task has finished successfully. [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] {

⁺ java -jar /usr/local/cnes/cnesreport.jar -s https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com -t ****** -p ordgp-'Page 124 of 215'

test -a jenkins-ordgp-cd-ordgp-cd-releasemanager-master-13 -b master Picked up JAVA TOOL OPTIONS: -XX:+UnlockExperimentalVMOptions -Dsun.zip.disableMemoryMapping=true SonarQube URL: https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com SonarQube online: true Detected SonarQube version: 8.2.0 WARNING: An illegal reflective access operation has occurred WARNING: Illegal reflective access by org.apache.poi.openxml4j.util.ZipSecureFile\$1 (file:/usr/local/cnes/cnesreport.jar) to field java.io.FilterInputStream.in WARNING: Please consider reporting this to the maintainers of org.apache.poi.openxml4j.util.ZipSecureFile\$1 WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access operations WARNING: All illegal access operations will be denied in a future release Report generation: SUCCESS [Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] sh + mkdir -p artifacts [Pipeline] sh + mv 2022-03-01-ordgp-test-analysis-report.docx artifacts/ + mv 2022-03-01-ordgp-test-analysis-report.md artifacts/ + mv artifacts/2022-03-01-ordgp-test-analysis-report.docx artifacts/SCRR-ordgp-test.docx + mv artifacts/2022-03-01-ordgp-test-analysis-report.md artifacts/SCRR-ordgp-test.md [Pipeline] stash Stashed 2 file(s) [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] sh + curl -s -u ******: 'https://sonarqube-odsalpha.inh-odsapps.eu.boehringer.com/api/qualitygates/project_status? projectKey=ordgp-test' [Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] readJSON [Pipeline] echo SonarQube Quality Gate value: OK [Pipeline] readFile [Pipeline] echo Report stored in: https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/leva-documentation/ordgp/test/2022-03-01-13/sonarQube/report.pdf [Pipeline] withSonarQubeEnv Injecting SonarQube environment variables using the configuration: SonarServerConfig [Pipeline] { [Pipeline] } [Pipeline] // withSonarQubeEnv [Pipeline] withCredentials Masking supported pattern matches of \$USERNAME or \$TOKEN [Pipeline] { [Pipeline] sh + curl --fail -sS --request PUT --header 'Authorization: Bearer **** --header 'Content-Type: application/json' --data "{"title":"SonarQube", "reporter": "OpenDevStack", "createdDate":1646133789554, "details": "Please visit the following links to review the SonarQube report:","result":"PASS","link":"https://nexus-odsalpha.inhods apps. eu. boehringer. com/repository/leva-documentation/ordgp/test/2022-03-01-13/sonarQube/report.pdf", "data": application of the control of the cont[{"title":"Report","value":{"linktext":"Result in SonarQube","href":"https://sonarqube-odsalpha.inhodsapps.eu.boehringer.com/dashboard?id=ordgp-test"},"type":"LINK"},{"title":"Report","value":{"linktext":"Result in Nexus", "href": "https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/leva-documentation/ordgp/test/2022-03-01-13/sonarQube/report.pdf"},"type":"LINK"}]}' https://bitbucketdev.biscrum.com/rest/insights/1.0/projects/ordgp/repos/ordgptest/commits/61a229c55991e0e89362016bf53d968df233aa80/reports/org.opendevstack.sonarqube [Pipeline] } [Pipeline] // withCredentials [Pipeline] }

[Pipeline] // stage [Pipeline] echo

```
ms)
[Pipeline] }
[Pipeline] // wrap
[Pipeline] stage
[Pipeline] { (odsPipeline finished)
[Pipeline] echo
DEBUG: [buildstatus-61a229c5-SUCCESSFUL] Setting Bitbucket build status to 'SUCCESSFUL' on commit
'61a229c55991e0e89362016bf53d968df233aa80' / 'https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-
cd/job/ordgp-cd-releasemanager-master/13/
[Pipeline] withCredentials
Masking supported pattern matches of $USERNAME or $TOKEN
[Pipeline] {
[Pipeline] sh
+ curl --fail -sS --request POST --header 'Authorization: Bearer **** --header 'Content-Type: application/json' --data
'{"state":"SUCCESSFUL","key":"61a229c5","name":"61a229c5","url":"https://jenkins-ordgp-cd.inh-
odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"}' https://bitbucket-
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] echo
DEBUG: [buildstatus-61a229c5-SUCCESSFUL] (took 467 ms)
[test] ***** Finished ODS Pipeline ***** (took 152876 ms)
[Pipeline] }
[Pipeline] // stage
[Pipeline] echo
DEBUG: Collecting (applicable) testresults from location: 'build/test-results/test'
[Pipeline] sh
+ mkdir -p build/test-results/test build/test-results/test
+ cp -rf 'build/test-results/test/*' build/test-results/test
+ true
cp: cannot stat 'build/test-results/test/*': No such file or directory
[Pipeline] sh
+ Is -la 'build/test-results/test/*.xml'
ls: cannot access build/test-results/test/*.xml: No such file or directory
[Pipeline] echo
DEBUG: Found 0 test files in 'build/test-results/test'
[Pipeline] echo
DEBUG: No xUnit results for stashing
[Pipeline] echo
DEBUG: [test] ODS Component Pipeline 'test-13'
ODS Build Artifacts 'test':
  "builds": {
  "deployments": {
  "sonarqubeScanStashPath": "scrr-report-test-13",
  "SCRR": "SCRR-ordgp-test.docx",
  "SCRR-MD": "SCRR-ordgp-test.md",
  "testResultsFolder": "build/test-results/test",
  "testResults": "0"
} (took 153694 ms)
[Pipeline] }
[Pipeline] // node
[Pipeline] }
[Pipeline] // podTemplate
[Pipeline] }
[Pipeline] // load
[Pipeline] }
[Pipeline] // withEnv
```

[Pipeline] echo

DEBUG: Collected ODS build artifacts for repo 'test': [builds:[:], deployments:[:], sonarqubeScanStashPath:scrr-report-test-13, SCRR:SCRR-ordgp-test.docx, SCRR-MD:SCRR-ordgp-test.md, testResultsFolder:build/test-results/test, testResults:0, CREATED BY BUILD:WIP/13] [Pipeline] } [Pipeline] // dir [Pipeline] echo DEBUG: Collecting JUnit XML Reports ('acceptance') for test Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/test/acceptance [Pipeline] { [Pipeline] unstash [Pipeline] } [Pipeline] // dir [Pipeline] echo DEBUG: Collecting JUnit XML Reports ('installation') for test [Pipeline] dir Running in /var/lib/jenkins/jobs/ordqp-cd/jobs/ordqp-cd-releasemanager-master/workspace/xunit/test/installation [Pipeline] { [Pipeline] unstash [Pipeline] } [Pipeline] // dir [Pipeline] echo DEBUG: Collecting JUnit XML Reports ('integration') for test Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/test/integration [Pipeline] { [Pipeline] unstash [Pipeline] } [Pipeline] // dir [Pipeline] } [Pipeline] // parallel [Pipeline] } [Pipeline] // parallel [Pipeline] echo DEBUG: Reporting unit test results to corresponding test cases in Jira. Test type: '[Acceptance]'. Test results: [testsuites:[[hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:4, name:DemoAcceptance, time:0.071, errors:0, timestamp:2022-03-01T11:22:32, skipped:0, properties:[], testcases: [[classname:DemoAcceptance, name:ORDGP130_goes to GH ods-quickstarters, time:0.007, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP131_goes to GH odsquickstarters, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP132_goes to GH ods-quickstarters, time:0.062, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP133 goes to GH odsquickstarters, time:0.001, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32]], systemOut:, systemErr:], [hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoAcceptanceTest, time:0.014, errors:0, timestamp:2022-03-01T11:22:28, skipped:0, properties:[], testcases: [[classname:DemoAcceptanceTest, name:basicTest(), time:0.014, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:28]], systemOut:, systemErr:]]] [Pipeline] echo DEBUG: [project-jira-fetch-tests-[Acceptance]] Found automated tests. Test type: [Acceptance]: 4 (took 2 ms) [Pipeline] echo DEBUG: [project-jira-report-tests-[Acceptance]] (took 16430 ms) [Pipeline] echo DEBUG: Reporting unit test results to corresponding test cases in Jira. Test type: '[Installation]'. Test results: [testsuites:[[hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoInstallation, time:0.067, errors:0, timestamp:2022-03-01T11:22:15, skipped:0, properties:[], testcases: [[classname:DemoInstallation, name:ORDGP147 basic test, time:0.067, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:15]], systemOut:, systemErr:], [hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9drsw3-px7pm, failures:0, tests:1, name:DemoInstallationTest, time:0.082, errors:0, timestamp:2022-03-01T11:22:11, skipped:0, properties:[], testcases:[[classname:DemoInstallationTest, name:basicTest(), time:0.082, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:11]], systemOut:, systemErr:]]]

DEBUG: [project-jira-fetch-tests-[Installation]] Found automated tests. Test type: [Installation]: 1 (took 1 ms) [Pipeline] echo

DEBUG: [project-jira-report-tests-[Installation]] (took 4727 ms)

[Pipeline] echo

[Pipeline] echo

DEBUG: Reporting unit test results to corresponding test cases in Jira. Test type: '[Integration]'.

Test results: [testsuites:[[hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:3, name:DemoIntegration, time:0.009, errors:0, timestamp:2022-03-01T11:22:24, skipped:0, properties:[], testcases: [[classname:DemoIntegration, name:ORDGP143_basic test, time:0.008, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24], [classname:DemoIntegration, name:ORDGP144_basic test, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24], [classname:DemoIntegration, name:ORDGP145_basic test, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24]], systemOut:, systemErr:], [hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoIntegrationTest, time:0.077, errors:0, timestamp:2022-03-01T11:22:20, skipped:0, properties:[], testcases:

[[classname:DemoIntegrationTest, name:basicTest(), time:0.077, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:20]], systemOut:, systemErr:]]]

[Pipeline] echo

DEBUG: [project-jira-fetch-tests-[Integration]] Found automated tests. Test type: [Integration]: 3 (took 1 ms) [Pipeline] echo

DEBUG: [project-jira-report-tests-[Integration]] (took 11468 ms)

[Pipeline] echo

[docgen-ordgp-DIL] Creating document of type 'DIL' for project 'ordgp' in phase 'Test' and stage 'PRE_END' expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createDIL; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22]

[Pipeline] archiveArtifacts

Archiving artifacts

[Pipeline] echo

 $2022-03-01\ 11:23:47Z\ Document\ DIL\ uploaded\ @\ https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/levadocumentation/ordgp-WIP/DIL-ordgp-WIP-13.zip$

[Pipeline] echo

DEBUG: Retrieved max doc version 0 from doc tracking issues [ORDGP-22]

[Pipeline] echo

DEBUG: [docgen-ordgp-DIL] (took 2751 ms)

[Pipeline] echo

[docgen-ordgp-CFTR] Creating document of type 'CFTR' for project 'ordgp' in phase 'Test' and stage 'PRE_END' expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createCFTR; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/

[Pipeline] echo

DEBUG: create CFTR-data: [tests:[acceptance:[testReportFiles:[/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/test/acceptance/build/test-results/acceptance-groovy/TEST-data-results/acceptance-groovy-groovy-groovy-groovy-groov-g

DemoAcceptance.xml, /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-

master/workspace/xunit/test/acceptance/build/test-results/acceptance-java/TEST-DemoAcceptanceTest.xml], testResults: [testsuites:[[hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:4, name:DemoAcceptance, time:0.071, errors:0, timestamp:2022-03-01T11:22:32, skipped:0, properties:[], testcases: [[classname:DemoAcceptance, name:ORDGP130_goes to GH ods-quickstarters, time:0.007, skipped:false, systemOut:,

systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP131_goes to GH odsquickstarters, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32],

[classname:DemoAcceptance, name:ORDGP132_goes to GH ods-quickstarters, time:0.062, skipped:false, systemOut;, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP133_goes to GH ods-quickstarters, time:0.001, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32]], systemOut:, systemErr:], [hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1,

name:DemoAcceptanceTest, time:0.014, errors:0, timestamp:2022-03-01T11:22:28, skipped:0, properties:[], testcases: [[classname:DemoAcceptanceTest, name:basicTest(), time:0.014, skipped:false, systemOut:, systemErr:,

timestamp:2022-03-01T11:22:28]], systemOut:, systemErr:]]]], installation:[testReportFiles:[/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/test/installation/build/test-results/installation-groovy/TEST-DemoInstallation.xml, /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-

master/workspace/xunit/test/installation/build/test-results/installation-java/TEST-DemoInstallationTest.xml], testResults: [testsuites:[[hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoInstallation, time:0.067, errors:0, timestamp:2022-03-01T11:22:15, skipped:0, properties:[], testcases: [[classname:DemoInstallation, name:ORDGP147_basic test, time:0.067, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:15]], systemOut:, systemErr:], [hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoInstallationTest, time:0.082, errors:0, timestamp:2022-03-01T11:22:11, skipped:0, properties:[], testcases:[[classname:DemoInstallationTest, name:basicTest(), time:0.082, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:11]], systemOut:, systemErr:]]]], integration:[testReportFiles:

[/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/test/integration/build/test-

results/integration-groovy/TEST-DemoIntegration.xml, /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/test/integration/build/test-results/integration-java/TEST-DemoIntegrationTest.xml], testResults: [testsuites:[[hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:3, name:DemoIntegration, time:0.009, errors:0, timestamp:2022-03-01T11:22:24, skipped:0, properties:[], testcases: [[classname:DemoIntegration, name:ORDGP143_basic test, time:0.008, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24], [classname:DemoIntegration, name:ORDGP144_basic test, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24], [classname:DemoIntegration, name:ORDGP145_basic test, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24]], systemOut:, systemErr:], [hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoIntegrationTest, time:0.077, errors:0, timestamp:2022-03-01T11:22:20, skipped:0, properties:[], testcases:

[[classname:DemoIntegrationTest, name:basicTest(), time:0.077, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:20]], systemOut:, systemErr:]]]]]]

[Pipeline] echo

DEBUG: Retrieving saved document history with name 'documentHistory-Q-CFTR' in workspace '/var/lib/jenkins/jobs/ordqp-cd/jobs/ordqp-cd-releasemanager-master/workspace'.

[Pipeline] readFile

[Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-Q-CFTR.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[], epics:[], mitigations:[], requirements:[], risks:[], techSpecs:[], tests:[[key:ORDGP-130, action:add], [key:ORDGP-133, action:add], [key:ORDGP-144, action:add], [key:ORDGP-145, action:add], [key:ORDGP-131, action:add], [key:ORDGP-132, action:add], [key:ORDGP-143, action:add]], docs:[[key:ORDGP-120, action:add, documents:[CFTR, CFTR_M], number:4, heading:Risk Assessment], [key:ORDGP-119, action:add, documents:[CFTR, CFTR_M], number:3.6, heading:Traceability Matrix], [key:ORDGP-118, action:add, documents:[CFTR, CFTR_M], number:3.5.2, heading:Non-Functional Testing Results], [key:ORDGP-117, action:add, documents:[CFTR, CFTR_M], number:3.3, heading:Discrepancy Log], [key:ORDGP-116, action:add, documents: [CFTR, CFTR_M], number:3.1, heading:Training], [key:ORDGP-114, action:add, documents:[CFTR, CFTR_M], number:3.1, heading:Training], [key:ORDGP-114, action:add, documents:[CFTR, CFTR_M], number:1, heading:Purpose], [key:ORDGP-112, action:add, documents:[CFTR, CFTR_M], number:8, heading:Document History], [key:ORDGP-111, action:add, documents:[CFTR, CFTR_M], number:7, heading:Reference Documents], [key:ORDGP-110, action:add, documents:[CFTR, CFTR_M], number:6.1, heading:Definitions], [key:ORDGP-109, action:add, documents:[CFTR, CFTR_M], number:6.2, heading:Abbreviations]]]

[Pipeline] echo

DEBUG: Creating a new history entry with version 1 for CFTR

[Pipeline] archiveArtifacts

Archiving artifacts

[Pipeline] echo

2022-03-01 11:23:49Z Document CFTR uploaded @ https://nexus-odsalpha.inh-

od sapps. eu. boehringer. com/repository/leva-documentation/ordgp-WIP/CFTR-ordgp-WIP-13. zipned auch de la complexación de la

[Pipeline] echo

DEBUG: [docgen-ordgp-CFTR] (took 1892 ms)

[Pipeline] echo

[docgen-ordgp-IVR] Creating document of type 'IVR' for project 'ordgp' in phase 'Test' and stage 'PRE_END' expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createIVR; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/

[Pipeline] echo

DEBUG: createIVR - data:[tests:[acceptance:[testReportFiles:[/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/test/acceptance/build/test-results/acceptance-groovy/TEST-DemoAcceptance.xml, /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-

master/workspace/xunit/test/acceptance/build/test-results/acceptance-java/TEST-DemoAcceptanceTest.xml], testResults: [testsuites:[[hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:4, name:DemoAcceptance, time:0.071, errors:0, timestamp:2022-03-01T11:22:32, skipped:0, properties:[], testcases: [[classname:DemoAcceptance, name:ORDGP130_goes to GH ods-quickstarters, time:0.007, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP131_goes to GH ods-quickstarters, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP132_goes to GH ods-quickstarters, time:0.062, skipped:false, systemOut:, systemDemoAcceptance, name:ORDGP132_goes to GH ods-quickstarters, time:0.062, skipped:false, systemOut:, systemDemoAcceptance, name:ORDGP132_goes to GH ods-quickstarters, time:0.062, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP132_goes to GH ods-quickstarters, time:0.062, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP132_goes to GH ods-quickstarters, time:0.062, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP132_goes to GH ods-quickstarters, time:0.062, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP132_goes to GH ods-quickstarters, time:0.062, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP132_goes to GH ods-quickstarters, time:0.062, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP132_goes to GH ods-quickstarters, time:0.062, skipped:goes to GH ods-quickstarters, time:0.0

systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP133_goes to GH ods-quickstarters, time:0.001, skipped:false, systemOut;, systemErr:, timestamp:2022-03-01T11:22:32]], systemOut;,

systemErr:], [hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoAcceptanceTest, time:0.014, errors:0, timestamp:2022-03-01T11:22:28, skipped:0, properties:[], testcases: [[classname:DemoAcceptanceTest, name:basicTest(), time:0.014, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:28]], systemOut:, systemErr:]]]], installation:[testReportFiles:[/var/lib/jenkins/jobs/ordgpcd/jobs/ordgp-cd-release manager-master/workspace/xunit/test/installation/build/test-results/installation-groovy/TEST-results/installation-groov-DemoInstallation.xml, /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/xunit/test/installation/build/test-results/installation-java/TEST-DemoInstallationTest.xml], testResults: [testsuites:[[hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoInstallation, time:0.067, errors:0, timestamp:2022-03-01T11:22:15, skipped:0, properties:[], testcases: [[classname:DemoInstallation, name:ORDGP147 basic test, time:0.067, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:15]], systemOut:, systemErr:], [hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9drsw3-px7pm, failures:0, tests:1, name:DemoInstallationTest, time:0.082, errors:0, timestamp:2022-03-01T11:22:11, skipped:0, properties:[], testcases:[[classname:DemoInstallationTest, name:basicTest(), time:0.082, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:11]], systemOut:, systemErr:]]]], integration:[testReportFiles: [/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/test/integration/build/testresults/integration-groovy/TEST-DemoIntegration.xml, /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/xunit/test/integration/build/test-results/integration-java/TEST-DemoIntegrationTest.xml], testResults: [testsuites:[[hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:3, name:DemoIntegration, time:0.009, errors:0, timestamp:2022-03-01T11:22:24, skipped:0, properties:[], testcases: [[classname:DemoIntegration, name:ORDGP143_basic test, time:0.008, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24], [classname:DemoIntegration, name:ORDGP144 basic test, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24], [classname:DemoIntegration, name:ORDGP145 basic test, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24]], systemOut:, systemErr:], [hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoIntegrationTest, time:0.077, errors:0, timestamp:2022-03-01T11:22:20, skipped:0, properties:[], testcases: [[classname:DemoIntegrationTest, name:basicTest(), time:0.077, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:20]], systemOut:, systemErr:]]]]]]

[Pipeline] echo
DEBUG: Retrieving saved document history with name 'documentHistory-Q-IVR' in workspace '/var/lib/jenkins/jobs/ordgp-

cd/jobs/ordgp-cd-releasemanager-master/workspace'. [Pipeline] readFile

[Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-Q-IVR.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[], epics:[], mitigations:[], requirements:[], risks:[], techSpecs:[[key:ORDGP-146, action:add]], tests:[[key:ORDGP-147, action:add]], docs: [[key:ORDGP-95, action:add, documents:[IVP, IVR], number:9, heading:Reference Documents], [key:ORDGP-94, action:add, documents:[IVP, IVR], number:8.2, heading:Abbreviations], [key:ORDGP-93, action:add, documents:[IVP, IVR], number:8.1, heading:Definitions], [key:ORDGP-92, action:add, documents:[IVP, IVR], number:2, heading:Scope], [key:ORDGP-91, action:add, documents:[IVP, IVR], number:12.2, heading:Configuration database CMDB], [key:ORDGP-90, action:add, documents:[IVP, IVR], number:12.1, heading:Operational documents on system level], [key:ORDGP-89, action:add, documents:[IVP, IVR], number:10, heading:Document History]]]

[Pipeline] echo

DEBUG: Creating a new history entry with version 1 for IVR

[Pipeline] archiveArtifacts

Archiving artifacts

[Pipeline] echo

 $2022-03-01\ 11:23:52Z\ Document\ IVR\ uploaded\ @\ https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/levadocumentation/ordgp-WIP/IVR-ordgp-WIP-13.zip$

[Pipeline] echo

DEBUG: [docgen-ordgp-IVR] (took 2532 ms)

[Pipeline] echo

[docgen-ordgp-TCR] Creating document of type 'TCR' for project 'ordgp' in phase 'Test' and stage 'PRE_END' expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching org.ods.orchestration.usecase.LeVADocumentUseCase.createTCR; see: https://jenkins.io/redirect/pipeline-cps-method-mismatches/

[Pipeline] echo

DEBUG: createTCR - data:[tests:[acceptance:[testReportFiles:[/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/test/acceptance/build/test-results/acceptance-groovy/TEST-

DemoAcceptance.xml, /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-

master/workspace/xunit/test/acceptance/build/test-results/acceptance-java/TEST-DemoAcceptanceTest.xml], testResults:

[testsuites:[[hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:4, name:DemoAcceptance, time:0.071, errors:0, timestamp:2022-03-01T11:22:32, skipped:0, properties:[], testcases: [[classname:DemoAcceptance, name:ORDGP130 goes to GH ods-quickstarters, time:0.007, skipped:false, systemOut;, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP131_goes to GH odsquickstarters, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP132_goes to GH ods-quickstarters, time:0.062, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32], [classname:DemoAcceptance, name:ORDGP133_goes to GH odsquickstarters, time:0.001, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:32]], systemOut:, systemErr:], [hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoAcceptanceTest, time:0.014, errors:0, timestamp:2022-03-01T11:22:28, skipped:0, properties:[], testcases: [[classname:DemoAcceptanceTest, name:basicTest(), time:0.014, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:28]], systemOut:, systemErr:]]]], installation:[testReportFiles:[/var/lib/jenkins/jobs/ordgpcd/jobs/ordgp-cd-release manager-master/workspace/xunit/test/installation/build/test-results/installation-groovy/TEST-results/installation-groov-DemoInstallation.xml, /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/xunit/test/installation/build/test-results/installation-java/TEST-DemoInstallationTest.xml], testResults: [testsuites:[[hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoInstallation, time:0.067, errors:0, timestamp:2022-03-01T11:22:15, skipped:0, properties:[], testcases: [[classname:DemoInstallation, name:ORDGP147 basic test, time:0.067, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:15]], systemOut:, systemErr:], [hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9drsw3-px7pm, failures:0, tests:1, name:DemoInstallationTest, time:0.082, errors:0, timestamp:2022-03-01T11:22:11, skipped:0, properties:[], testcases:[[classname:DemoInstallationTest, name:basicTest(), time:0.082, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:11]], systemOut:, systemErr:]]]], integration:[testReportFiles: [/var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/xunit/test/integration/build/testresults/integration-groovy/TEST-DemoIntegration.xml, /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanagermaster/workspace/xunit/test/integration/build/test-results/integration-java/TEST-DemoIntegrationTest.xml], testResults: [testsuites:[[hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:3, name:DemoIntegration, time:0.009, errors:0, timestamp:2022-03-01T11:22:24, skipped:0, properties:[], testcases: [[classname:DemoIntegration, name:ORDGP143 basic test, time:0.008, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24], [classname:DemoIntegration, name:ORDGP144 basic test, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24], [classname:DemoIntegration, name:ORDGP145 basic test, time:0.0, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:24]], systemOut:, systemErr:], [hostname:pod-3d3cc6d9-b447-4430-a9eb-92909af215a9-drsw3-px7pm, failures:0, tests:1, name:DemoIntegrationTest, time:0.077, errors:0, timestamp:2022-03-01T11:22:20, skipped:0, properties:[], testcases: [[classname:DemoIntegrationTest, name:basicTest(), time:0.077, skipped:false, systemOut:, systemErr:, timestamp:2022-03-01T11:22:20]], systemOut:, systemErr:]]]]]] [Pipeline] echo

DEBUG: Retrieving saved document history with name 'documentHistory-Q-TCR' in workspace '/var/lib/jenkins/jobs/ordgpcd/jobs/ordgp-cd-releasemanager-master/workspace'.

[Pipeline] readFile

[Pipeline] echo

DEBUG: No saved history found. Exception message: File 'projectData/documentHistory-Q-TCR.json' is expected to be inside the release manager repository but was not found and thus, document history cannot be build. If you come from and old ODS version, create one for each document to use the automated document history feature.

[Pipeline] echo

DEBUG: Parsing jira data to document history

[Pipeline] echo

DEBUG: parseJiraDataToDocumentHistoryEntry: versionMap = [bugs:[], components:[], epics:[], mitigations:[], requirements:[[key:ORDGP-125, action:add], [key:ORDGP-129, action:add]], risks:[], techSpecs:[], tests:[[key:ORDGP-130, action:add], [key:ORDGP-133, action:add], [key:ORDGP-144, action:add], [key:ORDGP-145, action:add], [key:ORDGP-131, action:add], [key:ORDGP-132, action:add], [key:ORDGP-143, action:add]], docs:[[key:ORDGP-121, action:add, documents: [TCP, TCR], number:1, heading:Document History]]]

[Pipeline] echo

DEBUG: Creating a new history entry with version 1 for TCR

[Pipeline] archiveArtifacts

Archiving artifacts

[Pipeline] echo

2022-03-01 11:23:54Z Document TCR uploaded @ https://nexus-odsalpha.inh-

odsapps.eu.boehringer.com/repository/leva-documentation/ordgp-WIP/TCR-ordgp-WIP-13.zip

DEBUG: [docgen-ordgp-TCR] (took 2020 ms)

[Pipeline] echo

[Test] **** ENDED orchestration stage **** (took 198387 ms)

[Pipeline] }

[Pipeline] // stage

```
[Pipeline] stage
[Pipeline] { (Release)
[Pipeline] echo
[Release] **** STARTING orchestration stage ****
[Pipeline] parallel
[Pipeline] { (Branch: Release)
[Pipeline] { (Branch: orchestration)
[Pipeline] parallel
[Pipeline] { (Branch: backend)
[Pipeline] { (Branch: frontend)
[Pipeline] { (Branch: test)
[Pipeline] echo
DEBUG: Current stage: 'Release' -> start agent stage: 'Init'
[Pipeline] }
[Pipeline] echo
DEBUG: Repo 'test' is of type ODS Test Component. Nothing to do in phase 'Release' for target environment 'D'.
[Pipeline] echo
DEBUG: Repo 'backend' is of type ODS Code Component. Nothing to do in phase 'Release' for target environment 'D'.
[Pipeline] echo
DEBUG: Repo 'frontend' is of type ODS Code Component. Nothing to do in phase 'Release' for target environment 'D'.
[Pipeline] }
[Pipeline] }
[Pipeline] }
[Pipeline] // parallel
[Pipeline] }
[Pipeline] // parallel
[Pipeline] echo
[Release] **** ENDED orchestration stage **** (took 681 ms)
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Finalize)
[Pipeline] echo
[Finalize] **** STARTING orchestration stage ****
[Pipeline] sh
+ oc project ordgp-dev
[Pipeline] echo
2022-03-01 11:23:56Z OpenShift project 'ordgp-dev' exists
Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace
[Pipeline] {
[Pipeline] stash
Stashed 429 file(s)
[Pipeline] }
[Pipeline] // dir
[Pipeline] echo
DEBUG: [ordgp-Finalize-stash] (took 2328 ms)
[Pipeline] echo
DEBUG: [mro-jenkins-agent-13] Starting orchestration pipeline agent pod (took 616102 ms)
[Pipeline] node
Agent mro-jenkins-agent-13-3hf5q-62d6x is provisioned from template mro-jenkins-agent-13-3hf5q
apiVersion: "v1"
kind: "Pod"
metadata:
  buildUrl: "http://jenkins.ordgp-cd.svc:80/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"
  runUrl: "job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/"
 labels:
  jenkins: "slave"
  jenkins/label: "mro-jenkins-agent-13"
 name: "mro-jenkins-agent-13-3hf5q-62d6x"
 containers:
 - aras:
```

```
_ "******
  - "mro-jenkins-agent-13-3hf5q-62d6x"
  - name: "JENKINS_SECRET"
   value: "******
  - name: "JENKINS_TUNNEL"
   value: "jenkins-jnlp.ordgp-cd.svc:50000"
  - name: "JENKINS_AGENT_NAME"
   value: "mro-jenkins-agent-13-3hf5q-62d6x"
  - name: "JENKINS_NAME"
   value: "mro-jenkins-agent-13-3hf5q-62d6x"
  - name: "JENKINS_AGENT_WORKDIR"
   value: "/tmp"
  - name: "JENKINS URL"
   value: "http://jenkins.ordgp-cd.svc:80/"
  image: "docker-registry.default.svc:5000/odsalpha/jenkins-agent-base:4.x"
  imagePullPolicy: "Always"
  name: "jnlp"
  resources:
   limits:
     memory: "1Gi"
     cpu: "1"
   requests:
     memory: "512Mi"
     cpu: "200m"
  securityContext:
   privileged: false
  tty: false
  volumeMounts:
  - mountPath: "/tmp"
   name: "workspace-volume"
   readOnly: false
  workingDir: "/tmp"
 nodeSelector:
  beta.kubernetes.io/os: "linux"
 restartPolicy: "Never"
 securityContext: {}
 serviceAccount: "jenkins"
 volumes:
 - emptyDir:
   medium: ""
  name: "workspace-volume"
Running on mro-jenkins-agent-13-3hf5q-62d6x in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master
[Pipeline] {
[Pipeline] echo
DEBUG: [mro-jenkins-agent-13] (took 616227 ms)
[Pipeline] sh
+ git config --global user.email undefined
+ git config --global user.name 'ODS Jenkins Shared Library System User'
[Pipeline] unstash
[Pipeline] echo
DEBUG: [ordgp-Finalize-unstash] (took 2298 ms)
[Pipeline] withCredentials
Masking supported pattern matches of $BITBUCKET_USER or $BITBUCKET_PW
[Pipeline] {
[Pipeline] writeFile
[Pipeline] echo
wrote /home/jenkins/.git-credentials-input with credentials for **** on https://bitbucket-dev.biscrum.com
[Pipeline] sh
+ git config --global credential.helper store
[Pipeline] sh
+ cat /home/jenkins/.git-credentials-input
+ git credential-store store
```

```
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] parallel
[Pipeline] { (Branch: backend)
[Pipeline] { (Branch: frontend)
[Pipeline] { (Branch: test)
[Pipeline] echo
DEBUG: [record-git-test]
[Pipeline] dir
Running in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/repositories/test
[Pipeline] {
[Pipeline] sh
[Pipeline] echo
DEBUG: [export-ocp-verify-backend]
[Pipeline] echo
DEBUG: [export-ocp-verify-frontend]
[Pipeline] sh
[Pipeline] sh
+ git commit -m 'ODS: Record configuration only
Build (assemble) #13 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version: WIP
https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/ [ci skip]' -
[master 417c5b1] ODS: Record configuration only
Build (assemble) #13 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version: WIP
https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/ [ci skip]
[Pipeline] }
[Pipeline] // dir
+ oc -n ordgp-dev get DeploymentConfig -l app=ordgp-frontend -o 'template={{range .items}}{{.kind}}:
{{.metadata.name}} {{end}}'
+ oc -n ordgp-dev get DeploymentConfig -l app=ordgp-backend -o 'template={{range .items}}{{.kind}}:
{{.metadata.name}} {{end}}'
[Pipeline] echo
DEBUG: [record-git-test] (took 494 ms)
[Pipeline] }
[Pipeline] echo
DEBUG: ODS created deployments for backend: [backend], all deployments: [backend]
[Pipeline] echo
DEBUG: ODS created deployments for frontend: [frontend], all deployments: [frontend]
[Pipeline] echo
DEBUG: [export-ocp-verify-backend] (took 1140 ms)
[Pipeline] echo
DEBUG: [export-ocp-verify-frontend] (took 1140 ms)
[Pipeline] fileExists
[Pipeline] fileExists
[Pipeline] dir
Running in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/repositories/backend
[Pipeline] {
[Pipeline] dir
Running in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/repositories/frontend
[Pipeline] {
[Pipeline] fileExists
[Pipeline] fileExists
[Pipeline] sh
[Pipeline] sh
+ mkdir -p openshift-exported
[Pipeline] dir
Running in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/repositories/backend/openshift-exported
[Pipeline] {
+ mkdir -p openshift-exported
[Pipeline] dir
Running in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/repositories/frontend/openshift-exported
[Pipeline] {
[Pipeline] echo
DEBUG: [export-ocp-backend] Exporting current OpenShift state to folder 'openshift-exported'.
```

DEBUG: [export-ocp-frontend] Exporting current OpenShift state to folder 'openshift-exported'.

[Pipeline] sh

[Pipeline] sh

- ++ cat /run/secrets/kubernetes.io/serviceaccount/token
- + oc login https://kubernetes.default:443 --insecure-skip-tls-verify=true --

 $to ken = eyJhbGciOiJSUzl1NilsImtpZCl6liJ9.eyJpc3MiOiJrdWJlcm5ldGVzL3NlcnZpY2VhY2NvdW50liwia3ViZXJuZXRlcy5pby9zZXJ2wNlYWNjb3VudC9uYW1lc3BhY2UiOiJvcmRncC1jZClsImt1YmVybmV0ZXMuaW8vc2VydmljZWFjY291bnQvc2VjcmV0Lm5hbWUiOiJqZW5raW5zLXRva2VuLXNiamRxliwia3ViZXJuZXRlcy5pby9zZXJ2aWNlYWNjb3VudC9zZXJ2aWNlLWFjY291bnQubmFtZSl6ImplbmtpbnMiLCJrdWJlcm5ldGVzLmlvL3NlcnZpY2VhY2NvdW50L3NlcnZpY2UtYWNjb3VudC51aWQiOiJlMTZhZTAxZi03ZWllTExZWMtOWY5Ni0wMDUwNTZhMTYxY2EiLCJzdWliOiJzeXN0ZW06c2VydmljZWFjY291bnQ6b3JkZ3AtY2Q6amVua2lucyJ9.ra6pTiSh5STFeNlwKM8s7avQAiPpizk-FCMdlluyK6uPN48kG43r_GBYCsik_GKU5JXMRr5ioBpN634PlOevi--6afQMBXl7an1_-CM1Anik0ga_7kgT_vu_6lFfwz8Jx8Bjs7ySUinGiUnuEslDCSO8wkG0v0PFXb5BJ88AZ1dGYskRW31LcL3UBKT43kKZJ7jbAJkN_8SecNx1TY9vtBpkhmTw5kypepoNJP5bS7QhHAXyWHGia_0r4BsRExN5-$

f5gv40FenigJM8ZLCrmlYVaeuWaLNN5obswUoD7iXpSUuSUTcChnr71VOXcqqYrcCacU8fDq3NR qioVq A

- ++ cat /run/secrets/kubernetes.io/serviceaccount/token
- + oc login https://kubernetes.default:443 --insecure-skip-tls-verify=true --

 $token = eyJhbGciOiJSUzl1NilsImtpZCl6lij9.eyJpc3MiOiJrdWJlcm5ldGVzL3NlcnZpY2VhY2NvdW50liwia3ViZXJuZXRlcy5pby9zZXJ2wNlYWNjb3VudC9uYW1lc3BhY2UiOiJvcmRncC1jZClsImt1YmVybmV0ZXMuaW8vc2VydmljZWFjY291bnQvc2VjcmV0Lm5hbWUiOiJqZW5raW5zLXRva2VuLXNiamRxliwia3ViZXJuZXRlcy5pby9zZXJ2aWNlYWNjb3VudC9zZXJ2aWNlWFjY291bnQubmFtZSl6ImplbmtpbnMiLCJrdWJlcm5ldGVzLmlvL3NlcnZpY2VhY2NvdW50L3NlcnZpY2UtYWNjb3VudC51aWQiOiJIMTZhZTAxZi03ZWllTExZWMtOWY5Ni0wMDUwNTZhMTYxY2EiLCJzdWliOiJzeXN0ZW06c2VydmljZWFjY291bnQ6b3JkZ3AtY2Q6amVua2lucyJ9.ra6pTiSh5STFeNlwKM8s7avQAiPpizk-FCMdlluyK6uPN48kG43r_GBYCsik_GKU5JXMRr5ioBpN634PlOevi--6afQMBXl7an1_-CM1Anik0ga_7KgT_vu_6lFfwz8Jx8Bjs7ySUinGiUnuEslDCSO8wKG0v0PFXb5BJ88AZ1dGYskRW31LcL3UBKT43kKZJ7jbAJkN_8SecNx1TY9vtBpkhmTw5kypepoNlP5bS7OhHAXyWHGia 0r4BsRExN5-$

 $f5gv40FenigJM8ZLCrmlYVaeuWaLNN5obswUoD7iXpSUuSUTcChnr71VOXcqqYrcCacU8fDq3NR_qioVq_A$

[Pipeline] sh

[Pipeline] sh

- + tailor --verbose -n ordgp-dev export -l app=ordgp-backend
- --> oc version
- + tailor --verbose -n ordgp-dev export -l app=ordgp-frontend
- --> No file 'Tailorfile' found.
- --> oc project ordgp-dev --short
- --> oc version
- --> oc get

Service,Route,DeploymentConfig,Deployment,BuildConfig,ImageStream,PersistentVolumeClaim,Template,ConfigMap,Secret,RoleBinding,ServiceAccount,CronJob,Job,LimitRange,ResourceQuota,HorizontalPodAutoscaler,StatefulSet --output=yaml --namespace=ordgp-dev --selector=app=ordgp-backend

- --> No file 'Tailorfile' found.
- --> oc project ordgp-dev --short
- --> oc get

Service,Route,DeploymentConfig,Deployment,BuildConfig,ImageStream,PersistentVolumeClaim,Template,ConfigMap,Secret,RoleBinding,ServiceAccount,CronJob,Job,LimitRange,ResourceQuota,HorizontalPodAutoscaler,StatefulSet --output=yaml --namespace=ordgp-dev --selector=app=ordgp-frontend

[Pipeline] sh

[Pipeline] sh

- + grep 'name: TAILOR_NAMESPACE' template.yml
- name: TAILOR_NAMESPACE

[Pipeline] sh

- + grep 'name: TAILOR_NAMESPACE' template.yml
- name: TAILOR NAMESPACE

[Pipeline] sh

- + oc -n ordgp-dev create route edge test-route-1646133852050 --service=dummy --port=80
- + true
- + oc -n ordgp-dev create route edge test-route-1646133852309 --service=dummy --port=80
- + true

[Pipeline] sh

[Pipeline] sh

- + oc -n ordgp-dev get route test-route-1646133852050 -o 'jsonpath={.spec.host}'
- + oc -n ordgp-dev get route test-route-1646133852309 -o 'jsonpath={.spec.host}'

[Pipeline] sh

[Pipeline] sh

- + oc -n ordgp-dev delete route test-route-1646133852050
- + true
- + oc -n ordgp-dev delete route test-route-1646133852309

```
+ true
[Pipeline] sh
[Pipeline] sh
+ sed -i -e 's|inh-odsapps.eu.boehringer.com|${ODS_OPENSHIFT_APP_DOMAIN}|g;' template.yml
+ echo '- name: ODS OPENSHIFT APP DOMAIN
 required: true
[Pipeline] echo
DEBUG: [export-ocp-backend] (took 6623 ms)
[Pipeline] writeFile
[Pipeline] echo
DEBUG: [export-ocp-git-backend]
[Pipeline] sh
+ sed -i -e 's|inh-odsapps.eu.boehringer.com|${ODS_OPENSHIFT_APP_DOMAIN}|g;' template.yml
+ echo '- name: ODS OPENSHIFT APP DOMAIN
 required: true
[Pipeline] echo
DEBUG: [export-ocp-frontend] (took 6792 ms)
[Pipeline] writeFile
[Pipeline] echo
DEBUG: [export-ocp-git-frontend]
[Pipeline] sh
+ git add template.yml ods-deployments.json
+ git commit -m 'ODS: Export OpenShift configuration
Build (assemble) #13 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version: WIP
https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/ [ci skip]' -
-allow-empty
[master 1384958] ODS: Export OpenShift configuration
Build (assemble) #13 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version: WIP
https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/ [ci skip]
1 file changed, 2 insertions(+), 2 deletions(-)
[Pipeline] echo
DEBUG: [export-ocp-git-backend] (took 354 ms)
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
+ git add template.yml ods-deployments.json
+ git commit -m 'ODS: Export OpenShift configuration
Build (assemble) #13 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version: WIP
https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/ [ci skip]' -
[master 3b5a62f] ODS: Export OpenShift configuration
Build (assemble) #13 - Change: 1.0, Project: ordgp, Target Environment: ordgp-dev, Version: WIP
https://jenkins-ordgp-cd.inh-odsapps.eu.boehringer.com/job/ordgp-cd/job/ordgp-cd-releasemanager-master/13/ [ci skip]
1 file changed, 2 insertions(+), 2 deletions(-)
[Pipeline] echo
DEBUG: [export-ocp-git-frontend] (took 402 ms)
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // parallel
[Pipeline] echo
DEBUG: Integrate into main branch
[Pipeline] echo
DEBUG: Gathering commits
[Pipeline] parallel
[Pipeline] { (Branch: backend)
[Pipeline] { (Branch: frontend)
[Pipeline] { (Branch: test)
```

[Pipeline] dir

```
Running in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/repositories/backend
[Pipeline] {
[Pipeline] dir
Running in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/repositories/frontend
[Pipeline] {
[Pipeline] dir
Running in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/repositories/test
[Pipeline] {
[Pipeline] sh
[Pipeline] sh
[Pipeline] sh
+ git rev-parse HEAD
+ git rev-parse HEAD
[Pipeline] echo
2022-03-01 11:24:15Z repo.id: backend: 138495888301232315f5455aeb17cc635982ba2c
[Pipeline] }
+ git rev-parse HEAD
[Pipeline] // dir
[Pipeline] }
[Pipeline] echo
2022-03-01 11:24:15Z repo.id: frontend: 3b5a62fbb2307d95360da386408b7f668f0e89ae
[Pipeline] }
[Pipeline] echo
2022-03-01 11:24:15Z repo.id: test: 417c5b12c0af838cf0b843feb16ee5b7b1dab4ec
[Pipeline] }
[Pipeline] // dir
[Pipeline] // dir
[Pipeline] }
[Pipeline] }
[Pipeline] // parallel
[Pipeline] parallel
[Pipeline] { (Branch: backend)
[Pipeline] { (Branch: frontend)
[Pipeline] { (Branch: test)
[Pipeline] dir
Running in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/repositories/backend
[Pipeline] {
[Pipeline] dir
Running in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/repositories/frontend
[Pipeline] {
[Pipeline] dir
Running in /tmp/workspace/ordgp-cd/ordgp-cd-releasemanager-master/repositories/test
[Pipeline] {
[Pipeline] sh
[Pipeline] sh
[Pipeline] sh
+ git push origin master
+ git push origin master
+ git push origin master
To https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git
  27eb2ab..1384958 master -> master
To https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git
 c385c58..3b5a62f master -> master
[Pipeline] }
[Pipeline] }
To https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git
 61a229c..417c5b1 master -> master
[Pipeline] // dir
[Pipeline] // dir
[Pipeline] }
[Pipeline] }
[Pipeline] }
[Pipeline] // dir
```

[Pipeline] }

```
[Pipeline] // parallel
[Pipeline] echo
DEBUG: Finalize: Recording HEAD commits from repos ...
[Pipeline] sh
+ git rev-parse HEAD
[Pipeline] echo
DEBUG: On release manager commit be2537272ddc579f97f2e2eba6cdc0788f81341b
[Pipeline] echo
DEBUG: HEAD of repo 'backend': 138495888301232315f5455aeb17cc635982ba2c
[Pipeline] echo
DEBUG: HEAD of repo 'frontend': 3b5a62fbb2307d95360da386408b7f668f0e89ae
[Pipeline] echo
DEBUG: HEAD of repo 'test': 417c5b12c0af838cf0b843feb16ee5b7b1dab4ec
[Pipeline] writeFile
[Pipeline] sh
+ git add ods-state/dev.json
+ git commit -m 'ODS: Record commits deployed into D' --allow-empty
[master 4e69355] ODS: Record commits deployed into D
1 file changed, 3 insertions(+), 3 deletions(-)
[Pipeline] sh
+ git push origin master
To https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git
 be25372..4e69355 master -> master
DEBUG: Current release manager commit: be2537272ddc579f97f2e2eba6cdc0788f81341b
[Pipeline] sh
+ git rev-parse HEAD
[Pipeline] }
[Pipeline] // node
[Pipeline] echo
DEBUG: ---- ODS Project (ordgp) data ----
{
  "build": {
     "hasFailingTests": false,
     "hasUnexecutedJiraTests": false
  "buildParams": {
     "changeDescription": "UNDEFINED",
     "changeld": "1.0",
     "configItem": "BI-IT-DEVSTACK",
     "releaseStatusJiraIssueKey": "ORDGP-123",
     "targetEnvironment": "dev",
     "targetEnvironmentToken": "D",
     "version": "WIP",
     "rePromote": false
  },
  "metadata": {
     "id": "ordgp",
     "name": "Project ordgp",
     "description": "Description of ordgp.",
     "services": {
       "bitbucket": {
          "credentials": {
            "id": "ordgp-cd-cd-user-with-password"
       "jira": {
          "credentials": {
            "id": "ordgp-cd-cd-user-with-password"
        "nexus": {
          "repository": {
            "name": "leva-documentation"
```

```
}
     "repositories": [
         "id": "backend",
         "type": "ods",
          "data": {
            "openshift": {
              "builds": {
                 "backend": {
                   "buildId": "backend-8",
                   "image": "docker-registry.default.svc:5000/ordgp-
cd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d8492ff9"
              "deployments": {
                 "backend": {
                   "podName": "backend-10-95wsv",
                   "podNamespace": "ordgp-dev",
                   "podMetaDataCreationTimestamp": "2022-03-01T11:18:41Z"
                   "deploymentId": "backend-10",
                   "podNode": "inhas71256.eu.boehringer.com",
                   "podlp": "10.251.16.83",
                   "podStatus": "Running",
                   "podStartupTimeStamp": "2022-03-01T11:18:41Z",
                   "containers": {
                     "backend": "docker-registry.default.svc:5000/ordgp-
cd/backend@sha256:9ec2533ff0588ce58c37d7cd4bddf905df65ce99fa15c47199ef74b6d8492ff9"
                }
              "sonarqubeScanStashPath": "scrr-report-backend-13",
              "SCRR": "SCRR-ordgp-backend.docx",
              "SCRR-MD": "SCRR-ordgp-backend.md",
              "testResultsFolder": "build/test-results/test",
              "testResults": "1",
              "xunitTestResultsStashPath": "test-reports-junit-xml-backend-13",
              "CREATED_BY_BUILD": "WIP/13"
            "documents": {
              "TIR": "TIR-ordgp-backend-WIP-13.pdf"
            "envStateCommit": "27eb2abe4554932afa94f9a40a72d2165158ae6b",
            "git": {
              "branch": "master",
              "commit": "27eb2abe4554932afa94f9a40a72d2165158ae6b",
              "previousCommit": "27eb2abe4554932afa94f9a40a72d2165158ae6b",
              "previousSucessfulCommit": "6f8daea49927f08c0be572fc745f8396d2aec66f",
              "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git",
              "baseTag": "",
              "targetTag": "",
              "createdExecutionCommit": "138495888301232315f5455aeb17cc635982ba2c"
          'url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-backend.git",
         "branch": "master",
         "pipelineConfig": {
            "dependencies": [
         },
          "metadata": {
            "name": "OpenJDK",
            "description": "OpenJDK is a free and open-source implementation of the Java Platform, Standard Edition.
```

```
Technologies: Spring Boot 2.1, OpenJDK 17",
                          "supplier": "https://openjdk.java.net/",
                         "version": "4.x",
                         "type": "ods"
                    },
                    "doInstall": true
               },
                {
                    "id": "frontend",
                    "type": "ods",
                     "data": {
                          "openshift": {
                               "builds": {
                                    "frontend": {
                                        "buildId": "frontend-8",
                                        "image": "docker-registry.default.svc:5000/ordgp-
cd/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1b2b5295 \\
                               "deployments": {
                                    "frontend": {
                                         "podName": "frontend-8-k6mwm",
                                         "podNamespace": "ordgp-dev",
                                         "podMetaDataCreationTimestamp": "2022-03-01T11:20:13Z",
                                         "deploymentId": "frontend-8",
                                         "podNode": "inhas71256.eu.boehringer.com",
                                         "podlp": "10.251.16.86",
                                         "podStatus": "Running",
                                         "podStartupTimeStamp": "2022-03-01T11:20:13Z",
                                         "containers": {
                                              "frontend": "docker-registry.default.svc:5000/ordgp-
dev/frontend@sha256:565a5540b6bd96f3797d8ca76a0f2811428c3ee84a8c17feb932921c1b2b5295" and the context of the 
                                   }
                               "sonarqubeScanStashPath": "scrr-report-frontend-13",
                               "SCRR": "SCRR-ordgp-frontend.docx",
                               "SCRR-MD": "SCRR-ordgp-frontend.md",
                               "testResultsFolder": "build/test-results/test",
                               "testResults": "1",
                               "xunitTestResultsStashPath": "test-reports-junit-xml-frontend-13",
                               "CREATED BY BUILD": "WIP/13"
                          "documents": {
                               "TIR": "TIR-ordgp-frontend-WIP-13.pdf"
                          "envStateCommit": "c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293",
                          "git": {
                               "branch": "master",
                               "commit": "c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293",
                               "previousCommit": "c385c58ed1e65b1a62be56f8ceb1eb0ed7fdf293",
                               "previousSucessfulCommit": "1d20ca4cbd91841d48f85866f309030f06cf0fa2",
                               "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git",
                               "baseTag": "",
                              "targetTag": "",
                               "createdExecutionCommit": "3b5a62fbb2307d95360da386408b7f668f0e89ae"
                     "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-frontend.git",
                    "branch": "master",
                    "pipelineConfig": {
                           "dependencies": [
                    },
```

```
"metadata": {
            "name": "Angular",
            "description": "Angular is a TypeScript-based open-source web application framework led by the Angular
Team at Google and by a community of individuals and corporations. Technologies: Angular 8.0",
            "supplier": "https://angular.io",
            "version": "4.x",
            "type": "ods"
         },
          "doInstall": true
       },
       {
         "id": "test",
         "type": "ods-test",
         "data": {
            "openshift": {
               "builds": {
               "deployments": {
               },
               "sonarqubeScanStashPath": "scrr-report-test-13",
               "SCRR": "SCRR-ordgp-test.docx",
               "SCRR-MD": "SCRR-ordgp-test.md",
               "testResultsFolder": "build/test-results/test",
               "testResults": "0",
               "CREATED BY BUILD": "WIP/13"
            "documents": {
            "envStateCommit": "3e9ed20ad8199d1918747615bd883eab81b03d59",
            "git": {
               "branch": "master",
               "commit": "61a229c55991e0e89362016bf53d968df233aa80",
               "previousCommit": "3e9ed20ad8199d1918747615bd883eab81b03d59",
               "previousSucessfulCommit": "a57135216f276212ca68e928b057a620a8c8f893",
               "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git",
               "baseTag": "",
               "targetTag": "",
               "createdExecutionCommit": "417c5b12c0af838cf0b843feb16ee5b7b1dab4ec"
          "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-test.git",
         "branch": "master",
         "pipelineConfig": {
            "dependencies": [
         "metadata": {
            "name": "e2e-spock-geb",
            "description": "Spock is a highly expressive testing and specification framework for Java and Groovy. Geb is a
browser automation solution for functional/web/acceptance testing. Technologies: Spock 1.3, Geb 3.2, Selenium 3.141",
            "supplier": "http://spockframework.org",
            "version": "4.x",
            "type": "ods-test"
          "dolnstall": false
       }
     "capabilities": [
       "Zephyr",
```

```
"LeVADocs": {
          "GAMPCategory": 5,
          "templatesVersion": "1.2"
     }
  ],
   "environments": {
  }
},
  "commit": "be2537272ddc579f97f2e2eba6cdc0788f81341b",
  "url": "https://bitbucket-dev.biscrum.com/scm/ordgp/ordgp-releasemanager.git",
  "baseTag": "",
  "targetTag": ""
  "author": "ODS Jenkins Shared Library System User (undefined)",
  "message": "ODS: Record commits deployed into D",
  "time": "2022-01-28 13:14:04 +0000",
  "createdExecutionCommit": "4e693552bfda329023d3f03d467a2466aa298b6a"
},
"jira": {
  "project": {
     "jiraBaseUrl": "https://jira-dev.biscrum.com/ORDGP",
     "enumDictionary": {
       "ProbabilityOfDetection": {
          "1": {
            "short": "I",
            "text": "Immediate",
            "value": 1
          "2": {
            "short": "B",
            "text": "Before Impact",
            "value": 2
          "3": {
            "short": "A",
            "text": "After Impact",
            "value": 3
       },
       "SeverityOfImpact": {
          "1": {
            "short": "L",
            "text": "Low",
            "value": 1
          },
          "2": {
            "short": "M",
            "text": "Medium",
            "value": 2
          "3": {
            "short": "H",
            "text": "High",
            "value": 3
        "ProbabilityOfOccurrence": {
          "1": {
            "short": "L",
            "text": "LOW",
            "value": 1
          "2": {
```

```
"short": "M",
       "text": "MEDIUM",
       "value": 2
     "3": {
       "short": "H",
"text": "HIGH",
       "value": 3
  "RiskPriority": {
    "0": {
       "short": "N",
       "text": "N/A",
       "value": 0
    "1": {
       "short": "H",
       "text": "HIGH",
       "value": 1
     "2": {
       "short": "M",
       "text": "MEDIUM",
       "value": 2
     "3": {
       "short": "L",
       "text": "LOW",
       "value": 3
  },
  "GxPRelevance": {
    "R2": {
       "short": "R2",
       "text": "Relevant",
       "value": 2
     "N0": {
       "short": "N0",
       "text": "Not relevant/ZERO",
       "value": 0
     "N1": {
       "short": "N1",
       "text": "Not relevant/LESS",
       "value": 1
     "N2": {
       "short": "N2",
       "text": "Not relevant/EQUAL",
       "value": 2
"versions": [
  "1.0"
"previousVersion": null,
"name": "One Release DocGen Project",
"description": "",
"id": "30107",
"gampTopics": [
  "operational requirements",
```

```
"functional requirements",
          "data requirements",
          "technical requirements",
          "interface requirements",
          "environment requirements",
          "performance requirements",
          "availability requirements",
          "security requirements",
          "maintenance requirements",
          "regulatory requirements",
          "roles",
          "compatibility",
          "procedural constraints",
          "overarching requirements"
       1,
       "version": null,
       "key": "ORDGP",
       "projectProperties": {
          "PROJECT.POO_CAT.LOW": "Frequency of the usage of the related function is <10 times per year.",
          "PROJECT.POO_CAT.HIGH": "Frequency of the usage of the related function is >10 times per week.",
          "WEBHOOK_PROXY.URL": "https://webhook-proxy-ORDGP-cd.inh-odsapps.eu.boehringer.com/build?
trigger_secret=f8055071-667e-4745-8d2e-deabf52f8a20",
          "RM.REPOSITORY": "ordgp-releasemanager",
          "PROJECT.POO CAT.MEDIUM": "Frequency of the usage of the related function is <10 times per week.",
          "PROJECT.NON-GXP_EVALUATION": "Non-GxP risks are not being evaluated",
          "PROJECT.USES POO": "true",
          "PROJECT.IS_EDP_PROJECT": "true",
          "PROJECT.CONFIG_ITEM": "BI-IT-DEVSTACK"
     },
     "issueTypes": {
       "Bug": {
          "id": "1",
          "name": "Bug",
          "fields": {
            "Assignee": {
               "id": "assignee",
               "name": "Assignee"
            "Story Points": {
               "id": "customfield_10002",
               "name": "Story Points"
            "Sprint": {
               "id": "customfield_10004",
               "name": "Sprint"
            "Epic Link": {
               "id": "customfield 10005",
               "name": "Epic Link"
            "EDP Definition of Ready for Bug": {
               "id": "customfield 19334",
               "name": "EDP Definition of Ready for Bug"
            "EDP Definition of Done for Bug": {
               "id": "customfield 19335".
               "name": "EDP Definition of Done for Bug"
            "Description": {
               "id": "description",
               "name": "Description"
             "Fix Version/s": {
               "id": "fixVersions",
```

```
"name": "Fix Version/s"
     "Linked Issues": {
        "id": "issuelinks",
        "name": "Linked Issues"
     "Issue Type": {
        "id": "issuetype",
        "name": "Issue Type"
     "Labels": {
        "id": "labels",
        "name": "Labels"
     "Priority": {
        "id": "priority",
        "name": "Priority"
     "Project": {
        "id": "project",
        "name": "Project"
     "Reporter": {
        "id": "reporter",
        "name": "Reporter"
     "Summary": {
        "id": "summary",
        "name": "Summary"
     "Affects Version/s": {
        "id": "versions",
        "name": "Affects Version/s"
  }
"Epic": {
    "id": "10000",
  "name": "Epic",
  "fields": {
     "Assignee": {
        "id": "assignee",
        "name": "Assignee"
     "Story Points": {
        "id": "customfield 10002",
        "name": "Story Points"
     "Sprint": {
        "id": "customfield_10004",
        "name": "Sprint"
     "Epic Name": {
        "id": "customfield_10006",
        "name": "Epic Name"
     "Description": {
        "id": "description",
        "name": "Description"
     "Fix Version/s": {
        "id": "fixVersions",
        "name": "Fix Version/s"
```

```
"Linked Issues": {
       "id": "issuelinks",
       "name": "Linked Issues"
     "Issue Type": {
       "id": "issuetype",
       "name": "Issue Type"
     "Labels": {
       "id": "labels",
       "name": "Labels"
     "Priority": {
       "id": "priority",
       "name": "Priority"
     "Project": {
       "id": "project",
       "name": "Project"
     "Reporter": {
       "id": "reporter",
       "name": "Reporter"
     "Summary": {
       "id": "summary",
       "name": "Summary"
     "Affects Version/s": {
       "id": "versions",
       "name": "Affects Version/s"
  }
},
"Story": {
  "id": "10001",
  "name": "Story",
  "fields": {
     "Assignee": {
       "id": "assignee",
       "name": "Assignee"
     "Component/s": {
       "id": "components",
       "name": "Component/s"
     "Story Points": {
       "id": "customfield_10002",
       "name": "Story Points"
     "Sprint": {
       .
"id": "customfield_10004",
       "name": "Sprint"
     "Gamp Topic": {
       "id": "customfield_19318",
       "name": "Gamp Topic"
     "Req Acceptance Criteria": {
       "id": "customfield 19319",
       "name": "Req Acceptance Criteria"
     "FuncSpec Summary": {
       "id": "customfield_19320",
       "name": "FuncSpec Summary"
```

```
"FuncSpec Description": {
  "id": "customfield 19321",
  "name": "FuncSpec Description"
"FuncSpec Acceptance Criteria": {
  "id": "customfield_19322",
  "name": "FuncSpec Acceptance Criteria"
"ConfigSpec Summary": {
  "id": "customfield_19323",
  "name": "ConfigSpec Summary"
"ConfigSpec Description": {
  "id": "customfield_19324",
  "name": "ConfigSpec Description"
"EDP Definition of Ready for Story": {
  "id": "customfield_19325",
  "name": "EDP Definition of Ready for Story"
"EDP Definition of Done for Story": {
  "id": "customfield_19326",
  "name": "EDP Definition of Done for Story"
"Description": {
  "id": "description",
  "name": "Description"
"Fix Version/s": {
  "id": "fixVersions",
  "name": "Fix Version/s"
"Linked Issues": {
  "id": "issuelinks",
  "name": "Linked Issues"
"Issue Type": {
  "id": "issuetype",
  "name": "Issue Type"
"Labels": {
  "id": "labels",
  "name": "Labels"
"Priority": {
  "id": "priority",
  "name": "Priority"
"Project": {
  "id": "project",
  "name": "Project"
"Reporter": {
  "id": "reporter",
  "name": "Reporter"
"Summary": {
  "id": "summary",
  "name": "Summary"
"Affects Version/s": {
  "id": "versions",
  "name": "Affects Version/s"
```

```
"Documentation": {
  "id": "10006",
  "name": "Documentation",
  "fields": {
     "Assignee": {
       "id": "assignee",
       "name": "Assignee"
     "Document Id": {
       "id": "customfield 19306",
       "name": "Document Id"
    "Document Version": {
       "id": "customfield_19307",
       "name": "Document Version"
    "EDP Definition of Ready for Documentation": {
       "id": "customfield 19308",
       "name": "EDP Definition of Ready for Documentation"
    "EDP Definition of Done for Documentation": {
       "id": "customfield_19309",
       "name": "EDP Definition of Done for Documentation"
    "Description": {
       "id": "description",
       "name": "Description"
    "Environment": {
       "id": "environment",
       "name": "Environment"
    "Fix Version/s": {
       "id": "fixVersions",
       "name": "Fix Version/s"
    "Linked Issues": {
       "id": "issuelinks",
       "name": "Linked Issues"
    "Issue Type": {
       "id": "issuetype",
       "name": "Issue Type"
     "Labels": {
       "id": "labels",
       "name": "Labels"
     "Priority": {
       "id": "priority",
       "name": "Priority"
     "Project": {
       "id": "project",
       "name": "Project"
     "Summary": {
       "id": "summary",
       "name": "Summary"
     "Affects Version/s": {
       "id": "versions",
```

```
"name": "Affects Version/s"
  }
},
"Test": {
  "id": "10009",
  "name": "Test",
  "fields": {
     "Assignee": {
        "id": "assignee",
        "name": "Assignee"
     "Component/s": {
        "id": "components",
        "name": "Component/s"
     "Story Points": {
       "id": "customfield_10002",
        "name": "Story Points"
     "Sprint": {
        "id": "customfield_10004",
        "name": "Sprint"
     "Epic Link": {
        "id": "customfield_10005",
        "name": "Epic Link"
     "Zephyr Teststep": {
        "id": "customfield 10023",
        "name": "Zephyr Teststep"
     "Test Execution Type": {
       "id": "customfield_19330",
        "name": "Test Execution Type"
     "Test Level": {
       "id": "customfield_19331",
        "name": "Test Level"
     "EDP Definition of Ready for Test": {
        "id": "customfield 19332",
        "name": "EDP Definition of Ready for Test"
     "EDP Definition of Done for Test": {
        "id": "customfield 19333",
        "name": "EDP Definition of Done for Test"
     "Description": {
        "id": "description",
        "name": "Description"
     "Fix Version/s": {
        "id": "fixVersions",
        "name": "Fix Version/s"
     "Linked Issues": {
        "id": "issuelinks",
        "name": "Linked Issues"
     "Issue Type": {
        "id": "issuetype",
        "name": "Issue Type"
```

```
"Labels": {
       "id": "labels",
       "name": "Labels"
     "Priority": {
       "id": "priority",
       "name": "Priority"
     "Project": {
       "id": "project",
       "name": "Project"
     "Reporter": {
       "id": "reporter",
       "name": "Reporter"
     "Summary": {
       "id": "summary",
       "name": "Summary"
     "Affects Version/s": {
       "id": "versions",
       "name": "Affects Version/s"
},
"Release Status": {
  "id": "14300",
  "name": "Release Status",
  "fields": {
     "Assignee": {
       "id": "assignee",
       "name": "Assignee"
     "Release Manager Status": {
       "id": "customfield_19301",
       "name": "Release Manager Status"
     "Release Build": {
       "id": "customfield_19303",
       "name": "Release Build"
     "Preceding Versions": {
       "id": "customfield 20100",
       "name": "Preceding Versions"
     "ProductRelease Version": {
       "id": "customfield_20101",
       "name": "ProductRelease Version"
     "Branch Id _ not used": {
       "id": "customfield 22101",
       "name": "Branch Id _ not used"
     "Description": {
       "id": "description",
       "name": "Description"
     "Fix Version/s": {
       "id": "fixVersions",
       "name": "Fix Version/s"
     "Linked Issues": {
       "id": "issuelinks",
       "name": "Linked Issues"
```

```
},
    "Issue Type": {
       "id": "issuetype",
       "name": "Issue Type"
    "Labels": {
       "id": "labels",
       "name": "Labels"
    "Priority": {
       "id": "priority",
       "name": "Priority"
    "Project": {
       "id": "project",
       "name": "Project"
     "Reporter": {
       "id": "reporter",
       "name": "Reporter"
    "Summary": {
       "id": "summary",
       "name": "Summary"
    "Affects Version/s": {
       "id": "versions",
       "name": "Affects Version/s"
  }
"Documentation Chapter": {
  "id": "14301",
  "name": "Documentation Chapter",
  "fields": {
    "Assignee": {
       "id": "assignee",
       "name": "Assignee"
    "Story Points": {
       "id": "customfield_10002",
       "name": "Story Points"
    "Sprint": {
       "id": "customfield 10004",
       "name": "Sprint"
    "EDP Heading Number": {
       "id": "customfield_19901",
       "name": "EDP Heading Number"
     "EDP Content": {
       "id": "customfield 19902",
       "name": "EDP Content"
     "Description": {
       "id": "description",
       "name": "Description"
     "Fix Version/s": {
       "id": "fixVersions",
       "name": "Fix Version/s"
    "Linked Issues": {
```

```
"id": "issuelinks",
       "name": "Linked Issues"
     "Issue Type": {
       "id": "issuetype",
       "name": "Issue Type"
     "Labels": {
       "id": "labels",
       "name": "Labels"
     "Priority": {
       "id": "priority",
       "name": "Priority"
     "Project": {
       "id": "project",
       "name": "Project"
     "Summary": {
       "id": "summary",
       "name": "Summary"
     "Affects Version/s": {
       "id": "versions",
       "name": "Affects Version/s"
  }
"Risk Assessment": {
  "id": "14302",
  "name": "Risk Assessment",
  "fields": {
     "Assignee": {
       "id": "assignee",
       "name": "Assignee"
     "Story Points": {
       "id": "customfield 10002",
       "name": "Story Points"
     "Sprint": {
       .
"id": "customfield_10004",
       "name": "Sprint"
     "Risk Comment": {
       "id": "customfield 19310",
       "name": "Risk Comment"
     "GxP Relevance for Risk": {
       "id": "customfield_19311",
       "name": "GxP Relevance for Risk"
     "Severity of Impact": {
       "id": "customfield 19312",
       "name": "Severity of Impact"
     "Probability of Detection": {
       "id": "customfield_19313",
       "name": "Probability of Detection"
     "Probability of Occurrence": {
       "id": "customfield_19314",
       "name": "Probability of Occurrence"
    },
```

```
"Risk Priority Number": {
       "id": "customfield_19315",
       "name": "Risk Priority Number"
     "Risk Priority": {
       "id": "customfield_19316",
       "name": "Risk Priority"
     "EDP Definition of Done for Risk": {
       "id": "customfield_19317",
       "name": "EDP Definition of Done for Risk"
     "Description": {
       "id": "description",
       "name": "Description"
     "Fix Version/s": {
       "id": "fixVersions",
       "name": "Fix Version/s"
     "Linked Issues": {
       "id": "issuelinks",
       "name": "Linked Issues"
     "Issue Type": {
       "id": "issuetype",
       "name": "Issue Type"
     "Labels": {
       "id": "labels",
       "name": "Labels"
     "Parent": {
       "id": "parent",
       "name": "Parent"
     "Priority": {
       "id": "priority",
       "name": "Priority"
     "Project": {
       "id": "project",
       "name": "Project"
     "Summary": {
       "id": "summary",
       "name": "Summary"
     "Affects Version/s": {
       "id": "versions",
       "name": "Affects Version/s"
"Mitigation": {
  "id": "14303",
  "name": "Mitigation",
  "fields": {
     "Assignee": {
       "id": "assignee",
       "name": "Assignee"
     "Story Points": {
       "id": "customfield_10002",
```

```
"name": "Story Points"
    "Sprint": {
       "id": "customfield_10004",
       "name": "Sprint"
     "Epic Link": {
       "id": "customfield_10005",
       "name": "Epic Link"
    "Description": {
       "id": "description",
       "name": "Description"
    "Fix Version/s": {
       "id": "fixVersions",
       "name": "Fix Version/s"
    "Linked Issues": {
       "id": "issuelinks",
       "name": "Linked Issues"
     "Issue Type": {
       "id": "issuetype",
       "name": "Issue Type"
    "Labels": {
       "id": "labels",
       "name": "Labels"
     "Priority": {
       "id": "priority",
       "name": "Priority"
    "Project": {
       "id": "project",
       "name": "Project"
    "Reporter": {
       "id": "reporter",
       "name": "Reporter"
    "Summary": {
       "id": "summary",
       "name": "Summary"
     "Affects Version/s": {
       "id": "versions",
       "name": "Affects Version/s"
"Technical Specification Task": {
  "id": "14304",
  "name": "Technical Specification Task",
  "fields": {
    "Assignee": {
       "id": "assignee",
       "name": "Assignee"
     "Component/s": {
       "id": "components",
       "name": "Component/s"
    "Story Points": {
```

```
"id": "customfield 10002",
  "name": "Story Points"
"Sprint": {
  "id": "customfield_10004",
  "name": "Sprint"
"Epic Link": {
  "id": "customfield 10005",
  "name": "Epic Link"
"System Design Specification": {
  "id": "customfield_19327",
  "name": "System Design Specification"
"Software Design Specification": {
  "id": "customfield 19328",
  "name": "Software Design Specification"
"EDP Definition of Done for Technical Specification": {
  "id": "customfield_19329",
  "name": "EDP Definition of Done for Technical Specification"
"Description": {
  "id": "description",
  "name": "Description"
"Fix Version/s": {
  "id": "fixVersions",
  "name": "Fix Version/s"
"Linked Issues": {
  "id": "issuelinks",
  "name": "Linked Issues"
"Issue Type": {
  "id": "issuetype",
  "name": "Issue Type"
"Labels": {
  "id": "labels",
  "name": "Labels"
"Priority": {
  "id": "priority",
  "name": "Priority"
"Project": {
  "id": "project",
  "name": "Project"
"Reporter": {
  "id": "reporter",
  "name": "Reporter"
"Summary": {
  "id": "summary",
  "name": "Summary"
"Affects Version/s": {
  "id": "versions",
  "name": "Affects Version/s"
```

}

```
"discontinuedKeys": [
     "precedingVersions": [
     "components": {
        "Technology-test": {
          "requirements": [
          "risks": [
          "tests": [
          "versions": [
            "1.0"
          "name": "Technology-test",
          "description": "Technology component ordgp-test stored at https://bitbucket-
dev.biscrum.com/projects/ORDGP/repos/ordgp-test/browse",
          "techSpecs": [
          "epics": [
          "mitigations": [
          "key": "Technology-test"
        "Technology-frontend": {
          "requirements": [
          "risks": [
          "tests": [
          "versions": [
            "1.0"
          "name": "Technology-frontend",
          "description": "Technology component ordgp-frontend stored at https://bitbucket-
dev.biscrum.com/projects/ORDGP/repos/ordgp-frontend/browse",
          "techSpecs": [
          "epics": [
          "mitigations": [
          "key": "Technology-frontend"
        "Technology-releasemanager": {
          "requirements": [
```

```
"risks": [
          "tests": [
          "versions": [
            "1.0"
          "name": "Technology-releasemanager",
          "description": "Technology component ordgp-releasemanager stored at https://bitbucket-
dev.biscrum.com/projects/ORDGP/repos/ordgp-releasemanager/browse",
          "techSpecs": [
          "epics": [
          "mitigations": [
          "key": "Technology-releasemanager"
       "Technology-backend": {
          "requirements": [
          "risks": [
          ],
          "tests": [
            "ORDGP-137",
            "ORDGP-138",
            "ORDGP-139"
          "versions": [
            "1.0"
          "name": "Technology-backend",
          "description": "Technology component ordgp-backend stored at https://bitbucket-
dev.biscrum.com/projects/ORDGP/repos/ordgp-backend/browse",
          "techSpecs": [
          "epics": [
          "mitigations": [
          "key": "Technology-backend"
     "requirements": {
       "ORDGP-126": {
          "components": [
          "predecessors": [
          "gampTopic": "functional requirements",
```

"description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.

```
"resolution": "Implemented",
"epics": [
    "ORDGP-124"
],
"mitigations": [
],
"labels": [
```

"acceptanceCriteria": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.\r\n\r\n",

```
"bugs": [
],
"configSpec": {
    "name": "Story 2",
```

"description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.

```
},
"risks": [
   "ORDGP-141",
   "ORDGP-142"
],
"tests": [
],
"versions": [
   "1.0"
],
"name": "Story 2",
"techSpecs": [
],
"key": "ORDGP-126",
"status": "Done",
"funcSpec": {
```

"acceptanceCriteria": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.",

"name": "Story 2",

"description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.

```
}
},
"ORDGP-127": {
"components": [
```

```
"predecessors": [
          "gampTopic": "functional requirements",
          "description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh
vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis,
sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed
mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt
convallis.",
          "resolution": "Implemented",
          "epics": [
             "ORDGP-124"
          "mitigations": [
          1,
          "labels": [
          1.
          "acceptanceCriteria": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh
vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis,
sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed
mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt
convallis.\r\n\r\n",
          "bugs": [
          1.
          "configSpec": {
             "name": "Story 3",
             "description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh
vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis,
sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed
mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt
convallis."
          },
          "risks": [
          "tests": [
           versions": ۱"
            "1.0"
          "name": "Story 3",
          "techSpecs": [
          "key": "ORDGP-127",
          "status": "Done",
             "acceptanceCriteria": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet
nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis,
sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed
mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt
```

vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt

"description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh

convallis.",

convallis."
}
,

"name": "Story 3",

```
"ORDGP-125": {
          "components": [
          "predecessors": [
          "gampTopic": "functional requirements",
          "description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh
vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis,
sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed
mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt
convallis.",
          "resolution": "Implemented",
          "epics": [
             "ORDGP-124"
          "mitigations": [
             "ORDGP-140"
          ],
          "labels": [
          "acceptanceCriteria": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh
vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis,
sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed
mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt
convallis.\r\n\r\n",
          "bugs": [
          1.
           "configSpec": {
             "name": "Story 1",
```

"description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.

```
}.
"risks": [
  "ORDGP-136"
"tests": [
  "ORDGP-144",
  "ORDGP-145",
  "ORDGP-143",
  "ORDGP-137",
  "ORDGP-138",
  "ORDGP-139"
1,
"versions": [
  "1.0"
"name": "Story 1",
"techSpecs": [
  "ORDGP-134",
  "ORDGP-135"
"key": "ORDGP-125",
"status": "Done",
"funcSpec": {
```

"acceptanceCriteria": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt

```
convallis.",
             "name": "Story 1",
             "description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh
vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis,
sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed
mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt
convallis."
          }
       }.
        "ORDGP-128": {
          "components": [
          "predecessors": [
          "gampTopic": "functional requirements",
          "description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh
vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis,
sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed
mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt
convallis.",
          "resolution": "Implemented",
          "epics": [
             "ORDGP-124"
          "mitigations": [
          "labels": [
          ],
          "acceptanceCriteria": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh
vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis,
sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed
mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt
convallis.\r\n\r\n",
          "bugs": [
          "configSpec": {
             "name": "Story 4",
             "description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh
vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis,
sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed
mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt
convallis."
          },
          "risks": [
           tests": [
             "ORDGP-147"
           versions": [
             "1.0"
          "name": "Story 4",
          "techSpecs": [
             "ORDGP-146"
          "key": "ORDGP-128",
```

"status": "Done", "funcSpec": {

"acceptanceCriteria": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.",

"name": "Story 4",

"description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.

```
}
},
"ORDGP-129": {
"components": [

],
"predecessors": [
],
```

"gampTopic": "functional requirements",

"description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.

```
"resolution": "Implemented",
"epics": [
   "ORDGP-124"
],
"mitigations": [
],
"labels": [
```

"acceptanceCriteria": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.\r\n\r\n",

```
"bugs": [
],
"configSpec": {
    "name": "Story 5",
```

"description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.

```
},
"risks": [
],
"tests": [
"ORDGP-130",
"ORDGP-131",
"ORDGP-132"
],
"versions": [
"1.0"
],
"name": "Story 5",
```

```
"key": "ORDGP-129",
          "status": "Done",
          "funcSpec": {
            "acceptanceCriteria": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet
nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis,
sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed
mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt
convallis.",
            "name": "Story 5",
            "description": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh
vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis,
sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed
mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt
convallis."
          }
       }
     },
     "notesAndHints": [
       "Non-EDP linkType Cloners ignored: ORDGP-144 -> ORDGP-143"
     "version": "1.0",
     "epics": {
       "ORDGP-124": {
          "predecessors": [
          "requirements": [
            "ORDGP-126",
            "ORDGP-127",
            "ORDGP-125",
            "ORDGP-128",
            "ORDGP-129"
          versions": [
            "1.0"
```

"description": "Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla in tristique ante, sit amet accumsan purus. Vivamus at consequat dolor, in accumsan nibh. Proin imperdiet neque id dui ullamcorper feugiat. Praesent tristique vestibulum porttitor. Quisque ornare congue odio quis viverra. Duis non porttitor arcu. Curabitur pellentesque magna ultricies, ornare ipsum vitae, dignissim ligula. Mauris sit amet interdum ante, quis maximus nibh. Mauris id hendrerit risus, non viverra augue. Nulla nec condimentum ex. Nullam sed est ut nisl suscipit eleifend et vel metus. Cras libero justo, malesuada a auctor ut, accumsan et lacus.
h\nSuspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. Morbi pretium massa quis nunc pharetra, id faucibus purus condimentum. Sed augue lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique. In dictum purus sit amet justo dignissim tristique. Sed ligula ante, tempus non turpis eget, iaculis consequat dui. Aenean orci tortor, interdum at magna vitae, euismod lacinia odio. Nullam ac ante orci. Quisque in mattis purus. Maecenas volutpat bibendum felis, in porttitor dui imperdiet et. Mauris ac feugiat lacus. Interdum et malesuada fames ac ante ipsum primis in faucibus. Maecenas feugiat, turpis nec finibus pellentesque, lectus arcu pellentesque ex, in tempus metus velit sit amet purus. Phasellus ut volutpat orci.

```
"title": "Epic 1",
    "resolution": "Implemented",
    "key": "ORDGP-124",
    "status": "Done",
    "labels": [
    ]
}

mitigations": {
    "ORDGP-140": {
```

"techSpecs": [

```
"components": [
],
"requirements": [
"ORDGP-125"
],
"predecessors": [
```

"description": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. Morbi pretium massa quis nunc pharetra, id faucibus purus condimentum. Sed augue lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique. In dictum purus sit amet justo dignissim tristique. Sed ligula ante, tempus non turpis eget, iaculis consequat dui. Aenean orci tortor, interdum at magna vitae, euismod lacinia odio. Nullam ac ante orci. Quisque in mattis purus. Maecenas volutpat bibendum felis, in porttitor dui imperdiet et. Mauris ac feugiat lacus. Interdum et malesuada fames ac ante ipsum primis in faucibus. Maecenas feugiat, turpis nec finibus pellentesque, lectus arcu pellentesque ex, in tempus metus velit sit amet purus. Phasellus ut volutpat orci.

```
"resolution": "Defined",
    "labels": [
    1.
     "risks": [
       "ORDGP-136"
     "versions": [
       "1.0"
     "name": "Mitigation 1",
    "techSpecs": [
     "key": "ORDGP-140",
     "status": "Done"
"modifiedKeys": {
"bugs": {
"risks": {
  "ORDGP-141": {
    "riskComment": null,
    "gxpRelevance": "R2",
    "requirements": [
       "ORDGP-126"
    "predecessors": [
```

"description": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. Morbi pretium massa quis nunc pharetra, id faucibus purus condimentum. Sed augue lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique. In dictum purus sit amet justo dignissim tristique.

In dictum purus sit amet justo dignissim tristique.

In dictum purus non turpis eget, iaculis consequat dui. Aenean orci tortor, interdum at magna vitae, euismod lacinia odio. Nullam ac ante orci. Quisque in mattis purus. Maecenas volutpat bibendum felis, in porttitor dui imperdiet et. Mauris ac feugiat lacus. Interdum et malesuada fames ac ante ipsum primis in faucibus. Maecenas feugiat, turpis nec finibus pellentesque, lectus arcu pellentesque ex, in tempus metus velit sit amet purus. Phasellus ut volutpat orci.

```
"resolution": "Defined",
"probabilityOfDetection": 1,
"mitigations": [
],
"labels": [
```

```
"probabilityOfOccurrence": 3,
          "severityOfImpact": 3,
          "tests": [
          "versions": [
            "1.0"
          "riskPriorityNumber": 18,
          "riskPriority": 1,
          "name": "RA 2",
          "techSpecs": [
          "key": "ORDGP-141",
          "status": "Done"
       "ORDGP-142": {
          "riskComment": null,
          "gxpRelevance": "N0",
          "requirements": [
            "ORDGP-126"
          "predecessors": [
          "description": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies pellentesque
mauris.",
          "resolution": "Defined",
          "probabilityOfDetection": 3,
          "mitigations": [
          "labels": [
          "probabilityOfOccurrence": 1,
          "severityOfImpact": 1,
          "tests": [
          ],
          "versions": [
            "1.0"
          "riskPriorityNumber": 0,
          "riskPriority": 0,
          "name": "RA 3",
          "techSpecs": [
          "key": "ORDGP-142",
          "status": "Done"
       "ORDGP-136": {
          "riskComment": null,
          "gxpRelevance": "N1",
          "requirements": [
            "ORDGP-125"
          "predecessors": [
```

```
"description": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies pellentesque
mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim.",
          "resolution": "Defined",
          "probabilityOfDetection": 2,
          "mitigations": [
            "ORDGP-140"
          "labels": [
          "probabilityOfOccurrence": 1,
          "severityOfImpact": 2,
          "tests": [
            "ORDGP-137",
            "ORDGP-138",
            "ORDGP-139"
          "versions": [
            "1.0"
          "riskPriorityNumber": 4,
          "riskPriority": 3,
          "name": "RA 1",
          "techSpecs": [
          "key": "ORDGP-136",
          "status": "Done"
     },
     "tests": {
       "ORDGP-130": {
          "components": [
          "requirements": [
            "ORDGP-129"
          "predecessors": [
          "executionType": "Automated",
          "description": "Acceptance Test 1",
          "testType": "Acceptance",
          "resolution": "Implemented",
          "steps": [
          "execLabel": "Succeeded",
          "labels": [
            "Succeeded"
          "risks": [
          "versions": [
            "1.0"
          "name": "Acceptance Test 1",
          "comment": "",
          "id": "896758",
          "isUnexecuted": false,
          "techSpecs": [
```

],

```
"key": "ORDGP-130",
  "status": "Done",
  "isSuccess": true,
  "timestamp": "2022-03-01T11:22:32",
  "actualResult": "Expected result verified by automated test"
"ORDGP-133": {
  "components": [
  "requirements": [
    "ORDGP-129"
  "predecessors": [
  "executionType": "Automated",
  "description": "Acceptance Test 1",
  "testType": "Acceptance",
  "resolution": "Implemented",
  "steps": [
  "execLabel": "Succeeded",
  "labels": [
    "Succeeded"
  1.
  "risks": [
  "versions": [
    "1.0"
  "name": "Acceptance Test 4",
  "comment": "",
  "id": "896761",
  "isUnexecuted": false,
  "techSpecs": [
  "key": "ORDGP-133",
  "status": "Done",
  "isSuccess": true,
  "timestamp": "2022-03-01T11:22:32",
  "actualResult": "Expected result verified by automated test"
"ORDGP-144": {
  "components": [
  "requirements": [
    "ORDGP-125"
  "predecessors": [
  "executionType": "Automated",
```

"description": "Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla in tristique ante, sit amet accumsan purus. Vivamus at consequat dolor, in accumsan nibh. Proin imperdiet neque id dui ullamcorper feugiat. Praesent tristique vestibulum porttitor. Quisque ornare congue odio quis viverra. Duis non porttitor arcu. Curabitur pellentesque magna ultricies, ornare ipsum vitae, dignissim ligula. Mauris sit amet interdum ante, quis maximus nibh. Mauris id hendrerit risus, non viverra augue. Nulla nec condimentum ex. Nullam sed est ut nisl suscipit eleifend et vel metus. Cras libero justo, malesuada a auctor ut, accumsan et lacus.

"testType": "Integration",

```
"resolution": "Implemented",
          "steps": [
          "execLabel": "Succeeded",
          "labels": [
            "Succeeded"
          "risks": [
          "versions": [
            "1.0"
          "name": "Integration Test 2",
          "comment": "",
          "id": "896772",
          "isUnexecuted": false,
          "techSpecs": [
            "ORDGP-134",
            "ORDGP-135"
          "key": "ORDGP-144",
          "status": "Done",
          "isSuccess": true,
          "timestamp": "2022-03-01T11:22:24",
          "actualResult": "Expected result verified by automated test"
       },
       "ORDGP-145": {
          "components": [
          "requirements": [
            "ORDGP-125"
          "predecessors": [
          "executionType": "Automated",
          "description": "Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla in tristique ante, sit amet
accumsan purus. Vivamus at consequat dolor, in accumsan nibh. Proin imperdiet neque id dui ullamcorper feugiat.
Praesent tristique vestibulum porttitor. Quisque ornare conque odio quis viverra. Duis non porttitor arcu. Curabitur
pellentesque magna ultricies, ornare ipsum vitae, dignissim ligula. Mauris sit amet interdum ante, quis maximus nibh.
Mauris id hendrerit risus, non viverra augue. Nulla nec condimentum ex. Nullam sed est ut nisl suscipit eleifend et vel
metus. Cras libero justo, malesuada a auctor ut, accumsan et lacus.",
          "testType": "Integration",
          "resolution": "Implemented",
          "steps": [
          "execLabel": "Succeeded",
          "labels": [
            "Succeeded"
          "risks": [
          "versions": [
            "1.0"
          "name": "Integration Test 3",
```

"comment": "",
"id": "896773",
"isUnexecuted": false,
"techSpecs": [

```
"ORDGP-134",
    "ORDGP-135"
  "key": "ORDGP-145",
  "status": "Done",
  "isSuccess": true,
  "timestamp": "2022-03-01T11:22:24",
  "actualResult": "Expected result verified by automated test"
"ORDGP-131": {
  "components": [
  "requirements": [
    "ORDGP-129"
  "predecessors": [
  "executionType": "Automated",
  "description": "Acceptance Test 1",
  "testType": "Acceptance",
  "resolution": "Implemented",
  "steps": [
  "execLabel": "Succeeded",
  "labels": [
    "Succeeded"
  "risks": [
  "versions": [
    "1.0"
  "name": "Acceptance Test 2",
  "comment": "",
  "id": "896759",
  "isUnexecuted": false,
  "techSpecs": [
  "key": "ORDGP-131",
  "status": "Done",
  "isSuccess": true,
  "timestamp": "2022-03-01T11:22:32",
  "actualResult": "Expected result verified by automated test"
"ORDGP-132": {
  "components": [
  "requirements": [
    "ORDGP-129"
  "predecessors": [
  "executionType": "Automated",
  "description": "Acceptance Test 1",
  "testType": "Acceptance",
  "resolution": "Implemented",
  "steps": [
```

```
"execLabel": "Succeeded",
          "labels": [
            "Succeeded"
          "risks": [
          versions": [
            "1.0"
          "name": "Acceptance Test 3",
          "comment": "",
          "id": "896760",
          "isUnexecuted": false,
          "techSpecs": [
          "key": "ORDGP-132",
          "status": "Done",
          "isSuccess": true,
          "timestamp": "2022-03-01T11:22:32",
          "actualResult": "Expected result verified by automated test"
       "ORDGP-143": {
          "components": [
          "requirements": [
            "ORDGP-125"
          "predecessors": [
          "executionType": "Automated",
          "description": "Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla in tristique ante, sit amet
accumsan purus. Vivamus at consequat dolor, in accumsan nibh. Proin imperdiet neque id dui ullamcorper feugiat.
Praesent tristique vestibulum porttitor. Quisque ornare conque odio quis viverra. Duis non porttitor arcu. Curabitur
pellentesque magna ultricies, ornare ipsum vitae, dignissim ligula. Mauris sit amet interdum ante, quis maximus nibh.
Mauris id hendrerit risus, non viverra augue. Nulla nec condimentum ex. Nullam sed est ut nisl suscipit eleifend et vel
metus. Cras libero justo, malesuada a auctor ut, accumsan et lacus.",
          "testType": "Integration",
          "resolution": "Implemented",
          "steps": [
          "execLabel": "Succeeded",
          "labels": [
            "Succeeded"
          "risks": [
          "versions": [
            "1.0"
          "name": "Integration Test 1",
```

"comment": "",
"id": "896771",
"isUnexecuted": false,
"techSpecs": [
"ORDGP-134",
"ORDGP-135"

],

```
"key": "ORDGP-143",
          "status": "Done",
          "isSuccess": true,
          "timestamp": "2022-03-01T11:22:24",
          "actualResult": "Expected result verified by automated test"
       "ORDGP-137": {
          "components": [
            "Technology-backend"
          "requirements": [
            "ORDGP-125"
          "predecessors": [
          "executionType": "Automated",
          "description": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies pellentesque
mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. Morbi pretium massa quis nunc pharetra, id
faucibus purus condimentum. Sed augue lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique.
In dictum purus sit amet justo dignissim tristique. Sed ligula ante, tempus non turpis eget, iaculis consequat dui",
          "testType": "Unit",
          "resolution": "Implemented",
          "steps": [
          "execLabel": "Succeeded",
          "labels": [
            "Succeeded"
          "risks": [
            "ORDGP-136"
          "versions": [
            "1.0"
          "name": "Unit Test 1",
          "id": "896765",
          "isUnexecuted": false,
          "techSpecs": [
          "key": "ORDGP-137",
          "status": "Done",
          "isSuccess": true,
          "timestamp": "2022-03-01T11:17:26"
       "ORDGP-138": {
          "components": [
            "Technology-backend"
          "requirements": [
            "ORDGP-125"
          "predecessors": [
          "executionType": "Automated",
          "description": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies pellentesque
mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. Morbi pretium massa quis nunc pharetra, id
faucibus purus condimentum. Sed augue lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique.
In dictum purus sit amet justo dignissim tristique. Sed ligula ante, tempus non turpis eget, iaculis consequat dui",
          "testType": "Unit",
```

"resolution": "Implemented",

```
"steps": [
          "execLabel": "Succeeded",
          "labels": [
            "Succeeded"
          "risks": [
            "ORDGP-136"
          "versions": [
            "1.0"
          "name": "Unit Test 2",
          "id": "896766",
          "isUnexecuted": false,
          "techSpecs": [
          "key": "ORDGP-138",
          "status": "Done",
          "isSuccess": true,
          "timestamp": "2022-03-01T11:17:26"
        "ORDGP-147": {
          "components": [
          "requirements": [
            "ORDGP-128"
          "predecessors": [
          "executionType": "Automated",
          "description": "Curabitur pellentesque magna ultricies, ornare ipsum vitae, dignissim ligula. Mauris sit amet
interdum ante, quis maximus nibh. Mauris id hendrerit risus, non viverra augue. Nulla nec condimentum ex. Nullam sed
est ut nisl suscipit eleifend et vel metus. Cras libero justo, malesuada a auctor ut, accumsan et lacus. ",
          "testType": "Installation",
          "repoTypes": [
          "resolution": "Implemented",
          "steps": [
          "execLabel": "Succeeded",
          "labels": [
             "Succeeded"
          "risks": [
           versions": [
          "name": "Installation Test 1",
          "id": "896775",
          "isUnexecuted": false,
          "techSpecs": [
            "ORDGP-146"
          "key": "ORDGP-147",
          "status": "Done",
          "isSuccess": true,
```

```
"timestamp": "2022-03-01T11:22:15"
        "ORDGP-139": {
          "components": [
             "Technology-backend"
          "requirements": [
             "ORDGP-125"
          "predecessors": [
          "executionType": "Automated",
          "description": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies pellentesque
mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. Morbi pretium massa quis nunc pharetra, id
faucibus purus condimentum. Sed augue lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique.
In dictum purus sit amet justo dignissim tristique. Sed liqula ante, tempus non turpis eget, iaculis consequat dui",
          "testType": "Unit",
          "resolution": "Implemented",
          "steps": [
          "execLabel": "Succeeded",
          "labels": [
             "Succeeded"
          "risks": [
            "ORDGP-136"
          "versions": [
             "1.0"
          "name": "Unit Test 3",
          "id": "896767".
          "isUnexecuted": false,
          "techSpecs": [
          "key": "ORDGP-139",
          "status": "Done",
          "isSuccess": true,
          "timestamp": "2022-03-01T11:17:26"
       }
     "docs": {
        "ORDGP-122": {
          "number": "3",
          "predecessors": [
          "heading": "Document History",
          "documents": [
             "TRC"
           'versions": [
             "1.0"
          "section": "sec3",
          content": "<font color=\"blue\">The following table provides extra history of the document.</font=
\n\cdots='table-wrap'>\n\n\n<th
class='confluenceTh'>Version\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate
nDate
class = 'confluenceTh' > Author  \n  Reference  \n  \n < td
class='confluenceTd'> \nSee summary of electronic document or signature page
of printout. \n  \n  \n
```

```
\n</div>\n",
                 "key": "ORDGP-122",
                 "status": "Done"
             "ORDGP-121": {
                 "number": "1",
                 "predecessors": [
                 "heading": "Document History",
                 "documents": [
                      "TCP".
                      "TCR"
                 "versions": [
                     "1.0"
                 "section": "sec1",
                 "content": "<font color=\"blue\">The following table provides extra history of the document.</font>
<\!/p>\!\! \  \  <\!\!div class='table-wrap'>\!\! \  \  <\!\! table class='confluenceTable'><\!\! tbody>\!\! \  \  \  <\!\! tr>\!\! \  \  <\!\! th
class='confluenceTh'>Version\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate
nDate
class = 'confluenceTh' > Author  \\ n  Reference  \\ n  \\ n
class='confluenceTd'> \nSee summary of electronic document or signature page
of printout. \n  \n  \n\n
\n</div>\n",
                 "key": "ORDGP-121",
                 "status": "Done"
             },
             "ORDGP-120": {
                 "number": "4",
                 "predecessors": [
                 "heading": "Risk Assessment",
                 "documents": [
                      "CFTR".
                      "CFTR M"
                  "versions": [
                      "1.0"
                 1,
                 "content": "<font color=\"blue\">There have been no critical failures observed in the testing. For failed test
cases no unacceptable risks have been identified. No follow-up actions are required.</font>",
                 "key": "ORDGP-120",
                 "status": "Done"
             },
             "ORDGP-119": {
                 "number": "3.6",
                 "predecessors": [
                 "heading": "Traceability Matrix",
                  "documents": [
                      "CFTR",
                      "CFTR M"
                 "versions": [
                      "1.0"
                 "section": "sec3s6",
                 "content": "<font color=\"blue\">The test coverage is captured in the traceability matrix which maps user
requirements and functional specifications to test cases. The traceability matrix has been updated prior to execution of
```

the test cases and has been archived in the validation archive (add a reference).",

"key": "ORDGP-119",

```
"status": "Done"
       "ORDGP-118": {
          "number": "3.5.2",
          "predecessors": [
          "heading": "Non-Functional Testing Results",
          "documents": [
            "CFTR",
            "CFTR M"
          "versions": [
            "1.0"
          "section": "sec3s5s2",
          "content": "<font color=\"blue\">Non-Functional testing was performed according to the approved
functional / requirements test plan (final v1.0), approved on <date&gt;.<br/>\n<br/>h/>\nThe test execution run of the
non-functional test cases was performed on Mar 03. All the test cases of the project were executed without significant
failures.</font>",
          "key": "ORDGP-118",
          "status": "Done"
       "ORDGP-117": {
          "number": "3.3",
          "predecessors": [
          "heading": "Discrepancy Log",
          "documents": [
            "CFTR",
            "CFTR M"
          "versions": [
            "1.0"
          "section": "sec3s3",
          "content": "<font color=\"blue\">All failures and problems which have been observed during testing have
been collected in a discrepancy log. The discrepancy log is attached to this report.</font>",
          "key": "ORDGP-117",
          "status": "Done"
       "ORDGP-116": {
          "number": "3.2",
          "predecessors": [
          "heading": "Responsibilities and Signature Resource Log",
          "documents": [
            "CFTR",
            "CFTR_M"
          "versions": [
            "1.0"
          "content": "<font color=\"blue\">All Testers and Test Administrators have signed the signature resource
log prior to the start of testing activities. The signature resource log is attached to this report. </font>",
          "key": "ORDGP-116",
          "status": "Done"
       "ORDGP-115": {
          "number": "3.1",
          "predecessors": [
```

```
"heading": "Training",
             "documents": [
                 "CFTR",
                 "CFTR_M"
              "versions": [
                 "1.0"
              "section": "sec3s1",
             "content": "<font color=\"blue\">All Testers and Test Administrators have been trained prior to the start of
testing activities. Two classroom trainings have been performed on 23-Apr-2001 in Ingelheim and on 26-Apr-2011 in
Ridgefield. Copies of the training records and agenda are attached to this report.
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
",
             "key": "ORDGP-115",
             "status": "Done"
          },
          "ORDGP-114": {
             "number": "2",
             "predecessors": [
             "heading": "Testing Environment",
             "documents": [
                 "CFTR",
                 "CFTR M"
              "versions": [
                 "1.0"
             "section": "sec2",
              "content": "<font color=\"blue\">All integration and acceptance test cases have been executed in the
qualified validation environment as defined in the combined functional / requirements testing plan (ref).</font>",
             "key": "ORDGP-114",
             "status": "Done"
          "ORDGP-113": {
             "number": "1",
             "predecessors": [
             "heading": "Purpose",
             "documents": [
                 "CFTR",
                 "CFTR M"
             ],
              "versions": [
                 "1.0"
             "section": "sec1",
             "content": "<font color=\"blue\">The purpose of this document is to report on testing activities that were
performed according to the functional / requirements testing plan, to summarize and asses all failed and skipped test
cases, and decide if the System name can be formally released for installation in production environment.</font>",
             "key": "ORDGP-113",
             "status": "Done"
          "ORDGP-112": {
              "number": "8",
              "predecessors": [
             "heading": "Document History",
              "documents": [
                 "CFTR",
                 "CFTR M"
```

```
"versions": [
                            "1.0"
                       "section": "sec8",
                       "content": "<font color=\"blue\">The following table provides extra history of the document.</font>
 <\!/p>\!\! \ |\ class='table-wrap'>\ |\ class='confluence Table'>\ |\ r<\ r>
class = 'confluenceTd' > \   \\ loss = 'confluenceTd' > See summary of electronic document or signature page to the summary of electronic document or signature page to the summary of electronic document or signature page to the summary of electronic document or signature page to the summary of electronic document or signature page to the summary of electronic document or signature page to the summary of electronic document or signature page to the summary of electronic document or signature page to the summary of electronic document or signature page to the summary of electronic document or signature page to the summary of electronic document or signature page to the summary of electronic document or signature page to the summary of electronic document or signature page to the summary of electronic document or signature page to the summary of electronic document or signature page to the summary of electronic document of the summary of electronic document of the summary of electronic document or signature page to the summary of electronic document of electronic document of the summary of electronic document of electronic docum
of printout. \n  \n  \n\n
 \n</div>\n",
                       "key": "ORDGP-112",
                       "status": "Done"
                  "ORDGP-111": {
                       "number": "7",
                       "predecessors": [
                       "heading": "Reference Documents",
                       "documents": [
                            "CFTR",
                            "CFTR M"
                       "versions": [
                            "1.0"
                       "section": "sec7",
                       "content": " ",
                       "key": "ORDGP-111",
                       "status": "Done"
                  "ORDGP-110": {
                       "number": "6.1",
                       "predecessors": [
                       "heading": "Definitions",
                       "documents": [
                             "CFTR",
                             "CFTR M"
                       "versions": [
                            "1.0"
                       "section": "sec6s1",
                       "content": "<div class='table-wrap'>\n<table class='confluenceTable'><tbody>\n<tr>
class='confluenceTh'>Term/nDefinition/n/nDefinition
<font color=\"blue\">Jenkins</font>\n<font color=\"blue\">Build engine supplied by
color = \verb|\| blue | "> xUnit < font >  | n  < font color = \verb|\| blue | "> Unit testing framework, aggregaults | n  < font color = | "blue | "> Unit testing framework, aggregaults | n  < font color = | "blue | "> Unit testing framework, aggregaults | n  < font color = | "blue | "> Unit testing framework, aggregaults | n  < font color = | "blue | "> Unit testing framework, aggregaults | n  < font color = | "blue | "> Unit testing framework, aggregaults | n  < font color = | "blue | "> Unit testing framework, aggregaults | n  < font color = | "blue | "> Unit testing framework, aggregaults | n  < font color = | "blue | "> Unit testing framework, aggregaults | n  < font color = | "blue | "> Unit testing framework, aggregaults | n  < font color = | "blue | "> Unit testing framework, aggregaults | n  < font color = | "blue | "> Unit testing framework, aggregaults | n  Unit testing framework, aggregaults | n 
"key": "ORDGP-110",
                       "status": "Done"
                  "ORDGP-109": {
                       "number": "6.2"
                       "predecessors": [
                       "heading": "Abbreviations",
                       "documents": [
```

"CFTR",

```
"CFTR M"
                 ],
                 "versions": [
                     "1.0"
                 1,
                 "section": "sec6s2",
                 class = 'confluenceTh' > Abbreviation  \n  Meaning  \n  \n < td
class = 'confluenceTd' > < font \ color = \\ ''>ODS < / font >  \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ color = \\ (respect to least = 'confluenceTd') < font \ c
color=\\"blue">OpenDevStack</font>\n\n\nclass='confluenceTd'><font color=\"blue\">EDP</font>
 \n<font color=\"blue\">Enterprise Development Platform</font>
 \n\n\n</div>\n",
                 "key": "ORDGP-109",
                 "status": "Done"
             },
             "ORDGP-108": {
                 "number": "9",
                 "predecessors": [
                 "heading": "Traceability Matrix",
                 "documents": [
                     "CFTP"
                 "versions": [
                     "1.0"
                 "section": "sec9",
                 "content": "<font color=\"blue\">The test coverage is captured in the traceability matrix which maps user
requirements and functional specifications to test cases. The traceability matrix will be updated before test execution to
include all functional and requirements test cases.</font>",
                 "key": "ORDGP-108",
                 "status": "Done"
             "ORDGP-107": {
                 "number": "8.1",
                 "predecessors": [
                 "heading": "Test Cases",
                 "documents": [
                     "CFTP"
                  "versions": [
                     "1.0"
                 "section": "sec8s1",
                 "content": "<div class='table-wrap'>\n<table class='confluenceTable'>\n<tr>
class='confluenceTh'>Risk\ Priority\backslash n< th\ class='confluenceTh'>Level\ of\ Testing\backslash n\backslash n< td
class='confluenceTd'><b>3</b>\n<font color=\"blue\">No testing required</font>
/n/n/n<b>2</b>//td>/n<font to the class='confluenceTd'><br/>
color=\"blue\">Testing of functionality or requirements without challenge/boundary tests</font>
 \n\n\n\nclass='confluenceTd'><b>1</b>\n<font class='confluenceTd'><br/>
color=\"blue\">Full test of requirement or functionality including challenge/boundary tests (e.g. invalid, borderline or
missing input values, out-of-order execution of functions, disconnected interfaces etc.)</font>\n\n
 \n</div>\n",
                 "key": "ORDGP-107",
                 "status": "Done"
             "ORDGP-106": {
                 "number": "7.2.2",
                 "predecessors": [
                 "heading": "Scope of Non-Functional Testing",
```

```
"documents": [
    "CFTP"
],
"versions": [
    "1.0"
],
"section": "sec7s2s2",
```

```
"key": "ORDGP-106",
"status": "Done"
},
"ORDGP-105": {
  "number": "7.1.2",
  "predecessors": [

  ],
  "heading": "Scope of Functional Testing",
  "documents": [
    "CFTP"
  ],
  "versions": [
    "1.0"
  ],
  "section": "sec7s1s2",
```

"content": "The System name is commercial off-the-shelf software which was configured according to the configuration specification. Since some user requirements could not be fulfilled via configuration and therefore have been implemented by in-house developed customizations.

will be performed to verify correct functionality of all customizations, i.e. functional specifications will be 100% covered by functional test cases.

h * Configuration specification will not be tested on a functional level, but only implicitly in acceptance test cases.

h * Standard product functionality will not be tested in functional testing since appropriate testing has already performed by the vendor. This has been verified in a vendor audit.

```
"key": "ORDGP-105",
"status": "Done"
},
"ORDGP-104": {
  "number": "6.2",
  "predecessors": [

  ],
  "heading": "Scope of Integration Testing",
  "documents": [
    "CFTP"
  ],
  "versions": [
    "1.0"
  ],
  "section": "sec6s2",
```

"content": "The System name is commercial off-the-shelf software which was configured according to the configuration specification. Since some user requirements could not be fulfilled via configuration and therefore have been implemented by in-house developed customizations.

\n * Integration testing will be performed to verify correct functionality of all customizations, i.e. functional specifications will be 100% covered by functional test cases.
\n * Configuration specification will not be tested on an integration level, but only implicitly in acceptance test cases.
\n * Standard product functionality will not be tested in integration testing since appropriate testing has already performed by the vendor. This has been verified in a vendor audit.

```
"key": "ORDGP-104",
"status": "Done"
},
"ORDGP-103": {
```

"number": "5.2",

```
"predecessors": [
          "heading": "Test Procedure 2: Verification of Training Documentation",
          "documents": [
            "CFTP"
          1.
          "versions": [
            "1.0"
          "section": "sec5s2",
          "content": "Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nunc dignissim finibus imperdiet. Fusce
hendrerit luctus purus, et suscipit nisl porttitor in. Mauris pellentesque vestibulum tristique. Integer vel velit id felis
dictum auctor id et ligula. Fusce consequat vehicula mattis. Duis non hendrerit felis, ut pellentesque metus. Donec
egestas leo quis viverra pharetra. Suspendisse eu nulla et mi eleifend varius. Donec ullamcorper aliquet magna sed
congue. Nam nec neque ac diam interdum dictum nec ac urna. Mauris egestas urna nibh, facilisis lacinia ipsum volutpat
vitae. Orci varius natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Fusce enim elit, venenatis
non egestas sed, vestibulum at ante.",
          "key": "ORDGP-103",
          "status": "Done"
       "ORDGP-102": {
          "number": "5",
          "predecessors": [
          "heading": "Operational Qualification Activities and Training",
          "documents": [
            "CFTP"
          1.
          "versions": [
            "1.0"
          1.
          "section": "sec5",
          "content": "<font color=\"blue\">Before test execution the testers will receive formal training on:<br/>\n *
the testing process, including good documentation practice<br/>\n * a basic end user training for System name<br/>br/>\n *
an overview of the business processes supported by System name < br/>\n-the training will be documented and
copies of the training records will be attached to the testing documentation package.
/p>",
          "key": "ORDGP-102",
          "status": "Done"
        "ORDGP-101": {
          "number": "10",
          "predecessors": [
          "heading": "Validation Environment",
          "documents": [
            "CFTP"
          'versions": [
            "1.0"
          "section": "sec10",
          "content": "<font color=\"blue\">Description of the Environment of the system that will be used for test
execution.</font>".
          "key": "ORDGP-101",
          "status": "Done"
       "ORDGP-100": {
          "number": "15",
          "predecessors": [
          ],
```

```
"heading": "Document History",
                                  "documents": [
                                            "CFTP"
                                    "versions": [
                                           "1.0"
                                  "section": "sec15",
                                  "content": "<font color=\"blue\">The following table provides extra history of the document.</font>
  \\n\cdiv class='table-wrap'>\\n\cdiv class='confluenceTable'>\\n\cdiv class='table-wrap'>\\n\cdiv class='table-wrap'>\\n
class='confluenceTh'>Version\nDate\n<th
class = 'confluenceTh' > Author  (n  Reference  (n  (n 
class='confluenceTd'> \nSee summary of electronic document or signature page
of printout. \n  \n  \n\n
  \n</div>\n",
                                  "key": "ORDGP-100",
                                  "status": "Done"
                          },
                           "ORDGP-99": {
                                  "number": "13.2",
                                  "predecessors": [
                                   "heading": "Abbreviations",
                                  "documents": [
                                           "CFTP"
                                  1.
                                    "versions": [
                                           "1.0"
                                  ],
                                  "section": "sec13s2",
                                   "content": "<div class='table-wrap'>\n\n
class='confluenceTh'>Abbreviation/tass='confluenceTh'>Meaning/ta>/tr>/n
class = 'confluenceTd' > < font \ color = \ ''blue \ ''> ODS < / font >  \ h  < font \ color = \ ''blue \ ''> ODS < / font >  ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ co
\verb|color=|"blue|">OpenDevStack</font>| n| n< tr| class='confluenceTd'>< font color=|"blue|">EDP</font>| n< tr| class='confluenceTd'>< font color=|"blue|">EDP</font></tr| class='confluenceTd'>< font color=|"blue|">EDP</font>| class='conflue
  \n<font color=\"blue\">Enterprise Development Platform</font>
  \n\n\n</div>\n",
                                  "key": "ORDGP-99",
                                  "status": "Done"
                           "ORDGP-98": {
                                   "number": "13.1".
                                   "predecessors": [
                                  "heading": "Definitions",
                                  "documents": [
                                           "CFTP"
                                     "versions": [
                                           "1.0"
                                   "section": "sec13s1",
                                    content": "<div class='table-wrap'>\n\n\n<th
class='confluenceTh'>Term/nDefinition/n/nTerm
 <font color=\"blue\">Jenkins</font>\n<font color=\"blue\">Build engine supplied by
color=\"blue\">xUnit</font>\n<font color=\"blue\">Unit testing framework, aggregaults
 across multiple languages </font > \n  n   n </div > n"
                                  "key": "ORDGP-98",
                                  "status": "Done"
                           "ORDGP-97": {
                                    "number": "12",
```

```
"predecessors": [
  "heading": "Functional and Requirements Testing Documentation",
  "documents": [
     "CFTP"
  "versions": [
     "1.0"
  ],
  "section": "sec12",
  "content": " ",
  "key": "ORDGP-97",
  "status": "Done"
},
"ORDGP-96": {
  "number": "2",
  "predecessors": [
  "heading": "Scope",
  "documents": [
     "CFTP"
  "versions": [
    "1.0"
  "section": "sec2",
```

"content": "The Functional Testing of SCHEMA ST4 will include the standard functionalities of the system and the user account management. The Requirements Testing covers the workflow configuration and functionalities of SCHEMA ST4 according to the business process of the creation, management and handover of preparation specific texts.
\n
\n
\nThe components of SCHEMA ST4 that will be challenged during this Functions / Requirements Testing are as follows:
\n * Rich/Architect client application software
\n * Workflow Module
\n * Interface to MS Word
\n
\nNS Word functionalities will not be tested in this Functional / Requirements Testing.
\n/\n\rho br/>\nThe level of testing activities is based on the risk class as defined in the risk analysis (ref) for this system. Detailed definitions of the required depth and level of detail will be defined in the sections for functional and requirements testing.

```
"key": "ORDGP-96",
  "status": "Done"
"ORDGP-95": {
  "number": "9"
  "predecessors": [
  "heading": "Reference Documents",
  "documents": [
    "IVP",
    "IVR"
  ],
  "versions": [
    "1.0"
  "section": "sec9",
  "content": " ",
  "key": "ORDGP-95",
  "status": "Done"
"ORDGP-94": {
  "number": "8.2",
  "predecessors": [
  "heading": "Abbreviations",
  "documents": [
```

```
"IVP"
                      "IVR"
                  "versions": [
                      "1.0"
                 1.
                 "section": "sec8s2",
                 "content": "<div class='table-wrap'>\n\n\n<th
class = 'confluenceTh' > Abbreviation  \n  Meaning  \n  \n < td
class = 'confluenceTd' > < font \ color = ''blue \'' > ODS < / font >  \ n  < font \ color = ''blue \'' > ODS < / font >  < font \ color = ''blue \'' > ODS < / font >  \ n  < font \ color = ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color = \ ''blue \'' > ODS < / font \ color
color=\\"blue">OpenDevStack</font>\n\n\nclass='confluenceTd'><font color=\"blue\">EDP</font>
 \n<font color=\"blue\">Enterprise Development Platform</font>
 \n\n\n</div>\n",
                 "key": "ORDGP-94",
                 "status": "Done"
             "ORDGP-93": {
                 "number": "8.1",
                 "predecessors": [
                 "heading": "Definitions",
                 "documents": [
                      "IVP",
                      "IVR"
                  "versions": [
                     "1.0"
                 "section": "sec8s1",
                 "content": "<div class='table-wrap'>\n<table class='confluenceTable'><tbody>\n<tr>
class='confluenceTh'>Term\setminus n< th\ class='confluenceTh'>Definition\setminus n\setminus n< td\ class='confluenceTd'>Term
<font color=\"blue\">Jenkins</font>\n<font color=\"blue\">Build engine supplied by
color=\"blue\">xUnit</font>\n<font color=\"blue\">Unit testing framework, aggregaults
"key": "ORDGP-93",
                 "status": "Done"
             },
             "ORDGP-92": {
                 "number": "2",
                 "predecessors": [
                 "heading": "Scope",
                 "documents": [
                      "IVP",
                      "IVR"
                  "versions": [
                      "1.0"
                 "content": "<font color=\"blue\">Hardware verification is out of scope, similar runtime platform
verification, because those are qualified.<br/>\n||Runtime Platform||Qualification Summary Report||<br/>br/>\n||BI-IT-
CONTAINER-PAAS|tbd|</font>",
                 "key": "ORDGP-92",
                 "status": "Done"
              "ORDGP-91": {
                 "number": "12.2",
                 "predecessors": [
```

```
"heading": "Configuration database CMDB",
"documents": [
    "IVP",
    "IVR"
],
"versions": [
    "1.0"
],
"section": "sec12s2",
```

"content": "<div class='table-wrap'>\n\n\n<th class='confluenceTh'>Instructions\nExpected result / Evidence\n<th $class='confluenceTh'>Observed\ result\n<th\ class='confluenceTh'>Comments\n\ntr>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n<\td>\n$ class='confluenceTd'>Role assignment:<hr/>IT Check if name of contact persons are entered to CMDBWeb: IT System Lead Validation Manager System Owner CSV&C function\n class='confluenceTd'>RAL is required and available
\n\u2610 Yes\u2610 No
\n\n CMDB entries are $correct < br/>\n \u2610 Yes \u2610 No n < t$ class='confluenceTd'>Related components:
\n Check if components are related to Environments as described in System Design Specification.
td < \n < td class = 'confluence Td' > Components are related to Environments as listed in System Design Specification\nCMDB entries are correct
br/>\n \u2610 Yes \u2610 No\n \n\n Emergency class: <hr/>\n Check if emergency class is correctly set according to the related specification document class='confluenceTd'>Emergency class per environment (env) is correctly set
\n <enter defined class number per $environment \>
\n Productive env: class
\n Validation env: class
\n Validation env: class
$ Training env: class\nProductive env: Validation env:
\n Training env:\n potenti. Cras ante quam, hendrerit vel massa quis, ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. Morbi pretium massa quis nunc pharetra, id faucibus purus condimentum. Sed augue lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique. In dictum purus sit amet justo dignissim tristique. Sed ligula ante, tempus non turpis eget, iaculis consequat dui. Aenean orci tortor, interdum at magna vitae, euismod lacinia odio. Nullam ac ante orci. Quisque in mattis purus. Maecenas volutpat bibendum felis, in porttitor dui imperdiet et. Mauris ac feugiat lacus. Interdum et malesuada fames ac ante ipsum primis in faucibus. Maecenas feugiat, turpis nec finibus pellentesque, lectus arcu pellentesque ex, in tempus metus velit sit amet purus. Phasellus ut volutpat orci.\nActual setting in CMDB:\n correctly set according to the related specification document\nSupport category per environment (env) is correctly set
\n <enter defined category number per environment&qt;
\n Productive env: class
\n Validation env: class
\n Training env: class $\nProductive env:
\n Validation env:
\n$ Training env:\n<td class='confluenceTd'> \n<tr>\n<tbody>\n<div>\n",

```
"key": "ORDGP-91",
"status": "Done"
},
"ORDGP-90": {
"number": "12.1",
"predecessors": [

],
"heading": "Operational documents on system level",
"documents": [
"IVP",
"IVR"
],
"versions": [
"1.0"
],
"section": "sec12s1",
```

"content": "Operational documents at system level:
\n
tr>\n
tody>\n<dr/>tr>\n<dr/>tody>\n<dr/>tr>\n<dr/>todiuenceTh'>Config ltem\nDescription\nltems
Doc Id (Plan / Report)\n<tr

```
\n\n\n\n</div>\n\n\n<b>System level backup :</b>/p>\n<div
class='table-wrap'>\n\n\nConfig
Item\nDescription\nItems Doc Id (Plan / Report)
 <\!\!\text{th}\geq n<\!\!\text{tr}\geq n<\!\!\text{td class}='confluenceTd'}>\!\!BI-IT-Container-PAAS\\ \\ n<\!\!\text{td class}='confluenceTd'}>\!\!The platform
that \ runs \ ODS \ based \ applications  n   n < ti > Plan \ ID: ...  n | n 
 Report ID: ....Release date:\n\n\n\n</div>\n\n\n
 <\!font color=\\"blue"><\!b>System level restore/recovery:<\!/b><\!/font><\!/p>\\n<\!div class='table-wrap'>\\n<\!table=
class='confluenceTable'>\n\nConfig Item\n<th
class='confluenceTh'>Description\nItems Doc Id (Plan / Report)
 \nclass='confluenceTd'>BI-IT-Container-PAAS\nThe platform
that runs ODS based applications\n\n\tPlan ID: ...\n\tRelease date:
 |nt<|i>Report ID: ....|shot<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>Not<|i>N
  n</div> n/n <b>System Operational instructions</b> <b>:</b>  <math>n< div class= table-
class='confluenceTh'>Description\nItems Doc Id (Plan / Report)
 \n\n\n\nBI-IT-Container-PAAS\nThe platform
that runs ODS based applications\n\n\tPlan ID: ...\n\tRelease date:
 NtReport ID: ....NtRelease date:NtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNtNt</l>NtNtNtNtNtNtNtNtNtN
 \n\n\n\n<\div class='table-wrap'>\n<table
class='confluenceTable'> \\ n \\ lense='confluenceTh'> Config Item \\ lense='confluenceTh'> Config Ite
class='confluenceTd'>\ \n\ \n
 \n\\n\</tl>\n\n\n\n\n\n\n\n
 nnn
class='confluenceTable'>\n\nConfig ltem\n<th
class = 'confluenceTh' > Description  (th > (
class='confluenceTd'> \n
 "key": "ORDGP-90",
                               "status": "Done"
                        "ORDGP-89": {
                                "number": "10",
                               "predecessors": [
                                "heading": "Document History",
                                "documents": [
                                        "IVP".
                                       "IVR"
                                  'versions": [
                                       "1.0"
                               "section": "sec10",
                               "content": "<font color=\"blue\">The following table provides extra history of the document.</font>
 \n\c Class='table-wrap'>\n\n
class='confluenceTh'>Version\nDate\n<th
class='confluenceTh'>Author\setminus nReference\setminus n\setminus n\setminus n< tr}\setminus n< n< tr}\setminus n< tr}\setminus n< tr}\setminus n< tr}\setminus n< tr}\setminus n< 
class='confluenceTd'> \nSee summary of electronic document or signature page
of printout. \n  \n  \n
 \n</div>\n",
                                "key": "ORDGP-89",
                                "status": "Done"
                         "ORDGP-88": {
                               "number": "7"
                                "predecessors": [
                               "heading": "Document History",
                               "documents": [
                                        "TIR"
```

```
"versions": [
                                  "1.0"
                           1,
                           "section": "sec7",
                           "content": "<font color=\"blue\">The following table provides extra history of the document.</font>
 class='confluenceTh'>Version\backslash nDate\backslash nDate\backslash nDate\backslash nDate/ n< class='confluenceTh'>Date/ n< class='conf
class='confluenceTd'> \nSee summary of electronic document or signature page
of printout. \n  \n  \n\n
 \n</div>\n",
                           "key": "ORDGP-88".
                           "status": "Done"
                     "ORDGP-87": {
                           "number": "6",
                           "predecessors": [
                           "heading": "Reference Documents",
                           "documents": [
                                  "TIR"
                            "versions": [
                                  "1.0"
                           "section": "sec6",
                           "content": " ",
                           "key": "ORDGP-87",
                           "status": "Done"
                     "ORDGP-86": {
                           "number": "5.2",
                           "predecessors": [
                           "heading": "Abbreviations",
                           "documents": [
                                  "TIR"
                             versions": [
                                  "1.0"
                           "section": "sec5s2",
                           "content": "<\!div\;class='table-wrap'>\!n<\!table\;class='confluenceTable'><\!tbody>\!n<\!tr>\!n<\!th
class = 'confluenceTh' > Abbreviation  (n  Meaning  (n  (n 
class='confluenceTd'><font color=\"blue\">ODS</font>\n<font
color = \blue \end{tikzb} $$ color = \blue 
 \n<font color=\"blue\">Enterprise Development Platform</font>
 \n\n\n</div>\n",
                           "key": "ORDGP-86",
                            "status": "Done"
                     "ORDGP-85": {
                            "number": "5.1",
                            "predecessors": [
                            "heading": "Definitions",
                           "documents": [
                                  "TIR"
                             "versions": [
                                  "1.0"
```

],

```
"section": "sec5s1",
          "content": "<div class='table-wrap'>\n<table class='confluenceTable'>\n<tr>
class='confluenceTh'>Term/nDefinition/n/n/n
<font color=\"blue\">Jenkins</font>\n<font color=\"blue\">Build engine supplied by
color=\\"blue">xUnit</font>\\ (class='confluenceTd')<font color=\\"blue">Unit testing framework, aggregaults
across multiple languages</font>\n\n\n</div>\n",
          "key": "ORDGP-85",
          "status": "Done"
       },
        "ORDGP-84": {
          "number": "3.4",
          "predecessors": [
          "heading": "Communication and Organization Tasks",
          "documents": [
             "TIP"
          1.
          "versions": [
             "1.0"
          "section": "sec3s4",
          "content": "<font color=\"blue\">N/A</font>",
          "key": "ORDGP-84",
          "status": "Done"
        "ORDGP-83": {
          "number": "12",
          "predecessors": [
          "heading": "Document History",
          "documents": [
             "TIP"
           "versions": [
            "1.0"
          "section": "sec12",
          "content": "<font color=\"blue\">The following table provides extra history of the document.</font>
\n\c class='table-wrap'>\n\n\nth
class='confluenceTh'>Version\backslash nDate\backslash nDate\backslash nDate\rangle nDate</
class='confluenceTd'> \nSee summary of electronic document or signature page
of printout. \n  \n  \n\n
\n</div>\n",
          "key": "ORDGP-83",
          "status": "Done"
       },
        "ORDGP-82": {
          "number": "11",
          "predecessors": [
          "heading": "Reference Documents",
          "documents": [
             "TIP"
           "versions": [
             "1.0"
           "section": "sec11",
```

"content": " ",

```
"key": "ORDGP-82",
                      "status": "Done"
                 "ORDGP-81": {
                      "number": "10.2",
                      "predecessors": [
                      "heading": "Abbreviations",
                      "documents": [
                            "TIP"
                       "versions": [
                            "1.0"
                      1,
                      "section": "sec10s2",
                      "content": "<div class='table-wrap'>\n\n\n<th
class = 'confluenceTh' > Abbreviation  (n  Meaning  (n  (n 
class = 'confluenceTd' > < font \ color = \\ ''blue \\ ''> ODS < / font >  \\ \ n  < font \ color = \\ \ n < td \ class = 'confluenceTd' > < font \ color = \\ \ n < td \ class = 'confluenceTd' > < font \ color = \\ \ n < td \ class = 'confluenceTd' > < font \ color = \\ \ n < td \ class = 'confluenceTd' > < font \ color = \\ \ n < td \ class = 'confluenceTd' > < font \ color = \\ \ n < td \ class = 'confluenceTd' > < font \ color = \\ \ n < td \ class = 'confluenceTd' > < font \ color = \\ \ n < td \ class = 'confluenceTd' > < font \ color = \\ \ n < td \ class = 'confluenceTd' > < font \ color = \\ \ n < td \ class = 'confluenceTd' > < font \ color = \\ \ n < td \ class = 'confluenceTd' > < font \ color = \\ \ n < td \ color = \\ 
color=\\"blue">OpenDevStack</font>\n\n\n<font color=\"blue\">EDP</font>
\n<font color=\"blue\">Enterprise Development Platform</font>
 \n\n\n</div>\n",
                      "key": "ORDGP-81",
                      "status": "Done"
                 "ORDGP-80": {
                      "number": "10.1",
                      "predecessors": [
                      "heading": "Definitions",
                      "documents": [
                            "TIP"
                      "versions": [
                            "1.0"
                      "section": "sec10s1",
                      "content": "<div class='table-wrap'<n<table class='confluenceTable'<tbody<n<tr<n<th
class='confluenceTh'>Term/nDefinition/n/nTerm/n
<font color=\"blue\">Jenkins</font>\n<font color=\"blue\">Build engine supplied by
color=\"blue\">xUnit</font>\n<font color=\"blue\">Unit testing framework, aggregaults
"key": "ORDGP-80",
                      "status": "Done"
                 },
                 "ORDGP-79": {
                      "number": "3.2",
                      "predecessors": [
                      "heading": "System Description",
                      "documents": [
                            "SSDS"
                        'versions": [
                            "1.0"
                       "section": "sec3s2",
                      "content": " ",
                      "key": "ORDGP-79",
                       "status": "Done"
```

"ORDGP-78": {

```
"number": "1",
  "predecessors": [
  "heading": "Introduction",
  "documents": [
    "SSDS"
  "versions": [
    "1.0"
  "section": "sec1",
  "content": " ",
  "key": "ORDGP-78",
  "status": "Done"
"ORDGP-77": {
  "number": "2.1",
  "predecessors": [
  "heading": "System Design Overview",
  "documents": [
     "SSDS"
  "versions": [
    "1.0"
  "section": "sec2s1",
  "content": " ",
  "key": "ORDGP-77",
  "status": "Done"
"ORDGP-76": {
  "number": "2.2",
  "predecessors": [
  "heading": "Software Design Overview",
  "documents": [
     "SSDS"
  "versions": [
    "1.0"
  "section": "sec2s2",
  "content": " ",
  "key": "ORDGP-76",
  "status": "Done"
"ORDGP-75": {
  "number": "2.3",
  "predecessors": [
  "heading": "Source Code Review Overview",
  "documents": [
    "SSDS"
  "versions": [
    "1.0"
  "section": "sec2s3",
  "content": " ",
```

```
"key": "ORDGP-75",
                                "status": "Done"
                         "ORDGP-74": {
                                "number": "3.1",
                                "predecessors": [
                                "heading": "System Design Profile",
                                "documents": [
                                        "SSDS"
                                 "versions": [
                                        "1.0"
                                1,
                                "section": "sec3s1",
                                "content": " ",
                                "key": "ORDGP-74",
                                "status": "Done"
                         "ORDGP-73": {
                                "number": "3.2.2",
                                "predecessors": [
                                "heading": "Interfaces between Modules",
                                "documents": [
                                         "SSDS"
                                 "versions": [
                                        "1.0"
                                "section": "sec3s2s2",
                                "content": "<div class='table-wrap'>\n\n
class='confluenceTh'>Interface\backslash n<th\ class='confluenceTh'>Between\ Module\backslash n<th\ class='confluenceTh'>And\ module\backslash nclass='confluenceTh'>And\ module/ nclass='confluenc
 \label{local-equation} Module  n  Purpose  n  n  < font | font
class='confluenceTd'><font color=\"blue\">frontend</font>\n&nbsp;
 \n\n\n</div>\n",
                                "key": "ORDGP-73",
                                "status": "Done"
                         "ORDGP-72": {
                                "number": "3.2.3",
                                "predecessors": [
                                "heading": "Interfaces to External Systems",
                                "documents": [
                                        "SSDS"
                                  'versions": [
                                        "1.0"
                                "section": "sec3s2s3",
                                "content": "<div class='table-wrap'>\n\n\n<th
color=\\ "blue">Bl-IF-</font>\\ (lass='confluenceTd'><font color=\\ "blue\">backend</font>\\ (n\\ (n\\ (n<td)</td>\\ (n<td)</td>
class='confluenceTd'>\ \n\ \n\n
                                "key": "ORDGP-72",
                                "status": "Done"
                         "ORDGP-71": {
                                "number": "3.2.4",
```

```
"predecessors": [
                     "heading": "System Diagram",
                     "documents": [
                           "SSDS"
                      "versions": [
                          "1.0"
                     "section": "sec3s2s4",
                      "content": "<font color=\"blue\">&lt; A system diagram to graphically represent the module and interface
information should be included here. > - Only if different from the diagram in the 2.1 section</font>",
                     "key": "ORDGP-71",
                     "status": "Done"
                },
                 "ORDGP-70": {
                     "number": "4",
                     "predecessors": [
                     "heading": "Architecture of the System",
                     "documents": [
                           "SSDS"
                      "versions": [
                          "1.0"
                      "section": "sec4",
                     "content": " ",
                     "key": "ORDGP-70",
                      "status": "Done"
                 "ORDGP-69": {
                     "number": "5.3",
                     "predecessors": [
                     "heading": "Utilisation of Existing Infrastructure Systems",
                     "documents": [
                           "SSDS"
                     1.
                      "versions": [
                           "1.0"
                     "section": "sec5s3",
                     "content": "<div class='table-wrap'>\n\n\n<th
class='confluenceTh'>Name of Infrastructure System\nDocumentation
Reference  \n  \n  < em > < font color = \"blue\" > BI-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LOAD-IT-APPL-LO
BALANCING</font></em>\n\n<em><font color=\"blue\">ITEMS doc ID
20108828 < font > </em>  <math display="block">n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n  n < tr
IT-AD</font></em>\n\n<em><font color=\"blue\">ITEMS doc ID
WINDOWSSERVER</font></em>\n\n<em><font
color=\"blue\">Infrastructure Release Design and Management ITEMS doc ID 20184916</font></em>
 \n\n\n\n\n\n</div>\n",
                     "key": "ORDGP-69",
                     "status": "Done"
                 "ORDGP-68": {
                     "number": "5.4",
                     "predecessors": [
```

```
"heading": "Utilisation of Existing Infrastructure Services",
                  "documents": [
                      "SSDS"
                   "versions": [
                      "1.0"
                  "section": "sec5s4",
                  "content": "<div class='table-wrap'>\n\n\n<th
class='confluenceTh'>Name of Infrastructure Service\nDocumentation
Reference\n\n\n<font color=\"blue\"><em>Monitoring</em></font>
\n <font color=\"blue\"><em>Standard Monitoring (Baseline Monitoring) on component
level is sufficient</em></font><br/>\n<font color=\"blue\"><em>System specific Monitoring Plan required</em>
</font><br/>\\n<font color=\\"blue"><em>ITEMS doc ID ?..</em></font><math display="block">n\\n<td
class='confluenceTd'>< font \ color=\\"blue\">< em>Backup</em></font>< font \ color=\\"blue\">< font \ color=\\ color=\\
color=\"blue\"><em>Standard Backup on component level is sufficient</em></font><br/>\n<font color=\"blue\">
<em>System specific Backup Plan required</pm></font><br/>\n<font color=\"blue\"><em>ITEMS doc ID ?..
</font><br/>\n<font color=\\"blue"><em>**</font>\n\n<font color=\"blue"><em>**</font>\n\n\n\n\n<font color=\"blue"><em>**</font>
color=\"blue\"><em>Restore & amp; Recovery</em></font>\n<font color=\"blue\">
<em>Standard Restore & mp; Recovery on component level is sufficient</font><br/>\n<font color=\"blue\">
<em>System specific Restore &amp; Recovery Plan required</font><br/>\n<font color=\"blue\"><em>ITEMS
\label{localized} doc\ ID\ ?..</em></font>\n\n\n</div>\n",
                  "key": "ORDGP-68",
                  "status": "Done"
              "ORDGP-67": {
                  "number": "6.1",
                  "predecessors": [
                  "heading": "Development Environment",
                  "documents": [
                       "SSDS"
                  "versions": [
                       "1.0"
                  "section": "sec6s1",
                  "content": "<font color=\"blue\">N/A</font>",
                  "key": "ORDGP-67",
                  "status": "Done"
              "ORDGP-66": {
                  "number": "6.2",
                  "predecessors": [
                  "heading": "QA/Test Environment",
                  "documents": [
                      "SSDS"
                   'versions": [
                      "1.0"
                  "section": "sec6s2",
                  "content": "<font color=\"blue\">N/A</font>",
                  "key": "ORDGP-66",
                  "status": "Done"
              "ORDGP-65": {
                  "number": "6.3",
                  "predecessors": [
```

"heading": "Training Environment",

```
"documents": [
    "SSDS"
],
"versions": [
    "1.0"
],
"section": "sec6s3",
```

"content": "Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla in tristique ante, sit amet accumsan purus. Vivamus at consequat dolor, in accumsan nibh. Proin imperdiet neque id dui ullamcorper feugiat. Praesent tristique vestibulum porttitor. Quisque ornare congue odio quis viverra. Duis non porttitor arcu. Curabitur pellentesque magna ultricies, ornare ipsum vitae, dignissim ligula. Mauris sit amet interdum ante, quis maximus nibh. Mauris id hendrerit risus, non viverra augue. Nulla nec condimentum ex. Nullam sed est ut nisl suscipit eleifend et vel metus. Cras libero justo, malesuada a auctor ut, accumsan et lacus.
 In Suspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. Morbi pretium massa quis nunc pharetra, id faucibus purus condimentum. Sed augue lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique. In dictum purus sit amet justo dignissim tristique. Sed ligula ante, tempus non turpis eget, iaculis consequat dui. Aenean orci tortor, interdum at magna vitae, euismod lacinia odio. Nullam ac ante orci. Quisque in mattis purus. Maecenas volutpat bibendum felis, in porttitor dui imperdiet et. Mauris ac feugiat lacus. Interdum et malesuada fames ac ante ipsum primis in faucibus. Maecenas feugiat, turpis nec finibus pellentesque, lectus arcu pellentesque ex, in tempus metus velit sit amet purus. Phasellus ut volutpat orci. bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.
Morbi aliquam viverra feugiat. Cras consequat pellentesque nisl quis gravida. Nullam tempus mattis justo, eget ultrices risus pretium non. Morbi maximus interdum condimentum. Sed non scelerisque felis, nec molestie massa. Nullam dui sem, consectetur eget consequat id, tempus lobortis tellus. Curabitur mollis malesuada est nec laoreet. Cras in porta mauris. class=\"image-wrap\" style=\"\">",

```
"key": "ORDGP-65",
"status": "Done"
},
"ORDGP-64": {
  "number": "7",
  "predecessors": [

  ],
  "heading": "Environmental Conditions",
  "documents": [
    "SSDS"
  ],
  "versions": [
    "1.0"
  ],
  "section": "sec7",
```

"content": "< Describe the environmental conditions required for the system. A reference to an existing qualified computer room may be given. The following conditions should be considered: e.g. temperature, humidity, power conditions, physical security, etc. >",

```
"key": "ORDGP-64",
"status": "Done"
},
"ORDGP-63": {
    "number": "8",
    "predecessors": [

    ],
    "heading": "Software Design Principles",
    "documents": [
        "SSDS"
    ],
    "versions": [
        "1.0"
    ],
    "section": "sec8",
```

"content": "< The principles that may be included are: \n\n\tGeneral layout rules for windows and reports\n\tAudit trail implementation\n\tAccess control measures \n\tFunction key assignments\n\tFunction key assignments\n\tSofont color=\"blue\">Function key assignments\n\tSofont color=\"blue\">Function key assignments\n\tSofont color=\"blue\">Sof

```
"key": "ORDGP-63",
  "status": "Done"
},
"ORDGP-62": {
  "number": "9".
  "predecessors": [
  "heading": "System Data",
  "documents": [
    "SSDS"
  "versions": [
    "1.0"
  "section": "sec9",
  "content": " ",
  "key": "ORDGP-62",
  "status": "Done"
"ORDGP-61": {
  "number": "12",
  "predecessors": [
  "heading": "Coding Review Results",
  "documents": [
    "SSDS"
  "versions": [
    "1.0"
  "section": "sec12",
```

"content": "<p>< Identify the outcome of coding review. Identify standards that were not met and their corrective actions. The corrective actions should include evidence of agreement by developer and reviewer. ><p>",

```
"key": "ORDGP-61",
"status": "Done"

},
"ORDGP-60": {
    "number": "13.1",
    "predecessors": [

    ],
    "heading": "Definitions",
    "documents": [
        "SSDS"
],
    "versions": [
        "1.0"
],
    "section": "sec13s1",
```

"content": "<div class='table-wrap'>\n\n\nTerm\nDefinition\n\n\nJenkins\nBuild engine supplied by cloudbees - part of OpenDevStack (BI-IT-DEVSTACK)\n\n\n\n\n\ncolor=\"blue\">xUnit\nclass='confluenceTd'>Unit testing framework, aggregaults across multiple languages\n\n

```
"key": "ORDGP-60",
                 "status": "Done"
             },
              "ORDGP-59": {
                 "number": "13.2",
                 "predecessors": [
                 "heading": "Abbreviations",
                 "documents": [
                      "SSDS"
                  "versions": [
                      "1.0"
                 "section": "sec13s2",
                 "content": "<div class='table-wrap'>\n\n
class = 'confluenceTh' > Abbreviation  \n  Meaning  \n  \n < td
class='confluenceTd'><font color=\"blue\">ODS</font>\n<font
{\tt color=\"blue">OpenDevStack</font>\n<\tr>\n<font color=\"blue\">EDP</font>
\n<font color=\"blue\">Enterprise Development Platform</font>
 \n\n\n</div>\n",
                 "key": "ORDGP-59",
                 "status": "Done"
             "ORDGP-58": {
                 "number": "15",
                 "predecessors": [
                 "heading": "Document History",
                 "documents": [
                      "SSDS"
                  "versions": [
                      "1.0"
                 "content": "<font color=\"blue\">The following table provides extra history of the document.</font>
\n\c class='table-wrap'>\n\c table class='confluenceTable'>\n\c tr>\n\c table class='table-wrap'>\n\c table clas
class='confluenceTh'>Version\nDate\n<th
class = 'confluenceTh' > Author  \n  Reference  \n  \n < td
class='confluenceTd'> \nSee summary of electronic document or signature page
of printout. \n  \n  \n\n
 \n</div>\n",
                 "key": "ORDGP-58",
                 "status": "Done"
              "ORDGP-57": {
                  "number": "14",
                 "predecessors": [
                  "heading": "Reference Documents",
                  "documents": [
                      "SSDS"
                  "versions": [
                      "1.0"
                  "section": "sec14",
                 "content": "<ul>\\\t<em><font color=\"blue\">Reference document 1</font></em><math></li>\\\\t<em>
 <font color=\"blue\">Reference document 2</font></em>\n\n",
                  "key": "ORDGP-57",
```

```
"status": "Done"
               "ORDGP-56": {
                   "number": "7",
                   "predecessors": [
                   "heading": "Document History",
                   "documents": [
                         "DTR"
                    "versions": [
                        "1.0"
                   "section": "sec7",
                   "content": "<font color=\"blue\">The following table provides extra history of the document.</font>
\n\div class='table-wrap'>\n\div class='confluenceTable'>\n\div class='table-wrap'>\n\div class='table-wrap'>
class='confluenceTh'>Version\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate\nDate
nDate
class='confluenceTh'>Author\setminus nReference\setminus n\setminus n< tr
class='confluenceTd'> \nSee summary of electronic document or signature page
of printout. \n  \n  \n
 \n</div>\n",
                   "key": "ORDGP-56",
                   "status": "Done"
               "ORDGP-55": {
                   "number": "6",
                   "predecessors": [
                   "heading": "Reference Document",
                   "documents": [
                        "DTP"
                    "versions": [
                        "1.0"
                    "section": "sec6",
                   "content": "<font color=\"blue\">N/A</font>",
                   "key": "ORDGP-55",
                    "status": "Done"
               "ORDGP-54": {
                    "number": "7",
                   "predecessors": [
                   "heading": "Document History",
                   "documents": [
                        "DTP"
                     'versions": [
                        "1.0"
                    "section": "sec7",
                    "content": "<font color=\"blue\">The following table provides extra history of the document.</font>
\n\<div class='table-wrap'>\n\n
class='confluenceTh'>Version\nDate\n<th
class='confluenceTh'>Author\setminus nReference\setminus n\setminus n< tr
class='confluenceTd'> \nSee summary of electronic document or signature page
of printout. \n  \n  \n
 \n</div>\n",
                   "key": "ORDGP-54",
                    "status": "Done"
              },
```

"ORDGP-53": {

```
"number": "6",
                           "predecessors": [
                           "heading": "Reference Documents",
                           "documents": [
                                  "DTR"
                            "versions": [
                                  "1.0"
                            "section": "sec6",
                           "content": "<font color=\"blue\">N/A</font>",
                           "key": "ORDGP-53",
                           "status": "Done"
                     "ORDGP-52": {
                           "number": "5.2",
                           "predecessors": [
                           "heading": "Abbreviations",
                           "documents": [
                                  "DTP",
                                  "DTR"
                            "versions": [
                                  "1.0"
                           "section": "sec5s2",
                           "content": "<div class='table-wrap'>\n\n\n<th
class='confluenceTh'>Abbreviation/tass='confluenceTh'>Meaning/ta>/tr>/n
class = 'confluenceTd' > < font \ color = \ ''blue \ ''> ODS < / font >  \ h  < font \ color = \ ''blue \ ''> ODS < / font >  ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ color = \ ''blue \ ''> ODS < / font \ co
\verb|color=|"blue|">OpenDevStack</font>| n| n< tr| class='confluenceTd'>< font color=|"blue|">EDP</font>| n< tr| class='confluenceTd'>< font color=|"blue|">EDP</font></tr| class='confluenceTd'>< font color=|"blue|">EDP</font>| class='conflue
 \n<font color=\"blue\">Enterprise Development Platform</font>
 \n\n\n</div>\n",
                           "key": "ORDGP-52",
                           "status": "Done"
                    },
                     "ORDGP-51": {
                           "number": "5.1",
                           "predecessors": [
                           "heading": "Definitions",
                           "documents": [
                                  "DTP",
                                  "DTR"
                           1,
                            "versions": [
                                  "1.0"
                            "section": "sec5s1",
                           "content": "<div class='table-wrap'>\n\n
<font color=\"blue\">Jenkins</font>\n<font color=\"blue\">Build engine supplied by
color=\"blue\">xUnit</font>\n<font color=\"blue\">Unit testing framework, aggregaults
 across multiple languages</font>\n\n\<math>n</div>\n",
                            "key": "ORDGP-51",
                           "status": "Done"
                     "ORDGP-50": {
```

```
"number": "8",
                             "predecessors": [
                             "heading": "Document History",
                             "documents": [
                                     "RA"
                             1.
                              "versions": [
                                     "1.0"
                             "section": "sec8",
                             "content": "<font color=\"blue\">The following table provides extra history of the document.</font>
 \n<div class='table-wrap'>n\n
class='confluenceTh'>Version\nDate\n<th
class='confluenceTd'> \nSee summary of electronic document or signature page
of printout.  \\ \class='confluenceTd'> 
 \n</div>\n",
                             "key": "ORDGP-50",
                              "status": "Done"
                       "ORDGP-49": {
                             "number": "7",
                             "predecessors": [
                             "heading": "Reference Documents",
                             "documents": [
                                     "RA"
                             1.
                              "versions": [
                                     "1.0"
                             "section": "sec7",
                             "content": "<font color=\"blue\">No further reference documents</font>",
                             "key": "ORDGP-49",
                             "status": "Done"
                      },
                       "ORDGP-48": {
                             "number": "6.2",
                             "predecessors": [
                             "heading": "Abbreviations",
                             "documents": [
                                     "RA"
                               "versions": [
                                     "1.0"
                              "section": "sec6s2",
                              "content": "<div class='table-wrap'>\n\n\n<th
class = 'confluenceTh' > Abbreviation  \n  Meaning  \n  \n < td
class = 'confluenceTd' > < font \ color = \ ''blue \ '' > ODS < / font >  \ 'confluenceTd' > < font \ color = \ ''blue < / td > \ ''confluenceTd' > < font \ color = \ ''confluenceTd' > <
color=\\"blue">OpenDevStack</font>\n\n\nclass='confluenceTd'><font color=\"blue\">EDP</font>
 \n<font color=\"blue\">Enterprise Development Platform</font>
 \n\n\n</div>\n",
                              "key": "ORDGP-48",
                             "status": "Done"
                       "ORDGP-47": {
                              "number": "6.1",
                              "predecessors": [
```

```
"heading": "Definitions",
       "documents": [
         "RA"
       "versions": [
         "1.0"
       ],
       "section": "sec6s1",
       "content": "<div class='table-wrap'>\n\n\n<th
class='confluenceTh'>Term/nDefinition/n/nTerm
<font color=\"blue\">Jenkins</font>\n<font color=\"blue\">Build engine supplied by
color=\"blue\">xUnit</font>\n<font color=\"blue\">Unit testing framework, aggregaults
across multiple languages</font>\n\n\<math>n</div>\n",
       "key": "ORDGP-47",
       "status": "Done"
     },
     "ORDGP-46": {
       "number": "3",
       "predecessors": [
       "heading": "Assumptions",
       "documents": [
         "RA"
       1.
       "versions": [
         "1.0"
       ],
       "section": "sec3",
       "content": "<em><font color=\"blue\">None</font></em>",
       "key": "ORDGP-46",
       "status": "Done"
     "ORDGP-45": {
       "number": "3.2",
       "predecessors": [
       "heading": "Operational Requirements",
       "documents": [
         "CSD"
       "versions": [
         "1.0"
       "section": "sec3s2",
       "content": " ",
       "key": "ORDGP-45",
       "status": "Done"
     "ORDGP-44": {
       "number": "6",
       "predecessors": [
       "heading": "Reference Documents",
       "documents": [
         "CSD"
       "versions": [
```

"1.0"

```
"section": "sec6",
                                    "content": "\n\t<em><font color=\"blue\">Reference document 1</font></em>\n\t<em>
 <font color=\"blue\">Reference document 2</font></em>\n\n",
                                    "key": "ORDGP-44",
                                    "status": "Done"
                            },
                            "ORDGP-43": {
                                    "number": "1",
                                    "predecessors": [
                                    "heading": "Introduction and Purpose",
                                    "documents": [
                                              "CSD"
                                    1,
                                    "versions": [
                                             "1.0"
                                    "section": "sec1",
                                    "content": " ",
                                    "key": "ORDGP-43",
                                     "status": "Done"
                            "ORDGP-42": {
                                    "number": "2",
                                    "predecessors": [
                                    "heading": "Overview",
                                    "documents": [
                                              "CSD"
                                      "versions": [
                                             "1.0"
                                    "section": "sec2",
                                    "content": "Curabitur pellentesque magna ultricies, ornare ipsum vitae, dignissim ligula. Mauris sit amet
interdum ante, quis maximus nibh. Mauris id hendrerit risus, non viverra augue. Nulla nec condimentum ex. Nullam sed
est ut nisl suscipit eleifend et vel metus. Cras libero justo, malesuada a auctor ut, accumsan et lacus.\n\n
 \n\<b><span class=\"image-wrap\" style=\"\"><img src=\"https://jira-vrap\" style=\"\"></img src=\"https://jira-vrap\" style=\"\"></img src=\"https://jira-vrap\" style=\"\"></img src=\"https://jira-vrap\" style=\"\"></img src=\"https://jira-vrap\" style=\"\"></img src=\"https://jira-vrap\" style=\"\"></img src=\"https://jira-vrap\" style=\"\" style=\" 
\label{lem:dev.biscrum.com/secure/attachment/552315/552315\_image-2022-02-22-11-11-22-023.png\\" height=\\"142" limits for example 1.00 limits for example 2.00 limits for exam
width=\"484\" style=\"border: 0px solid black\" /></span></b>\n\n",
                                    "key": "ORDGP-42",
                                    "status": "Done"
                            "ORDGP-41": {
                                    "number": "3.1",
                                    "predecessors": [
                                    "heading": "Related Business / GxP Process",
                                    "documents": [
                                              "CSD"
                                      "versions": [
                                              "1.0"
                                      "section": "sec3s1",
                                    "content": " ",
                                    "key": "ORDGP-41",
                                    "status": "Done"
                            "ORDGP-40": {
                                     "number": "5.1",
                                    "predecessors": [
```

```
"heading": "Definitions",
                       "documents": [
                              "CSD"
                       1.
                        "versions": [
                              "1.0"
                       ],
                       "section": "sec5s1",
                        "content": "<div class='table-wrap'>\n\n
<\!font color = \"blue" > \Jenkins < \/font > <\!fu < \class = \confluence Td' > <\!font color = \"blue" > \Build engine supplied by the total color = \"blue" > \class = \clas
color=\"blue\">xUnit</font>\n<font color=\"blue\">Unit testing framework, aggregaults
across multiple languages</font>\n\n\<math>n</div>\n",
                        "key": "ORDGP-40",
                       "status": "Done"
                  },
                  "ORDGP-39": {
                       "number": "5.2",
                        "predecessors": [
                       "heading": "Abbreviations",
                       "documents": [
                              "CSD"
                         "versions": [
                             "1.0"
                       "section": "sec5s2",
                        "content": "<div class='table-wrap'>\n\n\n<th
class = 'confluenceTd' > < font color = '"blue\" > ODS < / font >  (ass = 'confluenceTd' > < font color = (ass = 
\n<font color=\"blue\">Enterprise Development Platform</font>
 \n\n\n</div>\n",
                       "key": "ORDGP-39",
                       "status": "Done"
                  },
                  "ORDGP-38": {
                        "number": "7".
                        "predecessors": [
                       "heading": "Document History",
                       "documents": [
                              "CSD"
                        "versions": [
                              "1.0"
                        "section": "sec7",
                       "content": "<font color=\"blue\">The following table provides extra history of the document.</font>
 \n\<\div\ class='table-wrap'>\n\<\table\ class='confluenceTable'><\tbody>\n\<\tr>
class = 'confluenceTh' > Version  \n  Date  
class = 'confluenceTh' > Author  \n  Reference  \n  \n < td
class='confluenceTd'> \nSee summary of electronic document or signature page
\n</div>\n",
                        "key": "ORDGP-38",
                        "status": "Done"
```

```
"continuedKeys": [
     "releaseState": "Change Ready for Implementation",
     "techSpecs": {
       "ORDGP-134": {
         "components": [
          "requirements": [
            "ORDGP-125"
         "predecessors": [
         "description": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies pellentesque
mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim.",
         "systemDesignSpec": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies
pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. ",
         "resolution": "Implemented",
         "mitigations": [
         "labels": [
         "bugs": [
         "risks": [
          "tests": [
            "ORDGP-144",
            "ORDGP-145",
            "ORDGP-143"
          "versions": [
            "1.0"
         "name": "TST 1",
         "key": "ORDGP-134",
         "softwareDesignSpec": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies
pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. ",
         "status": "Done"
       "ORDGP-135": {
         "components": [
          requirements": [
            "ORDGP-125"
          "predecessors": [
         "description": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies pellentesque
mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim.",
         "systemDesignSpec": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies
pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. ",
         "resolution": "Implemented",
         "mitigations": [
         ],
```

```
"labels": [
         "bugs": [
         "risks": [
          "tests": [
          "versions": [
            "1.0"
         "name": "TST 2",
         "key": "ORDGP-135",
         "softwareDesignSpec": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies
pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. ",
          "status": "Done"
       "ORDGP-146": {
          "components": [
          "requirements": [
            "ORDGP-128"
          "predecessors": [
```

"description": "Suspendisse potenti. Cras ante quam, hendrerit vel massa quis, ultricies pellentesque mauris. Pellentesque eu odio dictum, luctus massa vitae, dignissim enim. Morbi pretium massa quis nunc pharetra, id faucibus purus condimentum. Sed augue lacus, faucibus in erat non, rutrum rhoncus dolor. Proin ornare rutrum tristique. In dictum purus sit amet justo dignissim tristique. Sed ligula ante, tempus non turpis eget, iaculis consequat dui. Aenean orci tortor, interdum at magna vitae, euismod lacinia odio. Nullam ac ante orci. Quisque in mattis purus. Maecenas volutpat bibendum felis, in porttitor dui imperdiet et. Mauris ac feugiat lacus. Interdum et malesuada fames ac ante ipsum primis in faucibus. Maecenas feugiat, turpis nec finibus pellentesque, lectus arcu pellentesque ex, in tempus metus velit sit amet purus. Phasellus ut volutpat orci.
\n\n>\n\n>Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam. Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet tincidunt convallis.
\n\n>\n\n>\n\n>Morbi aliquam viverra feugiat. Cras consequat pellentesque nisl quis gravida. Nullam tempus mattis justo, eget ultrices risus pretium non. Morbi maximus interdum condimentum. Sed non scelerisque felis, nec molestie massa. Nullam dui sem, consectetur eget consequat id, tempus lobortis tellus.
Curabitur mollis malesuada est nec laoreet. Cras in porta mauris.

"systemDesignSpec": "",

```
"resolution": "Implemented",
"mitigations": [
],
"labels": [
],
"bugs": [
],
"risks": [
],
"tests": [
"ORDGP-147"
```

```
"versions": [
            "1.0"
          "name": "TST 3",
          "key": "ORDGP-146",
          "softwareDesignSpec": "Aliquam ipsum turpis, bibendum nec velit et, ultricies vulputate purus. Duis sit
amet nibh vel elit volutpat varius ut sed erat. Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed turpis
felis, sollicitudin ut consectetur ut, porta eget libero. Integer non diam non lectus convallis varius sit amet nec quam.
Fusce sed mattis ante. Sed ipsum lorem, ultrices vel lectus ac, egestas posuere tellus. Mauris posuere tellus sit amet
tincidunt convallis.",
          "status": "Done"
       }
     },
     "trackingDocs": {
       "ORDGP-37": {
          "key": "ORDGP-37",
          "name": "Validation Summary Report",
          "description": "C-VSR",
          "status": "To Do",
          "labels": [
            "Doc:VSR"
       "ORDGP-36": {
          "key": "ORDGP-36",
          "name": "Restore/Recovery Plan",
          "description": "C-REP",
          "status": "To Do",
          "labels": [
            "Doc:REP"
        "ORDGP-35": {
          "key": "ORDGP-35",
          "name": "Backup Plan",
          "description": "C-BUP",
          "status": "To Do",
          "labels": [
            "Doc:BUP"
        "ORDGP-34": {
          "key": "ORDGP-34",
          "name": "System Monitoring Plan",
          "description": "C-SMP",
          "status": "To Do",
          "labels": [
             "Doc:SMP"
        "ORDGP-33": {
          "key": "ORDGP-33",
          "name": "Part 11 Compliance Assessment",
          "description": "C-P11",
          "status": "To Do",
          "labels": [
            "Doc:P11"
        "ORDGP-32": {
          "key": "ORDGP-32",
          "name": "Infrastructure Administration Plan",
          "description": "C-IAP",
          "status": "To Do",
```

```
"labels": [
     "Doc:IAP"
  1
"ORDGP-31": {
  "key": "ORDGP-31",
  "name": "Technical Administration Plan",
  "description": "C-TAP",
  "status": "To Do",
  "labels": [
     "Doc:TAP"
"ORDGP-30": {
  "key": "ORDGP-30",
  "name": "Application Administration Plan",
  "description": "C-AAP",
  "status": "To Do",
  "labels": [
     "Doc:AAP"
},
"ORDGP-29": {
  "key": "ORDGP-29",
  "name": "Traceability Matrix",
  "description": "C-TRC",
  "status": "To Do",
"labels": [
     "Doc:TRC"
"ORDGP-28": {
  "key": "ORDGP-28",
  "name": "Configuration and Installation Testing Report for P",
  "description": "C-IVR for P",
  "status": "To Do",
  "labels": [
     "Doc:IVR_P"
"ORDGP-27": {
  "key": "ORDGP-27",
  "name": "Technical Installation Report for P",
  "description": "C-TIR for P",
  "status": "To Do",
  "labels": [
     "Doc:TIR_P'
  ]
"ORDGP-26": {
  "key": "ORDGP-26",
  "name": "Configuration and Installation Testing Plan for P",
  "description": "C-IVP for P",
   "status": "To Do",
  "labels": [
     "Doc:IVP P"
"ORDGP-25": {
  "key": "ORDGP-25",
  "name": "Technical Installation Plan for P",
  "description": "C-TIP for P",
  "status": "To Do",
  "labels": [
```

```
"Doc:TIP P"
  ]
},
"ORDGP-24": {
  "key": "ORDGP-24",
  "name": "Discrepancy Log for P",
  "description": "C-DIL_P",
  "status": "To Do",
  "labels": [
     "Doc:DIL_P"
"ORDGP-23": {
  "key": "ORDGP-23",
  "name": "Discrepancy Log for Q",
  "description": "C-DIL Q",
  "status": "To Do",
  "labels": [
     "Doc:DIL_Q"
  ]
},
"ORDGP-22": {
  "key": "ORDGP-22",
  "name": "Combined Functional / Requirements Testing Report",
  "description": "C-CFTR",
  "status": "To Do",
"labels": [
     "Doc:CFTR"
"ORDGP-21": {
  "key": "ORDGP-21",
  "name": "Test Cases Report",
  "description": "C-TCR",
  "status": "To Do",
  "labels": [
     "Doc:TCR"
"ORDGP-20": {
  "key": "ORDGP-20",
  "name": "Test Cases Plan",
  "description": "C-TCP",
  "status": "To Do",
  "labels": [
     "Doc:TCP"
  ]
"ORDGP-19": {
  "key": "ORDGP-19",
  "name": "Combined Functional / Requirements Testing Plan",
  "description": "C-CFTP",
  "status": "To Do",
  "labels": [
     "Doc:CFTP"
  ]
"ORDGP-18": {
  "key": "ORDGP-18",
  "name": "Development Test Report",
  "description": "C-DTR",
  "status": "To Do",
  "labels": [
     "Doc:DTR"
  ]
```

```
},
"ORDGP-17": {
  "key": "ORDGP-17",
  "name": "Configuration and Installation Testing Report for Q",
  "description": "C-IVR for Q",
  "status": "To Do",
  "labels": [
     "Doc:IVR_Q"
"ORDGP-16": {
  "key": "ORDGP-16",
  "name": "Technical Installation Report for Q",
  "description": "C-TIR for Q",
  "status": "To Do",
  "labels": [
     "Doc:TIR Q"
  ]
},
"ORDGP-15": {
  "key": "ORDGP-15",
  "name": "Development Test Plan",
  "description": "C-DTP",
  "status": "To Do",
  "labels": [
     "Doc:DTP"
  ]
"ORDGP-14": {
  "key": "ORDGP-14",
  "name": "System and Software Design Specification including Source Code Review",
  "description": "C-SSDS",
  "status": "To Do",
  "labels": [
     "Doc:SSDS"
  ]
},
"ORDGP-13": {
  "key": "ORDGP-13",
  "name": "Configuration and Installation Testing Plan for Q",
  "description": "C-IVP for Q",
  "status": "To Do",
  "labels": [
     "Doc:IVP Q"
  1
"ORDGP-12": {
  "key": "ORDGP-12",
  "name": "Technical Installation Plan for Q",
  "description": "C-TIP for Q",
  "status": "To Do",
  "labels": [
     "Doc:TIP Q"
"ORDGP-11": {
  "key": "ORDGP-11",
  "name": "Configuration and Installation Testing Report for DEV",
   "description": "C-IVR for Dev",
  "status": "To Do",
  "labels": [
     "Doc:IVR"
```

```
"ORDGP-10": {
  "key": "ORDGP-10",
  "name": "Discrepancy Log for Developer Preview",
  "description": "C-DIL for Dev Preview",
  "status": "To Do",
"labels": [
     "Doc:DIL"
"ORDGP-9": {
  "key": "ORDGP-9",
  "name": "Technical Installation Report for DEV",
  "description": "C-TIR for Dev",
  "status": "To Do",
  "labels": [
     "Doc:TIR"
},
"ORDGP-8": {
  "key": "ORDGP-8",
  "name": "Configuration and Installation Testing Plan for DEV",
  "description": "C-IVP for Dev",
  "status": "To Do",
  "labels": [
     "Doc:IVP"
  ]
"ORDGP-7": {
  "key": "ORDGP-7",
  "name": "Technical Installation Plan for DEV",
  "description": "C-TIP for Dev",
  "status": "To Do",
  "labels": [
     "Doc:TIP"
"ORDGP-6": {
  "key": "ORDGP-6",
  "name": "Risk Assessment",
  "description": "C-RA",
  "status": "To Do",
  "labels": [
     "Doc:RA"
"ORDGP-5": {
  "key": "ORDGP-5",
  "name": "Combined Specification Document",
  "description": "C-CSD",
  "status": "To Do",
  "labels": [
     "Doc:CSD'
"ORDGP-4": {
  "key": "ORDGP-4",
  "name": "Client Site Qualification",
  "description": "C-CSQ",
  "status": "To Do",
  "labels": [
     "Doc:CSQ"
"ORDGP-3": {
  "key": "ORDGP-3",
```

```
"name": "Role Assignment Log",
    "description": "C-RAL",
    "status": "To Do",
    "labels": [
       "Doc:RAL"
    ]
  "ORDGP-2": {
    "key": "ORDGP-2",
    "name": "Supplier Assessment Mail Questionnaire",
    "description": "C-SMQ",
    "status": "To Do",
"labels": [
       "Doc:SMQ"
  },
  "ORDGP-1": {
    "key": "ORDGP-1",
    "name": "Validation Plan",
    "description": "C-VP",
    "status": "To Do",
    "labels": [
       "Doc:VP"
"trackingDocsForHistory": {
  "ORDGP-37": {
    "key": "ORDGP-37",
    "name": "Validation Summary Report",
    "description": "C-VSR",
    "status": "To Do",
    "labels": [
       "Doc:VSR"
  "ORDGP-36": {
    "key": "ORDGP-36",
    "name": "Restore/Recovery Plan",
    "description": "C-REP",
    "status": "To Do",
    "labels": [
       "Doc:REP"
  "ORDGP-35": {
    "key": "ORDGP-35",
    "name": "Backup Plan",
    "description": "C-BUP",
    "status": "To Do",
    "labels": [
       "Doc:BUP"
  "ORDGP-34": {
    "key": "ORDGP-34",
    "name": "System Monitoring Plan",
    "description": "C-SMP",
     "status": "To Do",
    "labels": [
       "Doc:SMP"
  "ORDGP-33": {
```

```
"key": "ORDGP-33",
  "name": "Part 11 Compliance Assessment",
  "description": "C-P11",
  "status": "To Do",
  "labels": [
    "Doc:P11"
  ]
},
"ORDGP-32": {
  "key": "ORDGP-32",
  "name": "Infrastructure Administration Plan",
  "description": "C-IAP",
  "status": "To Do",
  "labels": [
    "Doc:IAP"
"ORDGP-31": {
  "key": "ORDGP-31",
  "name": "Technical Administration Plan",
  "description": "C-TAP",
  "status": "To Do",
  "labels": [
    "Doc:TAP"
  ]
},
"ORDGP-30": {
  "key": "ORDGP-30",
  "name": "Application Administration Plan",
  "description": "C-AAP",
  "status": "To Do",
  "labels": [
     "Doc:AAP"
  ]
"ORDGP-29": {
  "key": "ORDGP-29",
  "name": "Traceability Matrix",
  "description": "C-TRC",
  "status": "To Do",
  "labels": [
     "Doc:TRC"
"ORDGP-28": {
  "key": "ORDGP-28",
  "name": "Configuration and Installation Testing Report for P",
  "description": "C-IVR for P",
  "status": "To Do",
  "labels": [
     "Doc:IVR_P"
"ORDGP-27": {
  "key": "ORDGP-27",
  "name": "Technical Installation Report for P",
  "description": "C-TIR for P",
  "status": "To Do",
  "labels": [
     "Doc:TIR P"
"ORDGP-26": {
  "key": "ORDGP-26",
  "name": "Configuration and Installation Testing Plan for P",
                                          'Page 210 of 215'
```

```
"description": "C-IVP for P",
  "status": "To Do",
  "labels": [
    "Doc:IVP_P"
  ]
},
"ORDGP-25": {
  "key": "ORDGP-25",
  "name": "Technical Installation Plan for P",
  "description": "C-TIP for P",
  "status": "To Do",
  "labels": [
    "Doc:TIP_P"
  1
"ORDGP-24": {
  "key": "ORDGP-24",
  "name": "Discrepancy Log for P",
  "description": "C-DIL_P",
  "status": "To Do",
  "labels": [
     "Doc:DIL P"
"ORDGP-23": {
  "key": "ORDGP-23",
  "name": "Discrepancy Log for Q",
  "description": "C-DIL_Q",
  "status": "To Do",
  "labels": [
     "Doc:DIL Q"
  ]
"ORDGP-22": {
  "key": "ORDGP-22",
  "name": "Combined Functional / Requirements Testing Report",
  "description": "C-CFTR",
  "status": "To Do",
  "labels": [
     "Doc:CFTR"
"ORDGP-21": {
  "key": "ORDGP-21",
  "name": "Test Cases Report",
  "description": "C-TCR",
  "status": "To Do",
  "labels": [
     "Doc:TCR"
  ]
"ORDGP-20": {
  "key": "ORDGP-20",
  "name": "Test Cases Plan",
  "description": "C-TCP",
  "status": "To Do",
  "labels": [
     "Doc:TCP"
"ORDGP-19": {
  "key": "ORDGP-19",
  "name": "Combined Functional / Requirements Testing Plan",
  "description": "C-CFTP",
```

```
"status": "To Do",
  "labels": [
     "Doc:CFTP"
},
"ORDGP-18": {
  "key": "ORDGP-18",
  "name": "Development Test Report",
  "description": "C-DTR",
  "status": "To Do",
  "labels": [
     "Doc:DTR"
"ORDGP-17": {
  "key": "ORDGP-17",
  "name": "Configuration and Installation Testing Report for Q",
  "description": "C-IVR for Q",
  "status": "To Do",
  "labels": [
     "Doc:IVR Q"
"ORDGP-16": {
  "key": "ORDGP-16",
  "name": "Technical Installation Report for Q",
  "description": "C-TIR for Q",
  "status": "To Do",
  "labels": [
     "Doc:TIR Q"
},
"ORDGP-15": {
  "key": "ORDGP-15",
  "name": "Development Test Plan",
  "description": "C-DTP",
  "status": "To Do",
  "labels": [
     "Doc:DTP"
},
"ORDGP-14": {
  "key": "ORDGP-14",
  "name": "System and Software Design Specification including Source Code Review",
  "description": "C-SSDS",
  "status": "To Do",
  "labels": [
     "Doc:SSDS"
  ]
},
"ORDGP-13": {
  "key": "ORDGP-13",
  "name": "Configuration and Installation Testing Plan for Q",
  "description": "C-IVP for Q",
  "status": "To Do",
  "labels": [
     "Doc:IVP Q"
"ORDGP-12": {
  "key": "ORDGP-12",
  "name": "Technical Installation Plan for Q",
  "description": "C-TIP for Q",
  "status": "To Do",
  "labels": [
```

```
"Doc:TIP Q"
  ]
},
"ORDGP-11": {
  "key": "ORDGP-11",
  "name": "Configuration and Installation Testing Report for DEV",
  "description": "C-IVR for Dev",
  "status": "To Do",
  "labels": [
     "Doc:IVR"
  ]
},
"ORDGP-10": {
  "key": "ORDGP-10",
  "name": "Discrepancy Log for Developer Preview",
  "description": "C-DIL for Dev Preview",
  "status": "To Do",
  "labels": [
     "Doc:DIL"
},
"ORDGP-9": {
  "key": "ORDGP-9",
  "name": "Technical Installation Report for DEV",
  "description": "C-TIR for Dev",
  "status": "To Do",
  "labels": [
     "Doc:TIR"
  ]
"ORDGP-8": {
  "key": "ORDGP-8",
  "name": "Configuration and Installation Testing Plan for DEV",
  "description": "C-IVP for Dev",
  "status": "To Do",
  "labels": [
     "Doc:IVP'
},
"ORDGP-7": {
  "key": "ORDGP-7",
  "name": "Technical Installation Plan for DEV",
  "description": "C-TIP for Dev",
  "status": "To Do",
  "labels": [
     "Doc:TIP"
  ]
},
"ORDGP-6": {
  "key": "ORDGP-6",
  "name": "Risk Assessment",
  "description": "C-RA",
  "status": "To Do",
  "labels": [
     "Doc:RA"
  ]
"ORDGP-5": {
  "key": "ORDGP-5",
  "name": "Combined Specification Document",
  "description": "C-CSD",
  "status": "To Do",
   "labels": [
     "Doc:CSD"
```

```
]
  "ORDGP-4": {
     "key": "ORDGP-4",
     "name": "Client Site Qualification",
     "description": "C-CSQ",
     "status": "To Do",
     "labels": [
       "Doc:CSQ"
  "ORDGP-3": {
     "key": "ORDGP-3",
     "name": "Role Assignment Log",
     "description": "C-RAL",
    "status": "To Do",
"labels": [
       "Doc:RAL"
  "ORDGP-2": {
     "key": "ORDGP-2",
     "name": "Supplier Assessment Mail Questionnaire",
     "description": "C-SMQ",
     "status": "To Do",
     "labels": [
       "Doc:SMQ"
  "ORDGP-1": {
     "key": "ORDGP-1",
     "name": "Validation Plan",
     "description": "C-VP",
     "status": "To Do",
     "labels": [
       "Doc:VP"
},
"undone": {
  "bugs": [
  ],
  "epics": [
  "mitigations": [
  "requirements": [
  ],
  "risks": [
  "techSpecs": [
  "tests": [
  "docs": [
```

```
"undoneDocChapters": {
}
[Pipeline] echo
[docgen-ordgp-OVERALL_TIR] Creating document of type 'OVERALL_TIR' for project 'ordgp' in phase 'Finalize' and stage
expected to call org.ods.orchestration.usecase.LeVADocumentUseCase.invokeMethod but wound up catching
org.ods.orchestration.usecase.LeVADocumentUseCase.createOverallTIR; see: https://jenkins.io/redirect/pipeline-cps-
method-mismatches/
[Pipeline] dir
Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/reports/backend
[Pipeline] {
[Pipeline] unstash
[Pipeline] }
[Pipeline] // dir
[Pipeline] dir
Running in /var/lib/jenkins/jobs/ordgp-cd/jobs/ordgp-cd-releasemanager-master/workspace/reports/frontend
[Pipeline] {
[Pipeline] unstash
[Pipeline] }
[Pipeline] // dir
[Pipeline] archiveArtifacts
Archiving artifacts
[Pipeline] echo
2022-03-01 11:24:26Z Document TIR uploaded @ https://nexus-odsalpha.inh-odsapps.eu.boehringer.com/repository/leva-
documentation/ordgp-WIP/TIR-ordgp-WIP-13.zip
[Pipeline] echo
DEBUG: [docgen-ordgp-OVERALL TIR] (took 7210 ms)
[Pipeline] echo
DEBUG: [jira-update-release-ORDGP-123] (took 2 ms)
[Pipeline] echo
[Finalize] **** ENDED orchestration stage **** (took 32895 ms)
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] echo
[ods-mro-pipeline] **** ENDED orchestration pipeline **** (took 678870 ms)
[Pipeline] }
[Pipeline] // podTemplate
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

Information

Name: Project ordgp: backend Description: Description of ordgp.

Version: WIP

Date Created: 2022-01-21T10:15:30

Git Commit: 46a05fce73c811e74f4f96d8f418daa4246ace09

Git Tag:

Git URL: http://bitbucket.odsbox.lan:7990/scm/ofi2004/ofi2004-backend.git

OpenShift Cluster API URL: https://openshift-sample
Created by Jenkins Job Name: ordgp-cd/ordgp-releasemanager

Created by Jenkins Build Number: 13
Target environment: dev

Technical Installation Report for 'Project ordgp: backend'

TABLE OF CONTENTS

- 1 INTRODUCTION
- **2 INSTALLATION**
- **3 DIAGNOSTICS AND TESTING**
- **4 CONCLUSION STATEMENT**
- **5 DEFINITIONS AND ABBREVIATIONS**
 - **5.1 DEFINITIONS**
 - **5.2 ABBREVIATIONS**
- **6 REFERENCE DOCUMENTS**
- **7 DOCUMENT HISTORY**

1 INTRODUCTION

This document describes the installation of the software-defined component *backend*. The installation is based on the corresponding Technical Installation Plan (*TIP*) of Config Item: BI-IT-DEVSTACK.

The plan outlines additional chapters, namely Installation Prerequisites (3) and Environmental Conditions (4).

Installation plan reference: ITEMS Document Number WIP-13, Version: BI-IT-DEVSTACK / WIP-13-WIP.

PARAMETERS

	Parameters
Parameter	Value
Git Commit Component	46a05fce73c811e74f4f96d8f418daa4246ace09
Git Repo Component	http://bitbucket.odsbox.lan:7990/scm/ofi2004/ofi2004-backend.git
ODS Component Type	ods
Environment	dev
Change Description	UNDEFINED
Version	WIP
Config Item	BI-IT-DEVSTACK

2 INSTALLATION

 $In stall at ions \ steps \ have \ been \ successfully \ conducted. \ Overall \ in stall at ion \ status:$

Ctatus	OK		
Status	UK		

2.1 JENKINS

Jenkins Job has been successfully executed:

Name	Value
Job Number	13
Job Name	ordgp-cd/ordgp-releasemanager
Build URL	https://jenkins-sample

2.2 COMPONENTS

Note: Components were built & deployed during installation.

The following components have been successfully installed: ${\bf backend}$

BuildConfig: backend

Name	Value
buildId	backend-3
image	172.30.1.1:5000/ofi2004-cd/backend@sha256:f6bc9aaed8a842a8e0a4f7e69b044a12c69e057333cd81906c08fd94be044ac4

DeploymentConfig: backend

Name	Value
podName	backend-3-dshjl
podNamespace	ofi2004-dev
podMetaDataCreationTimestamp	2021-11-21T22:31:04Z
deploymentId	backend-3
podNode	localhost
podlp	172.17.0.39
podStatus	Running
podStartupTimeStamp	2021-11-21T22:31:04Z
containers	{backend=172.30.1.1:5000/ofi2004-cd/backend@sha256:f6bc9aaed8a842a8e0a4f7e69b044a12c69e057333cd81906c08fd94be044ac4}

3 DIAGNOSTICS AND TESTING

 $\label{lem:decomposition} \mbox{Diagnostic steps have been successfully applied to the requested component.}$

DIAGNOSTIC STATUS

Status	ок	

DIAGNOSTIC RESULT

Component backend

Step	Instruction for Testing	Expected Result	Actual Result	Pass / Fail
1	automated configuration appplication (Q/P environment)	Configuration applied	Configuration applied	pass
2	POD is running	POD is in status running	POD is in status running	pass

4 CONCLUSION STATEMENT

All deliverables of the Technical Installation Plan have been successfully executed and the signature of this Report verifies that the system has been installed according to all requirements stated in the Installation Plan or, in the event the requirements are not met, that the deviations and/or failures are properly documented and addressed.

5 DEFINITIONS AND ABBREVIATIONS

5.1 **DEFINITIONS**

Term	Definition	
Jenkins	Build engine supplied by cloudbees - part of OpenDevStack (BI-IT-DEVSTACK)	
xUnit	Unit testing framework, aggregaults across multiple languages	

5.2 ABBREVIATIONS

Abbreviation	Meaning
ODS	OpenDevStack
EDP	Enterprise Development Platform

6 REFERENCE DOCUMENTS

• Technical Installation Plan(version BI-IT-DEVSTACK / WIP-13-WIP)

7 DOCUMENT HISTORY

Version	Date	Author	Change Reference	7/4
1	of elec	ent or ure page	Initial document version.	

The following table provides extra history of the document.

Version	Date		Author	Reference
	See summary of electronic document or signature page of printout.			

Information

Name: Project ordgp: frontend
Description: Description of ordgp.

Version: WIP

Date Created: 2022-01-21T10:15:30

Git Commit: 46a05fce73c811e74f4f96d8f418daa4246ace09

Git Tag:

Git URL: http://bitbucket.odsbox.lan:7990/scm/ofi2004/ofi2004-frontend.git

OpenShift Cluster API URL: https://openshift-sample
Created by Jenkins Job Name: ordgp-cd/ordgp-releasemanager

Created by Jenkins Build Number: 13
Target environment: dev

Technical Installation Report for 'Project ordgp: frontend'

TABLE OF CONTENTS

- 1 INTRODUCTION
- **2 INSTALLATION**
- **3 DIAGNOSTICS AND TESTING**
- **4 CONCLUSION STATEMENT**
- **5 DEFINITIONS AND ABBREVIATIONS**
 - **5.1 DEFINITIONS**
 - **5.2 ABBREVIATIONS**
- **6 REFERENCE DOCUMENTS**
- **7 DOCUMENT HISTORY**

1 INTRODUCTION

This document describes the installation of the software-defined component *frontend*. The installation is based on the corresponding Technical Installation Plan (*TIP*) of Config Item: BI-IT-DEVSTACK.

The plan outlines additional chapters, namely Installation Prerequisites (3) and Environmental Conditions (4).

Installation plan reference: ITEMS Document Number WIP-13, Version: BI-IT-DEVSTACK / WIP-13-WIP.

PARAMETERS

	Parameters
Parameter	Value
Git Commit Component	46a05fce73c811e74f4f96d8f418daa4246ace09
Git Repo Component	http://bitbucket.odsbox.lan:7990/scm/ofi2004/ofi2004-frontend.git
ODS Component Type	ods
Environment	dev
Change Description	UNDEFINED
Version	WIP
Config Item	BI-IT-DEVSTACK

2 INSTALLATION

 $In stall at ions \ steps \ have \ been \ successfully \ conducted. \ Overall \ in stall at ion \ status:$

|--|

2.1 JENKINS

Jenkins Job has been successfully executed:

Name	Value
Job Number	13
Job Name	ordgp-cd/ordgp-releasemanager
Build URL	https://jenkins-sample

2.2 COMPONENTS

Note: Components were built & deployed during installation.

The following components have been successfully installed: **frontend**

BuildConfig: frontend

Name	Value
buildId	frontend-3
image	172.30.1.1:5000/ofi2004-cd/frontend@sha256:f6bc9aaed8a842a8e0a4f7e69b044a12c69e057333cd81906c08fd94be044ac4

DeploymentConfig: **frontend**

Name	Value
podName	frontend-3-dshjl
podNamespace	ofi2004-dev
podMetaDataCreationTimestamp	2021-11-21T22:31:04Z
deploymentId	frontend-3
podNode	localhost
podlp	172.17.0.39
podStatus	Running
podStartupTimeStamp	2021-11-21T22:31:04Z
containers	{frontend=172.30.1.1:5000/ofi2004-cd/frontend@sha256:f6bc9aaed8a842a8e0a4f7e69b044a12c69e057333cd81906c08fd94be044ac4}

3 DIAGNOSTICS AND TESTING

 $\label{lem:decomposition} \mbox{Diagnostic steps have been successfully applied to the requested component.}$

DIAGNOSTIC STATUS

Status	ОК	

DIAGNOSTIC RESULT

Component frontend

Step	Instruction for Testing	Expected Result	Actual Result	Pass / Fail
1	automated configuration appplication (Q/P environment)	Configuration applied	Configuration applied	pass
2	POD is running	POD is in status running	POD is in status running	pass

4 CONCLUSION STATEMENT

All deliverables of the Technical Installation Plan have been successfully executed and the signature of this Report verifies that the system has been installed according to all requirements stated in the Installation Plan or, in the event the requirements are not met, that the deviations and/or failures are properly documented and addressed.

5 DEFINITIONS AND ABBREVIATIONS

5.1 **DEFINITIONS**

Term	Definition	
Jenkins	Build engine supplied by cloudbees - part of OpenDevStack (BI-IT-DEVSTACK)	
xUnit	Unit testing framework, aggregaults across multiple languages	

5.2 ABBREVIATIONS

Abbreviation	Meaning
ODS	OpenDevStack
EDP	Enterprise Development Platform

6 REFERENCE DOCUMENTS

• Technical Installation Plan(version BI-IT-DEVSTACK / WIP-13-WIP)

7 DOCUMENT HISTORY

Version	Date	Author	Change Reference	7/4
1	of elec	ent or ure page	Initial document version.	

The following table provides extra history of the document.

Version	Date				Reference
	See summary of electronic document or signature page of printout.				