
Revision History


Version	Date	By	Change Dsecription
V1.0	2024-09-19	zuozhongkai	1:Initial release version

Title: 01_ATK_DLRK3506B_ReviSion History.SchDoc		
Project: ATK-DLRK3506B V1.0.PrjPcb		
Size: A4	Author: ALIENTEK	
Date: 2025/4/14	Version: V1.0	Sheet: 1 of 6


正点原子


Core





USB WIFI&BT







Title: 02_ATK_DLRK3506B_Core_WIFI_BT.SchDoc		
Project: ATK-DLRK3506B V1.0.PrjPcb		
Size: A4	Author: ALIENTEK	
Date: 2025/4/14	Version: V1.0	Sheet: 2 of 6

正点原子


12V DCIN




VCC5V0





VCC_3V3




USB HUB








PIN




Title: 03_ATK_DLRK3506B_Power_USBHUB.SchDoc		
Project: ATK-DLRK3506B V1.0.PrjPcb		
Size: A4	Author: ALIENTEK	
Date: 2025/4/14	Version: V1.0	Sheet: 3 of 6

正点原子


CODEC ES8388




40PIN



EARPHONE




MIC




Title: 04_ATK_DLRK3506B_Audio_40PIN.SchDoc		
Project: ATK-DLRK3506B V1.0.PrjPcb		
Size: A4	Author: ALIENTEK	
Date: 2025/4/14	Version: V1.0	Sheet: 4 of 6

正点原子

PHY






PHY Address Config

PHY Address	PHYAD[1:0]
1(default)	2'b01




RMII REF_CLK direction

(0 = RMII REF_CLK PHY Output mode; 1 = RMII REF_CLK PHY Input mode)



This pin is pulled high by an external 4.7Kohm.
This pin is used for the interrupt function only when in the RMII mode.




MII/RMII Selection (Pull High for RMII mode(default))




WOL/LED0 Selection (0 = LED0 Mode(default); 1 = WOL(Wake-on-LAN) Mode)

RJ45




25M XTAL




Title: 05_ATK_DLRK3506B_NET0.SchDoc		
Project: ATK-DLRK3506B V1.0.PrjPcb		
Size: A4	Author: ALIENTEK	
Date: 2025/4/14	Version: V1.0	Sheet: 5 of 6

正点原子

PHY






PHY Address Config

PHY Address	PHYAD[1:0]
1(default)	2'b01




RMII REF_CLK direction

(0 = RMII REF_CLK PHY Output mode; 1 = RMII REF_CLK PHY Input mode)



This pin is pulled high by an external 4.7Kohm.
This pin is used for the interrupt function only when in the RMII mode.




MII/RMII Selection (Pull High for RMII mode(default))




WOL/LED0 Selection (0 = LED0 Mode(default); 1 = WOL(Wake-on-LAN) Mode)

RJ45



25M XTAL



Title: 06_ATK_DLRK3506B_NET1.SchDoc		
Project: ATK-DLRK3506B V1.0.PrjPcb		
Size: A4	Author: ALIENTEK	
Date: 2025/4/14	Version: V1.0	Sheet: 6 of 6

正点原子