## More Examples with DOVEADM

Here is just an unsorted list of useful doveadm commands that could be useful.

## doveadm quota

The quota get and quota recalc | 1 commands are used to display or recalculate the current user's quota usage. The reported values are in *kilobytes*.

To list the current quota status for a user / mailbox, do:

```
doveadm quota get -u 'mailbox@example.org'
```

To list the quota storage value for all users, do:

```
doveadm quota get -A |grep "STORAGE"
```

Recalculate a single user's quota usage:

```
doveadm quota recalc -u 'mailbox@example.org'
```

## doveadm search

The doveadm search  $|^2$  command is used to find messages matching your query. It can return the username, mailbox-GUID / -UID and message-GUIDs / -UIDs.

To view the number of messages, by user, in their .Trash folder:

```
doveadm search -A mailbox 'Trash' | awk '{print $1}' | sort | uniq -c
```

Show all messages in a user's **inbox** older then 90 days:

```
doveadm search -u 'mailbox@example.org' mailbox 'INBOX' savedbefore 90d
```

Show all messages in any folder that are older then 30 days for mailbox@example.org:

```
doveadm search -u 'mailbox@example.org' mailbox "*" savedbefore 30d
```

- 1. https://wiki.dovecot.org/Tools/Doveadm/Quota
- 2. https://wiki.dovecot.org/Tools/Doveadm/Search