

Autodiscover and Autoconfig

Open/create `data/web/inc/vars.local.inc.php` and add your changes to the configuration array.

Changes will be merged with "\$autodiscover_config" in `data/web/inc/vars.inc.php`):

```

<?php
$autodiscover_config = array(
    // General autodiscover service type: "activesync" or "imap"
    // emClient uses autodiscover, but does not support ActiveSync. openemail
    // excludes emClient from ActiveSync.
    'autodiscoverType' => 'activesync',
    // If autodiscoverType => activesync, also use ActiveSync (EAS) for Outlook
    // desktop clients (>= Outlook 2013 on Windows)
    // Outlook for Mac does not support ActiveSync
    'useEASforOutlook' => 'yes',
    // Please don't use STARTTLS-enabled service ports in the "port" variable.
    // The autodiscover service will always point to SMTPS and IMAPS (TLS-wrapped
    // services).
    // The autoconfig service will additionally announce the STARTTLS-enabled
    // ports, specified in the "tlsport" variable.
    'imap' => array(
        'server' => $openemail_hostname,
        'port' => array_pop(explode(':', getenv('IMAPS_PORT'))),
        'tlsport' => array_pop(explode(':', getenv('IMAP_PORT'))),
    ),
    'pop3' => array(
        'server' => $openemail_hostname,
        'port' => array_pop(explode(':', getenv('POPS_PORT'))),
        'tlsport' => array_pop(explode(':', getenv('POP_PORT'))),
    ),
    'smtp' => array(
        'server' => $openemail_hostname,
        'port' => array_pop(explode(':', getenv('SMTPS_PORT'))),
        'tlsport' => array_pop(explode(':', getenv('SUBMISSION_PORT'))),
    ),
    'activesync' => array(
        'url' => 'https://'.$openemail_hostname.($https_port == 443 ? '' : ':'.
$https_port).'/Microsoft-Server-ActiveSync',
    ),
    'caldav' => array(
        'server' => $openemail_hostname,
        'port' => $https_port,
    ),
    'carddav' => array(
        'server' => $openemail_hostname,
        'port' => $https_port,
    ),
);

```

To always use IMAP and SMTP instead of EAS, set `'autodiscoverType' => 'imap'`.

Disable ActiveSync for Outlook desktop clients by setting "useEASforOutlook" to "no".