



OGC INDOORGML 2.0 PART 2A – XML ENCODING

STANDARD
Implementation

CANDIDATE SWG DRAFT

Version: 2.0.0

Submission Date: 2025-08-06

Approval Date: 2099-01-01

Publication Date: 2099-01-01

Editor: Abdoulaye Diakité, Taehoon Kim, Sisi Zlatanova, Ki-Joune Li, Zhiyong Wang

Notice for Drafts: This document is not an OGC Standard. This document is distributed for review and comment. This document is subject to change without notice and may not be referred to as an OGC Standard. Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

License Agreement

Use of this document is subject to the license agreement at <https://www.ogc.org/license>

Suggested additions, changes and comments on this document are welcome and encouraged. Such suggestions may be submitted using the online change request form on OGC web site: <http://ogc.standardstracker.org/>

Copyright notice

Copyright © 2026 Open Geospatial Consortium

To obtain additional rights of use, visit <https://www.ogc.org/legal>

Note

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. The Open Geospatial Consortium shall not be held responsible for identifying any or all such patent rights.

Recipients of this document are requested to submit, with their comments, notification of any relevant patent claims or other intellectual property rights of which they may be aware that might be infringed by any implementation of the standard set forth in this document, and to provide supporting documentation.

CONTENTS

I. ABSTRACT	v
II. KEYWORDS	v
III. PREFACE	vi
IV. SECURITY CONSIDERATIONS	vii
V. SUBMITTING ORGANIZATIONS	viii
VI. SUBMITTERS	viii
1. SCOPE	2
2. CONFORMANCE	4
3. NORMATIVE REFERENCES	6
4. TERMS AND DEFINITIONS	8
5. CONVENTIONS	11
5.1. Identifiers	11
5.2. Use of XML terminology	11
6. OVERVIEW OF THE XML ENCODING	13
6.1. Design Principle	13
7. INDOORXML CORE	16
7.1. General requirements for encoding standard	16
7.2. CellSpace	16
7.3. CellBoundary	18
7.4. PrimalSpaceLayer	19
7.5. Node	20
7.6. Edge	21
7.7. DualSpaceLayer	21
7.8. InterLayerConnection	23
7.9. ThematicLayer	24
8. INDOORXML NAVIGATION	27
8.1. General requirements for encoding standards	27
8.2. NavigableSpace	27

8.3. GeneralSpace	28
8.4. TransferSpace	29
8.5. NavigableBoundary	29
8.6. NonNavigableSpace	30
8.7. ObjectSpace	31
8.8. NonNavigableBoundary	31
8.9. Route	32
 ANNEX A ABSTRACT TEST SUITES FOR INDOORGML INSTANCE DOCUMENTS	35
A.1. Test Cases for mandatory conformance requirements	35
 ANNEX B XML SCHEMA FOR INDOORGML 2	37
B.1. IndoorGML Core Module	37
B.2. IndoorGML Indoor Navigation Module	45
 ANNEX C EXAMPLE OF CODELIST	55
C.1. GeneralSpace	55
C.2. TransitionSpace	56
C.3. ConnectionSpace	57
C.4. AnchorSpace	58
 ANNEX D USE-CASES OF INDOORGML 2 — PART2A	60
D.1. Use-Case 1: Conversion from IndoorGML 1.1 to IndoorGML 2	60
D.2. Use-Case 2: Conversion from IFC to IndoorGML 2	60
D.3. Use-Case 3: Mapping of ISO 19164 in IndoorGML 2 – Part 2a	60
D.4. Use-Case 4: Implementation of omlox in IndoorGML 2 – Part 2a	60
D.5. Use-Case 5: Indoor Navigation Service for Visually Impaired Person	60
 BIBLIOGRAPHY	63

I

ABSTRACT

The IndoorGML 2.0 Part 2a – XML Encoding Standard presents the implementation-dependent Geography Markup Language (GML) XML schema encoding of the concepts defined by the IndoorGML 2.0 Part 1 – Conceptual Model Standard (OGC 22-045r5). The XML Encoding is compliant with GML version 3.2.1 as specified by OGC 07-036. The XML encoding of IndoorGML 2.0 defines a concrete implementation schema for representing indoor spatial information, including primal space, dual space, thematic layers, interlayer connections, and navigation-related indoor features. This encoding can be used to store and exchange 2D and/or 3D indoor space and indoor navigation network models in XML format as data sets or via web services.

This Part 2a of the Standard defines how the concepts developed in Part 1 are realized using XML Schema definitions. The XML encoding represents a full mapping of the Conceptual Model and is derived from the UML model following the UML-to-GML/XML encoding rules. Table 1 maps requirements classes from the IndoorGML 2.0 Conceptual Model into the implementation details documented in this standard.

Table 1 — Requirements classes mapping

CONCEPTUAL MODEL	SECTION	XML SCHEMA
IndoorGML Core	Clause 7	Annex B.1
Navigation Extension	Clause 8	Annex B.2

II

KEYWORDS

The following are keywords to be used by search engines and document catalogues.

OGCDoc, OGC documents, indoor, navigation, IndoorGML, GML, XML



PREFACE

In order to achieve consensus on the modeling indoor spaces and their neighborhood relationships to support indoor location-based services, a UML Conceptual Model, IndoorGML 2.0 Part 1, was approved as an OGC Standard (OGC 22-045r5) in June, 2025. This model covers geometric and semantic properties of indoor spaces relevant for indoor navigation. This IndoorGML 2.0 Part 2a: XML Encoding Standard defines how those concepts should be realized using XML schema format. The XML encoding is intended for software developers, data providers, standards implementers, and service providers who need a structured, standard, and machine-readable representation of IndoorGML datasets using XML/GML.



SECURITY CONSIDERATIONS

No security considerations have been made for this Standard.



SUBMITTING ORGANIZATIONS

The following organizations submitted this Document to the Open Geospatial Consortium (OGC):

- The University of New South Wales
- Pusan National University
- CityGeometrix
- National Institute of Advanced Industrial Science and Technology
- SpatialAlgebra



SUBMITTERS

All questions regarding this submission should be directed to the editor or the submitters:

NAME	AFFILIATION	EMAIL	OGC MEMBER
Abdoulaye Diakité	CityGeometrix Pty Ltd	abdou@citygeometrix.com	Yes
Taecheon Kim	National Institute of Advanced Industrial Science and Technology	kim.taecheon@aist.go.jp	Yes
Sisi Zlatanova	University of New South Wales	s.zlatanova@unsw.edu.au	Yes
Ki-Joune Li	Pusan National University	lik@pnu.edu	Yes
Zhiyong Wang	SpatialAlgebra Technology Limited	zhiyongwang@spatialalgebra.tech	Yes



1

SCOPE

The OGC® IndoorGML 2.0 Part 2a – XML Encoding Standard defines an XML encoding for IndoorGML 2.0 Part 1 — Conceptual Model. The encoding is implemented as an application schema of the Geography Markup Language version 3.2.1 (GML 3.2.1).

The IndoorGML XML Encoding Standard specifies:

- XML schema for IndoorGML 2.0 core module;
- XML schema for IndoorGML 2.0 navigation module;
- the geometry encoding rules based on GML 3.2.1 geometry objects; and
- a statement to which IndoorGML XML conformance classes an IndoorGML 2.0 instance conforms to.

IndoorGML XML encoding is an implementation encoding of IndoorGML 2.0 Part 1. Therefore, IndoorGML XML instances shall be interpreted according to the semantics defined in the IndoorGML 2.0 conceptual model.



2

CONFORMANCE

2

CONFORMANCE

This standard defines implementation specification which specifies how the IndoorGML 2.0 Conceptual Model should be implemented using Extensible Markup Language (XML) and GML 3.2.1. The Standardization Target for this standard is:

- Implementations of the IndoorGML 2.0 Conceptual Model using XML encodings.

Conformance with this standard shall be checked using all the relevant tests specified in Annex A (normative) of this document. The framework, concepts, and methodology for testing, and the criteria to be achieved to claim conformance are specified in the OGC Compliance Testing Policies and Procedures and the OGC Compliance Testing web site.

In order to conform to this OGC® interface standard, a software implementation shall choose to implement:

- Any one of the conformance levels specified in Annex A (normative).

All requirements-classes and conformance-classes described in this document are owned by the standard(s) identified.

Table 2 — Conformance classes

CONFORMANCE CLASS	URI
IndoorGML Core	http://www.opengis.net/spec/indoorgml-2/2.0/xml/conf/core
Navigation Extension	http://www.opengis.net/spec/indoorgml-2/2.0/xml/conf/navi



3

NORMATIVE REFERENCES

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Data elements and interchange formats – Information interchange – Representation of dates and times

Geographic information – Reference model – Part 1: Fundamentals

Geographic Information – Conceptual Schema Language

Geographic information – Conformance and testing

Geographic Information – Spatial Schema

Geographic Information – Rules for Application Schemas

Geographic information – Spatial referencing by coordinates

Geographic Information – Metadata – Part 1: Fundamentals

Geographic Information – Metadata – XML schema implementation

Carl Reed, Open Geospatial Consortium: OGC 04-084, *Topic 0 — Overview*. Open Geospatial Consortium (2005). <https://docs.ogc.org/as/04-084/04-084/pdf>.

Cliff Kottman, Carl Reed, Open Geospatial Consortium: OGC 08-126, *Topic 5 — Features*. Open Geospatial Consortium (2009). <https://docs.ogc.org/as/08-126/08-126/pdf>.

Cliff Kottman, Open Geospatial Consortium: OGC 99-108r2, *Topic 8 — Relationships Between Features*. Open Geospatial Consortium (1999). <https://docs.ogc.org/as/99-108r2/99-108r2/pdf>.

Cliff Kottman, Open Geospatial Consortium: OGC 99-110, *Topic 10 — Feature Collections*. Open Geospatial Consortium (1999). <https://docs.ogc.org/as/99-110/99-110/pdf>.

Clemens Portele, Open Geospatial Consortium: OGC 07-036, *OpenGIS Geography Markup Language (GML) Encoding Standard*. Open Geospatial Consortium (2007). <https://docs.ogc.org/is/07-036/07-036/pdf>.

Sisi Zlatanova, Abdoulaye Diakite, Taehoon Kim, Ki-Joune Li, Open Geospatial Consortium: OGC 22-045r5, *OGC IndoorGML 2.0 Part 1 – Conceptual Model*. Open Geospatial Consortium (2025). <http://www.opengis.net/doc/IS/indoorgml/2.0>.



4

TERMS AND DEFINITIONS

This document uses the terms defined in [OGC Policy Directive 49](#), which is based on the ISO/IEC Directives, Part 2, Rules for the structure and drafting of International Standards. In particular, the word “shall” (not “must”) is the verb form used to indicate a requirement to be strictly followed to conform to this document and OGC documents do not use the equivalent phrases in the ISO/IEC Directives, Part 2.

This document also uses terms defined in the OGC Standard for Modular specifications (OGC 08-131r3), also known as the ‘ModSpec’. The definitions of terms such as standard, specification, requirement, and conformance test are provided in the ModSpec.

For the purposes of this document, the following additional terms and definitions apply.

4.1. conceptual model

model that defines concepts of a universe of discourse

[SOURCE: ISO 19101-1:2014]

4.2. conceptual schema

formal description of a conceptual model

[SOURCE: ISO 19101-1:2014]

4.3. feature

abstraction of real world phenomena

Note 1 to entry: Features are objects that have an identity that allows for distinguishing features from each other. Features can have spatial and non-spatial properties that describe the features in more detail. Spatial properties are properties that have a geometry from ISO 19107:2003 as data type.

Note 2 to entry: Features are denoted by the stereotype «FeatureType» in the IndoorGML 2.0 Conceptual Model.

[**SOURCE:** ISO 19101-1:2014]



5 CONVENTIONS

5.1. Identifiers

The normative provisions in this standard are denoted by the URI

<http://www.opengis.net/spec/indoorgml-2/2.0/xml>

All requirements and conformance tests that appear in this document are denoted by partial URIs which are relative to this base.

5.2. Use of XML terminology

The following terms and concepts are used as specified in the W3C XML specifications and OGC GML 3.2.1:

- “element” refers to an XML element tag;
- “attribute” refers to a name/value attribute on an XML element;
- “complexType” refers to an XML Schema complex type definition;
- “substitutionGroup” refers to the GML element substitution mechanism allowing specialized elements to substitute base GML feature types; and
- “property element” refers to an XML element that represents an association between features or objects.



6

OVERVIEW OF THE XML ENCODING

The XML encoding of IndoorGML 2.0 implements the conceptual classes of IndoorGML 2.0 Part 1 as GML-compliant XML elements and types. The conceptual model remains normative for semantics, while this document defines the XML schema representation.

6.1. Design Principle

The XML encoding is based on the following encoding principles.

6.1.1. Conceptual model preservation

The XML encoding of the IndoorGML core module preserves the IndoorGML 2.0 core conceptual model structure, as shown in Figure 1.




Figure 1 — IndoorGML 2.0 core module structure

Each feature class is mapped to an XML element inheriting from or substituting GML feature elements (e.g. gml:AbstractFeature). For example, the <CellSpace> element substitutes gml:AbstractFeature and extends gml:AbstractFeatureType to represent cell spaces.

The XML encoding of the IndoorGML navigation module preserves the IndoorGML 2.0 navigation conceptual model structure, as shown in Figure 2.




Figure 2 — IndoorGML 2.0 navigation module structure

Navigation feature classes extend core elements using GML inheritance patterns, implementing substitutions where appropriate. For example, <NavigableSpace> substitutes <CellSpace> and extends its complex type definition.

6.1.2. XML Schema design workflow

The XML encoding schema is derived from the IndoorGML 2.0 UML model and is designed on the basis of OGC GML 3.2.1. XML schema (.xsd) documents are generated from the UML model, establishing elements and complex types for the Core and Navigation modules. Typical patterns include converting associations into GML property types using xlink:href references (for example, the duality link from CellSpace to Node), mapping attributes to native XML schema elements (such as creationDate of type xs:date), and representing UML code lists as XML simple types restricting xs:string with enumeration constraints.



7

INDOORXML CORE

REQUIREMENTS CLASS 1

IDENTIFIER	http://www.opengis.net/spec/indoorgml-2/2.0/xml/req/core
TARGET TYPE	Implementation Specification
PREREQUISITES	http://www.opengis.net/spec/indoorgml/2.0/req http://www.opengis.net/spec/gml/3.2.1/req
NORMATIVE STATEMENTS	Requirement 1: /req/core/global Requirement 2: /req/core/cellspace Requirement 3: /req/core/cellboundary Requirement 4: /req/core/primalspacelayer Requirement 5: /req/core/node Requirement 6: /req/core/edge Requirement 7: /req/core/dualspacelayer Requirement 8: /req/core/interlayerconnection Requirement 9: /req/core/thematiclayer

7.1. General requirements for encoding standard

REQUIREMENT 1: REQUIREMENT FOR GLOBAL XML SCHEMA VALIDATION

IDENTIFIER	/req/core/global
INCLUDED IN	Requirements class 1: http://www.opengis.net/spec/indoorgml-2/2.0/xml/req/core
A	An instance XML document representing an IndoorGML 2.0 dataset SHALL be well-formed XML and validate against the schemas defined in this standard.

7.2. CellSpace

REQUIREMENT 2: REQUIREMENT FOR CELLSPACE XML ELEMENT

IDENTIFIER	/req/core/cellspace
INCLUDED IN	Requirements class 1: http://www.opengis.net/spec/indoorgml-2/2.0/xml/req/core
A	An instance CellSpace XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Core XML Schema (IndoorGML_core.xsd).

```

<element name="CellSpace" substitutionGroup="gml:AbstractFeature" type="core:CellSpaceType"/>
<complexType name="CellSpaceType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="cellSpaceGeom" type="core:CellSpaceGeometryPropertyType"/>
        <element minOccurs="0" name="externalReference" type="core:ExternalReferencePropertyType"/>
        <element minOccurs="0" name="level" type="string"/>
        <element name="PoI" type="boolean"/>
        <element minOccurs="0" name="cellSpaceName" type="string"/>
        <element minOccurs="0" name="duality" type="core:NodePropertyType"/>
        <element maxOccurs="unbounded" minOccurs="0" name="boundedBy" type="core:
CellBoundaryPropertyType"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<complexType name="CellSpacePropertyType">
  <sequence minOccurs="0">
    <element ref="core:CellSpace"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="CellSpaceGeometry" substitutionGroup="gml:AbstractObject" type="core:
CellSpaceGeometryType"/>
<complexType name="CellSpaceGeometryType">
  <sequence>
    <element minOccurs="0" name="Geometry3D" type="gml:SolidPropertyType"/>
    <element minOccurs="0" name="Geometry2D" type="gml:SurfacePropertyType"/>
  </sequence>
</complexType>
<complexType name="CellSpaceGeometryPropertyType">
  <sequence>
    <element ref="core:CellSpaceGeometry"/>
  </sequence>
</complexType>
<core:CellSpace gml:id="CS_1">
  <!-- mandatory property -->
  <core:PoI>>false</core:PoI>

  <!-- optional properties -->
  <core:cellSpaceGeom>
    <core:Geometry3D>
      <gml:Solid gml:id="CSG_CS_1">
        ...
      </gml:Solid>
    </core:Geometry3D>
  </core:cellSpaceGeom>
  <core:duality xlink:href="#ND_1"/>

```

```

    <core:level>3rd Floor</core:level>
    <core:cellSpaceName>Locker Room Lv3</core:cellSpaceName>
  </core:CellSpace>

```

7.3. CellBoundary

REQUIREMENT 3: REQUIREMENT FOR CELLBOUNDARY XML ELEMENT

IDENTIFIER	/req/core/cellboundary
INCLUDED IN	Requirements class 1: http://www.opengis.net/spec/indoorgml-2/2.0/xml/req/core
A	An instance CellBoundary XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Core XML Schema (IndoorGML_core.xsd).

```

<element name="CellBoundary" substitutionGroup="gml:AbstractFeature" type="core:
CellBoundaryType"/>
<complexType name="CellBoundaryType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="cellBoundaryGeom" type="core:CellBoundaryGeometryPropertyT
ype"/>
        <element minOccurs="0" name="externalReference" type="core:ExternalReferencePropertyType"/>
        <element name="isVirtual" type="boolean"/>
        <element minOccurs="0" name="duality" type="core:EdgePropertyType"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<complexType name="CellBoundaryPropertyType">
  <sequence minOccurs="0">
    <element ref="core:CellBoundary"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="CellBoundaryGeometry" substitutionGroup="gml:AbstractObject" type="core:
CellBoundaryGeometryType"/>
<complexType name="CellBoundaryGeometryType">
  <sequence>
    <element minOccurs="0" name="Geometry2D" type="gml:SurfacePropertyType"/>
    <element minOccurs="0" name="Geometry1D" type="gml:CurvePropertyType"/>
  </sequence>
</complexType>
<complexType name="CellBoundaryGeometryPropertyType">
  <sequence>
    <element ref="core:CellBoundaryGeometry"/>
  </sequence>
</complexType>
<core:CellBoundary gml:id="CB_1">

```

```

<!-- mandatory property -->
<core:isVirtual>false</core:isVirtual>

<!-- optional properties -->
<core:cellBoundaryGeom>
  <core:Geometry2D>
    <gml:Surface gml:id="CBG_CB_1">
      ...
    </gml:Surface>
  </core:Geometry2D>
</core:cellBoundaryGeom>
<core:duality xlink:href="#EDG_1"/>
</core:CellBoundary>

```

7.4. PrimalSpaceLayer

REQUIREMENT 4: REQUIREMENT FOR PRIMALSPACE LAYER XML ELEMENT

IDENTIFIER	/req/core/primalspacelayer
INCLUDED IN	Requirements class 1: http://www.opengis.net/spec/indoorgml-2/2.0/xml/req/core
A	An instance PrimalSpaceLayer XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Core XML Schema (IndoorGML_core.xsd).

```

<element name="PrimalSpaceLayer" substitutionGroup="gml:AbstractFeature" type="core:
PrimalSpaceLayerType"/>
<complexType name="PrimalSpaceLayerType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="creationDate" type="dateTime"/>
        <element minOccurs="0" name="terminationDate" type="dateTime"/>
        <element maxOccurs="unbounded" name="cellSpaceMember">
          <complexType>
            <complexContent>
              <extension base="gml:AbstractFeatureMemberType">
                <sequence minOccurs="0">
                  <element ref="core:CellSpace"/>
                </sequence>
                <attributeGroup ref="gml:AssociationAttributeGroup"/>
              </extension>
            </complexContent>
          </complexType>
        </element>
        <element maxOccurs="unbounded" minOccurs="0" name="cellBoundaryMember">
          <complexType>
            <complexContent>
              <extension base="gml:AbstractFeatureMemberType">
                <sequence minOccurs="0">
                  <element ref="core:CellBoundary"/>
                </sequence>
              </extension>
            </complexContent>
          </complexType>
        </element>
      </sequence>
    </extension>
  </complexContent>
</complexType>

```

```

        <attributeGroup ref="gml:AssociationAttributeGroup"/>
      </extension>
    </complexContent>
  </complexType>
</element>
</sequence>
</extension>
</complexContent>
</complexType>
<core:PrimalSpaceLayer gml:id="PSL_1">
  <!-- mandatory properties (at least one CellSpace) -->
  <core:cellSpaceMember>
    <core:CellSpace gml:id="CS_1">...</core:CellSpace>
  </core:cellSpaceMember>
  <!-- optional properties -->
  <core:cellBoundaryMember>
    <core:CellBoundary gml:id="CB_1">...</core:CellBoundary>
  </core:cellBoundaryMember>
  <core:creationDate>2025-08-06T18:39:00Z</core:creationDate>
</core:PrimalSpaceLayer>

```

7.5. Node

REQUIREMENT 5: REQUIREMENT FOR NODE XML ELEMENT

IDENTIFIER	/req/core/node
INCLUDED IN	Requirements class 1: http://www.opengis.net/spec/indoorgml-2/2.0/xml/req/core
A	An instance Node XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Core XML Schema (IndoorGML_core.xsd).

```

<element name="Node" substitutionGroup="gml:AbstractFeature" type="core:NodeType"/>
<complexType name="NodeType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="geometry" type="gml:PointPropertyType"/>
        <element name="duality" type="core:CellSpacePropertyType"/>
        <element maxOccurs="unbounded" minOccurs="0" name="connects" type="core:
EdgePropertyType"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<core:Node gml:id="ND_1">
  <!-- mandatory property -->
  <core:duality xlink:href="#CS_1"/>
  <!-- optional properties -->
  <core:geometry>
    <gml:Point gml:id="G_ND_1">

```

```

    <gml:pos>445536.499779417 5444906.24858758 -2.02</gml:pos>
  </gml:Point>
</core:geometry>
<core:connects xlink:href="#EDG_1"/>
</core:Node>

```

7.6. Edge

REQUIREMENT 6: REQUIREMENT FOR EDGE XML ELEMENT

IDENTIFIER	/req/core/edge
INCLUDED IN	Requirements class 1: http://www.opengis.net/spec/indoorgml-2/2.0/xml/req/core
A	An instance Edge XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Core XML Schema (IndoorGML_core.xsd).

```

<element name="Edge" substitutionGroup="gml:AbstractFeature" type="core:EdgeType"/>
<complexType name="EdgeType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="geometry" type="gml:CurvePropertyType"/>
        <element name="weight" type="double"/>
        <element minOccurs="0" name="duality" type="core:CellBoundaryPropertyType"/>
        <element maxOccurs="2" minOccurs="2" name="connects" type="core:NodePropertyType"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

<core:Edge gml:id="EDG_1">
  <!-- mandatory properties -->
  <core:connects xlink:href="#ND_1"/>
  <core:connects xlink:href="#ND_2"/>
  <!-- optional properties -->
  <core:geometry>
    <gml:LineString gml:id="G_EDG_1">
      <gml:pos>445536.499779417 5444906.24858758 -2.02</gml:pos>
      <gml:pos>445537.914644321 5444904.59001251 -2.02</gml:pos>
    </gml:LineString>
  </core:geometry>
  <core:duality xlink:href="#CB_1"/>
</core:Edge>

```

7.7. DualSpaceLayer

REQUIREMENT 7: REQUIREMENT FOR DUALSPACE LAYER XML ELEMENT

IDENTIFIER	/req/core/dualspacelayer
INCLUDED IN	Requirements class 1: http://www.opengis.net/spec/indoorgml-2/2.0/xml/req/core
A	An instance DualSpaceLayer XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Core XML Schema (IndoorGML_core.xsd).

```
<element name="DualSpaceLayer" substitutionGroup="gml:AbstractFeature" type="core:
DualSpaceLayerType"/>
<complexType name="DualSpaceLayerType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element name="isLogical" type="boolean"/>
        <element minOccurs="0" name="creationDate" type="dateTime"/>
        <element minOccurs="0" name="terminationDate" type="dateTime"/>
        <element name="isDirected" type="boolean"/>
        <element maxOccurs="unbounded" minOccurs="0" name="edgeMember">
          <complexType>
            <complexContent>
              <extension base="gml:AbstractFeatureMemberType">
                <sequence minOccurs="0">
                  <element ref="core:Edge"/>
                </sequence>
                <attributeGroup ref="gml:AssociationAttributeGroup"/>
              </extension>
            </complexContent>
          </complexType>
        </element>
        <element maxOccurs="unbounded" name="nodeMember">
          <complexType>
            <complexContent>
              <extension base="gml:AbstractFeatureMemberType">
                <sequence minOccurs="0">
                  <element ref="core:Node"/>
                </sequence>
                <attributeGroup ref="gml:AssociationAttributeGroup"/>
              </extension>
            </complexContent>
          </complexType>
        </element>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<core:DualSpaceLayer gml:id="DSL_1">
  <!-- mandatory properties -->
  <core:isLogical>true</core:isLogical>
  <core:isDirected>false</core:isDirected>
  <core:nodeMember>
```

```

    <core:Node gml:id="ND_1">...</core:Node>
  </core:nodeMember>
  <!-- optional properties -->
  <core:edgeMember>
    <core:Edge gml:id="EDG_1">...</core:Edge>
  </core:edgeMember>
  <core:creationDate>2025-08-06T18:39:00Z</core:creationDate>
</core:DualSpaceLayer>

```

7.8. InterLayerConnection

REQUIREMENT 8: REQUIREMENT FOR INTERLAYERCONNECTION XML ELEMENT

IDENTIFIER	/req/core/interlayerconnection
INCLUDED IN	Requirements class 1: http://www.opengis.net/spec/indoorgml-2/2.0/xml/req/core
A	An instance InterLayerConnection XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Core XML Schema (IndoorGML_core.xsd).

```

<element name="InterLayerConnection" substitutionGroup="gml:AbstractFeature" type="core:
InterLayerConnectionType"/>
<complexType name="InterLayerConnectionType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element name="typeOfTopoExpression" type="core:TopoExpressionValueType"/>
        <element minOccurs="0" name="comment" type="string"/>
        <element maxOccurs="2" minOccurs="2" name="connectedLayers" type="core:
ThematicLayerPropertyType"/>
        <element maxOccurs="2" minOccurs="0" name="connectedCells" type="core:
CellSpacePropertyType"/>
        <element maxOccurs="2" minOccurs="0" name="connectedNodes" type="core:
NodePropertyType"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

<core:InterLayerConnection gml:id="ILC_1">
  <!-- mandatory properties -->
  <core:typeOfTopoExpression>Contains</core:typeOfTopoExpression>
  <core:connectedLayers>
    <core:ThematicLayer gml:id="TL_1">...</core:ThematicLayer>
    <core:ThematicLayer gml:id="TL_2">...</core:ThematicLayer>
  </core:connectedLayers>
  <!-- optional properties -->
  <core:comment>TL_1 describes the room spaces and contains TL_2</core:comment>
  <core:connectedCells xlink:href="#PS1_CS_1"/>
  <core:connectedCells xlink:href="#PS2_CS_1"/>
</core:InterLayerConnection>

```

7.9. ThematicLayer

REQUIREMENT 9: REQUIREMENT FOR THEMATICLAYER XML ELEMENT

IDENTIFIER	/req/core/thematiclayer
INCLUDED IN	Requirements class 1: http://www.opengis.net/spec/indoorgml-2/2.0/xml/req/core
A	An instance ThematicLayer XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Core XML Schema (IndoorGML_core.xsd).

```

<element name="ThematicLayer" substitutionGroup="gml:AbstractFeature" type="core:
ThematicLayerType"/>
<complexType name="ThematicLayerType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element name="semanticExtension" type="boolean"/>
        <element name="theme" type="core:ThemeLayerValueType"/>
        <element minOccurs="0" name="primalSpace">
          <complexType>
            <complexContent>
              <extension base="gml:AbstractFeatureMemberType">
                <sequence minOccurs="0">
                  <element ref="core:PrimalSpaceLayer"/>
                </sequence>
                <attributeGroup ref="gml:AssociationAttributeGroup"/>
              </extension>
            </complexContent>
          </complexType>
        </element>
        <element minOccurs="0" name="dualSpace">
          <complexType>
            <complexContent>
              <extension base="gml:AbstractFeatureMemberType">
                <sequence minOccurs="0">
                  <element ref="core:DualSpaceLayer"/>
                </sequence>
                <attributeGroup ref="gml:AssociationAttributeGroup"/>
              </extension>
            </complexContent>
          </complexType>
        </element>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<core:ThematicLayer gml:id="TL_1">
  <!-- mandatory properties -->
  <core:semanticExtension>true</core:semanticExtension>
  <core:theme>Physical</core:theme>
  <!-- optional properties -->
  <core:primalSpace xlink:href="#PSL_1"/>

```



```
<core:dualSpace xlink:href="#DSL_1"/>
</core:ThematicLayer>
```



8

INDOORXML NAVIGATION

REQUIREMENTS CLASS 2

IDENTIFIER	http://www.opengis.net/spec/indoorgml-2/2.0/xml/req/navi
TARGET TYPE	Implementation Specification
PREREQUISITES	http://www.opengis.net/spec/indoorgml/2.0/req Requirements class 1: http://www.opengis.net/spec/indoorgml-2/2.0/xml/req/core
NORMATIVE STATEMENTS	Requirement 10: /req/navi/global Requirement 11: /req/navi/navigablespace Requirement 12: /req/navi/generalspace Requirement 13: /req/navi/transferspace Requirement 14: /req/navi/navigableboundary Requirement 15: /req/navi/nonnavigablespace Requirement 16: /req/navi/objectspace Requirement 17: /req/navi/nonnavigableboundary Requirement 18: /req/navi/route

8.1. General requirements for encoding standards

REQUIREMENT 10: REQUIREMENT FOR NAVIGATION MODULE XML SCHEMA VALIDATION

IDENTIFIER	/req/navi/global
INCLUDED IN	Requirements class 2: http://www.opengis.net/spec/indoorgml-2/2.0/xml/req/navi
A	An instance XML document representing an IndoorGML 2.0 Navigation module dataset SHALL conform to the schemas defined in this standard.

8.2. NavigableSpace

REQUIREMENT 11: REQUIREMENT FOR NAVIGABLESPACE XML ELEMENT

IDENTIFIER	/req/navi/navigablespace
INCLUDED IN	Requirements class 2: http://www.opengis.net/spec/indoorgml-2/2.0/xml/req/navi
A	An instance NavigableSpace XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Navigation XML Schema (IndoorGML_navi.xsd).

```
<element name="NavigableSpace" substitutionGroup="core:CellSpace" type="navi:
NavigableSpaceType"/>
<complexType name="NavigableSpaceType">
  <complexContent>
    <extension base="core:CellSpaceType">
      <sequence>
        <element name="locomotionType" type="navi:LocomotionAccessType"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<navi:NavigableSpace gml:id="NS_1">
  <!-- mandatory property -->
  <navi:locomotionType>Walking</navi:locomotionType>
</navi:NavigableSpace>
```

8.3. GeneralSpace

REQUIREMENT 12: REQUIREMENT FOR GENERALSPEACE XML ELEMENT

IDENTIFIER	/req/navi/generalspace
INCLUDED IN	Requirements class 2: http://www.opengis.net/spec/indoorgml-2/2.0/xml/req/navi
A	An instance GeneralSpace XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Navigation XML Schema (IndoorGML_navi.xsd).

```
<element name="GeneralSpace" substitutionGroup="navi:NavigableSpace" type="navi:
GeneralSpaceType"/>
<complexType name="GeneralSpaceType">
  <complexContent>
    <extension base="navi:NavigableSpaceType">
      <sequence>
        <element name="function" type="navi:GeneralSpaceFunctionType"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
```

```

<navi:GeneralSpace gml:id="GS_1">
  <!-- mandatory property -->
  <navi:function>Storage</navi:function>
</navi:GeneralSpace>

```

8.4. TransferSpace

REQUIREMENT 13: REQUIREMENT FOR TRANSFERSPACE XML ELEMENT

IDENTIFIER	/req/navi/transferspace
INCLUDED IN	Requirements class 2: http://www.opengis.net/spec/indoorgml-2/2.0/xml/req/navi
A	An instance TransferSpace XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Navigation XML Schema (IndoorGML_navi.xsd).

```

<element name="TransferSpace" substitutionGroup="navi:NavigableSpace" type="navi:
TransferSpaceType"/>
<complexType name="TransferSpaceType">
  <complexContent>
    <extension base="navi:NavigableSpaceType">
      <sequence>
        <element name="function" type="navi:TransferSpaceFunctionType"/>
        <element name="type" type="navi:TransferSpaceType"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

<navi:TransferSpace gml:id="TS_1">
  <!-- mandatory properties -->
  <navi:category>Door</navi:category>
  <navi:function>ConnectionSpace</navi:function>
</navi:TransferSpace>

```

8.5. NavigableBoundary

REQUIREMENT 14: REQUIREMENT FOR NAVIGABLEBOUNDARY XML ELEMENT

IDENTIFIER	/req/navi/navigableboundary
INCLUDED IN	Requirements class 2: http://www.opengis.net/spec/indoorgml-2/2.0/xml/req/navi

REQUIREMENT 14: REQUIREMENT FOR NAVIGABLEBOUNDARY XML ELEMENT

A

An instance NavigableBoundary XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Navigation XML Schema (IndoorGML_navi.xsd).

```
<element name="NavigableBoundary" substitutionGroup="core:CellBoundary" type="navi:
NavigableBoundaryType"/>
<complexType name="NavigableBoundaryType">
  <complexContent>
    <extension base="core:CellBoundaryType">
      <sequence>
        <element name="NavigableBoundaryFunction" type="navi:NavigableBoundaryFunctionType"/>
        <element minOccurs="0" name="boundaryOrientation" type="boolean"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

<navi:NavigableBoundary gml:id="NB_1">
  <!-- mandatory property -->
  <navi:NavigableBoundaryFunction>AnchorBoundary</navi:NavigableBoundaryFunction>
  <!-- Optional property -->
  <navi:boundaryOrientation>false</navi:boundaryOrientation>
</navi:NavigableBoundary>
```

8.6. NonNavigableSpace

REQUIREMENT 15: REQUIREMENT FOR NONNAVIGABLESPACE XML ELEMENT

IDENTIFIER

/req/navi/nonnavigablespace

INCLUDED IN

Requirements class 2: <http://www.opengis.net/spec/indoorgml-2/2.0/xml/req/navi>

A

An instance NonNavigableSpace XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Navigation XML Schema (IndoorGML_navi.xsd).

```
<element name="NonNavigableSpace" substitutionGroup="core:CellSpace" type="navi:
NonNavigableSpaceType"/>
<complexType name="NonNavigableSpaceType">
  <complexContent>
    <extension base="core:CellSpaceType">
      <sequence/>
    </extension>
  </complexContent>
</complexType>

<navi:NonNavigableSpace gml:id="NNS_1">
  <!-- no property -->
```

</navi:NonNavigableSpace>

8.7. ObjectSpace

REQUIREMENT 16: REQUIREMENT FOR OBJECTSPACE XML ELEMENT

IDENTIFIER	/req/navi/objectspace
INCLUDED IN	Requirements class 2: http://www.opengis.net/spec/indoorgml-2/2.0/xml/req/navi
A	An instance ObjectSpace XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Navigation XML Schema (IndoorGML_navi.xsd).

```
<element name="ObjectSpace" substitutionGroup="navi:NonNavigableSpace" type="navi:
ObjectSpaceType"/>
<complexType name="ObjectSpaceType">
  <complexContent>
    <extension base="navi:NonNavigableSpaceType">
      <sequence>
        <element minOccurs="0" name="description" type="string"/>
        <element minOccurs="0" name="containedFeatures" type="integer"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<navi:ObjectSpace gml:id="OS_1">
  <!-- Optional properties -->
  <navi:containedFeatures>3</navi:containedFeatures>
  <navi:description>Living room furniture</navi:description>
</navi:ObjectSpace>
```

8.8. NonNavigableBoundary

REQUIREMENT 17: REQUIREMENT FOR NONNAVIGABLEBOUNDARY XML ELEMENT

IDENTIFIER	/req/navi/nonnavigableboundary
INCLUDED IN	Requirements class 2: http://www.opengis.net/spec/indoorgml-2/2.0/xml/req/navi

REQUIREMENT 17: REQUIREMENT FOR NONNAVIGABLEBOUNDARY XML ELEMENT

A

An instance NonNavigableBoundary XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Navigation XML Schema (IndoorGML_navi.xsd).

```
<element name="NonNavigableBoundary" substitutionGroup="core:CellBoundary" type="navi:NonNavigableBoundaryType"/>
<complexType name="NonNavigableBoundaryType">
  <complexContent>
    <extension base="core:CellBoundaryType">
      <sequence/>
    </extension>
  </complexContent>
</complexType>

<navi:NonNavigableBoundary gml:id="NNB_1">
  <!-- no property -->
</navi:NonNavigableBoundary>
```

8.9. Route

REQUIREMENT 18: REQUIREMENT FOR ROUTE XML ELEMENT

IDENTIFIER

/req/navi/route

INCLUDED IN

Requirements class 2: <http://www.opengis.net/spec/indoorgml-2/2.0/xml/req/navi>

A

An instance Route XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Navigation XML Schema (IndoorGML_navi.xsd).

```
<element name="Route" substitutionGroup="gml:AbstractFeature" type="navi:RouteType"/>
<complexType name="RouteType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="creationDate" type="dateTime"/>
        <element maxOccurs="unbounded" minOccurs="2" name="routeNode" type="core:NodePropertyType"/>
        <element maxOccurs="unbounded" name="routeEdge" type="core:EdgePropertyType"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

<navi:Route gml:id="RT_1">
  <!-- mandatory properties (at least 2 nodes and 1 edge) -->
  <navi:routeNode xlink:href="#ND_1"/>
  <navi:routeNode xlink:href="#ND_2"/>
  <navi:routeEdge xlink:href="#EDG_1"/>
  <!-- Optional property -->
```



```
<navi:creationDate>2025-10-20T16:44:00Z</navi:creationDate>  
</navi:Route>
```



A

ANNEX A (NORMATIVE) ABSTRACT TEST SUITES FOR INDOORGML INSTANCE DOCUMENTS



ANNEX A


(NORMATIVE)

ABSTRACT TEST SUITES FOR INDOORGML INSTANCE DOCUMENTS

A.1. Test Cases for mandatory conformance requirements

A.1.1. Valid IndoorGML instance document

- **Test purpose:** Verify the validity of the IndoorGML instance document against the XML Schema definition of each IndoorGML module that is part of the IndoorGML profile employed by the instance document. This may be any combination of IndoorGML extension modules in conjunction with the IndoorGML core module.
- **Test method:** Validate the IndoorGML XML instance document against the XML Schema definitions of all employed IndoorGML modules. The process may be using an appropriate software tool for validation or be a manual process that checks all relevant definitions from the respective XML Schema specification of the employed IndoorGML modules.
- **Reference:** Annex B
- **Test type:** Basic Test



B

ANNEX B (NORMATIVE) XML SCHEMA FOR INDOORGML 2

ANNEX B

(NORMATIVE)

XML SCHEMA FOR INDOORGML 2

In addition to this document, this standard includes some normative XML Schema Documents. These XML Schema Documents are included in this document. These XML Schema Documents are also posted online at the URL <http://schemas.opengis.net/indoorgml/2.0>. In the event of a discrepancy between this document and online versions of the XML Schema Document files (posted at schemas.opengis.net), the online schema files SHALL be considered authoritative.

B.1. IndoorGML Core Module

```
<?xml version="1.0" encoding="UTF-8"?><schema xmlns="http://www.w3.org/2001/XMLSchema" xmlns:
IndoorGML="http://www.opengis.net/indoorgml/2.0/navi" xmlns:gmd="http://www.isotc211.org/2005/
gmd" xmlns:gml="http://www.opengis.net/gml/3.2" elementFormDefault="qualified" targetNamespace=
"http://www.opengis.net/indoorgml/2.0/core" version="2.0">
  <annotation>
    <appinfo>
      <gmlProfileSchema xmlns="http://www.opengis.net/gml/3.2">IndoorGML</gmlProfileSchema>
    </appinfo>
  </annotation>
  <import namespace="http://www.isotc211.org/2005/gmd" schemaLocation="http://schemas.opengis.
net/iso/19139/20070417/gmd/gmd.xsd"/>
  <import namespace="http://www.opengis.net/gml/3.2" schemaLocation="http://schemas.opengis.net/
gml/3.2.1/gml.xsd"/>
  <import namespace="http://www.opengis.net/indoorgml/2.0/navi"/>
  <!--XML Schema document created by ShapeChange - http://shapechange.net/-->
  <element name="AbstractFeature" substitutionGroup="gml:AbstractFeature" type="IndoorGML:
AbstractFeatureType"/>
  <complexType name="AbstractFeatureType">
    <complexContent>
      <extension base="gml:AbstractFeatureType">
        <sequence/>
      </extension>
    </complexContent>
  </complexType>
  <complexType name="AbstractFeaturePropertyType">
    <sequence minOccurs="0">
      <element ref="IndoorGML:AbstractFeature"/>
    </sequence>
    <attributeGroup ref="gml:AssociationAttributeGroup"/>
    <attributeGroup ref="gml:OwnershipAttributeGroup"/>
  </complexType>
  <element name="CellBoundary" substitutionGroup="gml:AbstractFeature" type="IndoorGML:
CellBoundaryType"/>
  <complexType name="CellBoundaryType">
    <complexContent>
      <extension base="gml:AbstractFeatureType">
```

```

    <sequence>
      <element minOccurs="0" name="cellBoundaryGeom" type="IndoorGML:CellBoundaryGeometryPr
opertyType"/>
      <element minOccurs="0" name="externalReference" type="IndoorGML:
ExternalReferencePropertyType"/>
      <element name="isVirtual" type="boolean"/>
      <element minOccurs="0" name="duality" type="IndoorGML:EdgePropertyType">
        <annotation>
          <documentation>Corresponding cell boundary in the primal space</documentation>
          <appinfo>
            <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:duality</
reversePropertyName>
          </appinfo>
        </annotation>
      </element>
    </sequence>
  </extension>
</complexContent>
</complexType>
<complexType name="CellBoundaryPropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:CellBoundary"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="CellBoundaryGeometry" substitutionGroup="gml:AbstractObject" type="IndoorGML:
CellBoundaryGeometryType"/>
<complexType name="CellBoundaryGeometryType">
  <sequence>
    <element minOccurs="0" name="Geometry2D" type="gml:SurfacePropertyType"/>
    <element minOccurs="0" name="Geometry1D" type="gml:CurvePropertyType"/>
  </sequence>
</complexType>
<complexType name="CellBoundaryGeometryPropertyType">
  <sequence>
    <element ref="IndoorGML:CellBoundaryGeometry"/>
  </sequence>
</complexType>
<element name="CellSpace" substitutionGroup="gml:AbstractFeature" type="IndoorGML:
CellSpaceType"/>
<complexType name="CellSpaceType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="cellSpaceGeom" type="IndoorGML:
CellSpaceGeometryPropertyType"/>
        <element minOccurs="0" name="externalReference" type="IndoorGML:
ExternalReferencePropertyType"/>
        <element minOccurs="0" name="level" type="string"/>
        <element name="PoI" type="boolean"/>
        <element minOccurs="0" name="cellSpaceName" type="string"/>
        <element minOccurs="0" name="duality" type="IndoorGML:NodePropertyType">
          <annotation>
            <documentation>Corresponding cell space in the primal space</documentation>
            <appinfo>
              <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:duality</
reversePropertyName>
            </appinfo>
          </annotation>
        </element>
        <element maxOccurs="unbounded" minOccurs="0" name="boundedBy" type="IndoorGML:
CellBoundaryPropertyType">

```

```

        <annotation>
        <documentation>Cell boundaries that are bounding a cell space</documentation>
        </annotation>
    </element>
</sequence>
</extension>
</complexContent>
</complexType>
<complexType name="CellSpacePropertyType">
    <sequence minOccurs="0">
        <element ref="IndoorGML:CellSpace"/>
    </sequence>
    <attributeGroup ref="gml:AssociationAttributeGroup"/>
    <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="CellSpaceGeometry" substitutionGroup="gml:AbstractObject" type="IndoorGML:
CellSpaceGeometryType"/>
<complexType name="CellSpaceGeometryType">
    <sequence>
        <element minOccurs="0" name="Geometry3D" type="gml:SolidPropertyType"/>
        <element minOccurs="0" name="Geometry2D" type="gml:SurfacePropertyType"/>
    </sequence>
</complexType>
<complexType name="CellSpaceGeometryPropertyType">
    <sequence>
        <element ref="IndoorGML:CellSpaceGeometry"/>
    </sequence>
</complexType>
<element name="DualSpaceLayer" substitutionGroup="gml:AbstractFeature" type="IndoorGML:
DualSpaceLayerType"/>
<complexType name="DualSpaceLayerType">
    <complexContent>
        <extension base="gml:AbstractFeatureType">
            <sequence>
                <element name="isLogical" type="boolean"/>
                <element minOccurs="0" name="creationDate" type="dateTime"/>
                <element minOccurs="0" name="terminationDate" type="dateTime"/>
                <element name="isDirected" type="boolean"/>
                <element maxOccurs="unbounded" minOccurs="0" name="edgeMember">
                    <annotation>
                    <documentation>Edges of a dual space</documentation>
                    </annotation>
                </element>
                <complexType>
                    <complexContent>
                        <extension base="gml:AbstractFeatureMemberType">
                            <sequence minOccurs="0">
                                <element ref="IndoorGML:Edge"/>
                            </sequence>
                            <attributeGroup ref="gml:AssociationAttributeGroup"/>
                        </extension>
                    </complexContent>
                </complexType>
            </sequence>
            <element maxOccurs="unbounded" name="nodeMember">
                <annotation>
                <documentation>Nodes of a dual space</documentation>
                </annotation>
            </element>
            <complexType>
                <complexContent>
                    <extension base="gml:AbstractFeatureMemberType">
                        <sequence minOccurs="0">
                            <element ref="IndoorGML:Node"/>
                        </sequence>
                    </extension>
                </complexContent>
            </complexType>
        </extension>
    </complexContent>
</complexType>

```

```

        <attributeGroup ref="gml:AssociationAttributeGroup"/>
      </extension>
    </complexContent>
  </complexType>
</element>
</sequence>
</extension>
</complexContent>
</complexType>
<complexType name="DualSpaceLayerPropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:DualSpaceLayer"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="Edge" substitutionGroup="gml:AbstractFeature" type="IndoorGML:EdgeType"/>
<complexType name="EdgeType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="geometry" type="gml:CurvePropertyType"/>
        <element name="weight" type="double"/>
        <element minOccurs="0" name="duality" type="IndoorGML:CellBoundaryPropertyType">
          <annotation>
            <documentation>Corresponding edge in the dual space</documentation>
            <appinfo>
              <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:duality</reversePropertyName>
            </appinfo>
          </annotation>
        </element>
        <element maxOccurs="2" minOccurs="2" name="connects" type="IndoorGML:NodePropertyType">
          <annotation>
            <documentation>The two nodes connected by an edge</documentation>
            <appinfo>
              <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:connects</reversePropertyName>
            </appinfo>
          </annotation>
        </element>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<complexType name="EdgePropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:Edge"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="ExternalObjectReference" substitutionGroup="gml:AbstractObject" type="IndoorGML:ExternalObjectReferenceType"/>
<complexType name="ExternalObjectReferenceType">
  <sequence>
    <element name="name" type="string"/>
    <element name="uri" type="anyURI"/>
  </sequence>
</complexType>
<complexType name="ExternalObjectReferencePropertyType">
  <sequence>

```



```

    <element ref="IndoorGML:ExternalObjectReference"/>
  </sequence>
</complexType>
<element name="ExternalReference" substitutionGroup="gml:AbstractObject" type="IndoorGML:
ExternalReferenceType"/>
<complexType name="ExternalReferenceType">
  <sequence>
    <element name="externalObject" type="IndoorGML:ExternalObjectReferencePropertyType"/>
    <element name="informationSystem" type="gmd:URL_PropertyType"/>
  </sequence>
</complexType>
<complexType name="ExternalReferencePropertyType">
  <sequence>
    <element ref="IndoorGML:ExternalReference"/>
  </sequence>
</complexType>
<element name="IndoorFeatures" substitutionGroup="gml:AbstractFeature" type="IndoorGML:
IndoorFeaturesType"/>
<complexType name="IndoorFeaturesType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element maxOccurs="unbounded" name="layers">
          <complexType>
            <complexContent>
              <extension base="gml:AbstractFeatureMemberType">
                <sequence minOccurs="0">
                  <element ref="IndoorGML:ThematicLayer"/>
                </sequence>
                <attributeGroup ref="gml:AssociationAttributeGroup"/>
              </extension>
            </complexContent>
          </complexType>
        </element>
        <element maxOccurs="unbounded" minOccurs="0" name="layerConnections">
          <complexType>
            <complexContent>
              <extension base="gml:AbstractFeatureMemberType">
                <sequence minOccurs="0">
                  <element ref="IndoorGML:InterLayerConnection"/>
                </sequence>
                <attributeGroup ref="gml:AssociationAttributeGroup"/>
              </extension>
            </complexContent>
          </complexType>
        </element>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<complexType name="IndoorFeaturesPropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:IndoorFeatures"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="InterLayerConnection" substitutionGroup="gml:AbstractFeature" type="IndoorGML:
InterLayerConnectionType">
  <annotation>
    <documentation>Describes the connection between two thematic layers.</documentation>
  </annotation>
</element>

```

```

<complexType name="InterLayerConnectionType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element name="typeOfTopoExpression" type="IndoorGML:TopoExpressionValueType">
          <annotation>
            <documentation>Describes the topological relationship between two layers (e.g. overlaps,
contains, etc.).</documentation>
          </annotation>
        </element>
        <element minOccurs="0" name="comment" type="string"/>
        <element maxOccurs="2" minOccurs="2" name="connectedLayers" type="IndoorGML:
ThematicLayerPropertyType"/>
        <element maxOccurs="2" minOccurs="0" name="connectedCells" type="IndoorGML:
CellSpacePropertyType">
          <annotation>
            <documentation>Indicates the interconnected primal spaces</documentation>
          </annotation>
        </element>
        <element maxOccurs="2" minOccurs="0" name="connectedNodes" type="IndoorGML:
NodePropertyType">
          <annotation>
            <documentation>Indicates the interconnected dual spaces</documentation>
          </annotation>
        </element>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<complexType name="InterLayerConnectionPropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:InterLayerConnection"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="Node" substitutionGroup="gml:AbstractFeature" type="IndoorGML:NodeType"/>
<complexType name="NodeType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="geometry" type="gml:PointPropertyType"/>
        <element name="duality" type="IndoorGML:CellSpacePropertyType">
          <annotation>
            <documentation>Corresponding node in the dual space</documentation>
            <appinfo>
              <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:duality</
reversePropertyName>
            </appinfo>
          </annotation>
        </element>
        <element maxOccurs="unbounded" minOccurs="0" name="connects" type="IndoorGML:
EdgePropertyType">
          <annotation>
            <documentation>Edges connected to the node</documentation>
            <appinfo>
              <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:connects</
reversePropertyName>
            </appinfo>
          </annotation>
        </element>
      </sequence>
    </extension>
  </complexContent>
</complexType>

```

```

    </complexContent>
  </complexType>
  <complexType name="NodePropertyType">
    <sequence minOccurs="0">
      <element ref="IndoorGML:Node"/>
    </sequence>
    <attributeGroup ref="gml:AssociationAttributeGroup"/>
    <attributeGroup ref="gml:OwnershipAttributeGroup"/>
  </complexType>
  <element name="PrimalSpaceLayer" substitutionGroup="gml:AbstractFeature" type="IndoorGML:
PrimalSpaceLayerType"/>
  <complexType name="PrimalSpaceLayerType">
    <complexContent>
      <extension base="gml:AbstractFeatureType">
        <sequence>
          <element minOccurs="0" name="creationDate" type="dateTime"/>
          <element minOccurs="0" name="terminationDate" type="dateTime"/>
          <element maxOccurs="unbounded" name="cellSpaceMember">
            <annotation>
              <documentation>Cell spaces of a primal space</documentation>
            </annotation>
            <complexType>
              <complexContent>
                <extension base="gml:AbstractFeatureMemberType">
                  <sequence minOccurs="0">
                    <element ref="IndoorGML:CellSpace"/>
                  </sequence>
                  <attributeGroup ref="gml:AssociationAttributeGroup"/>
                </extension>
              </complexContent>
            </complexType>
          </element>
          <element maxOccurs="unbounded" minOccurs="0" name="cellBoundaryMember">
            <annotation>
              <documentation>Cell boundaries of a primal space</documentation>
            </annotation>
            <complexType>
              <complexContent>
                <extension base="gml:AbstractFeatureMemberType">
                  <sequence minOccurs="0">
                    <element ref="IndoorGML:CellBoundary"/>
                  </sequence>
                  <attributeGroup ref="gml:AssociationAttributeGroup"/>
                </extension>
              </complexContent>
            </complexType>
          </element>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
  <complexType name="PrimalSpaceLayerPropertyType">
    <sequence minOccurs="0">
      <element ref="IndoorGML:PrimalSpaceLayer"/>
    </sequence>
    <attributeGroup ref="gml:AssociationAttributeGroup"/>
    <attributeGroup ref="gml:OwnershipAttributeGroup"/>
  </complexType>
  <element name="ThematicLayer" substitutionGroup="gml:AbstractFeature" type="IndoorGML:
ThematicLayerType">
    <annotation>
      <documentation>A layer of specific theme aggregating a primal and/or a dual space of a given
environment.</documentation>
    </annotation>

```

```

    </annotation>
  </element>
  <complexType name="ThematicLayerType">
    <complexContent>
      <extension base="gml:AbstractFeatureType">
        <sequence>
          <element name="semanticExtension" type="boolean">
            <annotation>
              <documentation>Indicates whether semantic information is associated (true) or not (false) to
the primal space of the thematic layer.</documentation>
            </annotation>
          </element>
          <element name="theme" type="IndoorGML:ThemeLayerValueType">
            <annotation>
              <documentation>Determines the theme of the layer (e.g topographic, logical, etc.).</
documentation>
            </annotation>
          </element>
          <element minOccurs="0" name="primalSpace">
            <annotation>
              <documentation>Relates the primal spaces to the thematicLayer</documentation>
            </annotation>
            <complexType>
              <complexContent>
                <extension base="gml:AbstractFeatureMemberType">
                  <sequence minOccurs="0">
                    <element ref="IndoorGML:PrimalSpaceLayer"/>
                  </sequence>
                  <attributeGroup ref="gml:AssociationAttributeGroup"/>
                </extension>
              </complexContent>
            </complexType>
          </element>
          <element minOccurs="0" name="dualSpace">
            <annotation>
              <documentation>Relates the dual spaces to the thematicLayer.</documentation>
            </annotation>
            <complexType>
              <complexContent>
                <extension base="gml:AbstractFeatureMemberType">
                  <sequence minOccurs="0">
                    <element ref="IndoorGML:DualSpaceLayer"/>
                  </sequence>
                  <attributeGroup ref="gml:AssociationAttributeGroup"/>
                </extension>
              </complexContent>
            </complexType>
          </element>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
  <complexType name="ThematicLayerPropertyType">
    <sequence minOccurs="0">
      <element ref="IndoorGML:ThematicLayer"/>
    </sequence>
    <attributeGroup ref="gml:AssociationAttributeGroup"/>
    <attributeGroup ref="gml:OwnershipAttributeGroup"/>
  </complexType>
  <simpleType name="ThemeLayerValueType">
    <union memberTypes="IndoorGML:ThemeLayerValueEnumerationType IndoorGML:
ThemeLayerValueOtherType"/>
  </simpleType>

```

```

<simpleType name="ThemeLayerValueEnumerationType">
  <restriction base="string">
    <enumeration value="Tags"/>
    <enumeration value="Virtual"/>
    <enumeration value="Unknown"/>
    <enumeration value="Physical"/>
  </restriction>
</simpleType>
<simpleType name="ThemeLayerValueOtherType">
  <restriction base="string">
    <pattern value="other: \w{2,}"/>
  </restriction>
</simpleType>
<simpleType name="TopoExpressionValueType">
  <union memberTypes="IndoorGML:TopoExpressionValueEnumerationType IndoorGML:
TopoExpressionValueOtherType"/>
</simpleType>
<simpleType name="TopoExpressionValueEnumerationType">
  <restriction base="string">
    <enumeration value="Contains"/>
    <enumeration value="Overlaps"/>
    <enumeration value="Equals"/>
    <enumeration value="Within"/>
    <enumeration value="Crosses"/>
    <enumeration value="Other"/>
  </restriction>
</simpleType>
<simpleType name="TopoExpressionValueOtherType">
  <restriction base="string">
    <pattern value="other: \w{2,}"/>
  </restriction>
</simpleType>
</schema>

```

Listing B.1

B.2. IndoorGML Indoor Navigation Module

```

<?xml version="1.0" encoding="UTF-8"?><schema xmlns="http://www.w3.org/2001/XMLSchema" xmlns:
IndoorGML="http://www.opengis.net/indoorgml/2.0/core" xmlns:gmd="http://www.isotc211.org/2005/
gmd" xmlns:gml="http://www.opengis.net/gml/3.2" elementFormDefault="qualified" targetNamespace=
"http://www.opengis.net/indoorgml/2.0/navi" version="2.0">
  <annotation>
    <appinfo>
      <gmlProfileSchema xmlns="http://www.opengis.net/gml/3.2">IndoorGML</gmlProfileSchema>
    </appinfo>
  </annotation>
  <import namespace="http://www.isotc211.org/2005/gmd" schemaLocation="http://schemas.opengis.
net/iso/19139/20070417/gmd/gmd.xsd"/>
  <import namespace="http://www.opengis.net/gml/3.2" schemaLocation="http://schemas.opengis.net/
gml/3.2.1/gml.xsd"/>
  <import namespace="http://www.opengis.net/indoorgml/2.0/core"/>
  <!--XML Schema document created by ShapeChange - http://shapechange.net/-->
  <element name="AbstractFeature" substitutionGroup="gml:AbstractFeature" type="IndoorGML:
AbstractFeatureType"/>
  <complexType name="AbstractFeatureType">
    <complexContent>

```

```

    <extension base="gml:AbstractFeatureType">
      <sequence/>
    </extension>
  </complexContent>
</complexType>
<complexType name="AbstractFeaturePropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:AbstractFeature"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="CellBoundary" substitutionGroup="gml:AbstractFeature" type="IndoorGML:
CellBoundaryType"/>
<complexType name="CellBoundaryType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="cellBoundaryGeom" type="IndoorGML:CellBoundaryGeometryPr
opertyType"/>
        <element minOccurs="0" name="externalReference" type="IndoorGML:
ExternalReferencePropertyType"/>
        <element name="isVirtual" type="boolean"/>
        <element minOccurs="0" name="duality" type="IndoorGML:EdgePropertyType">
          <annotation>
            <appinfo>
              <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:duality</
reversePropertyName>
            </appinfo>
          </annotation>
        </element>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<complexType name="CellBoundaryPropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:CellBoundary"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="CellBoundaryGeometry" substitutionGroup="gml:AbstractObject" type="IndoorGML:
CellBoundaryGeometryType"/>
<complexType name="CellBoundaryGeometryType">
  <sequence>
    <element minOccurs="0" name="Geometry2D" type="gml:SurfacePropertyType"/>
    <element minOccurs="0" name="Geometry1D" type="gml:CurvePropertyType"/>
  </sequence>
</complexType>
<complexType name="CellBoundaryGeometryPropertyType">
  <sequence>
    <element ref="IndoorGML:CellBoundaryGeometry"/>
  </sequence>
</complexType>
<element name="CellSpace" substitutionGroup="IndoorGML:AbstractFeature" type="IndoorGML:
CellSpaceType"/>
<complexType name="CellSpaceType">
  <complexContent>
    <extension base="IndoorGML:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="cellSpaceGeom" type="IndoorGML:
CellSpaceGeometryPropertyType"/>

```

```

        <element minOccurs="0" name="externalReference" type="IndoorGML:
ExternalReferencePropertyType"/>
        <element minOccurs="0" name="level" type="string"/>
        <element name="PoI" type="boolean"/>
        <element minOccurs="0" name="name" type="string"/>
        <element minOccurs="0" name="duality" type="IndoorGML:NodePropertyType">
            <annotation>
                <appinfo>
                    <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:duality</
reversePropertyName>
                </appinfo>
            </annotation>
        </element>
        <element maxOccurs="unbounded" minOccurs="0" name="boundedBy" type="IndoorGML:
CellBoundaryPropertyType">
            <annotation>
                <documentation>Cell boundaries that are bounding a cell space</documentation>
            </annotation>
        </element>
    </sequence>
</extension>
</complexContent>
</complexType>
<complexType name="CellSpacePropertyType">
    <sequence minOccurs="0">
        <element ref="IndoorGML:CellSpace"/>
    </sequence>
    <attributeGroup ref="gml:AssociationAttributeGroup"/>
    <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="CellSpaceGeometry" substitutionGroup="gml:AbstractObject" type="IndoorGML:
CellSpaceGeometryType"/>
<complexType name="CellSpaceGeometryType">
    <sequence>
        <element minOccurs="0" name="Geometry3D" type="gml:SolidPropertyType"/>
        <element minOccurs="0" name="Geometry2D" type="gml:SurfacePropertyType"/>
    </sequence>
</complexType>
<complexType name="CellSpaceGeometryPropertyType">
    <sequence>
        <element ref="IndoorGML:CellSpaceGeometry"/>
    </sequence>
</complexType>
<element name="Edge" substitutionGroup="gml:AbstractFeature" type="IndoorGML:EdgeType"/>
<complexType name="EdgeType">
    <complexContent>
        <extension base="gml:AbstractFeatureType">
            <sequence>
                <element minOccurs="0" name="geometry" type="gml:CurvePropertyType"/>
                <element name="weight" type="double"/>
                <element maxOccurs="2" minOccurs="2" name="connects" type="IndoorGML:
NodePropertyType">
                    <annotation>
                        <documentation>The two nodes connected by an edge</documentation>
                    </annotation>
                    <appinfo>
                        <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:connects</
reversePropertyName>
                    </appinfo>
                </annotation>
            </element>
            <element minOccurs="0" name="duality" type="IndoorGML:CellBoundaryPropertyType">
                <annotation>
                    <appinfo>

```



```

        <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:duality</reversePropertyName>
    </appinfo>
</annotation>
</element>
</sequence>
</extension>
</complexContent>
</complexType>
<complexType name="EdgePropertyType">
    <sequence minOccurs="0">
        <element ref="IndoorGML:Edge"/>
    </sequence>
    <attributeGroup ref="gml:AssociationAttributeGroup"/>
    <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="ExternalObjectReference" substitutionGroup="gml:AbstractObject" type="IndoorGML:ExternalObjectReferenceType"/>
<complexType name="ExternalObjectReferenceType">
    <sequence>
        <element name="uri" type="anyURI"/>
        <element name="name" type="string"/>
    </sequence>
</complexType>
<complexType name="ExternalObjectReferencePropertyType">
    <sequence>
        <element ref="IndoorGML:ExternalObjectReference"/>
    </sequence>
</complexType>
<element name="ExternalReference" substitutionGroup="gml:AbstractObject" type="IndoorGML:ExternalReferenceType"/>
<complexType name="ExternalReferenceType">
    <sequence>
        <element name="externalObject">
            <complexType>
                <complexContent>
                    <extension base="gml:AbstractMemberType">
                        <sequence minOccurs="0">
                            <element ref="IndoorGML:ExternalObjectReferenceType"/>
                        </sequence>
                        <attributeGroup ref="gml:AssociationAttributeGroup"/>
                    </extension>
                </complexContent>
            </complexType>
        </element>
        <element name="informationSystem" type="gmd:URL_PropertyType"/>
    </sequence>
</complexType>
<complexType name="ExternalReferencePropertyType">
    <sequence>
        <element ref="IndoorGML:ExternalReference"/>
    </sequence>
</complexType>
<element name="GeneralSpace" substitutionGroup="IndoorGML:NavigableSpace" type="IndoorGML:GeneralSpaceType"/>
<complexType name="GeneralSpaceType">
    <complexContent>
        <extension base="IndoorGML:NavigableSpaceType">
            <sequence>
                <element name="function" type="IndoorGML:GeneralSpaceFunctionTypeType"/>
            </sequence>
        </extension>
    </complexContent>

```



```

</complexType>
<complexType name="GeneralSpacePropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:GeneralSpace"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<simpleType name="GeneralSpaceFunctionType">
  <union memberTypes="IndoorGML:GeneralSpaceFunctionEnumerationType IndoorGML:
GeneralSpaceFunctionOtherType"/>
</simpleType>
<simpleType name="GeneralSpaceFunctionEnumerationType">
  <restriction base="string">
    <enumeration value="Administration"/>
    <enumeration value="Business, trade"/>
    <enumeration value="Education, training"/>
    <enumeration value="Recreation"/>
    <enumeration value="Laboratory"/>
    <enumeration value="Storage"/>
    <enumeration value="Security"/>
  </restriction>
</simpleType>
<simpleType name="GeneralSpaceFunctionOtherType">
  <restriction base="string">
    <pattern value="other: \w{2,}"/>
  </restriction>
</simpleType>
<simpleType name="LocomotionAccessType">
  <union memberTypes="IndoorGML:LocomotionAccessEnumerationType IndoorGML:
LocomotionAccessOtherType"/>
</simpleType>
<simpleType name="LocomotionAccessEnumerationType">
  <restriction base="string">
    <enumeration value="Walking"/>
    <enumeration value="Flying"/>
    <enumeration value="Rolling"/>
    <enumeration value="Unspecified"/>
  </restriction>
</simpleType>
<simpleType name="LocomotionAccessOtherType">
  <restriction base="string">
    <pattern value="other: \w{2,}"/>
  </restriction>
</simpleType>
<element name="NavigableBoundary" substitutionGroup="IndoorGML:CellBoundary" type=
"IndoorGML:NavigableBoundaryType"/>
<complexType name="NavigableBoundaryType">
  <complexContent>
    <extension base="IndoorGML:CellBoundaryType">
      <sequence>
        <element name="NavigableBoundaryFunction" type="IndoorGML:NavigableBoundaryFunctionTyp
eType"/>
        <element minOccurs="0" name="boundaryOrientation" type="boolean"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<complexType name="NavigableBoundaryPropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:NavigableBoundary"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>

```

```

    <attributeGroup ref="gml:OwnershipAttributeGroup"/>
  </complexType>
  <simpleType name="NavigableBoundaryFunctionType">
    <union memberTypes="IndoorGML:NavigableBoundaryFunctionEnumerationType IndoorGML:NavigableBoundaryFunctionOtherType"/>
  </simpleType>
  <simpleType name="NavigableBoundaryFunctionEnumerationType">
    <restriction base="string">
      <enumeration value="AncorBoundary"/>
      <enumeration value="ConnectionBoundary"/>
    </restriction>
  </simpleType>
  <simpleType name="NavigableBoundaryFunctionOtherType">
    <restriction base="string">
      <pattern value="other: \w{2,}"/>
    </restriction>
  </simpleType>
  <element name="NavigableSpace" substitutionGroup="IndoorGML:CellSpace" type="IndoorGML:NavigableSpaceType"/>
  <complexType name="NavigableSpaceType">
    <complexContent>
      <extension base="IndoorGML:CellSpaceType">
        <sequence>
          <element name="locomotionType" type="IndoorGML:LocomotionAccessType"/>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
  <complexType name="NavigableSpacePropertyType">
    <sequence minOccurs="0">
      <element ref="IndoorGML:NavigableSpace"/>
    </sequence>
    <attributeGroup ref="gml:AssociationAttributeGroup"/>
    <attributeGroup ref="gml:OwnershipAttributeGroup"/>
  </complexType>
  <element name="Node" substitutionGroup="gml:AbstractFeature" type="IndoorGML:NodeType"/>
  <complexType name="NodeType">
    <complexContent>
      <extension base="gml:AbstractFeatureType">
        <sequence>
          <element minOccurs="0" name="geometry" type="gml:PointPropertyType"/>
          <element maxOccurs="unbounded" minOccurs="0" name="connects" type="IndoorGML:EdgePropertyType">
            <annotation>
              <documentation>Edges connected to the node</documentation>
              <appinfo>
                <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:connects</reversePropertyName>
              </appinfo>
            </annotation>
          </element>
          <element name="duality" type="IndoorGML:CellSpacePropertyType">
            <annotation>
              <appinfo>
                <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:duality</reversePropertyName>
              </appinfo>
            </annotation>
          </element>
        </sequence>
      </extension>
    </complexContent>
  </complexType>

```

```

<complexType name="NodePropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:Node"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="NonNavigableBoundary" substitutionGroup="IndoorGML:CellBoundary" type=
"IndoorGML:NonNavigableBoundaryType"/>
<complexType name="NonNavigableBoundaryType">
  <complexContent>
    <extension base="IndoorGML:CellBoundaryType">
      <sequence/>
    </extension>
  </complexContent>
</complexType>
<complexType name="NonNavigableBoundaryPropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:NonNavigableBoundary"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="NonNavigableSpace" substitutionGroup="IndoorGML:CellSpace" type="IndoorGML:
NonNavigableSpaceType"/>
<complexType name="NonNavigableSpaceType">
  <complexContent>
    <extension base="IndoorGML:CellSpaceType">
      <sequence/>
    </extension>
  </complexContent>
</complexType>
<complexType name="NonNavigableSpacePropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:NonNavigableSpace"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="ObjectSpace" substitutionGroup="IndoorGML:NonNavigableSpace" type=
"IndoorGML:ObjectSpaceType"/>
<complexType name="ObjectSpaceType">
  <complexContent>
    <extension base="IndoorGML:NonNavigableSpaceType">
      <sequence>
        <element minOccurs="0" name="description" type="string"/>
        <element minOccurs="0" name="containedFeatures" type="integer"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<complexType name="ObjectSpacePropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:ObjectSpace"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="Route" substitutionGroup="gml:AbstractFeature" type="IndoorGML:RouteType"/>
<complexType name="RouteType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>

```

```

        <element minOccurs="0" name="creationDate" type="dateTime"/>
        <element maxOccurs="unbounded" minOccurs="2" name="routeNode" type="IndoorGML:
NodePropertyType"/>
        <element maxOccurs="unbounded" name="routeEdge" type="IndoorGML:EdgePropertyType"/>
    </sequence>
</extension>
</complexContent>
</complexType>
<complexType name="RoutePropertyType">
    <sequence minOccurs="0">
        <element ref="IndoorGML:Route"/>
    </sequence>
    <attributeGroup ref="gml:AssociationAttributeGroup"/>
    <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="TransferSpace" substitutionGroup="IndoorGML:NavigableSpace" type="IndoorGML:
TransferSpaceType"/>
<complexType name="TransferSpaceType">
    <complexContent>
        <extension base="IndoorGML:NavigableSpaceType">
            <sequence>
                <element name="function" type="IndoorGML:TransferSpaceFunctionTypeType"/>
                <element name="type" type="IndoorGML:TransferSpaceTypeType"/>
            </sequence>
        </extension>
    </complexContent>
</complexType>
<complexType name="TransferSpacePropertyType">
    <sequence minOccurs="0">
        <element ref="IndoorGML:TransferSpace"/>
    </sequence>
    <attributeGroup ref="gml:AssociationAttributeGroup"/>
    <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<simpleType name="TransferSpaceFunctionType">
    <union memberTypes="IndoorGML:TransferSpaceFunctionEnumerationType IndoorGML:TransferSpa
ceFunctionOtherType"/>
</simpleType>
<simpleType name="TransferSpaceFunctionEnumerationType">
    <restriction base="string">
        <enumeration value="ConnectionSpace"/>
        <enumeration value="AnchorSpace"/>
    </restriction>
</simpleType>
<simpleType name="TransferSpaceFunctionOtherType">
    <restriction base="string">
        <pattern value="other: \w{2,}"/>
    </restriction>
</simpleType>
<simpleType name="TransferSpaceTypeType">
    <union memberTypes="IndoorGML:TransferSpaceTypeEnumerationType IndoorGML:
TransferSpaceTypeOtherType"/>
</simpleType>
<simpleType name="TransferSpaceTypeEnumerationType">
    <restriction base="string">
        <enumeration value="Door"/>
        <enumeration value="Window"/>
    </restriction>
</simpleType>
<simpleType name="TransferSpaceTypeOtherType">
    <restriction base="string">
        <pattern value="other: \w{2,}"/>
    </restriction>
</simpleType>

```

```
</simpleType>  
</schema>
```

Listing B.2



ANNEX C (INFORMATIVE) EXAMPLE OF CODELIST



ANNEX C

(INFORMATIVE)

EXAMPLE OF CODELIST

For mapping indoor space features to IndoorNavigation module classes, space features have to be classified by functions and usages of space. Each space class has attributes for functions, usages, and classes of space. Because misspellings or different names for the same notion brings the problems in data interoperability, in order to overcome the typo errors, an example of CodeList is provided in this annex to specify the attribute values including space class types, space function types and space usage types. The CodeLists are defined from OmniClass (Table 13 and Table 14) created and used by the North American architectural, engineering and construction (AEC) industry.

C.1. GeneralSpace

C.1.1. GeneralSpaceClassType

Code list derived from OmniClass Table 13 and CityGML: * 1000 — Administration * 1010 — Business, trade * 1020 — Education, training * 1030 — Recreation * 1040 — Art, performance * 1050 — Healthcare * 1060 — Laboratory * 1070 — Service * 1080 — Production * 1090 — Storage * 1100 — Security * 1110 — Accommodation, Waste management

C.1.2. GeneralSpaceFunctionType

Code list derived from OmniClass Table 13: * 1000 — Elevator Machine Room * 1010 — Fire Command Center * 1020 — Men's Restroom * 1030 — Unisex Restroom * 1040 — Refrigerant Machinery Room * 1050 — Incinerator Room * 1060 — Gas Room * 1070 — Liquid Use, Dispensing and Mixing Room * 1080 — Electrical Room * 1090 — Telecommunications Room * 1100 — Hazardous Waste Storage * 1110 — Building Manager Office * 1120 — Guard Stations * 1130 — Women's Restroom * 1140 — Furnace Room * 1150 — Fuel Room * 1160 — Liquid Storage Room * 1170 — Hydrogen Cutoff Room * 1180 — Switch Room * 1190 — Classrooms * 1200 — Assembly Hall * 1210 — Physics Teaching Laboratory * 1220 — Open Class Laboratory * 1230 — Laboratory Service Space * 1240 — Computer Lab * 1250 — Training Support Space * 1260 — Study Room * 1270 — Evidence Room * 1280 — Witness Stand * 1290 — Robing Area * 1300 — Council Chambers * 1310 — Armory * 1320 — General Performance Spaces * 1330 — Orchestra Pit * 1340 — Performance Hall * 1350 — Audience Space * 1360

— Audience Seating Space * 1370 — Projection Booth * 1380 — Stage Wings * 1390 — Art Gallery * 1400 — Sculpture Garden * 1410 — Recording Studio * 1420 — Photo Lab * 1430 — Library * 1440 — Mediation Chapel * 1450 — Reflection Space * 1460 — Chapel * 1470 — Shrine * 1480 — Confessional Space * 1490 — Tabernacle * 1500 — Choir Loft * 1510 — Marriage Sanctuary * 1520 — Mental Health Quiet Room * 1530 — Bone Densitometry Room * 1540 — CT Simulator Room * 1550 — Head Radiographic Room * 1560 — Mobile Imaging System Alcove * 1570 — MRI System Component Room * 1580 — PET/CT Simulator Room * 1590 — Radiographic Room * 1600 — Stereotactic Mammography Room * 1610 — Ultrasound/Optical Coherence Tomography Room * 1620 — Angiographic Control Room * 1630 — Angiographic Procedure Control Area * 1640 — Silver Collection Area * 1650 — Computer Image Processing Area * 1660 — CT Control Area * 1670 — Image Quality Control Room * 1680 — X-Ray, Plane Film Storage Space * 1690 — MRI Control Room * 1700 — MRI Viewing Room * 1710 — Radiographic Control Room * 1720 — Tele-Radiology/Tele-Medicine Room * 1730 — Radiation Diagnostic and Therapy Spaces * 1740 — Health Physics Laboratory * 1750 — Linear Accelerator Entrance Maze, Healthcare * 1760 — Radioactive Waste Storage Room, Healthcare * 1770 — Nuclear Medicine Scanning Room * 1780 — Patient Dose/Thyroid Uptake Room * 1790 — Radiopharmacy * 1800 — Radiation Therapy, Mold Fabrication Shop * 1810 — Hearth and Lung Diagnostic and Treatment Spaces * 1820 — Cardiac Catheter Instrument Room * 1830 — Cardiac Catheter Control Room * 1840 — Cardiac Electrophysiology Room * 1850 — Echocardiograph Room * 1860 — Extended Pulmonary Function Testing Laboratory * 1870 — Pacemaker ICD Interrogation Room * 1880 — Procedure Viewing Area * 1890 — Pulmonary Function Treadmill Room * 1900 — Respiratory Therapy Clean-up Room * 1910 — General Diagnostic Procedure and Treatment Spaces * 1920 — Endoscopy/Gastroenterology Spaces * 1930 — Clinical Laboratory Spaces * 1940 — Pharmacy Spaces * 1950 — Rehabilitation Spaces * 1960 — Medical Research and Development Spaces * 1970 — Chemistry Laboratories * 1980 — Physical Sciences Laboratories * 1990 — Earth and Environmental Sciences Laboratories * 2000 — Psychology Laboratories * 2010 — Dry Laboratories * 2020 — Wet Laboratories * 2030 — Biosciences Laboratories * 2040 — Astronomy Laboratories * 2050 — Forensics Laboratories * 2060 — Bench Laboratories * ... **(Refer to the full standard implementation schema for other classifications)**

C.1.3. GeneralSpaceUsageType

Code list identically specified as GeneralSpaceFunctionType.

C.2. TransitionSpace

C.2.1. TransitionSpaceClassType

- 1000 — Horizontal Transition

- 1010 — Vertical Transition

C.2.2. TransitionSpaceFunctionType

- 1000 — Corridor
- 1010 — Breezeway
- 1020 — Box Lobby
- 1030 — Elevator Lobby
- 1040 — Landing
- 1050 — Aisle
- 1060 — Ramp
- 1070 — Concourse
- 1080 — Moving walkway
- 1090 — Entry Lobby
- 1100 — Jet way
- 1110 — Elevator Shaft
- 1120 — Stair
- 1130 — Chute

C.2.3. TransitionSpaceUsageType

Code list identically specified as TransitionSpaceFunctionType.

C.3. ConnectionSpace

C.3.1. ConnectionSpaceClassType

- 1000 — Door
- 1010 — Vestibule

- 1020 — Sally port

C.3.2. ConnectionSpaceFunctionType

- 1000 — Door
- 1010 — Vestibule
- 1060 — Sally port

C.3.3. ConnectionSpaceUsageType

Code list identically specified as ConnectionSpaceFunctionType.

C.4. AnchorSpace

C.4.1. AnchorSpaceClassType


- 1000 — Vestibule
- 1020 — Gate

C.4.2. AnchorSpaceFunctionType

- 1000 — Entry Vestibule
- 1010 — Exterior door
- 1020 — Gate
- 1030 — Emergency door

C.4.3. AnchorSpaceUsageType

Code list identically specified as AnchorSpaceFunctionType.



D

ANNEX D (INFORMATIVE) USE-CASES OF INDOORGML 2 — PART2A



ANNEX D (INFORMATIVE) USE-CASES OF INDOORGML 2 — PART2A

D.1. Use-Case 1: Conversion from IndoorGML 1.1 to IndoorGML 2

- Contributor: Ki-Joune Li

D.2. Use-Case 2: Conversion from IFC to IndoorGML 2

- Contributor: Abdoulaye Diakité

D.3. Use-Case 3: Mapping of ISO 19164 in IndoorGML 2 – Part 2a

- Contributors: Ki-Joune Li & Abdoulaye Diakité

D.4. Use-Case 4: Implementation of omlox in IndoorGML 2 – Part 2a

D.5. Use-Case 5: Indoor Navigation Service for Visually Impaired Person



BIBLIOGRAPHY





BIBLIOGRAPHY

- [1] Policy SWG, Open Geospatial Consortium: OGC 08-131r3, *The Specification Model — Standard for Modular specifications*. Open Geospatial Consortium (2009). <https://docs.ogc.org/pol/08-131r3/08-131r3/pdf>.
- [2] Geographic information – Spatial Schema
- [3] OGC: CityGML, OGC 08-007r1 2008
- [4] OGC: OGC City Geography Markup Language (CityGML) Encoding Standard version 2.0, OGC 12-019, 2012
- [5] OGC: OGC KML version 2.2, OGC 07-147r2, 2008
- [6] Lefebvre, S., Hornus S.: Automatic cell-and-portal decomposition, Technical Report 4898, INRIA, 2003
- [7] Anagnostopoulos, C., Testsos, V., Kikiras, P., Hadjiefthymiades, S. P.: OntoNav: A Semantic Indoor Navigation System, First International Workshop on Managing Context Information in Mobile and Pervasive Environments, Vol. 165, Ayia Napa, Cyprus, 2003
- [8] Kulyukin, V., Gharpure, C., Nicholson, J.: RoboCart: Toward Robot-Assisted Navigation of Grocery Stores by the Visually Impaired, Proceedings of the International Conference on Intelligent Robots and Systems, IROS 2005, IEEE/RSJ
- [9] Booch, G., Rumbaugh, J., and Jacobson, I.: Unified Modeling Language User Guide, Addison-Wesley, 1997
- [10] Liao, L., Fox, D., Hightower, J., Kautz, H., Schulz, D.: Voronoi Tracking: Location Estimation Using Sparse and Noisy Sensor Data, Proc. of the International Conference on Intelligent Robots and Systems, IROS 2003, IEEE/RSJ
- [11] Princeton University, 2010
- [12] Adachi, Y., Forester, J., Hyvarinen, J., Karstila, K., Liebich, T., Wix, J.: Industry Foundation Classes IFC2x Edition 3, International Alliance for Interoperability, 2003
- [13] buildingSmart: Industry Foundation Classes Release 2x3 version 2
- [14] Munkres, J. R.: Elements of Algebraic Topology, Addison-Wesley, Menlo Park, CA, 1984

- [15] Egenhofer, M., Herring, J.: Categorizing Binary Topological Relations between Regions, Lines and Points in Geographical Databases, NCGIA Technical Report, 1990
- [16] Lee, Y.C.: Geographic information systems for urban applications: Problems and solutions, *Environment and Planning B: Planning and Design*, Vol. 17:463-473, 1990.
- [17] Lee, J.: 3D GIS for Geo-coding Human Activity in Micro-scale Urban Environments, M.J. Egenhofer, C. Freksa, and H.J. Miller (Eds.): *GIScience 2004*, Springer, Berlin, Germany
- [18] Lee, J.: A Spatial Access Oriented Implementation of a Topological Data Model for 3D Urban Entities, *GeoInformatica* 8(3), 235-262, 2004.
- [19] Kolbe, T.H., Gröger, G. & Plümer, L.: CityGML – Interoperable Access to 3D City Models, P. van Oosterom, S. Zlatanova & E.M. Fendel (eds), *Geo-information for Disaster Management; Proc. of the 1st International Symposium on Geo-information for Disaster Management*, Delft, The Netherlands, March 21–23, 2005. Springer.
- [20] Kolodziej, K. W., Hjelm, J.: *Local Positioning Systems – LBS Applications and Services*, Taylor & Francis Group, London, UK, 2006
- [21] LaValle, S. M.: *Planning Algorithms*, Cambridge University Press, USA, 2006
- [22] Lorenz, B., Ohlbach, H. J., Stoffel, E.-P., Rosner, M.: NL Navigation Commands from Indoor WLAN fingerprinting position data, Technical Report of REWERSE-Project, Munich, Germany, September 2006
- [23] Gold, C. M. and Ledoux, H.: Simultaneous Storage of Primal and Dual Three-Dimensional Subdivisions, *Computers, Environment and Urban Systems – Topology and Spatial Databases*, Vol. 31, Issue 4, 2007, Elsevier
- [24] Lorenz, B., Ohlbach, H. J., Stoffel, E.-P., Rosner, M.: Towards a Semantic Spatial Model for Pedestrian Indoor Navigation, *Lecture Notes in Computer Science — Advances in Conceptual Modeling – Foundations and Applications*, Volume 4802/2007, Springer, Berlin, Germany
- [25] Morris, Sidney A.: *Topology without Tears*, University of Ballarat, Australia, 2007
- [26] Becker, T., Nagel, C., and Kolbe, T. H.: A Multilayered Space-Event Model for Navigation in Indoor Spaces, *Lecture Notes in Geoinformation and Cartography — 3D Geo-Information Science*, 2008.
- [27] Lee, J., Zlatanova, S.: A 3D data model and topological analyses for emergency response in urban areas. *Geospatial Information Technology for Emergency Response – Zlatanova & Li (eds)*, Taylor & Francis Group, London, UK, 2008
- [28] Lee, J.: Indoor Spatial Data Model, *Proc. ISA Workshop*, Seoul, Korea, Aug. 2008

- [29] Fritsch, R. and Piccinini, R. A.: Cellular Structures in Topology, Cambridge University Press, Cambridge, England, 2008
- [30] Becker, T., Nagel, C., and Kolbe, T. H.: Supporting Contexts for Indoor Navigation using a Multilayered Space Model, Tenth International Conference on Mobile Data Management, Taipei, Taiwan, 2009
- [31] Nagel, C., Becker B., Kaden, R., Li, K-J., Lee, J., and Kolbe, T. H.: Requirements and Space-Event Modeling for Indoor Navigation, OGC 10-191r1, 2010