



OGC INDOORGML 2.0 PART 2A – XML ENCODING

STANDARD

CANDIDATE SWG DRAFT

Version: 1.0.0

Submission Date: 2026-02-28

Approval Date: 2099-01-01

Publication Date: 2099-01-01

Editor: Taehoon Kim, Abdoulaye Diakite, Ki-Joune Li, Sisi Zlatanova

Notice for Drafts: This document is not an OGC Standard. This document is distributed for review and comment. This document is subject to change without notice and may not be referred to as an OGC Standard.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

License Agreement

Permission is hereby granted by the Open Geospatial Consortium, ("Licensor"), free of charge and subject to the terms set forth below, to any person obtaining a copy of this Intellectual Property and any associated documentation, to deal in the Intellectual Property without restriction (except as set forth below), including without limitation the rights to implement, use, copy, modify, merge, publish, distribute, and/or sublicense copies of the Intellectual Property, and to permit persons to whom the Intellectual Property is furnished to do so, provided that all copyright notices on the intellectual property are retained intact and that each person to whom the Intellectual Property is furnished agrees to the terms of this Agreement.

If you modify the Intellectual Property, all copies of the modified Intellectual Property must include, in addition to the above copyright notice, a notice that the Intellectual Property includes modifications that have not been approved or adopted by LICENSOR.

THIS LICENSE IS A COPYRIGHT LICENSE ONLY, AND DOES NOT CONVEY ANY RIGHTS UNDER ANY PATENTS THAT MAY BE IN FORCE ANYWHERE IN THE WORLD. THE INTELLECTUAL PROPERTY IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE DO NOT WARRANT THAT THE FUNCTIONS CONTAINED IN THE INTELLECTUAL PROPERTY WILL MEET YOUR REQUIREMENTS OR THAT THE OPERATION OF THE INTELLECTUAL PROPERTY WILL BE UNINTERRUPTED OR ERROR FREE. ANY USE OF THE INTELLECTUAL PROPERTY SHALL BE MADE ENTIRELY AT THE USER'S OWN RISK. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR ANY CONTRIBUTOR OF INTELLECTUAL PROPERTY RIGHTS TO THE INTELLECTUAL PROPERTY BE LIABLE FOR ANY CLAIM, OR ANY DIRECT, SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM ANY ALLEGED INFRINGEMENT OR ANY LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR UNDER ANY OTHER LEGAL THEORY, ARISING OUT OF OR IN CONNECTION WITH THE IMPLEMENTATION, USE, COMMERCIALIZATION OR PERFORMANCE OF THIS INTELLECTUAL PROPERTY.

This license is effective until terminated. You may terminate it at any time by destroying the Intellectual Property together with all copies in any form. The license will also terminate if you fail to comply with any term or condition of this Agreement. Except as provided in the following sentence, no such termination of this license shall require the termination of any third party end-user sublicense to the Intellectual Property which is in force as of the date of notice of such termination. In addition, should the Intellectual Property, or the operation of the Intellectual Property, infringe, or in LICENSOR's sole opinion be likely to infringe, any patent, copyright, trademark or other right of a third party, you agree that LICENSOR, in its sole discretion, may terminate this license without any compensation or liability to you, your licensees or any other party. You agree upon termination of any kind to destroy or cause to be destroyed the Intellectual Property together with all copies in any form, whether held by you or by any third party.

Except as contained in this notice, the name of LICENSOR or of any other holder of a copyright in all or part of the Intellectual Property shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Intellectual Property without prior written authorization of LICENSOR or such copyright holder. LICENSOR is and shall at all times be the sole entity that may authorize you or any third party to use certification marks, trademarks or other special designations to indicate compliance with any LICENSOR standards or specifications. This Agreement is governed by the laws of the Commonwealth of Massachusetts. The application to this Agreement of the United Nations Convention on Contracts for the International Sale of Goods is hereby expressly excluded. In the event any provision of this Agreement shall be deemed unenforceable, void or invalid, such provision shall be modified so as to make it valid and enforceable, and as so modified the entire Agreement shall remain in full force and effect. No decision, action or inaction by LICENSOR shall be construed to be a waiver of any rights or remedies available to it.

None of the Intellectual Property or underlying information or technology may be downloaded or otherwise exported or reexported in violation of U.S. export laws and regulations. In addition, you are responsible for complying with any local laws in your jurisdiction which may impact your right to import, export or use the Intellectual Property, and you represent that you have complied with any regulations or registration procedures required by applicable law to make this license enforceable.

Suggested additions, changes and comments on this document are welcome and encouraged. Such suggestions may be submitted using the online change request form on OGC web site: http://portal.opengeospatial.org/public_ogc/change_request.php

Copyright notice

Copyright © 2026 Open Geospatial Consortium

To obtain additional rights of use, visit <http://www.ogc.org/legal/>

Note

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. The Open Geospatial Consortium shall not be held responsible for identifying any or all such patent rights.

Recipients of this document are requested to submit, with their comments, notification of any relevant patent claims or other intellectual property rights of which they may be aware that might be infringed by any implementation of the standard set forth in this document, and to provide supporting documentation.

CONTENTS

I. ABSTRACT	vi
II. KEYWORDS	vi
III. PREFACE	vii
IV. SECURITY CONSIDERATIONS	viii
V. SUBMITTING ORGANIZATIONS	ix
VI. SUBMITTERS	ix
2. CONFORMANCE	11
1. SCOPE	2
3. NORMATIVE REFERENCES	4
4. TERMS AND DEFINITIONS	6
5. CONVENTIONS	9
5.1. Identifiers	9
5.2. Use of XML terminology	9
5.3. UML Notation	9
6. OVERVIEW OF THE XML ENCODING	12
6.1. Design Principle	12
7. INDOORXML CORE	14
7.1. General requirements for encoding standard	14
7.2. CellSpace	15
7.3. CellBoundary	16
7.4. PrimalSpaceLayer	17
7.5. Node	18
7.6. Edge	18
7.7. DualSpaceLayer	19
7.8. InterLayerConnection	20
7.9. ThematicLayer	21
8. INDOORXML NAVIGATION	24
8.1. General requirements for encoding standards	24

8.2. NavigableSpace	25
8.3. GeneralSpace	25
8.4. TransferSpace	26
8.5. NavigableBoundary	26
8.6. NonNavigableSpace	27
8.7. ObjectSpace	27
8.8. NonNavigableBoundary	28
8.9. Route	28
9. ABSTRACT TEST SUITES FOR INDOORGML INSTANCE DOCUMENTS	30
9.1. Test Cases for mandatory conformance requirements	30
10. XML SCHEMA FOR INDOORGML 2	32
10.1. IndoorGML Core Module	32
10.2. IndoorGML Indoor Navigation Module	40
11. REVISION HISTORY	49
BIBLIOGRAPHY	51

LIST OF TABLES

Table 1 – Requirements classes mapping	vi
Table – Submitters	ix
Table 2 – Conformance classes	11
Table 3	49

LIST OF FIGURES

Figure 1 – IndoorGML 2.0 core module structure	12
Figure 2 – IndoorGML 2.0 navigation module structure	12
Figure 3	32
Figure 4	40

LIST OF RECOMMENDATIONS

REQUIREMENTS CLASS 1
REQUIREMENT 1-1
REQUIREMENT 1-2
REQUIREMENT 1-3
REQUIREMENT 1-4
REQUIREMENT 1-5
REQUIREMENT 1-6
REQUIREMENT 1-7
REQUIREMENT 1-8
REQUIREMENT 1-9 14

REQUIREMENTS CLASS 2
REQUIREMENT 2-1
REQUIREMENT 2-2
REQUIREMENT 2-3
REQUIREMENT 2-4
REQUIREMENT 2-5
REQUIREMENT 2-6
REQUIREMENT 2-7
REQUIREMENT 2-8
REQUIREMENT 2-9 24

REQUIREMENT 1: REQUIREMENT FOR GLOBAL XML SCHEMA VALIDATION 14

REQUIREMENT 2: REQUIREMENT FOR CELLSpace XML ELEMENT 15

REQUIREMENT 3: REQUIREMENT FOR CELLBOUNDARY XML ELEMENT 16

REQUIREMENT 4: REQUIREMENT FOR PRIMALSPACELAYER XML ELEMENT 17

REQUIREMENT 5: REQUIREMENT FOR NODE XML ELEMENT 18

REQUIREMENT 6: REQUIREMENT FOR EDGE XML ELEMENT 18

REQUIREMENT 7: REQUIREMENT FOR DUALSPACELAYER XML ELEMENT 19

REQUIREMENT 8: REQUIREMENT FOR INTERLAYERCONNECTION XML ELEMENT 20

REQUIREMENT 9: REQUIREMENT FOR THEMATICLAYER XML ELEMENT 21

REQUIREMENT 10: REQUIREMENT FOR NAVIGATION MODULE XML SCHEMA
VALIDATION 24

REQUIREMENT 11: REQUIREMENT FOR NAVIGABLESPACE XML ELEMENT 25

REQUIREMENT 12: REQUIREMENT FOR GENERALSPACE XML ELEMENT 25

REQUIREMENT 13: REQUIREMENT FOR TRANSFERSPACE XML ELEMENT 26

REQUIREMENT 14: REQUIREMENT FOR NAVIGABLEBOUNDARY XML ELEMENT 26

REQUIREMENT 15: REQUIREMENT FOR NONNAVIGABLESPACE XML ELEMENT 27

REQUIREMENT 16: REQUIREMENT FOR OBJECTSPACE XML ELEMENT 27

REQUIREMENT 17: REQUIREMENT FOR NONNAVIGABLEBOUNDARY XML ELEMENT 28

REQUIREMENT 18: REQUIREMENT FOR ROUTE XML ELEMENT 28



ABSTRACT

The IndoorGML 2.0 Part 2a – XML Encoding Standard presents the implementation-dependent Geography Markup Language (GML) XML schema encoding of the concepts defined by the IndoorGML 2.0 Part 1 – Conceptual Model Standard (OGC 22-045r5). The XML Encoding is compliant with GML version 3.2.1 as specified by OGC 07-036. The XML encoding of IndoorGML 2.0 defines a concrete implementation schema for representing indoor spatial information, including primal space, dual space, thematic layers, interlayer connections, and navigation-related indoor features. This encoding can be used to store and exchange 2D and/or 3D indoor space and indoor navigation network models in XML format as data sets or via web services.

This Part 2a of the Standard defines how the concepts developed in Part 1 are realized using XML Schema definitions. The XML encoding represents a full mapping of the Conceptual Model and is derived from the UML model following the UML-to-GML/XML encoding rules. Table 1 maps requirements classes from the IndoorGML 2.0 Conceptual Model into the implementation details documented in this standard.

Table 1 – Requirements classes mapping

CONCEPTUAL MODEL	SECTION	XML SCHEMA
IndoorGML Core	Clause 7	Clause 10.1
Navigation Extension	Clause 8	Clause 10.2



KEYWORDS

The following are keywords to be used by search engines and document catalogues.

OGCDoc, OGC documents, indoor, navigation, IndoorGML, XML, GML



PREFACE

In order to achieve consensus on the modeling indoor spaces and their neighborhood relationships to support indoor location-based services, a UML Conceptual Model, IndoorGML 2.0 Part 1, was approved as an OGC Standard (OGC 22-045r5) in June, 2025. This model covers geometric and semantic properties of indoor spaces relevant for indoor navigation. This IndoorGML 2.0 Part 2a: XML Encoding Standard defines how those concepts should be realized using XML schema format. The XML encoding is intended for software developers, data providers, standards implementers, and service providers who need a structured, standard, and machine-readable representation of IndoorGML datasets using XML/GML.



SECURITY CONSIDERATIONS

No security considerations have been made for this Standard.



SUBMITTING ORGANIZATIONS

The following organizations submitted this Document to the Open Geospatial Consortium (OGC):

- The University of New South Wales
- Pusan National University
- CityGeometrix
- National Institute of Advanced Industrial Science and Technology



SUBMITTERS

All questions regarding this submission should be directed to the editor or the submitters:

Table — Submitters

NAME	AFFILIATION	OGC MEMBER
Abdoulaye Diakité (abdou at citygeometrix.com)	CityGeometrix	Yes
Taehoon Kim (kim.taehoon at aist.go.jp)	National Institute of Advanced Industrial Science and Technology	Yes
Sisi Zlatanova (s.zlatanova at unsw.edu.au)	University of New South Wales	Yes
Ki-Joune Li (likj at pneu.edu)	Pusan National University	Yes
Zhiyong Wang (zwang19840102 at gmail.com)	SpatialAlgebra	Yes



2

CONFORMANCE

This standard defines implementation specification which specifies how the IndoorGML 2.0 Conceptual Model should be implemented using Extensible Markup Language (XML) and GML 3.2.1. The Standardization Target for this standard is:

- Implementations of the IndoorGML 2.0 Conceptual Model using XML encodings.

Conformance with this standard shall be checked using all the relevant tests specified in Annex A (normative) of this document. The framework, concepts, and methodology for testing, and the criteria to be achieved to claim conformance are specified in the OGC Compliance Testing Policies and Procedures and the OGC Compliance Testing web site.

In order to conform to this OGC® interface standard, a software implementation shall choose to implement:

- Any one of the conformance levels specified in Annex A (normative).

All requirements-classes and conformance-classes described in this document are owned by the standard(s) identified.

Table 2 — Conformance classes

CONFORMANCE CLASS	URI
IndoorGML Core	http://www.opengis.net/spec/indoorgml-2/2.0/xml/conf/core
Navigation Extension	http://www.opengis.net/spec/indoorgml-2/2.0/xml/conf/navi



1

SCOPE

The OGC® IndoorGML 2.0 Part 2a – XML Encoding Standard defines an XML encoding for IndoorGML 2.0 Part 1 – Conceptual Model. The encoding is implemented as an application schema of the Geography Markup Language version 3.2.1 (GML 3.2.1).

The IndoorGML XML Encoding Standard specifies:

- XML schema for IndoorGML 2.0 core module;
- XML schema for IndoorGML 2.0 navigation module;
- the geometry encoding rules based on GML 3.2.1 geometry objects; and
- a statement to which IndoorGML XML conformance classes an IndoorGML 2.0 instance conforms to.

IndoorGML XML encoding is an implementation encoding of IndoorGML 2.0 Part 1. Therefore, IndoorGML XML instances shall be interpreted according to the semantics defined in the IndoorGML 2.0 conceptual model.



3

NORMATIVE REFERENCES

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Data elements and interchange formats – Information interchange – Representation of dates and times

Geographic information – Reference model – Part 1: Fundamentals

Geographic Information – Conceptual Schema Language

Geographic information – Conformance and testing

Geographic Information – Spatial Schema

Geographic Information – Rules for Application Schemas

Geographic information – Spatial referencing by coordinates

Geographic Information – Metadata – Part 1: Fundamentals

Geographic Information – Metadata – XML schema implementation

Carl Reed: OGC 04-084, *Topic 0 – Overview*. Open Geospatial Consortium (2005). <https://docs.ogc.org/as/04-084/04-084/pdf>

Cliff Kottman, Carl Reed: OGC 08-126, *Topic 5 – Features*. Open Geospatial Consortium (2009). <https://docs.ogc.org/as/08-126/08-126/pdf>

Cliff Kottman: OGC 99-108r2, *Topic 8 – Relationships Between Features*. Open Geospatial Consortium (1999). <https://docs.ogc.org/as/99-108r2/99-108r2/pdf>

Cliff Kottman: OGC 99-110, *Topic 10 – Feature Collections*. Open Geospatial Consortium (1999). <https://docs.ogc.org/as/99-110/99-110/pdf>

Clemens Portele: OGC 07-036, *OpenGIS Geography Markup Language (GML) Encoding Standard*. Open Geospatial Consortium (2007). <https://docs.ogc.org/is/07-036/07-036/pdf>

Sisi Zlatanova, Abdoulaye Diakite, Taehoon Kim, Ki-Joune Li : OGC 22-045r5, *OGC IndoorGML 2.0 Part 1 – Conceptual Model*. Open Geospatial Consortium (2025). <http://www.opengis.net/doc/IS/indoorgml/2.0>



4

TERMS AND DEFINITIONS

TERMS AND DEFINITIONS

This document uses the terms defined in [OGC Policy Directive 49](#), which is based on the ISO/IEC Directives, Part 2, Rules for the structure and drafting of International Standards. In particular, the word “shall” (not “must”) is the verb form used to indicate a requirement to be strictly followed to conform to this document and OGC documents do not use the equivalent phrases in the ISO/IEC Directives, Part 2.

This document also uses terms defined in the OGC Standard for Modular specifications (OGC 08-131r3), also known as the ‘ModSpec’. The definitions of terms such as standard, specification, requirement, and conformance test are provided in the ModSpec.

For the purposes of this document, the following additional terms and definitions apply.

4.1. conceptual model

model that defines concepts of a universe of discourse

[SOURCE: ISO 19101-1]

4.2. conceptual schema

formal description of a conceptual model

[SOURCE: ISO 19101-1]

4.3. feature

abstraction of real world phenomena

Note 1 to entry: Features are objects that have an identity that allows for distinguishing features from each other. Features can have spatial and non-spatial properties that describe the features in more detail. Spatial properties are properties that have a geometry from ISO 19107 as data type.

Note 2 to entry: Features are denoted by the stereotype «FeatureType» in the IndoorGML 2.0 Conceptual Model.

[SOURCE: ISO 19101-1]



5

CONVENTIONS

5.1. Identifiers

The normative provisions in this standard are denoted by the URI

<http://www.opengis.net/spec/indoorgml-2/2.0/xml>

All requirements and conformance tests that appear in this document are denoted by partial URIs which are relative to this base.

5.2. Use of XML terminology

The following terms and concepts are used as specified in the W3C XML specifications and OGC GML 3.2.1:

- “element” refers to an XML element tag;
- “attribute” refers to a name/value attribute on an XML element;
- “complexType” refers to an XML Schema complex type definition;
- “substitutionGroup” refers to the GML element substitution mechanism allowing specialized elements to substitute base GML feature types; and
- “property element” refers to an XML element that represents an association between features or objects.

5.3. UML Notation

The diagrams that appear in this standard are presented using the Unified Modeling Language (UML) static structure diagram.

In this standard, the following standard UML class stereotypes and data types are used:

- «Interface»: A definition of a set of operations supported by objects having this interface. An Interface class cannot contain any attributes.

- «DataType»: A descriptor of a set of values that lack identity.
- «CodeList»: A flexible enumeration that uses string values for expressing a list of potential values.

Standard data types used include `CharacterString`, `Integer`, `Double`, and `Float`.



6

OVERVIEW OF THE XML ENCODING

The XML encoding of IndoorGML 2.0 implements the conceptual classes of IndoorGML 2.0 Part 1 as GML-compliant XML elements and types. The conceptual model remains normative for semantics, while this document defines the XML schema representation.

6.1. Design Principle

The XML encoding is based on the following encoding principles.

6.1.1. Conceptual model preservation

The XML encoding of the IndoorGML core module preserves the IndoorGML 2.0 core conceptual model structure, as shown in Figure 1.

Figure 1 – IndoorGML 2.0 core module structure

Each feature class is mapped to an XML element inheriting from or substituting GML feature elements (e.g. `gml:AbstractFeature`). For example, the `<CellSpace>` element substitutes `gml:AbstractFeature` and extends `gml:AbstractFeatureType` to represent cell spaces.

The XML encoding of the IndoorGML navigation module preserves the IndoorGML 2.0 navigation conceptual model structure, as shown in Figure 2.

Figure 2 – IndoorGML 2.0 navigation module structure

Navigation feature classes extend core elements using GML inheritance patterns, implementing substitutions where appropriate. For example, `<NavigableSpace>` substitutes `<CellSpace>` and extends its complex type definition.

6.1.2. XML Schema design workflow

The XML encoding schema is derived from the IndoorGML 2.0 UML model and is designed on the basis of OGC GML 3.2.1. XML schema (.xsd) documents are generated from the UML model, establishing elements and complex types for the Core and Navigation modules. Typical patterns include converting associations into GML property types using `xlink:href` references (for example, the duality link from `CellSpace` to `Node`), mapping attributes to native XML schema elements (such as `creationDate` of type `xs:dateTime`), and representing UML code lists as XML simple types restricting `xs:string` with enumeration constraints.



7

INDOORXML CORE

REQUIREMENTS CLASS 1

Target type	Implementation Specification
Dependency	http://www.opengis.net/spec/indoorgml/2.0/req
Dependency	http://www.opengis.net/spec/gml/3.2.1/req

REQUIREMENT 1-1

REQUIREMENT 1-2

REQUIREMENT 1-3

REQUIREMENT 1-4

REQUIREMENT 1-5

REQUIREMENT 1-6

REQUIREMENT 1-7

REQUIREMENT 1-8

REQUIREMENT 1-9

7.1. General requirements for encoding standard

REQUIREMENT 1: REQUIREMENT FOR GLOBAL XML SCHEMA VALIDATION

A	An instance XML document representing an IndoorGML 2.0 dataset SHALL be well-formed XML and validate against the schemas defined in this standard.
---	--

7.2. CellSpace

REQUIREMENT 2: REQUIREMENT FOR CELLSPACE XML ELEMENT

A

An instance CellSpace XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Core XML Schema (Indoor GML_core.xsd).

```
<element name="CellSpace" substitutionGroup="gml:AbstractFeature" type="core:CellSpaceType"/>
<complexType name="CellSpaceType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="cellSpaceGeom" type="core:CellSpaceGeometryPropertyType"/>
        <element minOccurs="0" name="externalReference" type="core:ExternalReferencePropertyType"/>
        <element minOccurs="0" name="level" type="string"/>
        <element name="Pol" type="boolean"/>
        <element minOccurs="0" name="cellSpaceName" type="string"/>
        <element minOccurs="0" name="duality" type="core:NodePropertyType"/>
        <element maxOccurs="unbounded" minOccurs="0" name="boundedBy" type="core:
CellBoundaryPropertyType"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<complexType name="CellSpacePropertyType">
  <sequence minOccurs="0">
    <element ref="core:CellSpace"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="CellSpaceGeometry" substitutionGroup="gml:AbstractObject" type="core:
CellSpaceGeometryType"/>
<complexType name="CellSpaceGeometryType">
  <sequence>
    <element minOccurs="0" name="Geometry3D" type="gml:SolidPropertyType"/>
    <element minOccurs="0" name="Geometry2D" type="gml:SurfacePropertyType"/>
  </sequence>
</complexType>
<complexType name="CellSpaceGeometryPropertyType">
  <sequence>
    <element ref="core:CellSpaceGeometry"/>
  </sequence>
</complexType>
<core:CellSpace gml:id="CS_1">
  <!-- mandatory property -->
  <core:Pol>false</core:Pol>

  <!-- optional properties -->
  <core:cellSpaceGeom>
    <core:Geometry3D>
      <gml:Solid gml:id="CSG_CS_1">
        ...
      </gml:Solid>
    </core:Geometry3D>
  </core:cellSpaceGeom>
```

```

<core:duality xlink:href="#ND_1"/>
<core:level>3rd Floor</core:level>
<core:cellSpaceName>Locker Room Lv3</core:cellSpaceName>
</core:CellSpace>

```

7.3. CellBoundary

REQUIREMENT 3: REQUIREMENT FOR CELLBOUNDARY XML ELEMENT

A

An instance CellBoundary XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Core XML Schema (IndoorGML_core.xsd).

```

<element name="CellBoundary" substitutionGroup="gml:AbstractFeature" type="core:CellBoundaryType"/>
<complexType name="CellBoundaryType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="cellBoundaryGeom" type="core:CellBoundaryGeometryPropertyType"/>
        <element minOccurs="0" name="externalReference" type="core:ExternalReferencePropertyType"/>
        <element name="isVirtual" type="boolean"/>
        <element minOccurs="0" name="duality" type="core:EdgePropertyType"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<complexType name="CellBoundaryPropertyType">
  <sequence minOccurs="0">
    <element ref="core:CellBoundary"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="CellBoundaryGeometry" substitutionGroup="gml:AbstractObject" type="core:
CellBoundaryGeometryType"/>
<complexType name="CellBoundaryGeometryType">
  <sequence>
    <element minOccurs="0" name="Geometry2D" type="gml:SurfacePropertyType"/>
    <element minOccurs="0" name="Geometry1D" type="gml:CurvePropertyType"/>
  </sequence>
</complexType>
<complexType name="CellBoundaryGeometryPropertyType">
  <sequence>
    <element ref="core:CellBoundaryGeometry"/>
  </sequence>
</complexType>
<core:CellBoundary gml:id="CB_1">
  <!-- mandatory property -->
  <core:isVirtual>>false</core:isVirtual>

  <!-- optional properties -->
  <core:cellBoundaryGeom>
    <core:Geometry2D>
      <gml:Surface gml:id="CBG_CB_1">
        ...
      </gml:Surface>
    </core:Geometry2D>
  </core:cellBoundaryGeom>

```

```

    </core:Geometry2D>
  </core:cellBoundaryGeom>
  <core:duality xlink:href="#EDG_1"/>
</core:CellBoundary>

```

7.4. PrimalSpaceLayer

REQUIREMENT 4: REQUIREMENT FOR PRIMALSPACE LAYER XML ELEMENT

A

An instance PrimalSpaceLayer XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Core XML Schema (IndoorGML_core.xsd).

```

<element name="PrimalSpaceLayer" substitutionGroup="gml:AbstractFeature" type="core:PrimalSpaceLayerType"/>
<complexType name="PrimalSpaceLayerType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="creationDate" type="dateTime"/>
        <element minOccurs="0" name="terminationDate" type="dateTime"/>
        <element maxOccurs="unbounded" name="cellSpaceMember">
          <complexType>
            <complexContent>
              <extension base="gml:AbstractFeatureMemberType">
                <sequence minOccurs="0">
                  <element ref="core:CellSpace"/>
                </sequence>
                <attributeGroup ref="gml:AssociationAttributeGroup"/>
              </extension>
            </complexContent>
          </complexType>
        </element>
        <element maxOccurs="unbounded" minOccurs="0" name="cellBoundaryMember">
          <complexType>
            <complexContent>
              <extension base="gml:AbstractFeatureMemberType">
                <sequence minOccurs="0">
                  <element ref="core:CellBoundary"/>
                </sequence>
                <attributeGroup ref="gml:AssociationAttributeGroup"/>
              </extension>
            </complexContent>
          </complexType>
        </element>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<core:PrimalSpaceLayer gml:id="PSL_1">
  <!-- mandatory properties (at least one CellSpace) -->
  <core:cellSpaceMember>
    <core:CellSpace gml:id="CS_1">...</core:CellSpace>
  </core:cellSpaceMember>
  <!-- optional properties -->
  <core:cellBoundaryMember>

```

```

    <core:CellBoundary gml:id="CB_1">...</core:CellBoundary>
  </core:cellBoundaryMember>
  <core:creationDate>2025-08-06T18:39:00Z</core:creationDate>
</core:PrimalSpaceLayer>

```

7.5. Node

REQUIREMENT 5: REQUIREMENT FOR NODE XML ELEMENT

A

An instance Node XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Core XML Schema (Indoor GML_core.xsd).

```

<element name="Node" substitutionGroup="gml:AbstractFeature" type="core:NodeType"/>
<complexType name="NodeType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="geometry" type="gml:PointPropertyType"/>
        <element name="duality" type="core:CellSpacePropertyType"/>
        <element maxOccurs="unbounded" minOccurs="0" name="connects" type="core:EdgePropertyType"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

<core:Node gml:id="ND_1">
  <!-- mandatory property -->
  <core:duality xlink:href="#CS_1"/>
  <!-- optional properties -->
  <core:geometry>
    <gml:Point gml:id="G_ND_1">
      <gml:pos>445536.499779417 5444906.24858758 -2.02</gml:pos>
    </gml:Point>
  </core:geometry>
  <core:connects xlink:href="#EDG_1"/>
</core:Node>

```

7.6. Edge

REQUIREMENT 6: REQUIREMENT FOR EDGE XML ELEMENT

A

An instance Edge XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Core XML Schema (Indoor GML_core.xsd).

```

<element name="Edge" substitutionGroup="gml:AbstractFeature" type="core:EdgeType"/>
<complexType name="EdgeType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">

```

```

    <sequence>
      <element minOccurs="0" name="geometry" type="gml:CurvePropertyType"/>
      <element name="weight" type="double"/>
      <element minOccurs="0" name="duality" type="core:CellBoundaryPropertyType"/>
      <element maxOccurs="2" minOccurs="2" name="connects" type="core:NodePropertyType"/>
    </sequence>
  </extension>
</complexContent>
</complexType>

<core:Edge gml:id="EDG_1">
  <!-- mandatory properties -->
  <core:connects xlink:href="#ND_1"/>
  <core:connects xlink:href="#ND_2"/>
  <!-- optional properties -->
  <core:geometry>
    <gml:LineString gml:id="G_EDG_1">
      <gml:pos>445536.499779417 5444906.24858758 -2.02</gml:pos>
      <gml:pos>445537.914644321 5444904.59001251 -2.02</gml:pos>
    </gml:LineString>
  </core:geometry>
  <core:duality xlink:href="#CB_1"/>
</core:Edge>

```

7.7. DualSpaceLayer

REQUIREMENT 7: REQUIREMENT FOR DUALSPACE LAYER XML ELEMENT

A

An instance DualSpaceLayer XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Core XML Schema (IndoorGML_core.xsd).

```

<element name="DualSpaceLayer" substitutionGroup="gml:AbstractFeature" type="core:DualSpaceLayerType"/>
<complexType name="DualSpaceLayerType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element name="isLogical" type="boolean"/>
        <element minOccurs="0" name="creationDate" type="dateTime"/>
        <element minOccurs="0" name="terminationDate" type="dateTime"/>
        <element name="isDirected" type="boolean"/>
        <element maxOccurs="unbounded" minOccurs="0" name="edgeMember">
          <complexType>
            <complexContent>
              <extension base="gml:AbstractFeatureMemberType">
                <sequence minOccurs="0">
                  <element ref="core:Edge"/>
                </sequence>
                <attributeGroup ref="gml:AssociationAttributeGroup"/>
              </extension>
            </complexContent>
          </complexType>
        </element>
        <element maxOccurs="unbounded" name="nodeMember">
          <complexType>
            <complexContent>
              <extension base="gml:AbstractFeatureMemberType">

```

```

        <sequence minOccurs="0">
          <element ref="core:Node"/>
        </sequence>
        <attributeGroup ref="gml:AssociationAttributeGroup"/>
      </extension>
    </complexContent>
  </complexType>
</element>
</sequence>
</extension>
</complexContent>
</complexType>
<core:DualSpaceLayer gml:id="DSL_1">
  <!-- mandatory properties -->
  <core:isLogical>true</core:isLogical>
  <core:isDirected>false</core:isDirected>
  <core:nodeMember>
    <core:Node gml:id="ND_1">...</core:Node>
  </core:nodeMember>
  <!-- optional properties -->
  <core:edgeMember>
    <core:Edge gml:id="EDG_1">...</core:Edge>
  </core:edgeMember>
  <core:creationDate>2025-08-06T18:39:00Z</core:creationDate>
</core:DualSpaceLayer>

```

7.8. InterLayerConnection

REQUIREMENT 8: REQUIREMENT FOR INTERLAYERCONNECTION XML ELEMENT

A

An instance InterLayerConnection XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Core XML Schema (IndoorGML_core.xsd).

```

<element name="InterLayerConnection" substitutionGroup="gml:AbstractFeature" type="core:
InterLayerConnectionType"/>
<complexType name="InterLayerConnectionType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element name="typeOfTopoExpression" type="core:TopoExpressionValueType"/>
        <element minOccurs="0" name="comment" type="string"/>
        <element maxOccurs="2" minOccurs="2" name="connectedLayers" type="core:ThematicLayerPropertyType"/>
        <element maxOccurs="2" minOccurs="0" name="connectedCells" type="core:CellSpacePropertyType"/>
        <element maxOccurs="2" minOccurs="0" name="connectedNodes" type="core:NodePropertyType"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<core:InterLayerConnection gml:id="ILC_1">
  <!-- mandatory properties -->
  <core:typeOfTopoExpression>Contains</core:typeOfTopoExpression>
  <core:connectedLayers>
    <core:ThematicLayer gml:id="TL_1">...</core:ThematicLayer>
    <core:ThematicLayer gml:id="TL_2">...</core:ThematicLayer>
  </core:connectedLayers>

```

```

</core:connectedLayers>
<!-- optional properties -->
<core:comment>TL_1 describes the room spaces and contains TL_2</core:comment>
<core:connectedCells xlink:href="#PS1_CS_1"/>
<core:connectedCells xlink:href="#PS2_CS_1"/>
</core:InterLayerConnection>

```

7.9. ThematicLayer

REQUIREMENT 9: REQUIREMENT FOR THEMATICLAYER XML ELEMENT

A	An instance ThematicLayer XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Core XML Schema (IndoorGML_core.xsd).
---	--

```

<element name="ThematicLayer" substitutionGroup="gml:AbstractFeature" type="core:ThematicLayerType"/>
<complexType name="ThematicLayerType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element name="semanticExtension" type="boolean"/>
        <element name="theme" type="core:ThemeLayerValueType"/>
        <element minOccurs="0" name="primalSpace">
          <complexType>
            <complexContent>
              <extension base="gml:AbstractFeatureMemberType">
                <sequence minOccurs="0">
                  <element ref="core:PrimalSpaceLayer"/>
                </sequence>
                <attributeGroup ref="gml:AssociationAttributeGroup"/>
              </extension>
            </complexContent>
          </complexType>
        </element>
        <element minOccurs="0" name="dualSpace">
          <complexType>
            <complexContent>
              <extension base="gml:AbstractFeatureMemberType">
                <sequence minOccurs="0">
                  <element ref="core:DualSpaceLayer"/>
                </sequence>
                <attributeGroup ref="gml:AssociationAttributeGroup"/>
              </extension>
            </complexContent>
          </complexType>
        </element>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<core:ThematicLayer gml:id="TL_1">
  <!-- mandatory properties -->
  <core:semanticExtension>true</core:semanticExtension>
  <core:theme>Physical</core:theme>
  <!-- optional properties -->
  <core:primalSpace xlink:href="#PSL_1"/>

```



```
<core:dualSpace xlink:href="#DSL_1"/>
</core:ThematicLayer>
```



8

INDOORXML NAVIGATION

REQUIREMENTS CLASS 2

Target type	Implementation Specification
Dependency	http://www.opengis.net/spec/indoorgml/2.0/req
Dependency	http://www.opengis.net/spec/indoorgml-2/2.0/xml/req/core

REQUIREMENT 2-1

REQUIREMENT 2-2

REQUIREMENT 2-3

REQUIREMENT 2-4

REQUIREMENT 2-5

REQUIREMENT 2-6

REQUIREMENT 2-7

REQUIREMENT 2-8

REQUIREMENT 2-9

8.1. General requirements for encoding standards

REQUIREMENT 10: REQUIREMENT FOR NAVIGATION MODULE XML SCHEMA VALIDATION

A	An instance XML document representing an IndoorGML 2.0 Navigation module dataset SHALL conform to the schemas defined in this standard.
---	---

8.2. NavigableSpace

REQUIREMENT 11: REQUIREMENT FOR NAVIGABLESPACE XML ELEMENT

A

An instance NavigableSpace XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Navigation XML Schema (IndoorGML_navi.xsd).

```
<element name="NavigableSpace" substitutionGroup="core:CellSpace" type="navi:NavigableSpaceType"/>
<complexType name="NavigableSpaceType">
  <complexContent>
    <extension base="core:CellSpaceType">
      <sequence>
        <element name="locomotionType" type="navi:LocomotionAccessType"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

<navi:NavigableSpace gml:id="NS_1">
  <!-- mandatory property -->
  <navi:locomotionType>Walking</navi:locomotionType>
</navi:NavigableSpace>
```

8.3. GeneralSpace

REQUIREMENT 12: REQUIREMENT FOR GENERALSAPCE XML ELEMENT

A

An instance GeneralSpace XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Navigation XML Schema (IndoorGML_navi.xsd).

```
<element name="GeneralSpace" substitutionGroup="navi:NavigableSpace" type="navi:GeneralSpaceType"/>
<complexType name="GeneralSpaceType">
  <complexContent>
    <extension base="navi:NavigableSpaceType">
      <sequence>
        <element name="function" type="navi:GeneralSpaceFunctionType"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

<navi:GeneralSpace gml:id="GS_1">
  <!-- mandatory property -->
  <navi:function>Storage</navi:function>
</navi:GeneralSpace>
```

8.4. TransferSpace

REQUIREMENT 13: REQUIREMENT FOR TRANSFERSPACE XML ELEMENT

A

An instance TransferSpace XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Navigation XML Schema (IndoorGML_navi.xsd).

```
<element name="TransferSpace" substitutionGroup="navi:NavigableSpace" type="navi:TransferSpaceType"/>
<complexType name="TransferSpaceType">
  <complexContent>
    <extension base="navi:NavigableSpaceType">
      <sequence>
        <element name="function" type="navi:TransferSpaceFunctionType"/>
        <element name="type" type="navi:TransferSpaceType"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

<navi:TransferSpace gml:id="TS_1">
  <!-- mandatory properties -->
  <navi:category>Door</navi:category>
  <navi:function>ConnectionSpace</navi:function>
</navi:TransferSpace>
```

8.5. NavigableBoundary

REQUIREMENT 14: REQUIREMENT FOR NAVIGABLEBOUNDARY XML ELEMENT

A

An instance NavigableBoundary XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Navigation XML Schema (IndoorGML_navi.xsd).

```
<element name="NavigableBoundary" substitutionGroup="core:CellBoundary" type="navi:
NavigableBoundaryType"/>
<complexType name="NavigableBoundaryType">
  <complexContent>
    <extension base="core:CellBoundaryType">
      <sequence>
        <element name="NavigableBoundaryFunction" type="navi:NavigableBoundaryFunctionType"/>
        <element minOccurs="0" name="boundaryOrientation" type="boolean"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

<navi:NavigableBoundary gml:id="NB_1">
  <!-- mandatory property -->
  <navi:NavigableBoundaryFunction>AnchorBoundary</navi:NavigableBoundaryFunction>
  <!-- Optional property -->
  <navi:boundaryOrientation>>false</navi:boundaryOrientation>
```

</navi:NavigableBoundary>

8.6. NonNavigableSpace

REQUIREMENT 15: REQUIREMENT FOR NONNAVIGABLESPACE XML ELEMENT

A

An instance NonNavigableSpace XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Navigation XML Schema (IndoorGML_navi.xsd).

```
<element name="NonNavigableSpace" substitutionGroup="core:CellSpace" type="navi:NonNavigableSpaceType"/>
<complexType name="NonNavigableSpaceType">
  <complexContent>
    <extension base="core:CellSpaceType">
      <sequence/>
    </extension>
  </complexContent>
</complexType>

<navi:NonNavigableSpace gml:id="NNS_1">
  <!-- no property -->
</navi:NonNavigableSpace>
```

8.7. ObjectSpace

REQUIREMENT 16: REQUIREMENT FOR OBJECTSPACE XML ELEMENT

A

An instance ObjectSpace XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Navigation XML Schema (IndoorGML_navi.xsd).

```
<element name="ObjectSpace" substitutionGroup="navi:NonNavigableSpace" type="navi:ObjectSpaceType"/>
<complexType name="ObjectSpaceType">
  <complexContent>
    <extension base="navi:NonNavigableSpaceType">
      <sequence>
        <element minOccurs="0" name="description" type="string"/>
        <element minOccurs="0" name="containedFeatures" type="integer"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

<navi:ObjectSpace gml:id="OS_1">
  <!-- Optional properties -->
  <navi:containedFeatures>3</navi:containedFeatures>
  <navi:description>Living room furniture</navi:description>
</navi:ObjectSpace>
```

8.8. NonNavigableBoundary

REQUIREMENT 17: REQUIREMENT FOR NONNAVIGABLEBOUNDARY XML ELEMENT

A

An instance NonNavigableBoundary XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Navigation XML Schema (IndoorGML_navi.xsd).

```
<element name="NonNavigableBoundary" substitutionGroup="core:CellBoundary" type="navi:NonNavigableBoundaryType"/>
<complexType name="NonNavigableBoundaryType">
  <complexContent>
    <extension base="core:CellBoundaryType">
      <sequence/>
    </extension>
  </complexContent>
</complexType>

<navi:NonNavigableBoundary gml:id="NNB_1">
  <!-- no property -->
</navi:NonNavigableBoundary>
```

8.9. Route

REQUIREMENT 18: REQUIREMENT FOR ROUTE XML ELEMENT

A

An instance Route XML element SHALL conform to the schema structure defined in the IndoorGML 2.0 Navigation XML Schema (IndoorGML_navi.xsd).

```
<element name="Route" substitutionGroup="gml:AbstractFeature" type="navi:RouteType"/>
<complexType name="RouteType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="creationDate" type="dateTime"/>
        <element maxOccurs="unbounded" minOccurs="2" name="routeNode" type="core:NodePropertyType"/>
        <element maxOccurs="unbounded" name="routeEdge" type="core:EdgePropertyType"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

<navi:Route gml:id="RT_1">
  <!-- mandatory properties (at least 2 nodes and 1 edge) -->
  <navi:routeNode xlink:href="#ND_1"/>
  <navi:routeNode xlink:href="#ND_2"/>
  <navi:routeEdge xlink:href="#EDG_1"/>
  <!-- Optional property -->
  <navi:creationDate>2025-10-20T16:44:00Z</navi:creationDate>
</navi:Route>
```



9


ABSTRACT TEST SUITES FOR INDOORGML INSTANCE DOCUMENTS

ABSTRACT TEST SUITES FOR INDOORGML INSTANCE DOCUMENTS

9.1. Test Cases for mandatory conformance requirements

9.1.1. Valid IndoorGML instance document

- **Test purpose:** Verify the validity of the IndoorGML instance document against the XML Schema definition of each IndoorGML module that is part of the IndoorGML profile employed by the instance document. This may be any combination of IndoorGML extension modules in conjunction with the IndoorGML core module.
- **Test method:** Validate the IndoorGML XML instance document against the XML Schema definitions of all employed IndoorGML modules. The process may be using an appropriate software tool for validation or be a manual process that checks all relevant definitions from the respective XML Schema specification of the employed IndoorGML modules.
- **Reference:** Annex B
- **Test type:** Basic Test



10

XML SCHEMA FOR INDOORGML 2

In addition to this document, this standard includes some normative XML Schema Documents. These XML Schema Documents are included in this document. These XML Schema Documents are also posted online at the URL <http://schemas.opengis.net/indoorgml/2.0>. In the event of a discrepancy between this document and online versions of the XML Schema Document files (posted at schemas.opengis.net), the online schema files SHALL be considered authoritative.

10.1. IndoorGML Core Module

```
<?xml version="1.0" encoding="UTF-8"?><schema xmlns="http://www.w3.org/2001/XMLSchema" xmlns:IndoorGML="
http://www.opengis.net/indoorgml/2.0/navi" xmlns:gmd="http://www.isotc211.org/2005/gmd" xmlns:gml=
"http://www.opengis.net/gml/3.2" elementFormDefault="qualified" targetNamespace="http://www.opengis.net/
indoorgml/2.0/core" version="2.0">
  <annotation>
    <appinfo>
      <gmlProfileSchema xmlns="http://www.opengis.net/gml/3.2">IndoorGML</gmlProfileSchema>
    </appinfo>
  </annotation>
  <import namespace="http://www.isotc211.org/2005/gmd" schemaLocation="http://schemas.opengis.net/iso/19139
/20070417/gmd/gmd.xsd"/>
  <import namespace="http://www.opengis.net/gml/3.2" schemaLocation="http://schemas.opengis.net/gml/3.2.1/
gml.xsd"/>
  <import namespace="http://www.opengis.net/indoorgml/2.0/navi"/>
  <!--XML Schema document created by ShapeChange - http://shapechange.net/-->
  <element name="AbstractFeature" substitutionGroup="gml:AbstractFeature" type="IndoorGML:
AbstractFeatureType"/>
  <complexType name="AbstractFeatureType">
    <complexContent>
      <extension base="gml:AbstractFeatureType">
        <sequence>
          </sequence>
        </complexContent>
      </complexType>
    <complexType name="AbstractFeaturePropertyType">
      <sequence minOccurs="0">
        <element ref="IndoorGML:AbstractFeature"/>
      </sequence>
      <attributeGroup ref="gml:AssociationAttributeGroup"/>
      <attributeGroup ref="gml:OwnershipAttributeGroup"/>
    </complexType>
    <element name="CellBoundary" substitutionGroup="gml:AbstractFeature" type="IndoorGML:CellBoundaryType"/>
    <complexType name="CellBoundaryType">
      <complexContent>
        <extension base="gml:AbstractFeatureType">
          <sequence>
            <element minOccurs="0" name="cellBoundaryGeom" type="IndoorGML:CellBoundaryGeometryPropertyType"/>
          </sequence>
          <element minOccurs="0" name="externalReference" type="IndoorGML:ExternalReferencePropertyType"/>
          <element name="isVirtual" type="boolean"/>
          <element minOccurs="0" name="duality" type="IndoorGML:EdgePropertyType">
            <annotation>
              <documentation>Corresponding cell boundary in the primal space</documentation>
            </annotation>
          </element>
        </complexContent>
      </complexType>
    </import>
  </schema>
```

```

    <appinfo>
      <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:
duality</reversePropertyName>
    </appinfo>
  </annotation>
</element>
</sequence>
</extension>
</complexContent>
</complexType>
<complexType name="CellBoundaryPropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:CellBoundary"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="CellBoundaryGeometry" substitutionGroup="gml:AbstractObject" type="IndoorGML:
CellBoundaryGeometryType"/>
<complexType name="CellBoundaryGeometryType">
  <sequence>
    <element minOccurs="0" name="Geometry2D" type="gml:SurfacePropertyType"/>
    <element minOccurs="0" name="Geometry1D" type="gml:CurvePropertyType"/>
  </sequence>
</complexType>
<complexType name="CellBoundaryGeometryPropertyType">
  <sequence>
    <element ref="IndoorGML:CellBoundaryGeometry"/>
  </sequence>
</complexType>
<element name="CellSpace" substitutionGroup="gml:AbstractFeature" type="IndoorGML:CellSpaceType"/>
<complexType name="CellSpaceType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="cellSpaceGeom" type="IndoorGML:CellSpaceGeometryPropertyType"/>
        <element minOccurs="0" name="externalReference" type="IndoorGML:ExternalReferencePropertyType"/>
        <element minOccurs="0" name="level" type="string"/>
        <element name="Pol" type="boolean"/>
        <element minOccurs="0" name="cellSpaceName" type="string"/>
        <element minOccurs="0" name="duality" type="IndoorGML:NodePropertyType">
          <annotation>
            <documentation>Corresponding cell space in the primal space</documentation>
          </annotation>
        </element>
      </sequence>
    </extension>
  </complexContent>
  <documentation>Corresponding cell space in the primal space</documentation>
  <appinfo>
    <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:
duality</reversePropertyName>
  </appinfo>
</annotation>
</element>
    <element maxOccurs="unbounded" minOccurs="0" name="boundedBy" type="IndoorGML:
CellBoundaryPropertyType">
      <annotation>
        <documentation>Cell boundaries that are bounding a cell space</documentation>
      </annotation>
    </element>
  </sequence>
</extension>
</complexContent>
</complexType>
<complexType name="CellSpacePropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:CellSpace"/>
  </sequence>

```

```

<attributeGroup ref="gml:AssociationAttributeGroup"/>
<attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="CellSpaceGeometry" substitutionGroup="gml:AbstractObject" type="IndoorGML:
CellSpaceGeometryType"/>
<complexType name="CellSpaceGeometryType">
<sequence>
<element minOccurs="0" name="Geometry3D" type="gml:SolidPropertyType"/>
<element minOccurs="0" name="Geometry2D" type="gml:SurfacePropertyType"/>
</sequence>
</complexType>
<complexType name="CellSpaceGeometryPropertyType">
<sequence>
<element ref="IndoorGML:CellSpaceGeometry"/>
</sequence>
</complexType>
<element name="DualSpaceLayer" substitutionGroup="gml:AbstractFeature" type="IndoorGML:
DualSpaceLayerType"/>
<complexType name="DualSpaceLayerType">
<complexContent>
<extension base="gml:AbstractFeatureType">
<sequence>
<element name="isLogical" type="boolean"/>
<element minOccurs="0" name="creationDate" type="dateTime"/>
<element minOccurs="0" name="terminationDate" type="dateTime"/>
<element name="isDirected" type="boolean"/>
<element maxOccurs="unbounded" minOccurs="0" name="edgeMember">
<annotation>
<documentation>Edges of a dual space</documentation>
</annotation>
<complexType>
<complexContent>
<extension base="gml:AbstractFeatureMemberType">
<sequence minOccurs="0">
<element ref="IndoorGML:Edge"/>
</sequence>
<attributeGroup ref="gml:AssociationAttributeGroup"/>
</extension>
</complexContent>
</complexType>
</element>
<element maxOccurs="unbounded" name="nodeMember">
<annotation>
<documentation>Nodes of a dual space</documentation>
</annotation>
<complexType>
<complexContent>
<extension base="gml:AbstractFeatureMemberType">
<sequence minOccurs="0">
<element ref="IndoorGML:Node"/>
</sequence>
<attributeGroup ref="gml:AssociationAttributeGroup"/>
</extension>
</complexContent>
</complexType>
</element>
</sequence>
</extension>
</complexContent>
</complexType>
<complexType name="DualSpaceLayerPropertyType">
<sequence minOccurs="0">
<element ref="IndoorGML:DualSpaceLayer"/>

```

```

</sequence>
<attributeGroup ref="gml:AssociationAttributeGroup"/>
<attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="Edge" substitutionGroup="gml:AbstractFeature" type="IndoorGML:EdgeType"/>
<complexType name="EdgeType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="geometry" type="gml:CurvePropertyType"/>
        <element name="weight" type="double"/>
        <element minOccurs="0" name="duality" type="IndoorGML:CellBoundaryPropertyType">
          <annotation>
            <documentation>Corresponding edge in the dual space</documentation>
            <appinfo>
              <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:
duality</reversePropertyName>
            </appinfo>
          </annotation>
        </element>
        <element maxOccurs="2" minOccurs="2" name="connects" type="IndoorGML:NodePropertyType">
          <annotation>
            <documentation>The two nodes connected by an edge</documentation>
            <appinfo>
              <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:
connects</reversePropertyName>
            </appinfo>
          </annotation>
        </element>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<complexType name="EdgePropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:Edge"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="ExternalObjectReference" substitutionGroup="gml:AbstractObject" type="IndoorGML:
ExternalObjectReferenceType"/>
<complexType name="ExternalObjectReferenceType">
  <sequence>
    <element name="name" type="string"/>
    <element name="uri" type="anyURI"/>
  </sequence>
</complexType>
<complexType name="ExternalObjectReferencePropertyType">
  <sequence>
    <element ref="IndoorGML:ExternalObjectReference"/>
  </sequence>
</complexType>
<element name="ExternalReference" substitutionGroup="gml:AbstractObject" type="IndoorGML:
ExternalReferenceType"/>
<complexType name="ExternalReferenceType">
  <sequence>
    <element name="externalObject" type="IndoorGML:ExternalObjectReferencePropertyType"/>
    <element name="informationSystem" type="gmd:URL_PropertyType"/>
  </sequence>
</complexType>
<complexType name="ExternalReferencePropertyType">
  <sequence>

```

```

    <element ref="IndoorGML:ExternalReference"/>
  </sequence>
</complexType>
<element name="IndoorFeatures" substitutionGroup="gml:AbstractFeature" type="IndoorGML:
IndoorFeaturesType"/>
<complexType name="IndoorFeaturesType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element maxOccurs="unbounded" name="layers">
          <complexType>
            <complexContent>
              <extension base="gml:AbstractFeatureMemberType">
                <sequence minOccurs="0">
                  <element ref="IndoorGML:ThematicLayer"/>
                </sequence>
                <attributeGroup ref="gml:AssociationAttributeGroup"/>
              </extension>
            </complexContent>
          </complexType>
        </element>
        <element maxOccurs="unbounded" minOccurs="0" name="layerConnections">
          <complexType>
            <complexContent>
              <extension base="gml:AbstractFeatureMemberType">
                <sequence minOccurs="0">
                  <element ref="IndoorGML:InterLayerConnection"/>
                </sequence>
                <attributeGroup ref="gml:AssociationAttributeGroup"/>
              </extension>
            </complexContent>
          </complexType>
        </element>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<complexType name="IndoorFeaturesPropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:IndoorFeatures"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="InterLayerConnection" substitutionGroup="gml:AbstractFeature" type="IndoorGML:
InterLayerConnectionType">
  <annotation>
    <documentation>Describes the connection between two thematic layers.</documentation>
  </annotation>
</element>
<complexType name="InterLayerConnectionType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element name="typeOfTopoExpression" type="IndoorGML:TopoExpressionValueType">
          <annotation>
            <documentation>Describes the topological relationship between two layers (e.g. overlaps, contains, etc.).</documentation>
          </annotation>
        </element>
        <element minOccurs="0" name="comment" type="string"/>
        <element maxOccurs="2" minOccurs="2" name="connectedLayers" type="IndoorGML:
ThematicLayerPropertyType"/>

```

```

    <element maxOccurs="2" minOccurs="0" name="connectedCells" type="IndoorGML:CellSpacePropertyType">
      <annotation>
        <documentation>Indicates the interconnected primal spaces</documentation>
      </annotation>
    </element>
    <element maxOccurs="2" minOccurs="0" name="connectedNodes" type="IndoorGML:NodePropertyType">
      <annotation>
        <documentation>Indicates the interconnected dual spaces</documentation>
      </annotation>
    </element>
  </sequence>
</extension>
</complexContent>
</complexType>
<complexType name="InterLayerConnectionPropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:InterLayerConnection"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="Node" substitutionGroup="gml:AbstractFeature" type="IndoorGML:NodeType"/>
<complexType name="NodeType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="geometry" type="gml:PointPropertyType"/>
        <element name="duality" type="IndoorGML:CellSpacePropertyType">
          <annotation>
            <documentation>Corresponding node in the dual space</documentation>
          <appinfo>
            <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:
duality</reversePropertyName>
          </appinfo>
        </annotation>
      </element>
      <element maxOccurs="unbounded" minOccurs="0" name="connects" type="IndoorGML:EdgePropertyType">
        <annotation>
          <documentation>Edges connected to the node</documentation>
        <appinfo>
          <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:
connects</reversePropertyName>
        </appinfo>
      </annotation>
    </element>
  </sequence>
</extension>
</complexContent>
</complexType>
<complexType name="NodePropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:Node"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="PrimalSpaceLayer" substitutionGroup="gml:AbstractFeature" type="IndoorGML:
PrimalSpaceLayerType"/>
<complexType name="PrimalSpaceLayerType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="creationDate" type="dateTime"/>

```



```

<element minOccurs="0" name="terminationDate" type="dateTime"/>
<element maxOccurs="unbounded" name="cellSpaceMember">
  <annotation>
    <documentation>Cell spaces of a primal space</documentation>
  </annotation>
  <complexType>
    <complexContent>
      <extension base="gml:AbstractFeatureMemberType">
        <sequence minOccurs="0">
          <element ref="IndoorGML:CellSpace"/>
        </sequence>
        <attributeGroup ref="gml:AssociationAttributeGroup"/>
      </extension>
    </complexContent>
  </complexType>
</element>
<element maxOccurs="unbounded" minOccurs="0" name="cellBoundaryMember">
  <annotation>
    <documentation>Cell boundaries of a primal space</documentation>
  </annotation>
  <complexType>
    <complexContent>
      <extension base="gml:AbstractFeatureMemberType">
        <sequence minOccurs="0">
          <element ref="IndoorGML:CellBoundary"/>
        </sequence>
        <attributeGroup ref="gml:AssociationAttributeGroup"/>
      </extension>
    </complexContent>
  </complexType>
</element>
</sequence>
</extension>
</complexContent>
</complexType>
<complexType name="PrimalSpaceLayerPropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:PrimalSpaceLayer"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="ThematicLayer" substitutionGroup="gml:AbstractFeature" type="IndoorGML:
ThematicLayerType">
  <annotation>
    <documentation>A layer of specific theme aggregating a primal and/or a dual space of a given environment.
  </documentation>
  </annotation>
</element>
<complexType name="ThematicLayerType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element name="semanticExtension" type="boolean">
          <annotation>
            <documentation>Indicates whether semantic information is associated (true) or not (false) to the primal space
of the thematic layer.</documentation>
          </annotation>
        </element>
        <element name="theme" type="IndoorGML:ThemeLayerValueType">
          <annotation>
            <documentation>Determines the theme of the layer (e.g topographic, logical, etc.).</documentation>
          </annotation>
        </element>
      </sequence>
    </extension>
  </complexContent>
</complexType>

```

```

</element>
<element minOccurs="0" name="primalSpace">
  <annotation>
    <documentation>Relates the primal spaces to the thematicLayer</documentation>
  </annotation>
  <complexType>
    <complexContent>
      <extension base="gml:AbstractFeatureMemberType">
        <sequence minOccurs="0">
          <element ref="IndoorGML:PrimalSpaceLayer"/>
        </sequence>
        <attributeGroup ref="gml:AssociationAttributeGroup"/>
      </extension>
    </complexContent>
  </complexType>
</element>
<element minOccurs="0" name="dualSpace">
  <annotation>
    <documentation>Relates the dual spaces to the thematicLayer.</documentation>
  </annotation>
  <complexType>
    <complexContent>
      <extension base="gml:AbstractFeatureMemberType">
        <sequence minOccurs="0">
          <element ref="IndoorGML:DualSpaceLayer"/>
        </sequence>
        <attributeGroup ref="gml:AssociationAttributeGroup"/>
      </extension>
    </complexContent>
  </complexType>
</element>
</sequence>
</extension>
</complexContent>
</complexType>
<complexType name="ThematicLayerPropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:ThematicLayer"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<simpleType name="ThemeLayerValueType">
  <union memberTypes="IndoorGML:ThemeLayerValueEnumerationType IndoorGML:ThemeLayerValueOtherType"/>
>
</simpleType>
<simpleType name="ThemeLayerValueEnumerationType">
  <restriction base="string">
    <enumeration value="Tags"/>
    <enumeration value="Virtual"/>
    <enumeration value="Unknown"/>
    <enumeration value="Physical"/>
  </restriction>
</simpleType>
<simpleType name="ThemeLayerValueOtherType">
  <restriction base="string">
    <pattern value="other: \w{2,}"/>
  </restriction>
</simpleType>
<simpleType name="TopoExpressionValueType">
  <union memberTypes="IndoorGML:TopoExpressionValueEnumerationType IndoorGML:
TopoExpressionValueOtherType"/>
</simpleType>

```

```

<simpleType name="TopoExpressionValueEnumerationType">
  <restriction base="string">
    <enumeration value="Contains"/>
    <enumeration value="Overlaps"/>
    <enumeration value="Equals"/>
    <enumeration value="Within"/>
    <enumeration value="Crosses"/>
    <enumeration value="Other"/>
  </restriction>
</simpleType>
<simpleType name="TopoExpressionValueOtherType">
  <restriction base="string">
    <pattern value="other: \w{2,}"/>
  </restriction>
</simpleType>
</schema>

```

Figure 3

10.2. IndoorGML Indoor Navigation Module

```

<?xml version="1.0" encoding="UTF-8"?><schema xmlns="http://www.w3.org/2001/XMLSchema" xmlns:IndoorGML=
"http://www.opengis.net/indoorgml/2.0/core" xmlns:gmd="http://www.isotc211.org/2005/gmd" xmlns:gml=
"http://www.opengis.net/gml/3.2" elementFormDefault="qualified" targetNamespace="http://www.opengis.net/
indoorgml/2.0/navi" version="2.0">
  <annotation>
    <appinfo>
      <gmlProfileSchema xmlns="http://www.opengis.net/gml/3.2">IndoorGML</gmlProfileSchema>
    </appinfo>
  </annotation>
  <import namespace="http://www.isotc211.org/2005/gmd" schemaLocation="http://schemas.opengis.net/iso/19139
/20070417/gmd/gmd.xsd"/>
  <import namespace="http://www.opengis.net/gml/3.2" schemaLocation="http://schemas.opengis.net/gml/3.2.1/
gml.xsd"/>
  <import namespace="http://www.opengis.net/indoorgml/2.0/core"/>
  <!--XML Schema document created by ShapeChange - http://shapechange.net/-->
  <element name="AbstractFeature" substitutionGroup="gml:AbstractFeature" type="IndoorGML:
AbstractFeatureType"/>
  <complexType name="AbstractFeatureType">
    <complexContent>
      <extension base="gml:AbstractFeatureType">
        <sequence/>
      </extension>
    </complexContent>
  </complexType>
  <complexType name="AbstractFeaturePropertyType">
    <sequence minOccurs="0">
      <element ref="IndoorGML:AbstractFeature"/>
    </sequence>
    <attributeGroup ref="gml:AssociationAttributeGroup"/>
    <attributeGroup ref="gml:OwnershipAttributeGroup"/>
  </complexType>
  <element name="CellBoundary" substitutionGroup="gml:AbstractFeature" type="IndoorGML:CellBoundaryType"/>
  <complexType name="CellBoundaryType">
    <complexContent>
      <extension base="gml:AbstractFeatureType">
        <sequence>

```

```

    <element minOccurs="0" name="cellBoundaryGeom" type="IndoorGML:CellBoundaryGeometryPropertyType"/>
  >
    <element minOccurs="0" name="externalReference" type="IndoorGML:ExternalReferencePropertyType"/>
    <element name="isVirtual" type="boolean"/>
    <element minOccurs="0" name="duality" type="IndoorGML:EdgePropertyType">
      <annotation>
        <appinfo>
          <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:
duality</reversePropertyName>
        </appinfo>
      </annotation>
    </element>
  </sequence>
</extension>
</complexContent>
</complexType>
<complexType name="CellBoundaryPropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:CellBoundary"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="CellBoundaryGeometry" substitutionGroup="gml:AbstractObject" type="IndoorGML:
CellBoundaryGeometryType"/>
<complexType name="CellBoundaryGeometryType">
  <sequence>
    <element minOccurs="0" name="Geometry2D" type="gml:SurfacePropertyType"/>
    <element minOccurs="0" name="Geometry1D" type="gml:CurvePropertyType"/>
  </sequence>
</complexType>
<complexType name="CellBoundaryGeometryPropertyType">
  <sequence>
    <element ref="IndoorGML:CellBoundaryGeometry"/>
  </sequence>
</complexType>
<element name="CellSpace" substitutionGroup="IndoorGML:AbstractFeature" type="IndoorGML:CellSpaceType"/>
<complexType name="CellSpaceType">
  <complexContent>
    <extension base="IndoorGML:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="cellSpaceGeom" type="IndoorGML:CellSpaceGeometryPropertyType"/>
        <element minOccurs="0" name="externalReference" type="IndoorGML:ExternalReferencePropertyType"/>
        <element minOccurs="0" name="level" type="string"/>
        <element name="Pol" type="boolean"/>
        <element minOccurs="0" name="name" type="string"/>
        <element minOccurs="0" name="duality" type="IndoorGML:NodePropertyType">
          <annotation>
            <appinfo>
              <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:
duality</reversePropertyName>
            </appinfo>
          </annotation>
        </element>
        <element maxOccurs="unbounded" minOccurs="0" name="boundedBy" type="IndoorGML:
CellBoundaryPropertyType">
          <annotation>
            <documentation>Cell boundaries that are bounding a cell space</documentation>
          </annotation>
        </element>
      </sequence>
    </extension>
  </complexContent>

```

```

</complexType>
<complexType name="CellSpacePropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:CellSpace"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="CellSpaceGeometry" substitutionGroup="gml:AbstractObject" type="IndoorGML:
CellSpaceGeometryType"/>
<complexType name="CellSpaceGeometryType">
  <sequence>
    <element minOccurs="0" name="Geometry3D" type="gml:SolidPropertyType"/>
    <element minOccurs="0" name="Geometry2D" type="gml:SurfacePropertyType"/>
  </sequence>
</complexType>
<complexType name="CellSpaceGeometryPropertyType">
  <sequence>
    <element ref="IndoorGML:CellSpaceGeometry"/>
  </sequence>
</complexType>
<element name="Edge" substitutionGroup="gml:AbstractFeature" type="IndoorGML:EdgeType"/>
<complexType name="EdgeType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="geometry" type="gml:CurvePropertyType"/>
        <element name="weight" type="double"/>
        <element maxOccurs="2" minOccurs="2" name="connects" type="IndoorGML:NodePropertyType">
          <annotation>
            <documentation>The two nodes connected by an edge</documentation>
            <appinfo>
              <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:
connects</reversePropertyName>
            </appinfo>
          </annotation>
        </element>
        <element minOccurs="0" name="duality" type="IndoorGML:CellBoundaryPropertyType">
          <annotation>
            <appinfo>
              <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:
duality</reversePropertyName>
            </appinfo>
          </annotation>
        </element>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<complexType name="EdgePropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:Edge"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="ExternalObjectReference" substitutionGroup="gml:AbstractObject" type="IndoorGML:
ExternalObjectReferenceType"/>
<complexType name="ExternalObjectReferenceType">
  <sequence>
    <element name="uri" type="anyURI"/>
    <element name="name" type="string"/>
  </sequence>

```

```

</complexType>
<complexType name="ExternalObjectReferencePropertyType">
  <sequence>
    <element ref="IndoorGML:ExternalObjectReference"/>
  </sequence>
</complexType>
<element name="ExternalReference" substitutionGroup="gml:AbstractObject" type="IndoorGML:
ExternalReferenceType"/>
<complexType name="ExternalReferenceType">
  <sequence>
    <element name="externalObject">
      <complexType>
        <complexContent>
          <extension base="gml:AbstractMemberType">
            <sequence minOccurs="0">
              <element ref="IndoorGML:ExternalObjectReferenceType"/>
            </sequence>
            <attributeGroup ref="gml:AssociationAttributeGroup"/>
          </extension>
        </complexContent>
      </complexType>
    </element>
    <element name="informationSystem" type="gmd:URL_PropertyType"/>
  </sequence>
</complexType>
<complexType name="ExternalReferencePropertyType">
  <sequence>
    <element ref="IndoorGML:ExternalReference"/>
  </sequence>
</complexType>
<element name="GeneralSpace" substitutionGroup="IndoorGML:NavigableSpace" type="IndoorGML:
GeneralSpaceType"/>
<complexType name="GeneralSpaceType">
  <complexContent>
    <extension base="IndoorGML:NavigableSpaceType">
      <sequence>
        <element name="function" type="IndoorGML:GeneralSpaceFunctionTypeType"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<complexType name="GeneralSpacePropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:GeneralSpace"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<simpleType name="GeneralSpaceFunctionType">
  <union memberTypes="IndoorGML:GeneralSpaceFunctionEnumerationType IndoorGML:
GeneralSpaceFunctionOtherType"/>
</simpleType>
<simpleType name="GeneralSpaceFunctionEnumerationType">
  <restriction base="string">
    <enumeration value="Administration"/>
    <enumeration value="Business, trade"/>
    <enumeration value="Education, training"/>
    <enumeration value="Recreation"/>
    <enumeration value="Laboratory"/>
    <enumeration value="Storage"/>
    <enumeration value="Security"/>
  </restriction>
</simpleType>

```

```

<simpleType name="GeneralSpaceFunctionOtherType">
  <restriction base="string">
    <pattern value="other: \w{2,}" />
  </restriction>
</simpleType>
<simpleType name="LocomotionAccessType">
  <union memberTypes="IndoorGML:LocomotionAccessEnumerationType IndoorGML:
LocomotionAccessOtherType" />
</simpleType>
<simpleType name="LocomotionAccessEnumerationType">
  <restriction base="string">
    <enumeration value="Walking" />
    <enumeration value="Flying" />
    <enumeration value="Rolling" />
    <enumeration value="Unspecified" />
  </restriction>
</simpleType>
<simpleType name="LocomotionAccessOtherType">
  <restriction base="string">
    <pattern value="other: \w{2,}" />
  </restriction>
</simpleType>
<element name="NavigableBoundary" substitutionGroup="IndoorGML:CellBoundary" type="IndoorGML:
NavigableBoundaryType" />
<complexType name="NavigableBoundaryType">
  <complexContent>
    <extension base="IndoorGML:CellBoundaryType">
      <sequence>
        <element name="NavigableBoundaryFunction" type="IndoorGML:NavigableBoundaryFunctionType" />
        <element minOccurs="0" name="boundaryOrientation" type="boolean" />
      </sequence>
    </extension>
  </complexContent>
</complexType>
<complexType name="NavigableBoundaryPropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:NavigableBoundary" />
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup" />
  <attributeGroup ref="gml:OwnershipAttributeGroup" />
</complexType>
<simpleType name="NavigableBoundaryFunctionType">
  <union memberTypes="IndoorGML:NavigableBoundaryFunctionEnumerationType IndoorGML:NavigableBoundary
FunctionOtherType" />
</simpleType>
<simpleType name="NavigableBoundaryFunctionEnumerationType">
  <restriction base="string">
    <enumeration value="AncorBoundary" />
    <enumeration value="ConnectionBoundary" />
  </restriction>
</simpleType>
<simpleType name="NavigableBoundaryFunctionOtherType">
  <restriction base="string">
    <pattern value="other: \w{2,}" />
  </restriction>
</simpleType>
<element name="NavigableSpace" substitutionGroup="IndoorGML:CellSpace" type="IndoorGML:
NavigableSpaceType" />
<complexType name="NavigableSpaceType">
  <complexContent>
    <extension base="IndoorGML:CellSpaceType">
      <sequence>
        <element name="locomotionType" type="IndoorGML:LocomotionAccessType" />

```



```

    </sequence>
  </extension>
</complexContent>
</complexType>
<complexType name="NavigableSpacePropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:NavigableSpace"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="Node" substitutionGroup="gml:AbstractFeature" type="IndoorGML:NodeType"/>
<complexType name="NodeType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="geometry" type="gml:PointPropertyType"/>
        <element maxOccurs="unbounded" minOccurs="0" name="connects" type="IndoorGML:EdgePropertyType">
          <annotation>
            <documentation>Edges connected to the node</documentation>
            <appinfo>
              <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:
connects</reversePropertyName>
            </appinfo>
          </annotation>
        </element>
        <element name="duality" type="IndoorGML:CellSpacePropertyType">
          <annotation>
            <appinfo>
              <reversePropertyName xmlns="http://www.opengis.net/gml/3.2">IndoorGML:
duality</reversePropertyName>
            </appinfo>
          </annotation>
        </element>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<complexType name="NodePropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:Node"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="NonNavigableBoundary" substitutionGroup="IndoorGML:CellBoundary" type="IndoorGML:
NonNavigableBoundaryType"/>
<complexType name="NonNavigableBoundaryType">
  <complexContent>
    <extension base="IndoorGML:CellBoundaryType">
      <sequence>
        </extension>
      </complexContent>
    </complexType>
  <complexType name="NonNavigableBoundaryPropertyType">
    <sequence minOccurs="0">
      <element ref="IndoorGML:NonNavigableBoundary"/>
    </sequence>
    <attributeGroup ref="gml:AssociationAttributeGroup"/>
    <attributeGroup ref="gml:OwnershipAttributeGroup"/>
  </complexType>
  <element name="NonNavigableSpace" substitutionGroup="IndoorGML:CellSpace" type="IndoorGML:
NonNavigableSpaceType"/>

```



```

<complexType name="NonNavigableSpaceType">
  <complexContent>
    <extension base="IndoorGML:CellSpaceType">
      <sequence/>
    </extension>
  </complexContent>
</complexType>
<complexType name="NonNavigableSpacePropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:NonNavigableSpace"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="ObjectSpace" substitutionGroup="IndoorGML:NonNavigableSpace" type="IndoorGML:
ObjectSpaceType"/>
<complexType name="ObjectSpaceType">
  <complexContent>
    <extension base="IndoorGML:NonNavigableSpaceType">
      <sequence>
        <element minOccurs="0" name="description" type="string"/>
        <element minOccurs="0" name="containedFeatures" type="integer"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<complexType name="ObjectSpacePropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:ObjectSpace"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="Route" substitutionGroup="gml:AbstractFeature" type="IndoorGML:RouteType"/>
<complexType name="RouteType">
  <complexContent>
    <extension base="gml:AbstractFeatureType">
      <sequence>
        <element minOccurs="0" name="creationDate" type="dateTime"/>
        <element maxOccurs="unbounded" minOccurs="2" name="routeNode" type="IndoorGML:NodePropertyType"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<complexType name="RoutePropertyType">
  <sequence minOccurs="0">
    <element ref="IndoorGML:Route"/>
  </sequence>
  <attributeGroup ref="gml:AssociationAttributeGroup"/>
  <attributeGroup ref="gml:OwnershipAttributeGroup"/>
</complexType>
<element name="TransferSpace" substitutionGroup="IndoorGML:NavigableSpace" type="IndoorGML:
TransferSpaceType"/>
<complexType name="TransferSpaceType">
  <complexContent>
    <extension base="IndoorGML:NavigableSpaceType">
      <sequence>
        <element name="function" type="IndoorGML:TransferSpaceFunctionTypeType"/>
        <element name="type" type="IndoorGML:TransferSpaceTypeType"/>
      </sequence>
    </extension>
  </complexContent>

```

```

    </complexContent>
  </complexType>
  <complexType name="TransferSpacePropertyType">
    <sequence minOccurs="0">
      <element ref="IndoorGML:TransferSpace"/>
    </sequence>
    <attributeGroup ref="gml:AssociationAttributeGroup"/>
    <attributeGroup ref="gml:OwnershipAttributeGroup"/>
  </complexType>
  <simpleType name="TransferSpaceFunctionType">
    <union memberTypes="IndoorGML:TransferSpaceFunctionEnumerationType IndoorGML:TransferSpaceFunctionO
therType"/>
  </simpleType>
  <simpleType name="TransferSpaceFunctionEnumerationType">
    <restriction base="string">
      <enumeration value="ConnectionSpace"/>
      <enumeration value="AnchorSpace"/>
    </restriction>
  </simpleType>
  <simpleType name="TransferSpaceFunctionOtherType">
    <restriction base="string">
      <pattern value="other: \w{2,}"/>
    </restriction>
  </simpleType>
  <simpleType name="TransferSpaceTypeType">
    <union memberTypes="IndoorGML:TransferSpaceTypeEnumerationType IndoorGML:
TransferSpaceTypeOtherType"/>
  </simpleType>
  <simpleType name="TransferSpaceTypeEnumerationType">
    <restriction base="string">
      <enumeration value="Door"/>
      <enumeration value="Window"/>
    </restriction>
  </simpleType>
  <simpleType name="TransferSpaceTypeOtherType">
    <restriction base="string">
      <pattern value="other: \w{2,}"/>
    </restriction>
  </simpleType>
</schema>

```

Figure 4



11

REVISION HISTORY

Table 3

Date	Release	Author	Paragraph modified	Description
2025-08-06	2.0.0	Sisi Zlatanova, Abdoulaye Diakité, Taehoon Kim, Ki-Joune Li	All	First draft of IndoorGML 2.0 Part 2a (XML Encoding)



BIBLIOGRAPHY



BIBLIOGRAPHY

1. Geographic information – Spatial Schema
2. Lorenz, B., Ohlbach, H. J., Stoffel, E.-P., Rosner, M.: NL Navigation Commands from Indoor WLAN fingerprinting position data, Technical Report of REVERSE-Project, Munich, Germany, September 2006
3. Anagnostopoulus, C., Testsos, V., Kikiras, P., Hadjiefthymiades, S. P.: OntoNav: A Semantic Indoor Navigation System, First International Workshop on Managing Context Information in Mobile and Pervasive Environments, Vol. 165, Ayia Napa, Cyprus, 2003
4. Kulyukin, V., Gharpure, C., Nicholson, J.: RoboCart: Toward Robot-Assisted Navigation of Grocery Stores by the Visually Impaired, Proceedings of the International Conference on Intelligent Robots and Systems, IROS 2005, IEEE/RSJ
5. Lefebvre, S., Hornus S.: Automatic cell-and-portal decomposition, Technical Report 4898, INRIA, 2003
6. Lee, J.: 3D GIS for Geo-coding Human Activity in Micro-scale Urban Environments, M.J. Egenhofer, C. Freksa, and H.J. Miller (Eds.): GIScience 2004, Springer, Berlin, Germany
7. Lee, J., Zlatanova, S.: A 3D data model and topological analyses for emergency response in urban areas. Geospatial Information Technology for Emergency Response – Zlatanova & Li (eds), Taylor & Francis Group, London, UK, 2008
8. Munkres, J. R.: Elements of Algebraic Topology, Addison-Wesley, Menlo Park, CA, 1984
9. Kolodziej, K. W., Hjelm, J.: Local Positioning Systems – LBS Applications and Services, Taylor & Francis Group, London, UK, 2006
10. OGC: CityGML, OGC 08-007r1 2008
11. Kolbe, T.H., Gröger, G. & Plümer, L.: CityGML – Interoperable Access to 3D City Models, P. van Oosterom, S. Zlatanova & E.M. Fendel (eds), Geo-information for Disaster Management; Proc. of the 1st International Symposium on Geo-information for Disaster Management, Delft, The Netherlands, March 21–23, 2005. Springer.
12. Adachi, Y., Forester, J., Hyvarinen, J., Karstila, K., Liebich, T., Wix, J.: Industry Foundation Classes IFC2x Edition 3, International Alliance for Interoperability, 2003
13. Liao, L., Fox, D., Hightower, J., Kautz, H., Schulz, D.: Voronoi Tracking: Location Estimation Using Sparse and Noisy Sensor Data, Proc. of the International Conference on Intelligent Robots and Systems, IROS 2003, IEEE/RSJ
14. Egenhofer, M., Herring, J.: Categorizing Binary Topological Relations between Regions, Lines and Points in Geographical Databases, NCGIA Technical Report, 1990

15. Policy SWG: OGC 08-131r3, *The Specification Model – Standard for Modular specifications*. Open Geospatial Consortium (2009). <https://docs.ogc.org/pol/08-131r3/08-131r3/pdf>
16. LaValle, S. M.: *Planning Algorithms*, Cambridge University Press, USA, 2006
17. Lorenz, B., Ohlbach, H. J., Stoffel, E.-P., Rosner, M.: *Towards a Semantic Spatial Model for Pedestrian Indoor Navigation*, Lecture Notes in Computer Science – Advances in Conceptual Modeling – Foundations and Applications, Volume 4802/2007, Springer, Berlin, Germany
18. Morris, Sidney A.: *Topology without Tears*, University of Ballarat, Australia, 2007
19. Fritsch, R. and Piccinini, R. A.: *Cellular Structures in Topology*, Cambridge University Press, Cambridge, England, 2008
20. Gold, C. M. and Ledoux, H.: *Simultaneous Storage of Primal and Dual Three-Dimensional Subdivisions*, Computers, Environment and Urban Systems – Topology and Spatial Databases, Vol. 31, Issue 4, 2007, Elsevier
21. Becker, T., Nagel, C., and Kolbe, T. H.: *A Multilayered Space-Event Model for Navigation in Indoor Spaces*, Lecture Notes in Geoinformation and Cartography – 3D Geo-Information Science, 2008.
22. Becker, T., Nagel, C., and Kolbe, T. H.: *Supporting Contexts for Indoor Navigation using a Multilayered Space Model*, Tenth International Conference on Mobile Data Management, Taipei, Taiwan, 2009
23. Booch, G., Rumbaugh, J., and Jacobson, I.: *Unified Modeling Language User Guide*, Addison-Wesley, 1997
24. Lee, Y.C.: *Geographic information systems for urban applications: Problems and solutions*, Environment and Planning B: Planning and Design, Vol. 17:463-473, 1990.
25. Lee, J.: *A Spatial Access Oriented Implementation of a Topological Data Model for 3D Urban Entities*, Geoinformatica 8(3), 235-262, 2004.
26. Nagel, C., Becker B., Kaden, R., Li, K.-J., Lee, J., and Kolbe, T. H.: *Requirements and Space-Event Modeling for Indoor Navigation*, OGC 10-191r1, 2010
27. Lee, J.: *Indoor Spatial Data Model*, Proc. ISA Workshop, Seoul, Korea, Aug. 2008
28. Princeton University, 2010
29. OGC: *OGC City Geography Markup Language (CityGML) Encoding Standard version 2.0*, OGC 12-019, 2012
30. OGC: *OGC KML version 2.2*, OGC 07-147r2, 2008
31. buildingSmart: *Industry Foundation Classes Release 2x3 version 2*