

OGC® DOCUMENT: 18-053R2

External identifier of this OGC® document: <http://www.opengis.net/docs/CS/3DTiles/1.0>



Open
Geospatial
Consortium

OGC DOCUMENT TITLE

COMMUNITY STANDARD

APPROVED

Version: 1.0

Submission Date: 2018-06-04

Approval Date: 2018-12-14

Publication Date: 2019-01-31

Editor: Patrick Cozzi, Sean Lilley

Notice: This document is an OGC Member approved international standard. This document is available on a royalty free, non-discriminatory basis. Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

License Agreement

Use of this document is subject to the license agreement at <https://www.ogc.org/license>

Copyright notice

Copyright © 2025 Open Geospatial Consortium

To obtain additional rights of use, visit <https://www.ogc.org/legal>

Note

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. The Open Geospatial Consortium shall not be held responsible for identifying any or all such patent rights.

Recipients of this document are requested to submit, with their comments, notification of any relevant patent claims or other intellectual property rights of which they may be aware that might be infringed by any implementation of the standard set forth in this document, and to provide supporting documentation.

CONTENTS

- I. ABSTRACT xv
- II. KEYWORDS xv
- III. PREFACE xvi
- IV. SECURITY CONSIDERATIONS xvii
- V. SUBMITTERS xvii
- VI. SOURCE OF THE CONTENT FOR THIS OGC DOCUMENT xvii
- VII. VALIDITY OF CONTENT xvii
- VIII. FUTURE WORK xvii
- IX. CONTRIBUTORS xviii
- 1. SCOPE 2
- 2. CONFORMANCE 4
- 3. NORMATIVE REFERENCES 6
- 4. TERMS AND DEFINITIONS 8
- 5. CONVENTIONS 10
 - 5.1. Identifiers 10
 - 5.2. Other conventions 10
- 6. CORE 12
 - 6.1. Coordinate Reference System Parameters 13
 - 6.2. Coordinate Reference System Properties 14
 - 6.3. Coordinate Reference System Types 18
- 7. COORDINATE OPERATION MODULE 27
 - 7.1. Coordinate Operation Categories 27
 - 7.2. Coordinate Operation Methods 30
 - 7.3. Coordinate Operation Parameters 31
 - 7.4. Coordinate Operation Properties 32

8. COORDINATE SYSTEM MODULE	36
8.1. 3D Coordinate Systems	36
8.2. Celestial Coordinate Systems	37
8.3. Coordinate System Parameters	39
8.4. Coordinate System Types	40
8.5. Orthogonal Coordinate Systems	44
8.6. Temporal Coordinate Systems	45
9. DATUM MODULE	48
9.1. Datum Parameters	48
9.2. Datum Properties	49
9.3. Datum Types	50
9.4. Spheroid Properties	52
9.5. Spheroid Types	55
10. SRS APPLICATION MODULE	57
11. PROJECTIONS MODULE	59
11.1. Azimuthal Projections	60
11.2. Compromise Projections	61
11.3. Conformal Projections	65
11.4. Conical Projections	67
11.5. Cylindrical Projections	70
11.6. Equal Area Projections	73
11.7. Equidistant Projections	76
11.8. Globular Projections	78
11.9. Lenticular Projections	79
11.10. Minimum Error Projections	83
11.11. Perspective Projections	84
11.12. Polyconic Projections	86
11.13. Polyhedral Projections	91
11.14. Pseudo Azimuthal Projections	94
11.15. Pseudo Conical Projections	96
11.16. Pseudo Cylindrical Projections	98
11.17. Stereographic Projections	112
12. PLANET MODULE	115
ANNEX A (INFORMATIVE) ALIGNMENTS	119
Overview	
A.1. IGN Ontology	119
A.2. ISO19111 Ontology	121
A.3. IFC Ontology	122
ANNEX B (INFORMATIVE) SHACL SHAPES	124
Overview	

ANNEX C (INFORMATIVE) REVISION HISTORY	126
BIBLIOGRAPHY	128

LIST OF TABLES

Table 1 – geosrs:AreaOfUse	13
Table 2 – geosrs:Extent	13
Table 3 – geosrs:GeographicBoundingBox	13
Table 4 – geosrs:AxesList	14
Table 5 – geosrs:SingleCRSList	14
Table 6 – geosrs:baseCRS	14
Table 7 – geosrs:conversion	15
Table 8 – geosrs:coordinateSystem	15
Table 9 – geosrs:datum	16
Table 10 – geosrs:datumEnsemble	16
Table 11 – geosrs:domainOfValidity	16
Table 12 – geosrs:method	17
Table 13 – geocrs:asProj4	17
Table 14 – geocrs:asProjJSON	17
Table 15 – geocrs:asWKT	18
Table 16 – geosrs:EPSGcode	18
Table 17 – geosrs:BoundCRS	19
Table 18 – geosrs:CompoundCRS	19
Table 19 – geosrs:CRS	19
Table 20 – geosrs:EngineeringCRS	20
Table 21 – geosrs:GeocentricCRS	20
Table 22 – geosrs:GeodeticCRS	21
Table 23 – geosrs:GeographicCRS	21
Table 24 – geosrs:ParametricCRS	21
Table 25 – geosrs:ProjectedCRS	22
Table 26 – geosrs:SelenographicCRS	22
Table 27 – geosrs:ReferenceSystem	22
Table 28 – geosrs:SingleCRS	22
Table 29 – geosrs:SpatialReferenceSystem	23
Table 30 – geosrs:SpatioParametricCompoundCRS	23
Table 31 – geosrs:SpatioParametricTemporalCompoundCRS	23
Table 32 – geosrs:SpatioTemporalCompoundCRS	24
Table 33 – geosrs:StaticCRS	24

Table 34 – geosrs:TemporalCRS	24
Table 35 – geosrs:VerticalCRS	25
Table 36 – geosrs:GeographicObject	27
Table 37 – geosrs:RegisterOperations	28
Table 38 – geosrs:ScaleOperation	28
Table 39 – geosrs:RotationOperation	28
Table 40 – geosrs:IdentityOperation	28
Table 41 – geosrs:ShearOperation	29
Table 42 – geosrs:TranslationOperation	29
Table 43 – geosrs:AffineTransformationOperation	29
Table 44 – geocrs:CoordinateTransformationOperation	30
Table 45 – geosrs:PassThroughOperation	30
Table 46 – geosrs:ConcatenatedOperation	30
Table 47 – geosrs:PointMotionOperation	31
Table 48 – geosrs:OperationParameterGroup	32
Table 49 – geosrs:ParameterValueGroup	32
Table 50 – geosrs:derivingConversion	33
Table 51 – geosrs:parameter	33
Table 52 – geosrs:sourceCRS	34
Table 53 – geosrs:targetCRS	34
Table 54 – geosrs:CylindricalCoordinateSystem	37
Table 55 – geosrs:CelestialCoordinateSystem	37
Table 56 – geosrs:EclipticCoordinateSystem	37
Table 57 – geosrs:EquatorialCoordinateSystem	38
Table 58 – geosrs:GalacticCoordinateSystem	38
Table 59 – geosrs:HorizontalCoordinateSystem	38
Table 60 – geosrs:PerifocalCoordinateSystem	39
Table 61 – geosrs:SuperGalacticCS	39
Table 62 – geosrs:axis	40
Table 63 – geosrs:axisDirection	40
Table 64 – geosrs:1DCoordinateSystem	41
Table 65 – geosrs:3DCoordinateSystem	41
Table 66 – geosrs:AffineCoordinateSystem	41
Table 67 – geosrs:BarycentricCoordinateSystem	42
Table 68 – geosrs:CurvilinearCoordinateSystem	42
Table 69 – geosrs:EngineeringCoordinateSystem	42
Table 70 – geosrs:GeodeticCoordinateSystem	42
Table 71 – geosrs:GridCoordinateSystem	43
Table 72 – geosrs:HexagonalCoordinateSystem	43
Table 73 – geosrs:LocalCoordinateSystem	43
Table 74 – geosrs:ObliqueCoordinateSystem	44

Table 75 – geosrs:PlanarCoordinateSystem	44
Table 76 – geosrs:ConicalCoordinateSystem	45
Table 77 – geosrs:DateTimeTemporalCoordinateSystem	45
Table 78 – geosrs:TemporalCountCoordinateSystem	45
Table 79 – geosrs:TemporalCoordinateSystem	46
Table 80 – geosrs:TemporalMeasureCoordinateSystem	46
Table 81 – geosrs:DefiningParameter	48
Table 82 – geosrs:datumDefiningParameter	49
Table 83 – geosrs:ellipsoid	49
Table 84 – geosrs:primeMeridian	50
Table 85 – geosrs:DynamicGeodeticReferenceFrame	50
Table 86 – geosrs:DynamicVerticalDatum	51
Table 87 – geosrs:ParametricDatum	51
Table 88 – geosrs:EngineeringDatum	51
Table 89 – geosrs:TemporalDatum	52
Table 90 – geosrs:DatumEnsemble	52
Table 91 – geosrs:eccentricity	53
Table 92 – geosrs:inverseFlattening	53
Table 93 – geosrs:isSphere	54
Table 94 – geosrs:semiMajorAxis	54
Table 95 – geosrs:semiMinorAxis	54
Table 96 – geosrs:TriaxialEllipsoid	55
Table 97 – geosrs:BreusingGeometricProjection	60
Table 98 – geosrs:BreusingHarmonicProjection	60
Table 99 – geosrs:GinzburgIIProjection	60
Table 100 – geosrs:GinzburgIProjection	61
Table 101 – geosrs:GnomonicProjection	61
Table 102 – geosrs:JamesAzimuthalProjection	61
Table 103 – geosrs:ArmadilloProjection	62
Table 104 – geosrs:BakerDinomicProjection	62
Table 105 – geosrs:BertinProjection	62
Table 106 – geosrs:ChamberlinTrimetricProjection	62
Table 107 – geosrs:DenoyerSemiEllipticalProjection	63
Table 108 – geosrs:FairgrieveProjection	63
Table 109 – geosrs:LarriveeProjection	63
Table 110 – geosrs:PetermannStarProjection	63
Table 111 – geosrs:SpilhausOceanicProjection	64
Table 112 – geosrs:VanDerGrintenIIIProjection	64
Table 113 – geosrs:WinkelIIIProjection	64
Table 114 – geosrs:WinkelIIProjection	64
Table 115 – geosrs:WinkelSnyderProjection	64

Table 116 – geosrs:AdamsProjection	65
Table 117 – geosrs:AdamsWorldInASquareIIProjection	65
Table 118 – geosrs:AdamsWorldInASquareIProjection	66
Table 119 – geosrs:AugustEpicycloidalProjection	66
Table 120 – geosrs:CoxConformalProjection	66
Table 121 – geosrs:EisenlohrProjection	66
Table 122 – geosrs:GS50Projection	67
Table 123 – geosrs:PeirceQuincuncialProjection	67
Table 124 – geosrs:StereographicProjection	67
Table 125 – geosrs:BipolarObliqueConicConformalProjection	68
Table 126 – geosrs:CentralConicProjection	68
Table 127 – geosrs:HerschelConformalConicProjection	68
Table 128 – geosrs:Krovak	68
Table 129 – geosrs:LambertConformalConicProjection	69
Table 130 – geosrs:MurdochIIIProjection	69
Table 131 – geosrs:MurdochIIProjection	69
Table 132 – geosrs:MurdochIProjection	69
Table 133 – geosrs:SchjerningIProjection	69
Table 134 – geosrs:VitkovskyIProjection	70
Table 135 – geosrs:ArdenCloseProjection	70
Table 136 – geosrs:BraunPerspectiveProjection	70
Table 137 – geosrs:CompactMillerProjection	71
Table 138 – geosrs:CylindricalStereographicProjection	71
Table 139 – geosrs:KarchenkoShabanovaProjection	71
Table 140 – geosrs:LabordeProjection	71
Table 141 – geosrs:MercatorProjection	72
Table 142 – geosrs:MillerProjection	72
Table 143 – geosrs:PattersonCylindricalProjection	72
Table 144 – geosrs:PavlovProjection	72
Table 145 – geosrs:ToblerCylindricalIIProjection	73
Table 146 – geosrs:ToblerCylindricalIProjection	73
Table 147 – geosrs:UrmayevIIIProjection	73
Table 148 – geosrs:WebMercatorProjection	73
Table 149 – geosrs:AlbersEqualAreaProjection	74
Table 150 – geosrs:AzimuthalEqualAreaProjection	74
Table 151 – geosrs:CylindricalEqualArea	74
Table 152 – geosrs:GallPetersProjection	75
Table 153 – geosrs:HoboDyerProjection	75
Table 154 – geosrs:LambertAzimuthalEqualArea	75
Table 155 – geosrs:TrystanEdwardsProjection	75
Table 156 – geosrs:WiechelProjection	75

Table 157 – geosrs:AzimuthalEquidistantProjection	76
Table 158 – geosrs:BerghausStarProjection	76
Table 159 – geosrs:CassiniProjection	76
Table 160 – geosrs:EquidistantConicProjection	77
Table 161 – geosrs:EquidistantCylindricalProjection	77
Table 162 – geosrs:EquirectangularProjection	77
Table 163 – geosrs:ObliquePlateCarreeProjection	77
Table 164 – geosrs:PlateCarreeProjection	78
Table 165 – geosrs:TwoPointEquidistantProjection	78
Table 166 – geosrs:ApianGlobularIProjection	78
Table 167 – geosrs:BaconGlobularProjection	79
Table 168 – geosrs:FournierGlobularIProjection	79
Table 169 – geosrs:A4Projection	79
Table 170 – geosrs:BriesemeisterProjection	80
Table 171 – geosrs:CiricIProjection	80
Table 172 – geosrs:CupolaProjection	80
Table 173 – geosrs:DedistortProjection	80
Table 174 – geosrs:DietrichKitadaProjection	81
Table 175 – geosrs:FranculaIProjection	81
Table 176 – geosrs:FranculaIVProjection	81
Table 177 – geosrs:FranculaIXProjection	81
Table 178 – geosrs:FranculaVIIIProjection	82
Table 179 – geosrs:FranculaVProjection	82
Table 180 – geosrs:FranculaXIIIProjection	82
Table 181 – geosrs:FranculaXIIProjection	82
Table 182 – geosrs:FranculaXIVProjection	82
Table 183 – geosrs:HamusoidalProjection	83
Table 184 – geosrs:KissProjection	83
Table 185 – geosrs:AiryProjection	83
Table 186 – geosrs:CentralCylindricalProjection	84
Table 187 – geosrs:GeneralVerticalPerspectiveProjection	84
Table 188 – geosrs:GilbertTwoWorldPerspectiveProjection	85
Table 189 – geosrs:LaHireProjection	85
Table 190 – geosrs:LorgnaProjection	85
Table 191 – geosrs:LowryProjection	85
Table 192 – geosrs:OrthographicProjection	86
Table 193 – geosrs:PerspectiveConicProjection	86
Table 194 – geosrs:TiltedPerspectiveProjection	86
Table 195 – geosrs:VerticalPerspectiveProjection	86
Table 196 – geosrs:GinzburgIVProjection	87
Table 197 – geosrs:GinzburgIXProjection	87

Table 198 – geosrs:GinzburgVIProjection	87
Table 199 – geosrs:GinzburgVProjection	88
Table 200 – geosrs:GottWagnerProjection	88
Table 201 – geosrs:HillEucyclicProjection	88
Table 202 – geosrs:LagrangeProjection	88
Table 203 – geosrs:LaskowskiProjection	88
Table 204 – geosrs:RectangularPolyconicProjection	89
Table 205 – geosrs:StabiusWernerIIIProjection	89
Table 206 – geosrs:StabiusWernerIProjection	89
Table 207 – geosrs:VanDerGrintenIIProjection	89
Table 208 – geosrs:VanDerGrintenIProjection	90
Table 209 – geosrs:VanDerGrintenIVProjection	90
Table 210 – geosrs:WagnerIXProjection	90
Table 211 – geosrs:WagnerVIIIProjection	90
Table 212 – geosrs:WagnerVIIProjection	90
Table 213 – geosrs:AuthaGraphProjection	91
Table 214 – geosrs:CahillKeyesProjection	91
Table 215 – geosrs:CollignonButterflyProjection	91
Table 216 – geosrs:DodecahedralProjection	92
Table 217 – geosrs:DymaxionProjection	92
Table 218 – geosrs:GnomonicButterflyProjection	92
Table 219 – geosrs:GnomonicCubedSphereProjection	92
Table 220 – geosrs:GnomonicIcosahedronProjection	93
Table 221 – geosrs:GuyouProjection	93
Table 222 – geosrs:IcosahedralProjection	93
Table 223 – geosrs:LeeProjection	93
Table 224 – geosrs:MyrahedalProjection	93
Table 225 – geosrs:OctantProjection	94
Table 226 – geosrs:QuadrilateralizedSphericalCubeProjection	94
Table 227 – geosrs:WatermanButterflyProjection	94
Table 228 – geosrs:AitoffObliqueProjection	95
Table 229 – geosrs:AitoffProjection	95
Table 230 – geosrs:HammerProjection	95
Table 231 – geosrs:Strebe1995Projection	95
Table 232 – geosrs:WinkelTripelProjection	96
Table 233 – geosrs:AmericanPolyconicProjection	96
Table 234 – geosrs:BonneProjection	96
Table 235 – geosrs:BottomleyProjection	97
Table 236 – geosrs:NicolosiGlobularProjection	97
Table 237 – geosrs:PtolemyIIProjection	97
Table 238 – geosrs:WernerProjection	97

Table 239 – geosrs:ApianIIProjection	98
Table 240 – geosrs:AtlantisProjection	99
Table 241 – geosrs:BaranyiIIIProjection	99
Table 242 – geosrs:BaranyiIIProjection	99
Table 243 – geosrs:BaranyiIProjection	99
Table 244 – geosrs:BaranyiIVProjection	99
Table 245 – geosrs:BoggsEumorphicProjection	100
Table 246 – geosrs:BromleyProjection	100
Table 247 – geosrs:CabotProjection	100
Table 248 – geosrs:CollignonProjection	100
Table 249 – geosrs:CrasterParabolicProjection	101
Table 250 – geosrs:DeakinMinimumErrorProjection	101
Table 251 – geosrs:Eckert1Projection	101
Table 252 – geosrs:Eckert2Projection	101
Table 253 – geosrs:Eckert3Projection	102
Table 254 – geosrs:Eckert4Projection	102
Table 255 – geosrs:Eckert5Projection	102
Table 256 – geosrs:Eckert6Projection	102
Table 257 – geosrs:EqualEarthProjection	102
Table 258 – geosrs:FaheyProjection	103
Table 259 – geosrs:FoucautProjection	103
Table 260 – geosrs:FoucautSinusoidalProjection	103
Table 261 – geosrs:FournierIIProjection	103
Table 262 – geosrs:GinzburgVIIIProjection	104
Table 263 – geosrs:GoodeHomolosineProjection	104
Table 264 – geosrs:HEALPixProjection	104
Table 265 – geosrs:HufnagelProjection	104
Table 266 – geosrs:Kavrayskiy7Projection	104
Table 267 – geosrs:LoximuthalProjection	105
Table 268 – geosrs:MayrProjection	105
Table 269 – geosrs:McBrydeThomasFlatPolarParabolicProjection	105
Table 270 – geosrs:McBrydeThomasFlatPolarQuarticProjection	105
Table 271 – geosrs:McBrydeThomasFlatPolarSinusoidalProjection	106
Table 272 – geosrs:McBrydeThomasIIProjection	106
Table 273 – geosrs:McBrydeThomasIProjection	106
Table 274 – geosrs:NaturalEarth2Projection	106
Table 275 – geosrs:NaturalEarthProjection	107
Table 276 – geosrs:NellHammerProjection	107
Table 277 – geosrs:NellProjection	107
Table 278 – geosrs:OrteliusOvalProjection	107
Table 279 – geosrs:PutninsP1Projection	108

Table 280 – geosrs:PutninsP2Projection	108
Table 281 – geosrs:PutninsP3Projection	108
Table 282 – geosrs:PutninsP5Projection	108
Table 283 – geosrs:PutninsP6Projection	108
Table 284 – geosrs:QuarticAuthalicProjection	109
Table 285 – geosrs:RobinsonProjection	109
Table 286 – geosrs:SinusoidalProjection	109
Table 287 – geosrs:TheTimesProjection	109
Table 288 – geosrs:ToblerG1Projection	110
Table 289 – geosrs:ToblerHyperellipticalProjection	110
Table 290 – geosrs:WagnerIIIProjection	110
Table 291 – geosrs:WagnerIIProjection	110
Table 292 – geosrs:WagnerIProjection	110
Table 293 – geosrs:WagnerIVProjection	111
Table 294 – geosrs:WagnerVProjection	111
Table 295 – geosrs:WagnerVProjection	111
Table 296 – geosrs:WerenskioldIProjection	111
Table 297 – geosrs:PutninsP3'Projection	112
Table 298 – geosrs:PutninsP4'Projection	112
Table 299 – geosrs:PutninsP5'Projection	112
Table 300 – geosrs:PutninsP6'Projection	112
Table 301 – geosrs:MillerOblatedStereographicProjection	113
Table 302 – geosrs:RoussilheProjection	113
Table A.1 – Alignment: Namespaces	119
Table A.2 – Alignment: IGN Ontology	120
Table A.3 – Alignment: ISO19111 Ontology	121
Table A.4 – Alignment: IFC Ontology	122

LIST OF FIGURES

Figure 1	12
----------------	----

LIST OF NORMATIVE STATEMENTS

REQUIREMENTS CLASS 1: 06-CORE.ADOC EXTENSION	12
REQUIREMENTS CLASS 2: 07-CO_EXTENSION.ADOC EXTENSION	27
REQUIREMENTS CLASS 3: 08-CS_EXTENSION.ADOC EXTENSION	36

REQUIREMENTS CLASS 4: 09-DATUM_EXTENSION.ADOC EXTENSION	48
REQUIREMENTS CLASS 5: 11-PROJECTIONS_EXTENSION.ADOC EXTENSION	59
REQUIREMENT 1: COORDINATE REFERENCE SYSTEM PARAMETERS	13
REQUIREMENT 2: COORDINATE REFERENCE SYSTEM PROPERTIES	14
REQUIREMENT 3: COORDINATE REFERENCE SYSTEM TYPES	19
REQUIREMENT 4: COORDINATE OPERATION CATEGORIES	27
REQUIREMENT 5: COORDINATE OPERATION METHODS	30
REQUIREMENT 6: COORDINATE OPERATION PARAMETERS	32
REQUIREMENT 7: COORDINATE OPERATION PROPERTIES	33
REQUIREMENT 8: 3D COORDINATE SYSTEMS	36
REQUIREMENT 9: CELESTIAL COORDINATE SYSTEMS	37
REQUIREMENT 10: COORDINATE SYSTEM PARAMETERS	39
REQUIREMENT 11: COORDINATE SYSTEM TYPES	40
REQUIREMENT 12: ORTHOGONAL COORDINATE SYSTEMS	44
REQUIREMENT 13: TEMPORAL COORDINATE SYSTEMS	45
REQUIREMENT 14: DATUM PARAMETERS	48
REQUIREMENT 15: DATUM PROPERTIES	49
REQUIREMENT 16: DATUM TYPES	50
REQUIREMENT 17: SPHEROID PROPERTIES	53
REQUIREMENT 18: SPHEROID TYPES	55
REQUIREMENT 19: AZIMUTHAL PROJECTIONS	60
REQUIREMENT 20: COMPROMISE PROJECTIONS	61
REQUIREMENT 21: CONFORMAL PROJECTIONS	65
REQUIREMENT 22: CONICAL PROJECTIONS	67
REQUIREMENT 23: CYLINDRICAL PROJECTIONS	70
REQUIREMENT 24: EQUAL AREA PROJECTIONS	74
REQUIREMENT 25: EQUIDISTANT PROJECTIONS	76
REQUIREMENT 26: GLOBULAR PROJECTIONS	78
REQUIREMENT 27: LENTICULAR PROJECTIONS	79
REQUIREMENT 28: MINIMUM ERROR PROJECTIONS	83
REQUIREMENT 29: PERSPECTIVE PROJECTIONS	84
REQUIREMENT 30: POLYCONIC PROJECTIONS	87
REQUIREMENT 31: POLYHEDRAL PROJECTIONS	91

REQUIREMENT 32: PSEUDO AZIMUTHAL PROJECTIONS	94
REQUIREMENT 33: PSEUDO CONICAL PROJECTIONS	96
REQUIREMENT 34: PSEUDO CYLINDRICAL PROJECTIONS	98
REQUIREMENT 35: STEREOGRAPHIC PROJECTIONS	113



ABSTRACT

<Insert Abstract Text here>



KEYWORDS

The following are keywords to be used by search engines and document catalogues.

keyword_1, keyword_2, keyword_3, etc.



PREFACE

This document establishes the OGC CRS ontology and its submodules. The definition of elements of coordinate reference systems is an essential part of geospatial data provision. However, until now, coordinate reference systems and their components could not be represented in an OGC-standardized semantic web vocabulary. This document introduces the ontology model, its classes and properties, application examples and can serve as the foundation of a semantic web based coordinate system registry at OGC. Special attention is given to the compatibility of the CRS Ontology vocabulary to other OGC-endorsed Semantic Web standards such as GeoSPARQL and alignments to other data standards are provided as part of this specification.

NOTE: Insert Preface Text here. Give OGC specific commentary: describe the technical content, reason for document, history of the document and precursors, and plans for future work.

There are two ways to specify the Preface: “simple clause” or “full clause”

If the Preface does not contain subclauses, it is considered a simple preface clause. This one is entered as text after the `.Preface` label and must be placed between the AsciiDoc document attributes and the first AsciiDoc section title. It should not be give a section title of its own.

If the Preface contains subclauses, it needs to be encoded as a full preface clause. This one is recognized as a full Metanorma AsciiDoc section with the title “Preface”, i.e. `== Preface`. (Simple preface content can also be encoded like full preface.)

IV

SECURITY CONSIDERATIONS

No security considerations have been made for this Standard.

V

SUBMITTERS

All questions regarding this submission should be directed to the editor or the submitters:

NAME	AFFILIATION	OGC MEMBER
Luís Moreira de Sousa	Instituto Superior Técnico: Lisbon, PT	Yes
Timo Homburg	Mainz University Of Applied Sciences	No
Nathalie Abadie	IGN France	Yes
Ghislain Atemezang	European Union Agency for Railways (ERA)	Yes

VI

SOURCE OF THE CONTENT FOR THIS OGC DOCUMENT

VII

VALIDITY OF CONTENT

VIII

FUTURE WORK

NOTE: If you need to place any further sections in the preface area use the [.preface] attribute.



CONTRIBUTORS

Additional contributors to this Standard include the following:

Individual name(s), Organization



1

SCOPE



SCOPE

<Insert Scope text here>

NOTE: Give the subject of the document and the aspects of that scope covered by the document.



2

CONFORMANCE



CONFORMANCE

<Insert conformance content here>

NOTE: Provide a short description of the content approached in subsequent sections and the main subject of the document



3

NORMATIVE REFERENCES

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Identification of Common Molecular Subsequences. Smith, T.F., Waterman, M.S., J. Mol. Biol. 147, 195–197 (1981)

ZIB Structure Prediction Pipeline: Composing a Complex Biological Workflow through Web Services. May, P., Ehrlich, H.C., Steinke, T. In: Nagel, W.E., Walter, W.V., Lehner, W. (eds.) Euro-Par 2006. LNCS, vol. 4128, pp. 1148–1158. Springer, Heidelberg (2006)

The Grid: Blueprint for a New Computing Infrastructure., Foster, I., Kesselman, C.. Morgan Kaufmann, San Francisco (1999).

Grid Information Services for Distributed Resource Sharing. Czajkowski, K., Fitzgerald, S., Foster, I., Kesselman, C. In: 10th IEEE International Symposium on High Performance Distributed Computing, pp. 181–184. IEEE Press, New York (2001)



4

TERMS AND DEFINITIONS

This document uses the terms defined in OGC Policy Directive 49, which is based on the ISO/IEC Directives, Part 2, Rules for the structure and drafting of International Standards. In particular, the word “shall” (not “must”) is the verb form used to indicate a requirement to be strictly followed to conform to this document and OGC documents do not use the equivalent phrases in the ISO/IEC Directives, Part 2.

This document also uses terms defined in the OGC Standard for Modular specifications (OGC 08-131r3), also known as the ‘ModSpec’. The definitions of terms such as standard, specification, requirement, and conformance test are provided in the ModSpec.

For the purposes of this document, the following additional terms and definitions apply.

4.1. example term

term used for exemplary purposes

Note 1 to entry: An example note.

Example Here’s an example of an example term.

[SOURCE:]



5

CONVENTIONS

NOTE: This section provides details and examples for any conventions used in the document. Examples of conventions are symbols, abbreviations, use of XML schema, or special notes regarding how to read the document.

5.1. Identifiers

The normative provisions in this standard are denoted by the URI

<http://www.opengis.net/spec/{standard}/{m.n}>

All requirements and conformance tests that appear in this document are denoted by partial URIs which are relative to this base.

5.2. Other conventions

<Place any other convention needed with its corresponding title>



6

CORE

This clause establishes the **Core** Requirements class, with IRI /req/core, which has a corresponding Conformance Class, **Core**, with IRI /conf/core.

The Core module establishes a set of classes and properties which define the building blocks of a spatial reference system definition. Some of the definitions are extended in specialized modules related to the Core module.




Figure 1

From a base class SpatialReferenceSystem, we define a class for a coordinate system, as the superclass of all spatial reference systems describing locations using coordinates. These SpatialReferenceSystems are described using a Datum and a coordinate system definitions with at least one coordinate axis. Together with several subtypes of coordinate reference system, these definitions complete the Core module.

REQUIREMENTS CLASS 1: 06-CORE.ADOC EXTENSION

IDENTIFIER	/req/06-core.adoc
TARGET TYPE	Implementation Specification
REQUIREMENT	/req/Coordinate_Reference_System_Parameters
	/req/Coordinate_Reference_System_Types
	/req/Coordinate_Reference_System_Properties

6.1. Coordinate Reference System Parameters

Requirement 1: Coordinate Reference System Parameters	
IDENTIFIER	/req/Coordinate_Reference_System_Parameters
STATEMENT	Implementations shall allow the RDFS classes geosrs:AreaOfUse, geosrs:Extent, geosrs:GeographicBoundingBox, geosrs:AxesList, geosrs:SingleCRSList to be used in SPARQL graph patterns.

6.1.1. Class: geosrs:AreaOfUse

Table 1 — geosrs:AreaOfUse

URI	https://w3id.org/geosrs/srs/AreaOfUse
Definition	Area within which a coordinate operation may be used.
Example	<code>geosrs:AreaOfUse</code>

6.1.2. Class: geosrs:Extent

Table 2 — geosrs:Extent

URI	https://w3id.org/geosrs/srs/Extent
Definition	Geographic area or time interval in which the referring object is valid. Cf. ISO 19115-1:2014:2014-04, part 6.6.1 and table B.15 line 335.

6.1.3. Class: geosrs:GeographicBoundingBox

Table 3 — geosrs:GeographicBoundingBox

URI	https://w3id.org/geosrs/srs/GeographicBoundingBox
Definition	Frame delimiting an area of interest. See ISO 19115-1:2014:2014-04, part 6.6.1 and table B.15.1 line 344.

6.1.4. Class: geosrs:AxesList

Table 4 — geosrs:AxesList

URI	https://w3id.org/geosrs/srs/AxesList
Definition	Ordered list of coordinate system axes.

6.1.5. Class: geosrs:SingleCRSList

Table 5 — geosrs:SingleCRSList

URI	https://w3id.org/geosrs/srs/SingleCRSList
Definition	Ordered list of simple reference coordinate systems.

6.2. Coordinate Reference System Properties

REQUIREMENT 2: COORDINATE REFERENCE SYSTEM PROPERTIES

IDENTIFIER	/req/Coordinate_Reference_System_Properties
STATEMENT	Implementations shall allow the RDFS classes geosrs:baseCRS, geosrs:conversion, geosrs:coordinateSystem, geosrs:datum, geosrs:datumEnsemble, geosrs:domainOfValidity, geosrs:method, geocrs:asProj4, geocrs:asProjJSON, geocrs:asWKT, geosrs:EPSGcode to be used in SPARQL graph patterns.

6.2.1. Property: geosrs:baseCRS

Table 6 — geosrs:baseCRS

URI	https://w3id.org/geosrs/srs/baseCRS
Type	owl:ObjectProperty

Definition	The geodetic coordinate reference system on which a projected coordinate reference system is based. Cf. ISO 19111:2007:2007-07, table 11, association role base CRS.
Range	<u>GeodeticCRS</u>
Domain	<u>ProjectedCRS</u>

6.2.2. Property: geosrs:conversion

Table 7 — geosrs:conversion

URI	<u>https://w3id.org/geosrs/srs/conversion</u>
Type	<u>owl:ObjectProperty</u>
Definition	The conversion used to define a projected coordinate reference system. Cf. ISO 19111:2007:2007-07, table 7, named association Definition.
Range	<u>Conversion</u>
Domain	<u>CRS</u>

6.2.3. Property: geosrs:coordinateSystem

Table 8 — geosrs:coordinateSystem

URI	<u>https://w3id.org/geosrs/srs/coordinateSystem</u>
Type	<u>owl:ObjectProperty</u>
Definition	The property relates a coordinate reference system to its coordinate system
Range	<u>CoordinateSystem</u>
Domain	<u>CRS</u>

6.2.4. Property: geosrs:datum

Table 9 — geosrs:datum

URI	https://w3id.org/geosrs/srs/datum
Type	owl:ObjectProperty
Definition	The property relates a coordinate reference system to a datum
Range	Datum
Domain	CRS

6.2.5. Property: geosrs:datumEnsemble

Table 10 — geosrs:datumEnsemble

URI	https://w3id.org/geosrs/srs/datumEnsemble
Type	owl:ObjectProperty
Definition	Indicates a single CRS referring to a collection of one or more datums (Datum Ensemble)
Range	DatumEnsemble
Domain	SingleCRS

6.2.6. Property: geosrs:domainOfValidity

Table 11 — geosrs:domainOfValidity

URI	https://w3id.org/geosrs/srs/domainOfValidity
Type	owl:ObjectProperty
Definition	Geographic area or time interval in which the referring object is valid. Cf. ISO 19111:2007:2007-07, tables 4, 33 and 42, attribute domainOfValidity.

Range	<u>AreaOfUse</u>
Domain	<u>CRS</u>

6.2.7. Property: geosrs:method

Table 12 — geosrs:method

URI	<u>https://w3id.org/geosrs/srs/method</u>
Type	<u>owl:ObjectProperty</u>
Range	<u>CoordinateOperation</u>
Domain	<u>CRS</u>

6.2.8. Property: geocrs:asProj4

Table 13 — geocrs:asProj4

URI	geocrs:asProj4
Type	<u>owl:DatatypeProperty</u>
Definition	PROJ4 string defining a CRS. Note: this paradigm is ambiguous and presently considered outdated.
Range	<u>proj4Literal</u>
Domain	<u>CRS</u>

6.2.9. Property: geocrs:asProjJSON

Table 14 — geocrs:asProjJSON

URI	geocrs:asProjJSON
Type	<u>owl:DatatypeProperty</u>

Definition	CRS definition encoded as a JSON object interpretable by PROJ4.
Range	<u>projJSONLiteral</u>
Domain	<u>CRS</u>

6.2.10. Property: geocrs:asWKT

Table 15 — geocrs:asWKT

URI	geocrs:asWKT
Type	<u>owl:DatatypeProperty</u>
Definition	CRS definition encoded according to the Well Known Text structure. Cf. ISO 19162:2019.
Range	<u>wktLiteral</u>
Domain	<u>CRS</u>

6.2.11. Property: geosrs:EPSGcode

Table 16 — geosrs:EPSGcode

URI	<u>https://w3id.org/geosrs/srs/EPSGcode</u>
Type	<u>owl:DatatypeProperty</u>
Definition	Identifier of this resource in the EPSG Geodetic Parameter Dataset.
Range	xsd:string[xsd:string]

6.3. Coordinate Reference System Types

REQUIREMENT 3: COORDINATE REFERENCE SYSTEM TYPES

IDENTIFIER /req/Coordinate_Reference_System_Types

STATEMENT Implementations shall allow the RDFS classes geosrs:BoundCRS, geosrs:CompoundCRS, geosrs:CRS, geosrs:EngineeringCRS, geosrs:GeocentricCRS, geosrs:GeodeticCRS, geosrs:GeographicCRS, geosrs:ParametricCRS, geosrs:ProjectedCRS, geosrs:SelenographicCRS, geosrs:ReferenceSystem, geosrs:SingleCRS, geosrs:SpatialReferenceSystem, geosrs:SpatioParametricCompoundCRS, geosrs:SpatioParametricTemporalCompoundCRS, geosrs:SpatioTemporalCompoundCRS, geosrs:StaticCRS, geosrs:TemporalCRS, geosrs:VerticalCRS to be used in SPARQL graph patterns.

6.3.1. Class: geosrs:BoundCRS

Table 17 — geosrs:BoundCRS

URI	https://w3id.org/geosrs/srs/BoundCRS
Super-classes	BoundCRS

6.3.2. Class: geosrs:CompoundCRS

Table 18 — geosrs:CompoundCRS

URI	https://w3id.org/geosrs/srs/CompoundCRS
Definition	Coordinate reference system using at least two independent single coordinate reference systems. Cf. ISO 19111:2007:2007-07, parts 8.2.3.c, 8.2.4, table 6 and annex B.1.2.4.
Super-classes	CompoundCRS
Example	geosrs:CompoundCRS

6.3.3. Class: geosrs:CRS

Table 19 — geosrs:CRS

URI	https://w3id.org/geosrs/srs/CRS
-----	---

Definition	Depending on the spatial dimension of coordinates (1D, 2D, 3D), this piece of metadata is used for specifying the elements of definition associated to a given set of coordinates: its datum, its ellipsoid, its prime meridian, the type of coordinates (geocentric, geographic, projected,...), the coordinates units of measure, when appropriate the cartographic projection used, the vertical coordinate reference system.
Super-classes	<u>CRS</u>

6.3.4. Class: geosrs:EngineeringCRS

Table 20 — geosrs:EngineeringCRS

URI	<u>https://w3id.org/geosrs/srs/EngineeringCRS</u>
Definition	A contextually local coordinate reference system which can be divided into two broad categories: — earth-fixed systems applied to engineering activities on or near the surface of the earth; — CRSs on moving platforms such as road vehicles, vessels, aircraft or spacecraft.
Super-classes	<u>EngineeringCRS</u>

6.3.5. Class: geosrs:GeocentricCRS

Table 21 — geosrs:GeocentricCRS

URI	<u>https://w3id.org/geosrs/srs/GeocentricCRS</u>
Definition	A cartesian coordinate reference system that represents locations in the vicinity of the Earth (including its surface, interior, atmosphere, and surrounding outer space) as X, Y, and Z measurements from its center of mass. Commonly used to track the orbits of satellites.
Super-classes	<u>GeocentricCRS</u>
Example	<u>geosrs:GeocentricCRS</u>

6.3.6. Class: geosrs:GeodeticCRS

Table 22 — geosrs:GeodeticCRS

URI	https://w3id.org/geosrs/srs/GeodeticCRS
Definition	Coordinate Reference System associated with a geodetic datum. Cf. ISO 19111:2007:2007-07, part 8.2.2.a, table 10 and annex B.1.2.1.a.
Super-classes	GeodeticCRS

6.3.7. Class: geosrs:GeographicCRS

Table 23 — geosrs:GeographicCRS

URI	https://w3id.org/geosrs/srs/GeographicCRS
Definition	Coordinate Reference System that has a geodetic reference frame and an ellipsoidal coordinate system
Super-classes	GeographicCRS
Example	geosrs:GeographicCRS

6.3.8. Class: geosrs:ParametricCRS

Table 24 — geosrs:ParametricCRS

URI	https://w3id.org/geosrs/srs/ParametricCRS
Definition	Coordinate Reference System based on a parametric datum
Super-classes	ParametricCRS

6.3.9. Class: geosrs:ProjectedCRS

Table 25 — geosrs:ProjectedCRS

URI	https://w3id.org/geosrs/srs/ProjectedCRS
Definition	Coordinate Reference System derived from a two-dimensional geodetic coordinate reference system by applying a map projection. Cf. ISO 19111:2007:2007-07, part 8.2.3.b, table 11 and annex B.1.2.3.
Super-classes	ProjectedCRS
Example	geosrs:ProjectedCRS

6.3.10. Class: geosrs:SelenographicCRS

Table 26 — geosrs:SelenographicCRS

URI	https://w3id.org/geosrs/srs/SelenographicCRS
Definition	Coordinate Reference System to refer locations on the surface of the Earth's Moon.
Super-classes	SelenographicCRS

6.3.11. Class: geosrs:ReferenceSystem

Table 27 — geosrs:ReferenceSystem

URI	https://w3id.org/geosrs/srs/ReferenceSystem
Definition	An abstract coordinate system, whose origin, orientation and scale are specified in physical space. It is based on a set of reference points, defined as geometric points whose position is identified physically and mathematically.

6.3.12. Class: geosrs:SingleCRS

Table 28 — geosrs:SingleCRS

URI	https://w3id.org/geosrs/srs/SingleCRS
-----	---

Definition	Coordinate reference system consisting of one coordinate system and one datum. Cf. ISO 19111:2007:2007-07, table 5.
Super-classes	SingleCRS

6.3.13. Class: geosrs:SpatialReferenceSystem

Table 29 — geosrs:SpatialReferenceSystem

URI	https://w3id.org/geosrs/srs/SpatialReferenceSystem
Definition	A spatial reference system (SRS) is a system for establishing spatial position. A spatial reference system can use geographic identifiers (place names, for example), coordinates (in which case it is a coordinate reference system), or identifiers with structured geometry (in which case it is a discrete global grid system).
Super-classes	SpatialReferenceSystem

6.3.14. Class: geosrs:SpatioParametricCompoundCRS

Table 30 — geosrs:SpatioParametricCompoundCRS

URI	https://w3id.org/geosrs/srs/SpatioParametricCompoundCRS
Definition	A spatio-parametric coordinate reference system is a compound CRS in which one component is a geographic 2D, projected 2D or engineering 2D CRS, supplemented by a parametric CRS to create a three-dimensional CRS
Super-classes	SpatioParametricCompoundCRS

6.3.15. Class: geosrs:SpatioParametricTemporalCompoundCRS

Table 31 — geosrs:SpatioParametricTemporalCompoundCRS

URI	https://w3id.org/geosrs/srs/SpatioParametricTemporalCompoundCRS
-----	---

Definition	Coordinate reference system combining a spatio-parametric reference system with at least one temporal reference system
Super-classes	SpatioParametricTemporalCompoundCRS

6.3.16. Class: geosrs:SpatioTemporalCompoundCRS

Table 32 — geosrs:SpatioTemporalCompoundCRS

URI	https://w3id.org/geosrs/srs/SpatioTemporalCompoundCRS
Definition	Coordinate reference system combining a spatial reference system with at least one temporal reference system
Super-classes	SpatioTemporalCompoundCRS

6.3.17. Class: geosrs:StaticCRS

Table 33 — geosrs:StaticCRS

URI	https://w3id.org/geosrs/srs/StaticCRS
Definition	Coordinate Reference System that has a static reference frame
Super-classes	StaticCRS

6.3.18. Class: geosrs:TemporalCRS

Table 34 — geosrs:TemporalCRS

URI	https://w3id.org/geosrs/srs/TemporalCRS
Definition	Coordinate Reference System based on a temporal datum
Super-classes	TemporalCRS

6.3.19. Class: geosrs:VerticalCRS

Table 35 — geosrs:VerticalCRS

URI	https://w3id.org/geosrs/srs/VerticalCRS
Definition	One-dimensional coordinate reference system associated with a vertical datum and used for recording heights or depths. Ellipsoidal heights are not captured in a vertical coordinate reference system but as part of a 3D coordinates tuple defined in a geodetic 3D coordinate reference system. Cf. ISO 19111:2007:2007-07, parts 8.2.2.b, table 14 and annex B.1.2.1.b.
Super-classes	VerticalCRS
Example	geosrs:VerticalCRS

7

COORDINATE OPERATION MODULE

COORDINATE OPERATION MODULE

This clause establishes the **Co** Requirements class, with IRI `/req/co`, which has a corresponding Conformance Class, **Co**, with IRI `/conf/co`.

REQUIREMENTS CLASS 2: 07-CO_EXTENSION.ADOC EXTENSION

IDENTIFIER	<code>/req/07-co_extension.adoc</code>
TARGET TYPE	Implementation Specification
REQUIREMENT	<code>/req/Coordinate_Operation_Methods</code>
	<code>/req/Coordinate_Operation_Parameters</code>
	<code>/req/Coordinate_Operation_Categories</code>
	<code>/req/Coordinate_Operation_Properties</code>

7.1. Coordinate Operation Categories

REQUIREMENT 4: COORDINATE OPERATION CATEGORIES

IDENTIFIER	<code>/req/Coordinate_Operation_Categories</code>
STATEMENT	Implementations shall allow the RDFS classes <code>geosrs:GeographicObject</code> , <code>geosrs:RegisterOperations</code> , <code>geosrs:ScaleOperation</code> , <code>geosrs:RotationOperation</code> , <code>geosrs:IdentityOperation</code> , <code>geosrs:ShearOperation</code> , <code>geosrs:TranslationOperation</code> , <code>geosrs:AffineTransformationOperation</code> , <code>geocrs:CoordinateTransformationOperation</code> to be used in SPARQL graph patterns.

7.1.1. Class: `geosrs:GeographicObject`

Table 36 — `geosrs:GeographicObject`

URI	https://w3id.org/geosrs/co/GeographicObject
Definition	Identifier of a geographic feature of which the coordinates are used as operation parameters.

Super-classes	<u>GeographicObject</u>
---------------	---

7.1.2. Class: geosrs:RegisterOperations

Table 37 — geosrs:RegisterOperations

URI	<u>https://w3id.org/geosrs/co/RegisterOperations</u>
Definition	Operations supported in the Coordinate Operations package.

7.1.3. Class: geosrs:ScaleOperation

Table 38 — geosrs:ScaleOperation

URI	<u>https://w3id.org/geosrs/co/ScaleOperation</u>
Definition	Scale transformation operation
Super-classes	<u>ScaleOperation</u>

7.1.4. Class: geosrs:RotationOperation

Table 39 — geosrs:RotationOperation

URI	<u>https://w3id.org/geosrs/co/RotationOperation</u>
Definition	Rotation transformation operation
Super-classes	<u>RotationOperation</u>

7.1.5. Class: geosrs:IdentityOperation

Table 40 — geosrs:IdentityOperation

URI	<u>https://w3id.org/geosrs/co/IdentityOperation</u>
-----	--

Definition	Identity transformation operation
Super-classes	<u>IdentityOperation</u>

7.1.6. Class: geosrs:ShearOperation

Table 41 — geosrs:ShearOperation

URI	<u>https://w3id.org/geosrs/co/ShearOperation</u>
Definition	Shear transformation operation
Super-classes	<u>ShearOperation</u>

7.1.7. Class: geosrs:TranslationOperation

Table 42 — geosrs:TranslationOperation

URI	<u>https://w3id.org/geosrs/co/TranslationOperation</u>
Definition	Translation transformation operation
Super-classes	<u>TranslationOperation</u>

7.1.8. Class: geosrs:AffineTransformationOperation

Table 43 — geosrs:AffineTransformationOperation

URI	<u>https://w3id.org/geosrs/co/AffineTransformationOperation</u>
Definition	Affine coordinate transformation operation
Super-classes	<u>CoordinateTransformationOperation</u> []

7.1.9. Class: geocrs:CoordinateTransformationOperation

Table 44 — geocrs:CoordinateTransformationOperation

URI	geocrs:CoordinateTransformationOperation[]
Definition	Coordinate operation in which the two coordinate reference systems are based on different datums.
Super-classes	geocrs:CoordinateTransformationOperation[geocrs:CoordinateTransformationOperation]

7.2. Coordinate Operation Methods

REQUIREMENT 5: COORDINATE OPERATION METHODS

IDENTIFIER	/req/Coordinate_Operation_Methods
STATEMENT	Implementations shall allow the RDFS classes geocrs:CoordinateOperation, geocrs:PassThroughOperation, geocrs:ConcatenatedOperation, geocrs:SingleOperation, geocrs:Transformation, geocrs:Conversion, geocrs:PointMotionOperation, geocrs:OperationMethod to be used in SPARQL graph patterns.

7.2.1. Class: geocrs:PassThroughOperation

Table 45 — geocrs:PassThroughOperation

URI	https://w3id.org/geocrs/co/PassThroughOperation
Definition	Specification of a subset of coordinate tuples that is subject to a coordinate operation
Super-classes	PassThroughOperation

7.2.2. Class: geocrs:ConcatenatedOperation

Table 46 — geocrs:ConcatenatedOperation

URI	https://w3id.org/geocrs/co/ConcatenatedOperation
Definition	Ordered sequence of two or more single coordinate operations. Note: The sequence of coordinate operations is constrained by the requirement that the source

coordinate reference system of step (n + 1) shall be the same as the target coordinate reference system of step (n). The source coordinate reference system of the first step and the target coordinate reference system of the last step are the source and target coordinate reference system associated with the concatenated coordinate operation. For a concatenated coordinate operation sequence of n coordinate operations: source CRS (concatenated coordinate operation) .eq. source CRS (coordinate operation step 1) target CRS (coordinate operation step i) .eq. source CRS (coordinate operation step i + 1); i .eq. 1 ... (n – 1) target CRS (concatenated coordinate operation) .eq. target CRS (coordinate operation step n) Instead of a forward coordinate operation, an inverse coordinate operation may be used for one or more of the coordinate operation steps mentioned above, if the inverse coordinate operation is uniquely defined by the forward coordinate operation method.

Super-classes	ConcatenatedOperation
---------------	---------------------------------------

7.2.3. Class: geosrs:PointMotionOperation

Table 47 — geosrs:PointMotionOperation

URI	https://w3id.org/geosrs/co/PointMotionOperation
Definition	Mathematical operation that describes the change of coordinate values within one coordinate reference system due to the motion of the point between one coordinate epoch and another coordinate epoch Note: In this document the motion is due to tectonic plate movement or deformation.
Super-classes	PointMotionOperation

7.3. Coordinate Operation Parameters

REQUIREMENT 6: COORDINATE OPERATION PARAMETERS

IDENTIFIER	/req/Coordinate_Operation_Parameters
STATEMENT	Implementations shall allow the RDFS classes geosrs:GeneralOperationParameter, geosrs:OperationParameterGroup, geosrs:OperationParameter, geosrs:GeneralParameterValue, geosrs:ParameterValueGroup, geosrs:OperationParameterValue to be used in SPARQL graph patterns.

7.3.1. Class: geosrs:OperationParameterGroup

Table 48 — geosrs:OperationParameterGroup

URI	https://w3id.org/geosrs/co/OperationParameterGroup
Definition	Definition of a group of related parameters used by a coordinate operation method.
Super-classes	OperationParameterGroup

7.3.2. Class: geosrs:ParameterValueGroup

Table 49 — geosrs:ParameterValueGroup

URI	https://w3id.org/geosrs/co/ParameterValueGroup
Definition	Group of related parameter values. Note: The same group can be repeated more than once in a coordinate operation or higher level ParameterValueGroup, if those instances contain different values of one or more ParameterValues which suitably distinguish among those groups.
Super-classes	ParameterValueGroup

7.4. Coordinate Operation Properties

REQUIREMENT 7: COORDINATE OPERATION PROPERTIES

IDENTIFIER	/req/Coordinate_Operation_Properties
STATEMENT	Implementations shall allow the RDFS classes <code>geosrs:derivingConversion</code> , <code>geosrs:parameter</code> , <code>geosrs:sourceCRS</code> , <code>geosrs:targetCRS</code> to be used in SPARQL graph patterns.

7.4.1. Property: `geosrs:derivingConversion`

Table 50 — `geosrs:derivingConversion`

URI	https://w3id.org/geosrs/co/derivingConversion
Type	owl:ObjectProperty
Definition	Relates a derived CRS to a conversion
Range	Conversion
Domain	DerivedCRS

7.4.2. Property: `geosrs:parameter`

Table 51 — `geosrs:parameter`

URI	https://w3id.org/geosrs/co/parameter
Type	owl:ObjectProperty
Definition	Value of the datum-defining parameter
Range	OperationParameter
Domain	Conversion

7.4.3. Property: `geosrs:sourceCRS`

Table 52 — geosrs:sourceCRS

URI	https://w3id.org/geosrs/co/sourceCRS
Type	owl:ObjectProperty
Definition	The coordinate reference system associated to the data used as input of a given operation. Cf. ISO 19111:2007:2007-07, table 42, named association Source.
Range	CRS
Domain	CoordinateOperation

7.4.4. Property: geosrs:targetCRS

Table 53 — geosrs:targetCRS

URI	https://w3id.org/geosrs/co/targetCRS
Type	owl:ObjectProperty
Definition	The coordinate reference system associated to the data obtained as output of a given operation. Cf. ISO 19111:2007:2007-07, table 42, named association Target.
Range	CRS
Domain	CoordinateOperation



8

COORDINATE SYSTEM MODULE

This clause establishes the **CS** Requirements class, with IRI `/req/cs`, which has a corresponding Conformance Class, **CS**, with IRI `/conf/cs`.

The coordinate system module introduces different types of coordinate systems which are distinguished in geospatial science and applications. Coordinate systems are distinguished by their area of use, i.e planetary or interstellar and by their multidimensionality.

REQUIREMENTS CLASS 3: 08-CS_EXTENSION.ADOC EXTENSION

IDENTIFIER	<code>/req/08-cs_extension.adoc</code>
TARGET TYPE	Implementation Specification
REQUIREMENT	<code>/req/Coordinate_System_Types</code>
	<code>/req/Celestial_Coordinate_Systems</code>
	<code>/req/Orthogonal_Coordinate_Systems</code>
	<code>/req/3D_Coordinate_Systems</code>
	<code>/req/Temporal_Coordinate_Systems</code>
	<code>/req/Coordinate_System_Parameters</code>

8.1. 3D Coordinate Systems

REQUIREMENT 8: 3D COORDINATE SYSTEMS

IDENTIFIER	<code>/req/3D_Coordinate_Systems</code>
STATEMENT	Implementations shall allow the RDFS classes <code>geosrs:CylindricalCoordinateSystem</code> , <code>geosrs:SphericalCoordinateSystem</code> to be used in SPARQL graph patterns.

8.1.1. Class: `geosrs:CylindricalCoordinateSystem`

Table 54 — geosrs:CylindricalCoordinateSystem

URI	https://w3id.org/geosrs/cs/CylindricalCoordinateSystem
Definition	Three-dimensional coordinate system in Euclidean space in which position is specified by two linear coordinates and one angular coordinate
Super-classes	CylindricalCoordinateSystem

8.2. Celestial Coordinate Systems

REQUIREMENT 9: CELESTIAL COORDINATE SYSTEMS

IDENTIFIER	/req/Celestial_Coordinate_Systems
STATEMENT	Implementations shall allow the RDFS classes geosrs:CelestialCoordinateSystem, geosrs:EclipticCoordinateSystem, geosrs:EquatorialCoordinateSystem, geosrs:GalacticCoordinateSystem, geosrs:HorizontalCoordinateSystem, geosrs:PerifocalCoordinateSystem, geosrs:SuperGalacticCS to be used in SPARQL graph patterns.

8.2.1. Class: geosrs:CelestialCoordinateSystem

Table 55 — geosrs:CelestialCoordinateSystem

URI	https://w3id.org/geosrs/cs/CelestialCoordinateSystem
Definition	A coordinate system for specifying positions of celestial objects relative to physical reference points
Super-classes	CelestialCoordinateSystem

8.2.2. Class: geosrs:EclipticCoordinateSystem

Table 56 — geosrs:EclipticCoordinateSystem

URI	https://w3id.org/geosrs/cs/EclipticCoordinateSystem
Definition	An ecliptic coordinate system is used for representing the apparent positions and orbits of solar system objects.

Super-classes

[EclipticCoordinateSystem](#)

8.2.3. Class: geosrs:EquatorialCoordinateSystem

Table 57 — geosrs:EquatorialCoordinateSystem

URI	https://w3id.org/geosrs/cs/EquatorialCoordinateSystem
Definition	A celestial coordinate system in which an object's position on the celestial sphere is described in terms of its north-south declination and east-west right ascension, measured relative to the celestial equator and vernal equinox, respectively.
Super-classes	EquatorialCoordinateSystem

8.2.4. Class: geosrs:GalacticCoordinateSystem

Table 58 — geosrs:GalacticCoordinateSystem

URI	https://w3id.org/geosrs/cs/GalacticCoordinateSystem
Definition	A coordinate system with the Sun as its center, the primary direction aligned with the approximate center of the Milky Way Galaxy, and the fundamental plane parallel to an approximation of the galactic plane but offset to its north.
Super-classes	CelestialCoordinateSystem 3DCoordinateSystem

8.2.5. Class: geosrs:HorizontalCoordinateSystem

Table 59 — geosrs:HorizontalCoordinateSystem

URI	https://w3id.org/geosrs/cs/HorizontalCoordinateSystem
Definition	A horizontal coordinate system is a celestial coordinate system that uses the observer's local horizon as the fundamental plane.
Super-classes	HorizontalCoordinateSystem

8.2.6. Class: geosrs:PerifocalCoordinateSystem

Table 60 — geosrs:PerifocalCoordinateSystem

URI	https://w3id.org/geosrs/cs/PerifocalCoordinateSystem
Definition	A frame of reference centered at the focus of the orbit, i. e. the celestial body about which the orbit is centered.
Super-classes	PerifocalCoordinateSystem

8.2.7. Class: geosrs:SuperGalacticCS

Table 61 — geosrs:SuperGalacticCS

URI	https://w3id.org/geosrs/cs/SuperGalacticCS
Definition	A reference frame for the supercluster of galaxies that contains the Milky Way galaxy, referenced to a local relatively flat collection of galaxy clusters used to define the supergalactic plane.
Super-classes	CelestialCoordinateSystem 3DCoordinateSystem

8.3. Coordinate System Parameters

REQUIREMENT 10: COORDINATE SYSTEM PARAMETERS

IDENTIFIER	/req/Coordinate_System_Parameters
STATEMENT	Implementations shall allow the RDFS classes geosrs:axis, geosrs:axisDirection to be used in SPARQL graph patterns.

8.3.1. Property: geosrs:axis

Table 62 — geosrs:axis

URI	https://w3id.org/geosrs/cs/axis
Type	owl:ObjectProperty
Definition	The property relates a coordinate system to one of its axis
Range	Axis
Domain	CoordinateSystem

8.3.2. Property: geosrs:axisDirection

Table 63 — geosrs:axisDirection

URI	https://w3id.org/geosrs/cs/axisDirection
Type	owl:ObjectProperty
Definition	The direction of an axis. Cf. ISO 19111:2007:2007-07, table 27, attribute coordinate system axis direction.
Range	AxisDirection
Domain	Axis

8.4. Coordinate System Types

REQUIREMENT 11: COORDINATE SYSTEM TYPES	
IDENTIFIER	/req/Coordinate_System_Types
STATEMENT	Implementations shall allow the RDFS classes geosrs:1DCoordinateSystem, geosrs:3DCoordinateSystem, geosrs:AffineCoordinateSystem, geosrs:BarycentricCoordinateSystem, geosrs:CartesianCoordinateSystem, geosrs:CurvilinearCoordinateSystem, geosrs:EngineeringCoordinateSystem, geosrs:GeodeticCoordinateSystem, geosrs:GridCoordinateSystem, geosrs:HexagonalCoordinateSystem, geosrs:LocalCoordinateSystem, geosrs:ObliqueCoordinateSystem, geosrs:OrdinalCoordinateSystem, geosrs:PlanarCoordinateSystem, geosrs:PolarCoordinateSystem to be used in SPARQL graph patterns.

8.4.1. Class: geosrs:1DCoordinateSystem

Table 64 — geosrs:1DCoordinateSystem

URI	https://w3id.org/geosrs/cs/1DCoordinateSystem
Definition	Non-repeating sequence of coordinate system axes that spans a given coordinate space in one dimension
Super-classes	1DCoordinateSystem

8.4.2. Class: geosrs:3DCoordinateSystem

Table 65 — geosrs:3DCoordinateSystem

URI	https://w3id.org/geosrs/cs/3DCoordinateSystem
Definition	Non-repeating sequence of coordinate system axes that spans a given coordinate space in three dimensions
Super-classes	3DCoordinateSystem
Example	geosrs:3DCoordinateSystem

8.4.3. Class: geosrs:AffineCoordinateSystem

Table 66 — geosrs:AffineCoordinateSystem

URI	https://w3id.org/geosrs/cs/AffineCoordinateSystem
Definition	Coordinate system in Euclidean space with straight axes that are not necessarily mutually perpendicular
Super-classes	AffineCoordinateSystem

8.4.4. Class: geosrs:BarycentricCoordinateSystem

Table 67 — geosrs:BarycentricCoordinateSystem

URI	https://w3id.org/geosrs/cs/BarycentricCoordinateSystem
Definition	A coordinate system in which the location of a point is specified by reference to a simplex (a triangle for points in a plane, a tetrahedron for points in three-dimensional space, etc.)
Super-classes	BarycentricCoordinateSystem

8.4.5. Class: geosrs:CurvilinearCoordinateSystem

Table 68 — geosrs:CurvilinearCoordinateSystem

URI	https://w3id.org/geosrs/cs/CurvilinearCoordinateSystem
Definition	A coordinate system for the Euclidean space in which the coordinate lines may be curved
Super-classes	CurvilinearCoordinateSystem

8.4.6. Class: geosrs:EngineeringCoordinateSystem

Table 69 — geosrs:EngineeringCoordinateSystem

URI	https://w3id.org/geosrs/cs/EngineeringCoordinateSystem
Definition	Coordinate system used by an engineering coordinate reference system, one of an affine coordinate system, a Cartesian coordinate system, a cylindrical coordinate system, a linear coordinate sytem, an ordinal coordinate system, a polar coordinate system or a spherical coordinate system
Super-classes	EngineeringCoordinateSystem

8.4.7. Class: geosrs:GeodeticCoordinateSystem

Table 70 — geosrs:GeodeticCoordinateSystem

URI	https://w3id.org/geosrs/cs/GeodeticCoordinateSystem
-----	---

Definition	Coordinate system used by a Geodetic CRS, one of a Cartesian coordinate system or a spherical coordinate system.
Super-classes	<u>GeodeticCoordinateSystem</u>

8.4.8. Class: geosrs:GridCoordinateSystem

Table 71 — geosrs:GridCoordinateSystem

URI	<u>https://w3id.org/geosrs/cs/GridCoordinateSystem</u>
Definition	A grid coordinate system identifies areas within a grid.
Super-classes	<u>GridCoordinateSystem</u>

8.4.9. Class: geosrs:HexagonalCoordinateSystem

Table 72 — geosrs:HexagonalCoordinateSystem

URI	<u>https://w3id.org/geosrs/cs/HexagonalCoordinateSystem</u>
Definition	A hexagonal coordinate system identifies areas within a hexagonal lattice.
Super-classes	<u>HexagonalCoordinateSystem</u>

8.4.10. Class: geosrs:LocalCoordinateSystem

Table 73 — geosrs:LocalCoordinateSystem

URI	<u>https://w3id.org/geosrs/cs/LocalCoordinateSystem</u>
Definition	Coordinate system with a point of local reference.
Super-classes	<u>LocalCoordinateSystem</u>

8.4.11. Class: geosrs:ObliqueCoordinateSystem

Table 74 — geosrs:ObliqueCoordinateSystem

URI	https://w3id.org/geosrs/cs/ObliqueCoordinateSystem
Definition	A plane coordinate system whose axes are not perpendicular.
Super-classes	ObliqueCoordinateSystem

8.4.12. Class: geosrs:PlanarCoordinateSystem

Table 75 — geosrs:PlanarCoordinateSystem

URI	https://w3id.org/geosrs/cs/PlanarCoordinateSystem
Definition	A two-dimensional measurement system that locates features on a plane based on their distance from an origin (0,0) along two perpendicular axes.
Super-classes	PlanarCoordinateSystem
Example	geosrs:PlanarCoordinateSystem

8.5. Orthogonal Coordinate Systems

REQUIREMENT 12: ORTHOGONAL COORDINATE SYSTEMS

IDENTIFIER	/req/Orthogonal_Coordinate_Systems
STATEMENT	Implementations shall allow the RDFS classes geosrs:ConicalCoordinateSystem, geosrs:EllipsoidalCoordinateSystem to be used in SPARQL graph patterns.

8.5.1. Class: geosrs:ConicalCoordinateSystem

Table 76 — geosrs:ConicalCoordinateSystem

URI	https://w3id.org/geosrs/cs/ConicalCoordinateSystem
Definition	A conical coordinate system is a three-dimensional orthogonal coordinate system consisting of concentric spheres (described by their radius <i>r</i>) and by two families of perpendicular cones, aligned along the <i>z</i> - and <i>x</i> -axes, respectively
Super-classes	ConicalCoordinateSystem

8.6. Temporal Coordinate Systems

REQUIREMENT 13: TEMPORAL COORDINATE SYSTEMS

IDENTIFIER	/req/Temporal_Coordinate_Systems
STATEMENT	Implementations shall allow the RDFS classes geosrs:DateTimeTemporalCoordinateSystem, geosrs:TemporalCountCoordinateSystem, geosrs:TemporalCoordinateSystem, geosrs:TemporalMeasureCoordinateSystem to be used in SPARQL graph patterns.

8.6.1. Class: geosrs:DateTimeTemporalCoordinateSystem

Table 77 — geosrs:DateTimeTemporalCoordinateSystem

URI	https://w3id.org/geosrs/cs/DateTimeTemporalCoordinateSystem
Definition	One-dimensional coordinate system used to record time in dateTime representation as defined in ISO 8601.
Super-classes	DateTimeTemporalCoordinateSystem

8.6.2. Class: geosrs:TemporalCountCoordinateSystem

Table 78 — geosrs:TemporalCountCoordinateSystem

URI	https://w3id.org/geosrs/cs/TemporalCountCoordinateSystem
-----	---

Definition	One-dimensional coordinate system used to record time as an integer count.
Super-classes	<u>TemporalCountCoordinateSystem</u>

8.6.3. Class: geosrs:TemporalCoordinateSystem

Table 79 — geosrs:TemporalCoordinateSystem

URI	<u>https://w3id.org/geosrs/cs/TemporalCoordinateSystem</u>
Definition	One-dimensional coordinate system where the axis is time.
Super-classes	<u>TemporalCoordinateSystem</u>

8.6.4. Class: geosrs:TemporalMeasureCoordinateSystem

Table 80 — geosrs:TemporalMeasureCoordinateSystem

URI	<u>https://w3id.org/geosrs/cs/TemporalMeasureCoordinateSystem</u>
Definition	One-dimensional coordinate system used to record a time as a real number.
Super-classes	<u>TemporalMeasureCoordinateSystem</u>

9

DATUM MODULE

This clause establishes the **Datum** Requirements class, with IRI `/req/datum`, which has a corresponding Conformance Class, **Datum**, with IRI `/conf/datum`.

REQUIREMENTS CLASS 4: 09-DATUM_EXTENSION.ADOC EXTENSION

IDENTIFIER	<code>/req/09-datum_extension.adoc</code>
TARGET TYPE	Implementation Specification
REQUIREMENT	<code>/req/Datum_Types</code>
	<code>/req/Datum_Parameters</code>
	<code>/req/Spheroid_Types</code>
	<code>/req/Datum_Properties</code>
	<code>/req/Spheroid_Properties</code>

9.1. Datum Parameters

REQUIREMENT 14: DATUM PARAMETERS

IDENTIFIER	<code>/req/Datum_Parameters</code>
STATEMENT	Implementations shall allow the RDFS classes <code>geosrs:PrimeMeridian</code> , <code>geosrs:DefiningParameter</code> to be used in SPARQL graph patterns.

9.1.1. Class: `geosrs:DefiningParameter`

Table 81 — `geosrs:DefiningParameter`

URI	https://w3id.org/geosrs/datum/DefiningParameter
Definition	Parameter value, an ordered sequence of values, or a reference to a file of parameter values that define

a paramtric datum. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.

9.2. Datum Properties

REQUIREMENT 15: DATUM PROPERTIES

IDENTIFIER	/req/Datum_Properties
STATEMENT	Implementations shall allow the RDFS classes geosrs:datumDefiningParameter, geosrs:ellipsoid, geosrs:primeMeridian to be used in SPARQL graph patterns.

9.2.1. Property: geosrs:datumDefiningParameter

Table 82 — geosrs:datumDefiningParameter

URI	https://w3id.org/geosrs/datum/datumDefiningParameter
Type	owl:ObjectProperty
Definition	Parameter used to define the parametric datum
Range	DefiningParameter
Domain	ParametricDatum

9.2.2. Property: geosrs:ellipsoid

Table 83 — geosrs:ellipsoid

URI	https://w3id.org/geosrs/datum/ellipsoid
Type	owl:ObjectProperty
Definition	The properties relates a datum to its ellipsoid definition
Range	Ellipsoid

Domain	<u>Datum</u>
--------	--------------

9.2.3. Property: geosrs:primeMeridian

Table 84 — geosrs:primeMeridian

URI	https://w3id.org/geosrs/datum/primeMeridian
Type	<u>owl:ObjectProperty</u>
Definition	The prime meridian used by a geodetic datum. Cf. ISO 19111:2007:2007-07, table 34, association role prime Meridian.
Range	<u>PrimeMeridian</u>
Domain	<u>Datum</u>

9.3. Datum Types

REQUIREMENT 16: DATUM TYPES

IDENTIFIER /req/Datum_Types

STATEMENT

Implementations shall allow the RDFS classes geosrs:Datum, geosrs:GeodeticDatum, geosrs:DynamicGeodeticReferenceFrame, geosrs:VerticalDatum, geosrs:DynamicVerticalDatum, geosrs:ParametricDatum, geosrs:EngineeringDatum, geosrs:TemporalDatum, geosrs:DatumEnsemble to be used in SPARQL graph patterns.

9.3.1. Class: geosrs:DynamicGeodeticReferenceFrame

Table 85 — geosrs:DynamicGeodeticReferenceFrame

URI	https://w3id.org/geosrs/datum/DynamicGeodeticReferenceFrame
Definition	Geodetic reference frame in which some of the parameters describe time evolution of defining station

	coordinatesExample: defining station coordinates having linear velocities to account for crustal motion.
Super-classes	DynamicGeodeticReferenceFrame

9.3.2. Class: geosrs:DynamicVerticalDatum

Table 86 — geosrs:DynamicVerticalDatum

URI	https://w3id.org/geosrs/datum/DynamicVerticalDatum
Definition	Vertical reference frame in which some of the defining parameters have time dependencyExample: Defining station heights have velocity to account for post-glacial isostatic rebound motion. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.
Super-classes	DynamicVerticalDatum

9.3.3. Class: geosrs:ParametricDatum

Table 87 — geosrs:ParametricDatum

URI	https://w3id.org/geosrs/datum/ParametricDatum
Definition	Textual description and/or a set of parameters identifying a particular reference surface used as the origin of a parametric coordinate system, including its position with respect to the Earth. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.
Super-classes	ParametricDatum

9.3.4. Class: geosrs:EngineeringDatum

Table 88 — geosrs:EngineeringDatum

URI	https://w3id.org/geosrs/datum/EngineeringDatum
Definition	Definition of the origin and orientation of an engineering coordinate reference systemNote: The origin can be fixed with respect to the Earth (such as a defined point at a

	construction site), or be a defined point on a moving vehicle (such as on a ship or satellite), or a defined point of an image. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.
Super-classes	<u>EngineeringDatum</u>

9.3.5. Class: geosrs:TemporalDatum

Table 89 — geosrs:TemporalDatum

URI	https://w3id.org/geosrs/datum/TemporalDatum
Definition	Definition of the relationship of a temporal coordinate system to an objectNote: The object is normally time on the Earth. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.
Super-classes	<u>TemporalDatum</u>

9.3.6. Class: geosrs:DatumEnsemble

Table 90 — geosrs:DatumEnsemble

URI	https://w3id.org/geosrs/datum/DatumEnsemble
Definition	A collection of two or more datums (or if geodetic or vertical, a collection of two or more reference frames) that are realizations of one Conventional Reference System and which for all but the highest accuracy requirements may be considered to be insignificantly different from each other. Note: Within the datum ensemble every frame or datum is constrained to be a realization of the same reference system. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.

9.4. Spheroid Properties

REQUIREMENT 17: SPHEROID PROPERTIES

IDENTIFIER /req/Spheroid_Properties

STATEMENT Implementations shall allow the RDFS classes geosrs:eccentricity, geosrs:inverseFlattening, geosrs:isSphere, geosrs:semiMajorAxis, geosrs:semiMinorAxis to be used in SPARQL graph patterns.

9.4.1. Property: geosrs:eccentricity

Table 91 — geosrs:eccentricity

URI	https://w3id.org/geosrs/datum/eccentricity
Type	owl:DatatypeProperty
Definition	A measure of how much an ellipse deviates from a perfect circle.
Range	xsd:double[xsd:double]
Domain	Ellipsoid

9.4.2. Property: geosrs:inverseFlattening

Table 92 — geosrs:inverseFlattening

URI	https://w3id.org/geosrs/datum/inverseFlattening
Type	owl:DatatypeProperty
Definition	Indicates the inverse flattening value of an ellipsoid, expressed as a number or a ratio (percentage rate, parts per million, etc.). Cf. ISO 19111:2007:2007-07, table 37, attribute inverse flattening
Range	xsd:double[xsd:double]
Domain	Ellipsoid

9.4.3. Property: geosrs:isSphere

Table 93 — geosrs:isSphere

URI	https://w3id.org/geosrs/datum/isSphere
Type	owl:DatatypeProperty
Definition	Indicates whether the ellipsoid is a sphere. Cf. ISO 19111:2007:2007-07, table 37, attribute ellipsoid=sphere indicator.
Range	xsd:boolean[xsd:boolean]
Domain	Ellipsoid

9.4.4. Property: geosrs:semiMajorAxis

Table 94 — geosrs:semiMajorAxis

URI	https://w3id.org/geosrs/datum/semiMajorAxis
Type	owl:DatatypeProperty
Definition	Indicates the length of the semi major axis of an ellipsoid. Cf. ISO 19111:2007:2007-07, table 36, attribute length of semi-major axis.
Range	xsd:double[xsd:double]
Domain	Ellipsoid

9.4.5. Property: geosrs:semiMinorAxis

Table 95 — geosrs:semiMinorAxis

URI	https://w3id.org/geosrs/datum/semiMinorAxis
Type	owl:DatatypeProperty

Definition	Indicates the length of the semi minor axis of an ellipsoid. Cf. ISO 19111:2007:2007-07, table 37, attribute length of semi-minor axis.
Range	xsd:double[xsd:double]
Domain	<u>Ellipsoid</u>

9.5. Spheroid Types

REQUIREMENT 18: SPHEROID TYPES	
IDENTIFIER	/req/Spheroid_Types
STATEMENT	Implementations shall allow the RDFS classes geosrs:Ellipsoid, geosrs:TriaxialEllipsoid to be used in SPARQL graph patterns.

9.5.1. Class: geosrs:TriaxialEllipsoid

Table 96 — geosrs:TriaxialEllipsoid

URI	https://w3id.org/geosrs/datum/TriaxialEllipsoid
Definition	Surface of an analytic ellipsoid defined by three axes of different length. Also referred as scalene ellipsoid.

10

SRS APPLICATION MODULE

This clause establishes the **SRSAPP** Requirements class, with IRI /req/srsapp, which has a corresponding Conformance Class, **SRSAPP**, with IRI /conf/srsapp.



11

PROJECTIONS MODULE

This clause establishes the **PROJ** Requirements class, with IRI /req/proj, which has a corresponding Conformance Class, **PROJ**, with IRI /conf/proj.

REQUIREMENTS CLASS 5: 11-PROJECTIONS_EXTENSION.ADOC EXTENSION

IDENTIFIER	/req/11-projections_extension.adoc
TARGET TYPE	Implementation Specification
REQUIREMENT	/req/Lenticular_Projections
	/req/Conformal_Projections
	/req/Minimum_Error_Projections
	/req/Pseudo_Azimuthal_Projections
	/req/Equal_Area_Projections
	/req/Pseudo_Conical_Projections
	/req/Globular_Projections
	/req/Pseudo_Cylindrical_Projections
	/req/Cylindrical_Projections
	/req/Compromise_Projections
	/req/Polyhedral_Projections
	/req/Equidistant_Projections
	/req/Conical_Projections
	/req/Azimuthal_Projections
	/req/Perspective_Projections
/req/Polyconic_Projections	
/req/Stereographic_Projections	

11.1. Azimuthal Projections

REQUIREMENT 19: AZIMUTHAL PROJECTIONS

IDENTIFIER	/req/Azimuthal_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:BreusingGeometricProjection, geosrs:BreusingHarmonicProjection, geosrs:GinzburgIIProjection, geosrs:GinzburgIProjection, geosrs:GnomonicProjection, geosrs:JamesAzimuthalProjection to be used in SPARQL graph patterns.

11.1.1. Class: geosrs:BreusingGeometricProjection

Table 97 — geosrs:BreusingGeometricProjection

URI	https://w3id.org/geosrs/projection/BreusingGeometricProjection
Super-classes	BreusingGeometricProjection

11.1.2. Class: geosrs:BreusingHarmonicProjection

Table 98 — geosrs:BreusingHarmonicProjection

URI	https://w3id.org/geosrs/projection/BreusingHarmonicProjection
Super-classes	BreusingHarmonicProjection

11.1.3. Class: geosrs:GinzburgIIProjection

Table 99 — geosrs:GinzburgIIProjection

URI	https://w3id.org/geosrs/projection/GinzburgIIProjection
Super-classes	GinzburgIIProjection

11.1.4. Class: geosrs:GinzburgIProjection

Table 100 — geosrs:GinzburgIProjection

URI	https://w3id.org/geosrs/projection/GinzburgIProjection
Super-classes	GinzburgIProjection

11.1.5. Class: geosrs:GnomonicProjection

Table 101 — geosrs:GnomonicProjection

URI	https://w3id.org/geosrs/projection/GnomonicProjection
Super-classes	GnomonicProjection

11.1.6. Class: geosrs:JamesAzimuthalProjection

Table 102 — geosrs:JamesAzimuthalProjection

URI	https://w3id.org/geosrs/projection/JamesAzimuthalProjection
Super-classes	JamesAzimuthalProjection

11.2. Compromise Projections

REQUIREMENT 20: COMPROMISE PROJECTIONS

IDENTIFIER	/req/Compromise_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:ArmadilloProjection, geosrs:BakerDinomic Projection, geosrs:BertinProjection, geosrs:ChamberlinTrimetricProjection, geosrs:DenoyerSemi EllipticalProjection, geosrs:FairgrieveProjection, geosrs:LarriveeProjection, geosrs:PetermannStar Projection, geosrs:SpilhausOceanicProjection, geosrs:VanDerGrintenIIIProjection, geosrs:Winkel

REQUIREMENT 20: COMPROMISE PROJECTIONS

IIProjection, geosrs:WinkelIIProjection, geosrs:WinkelSnyderProjection to be used in SPARQL graph patterns.

11.2.1. Class: geosrs:ArmadilloProjection

Table 103 — geosrs:ArmadilloProjection

URI	https://w3id.org/geosrs/projection/ArmadilloProjection
Super-classes	ArmadilloProjection

11.2.2. Class: geosrs:BakerDinomicProjection

Table 104 — geosrs:BakerDinomicProjection

URI	https://w3id.org/geosrs/projection/BakerDinomicProjection
Super-classes	BakerDinomicProjection

11.2.3. Class: geosrs:BertinProjection

Table 105 — geosrs:BertinProjection

URI	https://w3id.org/geosrs/projection/BertinProjection
Super-classes	BertinProjection

11.2.4. Class: geosrs:ChamberlinTrimetricProjection

Table 106 — geosrs:ChamberlinTrimetricProjection

URI	https://w3id.org/geosrs/projection/ChamberlinTrimetricProjection
Super-classes	ChamberlinTrimetricProjection

11.2.5. Class: geosrs:DenoyerSemiEllipticalProjection

Table 107 — geosrs:DenoyerSemiEllipticalProjection

URI	https://w3id.org/geosrs/projection/DenoyerSemiEllipticalProjection
Super-classes	DenoyerSemiEllipticalProjection

11.2.6. Class: geosrs:FairgrieveProjection

Table 108 — geosrs:FairgrieveProjection

URI	https://w3id.org/geosrs/projection/FairgrieveProjection
Super-classes	FairgrieveProjection

11.2.7. Class: geosrs:LarriveeProjection

Table 109 — geosrs:LarriveeProjection

URI	https://w3id.org/geosrs/projection/LarriveeProjection
Super-classes	LarriveeProjection

11.2.8. Class: geosrs:PetermannStarProjection

Table 110 — geosrs:PetermannStarProjection

URI	https://w3id.org/geosrs/projection/PetermannStarProjection
Super-classes	PetermannStarProjection

11.2.9. Class: geosrs:SpilhausOceanicProjection

Table 111 — geosrs:SpilhausOceanicProjection

URI	https://w3id.org/geosrs/projection/SpilhausOceanicProjection
Super-classes	SpilhausOceanicProjection

11.2.10. Class: geosrs:VanDerGrintenIIIProjection

Table 112 — geosrs:VanDerGrintenIIIProjection

URI	https://w3id.org/geosrs/projection/VanDerGrintenIIIProjection
Super-classes	VanDerGrintenIIIProjection

11.2.11. Class: geosrs:WinkelIIIProjection

Table 113 — geosrs:WinkelIIIProjection

URI	https://w3id.org/geosrs/projection/WinkelIIIProjection
Super-classes	WinkelIIIProjection

11.2.12. Class: geosrs:WinkelIIProjection

Table 114 — geosrs:WinkelIIProjection

URI	https://w3id.org/geosrs/projection/WinkelIIProjection
Super-classes	WinkelIIProjection

11.2.13. Class: geosrs:WinkelSnyderProjection

Table 115 — geosrs:WinkelSnyderProjection

URI	https://w3id.org/geosrs/projection/WinkelSnyderProjection
-----	---

Super-classes	WinkelSnyderProjection
---------------	--

11.3. Conformal Projections

REQUIREMENT 21: CONFORMAL PROJECTIONS

IDENTIFIER	/req/Conformal_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:AdamsProjection, geosrs:AdamsWorldInASquareIIProjection, geosrs:AdamsWorldInASquareIProjection, geosrs:AugustEpicycloidalProjection, geosrs:CoxConformalProjection, geosrs:EisenlohrProjection, geosrs:GS50Projection, geosrs:PeirceQuincuncialProjection, geosrs:StereographicProjection to be used in SPARQL graph patterns.

11.3.1. Class: geosrs:AdamsProjection

Table 116 — geosrs:AdamsProjection

URI	https://w3id.org/geosrs/projection/AdamsProjection
Super-classes	AdamsProjection

11.3.2. Class: geosrs:AdamsWorldInASquareIIProjection

Table 117 — geosrs:AdamsWorldInASquareIIProjection

URI	https://w3id.org/geosrs/projection/AdamsWorldInASquareIIProjection
Super-classes	AdamsWorldInASquareIIProjection

11.3.3. Class: geosrs:AdamsWorldInASquareIProjection

Table 118 — geosrs:AdamsWorldInASquareProjection

URI	https://w3id.org/geosrs/projection/AdamsWorldInASquareProjection
Super-classes	AdamsWorldInASquareProjection

11.3.4. Class: geosrs:AugustEpicycloidalProjection

Table 119 — geosrs:AugustEpicycloidalProjection

URI	https://w3id.org/geosrs/projection/AugustEpicycloidalProjection
Definition	A projection in which every angle between two curves that cross each other on a celestial body is preserved in the image of the projection
Super-classes	AugustEpicycloidalProjection

11.3.5. Class: geosrs:CoxConformalProjection

Table 120 — geosrs:CoxConformalProjection

URI	https://w3id.org/geosrs/projection/CoxConformalProjection
Super-classes	CoxConformalProjection

11.3.6. Class: geosrs:EisenlohrProjection

Table 121 — geosrs:EisenlohrProjection

URI	https://w3id.org/geosrs/projection/EisenlohrProjection
Super-classes	EisenlohrProjection

11.3.7. Class: geosrs:GS50Projection

Table 122 — geosrs:GS50Projection

URI	https://w3id.org/geosrs/projection/GS50Projection
Super-classes	GS50Projection

11.3.8. Class: geosrs:PeirceQuincuncialProjection

Table 123 — geosrs:PeirceQuincuncialProjection

URI	https://w3id.org/geosrs/projection/PeirceQuincuncialProjection
Super-classes	PeirceQuincuncialProjection

11.3.9. Class: geosrs:StereographicProjection

Table 124 — geosrs:StereographicProjection

URI	https://w3id.org/geosrs/projection/StereographicProjection
Super-classes	StereographicProjection

11.4. Conical Projections

REQUIREMENT 22: CONICAL PROJECTIONS	
IDENTIFIER	/req/Conical_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:BipolarObliqueConicConformalProjection, geosrs:CentralConicProjection, geosrs:HerschelConformalConicProjection, geosrs:Krovak, geosrs:LambertConformalConicProjection, geosrs:MurdochIIIProjection, geosrs:MurdochIIProjection, geosrs:MurdochIProjection, geosrs:SchjernerIProjection, geosrs:VitkovskyIProjection to be used in SPARQL graph patterns.

11.4.1. Class: geosrs:BipolarObliqueConicConformalProjection

Table 125 — geosrs:BipolarObliqueConicConformalProjection

URI	https://w3id.org/geosrs/projection/BipolarObliqueConicConformalProjection
Super-classes	BipolarObliqueConicConformalProjection

11.4.2. Class: geosrs:CentralConicProjection

Table 126 — geosrs:CentralConicProjection

URI	https://w3id.org/geosrs/projection/CentralConicProjection
Super-classes	CentralConicProjection

11.4.3. Class: geosrs:HerschelConformalConicProjection

Table 127 — geosrs:HerschelConformalConicProjection

URI	https://w3id.org/geosrs/projection/HerschelConformalConicProjection
Super-classes	HerschelConformalConicProjection

11.4.4. Class: geosrs:Krovak

Table 128 — geosrs:Krovak

URI	https://w3id.org/geosrs/projection/Krovak
Super-classes	Krovak

11.4.5. Class: geosrs:LambertConformalConicProjection

Table 129 — geosrs:LambertConformalConicProjection

URI	https://w3id.org/geosrs/projection/LambertConformalConicProjection
Super-classes	LambertConformalConicProjection

11.4.6. Class: geosrs:MurdochIIIProjection

Table 130 — geosrs:MurdochIIIProjection

URI	https://w3id.org/geosrs/projection/MurdochIIIProjection
Super-classes	MurdochIIIProjection

11.4.7. Class: geosrs:MurdochIIProjection

Table 131 — geosrs:MurdochIIProjection

URI	https://w3id.org/geosrs/projection/MurdochIIProjection
Super-classes	MurdochIIProjection

11.4.8. Class: geosrs:MurdochIProjection

Table 132 — geosrs:MurdochIProjection

URI	https://w3id.org/geosrs/projection/MurdochIProjection
Super-classes	MurdochIProjection

11.4.9. Class: geosrs:SchjernerIProjection

Table 133 — geosrs:SchjernerIProjection

URI	https://w3id.org/geosrs/projection/SchjernerIProjection
Super-classes	SchjernerIProjection

11.4.10. Class: geosrs:VitkovskyIProjection

Table 134 — geosrs:VitkovskyIProjection

URI	https://w3id.org/geosrs/projection/VitkovskyIProjection
Super-classes	VitkovskyIProjection

11.5. Cylindrical Projections

REQUIREMENT 23: CYLINDRICAL PROJECTIONS

IDENTIFIER /req/Cylindrical_Projections

STATEMENT

Implementations shall allow the RDFS classes geosrs:ArdenCloseProjection, geosrs:BraunPerspectiveProjection, geosrs:CompactMillerProjection, geosrs:CylindricalStereographicProjection, geosrs:KarchenkoShabanovaProjection, geosrs:LabordeProjection, geosrs:MercatorProjection, geosrs:MillerProjection, geosrs:PattersonCylindricalProjection, geosrs:PavlovProjection, geosrs:ToblerCylindricalIIIProjection, geosrs:ToblerCylindricalIIProjection, geosrs:UrmayevIIIProjection, geosrs:WebMercatorProjection to be used in SPARQL graph patterns.

11.5.1. Class: geosrs:ArdenCloseProjection

Table 135 — geosrs:ArdenCloseProjection

URI	https://w3id.org/geosrs/projection/ArdenCloseProjection
Super-classes	ArdenCloseProjection

11.5.2. Class: geosrs:BraunPerspectiveProjection

Table 136 — geosrs:BraunPerspectiveProjection

URI	https://w3id.org/geosrs/projection/BraunPerspectiveProjection
-----	---

Super-classes	BraunPerspectiveProjection
---------------	--

11.5.3. Class: geosrs:CompactMillerProjection

Table 137 — geosrs:CompactMillerProjection

URI	https://w3id.org/geosrs/projection/CompactMillerProjection
Super-classes	CompactMillerProjection

11.5.4. Class: geosrs:CylindricalStereographicProjection

Table 138 — geosrs:CylindricalStereographicProjection

URI	https://w3id.org/geosrs/projection/CylindricalStereographicProjection
Super-classes	CylindricalStereographicProjection

11.5.5. Class: geosrs:KarchenkoShabanovaProjection

Table 139 — geosrs:KarchenkoShabanovaProjection

URI	https://w3id.org/geosrs/projection/KarchenkoShabanovaProjection
Super-classes	KarchenkoShabanovaProjection

11.5.6. Class: geosrs:LabordeProjection

Table 140 — geosrs:LabordeProjection

URI	https://w3id.org/geosrs/projection/LabordeProjection
Super-classes	LabordeProjection

11.5.7. Class: geosrs:MercatorProjection

Table 141 — geosrs:MercatorProjection

URI	https://w3id.org/geosrs/projection/MercatorProjection
Super-classes	MercatorProjection

11.5.8. Class: geosrs:MillerProjection

Table 142 — geosrs:MillerProjection

URI	https://w3id.org/geosrs/projection/MillerProjection
Super-classes	MillerProjection

11.5.9. Class: geosrs:PattersonCylindricalProjection

Table 143 — geosrs:PattersonCylindricalProjection

URI	https://w3id.org/geosrs/projection/PattersonCylindricalProjection
Super-classes	PattersonCylindricalProjection

11.5.10. Class: geosrs:PavlovProjection

Table 144 — geosrs:PavlovProjection

URI	https://w3id.org/geosrs/projection/PavlovProjection
Super-classes	PavlovProjection

11.5.11. Class: geosrs:ToblerCylindricalIIIProjection

Table 145 — geosrs:ToblerCylindricalIIIProjection

URI	https://w3id.org/geosrs/projection/ToblerCylindricalIIIProjection
Super-classes	ToblerCylindricalIIIProjection

11.5.12. Class: geosrs:ToblerCylindricalIIIProjection

Table 146 — geosrs:ToblerCylindricalIIIProjection

URI	https://w3id.org/geosrs/projection/ToblerCylindricalIIIProjection
Super-classes	ToblerCylindricalIIIProjection

11.5.13. Class: geosrs:UrmayevIIIProjection

Table 147 — geosrs:UrmayevIIIProjection

URI	https://w3id.org/geosrs/projection/UrmayevIIIProjection
Super-classes	UrmayevIIIProjection

11.5.14. Class: geosrs:WebMercatorProjection

Table 148 — geosrs:WebMercatorProjection

URI	https://w3id.org/geosrs/projection/WebMercatorProjection
Super-classes	WebMercatorProjection

11.6. Equal Area Projections

REQUIREMENT 24: EQUAL AREA PROJECTIONS

IDENTIFIER /req/Equal_Area_Projections

STATEMENT Implementations shall allow the RDFS classes geosrs:AlbersEqualAreaProjection, geosrs:AzimuthalEqualAreaProjection, geosrs:CylindricalEqualArea, geosrs:GallPetersProjection, geosrs:HoboDyerProjection, geosrs:LambertAzimuthalEqualArea, geosrs:TrystanEdwardsProjection, geosrs:WiechelProjection to be used in SPARQL graph patterns.

11.6.1. Class: geosrs:AlbersEqualAreaProjection

Table 149 — geosrs:AlbersEqualAreaProjection

URI	https://w3id.org/geosrs/projection/AlbersEqualAreaProjection
Super-classes	AlbersEqualAreaProjection

11.6.2. Class: geosrs:AzimuthalEqualAreaProjection

Table 150 — geosrs:AzimuthalEqualAreaProjection

URI	https://w3id.org/geosrs/projection/AzimuthalEqualAreaProjection
Super-classes	AzimuthalEqualAreaProjection

11.6.3. Class: geosrs:CylindricalEqualArea

Table 151 — geosrs:CylindricalEqualArea

URI	https://w3id.org/geosrs/projection/CylindricalEqualArea
Super-classes	CylindricalEqualArea

11.6.4. Class: geosrs:GallPetersProjection

Table 152 — geosrs:GallPetersProjection

URI	https://w3id.org/geosrs/projection/GallPetersProjection
Super-classes	GallPetersProjection

11.6.5. Class: geosrs:HoboDyerProjection

Table 153 — geosrs:HoboDyerProjection

URI	https://w3id.org/geosrs/projection/HoboDyerProjection
Super-classes	HoboDyerProjection

11.6.6. Class: geosrs:LambertAzimuthalEqualArea

Table 154 — geosrs:LambertAzimuthalEqualArea

URI	https://w3id.org/geosrs/projection/LambertAzimuthalEqualArea
Super-classes	LambertAzimuthalEqualArea

11.6.7. Class: geosrs:TrystanEdwardsProjection

Table 155 — geosrs:TrystanEdwardsProjection

URI	https://w3id.org/geosrs/projection/TrystanEdwardsProjection
Super-classes	TrystanEdwardsProjection

11.6.8. Class: geosrs:WiechelProjection

Table 156 — geosrs:WiechelProjection

URI	https://w3id.org/geosrs/projection/WichelProjection
Super-classes	WiechelProjection

11.7. Equidistant Projections

REQUIREMENT 25: EQUIDISTANT PROJECTIONS

IDENTIFIER /req/Equidistant_Projections

STATEMENT Implementations shall allow the RDFS classes geosrs:AzimuthalEquidistantProjection, geosrs:BerghausStarProjection, geosrs:CassiniProjection, geosrs:EquidistantConicProjection, geosrs:EquidistantCylindricalProjection, geosrs:EquirectangularProjection, geosrs:ObliquePlateCarreeProjection, geosrs:PlateCarreeProjection, geosrs:TwoPointEquidistantProjection to be used in SPARQL graph patterns.

11.7.1. Class: geosrs:AzimuthalEquidistantProjection

Table 157 — geosrs:AzimuthalEquidistantProjection

URI	https://w3id.org/geosrs/projection/AzimuthalEquidistantProjection
Super-classes	AzimuthalEquidistantProjection

11.7.2. Class: geosrs:BerghausStarProjection

Table 158 — geosrs:BerghausStarProjection

URI	https://w3id.org/geosrs/projection/BerghausStarProjection
Super-classes	BerghausStarProjection

11.7.3. Class: geosrs:CassiniProjection

Table 159 — geosrs:CassiniProjection

URI	https://w3id.org/geosrs/projection/CassiniProjection
Definition	A map projection first described in an approximate form by César-François Cassini de Thury in 1745

Super-classes	CassiniProjection
---------------	-----------------------------------

11.7.4. Class: geosrs:EquidistantConicProjection

Table 160 — geosrs:EquidistantConicProjection

URI	https://w3id.org/geosrs/projection/EquidistantConicProjection
Super-classes	EquidistantConicProjection

11.7.5. Class: geosrs:EquidistantCylindricalProjection

Table 161 — geosrs:EquidistantCylindricalProjection

URI	https://w3id.org/geosrs/projection/EquidistantCylindricalProjection
Super-classes	EquidistantCylindricalProjection

11.7.6. Class: geosrs:EquirectangularProjection

Table 162 — geosrs:EquirectangularProjection

URI	https://w3id.org/geosrs/projection/EquirectangularProjection
Super-classes	EquirectangularProjection

11.7.7. Class: geosrs:ObliquePlateCarreeProjection

Table 163 — geosrs:ObliquePlateCarreeProjection

URI	https://w3id.org/geosrs/projection/ObliquePlateCarreeProjection
Super-classes	ObliquePlateCarreeProjection

11.7.8. Class: geosrs:PlateCarreeProjection

Table 164 — geosrs:PlateCarreeProjection

URI	https://w3id.org/geosrs/projection/PlateCarreeProjection
Super-classes	PlateCarreeProjection

11.7.9. Class: geosrs:TwoPointEquidistantProjection

Table 165 — geosrs:TwoPointEquidistantProjection

URI	https://w3id.org/geosrs/projection/TwoPointEquidistantProjection
Super-classes	TwoPointEquidistantProjection

11.8. Globular Projections

REQUIREMENT 26: GLOBULAR PROJECTIONS

IDENTIFIER	/req/Globular_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:ApianGlobularIProjection, geosrs:BaconGlobularProjection, geosrs:FournierGlobularIProjection to be used in SPARQL graph patterns.

11.8.1. Class: geosrs:ApianGlobularIProjection

Table 166 — geosrs:ApianGlobularIProjection

URI	https://w3id.org/geosrs/projection/ApianGlobularIProjection
Super-classes	ApianGlobularIProjection

11.8.2. Class: geosrs:BaconGlobularProjection

Table 167 — geosrs:BaconGlobularProjection

URI	https://w3id.org/geosrs/projection/BaconGlobularProjection
Super-classes	BaconGlobularProjection

11.8.3. Class: geosrs:FournierGlobularIProjection

Table 168 — geosrs:FournierGlobularIProjection

URI	https://w3id.org/geosrs/projection/FournierGlobularIProjection
Super-classes	FournierGlobularIProjection

11.9. Lenticular Projections

REQUIREMENT 27: LENTICULAR PROJECTIONS

IDENTIFIER	/req/Lenticular_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:A4Projection, geosrs:BriesemeisterProjection, geosrs:CiricIProjection, geosrs:CupolaProjection, geosrs:DedistortProjection, geosrs:DietrichKitadaProjection, geosrs:FranculaIIIProjection, geosrs:FranculaIVProjection, geosrs:FranculaIXProjection, geosrs:FranculaVIIIProjection, geosrs:FranculaVProjection, geosrs:FranculaXIIIProjection, geosrs:FranculaXIIProjection, geosrs:FranculaXIVProjection, geosrs:HamusoidalProjection, geosrs:KissProjection to be used in SPARQL graph patterns.

11.9.1. Class: geosrs:A4Projection

Table 169 — geosrs:A4Projection

URI	https://w3id.org/geosrs/projection/A4Projection
-----	---

Super-classes	A4Projection
---------------	------------------------------

11.9.2. Class: geosrs:BriesemeisterProjection

Table 170 — geosrs:BriesemeisterProjection

URI	https://w3id.org/geosrs/projection/BriesemeisterProjection
Super-classes	BriesemeisterProjection

11.9.3. Class: geosrs:CiricIProjection

Table 171 — geosrs:CiricIProjection

URI	https://w3id.org/geosrs/projection/CiricIProjection
Super-classes	CiricIProjection

11.9.4. Class: geosrs:CupolaProjection

Table 172 — geosrs:CupolaProjection

URI	https://w3id.org/geosrs/projection/CupolaProjection
Super-classes	CupolaProjection

11.9.5. Class: geosrs:DedistortProjection

Table 173 — geosrs:DedistortProjection

URI	https://w3id.org/geosrs/projection/DedistortProjection
Super-classes	DedistortProjection

11.9.6. Class: geosrs:DietrichKitadaProjection

Table 174 — geosrs:DietrichKitadaProjection

URI	https://w3id.org/geosrs/projection/DietrichKitadaProjection
Super-classes	DietrichKitadaProjection

11.9.7. Class: geosrs:FranculaIIIProjection

Table 175 — geosrs:FranculaIIIProjection

URI	https://w3id.org/geosrs/projection/FranculaIIIProjection
Super-classes	FranculaIIIProjection

11.9.8. Class: geosrs:FranculaIVProjection

Table 176 — geosrs:FranculaIVProjection

URI	https://w3id.org/geosrs/projection/FranculaIVProjection
Super-classes	FranculaIVProjection

11.9.9. Class: geosrs:FranculaIXProjection

Table 177 — geosrs:FranculaIXProjection

URI	https://w3id.org/geosrs/projection/FranculaIXProjection
Super-classes	FranculaIXProjection

11.9.10. Class: geosrs:FranculaVIIIProjection

Table 178 — geosrs:FraculaVIIIProjection

URI	https://w3id.org/geosrs/projection/FraculaVIIIProjection
Super-classes	FraculaVIIIProjection

11.9.11. Class: geosrs:FraculaVProjection

Table 179 — geosrs:FraculaVProjection

URI	https://w3id.org/geosrs/projection/FraculaVProjection
Super-classes	FraculaVProjection

11.9.12. Class: geosrs:FraculaXIIIProjection

Table 180 — geosrs:FraculaXIIIProjection

URI	https://w3id.org/geosrs/projection/FraculaXIIIProjection
Super-classes	FraculaXIIIProjection

11.9.13. Class: geosrs:FraculaXIIProjection

Table 181 — geosrs:FraculaXIIProjection

URI	https://w3id.org/geosrs/projection/FraculaXIIProjection
Super-classes	FraculaXIIProjection

11.9.14. Class: geosrs:FraculaXIVProjection

Table 182 — geosrs:FraculaXIVProjection

URI	https://w3id.org/geosrs/projection/FraculaXIVProjection
-----	---

Super-classes

[FranculaXIVProjection](#)

11.9.15. Class: geosrs:HamusoidalProjection

Table 183 — geosrs:HamusoidalProjection

URI	https://w3id.org/geosrs/projection/HamusoidalProjection
Super-classes	HamusoidalProjection

11.9.16. Class: geosrs:KissProjection

Table 184 — geosrs:KissProjection

URI	https://w3id.org/geosrs/projection/KissProjection
Super-classes	KissProjection

11.10. Minimum Error Projections

REQUIREMENT 28: MINIMUM ERROR PROJECTIONS

IDENTIFIER	/req/Minimum_Error_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:AiryProjection to be used in SPARQL graph patterns.

11.10.1. Class: geosrs:AiryProjection

Table 185 — geosrs:AiryProjection

URI	https://w3id.org/geosrs/projection/AiryProjection
-----	---

Definition	An azimuthal minimum error projection for the region within the small or great circle defined by an angular distance, from the tangency point of the plane
Super-classes	AiryProjection

11.11. Perspective Projections

REQUIREMENT 29: PERSPECTIVE PROJECTIONS

IDENTIFIER	/req/Perspective_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:CentralCylindricalProjection, geosrs:GeneralVerticalPerspectiveProjection, geosrs:GilbertTwoWorldPerspectiveProjection, geosrs:LaHireProjection, geosrs:LorgnaProjection, geosrs:LowryProjection, geosrs:OrthographicProjection, geosrs:PerspectiveConicProjection, geosrs:TiltedPerspectiveProjection, geosrs:VerticalPerspectiveProjection to be used in SPARQL graph patterns.

11.11.1. Class: geosrs:CentralCylindricalProjection

Table 186 — geosrs:CentralCylindricalProjection

URI	https://w3id.org/geosrs/projection/CentralCylindricalProjection
Super-classes	CentralCylindricalProjection

11.11.2. Class: geosrs:GeneralVerticalPerspectiveProjection

Table 187 — geosrs:GeneralVerticalPerspectiveProjection

URI	https://w3id.org/geosrs/projection/GeneralVerticalPerspectiveProjection
Super-classes	GeneralVerticalPerspectiveProjection

11.11.3. Class: geosrs:GilbertTwoWorldPerspectiveProjection

Table 188 — geosrs:GilbertTwoWorldPerspectiveProjection

URI	https://w3id.org/geosrs/projection/GilbertTwoWorldPerspectiveProjection
Super-classes	GilbertTwoWorldPerspectiveProjection

11.11.4. Class: geosrs:LaHireProjection

Table 189 — geosrs:LaHireProjection

URI	https://w3id.org/geosrs/projection/LaHireProjection
Super-classes	LaHireProjection

11.11.5. Class: geosrs:LorgnaProjection

Table 190 — geosrs:LorgnaProjection

URI	https://w3id.org/geosrs/projection/LorgnaProjection
Super-classes	LorgnaProjection

11.11.6. Class: geosrs:LowryProjection

Table 191 — geosrs:LowryProjection

URI	https://w3id.org/geosrs/projection/LowryProjection
Super-classes	LowryProjection

11.11.7. Class: geosrs:OrthographicProjection

Table 192 — geosrs:OrthographicProjection

URI	https://w3id.org/geosrs/projection/OrthographicProjection
Super-classes	OrthographicProjection

11.11.8. Class: geosrs:PerspectiveConicProjection

Table 193 — geosrs:PerspectiveConicProjection

URI	https://w3id.org/geosrs/projection/PerspectiveConicProjection
Super-classes	PerspectiveConicProjection

11.11.9. Class: geosrs:TiltedPerspectiveProjection

Table 194 — geosrs:TiltedPerspectiveProjection

URI	https://w3id.org/geosrs/projection/TiltedPerspectiveProjection
Super-classes	TiltedPerspectiveProjection

11.11.10. Class: geosrs:VerticalPerspectiveProjection

Table 195 — geosrs:VerticalPerspectiveProjection

URI	https://w3id.org/geosrs/projection/VerticalPerspectiveProjection
Super-classes	VerticalPerspectiveProjection

11.12. Polyconic Projections

REQUIREMENT 30: POLYCONIC PROJECTIONS

IDENTIFIER /req/Polyconic_Projections

STATEMENT Implementations shall allow the RDFS classes geosrs:GinzburgIVProjection, geosrs:GinzburgIXProjection, geosrs:GinzburgVIPProjection, geosrs:GinzburgVProjection, geosrs:GottWagnerProjection, geosrs:HillEucyclicProjection, geosrs:LagrangeProjection, geosrs:LaskowskiProjection, geosrs:RectangularPolyconicProjection, geosrs:StabiusWernerIIIProjection, geosrs:StabiusWernerIProjection, geosrs:VanDerGrintenIIProjection, geosrs:VanDerGrintenIProjection, geosrs:VanDerGrintenIVProjection, geosrs:WagnerIXProjection, geosrs:WagnerVIIIProjection, geosrs:WagnerVIIProjection to be used in SPARQL graph patterns.

11.12.1. Class: geosrs:GinzburgIVProjection

Table 196 — geosrs:GinzburgIVProjection

URI	https://w3id.org/geosrs/projection/GinzburgIVProjection
Super-classes	GinzburgIVProjection

11.12.2. Class: geosrs:GinzburgIXProjection

Table 197 — geosrs:GinzburgIXProjection

URI	https://w3id.org/geosrs/projection/GinzburgIXProjection
Super-classes	GinzburgIXProjection

11.12.3. Class: geosrs:GinzburgVIPProjection

Table 198 — geosrs:GinzburgVIPProjection

URI	https://w3id.org/geosrs/projection/GinzburgVIPProjection
Super-classes	GinzburgVIPProjection

11.12.4. Class: geosrs:GinzburgVProjection

Table 199 — geosrs:GinzburgVProjection

URI	https://w3id.org/geosrs/projection/GinzburgVProjection
Super-classes	GinzburgVProjection

11.12.5. Class: geosrs:GottWagnerProjection

Table 200 — geosrs:GottWagnerProjection

URI	https://w3id.org/geosrs/projection/GottWagnerProjection
Super-classes	GottWagnerProjection

11.12.6. Class: geosrs:HillEucyclicProjection

Table 201 — geosrs:HillEucyclicProjection

URI	https://w3id.org/geosrs/projection/HillEucyclicProjection
Super-classes	HillEucyclicProjection

11.12.7. Class: geosrs:LagrangeProjection

Table 202 — geosrs:LagrangeProjection

URI	https://w3id.org/geosrs/projection/LagrangeProjection
Super-classes	LagrangeProjection

11.12.8. Class: geosrs:LaskowskiProjection

Table 203 — geosrs:LaskowskiProjection

URI	https://w3id.org/geosrs/projection/LaskowskiProjection
Super-classes	LaskowskiProjection

11.12.9. Class: geosrs:RectangularPolyconicProjection

Table 204 — geosrs:RectangularPolyconicProjection

URI	https://w3id.org/geosrs/projection/RectangularPolyconicProjection
Super-classes	RectangularPolyconicProjection

11.12.10. Class: geosrs:StabiusWernerIIIProjection

Table 205 — geosrs:StabiusWernerIIIProjection

URI	https://w3id.org/geosrs/projection/StabiusWernerIIIProjection
Super-classes	StabiusWernerIIIProjection

11.12.11. Class: geosrs:StabiusWernerIProjection

Table 206 — geosrs:StabiusWernerIProjection

URI	https://w3id.org/geosrs/projection/StabiusWernerIProjection
Super-classes	StabiusWernerIProjection

11.12.12. Class: geosrs:VanDerGrintenIIProjection

Table 207 — geosrs:VanDerGrintenIIProjection

URI	https://w3id.org/geosrs/projection/VanDerGrintenIIProjection
Super-classes	VanDerGrintenIIProjection

11.12.13. Class: geosrs:VanDerGrintenIProjection

Table 208 — geosrs:VanDerGrintenIProjection

URI	https://w3id.org/geosrs/projection/VanDerGrintenIProjection
Super-classes	VanDerGrintenIProjection

11.12.14. Class: geosrs:VanDerGrintenIVProjection

Table 209 — geosrs:VanDerGrintenIVProjection

URI	https://w3id.org/geosrs/projection/VanDerGrintenIVProjection
Super-classes	VanDerGrintenIVProjection

11.12.15. Class: geosrs:WagnerIXProjection

Table 210 — geosrs:WagnerIXProjection

URI	https://w3id.org/geosrs/projection/WagnerIXProjection
Super-classes	WagnerIXProjection

11.12.16. Class: geosrs:WagnerVIIIProjection

Table 211 — geosrs:WagnerVIIIProjection

URI	https://w3id.org/geosrs/projection/WagnerVIIIProjection
Super-classes	WagnerVIIIProjection

11.12.17. Class: geosrs:WagnerVIIProjection

Table 212 — geosrs:WagnerVIIProjection

URI	https://w3id.org/geosrs/projection/WagnerVIIProjection
Super-classes	WagnerVIIProjection

11.13. Polyhedral Projections

Requirement 31: Polyhedral Projections	
IDENTIFIER	/req/Polyhedral_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:AuthaGraphProjection, geosrs:CahillKeyesProjection, geosrs:CollignonButterflyProjection, geosrs:DodecahedralProjection, geosrs:DymaxionProjection, geosrs:GnomonicButterflyProjection, geosrs:GnomonicCubedSphereProjection, geosrs:GnomonicIcosahedronProjection, geosrs:GuyouProjection, geosrs:IcosahedralProjection, geosrs:LeeProjection, geosrs:MyrahedalProjection, geosrs:OctantProjection, geosrs:QuadrilateralizedSphericalCubeProjection, geosrs:WatermanButterflyProjection to be used in SPARQL graph patterns.

11.13.1. Class: geosrs:AuthaGraphProjection

Table 213 — geosrs:AuthaGraphProjection

URI	https://w3id.org/geosrs/projection/AuthaGraphProjection
Super-classes	AuthaGraphProjection

11.13.2. Class: geosrs:CahillKeyesProjection

Table 214 — geosrs:CahillKeyesProjection

URI	https://w3id.org/geosrs/projection/CahillKeyesProjection
Super-classes	CahillKeyesProjection

11.13.3. Class: geosrs:CollignonButterflyProjection

Table 215 — geosrs:CollignonButterflyProjection

URI	https://w3id.org/geosrs/projection/CollignonButterflyProjection
Super-classes	CollignonButterflyProjection

11.13.4. Class: geosrs:DodecahedralProjection

Table 216 — geosrs:DodecahedralProjection

URI	https://w3id.org/geosrs/projection/DodecahedralProjection
Super-classes	DodecahedralProjection

11.13.5. Class: geosrs:DymaxionProjection

Table 217 — geosrs:DymaxionProjection

URI	https://w3id.org/geosrs/projection/DymaxionProjection
Super-classes	DymaxionProjection

11.13.6. Class: geosrs:GnomonicButterflyProjection

Table 218 — geosrs:GnomonicButterflyProjection

URI	https://w3id.org/geosrs/projection/GnomonicButterflyProjection
Super-classes	GnomonicButterflyProjection

11.13.7. Class: geosrs:GnomonicCubedSphereProjection

Table 219 — geosrs:GnomonicCubedSphereProjection

URI	https://w3id.org/geosrs/projection/GnomonicCubedSphereProjection
Super-classes	GnomonicCubedSphereProjection

11.13.8. Class: geosrs:GnomonicIcosahedronProjection

Table 220 — geosrs:GnomonicCosahedronProjection

URI	https://w3id.org/geosrs/projection/GnomonicCosahedronProjection
Super-classes	GnomonicCosahedronProjection

11.13.9. Class: geosrs:GuyouProjection

Table 221 — geosrs:GuyouProjection

URI	https://w3id.org/geosrs/projection/GuyouProjection
Super-classes	GuyouProjection

11.13.10. Class: geosrs:IcosahedralProjection

Table 222 — geosrs:IcosahedralProjection

URI	https://w3id.org/geosrs/projection/IcosahedralProjection
Super-classes	IcosahedralProjection

11.13.11. Class: geosrs:LeeProjection

Table 223 — geosrs:LeeProjection

URI	https://w3id.org/geosrs/projection/LeeProjection
Super-classes	LeeProjection

11.13.12. Class: geosrs:MyrahedralProjection

Table 224 — geosrs:MyrahedralProjection

URI	https://w3id.org/geosrs/projection/MyrahedralProjection
Super-classes	MyrahedralProjection

11.13.13. Class: geosrs:OctantProjection

Table 225 — geosrs:OctantProjection

URI	https://w3id.org/geosrs/projection/OctantProjection
Super-classes	OctantProjection

11.13.14. Class: geosrs:QuadrilateralizedSphericalCubeProjection

Table 226 — geosrs:QuadrilateralizedSphericalCubeProjection

URI	https://w3id.org/geosrs/projection/QuadrilateralizedSphericalCubeProjection
Super-classes	QuadrilateralizedSphericalCubeProjection

11.13.15. Class: geosrs:WatermanButterflyProjection

Table 227 — geosrs:WatermanButterflyProjection

URI	https://w3id.org/geosrs/projection/WatermanButterflyProjection
Super-classes	WatermanButterflyProjection

11.14. Pseudo Azimuthal Projections

REQUIREMENT 32: PSEUDO AZIMUTHAL PROJECTIONS

IDENTIFIER	/req/Pseudo_Azimuthal_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:AitoffObliqueProjection, geosrs:Aitoff Projection, geosrs:HammerProjection, geosrs:Strebe1995Projection, geosrs:WinkelTripel Projection to be used in SPARQL graph patterns.

11.14.1. Class: geosrs:AitoffObliqueProjection

Table 228 — geosrs:AitoffObliqueProjection

URI	https://w3id.org/geosrs/projection/AitoffObliqueProjection
Super-classes	AitoffObliqueProjection

11.14.2. Class: geosrs:AitoffProjection

Table 229 — geosrs:AitoffProjection

URI	https://w3id.org/geosrs/projection/AitoffProjection
Definition	A modified azimuthal projection whose graticule takes the form of an ellipse
Super-classes	AitoffProjection

11.14.3. Class: geosrs:HammerProjection

Table 230 — geosrs:HammerProjection

URI	https://w3id.org/geosrs/projection/HammerProjection
Super-classes	HammerProjection

11.14.4. Class: geosrs:Strebe1995Projection

Table 231 — geosrs:Strebe1995Projection

URI	https://w3id.org/geosrs/projection/Strebe1995Projection
Super-classes	Strebe1995Projection

11.14.5. Class: geosrs:WinkelTripelProjection

Table 232 — geosrs:WinkelTripelProjection

URI	https://w3id.org/geosrs/projection/WinkelTripelProjection
Super-classes	WinkelTripelProjection

11.15. Pseudo Conical Projections

REQUIREMENT 33: PSEUDO CONICAL PROJECTIONS

IDENTIFIER	/req/Pseudo_Conical_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:AmericanPolyconicProjection, geosrs:BonneProjection, geosrs:BottomleyProjection, geosrs:NicolosiGlobularProjection, geosrs:PtolemyIIProjection, geosrs:WernerProjection to be used in SPARQL graph patterns.

11.15.1. Class: geosrs:AmericanPolyconicProjection

Table 233 — geosrs:AmericanPolyconicProjection

URI	https://w3id.org/geosrs/projection/AmericanPolyconicProjection
Super-classes	AmericanPolyconicProjection

11.15.2. Class: geosrs:BonneProjection

Table 234 — geosrs:BonneProjection

URI	https://w3id.org/geosrs/projection/BonneProjection
Super-classes	BonneProjection

11.15.3. Class: geosrs:BottomleyProjection

Table 235 — geosrs:BottomleyProjection

URI	https://w3id.org/geosrs/projection/BottomleyProjection
Super-classes	BottomleyProjection

11.15.4. Class: geosrs:NicolosiGlobularProjection

Table 236 — geosrs:NicolosiGlobularProjection

URI	https://w3id.org/geosrs/projection/NicolosiGlobularProjection
Super-classes	NicolosiGlobularProjection

11.15.5. Class: geosrs:PtolemyIIProjection

Table 237 — geosrs:PtolemyIIProjection

URI	https://w3id.org/geosrs/projection/PtolemyIIProjection
Super-classes	PtolemyIIProjection

11.15.6. Class: geosrs:WernerProjection

Table 238 — geosrs:WernerProjection

URI	https://w3id.org/geosrs/projection/WernerProjection
Super-classes	WernerProjection

11.16. Pseudo Cylindrical Projections

REQUIREMENT 34: PSEUDO CYLINDRICAL PROJECTIONS

IDENTIFIER	/req/Pseudo_Cylindrical_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:ApianIIProjection, geosrs:AtlantisProjection, geosrs:BaranyIIIIProjection, geosrs:BaranyIIProjection, geosrs:BaranyIProjection, geosrs:BaranyiIVProjection, geosrs:BoggsEumorphicProjection, geosrs:BromleyProjection, geosrs:CabotProjection, geosrs:CollignonProjection, geosrs:CrasterParabolicProjection, geosrs:DeakinMinimumErrorProjection, geosrs:Eckert1Projection, geosrs:Eckert2Projection, geosrs:Eckert3Projection, geosrs:Eckert4Projection, geosrs:Eckert5Projection, geosrs:Eckert6Projection, geosrs:EqualEarthProjection, geosrs:FaheyProjection, geosrs:FoucautProjection, geosrs:FoucautSinusoidalProjection, geosrs:FournierIIProjection, geosrs:GinzburgVIIIProjection, geosrs:GoodeHomolosineProjection, geosrs:HEALPixProjection, geosrs:HufnagelProjection, geosrs:Kavrayskiy7Projection, geosrs:LoximuthalProjection, geosrs:MayrProjection, geosrs:McBrydeThomasFlatPolarParabolicProjection, geosrs:McBrydeThomasFlatPolarQuarticProjection, geosrs:McBrydeThomasFlatPolarSinusoidalProjection, geosrs:McBrydeThomasIIProjection, geosrs:McBrydeThomasIProjection, geosrs:NaturalEarth2Projection, geosrs:NaturalEarthProjection, geosrs:NellHammerProjection, geosrs:NellProjection, geosrs:OrteliusOvalProjection, geosrs:PutninsP1Projection, geosrs:PutninsP2Projection, geosrs:PutninsP3Projection, geosrs:PutninsP5Projection, geosrs:PutninsP6Projection, geosrs:QuarticAuthalicProjection, geosrs:RobinsonProjection, geosrs:SinusoidalProjection, geosrs:TheTimesProjection, geosrs:ToblerG1Projection, geosrs:ToblerHyperellipticalProjection, geosrs:WagnerIIIProjection, geosrs:WagnerIIProjection, geosrs:WagnerIProjection, geosrs:WagnerIVProjection, geosrs:WagnerVProjection, geosrs:WagnerVProjection, geosrs:WerenskioldIProjection, geosrs:PutninsP3'Projection, geosrs:PutninsP4'Projection, geosrs:PutninsP5'Projection, geosrs:PutninsP6'Projection to be used in SPARQL graph patterns.

11.16.1. Class: geosrs:ApianIIProjection

Table 239 – geosrs:ApianIIProjection

URI	https://w3id.org/geosrs/projection/ApianIIProjection
Super-classes	ApianIIProjection

11.16.2. Class: geosrs:AtlantisProjection

Table 240 — geosrs:AtlantisProjection

URI	https://w3id.org/geosrs/projection/AtlantisProjection
Super-classes	AtlantisProjection

11.16.3. Class: geosrs:BaranyillProjection

Table 241 — geosrs:BaranyillProjection

URI	https://w3id.org/geosrs/projection/BaranyillProjection
Super-classes	BaranyillProjection

11.16.4. Class: geosrs:BaranyillProjection

Table 242 — geosrs:BaranyillProjection

URI	https://w3id.org/geosrs/projection/BaranyillProjection
Super-classes	BaranyillProjection

11.16.5. Class: geosrs:BaranyilProjection

Table 243 — geosrs:BaranyilProjection

URI	https://w3id.org/geosrs/projection/BaranyilProjection
Super-classes	BaranyilProjection

11.16.6. Class: geosrs:BaranyilVProjection

Table 244 — geosrs:BaranyilVProjection

URI	https://w3id.org/geosrs/projection/BaranyilVProjection
Super-classes	BaranyilVProjection

11.16.7. Class: geosrs:BoggsEumorphicProjection

Table 245 — geosrs:BoggsEumorphicProjection

URI	https://w3id.org/geosrs/projection/BoggsEumorphicProjection
Super-classes	BoggsEumorphicProjection

11.16.8. Class: geosrs:BromleyProjection

Table 246 — geosrs:BromleyProjection

URI	https://w3id.org/geosrs/projection/BromleyProjection
Super-classes	BromleyProjection

11.16.9. Class: geosrs:CabotProjection

Table 247 — geosrs:CabotProjection

URI	https://w3id.org/geosrs/projection/CabotProjection
Super-classes	CabotProjection

11.16.10. Class: geosrs:CollignonProjection

Table 248 — geosrs:CollignonProjection

URI	https://w3id.org/geosrs/projection/CollignonProjection
Definition	An equal-area pseudocylindrical projection that maps the sphere onto a triangle or diamond
Super-classes	CollignonProjection

11.16.11. Class: geosrs:CrasterParabolicProjection

Table 249 — geosrs:CrasterParabolicProjection

URI	https://w3id.org/geosrs/projection/CrasterParabolicProjection
Super-classes	CrasterParabolicProjection

11.16.12. Class: geosrs:DeakinMinimumErrorProjection

Table 250 — geosrs:DeakinMinimumErrorProjection

URI	https://w3id.org/geosrs/projection/DeakinMinimumErrorProjection
Super-classes	DeakinMinimumErrorProjection

11.16.13. Class: geosrs:Eckert1Projection

Table 251 — geosrs:Eckert1Projection

URI	https://w3id.org/geosrs/projection/Eckert1Projection
Super-classes	Eckert1Projection

11.16.14. Class: geosrs:Eckert2Projection

Table 252 — geosrs:Eckert2Projection

URI	https://w3id.org/geosrs/projection/Eckert2Projection
Super-classes	Eckert2Projection

11.16.15. Class: geosrs:Eckert3Projection

Table 253 — geosrs:Eckert3Projection

URI	https://w3id.org/geosrs/projection/Eckert3Projection
Super-classes	Eckert3Projection

11.16.16. Class: geosrs:Eckert4Projection

Table 254 — geosrs:Eckert4Projection

URI	https://w3id.org/geosrs/projection/Eckert4Projection
Super-classes	Eckert4Projection

11.16.17. Class: geosrs:Eckert5Projection

Table 255 — geosrs:Eckert5Projection

URI	https://w3id.org/geosrs/projection/Eckert5Projection
Super-classes	Eckert5Projection

11.16.18. Class: geosrs:Eckert6Projection

Table 256 — geosrs:Eckert6Projection

URI	https://w3id.org/geosrs/projection/Eckert6Projection
Super-classes	Eckert6Projection

11.16.19. Class: geosrs:EqualEarthProjection

Table 257 — geosrs:EqualEarthProjection

URI	https://w3id.org/geosrs/projection/EqualEarthProjection
Super-classes	EqualEarthProjection

11.16.20. Class: geosrs:FaheyProjection

Table 258 — geosrs:FaheyProjection

URI	https://w3id.org/geosrs/projection/FaheyProjection
Super-classes	FaheyProjection

11.16.21. Class: geosrs:FoucautProjection

Table 259 — geosrs:FoucautProjection

URI	https://w3id.org/geosrs/projection/FoucautProjection
Super-classes	FoucautProjection

11.16.22. Class: geosrs:FoucautSinusoidalProjection

Table 260 — geosrs:FoucautSinusoidalProjection

URI	https://w3id.org/geosrs/projection/FoucautSinusoidalProjection
Super-classes	FoucautSinusoidalProjection

11.16.23. Class: geosrs:FournierIIProjection

Table 261 — geosrs:FournierIIProjection

URI	https://w3id.org/geosrs/projection/FournierIIProjection
Super-classes	FournierIIProjection

11.16.24. Class: geosrs:GinzburgVIIIProjection

Table 262 — geosrs:GinzburgVIIIProjection

URI	https://w3id.org/geosrs/projection/GinzburgVIIIProjection
Super-classes	GinzburgVIIIProjection

11.16.25. Class: geosrs:GoodeHomolosineProjection

Table 263 — geosrs:GoodeHomolosineProjection

URI	https://w3id.org/geosrs/projection/GoodeHomolosineProjection
Super-classes	GoodeHomolosineProjection

11.16.26. Class: geosrs:HEALPixProjection

Table 264 — geosrs:HEALPixProjection

URI	https://w3id.org/geosrs/projection/HEALPixProjection
Super-classes	HEALPixProjection

11.16.27. Class: geosrs:HufnagelProjection

Table 265 — geosrs:HufnagelProjection

URI	https://w3id.org/geosrs/projection/HufnagelProjection
Super-classes	HufnagelProjection

11.16.28. Class: geosrs:Kavrayskiy7Projection

Table 266 — geosrs:Kavrayskiy7Projection

URI	https://w3id.org/geosrs/projection/Kavrayskiy7Projection
-----	---

Super-classes	Kavrayskiy7Projection
---------------	---------------------------------------

11.16.29. Class: geosrs:LoximuthalProjection

Table 267 — geosrs:LoximuthalProjection

URI	https://w3id.org/geosrs/projection/LoximuthalProjection
Super-classes	LoximuthalProjection

11.16.30. Class: geosrs:MayrProjection

Table 268 — geosrs:MayrProjection

URI	https://w3id.org/geosrs/projection/MayrProjection
Super-classes	MayrProjection

11.16.31. Class: geosrs:McBrydeThomasFlatPolarParabolicProjection

Table 269 — geosrs:McBrydeThomasFlatPolarParabolicProjection

URI	https://w3id.org/geosrs/projection/McBrydeThomasFlatPolarParabolicProjection
Super-classes	McBrydeThomasFlatPolarParabolicProjection

11.16.32. Class: geosrs:McBrydeThomasFlatPolarQuarticProjection

Table 270 — geosrs:McBrydeThomasFlatPolarQuarticProjection

URI	https://w3id.org/geosrs/projection/McBrydeThomasFlatPolarQuarticProjection
Super-classes	McBrydeThomasFlatPolarQuarticProjection

11.16.33. Class: geosrs:McBrydeThomasFlatPolarSinusoidalProjection

Table 271 — geosrs:McBrydeThomasFlatPolarSinusoidalProjection

URI	https://w3id.org/geosrs/projection/McBrydeThomasFlatPolarSinusoidalProjection
Super-classes	McBrydeThomasFlatPolarSinusoidalProjection

11.16.34. Class: geosrs:McBrydeThomasIIProjection

Table 272 — geosrs:McBrydeThomasIIProjection

URI	https://w3id.org/geosrs/projection/McBrydeThomasIIProjection
Super-classes	McBrydeThomasIIProjection

11.16.35. Class: geosrs:McBrydeThomasIProjection

Table 273 — geosrs:McBrydeThomasIProjection

URI	https://w3id.org/geosrs/projection/McBrydeThomasIProjection
Super-classes	McBrydeThomasIProjection

11.16.36. Class: geosrs:NaturalEarth2Projection

Table 274 — geosrs:NaturalEarth2Projection

URI	https://w3id.org/geosrs/projection/NaturalEarth2Projection
Super-classes	NaturalEarth2Projection

11.16.37. Class: geosrs:NaturalEarthProjection

Table 275 — geosrs:NaturalEarthProjection

URI	https://w3id.org/geosrs/projection/NaturalEarthProjection
Definition	A pseudocylindrical map projection designed by Tom Patterson and introduced in 2008
Super-classes	NaturalEarthProjection

11.16.38. Class: geosrs:NellHammerProjection

Table 276 — geosrs:NellHammerProjection

URI	https://w3id.org/geosrs/projection/NellHammerProjection
Super-classes	NellHammerProjection

11.16.39. Class: geosrs:NellProjection

Table 277 — geosrs:NellProjection

URI	https://w3id.org/geosrs/projection/NellProjection
Super-classes	NellProjection

11.16.40. Class: geosrs:OrteliusOvalProjection

Table 278 — geosrs:OrteliusOvalProjection

URI	https://w3id.org/geosrs/projection/OrteliusOvalProjection
Super-classes	OrteliusOvalProjection

11.16.41. Class: geosrs:PutninsP1Projection

Table 279 — geosrs:PutninsP1Projection

URI	https://w3id.org/geosrs/projection/PutninsP1Projection
Super-classes	PutninsP1Projection

11.16.42. Class: geosrs:PutninsP2Projection

Table 280 — geosrs:PutninsP2Projection

URI	https://w3id.org/geosrs/projection/PutninsP2Projection
Super-classes	PutninsP2Projection

11.16.43. Class: geosrs:PutninsP3Projection

Table 281 — geosrs:PutninsP3Projection

URI	https://w3id.org/geosrs/projection/PutninsP3Projection
Super-classes	PutninsP3Projection

11.16.44. Class: geosrs:PutninsP5Projection

Table 282 — geosrs:PutninsP5Projection

URI	https://w3id.org/geosrs/projection/PutninsP5Projection
Super-classes	PutninsP5Projection

11.16.45. Class: geosrs:PutninsP6Projection

Table 283 — geosrs:PutninsP6Projection

URI	https://w3id.org/geosrs/projection/PutninsP6Projection
Super-classes	PutninsP6Projection

11.16.46. Class: geosrs:QuarticAuthalicProjection

Table 284 — geosrs:QuarticAuthalicProjection

URI	https://w3id.org/geosrs/projection/QuarticAuthalicProjection
Super-classes	QuarticAuthalicProjection

11.16.47. Class: geosrs:RobinsonProjection

Table 285 — geosrs:RobinsonProjection

URI	https://w3id.org/geosrs/projection/RobinsonProjection
Super-classes	RobinsonProjection

11.16.48. Class: geosrs:SinusoidalProjection

Table 286 — geosrs:SinusoidalProjection

URI	https://w3id.org/geosrs/projection/SinusoidalProjection
Super-classes	SinusoidalProjection

11.16.49. Class: geosrs:TheTimesProjection

Table 287 — geosrs:TheTimesProjection

URI	https://w3id.org/geosrs/projection/TheTimesProjection
Super-classes	TheTimesProjection

11.16.50. Class: geosrs:ToblerG1Projection

Table 288 — geosrs:ToblerG1Projection

URI	https://w3id.org/geosrs/projection/ToblerG1Projection
Super-classes	ToblerG1Projection

11.16.51. Class: geosrs:ToblerHyperellipticalProjection

Table 289 — geosrs:ToblerHyperellipticalProjection

URI	https://w3id.org/geosrs/projection/ToblerHyperellipticalProjection
Super-classes	ToblerHyperellipticalProjection

11.16.52. Class: geosrs:WagnerIIIProjection

Table 290 — geosrs:WagnerIIIProjection

URI	https://w3id.org/geosrs/projection/WagnerIIIProjection
Super-classes	WagnerIIIProjection

11.16.53. Class: geosrs:WagnerIIProjection

Table 291 — geosrs:WagnerIIProjection

URI	https://w3id.org/geosrs/projection/WagnerIIProjection
Super-classes	WagnerIIProjection

11.16.54. Class: geosrs:WagnerIProjection

Table 292 — geosrs:WagnerIProjection

URI	https://w3id.org/geosrs/projection/WagnerIProjection
Super-classes	WagnerIProjection

11.16.55. Class: geosrs:WagnerIVProjection

Table 293 — geosrs:WagnerIVProjection

URI	https://w3id.org/geosrs/projection/WagnerIVProjection
Super-classes	WagnerIVProjection

11.16.56. Class: geosrs:WagnerVIProjection

Table 294 — geosrs:WagnerVIProjection

URI	https://w3id.org/geosrs/projection/WagnerVIProjection
Super-classes	WagnerVIProjection

11.16.57. Class: geosrs:WagnerVProjection

Table 295 — geosrs:WagnerVProjection

URI	https://w3id.org/geosrs/projection/WagnerVProjection
Super-classes	WagnerVProjection

11.16.58. Class: geosrs:WerenskioldIProjection

Table 296 — geosrs:WerenskioldIProjection

URI	https://w3id.org/geosrs/projection/WerenskioldIProjection
Super-classes	WerenskioldIProjection

11.16.59. Class: geosrs:PutninsP3'Projection

Table 297 — geosrs:PutninsP3'Projection

URI	https://w3id.org/geosrs/projection/PutninsP3'Projection
Super-classes	PutninsP3'Projection

11.16.60. Class: geosrs:PutninsP4'Projection

Table 298 — geosrs:PutninsP4'Projection

URI	https://w3id.org/geosrs/projection/PutninsP4'Projection
Super-classes	PutninsP4'Projection

11.16.61. Class: geosrs:PutninsP5'Projection

Table 299 — geosrs:PutninsP5'Projection

URI	https://w3id.org/geosrs/projection/PutninsP5'Projection
Super-classes	PutninsP5'Projection

11.16.62. Class: geosrs:PutninsP6'Projection

Table 300 — geosrs:PutninsP6'Projection

URI	https://w3id.org/geosrs/projection/PutninsP6'Projection
Super-classes	PutninsP6'Projection

11.17. Stereographic Projections

REQUIREMENT 35: STEREOGRAPHIC PROJECTIONS

IDENTIFIER	/req/Stereographic_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:MillerOblatedStereographicProjection, geosrs:RoussilheProjection to be used in SPARQL graph patterns.

11.17.1. Class: geosrs:MillerOblatedStereographicProjection

Table 301 — geosrs:MillerOblatedStereographicProjection

URI	https://w3id.org/geosrs/projection/MillerOblatedStereographicProjection
Super-classes	MillerOblatedStereographicProjection

11.17.2. Class: geosrs:RoussilheProjection

Table 302 — geosrs:RoussilheProjection

URI	https://w3id.org/geosrs/projection/RoussilheProjection
Super-classes	RoussilheProjection



12

PLANET MODULE

This clause establishes the **PLANET** Requirements class, with IRI /req/planet, which has a corresponding Conformance Class, **PLANET**, with IRI /conf/planet.





ANNEX A (INFORMATIVE) ALIGNMENTS



ANNEX A (INFORMATIVE) ALIGNMENTS

Overview

Overview

The prefixes used for the ontologies mapped to in all following sections are given in the following table.

Table A.1 — Alignment: Namespaces

ign:	http://data.ign.fr/def/ignf#
iso19111:	http://def.isotc211.org/iso19112/2019/SpatialReferencingByGeographicIdentifier#
geosrs:	http://www.opengis.net/ont/geosparql#
ifc:	https://standards.buildingsmart.org/IFC/DEV/IFC4/ADD2_TC1/OWL/
owl:	http://www.w3.org/2002/07/owl#
prov:	http://www.w3.org/ns/prov#
rdf:	http://www.w3.org/1999/02/22-rdf-syntax-ns#
rdfs:	http://www.w3.org/2000/01/rdf-schema#

A.1. IGN Ontology

Table A.2 – Alignment: IGN Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CoordinateSystem	owl:equivalentClass	ign:CoordinateSystem	-
geosrs:Datum	owl:equivalentClass	ign:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	ign:Ellipsoid	-
geosrs:Conversion	owl:equivalentClass	ign:Conversion	-
geosrs:CoordinateOperation	owl:equivalentClass	ign:CoordinateOperation	-
geosrs:OperationMethod	owl:equivalentClass	ign:OperationMethod	-
geosrs:OperationParameter	owl:equivalentClass	ign:OperationParameter	-
geosrs:OperationParameterValue	owl:equivalentClass	ign:OperationParameterValue	-
geosrs:SingleOperation	owl:equivalentClass	ign:SingleOperation	-
geosrs:Transformation	owl:equivalentClass	ign:Transformation	-
geosrs:CartesianCoordinateSystem	owl:equivalentClass	ign:CartesianCS	-
geosrs:CoordinateSystem	owl:equivalentClass	ign:CoordinateSystem	-
geosrs:CoordinateSystemAxis	owl:equivalentClass	ign:CoordinateSystemAxis	-
geosrs:EllipsoidalCoordinateSystem	owl:equivalentClass	ign:EllipsoidalCS	-
geosrs:VerticalCoordinateSystem	owl:equivalentClass	ign:VerticalCS	-
geosrs:Datum	owl:equivalentClass	ign:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	ign:Ellipsoid	-
geosrs:GeodeticDatum	owl:equivalentClass	ign:GeodeticDatum	-
geosrs:PrimeMeridian	owl:equivalentClass	ign:PrimeMeridian	-
geosrs:VerticalDatum	owl:equivalentClass	ign:VerticalDatum	-
geosrs:AxesList	owl:equivalentClass	ign:AxesList	-

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CRS	owl:equivalentClass	ign:CRS	-
geosrs:CompoundCRS	owl:equivalentClass	ign:CompoundCRS	-
geosrs:Extent	owl:equivalentClass	ign:Extent	-
geosrs:GeodeticCRS	owl:equivalentClass	ign:GeodeticCRS	-
geosrs:GeographicBoundingBox	owl:equivalentClass	ign:GeographicBoundingBox	-
geosrs:ProjectedCRS	owl:equivalentClass	ign:ProjectedCRS	-
geosrs:SingleCRS	owl:equivalentClass	ign:SingleCRS	-
geosrs:SingleCRSList	owl:equivalentClass	ign:SingleCRSList	-
geosrs:VerticalCRS	owl:equivalentClass	ign:VerticalCRS	-

A.2. ISO19111 Ontology

Table A.3 – Alignment: ISO19111 Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CoordinateSystem	owl:equivalentClass	iso19111:CoordinateSystem	-
geosrs:Datum	owl:equivalentClass	iso19111:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	iso19111:Ellipsoid	-
geosrs:CRS	owl:equivalentClass	iso19111:CRS	-
geosrs:CompoundCRS	owl:equivalentClass	iso19111:CompoundCRS	-
geosrs:EngineeringCRS	owl:equivalentClass	iso19111:EngineeringCRS	-
geosrs:GeodeticCRS	owl:equivalentClass	iso19111:GeodeticCRS	-

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:GeographicCRS	owl:equivalentClass	iso19111:GeographicCRS	-
geosrs:ParametricCRS	owl:equivalentClass	iso19111:ParametricCRS	-
geosrs:ProjectedCRS	owl:equivalentClass	iso19111:ProjectedCRS	-
geosrs:SingleCRS	owl:equivalentClass	iso19111:SingleCRS	-
geosrs:TemporalCRS	owl:equivalentClass	iso19111:TemporalCRS	-
geosrs:VerticalCRS	owl:equivalentClass	iso19111:VerticalCRS	-

A.3. IFC Ontology

Table A.4 – Alignment: IFC Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:AxisDirection	owl:equivalentClass	ifc:IfcDirection	-
geosrs:CRS	owl:equivalentClass	ifc:IfcCoordinateReferenceSystem	-
geosrs:CoordinateOperation	owl:equivalentClass	ifc:IfcCoordinateOperation	-
geosrs:ProjectedCRS	owl:equivalentClass	ifc:IfcProjectedCRS	-
geosrs:axis	owl:equivalentProperty	ifc:axis_IfcAxis1Placement	-
geosrs:sourceCRS	owl:equivalentProperty	ifc:sourceCRS	-
geosrs:targetCRS	owl:equivalentProperty	ifc:targetCRS	-



ANNEX B (INFORMATIVE) SHACL SHAPES



ANNEX B (INFORMATIVE) SHACL SHAPES

Overview

Overview



ANNEX C (INFORMATIVE) REVISION HISTORY



ANNEX C (INFORMATIVE) REVISION HISTORY

DATE	RELEASE	AUTHOR	PRIMARY CLAUSES MODIFIED	DESCRIPTION
2016-04-28	0.1	G. Editor	all	initial version



BIBLIOGRAPHY





BIBLIOGRAPHY

NOTE: The TC has approved Springer LNCS as the official document citation type. Springer LNCS is widely used in technical and computer science journals and other publications. For citations in the text please use square brackets and consecutive numbers: [1], [2], [3]. Actual References: [n] Journal: Author Surname, A.: Title. Publication Title. Volume number, Issue number, Pages Used (Year Published)

- [1] ISO: ISO 19142, *Geographic information – Web Feature Service*. International Organization for Standardization, Geneva <https://www.iso.org/standard/42136.html>.
- [2] W3C: **Data Catalog Vocabulary**, W3C Recommendation 16 January 2014, <https://www.w3.org/TR/vocab-dcat/>
- [3] IANA: **Link Relation Types**, <https://www.iana.org/assignments/link-relations/link-relations.xml>
- [4] W3C/OGC: **Spatial Data on the Web Best Practices**, W3C Working Group Note 28 September 2017, <https://www.w3.org/TR/sdw-bp/>
- [5] W3C: **Data on the Web Best Practices**, W3C Recommendation 31 January 2017, <https://www.w3.org/TR/dwbp/>
- [6] Ben-Kiki, O., Evans, C., Ingy döt Net: **YAML Ain't Markup Language**, <https://yaml.org/>
- [7] OGC: **Web Feature Service 2.0**, <http://docs.opengeospatial.org/is/09-025r2/09-025r2.html>
- [8] Berners-Lee, T., Fielding, R., Masinter, L.: **IETF RFC 3986 – Uniform Resource Identifier (URI): Generic Syntax**, <http://tools.ietf.org/rfc/rfc3986.txt>