Open
Geospatial
Consortium

OGC DOCUMENT TITLE

COMMUNITY STANDARD

APPROVED

License Agreement

Use of this document is subject to the license agreement at https://www.ogc.org/license

Copyright notice

Note

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. The Open Geospatial Consortium shall not be held responsible for identifying any or all such patent rights.

Recipients of this document are requested to submit, with their comments, notification of any relevant patent claims or other intellectual property rights of which they may be aware that might be infringed by any implementation of the standard set forth in this document, and to provide supporting documentation.

CONTENTS

LIST OF TABLES

LIST OF FIGURES

LIST OF NORMATIVE STATEMENTS

I ABSTRACT

<Insert Abstract Text here>

II KEYWORDS

The following are keywords to be used by search engines and document catalogues.

keyword_1, keyword_2, keyword_3, etc.

PREFACE

This document establishes the OGC CRS ontology and its submodules. The definition of elements of coordinate reference systems is an essential part of geospatial data provision. However, until now, coordinate reference systems and their components could not be represented in an OGC-standardized semantic web vocabulary. This document introduces the ontology model, its classes and properties, application examples and can serve as the foundation of a semantic web based coordinate system registry at OGC. Special attention is given to the compatibility of the CRS Ontology vocabulary to other OGC-endorsed Semantic Web standards such as GeoSPARQL and alignments to other data standards are provided as part of this specification.

NOTE: Insert Preface Text here. Give OGC specific commentary: describe the technical content, reason for document, history of the document and precursors, and plans for future work.

There are two ways to specify the Preface: "simple clause" or "full clasuse"

If the Preface does not contain subclauses, it is considered a simple preface clause. This one is entered as text after the `.Preface` label and must be placed between the AsciiDoc document attributes and the first AsciiDoc section title. It should not be give a section title of its own.

If the Preface contains subclauses, it needs to be encoded as a full preface clause. This one is recognized as a full Metanorma AsciiDoc section with te title "Preface", i.e. `== Preface`. (Simple preface content can also be encoded like full preface.)

IV   SECURITY CONSIDERATIONS

No security considerations have been made for this Standard.

V SUBMITTING ORGANIZATIONS

The following organizations submitted this Document to the Open Geospatial Consortium (OGC):

- Open Geospatial Consortium

VI SUBMITTERS

All questions regarding this submission should be directed to the editor or the submitters:

NAME	AFFILIATION	OGC MEMBER
Luís Moreira de Sousa	Instituto Superior Técnico: Lisbon, PT	Yes
Timo Homburg	Mainz University Of Applied Sciences	No
Nathalie Abadie	IGN France	Yes
Ghislain Atemezing	European Union Agency for Railways (ERA)	Yes

VII SOURCE OF THE CONTENT FOR THIS OGC DOCUMENT

VIII VALIDITY OF CONTENT

IX FUTURE WORK

NOTE: If you need to place any further sections in the preface area use the `[.preface]` attribute.

X CONTRIBUTORS

Additional contributors to this Standard include the following:

Individual name(s), Organization

1

SCOPE

———

1   SCOPE

<Insert Scope text here>

NOTE: Give the subject of the document and the aspects of that scope covered by the document.

2

CONFORMANCE

———

2 CONFORMANCE

<Insert conformance content here>

NOTE: Provide a short description of the content approached in subsequent sections and the main subject of the document

3
NORMATIVE REFERENCES

3 NORMATIVE REFERENCES

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Identification of Common Molecular Subsequences. Smith, T.F., Waterman, M.S., J. Mol. Biol. 147, 195–197 (1981)

ZIB Structure Prediction Pipeline: Composing a Complex Biological Workflow through Web Services. May, P., Ehrlich, H.C., Steinke, T. In: Nagel, W.E., Walter, W.V., Lehner, W. (eds.) Euro-Par 2006. LNCS, vol. 4128, pp. 1148–1158. Springer, Heidelberg (2006)

The Grid: Blueprint for a New Computing Infrastructure., Foster, I., Kesselman, C.. Morgan Kaufmann, San Francisco (1999).

Grid Information Services for Distributed Resource Sharing. Czajkowski, K., Fitzgerald, S., Foster, I., Kesselman, C. In: 10th IEEE International Symposium on High Performance Distributed Computing, pp. 181–184. IEEE Press, New York (2001)

4

TERMS AND DEFINITIONS

———

4   TERMS AND DEFINITIONS

This document uses the terms defined in <u>OGC Policy Directive 49</u>, which is based on the ISO/IEC Directives, Part 2, Rules for the structure and drafting of International Standards. In particular, the word "shall" (not "must") is the verb form used to indicate a requirement to be strictly followed to conform to this document and OGC documents do not use the equivalent phrases in the ISO/IEC Directives, Part 2.

This document also uses terms defined in the OGC Standard for Modular specifications (<u>OGC 08-131r3</u>), also known as the 'ModSpec'. The definitions of terms such as standard, specification, requirement, and conformance test are provided in the ModSpec.

For the purposes of this document, the following additional terms and definitions apply.

4.1. example term

term used for exemplary purposes

Note 1 to entry: An example note.

Example   Here's an example of an example term.

[**SOURCE:**]

5

CONVENTIONS

5 CONVENTIONS

NOTE: This section provides details and examples for any conventions used in the document. Examples of conventions are symbols, abbreviations, use of XML schema, or special notes regarding how to read the document.

5.1. Identifiers

The normative provisions in this standard are denoted by the URI

`http://www.opengis.net/spec/{standard}/{m.n}`

All requirements and conformance tests that appear in this document are denoted by partial URIs which are relative to this base.

5.2. Other conventions

<Place any other convention needed with its corresponding title>

6

CORE

———

6 CORE

This clause establishes the **Core** Requirements class, with IRI `/req/core`, which has a corresponding Conformance Class, **Core**, with IRI `/conf/core`.

The Core module establishes a set of classes and properties which define the building blocks of a spatial reference system definition. Some of the definitions are extended in specialized modules related to the Core module.

Figure 1

From a base class SpatialReferenceSystem, we define a class for a coordinate system, as the superclass of all spatial reference systems describing locations using coorindates. These SpatialReferenceSystems are described using a Datum and a coordinate system definitions with at least one coordinate axis. Together with several subtypes of coordnate reference system, these definitions complete the Core module.

REQUIREMENTS CLASS 1: 06-CORE.ADOC EXTENSION	
IDENTIFIER	`/req/core`
TARGET TYPE	Implementation Specification
CONFORMANCE CLASS	Conformance class A.1: `/conf/core`
REQUIREMENT	/req/core/Coordinate_Reference_System_Parameters
	/req/core/Coordinate_Reference_System_Types
	/req/core/Coordinate_Reference_System_Properties

6.1. Coordinate Reference System Parameters

REQUIREMENT 1: COORDINATE REFERENCE SYSTEM PARAMETERS	
IDENTIFIER	/req/core/Coordinate_Reference_System_Parameters
STATEMENT	Implementations shall allow the RDFS classes geosrs:AreaOfUse, geosrs:Extent, geosrs: GeographicBoundingBox, geosrs:AxesList, geosrs:SingleCRSList to be used in SPARQL graph patterns.

6.1.1. Class: geosrs:AreaOfUse

Table 1 — geosrs:AreaOfUse

URI	https://w3id.org/geosrs/srs/AreaOfUse
Definition	Area within which a coordinate operation may be used.
Example	geosrs:AreaOfUse

6.1.2. Class: geosrs:Extent

Table 2 — geosrs:Extent

URI	https://w3id.org/geosrs/srs/Extent
Definition	Geographic area or time interval in which the referring object is valid. Cf. ISO 19115-1:2014:2014-04, part 6.6.1 and table B.15 line 335.

6.1.3. Class: geosrs:GeographicBoundingBox

Table 3 — geosrs:GeographicBoundingBox

URI	https://w3id.org/geosrs/srs/GeographicBoundingBox
Definition	Frame delimiting an area of interest. See ISO 19115-1:2014:2014-04, part 6.6.1 and table B.15.1 line 344.

6.1.4. Class: geosrs:AxesList

Table 4 — geosrs:AxesList

URI	https://w3id.org/geosrs/srs/AxesList
Definition	Ordered list of coordinate system axes.

6.1.5. Class: geosrs:SingleCRSList

Table 5 — geosrs:SingleCRSList

URI	https://w3id.org/geosrs/srs/SingleCRSList
Definition	Ordered list of simple reference coordinate systems.

6.2. Coordinate Reference System Properties

REQUIREMENT 2: COORDINATE REFERENCE SYSTEM PROPERTIES	
IDENTIFIER	`/req/core/Coordinate_Reference_System_Properties`
STATEMENT	Implementations shall allow the RDFS properties geosrs:baseCRS, geosrs:conversion, geosrs:coordinateSystem, geosrs:datum, geosrs:datumEnsemble, geosrs:domainOfValidity, geosrs:method, geocrs:asProj4, geocrs:asProjJSON, geocrs:asWKT, geosrs:EPSGcode to be used in SPARQL graph patterns.

6.2.1. Property: geosrs:baseCRS

Table 6 — geosrs:baseCRS

URI	https://w3id.org/geosrs/srs/baseCRS
Type	owl:ObjectProperty

Definition	The geodetic coordinate reference system on which a projected coordinate reference system is based. Cf. ISO 19111:2007:2007-07, table 11, association role base CRS.
Range	GeodeticCRS
Domain	ProjectedCRS

6.2.2. Property: geosrs:conversion

Table 7 — geosrs:conversion

URI	https://w3id.org/geosrs/srs/conversion
Type	owl:ObjectProperty
Definition	The conversion used to define a projected coordinate reference system. Cf. ISO 19111:2007:2007-07, table 7, named association Definition.
Range	Conversion
Domain	CRS

6.2.3. Property: geosrs:coordinateSystem

Table 8 — geosrs:coordinateSystem

URI	https://w3id.org/geosrs/srs/coordinateSystem
Type	owl:ObjectProperty
Definition	The property relates a coordinate reference system to its coordinate system
Range	CoordinateSystem
Domain	CRS
Example	geosrs:coordinateSystem

6.2.4. Property: geosrs:datum

Table 9 — geosrs:datum

URI	https://w3id.org/geosrs/srs/datum
Type	owl:ObjectProperty
Definition	The property relates a coordinate reference system to a datum
Range	Datum
Domain	CRS

6.2.5. Property: geosrs:datumEnsemble

Table 10 — geosrs:datumEnsemble

URI	https://w3id.org/geosrs/srs/datumEnsemble
Type	owl:ObjectProperty
Definition	Indicates a single CRS referring to a collection of one or more datums (Datum Ensemble)
Range	DatumEnsemble
Domain	SingleCRS

6.2.6. Property: geosrs:domainOfValidity

Table 11 — geosrs:domainOfValidity

URI	https://w3id.org/geosrs/srs/domainOfValidity
Type	owl:ObjectProperty
Definition	Geographic area or time interval in which the referring object is valid. Cf. ISO 19111:2007:2007-07, tables 4, 33 and 42, attribute domainOfValidity.

Range	AreaOfUse
Domain	CRS

6.2.7. Property: geosrs:method

Table 12 — geosrs:method

URI	https://w3id.org/geosrs/srs/method
Type	owl:ObjectProperty
Range	CoordinateOperation
Domain	CRS

6.2.8. Property: geocrs:asProj4

Table 13 — geocrs:asProj4

URI	geocrs:asProj4
Type	owl:DatatypeProperty
Definition	PROJ4 string defining a CRS. Note: this paradigm is ambiguous and presently considered outdated.
Range	proj4Literal
Domain	CRS

6.2.9. Property: geocrs:asProjJSON

Table 14 — geocrs:asProjJSON

URI	geocrs:asProjJSON
Type	owl:DatatypeProperty

Definition	CRS definition encoded as a JSON object interpretable by PROJ4.
Range	projJSONLiteral
Domain	CRS

6.2.10. Property: geocrs:asWKT

Table 15 — geocrs:asWKT

URI	geocrs:asWKT
Type	owl:DatatypeProperty
Definition	CRS definition encoded according to the Well Known Text structure. Cf. ISO 19162:2019.
Range	wktLiteral
Domain	CRS

6.2.11. Property: geosrs:EPSGcode

Table 16 — geosrs:EPSGcode

URI	https://w3id.org/geosrs/srs/EPSGcode
Type	owl:DatatypeProperty
Definition	Identifier of this resource in the EPSG Geodetic Parameter Dataset.
Range	xsd:string

6.3. Coordinate Reference System Types

REQUIREMENT 3: COORDINATE REFERENCE SYSTEM TYPES

IDENTIFIER	`/req/core/Coordinate_Reference_System_Types`
STATEMENT	Implementations shall allow the RDFS classes geosrs:BoundCRS, geosrs:CompoundCRS, geosrs:CRS, geosrs:EngineeringCRS, geosrs:GeocentricCRS, geosrs:GeodeticCRS, geosrs:GeographicCRS, geosrs:ParametricCRS, geosrs:ProjectedCRS, geosrs:SelenographicCRS, geosrs:ReferenceSystem, geosrs:SingleCRS, geosrs:SpatialReferenceSystem, geosrs:SpatioParametricCompoundCRS, geosrs:SpatioParametricTemporalCompoundCRS, geosrs:SpatioTemporalCompoundCRS, geosrs:StaticCRS, geosrs:TemporalCRS, geosrs:VerticalCRS to be used in SPARQL graph patterns.

Coordinate reference systems are typed according to their area of application, e.g. Geodetic vs. Engineering vs. TemporalCRS and by their ability to contain further

6.3.1. Class: geosrs:BoundCRS

Table 17 — geosrs:BoundCRS

URI	https://w3id.org/geosrs/srs/BoundCRS
Super-classes	CRS

6.3.2. Class: geosrs:CompoundCRS

Table 18 — geosrs:CompoundCRS

URI	https://w3id.org/geosrs/srs/CompoundCRS
Definition	Coordinate reference system using at least two independent single coordinate reference systems. Cf. ISO 19111:2007:2007-07, parts 8.2.3.c, 8.2.4, table 6 and annex B.1.2.4.
Super-classes	CRS
Example	geosrs:CompoundCRS

6.3.3. Class: geosrs:CRS

Table 19 — geosrs:CRS

URI	https://w3id.org/geosrs/srs/CRS
Definition	Depending on the spatial dimension of coordinates (1D, 2D, 3D), this piece of metadata is used for specifying the elements of definition associated to a given set of coordinates: its datum, its ellipsoid, its prime meridian, the type of coordinates (geocentric, geographic, projected,...), the coordinates units of measure, when appropriate the cartographic projection used, the vertical coordinate reference system.
Super-classes	SpatialReferenceSystem

6.3.4. Class: geosrs:EngineeringCRS

Table 20 — geosrs:EngineeringCRS

URI	https://w3id.org/geosrs/srs/EngineeringCRS
Definition	A contextually local coordinate reference system which can be divided into two broad categories: — earth-fixed systems applied to engineering activities on or near the surface of the earth; — CRSs on moving platforms such as road vehicles, vessels, aircraft or spacecraft.
Super-classes	CRS

6.3.5. Class: geosrs:GeocentricCRS

Table 21 — geosrs:GeocentricCRS

URI	https://w3id.org/geosrs/srs/GeocentricCRS
Definition	A cartesian coordinate reference system that represents locations in the vicinity of the Earth (including its surface, interior, atmosphere, and surrounding outer space) as X, Y, and Z measurements from its center of mass. Commonly used to track the orbits of satellites.
Super-classes	CRS
Example	geosrs:GeocentricCRS

6.3.6. Class: geosrs:GeodeticCRS

Table 22 — geosrs:GeodeticCRS

URI	https://w3id.org/geosrs/srs/GeodeticCRS
Definition	Coordinate Reference System associated with a geodetic datum. Cf. ISO 19111:2007:2007-07, part 8.2.2.a, table 10 and annex B.1.2.1.a.
Super-classes	CRS

6.3.7. Class: geosrs:GeographicCRS

Table 23 — geosrs:GeographicCRS

URI	https://w3id.org/geosrs/srs/GeographicCRS
Definition	Coordinate Reference System that has a geodetic reference frame and an ellipsoidal coordinate system
Super-classes	CRS
Example	geosrs:GeographicCRS

6.3.8. Class: geosrs:ParametricCRS

Table 24 — geosrs:ParametricCRS

URI	https://w3id.org/geosrs/srs/ParametricCRS
Definition	Coordinate Reference System based on a parametric datum
Super-classes	CRS

6.3.9. Class: geosrs:ProjectedCRS

Table 25 — geosrs:ProjectedCRS

URI	https://w3id.org/geosrs/srs/ProjectedCRS
Definition	Coordinate Reference System derived from a two-dimensional geodetic coordinate reference system by applying a map projection. Cf. ISO 19111:2007:2007-07, part 8.2.3.b, table 11 and annex B.1.2.3.
Super-classes	CRS
Example	geosrs:ProjectedCRS

6.3.10. Class: geosrs:SelenographicCRS

Table 26 — geosrs:SelenographicCRS

URI	https://w3id.org/geosrs/srs/SelenographicCRS
Definition	Coordinate Reference System to refer locations on the surface of the Earth's Moon.
Super-classes	CRS

6.3.11. Class: geosrs:ReferenceSystem

Table 27 — geosrs:ReferenceSystem

URI	https://w3id.org/geosrs/srs/ReferenceSystem
Definition	An abstract coordinate system, whose origin, orientation and scale are specified in physical space. It is based on a set of reference points, defined as geometric points whose position is identified physically and mathematically.

6.3.12. Class: geosrs:SingleCRS

Table 28 — geosrs:SingleCRS

URI	https://w3id.org/geosrs/srs/SingleCRS

Definition	Coordinate reference system consisting of one coordinate system and one datum. Cf. ISO 19111:2007:2007-07, table 5.
Super-classes	CRS

6.3.13. Class: geosrs:SpatialReferenceSystem

Table 29 — geosrs:SpatialReferenceSystem

URI	https://w3id.org/geosrs/srs/SpatialReferenceSystem
Definition	A spatial reference system (SRS) is a system for establishing spatial position. A spatial reference system can use geographic identifiers (place names, for example), coordinates (in which case it is a coordinate reference system), or identifiers with structured geometry (in which case it is a discrete global grid system).
Super-classes	ReferenceSystem

6.3.14. Class: geosrs:SpatioParametricCompoundCRS

Table 30 — geosrs:SpatioParametricCompoundCRS

URI	https://w3id.org/geosrs/srs/SpatioParametricCompoundCRS
Definition	A spatio-parametric coordinate reference system is a compound CRS in which one component is a geographic 2D, projected 2D or engineering 2D CRS, supplemented by a parametric CRS to create a three-dimensional CRS
Super-classes	CompoundCRS

6.3.15. Class: geosrs:SpatioParametricTemporalCompoundCRS

Table 31 — geosrs:SpatioParametricTemporalCompoundCRS

URI	https://w3id.org/geosrs/srs/SpatioParametricTemporalCompoundCRS

Definition	Coordinate reference system combining a spatio-parametric reference system with at least one temporal reference system
Super-classes	SpatioParametricCompoundCRS

6.3.16. Class: geosrs:SpatioTemporalCompoundCRS

Table 32 — geosrs:SpatioTemporalCompoundCRS

URI	https://w3id.org/geosrs/srs/SpatioTemporalCompoundCRS
Definition	Coordinate reference system combining a spatial reference system with at least one temporal reference system
Super-classes	CompoundCRS

6.3.17. Class: geosrs:StaticCRS

Table 33 — geosrs:StaticCRS

URI	https://w3id.org/geosrs/srs/StaticCRS
Definition	Coordinate Reference System that has a static reference frame
Super-classes	CRS

6.3.18. Class: geosrs:TemporalCRS

Table 34 — geosrs:TemporalCRS

URI	https://w3id.org/geosrs/srs/TemporalCRS
Definition	Coordinate Reference System based on a temporal datum
Super-classes	CRS

6.3.19. Class: geosrs:VerticalCRS

Table 35 — geosrs:VerticalCRS

URI	https://w3id.org/geosrs/srs/VerticalCRS
Definition	One-dimensional coordinate reference system associated with a vertical datum and used for recording heights or depths.Ellipsoidal heights are not captured in a vertical coordinate reference system but as part of a 3D coordinates tuple defined in a geodetic 3D coordinate reference system. Cf. ISO 19111:2007:2007-07, parts 8.2.2.b, table 14 and annex B.1.2.1.b.
Super-classes	CRS
Example	geosrs:VerticalCRS

COORDINATE OPERATION MODULE

7 COORDINATE OPERATION MODULE

This clause establishes the **Co** Requirements class, with IRI `/req/co`, which has a corresponding Conformance Class, **Co**, with IRI `/conf/co`.

REQUIREMENTS CLASS 2: 07-CO_MODULE.ADOC EXTENSION	
IDENTIFIER	`/req/co`
TARGET TYPE	Implementation Specification
CONFORMANCE CLASS	Conformance class A.2: `/conf/co`
REQUIREMENT	/req/co/Coordinate_Operation_Methods /req/co/Coordinate_Operation_Parameters /req/co/Coordinate_Operation_Categories /req/co/Coordinate_Operation_Properties

7.1. Coordinate Operation Categories

REQUIREMENT 4: COORDINATE OPERATION CATEGORIES	
IDENTIFIER	`/req/co/Coordinate_Operation_Categories`
STATEMENT	Implementations shall allow the RDFS classes geosrs:GeographicObject, geosrs:Register Operations, geosrs:ScaleOperation, geosrs:RotationOperation, geosrs:IdentityOperation, geosrs: ShearOperation, geosrs:TranslationOperation, geosrs:AffineTransformationOperation, geocrs: CoordinateTransformationOperation to be used in SPARQL graph patterns.

7.1.1. Class: geosrs:GeographicObject

Table 36 — geosrs:GeographicObject

URI	https://w3id.org/geosrs/co/GeographicObject

Definition	Identifier of a geographic feature of which the coordinates are used as operation parameters.
Super-classes	iso19107:Geometry[iso19107:Geometry]

7.1.2. Class: geosrs:RegisterOperations

Table 37 — geosrs:RegisterOperations

URI	https://w3id.org/geosrs/co/RegisterOperations
Definition	Operations supported in the Coordinate Operations package.

7.1.3. Class: geosrs:ScaleOperation

Table 38 — geosrs:ScaleOperation

URI	https://w3id.org/geosrs/co/ScaleOperation
Definition	Scale transformation operation
Super-classes	AffineTransformationOperation

7.1.4. Class: geosrs:RotationOperation

Table 39 — geosrs:RotationOperation

URI	https://w3id.org/geosrs/co/RotationOperation
Definition	Rotation transformation operation
Super-classes	AffineTransformationOperation

7.1.5. Class: geosrs:IdentityOperation

Table 40 — geosrs:IdentityOperation

URI	https://w3id.org/geosrs/co/IdentityOperation
Definition	Identity transformation operation
Super-classes	AffineTransformationOperation

7.1.6. Class: geosrs:ShearOperation

Table 41 — geosrs:ShearOperation

URI	https://w3id.org/geosrs/co/ShearOperation
Definition	Shear transformation operation
Super-classes	AffineTransformationOperation

7.1.7. Class: geosrs:TranslationOperation

Table 42 — geosrs:TranslationOperation

URI	https://w3id.org/geosrs/co/TranslationOperation
Definition	Translation transformation operation
Super-classes	AffineTransformationOperation

7.1.8. Class: geosrs:AffineTransformationOperation

Table 43 — geosrs:AffineTransformationOperation

URI	https://w3id.org/geosrs/co/AffineTransformationOperation
Definition	Affine coordinate transformation operation
Super-classes	CoordinateTransformationOperation []

7.1.9. Class: geocrs:CoordinateTransformationOperation

Table 44 — geocrs:CoordinateTransformationOperation

URI	geocrs:CoordinateTransformationOperation[]
Definition	Coordinate operation in which the two coordinate reference systems are based on different datums.
Super-classes	SingleOperation

7.2. Coordinate Operation Methods

REQUIREMENT 5: COORDINATE OPERATION METHODS

IDENTIFIER	/req/co/Coordinate_Operation_Methods
STATEMENT	Implementations shall allow the RDFS classes geosrs:CoordinateOperation, geosrs:PassThroughOperation, geosrs:ConcatenatedOperation, geosrs:SingleOperation, geosrs:Transformation, geosrs:Conversion, geosrs:PointMotionOperation, geosrs:OperationMethod to be used in SPARQL graph patterns.

7.2.1. Class: geosrs:PassThroughOperation

Table 45 — geosrs:PassThroughOperation

URI	https://w3id.org/geosrs/co/PassThroughOperation
Definition	Specification of a subset of coordinate tuples that is subject to a coordinate operation
Super-classes	CoordinateOperation

7.2.2. Class: geosrs:ConcatenatedOperation

Table 46 — geosrs:ConcatenatedOperation

URI	https://w3id.org/geosrs/co/ConcatenatedOperation
Definition	Ordered sequence of two or more single coordinate operations. Note: The sequence of coordinate operations is constrained by the requirement that the source coordinate reference system of step (n + 1) shall be the same as the target coordinate reference system of step (n). The source coordinate reference system of the first step and the target coordinate reference system of the last step are the source and target coordinate reference system associated with the concatenated coordinate operation. For a concatenated coordinate operation sequence of n coordinate operations: source CRS (concatenated coordinate operation) .eq. source CRS (coordinate operation step 1) target CRS (coordinate operation step i) .eq. source CRS (coordinate operation step i + 1); i .eq. 1 ...(n — 1) target CRS (concatenated coordinate operation) .eq. target CRS (coordinate operation step n) Instead of a forward coordinate operation, an inverse coordinate operation may be used for one or more of the coordinate operation steps mentioned above, if the inverse coordinate operation is uniquely defined by the forward coordinate operation method.
Super-classes	CoordinateOperation

7.2.3. Class: geosrs:PointMotionOperation

Table 47 — geosrs:PointMotionOperation

URI	https://w3id.org/geosrs/co/PointMotionOperation
Definition	Mathematical operation that decribes the change of coordinate values within one coordinate reference system due to the motion of the point between one coordinate epoch and another coordinate epoch Note: In this document the motion is due to tectonic plate movement or deformation.
Super-classes	SingleOperation

7.3. Coordinate Operation Parameters

REQUIREMENT 6: COORDINATE OPERATION PARAMETERS	
IDENTIFIER	`/req/co/Coordinate_Operation_Parameters`
STATEMENT	Implementations shall allow the RDFS classes geosrs:GeneralOperationParameter, geosrs:OperationParameterGroup, geosrs:OperationParameter, geosrs:GeneralParameterValue, geosrs:ParameterValueGroup, geosrs:OperationParameterValue to be used in SPARQL graph patterns.

7.3.1. Class: geosrs:OperationParameterGroup

Table 48 — geosrs:OperationParameterGroup

URI	https://w3id.org/geosrs/co/OperationParameterGroup
Definition	Definition of a group of related parameters used by a coordinate operation method.
Super-classes	GeneralOperationParameter

7.3.2. Class: geosrs:ParameterValueGroup

Table 49 — geosrs:ParameterValueGroup

URI	https://w3id.org/geosrs/co/ParameterValueGroup
Definition	Group of related parameter values. Note: The same group can be repeated more than once in a coordinate operation or higher level ParameterValueGroup, if those instances contain different values of one or more ParameterValues which suitably distinguish among those groups.
Super-classes	GeneralParameterValue

7.4. Coordinate Operation Properties

REQUIREMENT 7: COORDINATE OPERATION PROPERTIES	
IDENTIFIER	`/req/co/Coordinate_Operation_Properties`
STATEMENT	Implementations shall allow the RDFS properties geosrs:derivingConversion, geosrs: parameter, geosrs:sourceCRS, geosrs:targetCRS to be used in SPARQL graph patterns.

7.4.1. Property: geosrs:derivingConversion

Table 50 — geosrs:derivingConversion

URI	https://w3id.org/geosrs/co/derivingConversion
Type	owl:ObjectProperty
Definition	Relates a derived CRS to a conversion
Range	Conversion
Domain	DerivedCRS

7.4.2. Property: geosrs:parameter

Table 51 — geosrs:parameter

URI	https://w3id.org/geosrs/co/parameter
Type	owl:ObjectProperty
Definition	Value of the datum-defining parameter
Range	OperationParameter
Domain	Conversion

7.4.3. Property: geosrs:sourceCRS

Table 52 — geosrs:sourceCRS

URI	https://w3id.org/geosrs/co/sourceCRS
Type	owl:ObjectProperty
Definition	The coordinate reference system associated to the data used as input of a given operation. Cf. ISO 19111:2007:2007-07, table 42, named association Source.
Range	CRS
Domain	CoordinateOperation
Example	geosrs:sourceCRS

7.4.4. Property: geosrs:targetCRS

Table 53 — geosrs:targetCRS

URI	https://w3id.org/geosrs/co/targetCRS
Type	owl:ObjectProperty
Definition	The coordinate reference system associated to the data obtained as output of a given operation. Cf. ISO 19111:2007:2007-07, table 42, named association Target.
Range	CRS
Domain	CoordinateOperation

8

COORDINATE SYSTEM MODULE

8 COORDINATE SYSTEM MODULE

This clause establishes the **CS** Requirements class, with IRI `/req/cs`, which has a corresponding Conformance Class, **CS**, with IRI `/conf/cs`.

The coordinate system module introduces different types of coordinate systems which are dinstinguished in geospatial science and applications. Coordinate systems are distinguished by their area of use, i.e planetary or interstellar and by their multidimensionality.

REQUIREMENTS CLASS 3: 08-CS_MODULE.ADOC EXTENSION	
IDENTIFIER	`/req/cs`
TARGET TYPE	Implementation Specification
CONFORMANCE CLASS	Conformance class A.3: `/conf/cs`
REQUIREMENT	/req/cs/Temporal_Coordinate_Systems
	/req/cs/3D_Coordinate_Systems
	/req/cs/Coordinate_System_Types
	/req/cs/Celestial_Coordinate_Systems
	/req/cs/Coordinate_System_Components
	/req/cs/Coordinate_System_Properties

8.1. 3D Coordinate Systems

REQUIREMENT 8: 3D COORDINATE SYSTEMS	
IDENTIFIER	`/req/cs/3D_Coordinate_Systems`
STATEMENT	Implementations shall allow the RDFS classes geosrs:3DCoordinateSystem, geosrs:Conical CoordinateSystem, geosrs:CylindricalCoordinateSystem, geosrs:EllipsoidalCoordinateSystem, geosrs:SphericalCoordinateSystem to be used in SPARQL graph patterns.

8.1.1. Class: geosrs:3DCoordinateSystem

The class geosrs:3DCoordinateSystem describes a coordinate system in three dimesions. These coordinate systems are common for 3D representations or 2D representations with a time aspect.

Table 54 — geosrs:3DCoordinateSystem

URI	https://w3id.org/geosrs/cs/3DCoordinateSystem
Definition	Non-repeating sequence of coordinate system axes that spans a given coordinate space in three dimensions
Super-classes	CoordinateSystem
Example	geosrs:3DCoordinateSystem

8.1.2. Class: geosrs:ConicalCoordinateSystem

Table 55 — geosrs:ConicalCoordinateSystem

URI	https://w3id.org/geosrs/cs/ConicalCoordinateSystem
Definition	A conical coordinate system is a three-dimensional orthogonal coordinate system consisting of concentric spheres (described by their radius r) and by two families of perpendicular cones, aligned along the z- and x-axes, respectively
Super-classes	OrthogonalCoordinateSystem

8.1.3. Class: geosrs:CylindricalCoordinateSystem

Table 56 — geosrs:CylindricalCoordinateSystem

URI	https://w3id.org/geosrs/cs/CylindricalCoordinateSystem
Definition	Three-dimensional coordinate system in Euclidean space in which position is specified by two linear coordinates and one angular coordinate

Super-classes	3DCoordinateSystem

8.2. Celestial Coordinate Systems

REQUIREMENT 9: CELESTIAL COORDINATE SYSTEMS	
IDENTIFIER	`/req/cs/Celestial_Coordinate_Systems`
STATEMENT	Implementations shall allow the RDFS classes geosrs:CelestialCoordinateSystem, geosrs:Ecliptic CoordinateSystem, geosrs:EquatorialCoordinateSystem, geosrs:GalacticCoordinateSystem, geosrs: HorizontalCoordinateSystem, geosrs:PerifocalCoordinateSystem, geosrs:SuperGalacticCS to be used in SPARQL graph patterns.

8.2.1. Class: geosrs:CelestialCoordinateSystem

Table 57 — geosrs:CelestialCoordinateSystem

URI	https://w3id.org/geosrs/cs/CelestialCoordinateSystem
Definition	A coordinate system for specifying positions of celestial objects relative to physical reference points
Super-classes	CoordinateSystem

8.2.2. Class: geosrs:EclipticCoordinateSystem

Table 58 — geosrs:EclipticCoordinateSystem

URI	https://w3id.org/geosrs/cs/EclipticCoordinateSystem
Definition	An ecliptic coordinate system is used for representing the apparent positions and orbits of solar system objects.
Super-classes	CelestialCoordinateSystem

8.2.3. Class: geosrs:EquatorialCoordinateSystem

Table 59 — geosrs:EquatorialCoordinateSystem

URI	https://w3id.org/geosrs/cs/EquatorialCoordinateSystem
Definition	A celestial coordinate system in which an object's position on the celestial sphere is described in terms of its north-south declination and east-west right ascension, measured relative to the celestial equator and vernal equinox, respectively.
Super-classes	CelestialCoordinateSystem

8.2.4. Class: geosrs:GalacticCoordinateSystem

Table 60 — geosrs:GalacticCoordinateSystem

URI	https://w3id.org/geosrs/cs/GalacticCoordinateSystem
Definition	A coordinate system with the Sun as its center, the primary direction aligned with the approximate center of the Milky Way Galaxy, and the fundamental plane parallel to an approximation of the galactic plane but offset to its north.
Super-classes	CelestialCoordinateSystem 3DCoordinateSystem

8.2.5. Class: geosrs:HorizontalCoordinateSystem

Table 61 — geosrs:HorizontalCoordinateSystem

URI	https://w3id.org/geosrs/cs/HorizontalCoordinateSystem
Definition	A horizontal coordinate system is a celestial coordinate system that uses the observer's local horizon as the fundamental plane.
Super-classes	CelestialCoordinateSystem

8.2.6. Class: geosrs:PerifocalCoordinateSystem

Table 62 — geosrs:PerifocalCoordinateSystem

URI	https://w3id.org/geosrs/cs/PerifocalCoordinateSystem
Definition	A frame of reference centered at the focus of the orbit, i. e. the celestial body about which the orbit is centered.
Super-classes	CelestialCoordinateSystem

8.2.7. Class: geosrs:SuperGalacticCS

Table 63 — geosrs:SuperGalacticCS

URI	https://w3id.org/geosrs/cs/SuperGalacticCS
Definition	A reference frame for the supercluster of galaxies that contains the Milky Way galaxy, referenced to a local relatively flat collection of galaxy clusters used to define the supergalactic plane.
Super-classes	CelestialCoordinateSystem 3DCoordinateSystem

8.3. Coordinate System Components

REQUIREMENT 10: COORDINATE SYSTEM COMPONENTS	
IDENTIFIER	/req/cs/Coordinate_System_Components
STATEMENT	Implementations shall allow the RDFS classes geosrs:CoordinateSystemAxis to be used in SPARQL graph patterns.

8.4. Coordinate System Properties

REQUIREMENT 11: COORDINATE SYSTEM PROPERTIES	
IDENTIFIER	/req/cs/Coordinate_System_Properties

REQUIREMENT 11: COORDINATE SYSTEM PROPERTIES	
STATEMENT	Implementations shall allow the RDFS properties geosrs:axis, geosrs:axisDirection to be used in SPARQL graph patterns.

8.4.1. Property: geosrs:axis

Table 64 — geosrs:axis

URI	https://w3id.org/geosrs/cs/axis
Type	owl:ObjectProperty
Definition	The property relates a coordinate system to one of its axis
Range	Axis
Domain	CoordinateSystem

8.4.2. Property: geosrs:axisDirection

Table 65 — geosrs:axisDirection

URI	https://w3id.org/geosrs/cs/axisDirection
Type	owl:ObjectProperty
Definition	The direction of an axis. Cf. ISO 19111:2007:2007-07, table 27, attribute coordinate system axis direction.
Range	AxisDirection
Domain	Axis
Example	geosrs:axisDirection

8.5. Coordinate System Types

REQUIREMENT 12: COORDINATE SYSTEM TYPES	
IDENTIFIER	`/req/cs/Coordinate_System_Types`
STATEMENT	Implementations shall allow the RDFS classes geosrs:CoordinateSystem, geosrs:AffineCoordinate System, geosrs:BarycentricCoordinateSystem, geosrs:CartesianCoordinateSystem, geosrs:Curvilinear CoordinateSystem, geosrs:EngineeringCoordinateSystem, geosrs:GeodeticCoordinateSystem, geosrs: GeographicalCoordinateSystem, geosrs:GridCoordinateSystem, geosrs:HexagonalCoordinateSystem, geosrs:LocalCoordinateSystem, geosrs:ObliqueCoordinateSystem, geosrs:OrdinalCoordinateSystem, geosrs:OrthogonalCoordinateSystem, geosrs:ParametricCoordinateSystem, geosrs:PlanarCoordinate System, geosrs:PolarCoordinateSystem, geosrs:VerticalCoordinateSystem to be used in SPARQL graph patterns.

8.5.1. Class: geosrs:AffineCoordinateSystem

Table 66 — geosrs:AffineCoordinateSystem

URI	https://w3id.org/geosrs/cs/AffineCoordinateSystem
Definition	Coordinate system in Euclidean space with straight axes that are not necessarily mutually perpendicular
Super-classes	CoordinateSystem

8.5.2. Class: geosrs:BarycentricCoordinateSystem

Table 67 — geosrs:BarycentricCoordinateSystem

URI	https://w3id.org/geosrs/cs/BarycentricCoordinateSystem
Definition	A coordinate system in which the location of a point is specified by reference to a simplex (a triangle for points in a plane, a tetrahedron for points in three-dimensional space, etc.)
Super-classes	CoordinateSystem

8.5.3. Class: geosrs:CurvilinearCoordinateSystem

Table 68 — geosrs:CurvilinearCoordinateSystem

URI	https://w3id.org/geosrs/cs/CurvilinearCoordinateSystem
Definition	A coordinate system for the Euclidean space in which the coordinate lines may be curved
Super-classes	CoordinateSystem

8.5.4. Class: geosrs:EngineeringCoordinateSystem

Table 69 — geosrs:EngineeringCoordinateSystem

URI	https://w3id.org/geosrs/cs/EngineeringCoordinateSystem
Definition	Coordinate system used by an engineering coordinate reference system, one of an affine coordinate system, a Cartesian coordinate system, a cylindrical coordinate system, a linear coordinate sytem, an ordinal coordinate system, a polar coordinate system or a spherical coordinate system
Super-classes	CoordinateSystem

8.5.5. Class: geosrs:GeodeticCoordinateSystem

Table 70 — geosrs:GeodeticCoordinateSystem

URI	https://w3id.org/geosrs/cs/GeodeticCoordinateSystem
Definition	Coordinate system used by a Geodetic CRS, one of a Cartesian coordinate system or a spherical coordinate system.
Super-classes	CoordinateSystem

8.5.6. Class: geosrs:GeographicalCoordinateSystem

Table 71 — geosrs:GeographicalCoordinateSystem

URI	https://w3id.org/geosrs/cs/GeographicalCoordinateSystem

Definition	Spherical or geodetic coordinate system for measuring and communicating positions directly on Earth as latitude and longitude.
Super-classes	SphericalCoordinateSystem GeodeticCoordinateSystem

8.5.7. Class: geosrs:GridCoordinateSystem

Table 72 — geosrs:GridCoordinateSystem

URI	https://w3id.org/geosrs/cs/GridCoordinateSystem
Definition	A grid coordinate system identifies areas within a grid.
Super-classes	CoordinateSystem

8.5.8. Class: geosrs:HexagonalCoordinateSystem

Table 73 — geosrs:HexagonalCoordinateSystem

URI	https://w3id.org/geosrs/cs/HexagonalCoordinateSystem
Definition	A hexagonal coordinate system identifies areas within a hexagonal lattice.
Super-classes	GridCoordinateSystem

8.5.9. Class: geosrs:LocalCoordinateSystem

Table 74 — geosrs:LocalCoordinateSystem

URI	https://w3id.org/geosrs/cs/LocalCoordinateSystem
Definition	Coordinate system with a point of local reference.
Super-classes	CoordinateSystem

8.5.10. Class: geosrs:ObliqueCoordinateSystem

Table 75 — geosrs:ObliqueCoordinateSystem

URI	https://w3id.org/geosrs/cs/ObliqueCoordinateSystem
Definition	A plane coordinate system whose axes are not perpendicular.
Super-classes	CoordinateSystem

8.5.11. Class: geosrs:OrthogonalCoordinateSystem

Table 76 — geosrs:OrthogonalCoordinateSystem

URI	https://w3id.org/geosrs/cs/OrthogonalCoordinateSystem
Definition	A orthogonal coordinate system is a system of curvilinear coordinates in which each family of surfaces intersects the others at right angles.
Super-classes	CurvilinearCoordinateSystem

8.5.12. Class: geosrs:PlanarCoordinateSystem

Table 77 — geosrs:PlanarCoordinateSystem

URI	https://w3id.org/geosrs/cs/PlanarCoordinateSystem
Definition	A two-dimensional measurement system that locates features on a plane based on their distance from an origin (0,0) along two perpendicular axes.
Super-classes	CoordinateSystem
Example	geosrs:PlanarCoordinateSystem

8.6. Temporal Coordinate Systems

REQUIREMENT 13: TEMPORAL COORDINATE SYSTEMS	
IDENTIFIER	`/req/cs/Temporal_Coordinate_Systems`
STATEMENT	Implementations shall allow the RDFS classes geosrs:1DCoordinateSystem, geosrs:Date TimeTemporalCoordinateSystem, geosrs:TemporalCountCoordinateSystem, geosrs:Temporal CoordinateSystem, geosrs:TemporalMeasureCoordinateSystem to be used in SPARQL graph patterns.

8.6.1. Class: geosrs:1DCoordinateSystem

The class geosrs:1DCoordinateSystem describes a coordinate system with only one dimension. Often, these definitions include temporal coordinate systems which only represent time using one coordinate system axis.

Table 78 — geosrs:1DCoordinateSystem

URI	https://w3id.org/geosrs/cs/1DCoordinateSystem
Definition	Non-repeating sequence of coordinate system axes that spans a given coordinate space in one dimension
Super-classes	CoordinateSystem

8.6.2. Class: geosrs:DateTimeTemporalCoordinateSystem

Table 79 — geosrs:DateTimeTemporalCoordinateSystem

URI	https://w3id.org/geosrs/cs/ DateTimeTemporalCoordinateSystem
Definition	One-dimensional coordinate system used to record time in dateTime representation as defined in ISO 8601.
Super-classes	TemporalCoordinateSystem

8.6.3. Class: geosrs:TemporalCountCoordinateSystem

Table 80 — geosrs:TemporalCountCoordinateSystem

URI	https://w3id.org/geosrs/cs/TemporalCountCoordinateSystem
Definition	One-dimensional coordinate system used to record time as an integer count.
Super-classes	TemporalCoordinateSystem

8.6.4. Class: geosrs:TemporalCoordinateSystem

Table 81 — geosrs:TemporalCoordinateSystem

URI	https://w3id.org/geosrs/cs/TemporalCoordinateSystem
Definition	One-dimensionalcoordinate system where the axis is time.
Super-classes	1DCoordinateSystem

8.6.5. Class: geosrs:TemporalMeasureCoordinateSystem

Table 82 — geosrs:TemporalMeasureCoordinateSystem

URI	https://w3id.org/geosrs/cs/TemporalMeasureCoordinateSystem
Definition	One-dimensional coordinate system used to record a time as a real number.
Super-classes	TemporalCoordinateSystem

9

DATUM MODULE

9 DATUM MODULE

This clause establishes the **Datum** Requirements class, with IRI `/req/datum`, which has a corresponding Conformance Class, **Datum**, with IRI `/conf/datum`.

REQUIREMENTS CLASS 4: 09-DATUM_MODULE.ADOC EXTENSION	
IDENTIFIER	`/req/datum`
TARGET TYPE	Implementation Specification
CONFORMANCE CLASS	Conformance class A.4: `/conf/datum`
REQUIREMENT	/req/datum/Datum_Types
	/req/datum/Datum_Parameters
	/req/datum/Spheroid_Types
	/req/datum/Datum_Properties
	/req/datum/Spheroid_Properties

9.1. Datum Parameters

REQUIREMENT 14: DATUM PARAMETERS	
IDENTIFIER	`/req/datum/Datum_Parameters`
STATEMENT	Implementations shall allow the RDFS classes geosrs:PrimeMeridian, geosrs:DefiningParameter to be used in SPARQL graph patterns.

9.1.1. Class: geosrs:DefiningParameter

Table 83 — geosrs:DefiningParameter

URI	https://w3id.org/geosrs/datum/DefiningParameter

Definition	Parameter value, an ordered sequence of values, or a reference to a file of parameter values that define a paramtric datum. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.

9.2. Datum Properties

REQUIREMENT 15: DATUM PROPERTIES	
IDENTIFIER	/req/datum/Datum_Properties
STATEMENT	Implementations shall allow the RDFS properties geosrs:datumDefiningParameter, geosrs:ellipsoid, geosrs:primeMeridian to be used in SPARQL graph patterns.

9.2.1. Property: geosrs:datumDefiningParameter

Table 84 — geosrs:datumDefiningParameter

URI	https://w3id.org/geosrs/datum/datumDefiningParameter
Type	owl:ObjectProperty
Definition	Parameter used to define the parametric datum
Range	DefiningParameter
Domain	ParametricDatum

9.2.2. Property: geosrs:ellipsoid

Table 85 — geosrs:ellipsoid

URI	https://w3id.org/geosrs/datum/ellipsoid
Type	owl:ObjectProperty
Definition	The properties relates a datum to its ellipsoid definition

Range	Ellipsoid
Domain	Datum
Example	geosrs:ellipsoid

9.2.3. Property: geosrs:primeMeridian

Table 86 — geosrs:primeMeridian

URI	https://w3id.org/geosrs/datum/primeMeridian
Type	owl:ObjectProperty
Definition	The prime meridian used by a geodetic datum. Cf. ISO 19111:2007:2007-07, table 34, association role prime Meridian.
Range	PrimeMeridian
Domain	Datum
Example	geosrs:primeMeridian

9.3. Datum Types

REQUIREMENT 16: DATUM TYPES	
IDENTIFIER	/req/datum/Datum_Types
STATEMENT	Implementations shall allow the RDFS classes geosrs:Datum, geosrs:GeodeticDatum, geosrs:DynamicGeodeticReferenceFrame, geosrs:VerticalDatum, geosrs:DynamicVerticalDatum, geosrs:ParametricDatum, geosrs:EngineeringDatum, geosrs:TemporalDatum, geosrs:DatumEnsemble to be used in SPARQL graph patterns.

9.3.1. Class: geosrs:DynamicGeodeticReferenceFrame

Table 87 — geosrs:DynamicGeodeticReferenceFrame

URI	https://w3id.org/geosrs/datum/ DynamicGeodeticReferenceFrame
Definition	Geodetic reference frame in which some of the parameters describe time evolution of defining station coordinatesExample: defining station coordinates having linear velocities to account for crustal motion.
Super-classes	GeodeticDatum

9.3.2. Class: geosrs:DynamicVerticalDatum

Table 88 — geosrs:DynamicVerticalDatum

URI	https://w3id.org/geosrs/datum/DynamicVerticalDatum
Definition	Vertical reference frame in which some of the defining parameters have time dependencyExample: Defining station heights have velocity to account for post-glacial isostatic rebound motion. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.
Super-classes	VerticalDatum
Example	geosrs:DynamicVerticalDatum

9.3.3. Class: geosrs:ParametricDatum

Table 89 — geosrs:ParametricDatum

URI	https://w3id.org/geosrs/datum/ParametricDatum
Definition	Textual description and/or a set of parameters identifying a particular reference surface used as the origin of a parametric coordinate system, including its position with respect to the Earth. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.
Super-classes	Datum

9.3.4. Class: geosrs:EngineeringDatum

Table 90 — geosrs:EngineeringDatum

URI	https://w3id.org/geosrs/datum/EngineeringDatum
Definition	Definition of the origin and orientation of an engineering coordinate reference systemNote: The origin can be fixed with respect to the Earth (such as a defined point at a construction site), or be a defined point on a moving vehicle (such as on a ship or satellite), or a defined point of an image. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.
Super-classes	Datum

9.3.5. Class: geosrs:TemporalDatum

Table 91 — geosrs:TemporalDatum

URI	https://w3id.org/geosrs/datum/TemporalDatum
Definition	Definition of the relationship of a temporal coordinate system to an objectNote: The object is normally time on the Earth. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.
Super-classes	Datum

9.3.6. Class: geosrs:DatumEnsemble

Table 92 — geosrs:DatumEnsemble

URI	https://w3id.org/geosrs/datum/DatumEnsemble
Definition	A collection of two or more datums (or if geodetic or vertical, a collection of two or more reference frames) that are realizations of one Conventional Reference System and which for all but the highest accuracy requirements may be considered to be insignificantly different from each other. Note: Within the datum ensemble every frame or datum is constrained to be

9.4. Spheroid Properties

REQUIREMENT 17: SPHEROID PROPERTIES	
IDENTIFIER	/req/datum/Spheroid_Properties
STATEMENT	Implementations shall allow the RDFS properties geosrs:eccentricity, geosrs:inverseFlattening, geosrs:isSphere, geosrs:semiMajorAxis, geosrs:semiMinorAxis to be used in SPARQL graph patterns.

9.4.1. Property: geosrs:eccentricity

Table 93 — geosrs:eccentricity

URI	https://w3id.org/geosrs/datum/eccentricity
Type	owl:DatatypeProperty
Definition	A measure of how much an ellipse deviates from a perfect circle.
Range	xsd:double
Domain	Ellipsoid
Example	geosrs:eccentricity

9.4.2. Property: geosrs:inverseFlattening

Table 94 — geosrs:inverseFlattening

URI	https://w3id.org/geosrs/datum/inverseFlattening
Type	owl:DatatypeProperty

Definition	Indicates the inverse flattening value of an ellipsoid, expressed as a number or a ratio (percentage rate, parts per million, etc.). Cf. ISO 19111:2007:2007-07, table 37, attribute inverse flattening
Range	xsd:double
Domain	Ellipsoid
Example	geosrs:inverseFlattening

9.4.3. Property: geosrs:isSphere

Table 95 — geosrs:isSphere

URI	https://w3id.org/geosrs/datum/isSphere
Type	owl:DatatypeProperty
Definition	Indicates whether the ellipsoid is a sphere. Cf. ISO 19111:2007:2007-07, table 37, attribute ellipsoid= sphere indicator.
Range	xsd:boolean
Domain	Ellipsoid
Example	geosrs:isSphere

9.4.4. Property: geosrs:semiMajorAxis

Table 96 — geosrs:semiMajorAxis

URI	https://w3id.org/geosrs/datum/semiMajorAxis
Type	owl:DatatypeProperty
Definition	Indicates the length of the semi major axis of an ellipsoid. Cf. ISO 19111:2007:2007-07, table 36, attribute length of semi-major axis.
Range	xsd:double

Domain	Ellipsoid
Example	geosrs:semiMajorAxis

9.4.5. Property: geosrs:semiMinorAxis

Table 97 — geosrs:semiMinorAxis

URI	https://w3id.org/geosrs/datum/semiMinorAxis
Type	owl:DatatypeProperty
Definition	Indicates the length of the semi minor axis of an ellipsoid. Cf. ISO 19111:2007:2007-07, table 37, attribute length of semi-minor axis.
Range	xsd:double
Domain	Ellipsoid
Example	geosrs:semiMinorAxis

9.5. Spheroid Types

REQUIREMENT 18: SPHEROID TYPES	
IDENTIFIER	/req/datum/Spheroid_Types
STATEMENT	Implementations shall allow the RDFS classes geosrs:Ellipsoid, geosrs:TriaxialEllipsoid to be used in SPARQL graph patterns.

9.5.1. Class: geosrs:TriaxialEllipsoid

Table 98 — geosrs:TriaxialEllipsoid

URI	https://w3id.org/geosrs/datum/TriaxialEllipsoid

Definition	Surface of an analytic ellipsoid defined by three axes of different length. Also referred as scalene ellipsoid.

10

SRS APPLICATION MODULE

10 SRS APPLICATION MODULE

This clause establishes the **SRSAPP** Requirements class, with IRI `/req/srsapp`, which has a corresponding Conformance Class, **SRSAPP**, with IRI `/conf/srsapp`.

REQUIREMENTS CLASS 5: 10-SRSAPPLICATION_MODULE.ADOC EXTENSION	
IDENTIFIER	`/req/srsapplication`
TARGET TYPE	Implementation Specification
CONFORMANCE CLASS	Conformance class A.5: `/conf/srsapplication`
REQUIREMENT	/req/srsapplication/SRS_Application_Types /req/srsapplication/Map_Types

10.1. Map Types

REQUIREMENT 19: MAP TYPES	
IDENTIFIER	`/req/srsapplication/Map_Types`
STATEMENT	Implementations shall allow the RDFS classes geosrs:CadastreMap, geosrs:NauticalChart, geosrs:ThematicMap, geosrs:TopographicMap, geosrs:WeatherMap to be used in SPARQL graph patterns.

10.1.1. Class: geosrs:CadastreMap

Table 99 — geosrs:CadastreMap

URI	https://w3id.org/geosrs/application/CadastreMap
Definition	A map displaying a cadastre.
Super-classes	SRSApplication
Example	geosrs:CadastreMap

10.1.2. Class: geosrs:NauticalChart

Table 100 — geosrs:NauticalChart

URI	https://w3id.org/geosrs/application/NauticalChart
Definition	A graphic representation of a sea area and adjacent coastal regions.
Super-classes	SRSApplication

10.1.3. Class: geosrs:ThematicMap

Table 101 — geosrs:ThematicMap

URI	https://w3id.org/geosrs/application/ThematicMap
Definition	A map used to highlight a specific phenomenon.
Super-classes	SRSApplication

10.1.4. Class: geosrs:TopographicMap

Table 102 — geosrs:TopographicMap

URI	https://w3id.org/geosrs/application/TopographicMap
Definition	A type of map characterized by large-scale detail and quantitative representation of relief.
Super-classes	SRSApplication
Example	geosrs:TopographicMap

10.1.5. Class: geosrs:WeatherMap

Table 103 — geosrs:WeatherMap

URI	https://w3id.org/geosrs/application/WeatherMap
Definition	A map for showing the local direction in which weather systems are moving.
Super-classes	SRSApplication

10.2. SRS Application Types

REQUIREMENT 20: SRS APPLICATION TYPES	
IDENTIFIER	/req/srsapplication/SRS_Application_Types
STATEMENT	Implementations shall allow the RDFS classes geosrs:SRSApplication, geosrs:SpatialReferencing, geosrs:EngineeringSurvey, geosrs:SatelliteSurvey, geosrs:SatelliteNavigation, geosrs:Coastal Hydrography, geosrs:OffshoreEngineering, geosrs:Hydrography, geosrs:Drilling, geosrs:OilAndGas Exploration to be used in SPARQL graph patterns.

10.2.1. Class: geosrs:SRSApplication

Table 104 — geosrs:SRSApplication

URI	https://w3id.org/geosrs/application/SRSApplication
Definition	An application for which a spatial reference system is used.

10.2.2. Class: geosrs:SpatialReferencing

Table 105 — geosrs:SpatialReferencing

URI	https://w3id.org/geosrs/application/SpatialReferencing
Super-classes	SRSApplication

10.2.3. Class: geosrs:EngineeringSurvey

Table 106 — geosrs:EngineeringSurvey

URI	https://w3id.org/geosrs/application/EngineeringSurvey
Super-classes	SRSApplication
Example	geosrs:EngineeringSurvey

10.2.4. Class: geosrs:SatelliteSurvey

Table 107 — geosrs:SatelliteSurvey

URI	https://w3id.org/geosrs/application/SatelliteSurvey
Super-classes	SRSApplication

10.2.5. Class: geosrs:SatelliteNavigation

Table 108 — geosrs:SatelliteNavigation

URI	https://w3id.org/geosrs/application/SatelliteNavigation
Super-classes	SRSApplication

10.2.6. Class: geosrs:CoastalHydrography

Table 109 — geosrs:CoastalHydrography

URI	https://w3id.org/geosrs/application/CoastalHydrography
Super-classes	SRSApplication
Example	geosrs:CoastalHydrography

10.2.7. Class: geosrs:OffshoreEngineering

Table 110 — geosrs:OffshoreEngineering

URI	https://w3id.org/geosrs/application/OffshoreEngineering
Super-classes	SRSApplication
Example	geosrs:OffshoreEngineering

10.2.8. Class: geosrs:Hydrography

Table 111 — geosrs:Hydrography

URI	https://w3id.org/geosrs/application/Hydrography
Super-classes	SRSApplication
Example	geosrs:Hydrography

10.2.9. Class: geosrs:Drilling

Table 112 — geosrs:Drilling

URI	https://w3id.org/geosrs/application/Drilling
Super-classes	SRSApplication
Example	geosrs:Drilling

10.2.10. Class: geosrs:OilAndGasExploration

Table 113 — geosrs:OilAndGasExploration

URI	https://w3id.org/geosrs/application/OilAndGasExploration

Super-classes	SRSApplication

11

PROJECTIONS MODULE

---

11 PROJECTIONS MODULE

This clause establishes the **PROJ** Requirements class, with IRI `/req/proj`, which has a corresponding Conformance Class, **PROJ**, with IRI `/conf/proj`.

REQUIREMENTS CLASS 6: 11-PROJECTIONS_MODULE.ADOC EXTENSION	
IDENTIFIER	`/req/projections`
TARGET TYPE	Implementation Specification
CONFORMANCE CLASS	Conformance class A.6: `/conf/projections`
REQUIREMENT	/req/projections/Lenticular_Projections
	/req/projections/Conformal_Projections
	/req/projections/Minimum_Error_Projections
	/req/projections/Pseudo_Azimuthal_Projections
	/req/projections/Equal_Area_Projections
	/req/projections/Pseudo_Conical_Projections
	/req/projections/Globular_Projections
	/req/projections/Pseudo_Cylindrical_Projections
	/req/projections/Archaic_Projections
	/req/projections/Cylindrical_Projections
	/req/projections/Compromise_Projections
	/req/projections/Polyhedral_Projections
	/req/projections/Equidistant_Projections
	/req/projections/Azimuthal_Projections
	/req/projections/Conical_Projections
	/req/projections/Perspective_Projections

REQUIREMENTS CLASS 6: 11-PROJECTIONS_MODULE.ADOC EXTENSION
/req/projections/Stereographic_Projections
/req/projections/Polyconic_Projections
/req/projections/Projection

11.1. Archaic Projections

REQUIREMENT 21: ARCHAIC PROJECTIONS	
IDENTIFIER	/req/projections/Archaic_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:ArchaicProjection, geosrs:Ptolemy IProjection to be used in SPARQL graph patterns.

11.1.1. Class: geosrs:ArchaicProjection

Table 114 — geosrs:ArchaicProjection

URI	https://w3id.org/geosrs/projection/ArchaicProjection

11.1.2. Class: geosrs:PtolemyIProjection

Table 115 — geosrs:PtolemyIProjection

URI	https://w3id.org/geosrs/projection/PtolemyIProjection
Super-classes	ArchaicProjection

11.2. Azimuthal Projections

11.2.1. Class: geosrs:AzimuthalProjection

Table 116 — geosrs:AzimuthalProjection

URI	https://w3id.org/geosrs/projection/AzimuthalProjection

11.2.2. Class: geosrs:BreusingGeometricProjection

Table 117 — geosrs:BreusingGeometricProjection

URI	https://w3id.org/geosrs/projection/BreusingGeometricProjection
Super-classes	AzimuthalProjection

11.2.3. Class: geosrs:BreusingHarmonicProjection

Table 118 — geosrs:BreusingHarmonicProjection

URI	https://w3id.org/geosrs/projection/BreusingHarmonicProjection
Super-classes	AzimuthalProjection

11.2.4. Class: geosrs:GinzburgIIProjection

Table 119 — geosrs:GinzburgIIProjection

URI	https://w3id.org/geosrs/projection/GinzburgIIProjection

Super-classes	AzimuthalProjection

11.2.5. Class: geosrs:GinzburgIProjection

Table 120 — geosrs:GinzburgIProjection

URI	https://w3id.org/geosrs/projection/GinzburgIProjection
Super-classes	AzimuthalProjection

11.2.6. Class: geosrs:GnomonicProjection

Table 121 — geosrs:GnomonicProjection

URI	https://w3id.org/geosrs/projection/GnomonicProjection
Super-classes	AzimuthalProjection

11.2.7. Class: geosrs:JamesAzimuthalProjection

Table 122 — geosrs:JamesAzimuthalProjection

URI	https://w3id.org/geosrs/projection/JamesAzimuthalProjection
Super-classes	AzimuthalProjection

11.3. Compromise Projections

REQUIREMENT 23: COMPROMISE PROJECTIONS	
IDENTIFIER	/req/projections/Compromise_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:ArmadilloProjection, geosrs:BakerDinomic Projection, geosrs:BertinProjection, geosrs:ChamberlinTrimetricProjection, geosrs:DenoyerSemi EllipticalProjection, geosrs:FairgrieveProjection, geosrs:LarriveeProjection, geosrs:PetermannStar

Projection, geosrs:SpilhausOceanicProjection, geosrs:VanDerGrintenIIIProjection, geosrs:Winkel
IIProjection, geosrs:WinkelIProjection, geosrs:WinkelSnyderProjection to be used in SPARQL graph
patterns.

11.3.1. Class: geosrs:ArmadilloProjection

Table 123 — geosrs:ArmadilloProjection

URI	https://w3id.org/geosrs/projection/ArmadilloProjection
Super-classes	CompromiseProjection

11.3.2. Class: geosrs:BakerDinomicProjection

Table 124 — geosrs:BakerDinomicProjection

URI	https://w3id.org/geosrs/projection/BakerDinomicProjection
Super-classes	CompromiseProjection

11.3.3. Class: geosrs:BertinProjection

Table 125 — geosrs:BertinProjection

URI	https://w3id.org/geosrs/projection/BertinProjection
Super-classes	CompromiseProjection

11.3.4. Class: geosrs:ChamberlinTrimetricProjection

Table 126 — geosrs:ChamberlinTrimetricProjection

URI	https://w3id.org/geosrs/projection/ChamberlinTrimetricProjection
Super-classes	CompromiseProjection

11.3.5. Class: geosrs:DenoyerSemiEllipticalProjection

Table 127 — geosrs:DenoyerSemiEllipticalProjection

URI	https://w3id.org/geosrs/projection/DenoyerSemiEllipticalProjection
Super-classes	CompromiseProjection

11.3.6. Class: geosrs:FairgrieveProjection

Table 128 — geosrs:FairgrieveProjection

URI	https://w3id.org/geosrs/projection/FairgrieveProjection
Super-classes	CompromiseProjection

11.3.7. Class: geosrs:LarriveeProjection

Table 129 — geosrs:LarriveeProjection

URI	https://w3id.org/geosrs/projection/LarriveeProjection
Super-classes	CompromiseProjection

11.3.8. Class: geosrs:PetermannStarProjection

Table 130 — geosrs:PetermannStarProjection

URI	https://w3id.org/geosrs/projection/PetermannStarProjection
Super-classes	CompromiseProjection

11.3.9. Class: geosrs:SpilhausOceanicProjection

Table 131 — geosrs:SpilhausOceanicProjection

URI	https://w3id.org/geosrs/projection/ SpilhausOceanicProjection
Super-classes	CompromiseProjection

11.3.10. Class: geosrs:VanDerGrintenIIIProjection

Table 132 — geosrs:VanDerGrintenIIIProjection

URI	https://w3id.org/geosrs/projection/ VanDerGrintenIIIProjection
Super-classes	CompromiseProjection

11.3.11. Class: geosrs:WinkelIIIProjection

Table 133 — geosrs:WinkelIIIProjection

URI	https://w3id.org/geosrs/projection/WinkelIIIProjection
Super-classes	CompromiseProjection

11.3.12. Class: geosrs:WinkelIProjection

Table 134 — geosrs:WinkelIProjection

URI	https://w3id.org/geosrs/projection/WinkelIProjection
Super-classes	CompromiseProjection

11.3.13. Class: geosrs:WinkelSnyderProjection

Table 135 — geosrs:WinkelSnyderProjection

URI	https://w3id.org/geosrs/projection/ WinkelSnyderProjection

Super-classes	CompromiseProjection

11.4. Conformal Projections

REQUIREMENT 24: CONFORMAL PROJECTIONS	
IDENTIFIER	/req/projections/Conformal_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:AdamsProjection, geosrs:AdamsWorld InASquareIIProjection, geosrs:AdamsWorldInASquareIProjection, geosrs:AugustEpicycloidal Projection, geosrs:CoxConformalProjection, geosrs:EisenlohrProjection, geosrs:GS50Projection, geosrs:PeirceQuincuncialProjection, geosrs:StereographicProjection to be used in SPARQL graph patterns.

11.4.1. Class: geosrs:AdamsProjection

Table 136 — geosrs:AdamsProjection

URI	https://w3id.org/geosrs/projection/AdamsProjection
Super-classes	ConformalProjection

11.4.2. Class: geosrs:AdamsWorldInASquareIIProjection

Table 137 — geosrs:AdamsWorldInASquareIIProjection

URI	https://w3id.org/geosrs/projection/AdamsWorldInASquareIIProjection
Super-classes	ConformalProjection

11.4.3. Class: geosrs:AdamsWorldInASquareIProjection

Table 138 — geosrs:AdamsWorldInASquareIProjection

URI	https://w3id.org/geosrs/projection/AdamsWorldInASquareIProjection
Super-classes	ConformalProjection

11.4.4. Class: geosrs:AugustEpicycloidalProjection

Table 139 — geosrs:AugustEpicycloidalProjection

URI	https://w3id.org/geosrs/projection/AugustEpicycloidalProjection
Definition	A projection in which every angle between two curves that crosss each other on a celestical body is preserved in the image of the projection
Super-classes	ConformalProjection

11.4.5. Class: geosrs:CoxConformalProjection

Table 140 — geosrs:CoxConformalProjection

URI	https://w3id.org/geosrs/projection/CoxConformalProjection
Super-classes	ConformalProjection

11.4.6. Class: geosrs:EisenlohrProjection

Table 141 — geosrs:EisenlohrProjection

URI	https://w3id.org/geosrs/projection/EisenlohrProjection
Super-classes	ConformalProjection

11.4.7. Class: geosrs:GS50Projection

Table 142 — geosrs:GS50Projection

URI	https://w3id.org/geosrs/projection/GS50Projection
Super-classes	ConformalProjection

11.4.8. Class: geosrs:PeirceQuincuncialProjection

Table 143 — geosrs:PeirceQuincuncialProjection

URI	https://w3id.org/geosrs/projection/PeirceQuincuncialProjection
Super-classes	ConformalProjection

11.4.9. Class: geosrs:StereographicProjection

Table 144 — geosrs:StereographicProjection

URI	https://w3id.org/geosrs/projection/StereographicProjection
Super-classes	ConformalProjection
Example	geosrs:StereographicProjection

11.5. Conical Projections

REQUIREMENT 25: CONICAL PROJECTIONS	
IDENTIFIER	/req/projections/Conical_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:BipolarObliqueConicConformalProjection, geosrs:CentralConicProjection, geosrs:HerschelConformalConicProjection, geosrs:Krovak, geosrs:LambertConformalConicProjection, geosrs:MurdochIIIProjection, geosrs:MurdochIIProjection, geosrs:MurdochIProjection, geosrs:SchjerningIProjection, geosrs:VitkovskyIProjection to be used in SPARQL graph patterns.

11.5.1. Class: geosrs:BipolarObliqueConicConformalProjection

Table 145 — geosrs:BipolarObliqueConicConformalProjection

URI	https://w3id.org/geosrs/projection/BipolarObliqueConicConformalProjection
Super-classes	ConicalProjection

11.5.2. Class: geosrs:CentralConicProjection

Table 146 — geosrs:CentralConicProjection

URI	https://w3id.org/geosrs/projection/CentralConicProjection
Super-classes	ConicalProjection

11.5.3. Class: geosrs:HerschelConformalConicProjection

Table 147 — geosrs:HerschelConformalConicProjection

URI	https://w3id.org/geosrs/projection/HerschelConformalConicProjection
Super-classes	ConicalProjection

11.5.4. Class: geosrs:Krovak

Table 148 — geosrs:Krovak

URI	https://w3id.org/geosrs/projection/Krovak
Super-classes	ConicalProjection
Example	geosrs:Krovak

11.5.5. Class: geosrs:LambertConformalConicProjection

Table 149 — geosrs:LambertConformalConicProjection

URI	https://w3id.org/geosrs/projection/ LambertConformalConicProjection
Super-classes	ConicalProjection

11.5.6. Class: geosrs:MurdochIIIProjection

Table 150 — geosrs:MurdochIIIProjection

URI	https://w3id.org/geosrs/projection/MurdochIIIProjection
Super-classes	ConicalProjection

11.5.7. Class: geosrs:MurdochIIProjection

Table 151 — geosrs:MurdochIIProjection

URI	https://w3id.org/geosrs/projection/MurdochIIProjection
Super-classes	ConicalProjection

11.5.8. Class: geosrs:MurdochIProjection

Table 152 — geosrs:MurdochIProjection

URI	https://w3id.org/geosrs/projection/MurdochIProjection
Super-classes	ConicalProjection

11.5.9. Class: geosrs:SchjerningIProjection

Table 153 — geosrs:SchjerningIProjection

URI	https://w3id.org/geosrs/projection/SchjerningIProjection
Super-classes	ConicalProjection

11.5.10. Class: geosrs:VitkovskyIProjection

Table 154 — geosrs:VitkovskyIProjection

URI	https://w3id.org/geosrs/projection/VitkovskyIProjection
Super-classes	ConicalProjection

11.6. Cylindrical Projections

REQUIREMENT 26: CYLINDRICAL PROJECTIONS	
IDENTIFIER	`/req/projections/Cylindrical_Projections`
STATEMENT	Implementations shall allow the RDFS classes geosrs:ArdenCloseProjection, geosrs:BSAMCylindrical Projection, geosrs:BalthasartProjection, geosrs:BehrmannProjection, geosrs:BraunPerspective Projection, geosrs:BraunStereographicProjection, geosrs:CompactMillerProjection, geosrs:Cylindrical Projection, geosrs:CylindricalStereographicProjection, geosrs:KarchenkoShabanovaProjection, geosrs:LabordeProjection, geosrs:MercatorProjection, geosrs:MillerProjection, geosrs:Patterson CylindricalProjection, geosrs:PavlovProjection, geosrs:ToblerCylindricalIIProjection, geosrs:Tobler CylindricalIProjection, geosrs:TransverseMercatorProjection, geosrs:UrmayevIIIProjection, geosrs: WebMercatorProjection to be used in SPARQL graph patterns.

11.6.1. Class: geosrs:ArdenCloseProjection

Table 155 — geosrs:ArdenCloseProjection

URI	https://w3id.org/geosrs/projection/ArdenCloseProjection
Super-classes	CylindricalProjection

11.6.2. Class: geosrs:BSAMCylindricalProjection

Table 156 — geosrs:BSAMCylindricalProjection

URI	https://w3id.org/geosrs/projection/BSAMCylindricalProjection
Super-classes	CylindricalStereographicProjection

11.6.3. Class: geosrs:BalthasartProjection

Table 157 — geosrs:BalthasartProjection

URI	https://w3id.org/geosrs/projection/BalthasartProjection
Definition	A cylindrical equal-area projection that uses a standard parallel of phi_s=50 degrees
Super-classes	CylindricalEqualArea

11.6.4. Class: geosrs:BehrmannProjection

Table 158 — geosrs:BehrmannProjection

URI	https://w3id.org/geosrs/projection/BehrmannProjection
Definition	A cylindrical equal-area map projection with standard parallels set at 30° north and south
Super-classes	CylindricalEqualArea

11.6.5. Class: geosrs:BraunPerspectiveProjection

Table 159 — geosrs:BraunPerspectiveProjection

URI	https://w3id.org/geosrs/projection/BraunPerspectiveProjection
Super-classes	CylindricalProjection

11.6.6. Class: geosrs:BraunStereographicProjection

Table 160 — geosrs:BraunStereographicProjection

URI	https://w3id.org/geosrs/projection/BraunStereographicProjection
Super-classes	CylindricalStereographicProjection

11.6.7. Class: geosrs:CompactMillerProjection

Table 161 — geosrs:CompactMillerProjection

URI	https://w3id.org/geosrs/projection/CompactMillerProjection
Super-classes	CylindricalProjection

11.6.8. Class: geosrs:CylindricalProjection

Table 162 — geosrs:CylindricalProjection

URI	https://w3id.org/geosrs/projection/CylindricalProjection

11.6.9. Class: geosrs:CylindricalStereographicProjection

Table 163 — geosrs:CylindricalStereographicProjection

URI	https://w3id.org/geosrs/projection/CylindricalStereographicProjection
Super-classes	CylindricalProjection

11.6.10. Class: geosrs:KarchenkoShabanovaProjection

Table 164 — geosrs:KarchenkoShabanovaProjection

URI	https://w3id.org/geosrs/projection/KarchenkoShabanovaProjection
Super-classes	CylindricalProjection

11.6.11. Class: geosrs:LabordeProjection

Table 165 — geosrs:LabordeProjection

URI	https://w3id.org/geosrs/projection/LabordeProjection
Super-classes	CylindricalProjection
Example	geosrs:LabordeProjection

11.6.12. Class: geosrs:MercatorProjection

Table 166 — geosrs:MercatorProjection

URI	https://w3id.org/geosrs/projection/MercatorProjection
Super-classes	CylindricalProjection
Example	geosrs:MercatorProjection

11.6.13. Class: geosrs:MillerProjection

Table 167 — geosrs:MillerProjection

URI	https://w3id.org/geosrs/projection/MillerProjection
Super-classes	CylindricalProjection

11.6.14. Class: geosrs:PattersonCylindricalProjection

Table 168 — geosrs:PattersonCylindricalProjection

URI	https://w3id.org/geosrs/projection/PattersonCylindricalProjection
Super-classes	CylindricalProjection

11.6.15. Class: geosrs:PavlovProjection

Table 169 — geosrs:PavlovProjection

URI	https://w3id.org/geosrs/projection/PavlovProjection
Super-classes	CylindricalProjection

11.6.16. Class: geosrs:ToblerCylindricalIIProjection

Table 170 — geosrs:ToblerCylindricalIIProjection

URI	https://w3id.org/geosrs/projection/ToblerCylindricalIIProjection
Super-classes	CylindricalProjection

11.6.17. Class: geosrs:ToblerCylindricalIProjection

Table 171 — geosrs:ToblerCylindricalIProjection

URI	https://w3id.org/geosrs/projection/ToblerCylindricalIProjection
Super-classes	CylindricalProjection

11.6.18. Class: geosrs:TransverseMercatorProjection

Table 172 — geosrs:TransverseMercatorProjection

URI	https://w3id.org/geosrs/projection/TransverseMercatorProjection

Super-classes	MercatorProjection

11.6.19. Class: geosrs:UrmayevIIIProjection

Table 173 — geosrs:UrmayevIIIProjection

URI	https://w3id.org/geosrs/projection/UrmayevIIIProjection
Super-classes	CylindricalProjection

11.6.20. Class: geosrs:WebMercatorProjection

Table 174 — geosrs:WebMercatorProjection

URI	https://w3id.org/geosrs/projection/WebMercatorProjection
Super-classes	CylindricalProjection

11.7. Equal Area Projections

REQUIREMENT 27: EQUAL AREA PROJECTIONS	
IDENTIFIER	/req/projections/Equal_Area_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:AlbersEqualAreaProjection, geosrs:Azimuthal EqualAreaProjection, geosrs:CylindricalEqualArea, geosrs:EqualAreaProjection, geosrs:GallPeters Projection, geosrs:HoboDyerProjection, geosrs:LambertAzimuthalEqualArea, geosrs:Lambert CylindricalEqualAreaProjection, geosrs:ObliqueCylindricalEqualAreaProjection, geosrs:SmythEqual SurfaceProjection, geosrs:ToblerWorldInASquareProjection, geosrs:TransverseCylindricalEqualArea Projection, geosrs:TrystanEdwardsProjection, geosrs:WiechelProjection to be used in SPARQL graph patterns.

11.7.1. Class: geosrs:AlbersEqualAreaProjection

Table 175 — geosrs:AlbersEqualAreaProjection

URI	https://w3id.org/geosrs/projection/AlbersEqualAreaProjection
Super-classes	EqualAreaProjection
Example	geosrs:AlbersEqualAreaProjection

11.7.2. Class: geosrs:AzimuthalEqualAreaProjection

Table 176 — geosrs:AzimuthalEqualAreaProjection

URI	https://w3id.org/geosrs/projection/AzimuthalEqualAreaProjection
Super-classes	EqualAreaProjection

11.7.3. Class: geosrs:CylindricalEqualArea

Table 177 — geosrs:CylindricalEqualArea

URI	https://w3id.org/geosrs/projection/CylindricalEqualArea
Super-classes	EqualAreaProjection
Example	geosrs:CylindricalEqualArea

11.7.4. Class: geosrs:EqualAreaProjection

Table 178 — geosrs:EqualAreaProjection

URI	https://w3id.org/geosrs/projection/EqualAreaProjection

11.7.5. Class: geosrs:GallPetersProjection

Table 179 — geosrs:GallPetersProjection

URI	https://w3id.org/geosrs/projection/GallPetersProjection

Super-classes	EqualAreaProjection

11.7.6. Class: geosrs:HoboDyerProjection

Table 180 — geosrs:HoboDyerProjection

URI	https://w3id.org/geosrs/projection/HoboDyerProjection
Super-classes	EqualAreaProjection

11.7.7. Class: geosrs:LambertAzimuthalEqualArea

Table 181 — geosrs:LambertAzimuthalEqualArea

URI	https://w3id.org/geosrs/projection/ LambertAzimuthalEqualArea
Super-classes	EqualAreaProjection

11.7.8. Class: geosrs:LambertCylindricalEqualAreaProjection

Table 182 — geosrs:LambertCylindricalEqualAreaProjection

URI	https://w3id.org/geosrs/projection/ LambertCylindricalEqualAreaProjection
Super-classes	CylindricalEqualArea

11.7.9. Class: geosrs:ObliqueCylindricalEqualAreaProjection

Table 183 — geosrs:ObliqueCylindricalEqualAreaProjection

URI	https://w3id.org/geosrs/projection/ ObliqueCylindricalEqualAreaProjection
Super-classes	CylindricalEqualArea

11.7.10. Class: geosrs:SmythEqualSurfaceProjection

Table 184 — geosrs:SmythEqualSurfaceProjection

URI	https://w3id.org/geosrs/projection/SmythEqualSurfaceProjection
Super-classes	CylindricalEqualArea

11.7.11. Class: geosrs:ToblerWorldInASquareProjection

Table 185 — geosrs:ToblerWorldInASquareProjection

URI	https://w3id.org/geosrs/projection/ToblerWorldInASquareProjection
Super-classes	CylindricalEqualArea

11.7.12. Class: geosrs:TransverseCylindricalEqualAreaProjection

Table 186 — geosrs:TransverseCylindricalEqualAreaProjection

URI	https://w3id.org/geosrs/projection/TransverseCylindricalEqualAreaProjection
Super-classes	CylindricalEqualArea

11.7.13. Class: geosrs:TrystanEdwardsProjection

Table 187 — geosrs:TrystanEdwardsProjection

URI	https://w3id.org/geosrs/projection/TrystanEdwardsProjection
Super-classes	EqualAreaProjection

11.7.14. Class: geosrs:WiechelProjection

Table 188 — geosrs:WiechelProjection

URI	https://w3id.org/geosrs/projection/WiechelProjection
Super-classes	EqualAreaProjection

11.8. Equidistant Projections

REQUIREMENT 28: EQUIDISTANT PROJECTIONS	
IDENTIFIER	/req/projections/Equidistant_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:AzimuthalEquidistantProjection, geosrs:BerghausStarProjection, geosrs:CassiniProjection, geosrs:EquidistantConicProjection, geosrs:EquidistantCylindricalProjection, geosrs:EquidistantProjection, geosrs:EquirectangularProjection, geosrs:ObliquePlateCarreeProjection, geosrs:PlateCarreeProjection, geosrs:TwoPointEquidistantProjection to be used in SPARQL graph patterns.

11.8.1. Class: geosrs:AzimuthalEquidistantProjection

Table 189 — geosrs:AzimuthalEquidistantProjection

URI	https://w3id.org/geosrs/projection/AzimuthalEquidistantProjection
Super-classes	EquidistantProjection
Example	geosrs:AzimuthalEquidistantProjection

11.8.2. Class: geosrs:BerghausStarProjection

Table 190 — geosrs:BerghausStarProjection

URI	https://w3id.org/geosrs/projection/BerghausStarProjection
Super-classes	EquidistantProjection

11.8.3. Class: geosrs:CassiniProjection

Table 191 — geosrs:CassiniProjection

URI	https://w3id.org/geosrs/projection/CassiniProjection
Definition	A map projection first described in an approximate form by César-François Cassini de Thury in 1745
Super-classes	EquidistantProjection
Example	geosrs:CassiniProjection

11.8.4. Class: geosrs:EquidistantConicProjection

Table 192 — geosrs:EquidistantConicProjection

URI	https://w3id.org/geosrs/projection/ EquidistantConicProjection
Super-classes	EquidistantProjection

11.8.5. Class: geosrs:EquidistantCylindricalProjection

Table 193 — geosrs:EquidistantCylindricalProjection

URI	https://w3id.org/geosrs/projection/ EquidistantCylindricalProjection
Super-classes	EquidistantProjection
Example	geosrs:EquidistantCylindricalProjection

11.8.6. Class: geosrs:EquidistantProjection

Table 194 — geosrs:EquidistantProjection

URI	https://w3id.org/geosrs/projection/EquidistantProjection

11.8.7. Class: geosrs:EquirectangularProjection

Table 195 — geosrs:EquirectangularProjection

URI	https://w3id.org/geosrs/projection/EquirectangularProjection
Super-classes	EquidistantProjection

11.8.8. Class: geosrs:ObliquePlateCarreeProjection

Table 196 — geosrs:ObliquePlateCarreeProjection

URI	https://w3id.org/geosrs/projection/ObliquePlateCarreeProjection
Super-classes	EquidistantProjection

11.8.9. Class: geosrs:PlateCarreeProjection

Table 197 — geosrs:PlateCarreeProjection

URI	https://w3id.org/geosrs/projection/PlateCarreeProjection
Super-classes	EquidistantProjection

11.8.10. Class: geosrs:TwoPointEquidistantProjection

Table 198 — geosrs:TwoPointEquidistantProjection

URI	https://w3id.org/geosrs/projection/TwoPointEquidistantProjection
Super-classes	EquidistantProjection

11.9. Globular Projections

REQUIREMENT 29: GLOBULAR PROJECTIONS	
IDENTIFIER	/req/projections/Globular_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:ApianGlobularIProjection, geosrs:Bacon GlobularProjection, geosrs:FournierGlobularIProjection to be used in SPARQL graph patterns.

11.9.1. Class: geosrs:ApianGlobularIProjection

Table 199 — geosrs:ApianGlobularIProjection

URI	https://w3id.org/geosrs/projection/ApianGlobularIProjection
Super-classes	GlobularProjection

11.9.2. Class: geosrs:BaconGlobularProjection

Table 200 — geosrs:BaconGlobularProjection

URI	https://w3id.org/geosrs/projection/BaconGlobularProjection
Super-classes	GlobularProjection

11.9.3. Class: geosrs:FournierGlobularIProjection

Table 201 — geosrs:FournierGlobularIProjection

URI	https://w3id.org/geosrs/projection/FournierGlobularIProjection
Super-classes	GlobularProjection

11.10. Lenticular Projections

REQUIREMENT 30: LENTICULAR PROJECTIONS	
IDENTIFIER	/req/projections/Lenticular_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:A4Projection, geosrs:BriesemeisterProjection, geosrs:CiriclProjection, geosrs:CupolaProjection, geosrs:DedistortProjection, geosrs:DietrichKitada Projection, geosrs:FranculaIIIProjection, geosrs:FranculaIVProjection, geosrs:FranculaIXProjection, geosrs:FranculaVIIIProjection, geosrs:FranculaVProjection, geosrs:FranculaXIIIProjection, geosrs: FranculaXIIProjection, geosrs:FranculaXIVProjection, geosrs:HamusoidalProjection, geosrs:Kiss Projection to be used in SPARQL graph patterns.

11.10.1. Class: geosrs:A4Projection

Table 202 — geosrs:A4Projection

URI	https://w3id.org/geosrs/projection/A4Projection
Super-classes	LenticularProjection

11.10.2. Class: geosrs:BriesemeisterProjection

Table 203 — geosrs:BriesemeisterProjection

URI	https://w3id.org/geosrs/projection/ BriesemeisterProjection
Super-classes	LenticularProjection

11.10.3. Class: geosrs:CiriclProjection

Table 204 — geosrs:CiriclProjection

URI	https://w3id.org/geosrs/projection/CiriclProjection
Super-classes	LenticularProjection

11.10.4. Class: geosrs:CupolaProjection

Table 205 — geosrs:CupolaProjection

URI	https://w3id.org/geosrs/projection/CupolaProjection
Super-classes	LenticularProjection

11.10.5. Class: geosrs:DedistortProjection

Table 206 — geosrs:DedistortProjection

URI	https://w3id.org/geosrs/projection/DedistortProjection
Super-classes	LenticularProjection

11.10.6. Class: geosrs:DietrichKitadaProjection

Table 207 — geosrs:DietrichKitadaProjection

URI	https://w3id.org/geosrs/projection/DietrichKitadaProjection
Super-classes	LenticularProjection

11.10.7. Class: geosrs:FranculaIIIProjection

Table 208 — geosrs:FranculaIIIProjection

URI	https://w3id.org/geosrs/projection/FranculaIIIProjection
Super-classes	LenticularProjection

11.10.8. Class: geosrs:FranculaIVProjection

Table 209 — geosrs:FranculaIVProjection

URI	https://w3id.org/geosrs/projection/FranculaIVProjection
Super-classes	LenticularProjection

11.10.9. Class: geosrs:FranculaIXProjection

Table 210 — geosrs:FranculaIXProjection

URI	https://w3id.org/geosrs/projection/FranculaIXProjection
Super-classes	LenticularProjection

11.10.10. Class: geosrs:FranculaVIIIProjection

Table 211 — geosrs:FranculaVIIIProjection

URI	https://w3id.org/geosrs/projection/FranculaVIIIProjection
Super-classes	LenticularProjection

11.10.11. Class: geosrs:FranculaVProjection

Table 212 — geosrs:FranculaVProjection

URI	https://w3id.org/geosrs/projection/FranculaVProjection
Super-classes	LenticularProjection

11.10.12. Class: geosrs:FranculaXIIIProjection

Table 213 — geosrs:FranculaXIIIProjection

URI	https://w3id.org/geosrs/projection/FranculaXIIIProjection
Super-classes	LenticularProjection

11.10.13. Class: geosrs:FranculaXIIProjection

Table 214 — geosrs:FranculaXIIProjection

URI	https://w3id.org/geosrs/projection/FranculaXIIProjection
Super-classes	LenticularProjection

11.10.14. Class: geosrs:FranculaXIVProjection

Table 215 — geosrs:FranculaXIVProjection

URI	https://w3id.org/geosrs/projection/ FranculaXIVProjection
Super-classes	LenticularProjection

11.10.15. Class: geosrs:HamusoidalProjection

Table 216 — geosrs:HamusoidalProjection

URI	https://w3id.org/geosrs/projection/ HamusoidalProjection
Super-classes	LenticularProjection

11.10.16. Class: geosrs:KissProjection

Table 217 — geosrs:KissProjection

URI	https://w3id.org/geosrs/projection/KissProjection
Super-classes	LenticularProjection

11.11. Minimum Error Projections

REQUIREMENT 31: MINIMUM ERROR PROJECTIONS	
IDENTIFIER	/req/projections/Minimum_Error_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:AiryProjection to be used in SPARQL graph patterns.

11.11.1. Class: geosrs:AiryProjection

Table 218 — geosrs:AiryProjection

URI	https://w3id.org/geosrs/projection/AiryProjection
Definition	An azimuthal minimum error projection for the region within the small or great circle defined by an angular distance, from the tangency point of the plane
Super-classes	MinimumErrorProjection
Example	geosrs:AiryProjection

11.12. Perspective Projections

REQUIREMENT 32: PERSPECTIVE PROJECTIONS	
IDENTIFIER	/req/projections/Perspective_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:CentralCylindricalProjection, geosrs:General VerticalPerspectiveProjection, geosrs:GilbertTwoWorldPerspectiveProjection, geosrs:LaHire Projection, geosrs:LorgnaProjection, geosrs:LowryProjection, geosrs:OrthographicProjection, geosrs: PerspectiveConicProjection, geosrs:PerspectiveProjection, geosrs:TiltedPerspectiveProjection, geosrs:VerticalPerspectiveProjection to be used in SPARQL graph patterns.

11.12.1. Class: geosrs:CentralCylindricalProjection

Table 219 — geosrs:CentralCylindricalProjection

URI	https://w3id.org/geosrs/projection/CentralCylindricalProjection
Super-classes	PerspectiveProjection
Example	geosrs:CentralCylindricalProjection

11.12.2. Class: geosrs:GeneralVerticalPerspectiveProjection

Table 220 — geosrs:GeneralVerticalPerspectiveProjection

URI	https://w3id.org/geosrs/projection/GeneralVerticalPerspectiveProjection
Super-classes	PerspectiveProjection

11.12.3. Class: geosrs:GilbertTwoWorldPerspectiveProjection

Table 221 — geosrs:GilbertTwoWorldPerspectiveProjection

URI	https://w3id.org/geosrs/projection/GilbertTwoWorldPerspectiveProjection
Super-classes	PerspectiveProjection

11.12.4. Class: geosrs:LaHireProjection

Table 222 — geosrs:LaHireProjection

URI	https://w3id.org/geosrs/projection/LaHireProjection
Super-classes	PerspectiveProjection

11.12.5. Class: geosrs:LorgnaProjection

Table 223 — geosrs:LorgnaProjection

URI	https://w3id.org/geosrs/projection/LorgnaProjection
Super-classes	PerspectiveProjection

11.12.6. Class: geosrs:LowryProjection

Table 224 — geosrs:LowryProjection

URI	https://w3id.org/geosrs/projection/LowryProjection
Super-classes	PerspectiveProjection

11.12.7. Class: geosrs:OrthographicProjection

Table 225 — geosrs:OrthographicProjection

URI	https://w3id.org/geosrs/projection/OrthographicProjection
Super-classes	PerspectiveProjection

11.12.8. Class: geosrs:PerspectiveConicProjection

Table 226 — geosrs:PerspectiveConicProjection

URI	https://w3id.org/geosrs/projection/PerspectiveConicProjection
Super-classes	PerspectiveProjection

11.12.9. Class: geosrs:PerspectiveProjection

Table 227 — geosrs:PerspectiveProjection

URI	https://w3id.org/geosrs/projection/PerspectiveProjection

11.12.10. Class: geosrs:TiltedPerspectiveProjection

Table 228 — geosrs:TiltedPerspectiveProjection

URI	https://w3id.org/geosrs/projection/TiltedPerspectiveProjection
Super-classes	PerspectiveProjection

11.12.11. Class: geosrs:VerticalPerspectiveProjection

Table 229 — geosrs:VerticalPerspectiveProjection

URI	https://w3id.org/geosrs/projection/VerticalPerspectiveProjection
Super-classes	PerspectiveProjection

11.13. Polyconic Projections

REQUIREMENT 33: POLYCONIC PROJECTIONS	
IDENTIFIER	/req/projections/Polyconic_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:GinzburgIVProjection, geosrs:GinzburgIXProjection, geosrs:GinzburgVIProjection, geosrs:GinzburgVProjection, geosrs:GottWagnerProjection, geosrs:HillEucyclicProjection, geosrs:LagrangeProjection, geosrs:LaskowskiProjection, geosrs:PolyconicProjection, geosrs:RectangularPolyconicProjection, geosrs:StabiusWernerIIIProjection, geosrs:StabiusWernerIProjection, geosrs:VanDerGrintenIIProjection, geosrs:VanDerGrintenIProjection, geosrs:VanDerGrintenIVProjection, geosrs:WagnerIXProjection, geosrs:WagnerVIIIProjection, geosrs:WagnerVIIProjection to be used in SPARQL graph patterns.

11.13.1. Class: geosrs:GinzburgIVProjection

Table 230 — geosrs:GinzburgIVProjection

URI	https://w3id.org/geosrs/projection/GinzburgIVProjection
Super-classes	PolyconicProjection

11.13.2. Class: geosrs:GinzburgIXProjection

Table 231 — geosrs:GinzburgIXProjection

URI	https://w3id.org/geosrs/projection/GinzburgIXProjection
Super-classes	PolyconicProjection

11.13.3. Class: geosrs:GinzburgVIProjection

Table 232 — geosrs:GinzburgVIProjection

URI	https://w3id.org/geosrs/projection/GinzburgVIProjection
Super-classes	PolyconicProjection

11.13.4. Class: geosrs:GinzburgVProjection

Table 233 — geosrs:GinzburgVProjection

URI	https://w3id.org/geosrs/projection/GinzburgVProjection
Super-classes	PolyconicProjection

11.13.5. Class: geosrs:GottWagnerProjection

Table 234 — geosrs:GottWagnerProjection

URI	https://w3id.org/geosrs/projection/ GottWagnerProjection
Super-classes	PolyconicProjection

11.13.6. Class: geosrs:HillEucyclicProjection

Table 235 — geosrs:HillEucyclicProjection

URI	https://w3id.org/geosrs/projection/HillEucyclicProjection
Super-classes	PolyconicProjection

11.13.7. Class: geosrs:LagrangeProjection

Table 236 — geosrs:LagrangeProjection

URI	https://w3id.org/geosrs/projection/LagrangeProjection
Super-classes	PolyconicProjection

11.13.8. Class: geosrs:LaskowskiProjection

Table 237 — geosrs:LaskowskiProjection

URI	https://w3id.org/geosrs/projection/LaskowskiProjection
Super-classes	PolyconicProjection

11.13.9. Class: geosrs:PolyconicProjection

Table 238 — geosrs:PolyconicProjection

URI	https://w3id.org/geosrs/projection/PolyconicProjection

11.13.10. Class: geosrs:RectangularPolyconicProjection

Table 239 — geosrs:RectangularPolyconicProjection

URI	https://w3id.org/geosrs/projection/RectangularPolyconicProjection
Super-classes	PolyconicProjection

11.13.11. Class: geosrs:StabiusWernerIIIProjection

Table 240 — geosrs:StabiusWernerIIIProjection

URI	https://w3id.org/geosrs/projection/StabiusWernerIIIProjection
Super-classes	PolyconicProjection

11.13.12. Class: geosrs:StabiusWernerIProjection

Table 241 — geosrs:StabiusWernerIProjection

URI	https://w3id.org/geosrs/projection/StabiusWernerIProjection
Super-classes	PolyconicProjection

11.13.13. Class: geosrs:VanDerGrintenIIProjection

Table 242 — geosrs:VanDerGrintenIIProjection

URI	https://w3id.org/geosrs/projection/VanDerGrintenIIProjection
Super-classes	PolyconicProjection

11.13.14. Class: geosrs:VanDerGrintenIProjection

Table 243 — geosrs:VanDerGrintenIProjection

URI	https://w3id.org/geosrs/projection/ VanDerGrintenIProjection
Super-classes	PolyconicProjection

11.13.15. Class: geosrs:VanDerGrintenIVProjection

Table 244 — geosrs:VanDerGrintenIVProjection

URI	https://w3id.org/geosrs/projection/ VanDerGrintenIVProjection
Super-classes	PolyconicProjection

11.13.16. Class: geosrs:WagnerIXProjection

Table 245 — geosrs:WagnerIXProjection

URI	https://w3id.org/geosrs/projection/WagnerIXProjection
Super-classes	PolyconicProjection

11.13.17. Class: geosrs:WagnerVIIIProjection

Table 246 — geosrs:WagnerVIIIProjection

URI	https://w3id.org/geosrs/projection/WagnerVIIIProjection
Super-classes	PolyconicProjection

11.13.18. Class: geosrs:WagnerVIIProjection

Table 247 — geosrs:WagnerVIIProjection

URI	https://w3id.org/geosrs/projection/WagnerVIIProjection
Super-classes	PolyconicProjection

11.14. Polyhedral Projections

REQUIREMENT 34: POLYHEDRAL PROJECTIONS	
IDENTIFIER	`/req/projections/Polyhedral_Projections`
STATEMENT	Implementations shall allow the RDFS classes geosrs:AuthaGraphProjection, geosrs:CahillKeyes Projection, geosrs:CollignonButterflyProjection, geosrs:DodecahedralProjection, geosrs:Dymaxion Projection, geosrs:GnomonicButterflyProjection, geosrs:GnomonicCubedSphereProjection, geosrs: GnomonicIcosahedronProjection, geosrs:GuyouProjection, geosrs:IcosahedralProjection, geosrs: LeeProjection, geosrs:MyrahedalProjection, geosrs:OctantProjection, geosrs:PolyhedralProjection, geosrs:QuadrilateralizedSphericalCubeProjection, geosrs:WatermanButterflyProjection to be used in SPARQL graph patterns.

11.14.1. Class: geosrs:AuthaGraphProjection

Table 248 — geosrs:AuthaGraphProjection

URI	https://w3id.org/geosrs/projection/AuthaGraphProjection
Super-classes	PolyhedralProjection

11.14.2. Class: geosrs:CahillKeyesProjection

Table 249 — geosrs:CahillKeyesProjection

URI	https://w3id.org/geosrs/projection/CahillKeyesProjection
Super-classes	PolyhedralProjection

11.14.3. Class: geosrs:CollignonButterflyProjection

Table 250 — geosrs:CollignonButterflyProjection

URI	https://w3id.org/geosrs/projection/CollignonButterflyProjection

Super-classes	PolyhedralProjection

11.14.4. Class: geosrs:DodecahedralProjection

Table 251 — geosrs:DodecahedralProjection

URI	https://w3id.org/geosrs/projection/DodecahedralProjection
Super-classes	PolyhedralProjection

11.14.5. Class: geosrs:DymaxionProjection

Table 252 — geosrs:DymaxionProjection

URI	https://w3id.org/geosrs/projection/DymaxionProjection
Super-classes	PolyhedralProjection

11.14.6. Class: geosrs:GnomonicButterflyProjection

Table 253 — geosrs:GnomonicButterflyProjection

URI	https://w3id.org/geosrs/projection/GnomonicButterflyProjection
Super-classes	PolyhedralProjection

11.14.7. Class: geosrs:GnomonicCubedSphereProjection

Table 254 — geosrs:GnomonicCubedSphereProjection

URI	https://w3id.org/geosrs/projection/GnomonicCubedSphereProjection
Super-classes	PolyhedralProjection

11.14.8. Class: geosrs:GnomonicIcosahedronProjection

Table 255 — geosrs:GnomonicIcosahedronProjection

URI	https://w3id.org/geosrs/projection/GnomonicIcosahedronProjection
Super-classes	PolyhedralProjection

11.14.9. Class: geosrs:GuyouProjection

Table 256 — geosrs:GuyouProjection

URI	https://w3id.org/geosrs/projection/GuyouProjection
Super-classes	PolyhedralProjection

11.14.10. Class: geosrs:IcosahedralProjection

Table 257 — geosrs:IcosahedralProjection

URI	https://w3id.org/geosrs/projection/IcosahedralProjection
Super-classes	PolyhedralProjection

11.14.11. Class: geosrs:LeeProjection

Table 258 — geosrs:LeeProjection

URI	https://w3id.org/geosrs/projection/LeeProjection
Super-classes	PolyhedralProjection

11.14.12. Class: geosrs:MyrahedalProjection

Table 259 — geosrs:MyrahedalProjection

URI	https://w3id.org/geosrs/projection/MyrahedalProjection
Super-classes	PolyhedralProjection

11.14.13. Class: geosrs:OctantProjection

Table 260 — geosrs:OctantProjection

URI	https://w3id.org/geosrs/projection/OctantProjection
Super-classes	PolyhedralProjection

11.14.14. Class: geosrs:PolyhedralProjection

Table 261 — geosrs:PolyhedralProjection

URI	https://w3id.org/geosrs/projection/PolyhedralProjection

11.14.15. Class: geosrs:QuadrilateralizedSphericalCubeProjection

Table 262 — geosrs:QuadrilateralizedSphericalCubeProjection

URI	https://w3id.org/geosrs/projection/QuadrilateralizedSphericalCubeProjection
Super-classes	PolyhedralProjection

11.14.16. Class: geosrs:WatermanButterflyProjection

Table 263 — geosrs:WatermanButterflyProjection

URI	https://w3id.org/geosrs/projection/WatermanButterflyProjection
Super-classes	PolyhedralProjection

11.15. Projection

REQUIREMENT 35: PROJECTION	
IDENTIFIER	/req/projections/Projection
STATEMENT	Implementations shall allow the RDFS classes geosrs:Projection to be used in SPARQL graph patterns.

11.15.1. Class: geosrs:Projection

Table 264 — geosrs:Projection

URI	https://w3id.org/geosrs/projection/Projection
Super-classes	Conversion

11.16. Pseudo Azimuthal Projections

REQUIREMENT 36: PSEUDO AZIMUTHAL PROJECTIONS	
IDENTIFIER	/req/projections/Pseudo_Azimuthal_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:AitoffObliqueProjection, geosrs:Aitoff Projection, geosrs:BartholomewProjection, geosrs:HammerProjection, geosrs:PseudoAzimuthal Projection, geosrs:Strebe1995Projection, geosrs:WinkelTripelProjection to be used in SPARQL graph patterns.

11.16.1. Class: geosrs:AitoffObliqueProjection

Table 265 — geosrs:AitoffObliqueProjection

URI	https://w3id.org/geosrs/projection/ AitoffObliqueProjection

Super-classes	PseudoAzimuthalProjection

11.16.2. Class: geosrs:AitoffProjection

Table 266 — geosrs:AitoffProjection

URI	https://w3id.org/geosrs/projection/AitoffProjection
Definition	A modified azimuthal projection whose graticule takes the form of an ellipse
Super-classes	PseudoAzimuthalProjection

11.16.3. Class: geosrs:BartholomewProjection

Table 267 — geosrs:BartholomewProjection

URI	https://w3id.org/geosrs/projection/BartholomewProjection
Super-classes	WinkelTripelProjection

11.16.4. Class: geosrs:HammerProjection

Table 268 — geosrs:HammerProjection

URI	https://w3id.org/geosrs/projection/HammerProjection
Super-classes	PseudoAzimuthalProjection

11.16.5. Class: geosrs:PseudoAzimuthalProjection

Table 269 — geosrs:PseudoAzimuthalProjection

URI	https://w3id.org/geosrs/projection/PseudoAzimuthalProjection

11.16.6. Class: geosrs:Strebe1995Projection

Table 270 — geosrs:Strebe1995Projection

URI	https://w3id.org/geosrs/projection/Strebe1995Projection
Super-classes	PseudoAzimuthalProjection

11.16.7. Class: geosrs:WinkelTripelProjection

Table 271 — geosrs:WinkelTripelProjection

URI	https://w3id.org/geosrs/projection/WinkelTripelProjection
Super-classes	PseudoAzimuthalProjection

11.17. Pseudo Conical Projections

REQUIREMENT 37: PSEUDO CONICAL PROJECTIONS	
IDENTIFIER	/req/projections/Pseudo_Conical_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:AmericanPolyconicProjection, geosrs:BonneProjection, geosrs:BottomleyProjection, geosrs:NicolosiGlobularProjection, geosrs:PseudoConicalProjection, geosrs:PtolemyIIProjection, geosrs:StabiusWernerIIProjection, geosrs:WernerProjection to be used in SPARQL graph patterns.

11.17.1. Class: geosrs:AmericanPolyconicProjection

Table 272 — geosrs:AmericanPolyconicProjection

URI	https://w3id.org/geosrs/projection/AmericanPolyconicProjection
Super-classes	PseudoConicalProjection

Example	geosrs:AmericanPolyconicProjection

11.17.2. Class: geosrs:BonneProjection

Table 273 — geosrs:BonneProjection

URI	https://w3id.org/geosrs/projection/BonneProjection
Super-classes	PseudoConicalProjection

11.17.3. Class: geosrs:BottomleyProjection

Table 274 — geosrs:BottomleyProjection

URI	https://w3id.org/geosrs/projection/BottomleyProjection
Super-classes	PseudoConicalProjection

11.17.4. Class: geosrs:NicolosiGlobularProjection

Table 275 — geosrs:NicolosiGlobularProjection

URI	https://w3id.org/geosrs/projection/NicolosiGlobularProjection
Super-classes	PseudoConicalProjection

11.17.5. Class: geosrs:PseudoConicalProjection

Table 276 — geosrs:PseudoConicalProjection

URI	https://w3id.org/geosrs/projection/PseudoConicalProjection

11.17.6. Class: geosrs:PtolemyIIProjection

Table 277 — geosrs:PtolemyIIProjection

URI	https://w3id.org/geosrs/projection/PtolemyIIProjection
Super-classes	PseudoConicalProjection

11.17.7. Class: geosrs:StabiusWernerIIProjection

Table 278 — geosrs:StabiusWernerIIProjection

URI	https://w3id.org/geosrs/projection/StabiusWernerIIProjection
Super-classes	BonneProjection

11.17.8. Class: geosrs:WernerProjection

Table 279 — geosrs:WernerProjection

URI	https://w3id.org/geosrs/projection/WernerProjection
Super-classes	PseudoConicalProjection

11.18. Pseudo Cylindrical Projections

REQUIREMENT 38: PSEUDO CYLINDRICAL PROJECTIONS	
IDENTIFIER	/req/projections/Pseudo_Cylindrical_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:ApianIIProjection, geosrs:AtlantisProjection, geosrs:BaranyiIIIProjection, geosrs:BaranyiIIProjection, geosrs:BaranyiIProjection, geosrs:BaranyiIVProjection, geosrs:BoggsEumorphicProjection, geosrs:BromleyProjection, geosrs:CabotProjection, geosrs:CollignonProjection, geosrs:CrasterParabolicProjection, geosrs:DeakinMinimumErrorProjection, geosrs:Eckert1Projection, geosrs:Eckert2Projection, geosrs:Eckert3Projection, geosrs:Eckert4Projection, geosrs:Eckert5Projection, geosrs:Eckert6Projection, geosrs:EqualEarthProjection, geosrs:FaheyProjection, geosrs:FoucautProjection, geosrs:FoucautSinusoidalProjection, geosrs:FournierIIProjection, geosrs:GinzburgVIIIProjection, geosrs:GoodeHomolosineProjection, geosrs:HEALPixProjection, geosrs:HatanoAsymmetricalEqualAreaProjection, geosrs:HufnagelProjection, geosrs:Kavrayskiy7Projection, geosrs:LoximuthalProjection, geosrs:MayrProjection, geosrs:McBryde

ThomasFlatPolarParabolicProjection, geosrs:McBrydeThomasFlatPolarQuarticProjection, geosrs: McBrydeThomasFlatPolarSinusoidalProjection, geosrs:McBrydeThomasIIProjection, geosrs:McBryde ThomasIProjection, geosrs:NaturalEarth2Projection, geosrs:NaturalEarthProjection, geosrs:Nell HammerProjection, geosrs:NellProjection, geosrs:OrteliusOvalProjection, geosrs:PseudoCylindrical Projection, geosrs:PutninsP1Projection, geosrs:PutninsP2Projection, geosrs:PutninsP3Projection, geosrs:PutninsP5Projection, geosrs:PutninsP6Projection, geosrs:QuarticAuthalicProjection, geosrs:RobinsonProjection, geosrs:SinusoidalProjection, geosrs:TheTimesProjection, geosrs:Tobler G1Projection, geosrs:ToblerHyperellipticalProjection, geosrs:WagnerIIIProjection, geosrs:Wagner IIProjection, geosrs:WagnerIProjection, geosrs:WagnerIVProjection, geosrs:WagnerVIProjection, geosrs:WagnerVProjection, geosrs:WerenskioldIProjection, geosrs:PutninsP3'Projection, geosrs: PutninsP4'Projection, geosrs:PutninsP5'Projection, geosrs:PutninsP6'Projection to be used in SPARQL graph patterns.

11.18.1. Class: geosrs:ApianIIProjection

Table 280 — geosrs:ApianIIProjection

URI	https://w3id.org/geosrs/projection/ApianIIProjection
Super-classes	PseudoCylindricalProjection

11.18.2. Class: geosrs:AtlantisProjection

Table 281 — geosrs:AtlantisProjection

URI	https://w3id.org/geosrs/projection/AtlantisProjection
Super-classes	PseudoCylindricalProjection

11.18.3. Class: geosrs:BaranyiIIIProjection

Table 282 — geosrs:BaranyiIIIProjection

URI	https://w3id.org/geosrs/projection/BaranyiIIIProjection
Super-classes	PseudoCylindricalProjection

11.18.4. Class: geosrs:BaranyiIIProjection

Table 283 — geosrs:BaranyiIIProjection

URI	https://w3id.org/geosrs/projection/BaranyiIIProjection
Super-classes	PseudoCylindricalProjection

11.18.5. Class: geosrs:BaranyiIProjection

Table 284 — geosrs:BaranyiIProjection

URI	https://w3id.org/geosrs/projection/BaranyiIProjection
Super-classes	PseudoCylindricalProjection

11.18.6. Class: geosrs:BaranyiIVProjection

Table 285 — geosrs:BaranyiIVProjection

URI	https://w3id.org/geosrs/projection/BaranyiIVProjection
Super-classes	PseudoCylindricalProjection

11.18.7. Class: geosrs:BoggsEumorphicProjection

Table 286 — geosrs:BoggsEumorphicProjection

URI	https://w3id.org/geosrs/projection/ BoggsEumorphicProjection
Super-classes	PseudoCylindricalProjection

11.18.8. Class: geosrs:BromleyProjection

Table 287 — geosrs:BromleyProjection

URI	https://w3id.org/geosrs/projection/BromleyProjection
Super-classes	PseudoCylindricalProjection

11.18.9. Class: geosrs:CabotProjection

Table 288 — geosrs:CabotProjection

URI	https://w3id.org/geosrs/projection/CabotProjection
Super-classes	PseudoCylindricalProjection

11.18.10. Class: geosrs:CollignonProjection

Table 289 — geosrs:CollignonProjection

URI	https://w3id.org/geosrs/projection/CollignonProjection
Definition	An equal-area pseudocylindrical projection that maps the sphere onto a triangle or diamond
Super-classes	PseudoCylindricalProjection

11.18.11. Class: geosrs:CrasterParabolicProjection

Table 290 — geosrs:CrasterParabolicProjection

URI	https://w3id.org/geosrs/projection/CrasterParabolicProjection
Super-classes	PseudoCylindricalProjection

11.18.12. Class: geosrs:DeakinMinimumErrorProjection

Table 291 — geosrs:DeakinMinimumErrorProjection

URI	https://w3id.org/geosrs/projection/ DeakinMinimumErrorProjection
Super-classes	PseudoCylindricalProjection

11.18.13. Class: geosrs:Eckert1Projection

Table 292 — geosrs:Eckert1Projection

URI	https://w3id.org/geosrs/projection/Eckert1Projection
Super-classes	PseudoCylindricalProjection

11.18.14. Class: geosrs:Eckert2Projection

Table 293 — geosrs:Eckert2Projection

URI	https://w3id.org/geosrs/projection/Eckert2Projection
Super-classes	PseudoCylindricalProjection

11.18.15. Class: geosrs:Eckert3Projection

Table 294 — geosrs:Eckert3Projection

URI	https://w3id.org/geosrs/projection/Eckert3Projection
Super-classes	PseudoCylindricalProjection

11.18.16. Class: geosrs:Eckert4Projection

Table 295 — geosrs:Eckert4Projection

URI	https://w3id.org/geosrs/projection/Eckert4Projection
Super-classes	PseudoCylindricalProjection

11.18.17. Class: geosrs:Eckert5Projection

Table 296 — geosrs:Eckert5Projection

URI	https://w3id.org/geosrs/projection/Eckert5Projection
Super-classes	PseudoCylindricalProjection

11.18.18. Class: geosrs:Eckert6Projection

Table 297 — geosrs:Eckert6Projection

URI	https://w3id.org/geosrs/projection/Eckert6Projection
Super-classes	PseudoCylindricalProjection

11.18.19. Class: geosrs:EqualEarthProjection

Table 298 — geosrs:EqualEarthProjection

URI	https://w3id.org/geosrs/projection/EqualEarthProjection
Super-classes	PseudoCylindricalProjection
Example	geosrs:EqualEarthProjection

11.18.20. Class: geosrs:FaheyProjection

Table 299 — geosrs:FaheyProjection

URI	https://w3id.org/geosrs/projection/FaheyProjection
Super-classes	PseudoCylindricalProjection

11.18.21. Class: geosrs:FoucautProjection

Table 300 — geosrs:FoucautProjection

URI	https://w3id.org/geosrs/projection/FoucautProjection
Super-classes	PseudoCylindricalProjection

11.18.22. Class: geosrs:FoucautSinusoidalProjection

Table 301 — geosrs:FoucautSinusoidalProjection

URI	https://w3id.org/geosrs/projection/ FoucautSinusoidalProjection
Super-classes	PseudoCylindricalProjection

11.18.23. Class: geosrs:FournierIIProjection

Table 302 — geosrs:FournierIIProjection

URI	https://w3id.org/geosrs/projection/FournierIIProjection
Super-classes	PseudoCylindricalProjection

11.18.24. Class: geosrs:GinzburgVIIIProjection

Table 303 — geosrs:GinzburgVIIIProjection

URI	https://w3id.org/geosrs/projection/ GinzburgVIIIProjection
Super-classes	PseudoCylindricalProjection

11.18.25. Class: geosrs:GoodeHomolosineProjection

Table 304 — geosrs:GoodeHomolosineProjection

URI	https://w3id.org/geosrs/projection/ GoodeHomolosineProjection
Super-classes	PseudoCylindricalProjection

11.18.26. Class: geosrs:HEALPixProjection

Table 305 — geosrs:HEALPixProjection

URI	https://w3id.org/geosrs/projection/HEALPixProjection
Super-classes	PseudoCylindricalProjection

11.18.27. Class: geosrs:HatanoAsymmetricalEqualAreaProjection

Table 306 — geosrs:HatanoAsymmetricalEqualAreaProjection

URI	https://w3id.org/geosrs/projection/ HatanoAsymmetricalEqualAreaProjection
Super-classes	PseudoCylindricalProjection

11.18.28. Class: geosrs:HufnagelProjection

Table 307 — geosrs:HufnagelProjection

URI	https://w3id.org/geosrs/projection/HufnagelProjection
Super-classes	PseudoCylindricalProjection

11.18.29. Class: geosrs:Kavrayskiy7Projection

Table 308 — geosrs:Kavrayskiy7Projection

URI	https://w3id.org/geosrs/projection/ Kavrayskiy7Projection

Super-classes	PseudoCylindricalProjection

11.18.30. Class: geosrs:LoximuthalProjection

Table 309 — geosrs:LoximuthalProjection

URI	https://w3id.org/geosrs/projection/LoximuthalProjection
Super-classes	PseudoCylindricalProjection

11.18.31. Class: geosrs:MayrProjection

Table 310 — geosrs:MayrProjection

URI	https://w3id.org/geosrs/projection/MayrProjection
Super-classes	PseudoCylindricalProjection

11.18.32. Class: geosrs:McBrydeThomasFlatPolarParabolicProjection

Table 311 — geosrs:McBrydeThomasFlatPolarParabolicProjection

URI	https://w3id.org/geosrs/projection/McBrydeThomasFlatPolarParabolicProjection
Super-classes	PseudoCylindricalProjection

11.18.33. Class: geosrs:McBrydeThomasFlatPolarQuarticProjection

Table 312 — geosrs:McBrydeThomasFlatPolarQuarticProjection

URI	https://w3id.org/geosrs/projection/McBrydeThomasFlatPolarQuarticProjection
Super-classes	PseudoCylindricalProjection

11.18.34. Class: geosrs:McBrydeThomasFlatPolarSinusoidalProjection

Table 313 — geosrs:McBrydeThomasFlatPolarSinusoidalProjection

URI	https://w3id.org/geosrs/projection/ McBrydeThomasFlatPolarSinusoidalProjection
Super-classes	PseudoCylindricalProjection

11.18.35. Class: geosrs:McBrydeThomasIIProjection

Table 314 — geosrs:McBrydeThomasIIProjection

URI	https://w3id.org/geosrs/projection/ McBrydeThomasIIProjection
Super-classes	PseudoCylindricalProjection

11.18.36. Class: geosrs:McBrydeThomasIProjection

Table 315 — geosrs:McBrydeThomasIProjection

URI	https://w3id.org/geosrs/projection/ McBrydeThomasIProjection
Super-classes	PseudoCylindricalProjection

11.18.37. Class: geosrs:NaturalEarth2Projection

Table 316 — geosrs:NaturalEarth2Projection

URI	https://w3id.org/geosrs/projection/ NaturalEarth2Projection
Super-classes	PseudoCylindricalProjection

11.18.38. Class: geosrs:NaturalEarthProjection

Table 317 — geosrs:NaturalEarthProjection

URI	https://w3id.org/geosrs/projection/NaturalEarthProjection
Definition	A pseudocylindrical map projection designed by Tom Patterson and introduced in 2008
Super-classes	PseudoCylindricalProjection

11.18.39. Class: geosrs:NellHammerProjection

Table 318 — geosrs:NellHammerProjection

URI	https://w3id.org/geosrs/projection/NellHammerProjection
Super-classes	PseudoCylindricalProjection

11.18.40. Class: geosrs:NellProjection

Table 319 — geosrs:NellProjection

URI	https://w3id.org/geosrs/projection/NellProjection
Super-classes	PseudoCylindricalProjection

11.18.41. Class: geosrs:OrteliusOvalProjection

Table 320 — geosrs:OrteliusOvalProjection

URI	https://w3id.org/geosrs/projection/OrteliusOvalProjection
Super-classes	PseudoCylindricalProjection

11.18.42. Class: geosrs:PseudoCylindricalProjection

Table 321 — geosrs:PseudoCylindricalProjection

URI	https://w3id.org/geosrs/projection/PseudoCylindricalProjection

11.18.43. Class: geosrs:PutninsP1Projection

Table 322 — geosrs:PutninsP1Projection

URI	https://w3id.org/geosrs/projection/PutninsP1Projection
Super-classes	PseudoCylindricalProjection

11.18.44. Class: geosrs:PutninsP2Projection

Table 323 — geosrs:PutninsP2Projection

URI	https://w3id.org/geosrs/projection/PutninsP2Projection
Super-classes	PseudoCylindricalProjection

11.18.45. Class: geosrs:PutninsP3Projection

Table 324 — geosrs:PutninsP3Projection

URI	https://w3id.org/geosrs/projection/PutninsP3Projection
Super-classes	PseudoCylindricalProjection

11.18.46. Class: geosrs:PutninsP5Projection

Table 325 — geosrs:PutninsP5Projection

URI	https://w3id.org/geosrs/projection/PutninsP5Projection
Super-classes	PseudoCylindricalProjection

11.18.47. Class: geosrs:PutninsP6Projection

Table 326 — geosrs:PutninsP6Projection

URI	https://w3id.org/geosrs/projection/PutninsP6Projection
Super-classes	PseudoCylindricalProjection

11.18.48. Class: geosrs:QuarticAuthalicProjection

Table 327 — geosrs:QuarticAuthalicProjection

URI	https://w3id.org/geosrs/projection/QuarticAuthalicProjection
Super-classes	PseudoCylindricalProjection

11.18.49. Class: geosrs:RobinsonProjection

Table 328 — geosrs:RobinsonProjection

URI	https://w3id.org/geosrs/projection/RobinsonProjection
Super-classes	PseudoCylindricalProjection

11.18.50. Class: geosrs:SinusoidalProjection

Table 329 — geosrs:SinusoidalProjection

URI	https://w3id.org/geosrs/projection/SinusoidalProjection
Super-classes	PseudoCylindricalProjection

11.18.51. Class: geosrs:TheTimesProjection

Table 330 — geosrs:TheTimesProjection

URI	https://w3id.org/geosrs/projection/TheTimesProjection
Super-classes	PseudoCylindricalProjection

11.18.52. Class: geosrs:ToblerG1Projection

Table 331 — geosrs:ToblerG1Projection

URI	https://w3id.org/geosrs/projection/ToblerG1Projection
Super-classes	PseudoCylindricalProjection

11.18.53. Class: geosrs:ToblerHyperellipticalProjection

Table 332 — geosrs:ToblerHyperellipticalProjection

URI	https://w3id.org/geosrs/projection/ToblerHyperellipticalProjection
Super-classes	PseudoCylindricalProjection

11.18.54. Class: geosrs:WagnerIIIProjection

Table 333 — geosrs:WagnerIIIProjection

URI	https://w3id.org/geosrs/projection/WagnerIIIProjection
Super-classes	PseudoCylindricalProjection

11.18.55. Class: geosrs:WagnerIIProjection

Table 334 — geosrs:WagnerIIProjection

URI	https://w3id.org/geosrs/projection/WagnerIIProjection
Super-classes	PseudoCylindricalProjection

11.18.56. Class: geosrs:WagnerIProjection

Table 335 — geosrs:WagnerIProjection

URI	https://w3id.org/geosrs/projection/WagnerIProjection
Super-classes	PseudoCylindricalProjection

11.18.57. Class: geosrs:WagnerIVProjection

Table 336 — geosrs:WagnerIVProjection

URI	https://w3id.org/geosrs/projection/WagnerIVProjection
Super-classes	PseudoCylindricalProjection

11.18.58. Class: geosrs:WagnerVIProjection

Table 337 — geosrs:WagnerVIProjection

URI	https://w3id.org/geosrs/projection/WagnerVIProjection
Super-classes	PseudoCylindricalProjection

11.18.59. Class: geosrs:WagnerVProjection

Table 338 — geosrs:WagnerVProjection

URI	https://w3id.org/geosrs/projection/WagnerVProjection
Super-classes	PseudoCylindricalProjection

11.18.60. Class: geosrs:WerenskioldIProjection

Table 339 — geosrs:WerenskioldIProjection

URI	https://w3id.org/geosrs/projection/WerenskioldIProjection
Super-classes	PseudoCylindricalProjection

11.18.61. Class: geosrs:PutninsP3'Projection

Table 340 — geosrs:PutninsP3'Projection

URI	https://w3id.org/geosrs/projection/PutninsP3'Projection
Super-classes	PseudoCylindricalProjection

11.18.62. Class: geosrs:PutninsP4'Projection

Table 341 — geosrs:PutninsP4'Projection

URI	https://w3id.org/geosrs/projection/PutninsP4'Projection
Super-classes	PseudoCylindricalProjection

11.18.63. Class: geosrs:PutninsP5'Projection

Table 342 — geosrs:PutninsP5'Projection

URI	https://w3id.org/geosrs/projection/PutninsP5'Projection
Super-classes	PseudoCylindricalProjection

11.18.64. Class: geosrs:PutninsP6'Projection

Table 343 — geosrs:PutninsP6'Projection

URI	https://w3id.org/geosrs/projection/PutninsP6'Projection
Super-classes	PseudoCylindricalProjection

11.19. Stereographic Projections

REQUIREMENT 39: STEREOGRAPHIC PROJECTIONS	
IDENTIFIER	`/req/projections/Stereographic_Projections`
STATEMENT	Implementations shall allow the RDFS classes geosrs:GallStereographicProjection, geosrs:MillerOblatedStereographicProjection, geosrs:RoussilheProjection to be used in SPARQL graph patterns.

11.19.1. Class: geosrs:GallStereographicProjection

Table 344 — geosrs:GallStereographicProjection

URI	https://w3id.org/geosrs/projection/GallStereographicProjection
Super-classes	StereographicProjection

11.19.2. Class: geosrs:MillerOblatedStereographicProjection

Table 345 — geosrs:MillerOblatedStereographicProjection

URI	https://w3id.org/geosrs/projection/MillerOblatedStereographicProjection
Super-classes	StereographicProjection

11.19.3. Class: geosrs:RoussilheProjection

Table 346 — geosrs:RoussilheProjection

URI	https://w3id.org/geosrs/projection/RoussilheProjection
Super-classes	StereographicProjection

PLANET MODULE

12 PLANET MODULE

This clause establishes the **PLANET** Requirements class, with IRI `/req/planet`, which has a corresponding Conformance Class, **PLANET**, with IRI `/conf/planet`.

REQUIREMENTS CLASS 7: 12-PLANET_MODULE.ADOC EXTENSION	
IDENTIFIER	/req/planet
TARGET TYPE	Implementation Specification
CONFORMANCE CLASS	Conformance class A.7: /conf/planet
REQUIREMENT	/req/planet/Interstellar_Body

12.1. Interstellar Body

REQUIREMENT 40: INTERSTELLAR BODY	
IDENTIFIER	/req/planet/Interstellar_Body
STATEMENT	Implementations shall allow the RDFS classes geosrs:ArtificialSatellite, geosrs:Asteroid, geosrs:Comet, geosrs:DwarfPlanet, geosrs:InterstellarBody, geosrs:Moon, geosrs:NaturalSatellite, geosrs:Planet, geosrs:PlanetStatus, geosrs:Plutoid, geosrs:Star to be used in SPARQL graph patterns.

12.1.1. Class: geosrs:ArtificialSatellite

Table 347 — geosrs:ArtificialSatellite

URI	https://w3id.org/geosrs/planet/ArtificialSatellite

12.1.2. Class: geosrs:Asteroid

Table 348 — geosrs:Asteroid

URI	https://w3id.org/geosrs/planet/Asteroid

12.1.3. Class: geosrs:Comet

Table 349 — geosrs:Comet

URI	https://w3id.org/geosrs/planet/Comet

12.1.4. Class: geosrs:DwarfPlanet

Table 350 — geosrs:DwarfPlanet

URI	https://w3id.org/geosrs/planet/DwarfPlanet

12.1.5. Class: geosrs:InterstellarBody

Table 351 — geosrs:InterstellarBody

URI	https://w3id.org/geosrs/planet/InterstellarBody

12.1.6. Class: geosrs:Moon

Table 352 — geosrs:Moon

URI	https://w3id.org/geosrs/planet/Moon

12.1.7. Class: geosrs:NaturalSatellite

Table 353 — geosrs:NaturalSatellite

URI	https://w3id.org/geosrs/planet/NaturalSatellite

12.1.8. Class: geosrs:Planet

Table 354 — geosrs:Planet

URI	https://w3id.org/geosrs/planet/Planet

12.1.9. Class: geosrs:PlanetStatus

Table 355 — geosrs:PlanetStatus

URI	https://w3id.org/geosrs/planet/PlanetStatus

12.1.10. Class: geosrs:Plutoid

Table 356 — geosrs:Plutoid

URI	https://w3id.org/geosrs/planet/Plutoid

12.1.11. Class: geosrs:Star

Table 357 — geosrs:Star

URI	https://w3id.org/geosrs/planet/Star

13

COMMON INSTANCES

13 COMMON INSTANCES

This clause establishes common instances which are needed in CRS specifications as Requirement class **INSTANCES**, with IRI `/req/instances`, which has a corresponding Conformance Class, **INSTANCES**, with IRI `/conf/instances`.

REQUIREMENTS CLASS 8: 13-INSTANCES.ADOC EXTENSION	
IDENTIFIER	/req/instances
TARGET TYPE	Implementation Specification
CONFORMANCE CLASS	Conformance class A.8: /conf/instances
REQUIREMENT	/req/instances/Coordinate_System_Axis
	/req/instances/Spheroids
	/req/instances/SRS_Literal_Types

13.1. Coordinate System Axis

REQUIREMENT 41: COORDINATE SYSTEM AXIS	
IDENTIFIER	/req/instances/Coordinate_System_Axis
STATEMENT	Implementations shall allow the RDFS instances geosrs:down, geosrs:east, geosrs:north, geosrs:south, geosrs:up, geosrs:west to be used in SPARQL graph patterns.

13.1.1. Instance: geosrs:down

Table 358 — geosrs:down

URI	https://w3id.org/geosrs/down
Type	geosrs:AxisDirection

Definition	Downwards axis direction

13.1.2. Instance: geosrs:east

Table 359 — geosrs:east

URI	https://w3id.org/geosrs/east
Type	geosrs:AxisDirection
Definition	east axis direction

13.1.3. Instance: geosrs:north

Table 360 — geosrs:north

URI	https://w3id.org/geosrs/north
Type	geosrs:AxisDirection
Definition	North axis direction

13.1.4. Instance: geosrs:south

Table 361 — geosrs:south

URI	https://w3id.org/geosrs/south
Type	geosrs:AxisDirection
Definition	South axis direction

13.1.5. Instance: geosrs:up

Table 362 — geosrs:up

URI	https://w3id.org/geosrs/up
Type	geosrs:AxisDirection
Definition	Up axis direction

13.1.6. Instance: geosrs:west

Table 363 — geosrs:west

URI	https://w3id.org/geosrs/west
Type	geosrs:AxisDirection
Definition	West axis direction

13.2. SRS Literal Types

REQUIREMENT 42: SRS LITERAL TYPES	
IDENTIFIER	/req/instances/SRS_Literal_Types
STATEMENT	Implementations shall allow the RDFS instances geosrs:proj4Literal, geosrs:projJSONLiteral, geosrs:wktLiteral to be used in SPARQL graph patterns.

13.2.1. Instance: geosrs:proj4Literal

Table 364 — geosrs:proj4Literal

URI	https://w3id.org/geosrs/proj4Literal
Type	rdf:Datatype[rdf:Datatype]
Definition	A literal which stores a proj4 String

Example	geosrs:proj4Literal

13.2.2. Instance: geosrs:projJSONLiteral

Table 365 — geosrs:projJSONLiteral

URI	https://w3id.org/geosrs/projJSONLiteral
Type	rdf:Dataype[rdf:Dataype]
Definition	A literal which stores a projection JSON (ProjJSON) String
Example	geosrs:projJSONLiteral

13.2.3. Instance: geosrs:wktLiteral

Table 366 — geosrs:wktLiteral

URI	https://w3id.org/geosrs/wktLiteral
Type	rdf:Datatype[rdf:Datatype]
Definition	A literal which stores a WKT for CRS String
Example	geosrs:wktLiteral

13.3. Spheroids

REQUIREMENT 43: SPHEROIDS	
IDENTIFIER	/req/instances/Spheroids
STATEMENT	Implementations shall allow the RDFS instances geosrs:GRS1980, geosrs:GRS67, geosrs:PZ90, geosrs:Airy1830, geosrs:AiryModified1849, geosrs:International1924, geosrs:AustralianNational Spheroid, geosrs:Everest1930, geosrs:Clarke1866, geosrs:Plessis1817, geosrs:Danish1876, geosrs:Struve1860, geosrs:IAG1975, geosrs:Clarke1858, geosrs:Clarke1880, geosrs:Helmert1906, geosrs:CGCS2000, geosrs:GSK-2011, geosrs:Zach1812, geosrs:Clarke1880ARC, geosrs:Clarke1880IGN,

geosrs:WGS66, geosrs:WGS72, geosrs:WGS84, geosrs:Krassowsky1940 to be used in SPARQL graph patterns.

13.3.1. Instance: geosrs:GRS1980

Table 367 — geosrs:GRS1980

URI	https://w3id.org/geosrs/GRS1980
Type	geosrs:Ellipsoid
Definition	GRS 1980 Ellipsoid
Example	geosrs:GRS1980

13.3.2. Instance: geosrs:GRS67

Table 368 — geosrs:GRS67

URI	https://w3id.org/geosrs/GRS67
Type	geosrs:Ellipsoid
Definition	GRS 67 Ellipsoid
Example	geosrs:GRS67

13.3.3. Instance: geosrs:PZ90

Table 369 — geosrs:PZ90

URI	https://w3id.org/geosrs/PZ90
Type	geosrs:Ellipsoid
Definition	PZ 90 Ellipsoid

Example	geosrs:PZ90

13.3.4. Instance: geosrs:Airy1830

Table 370 — geosrs:Airy1830

URI	https://w3id.org/geosrs/Airy1830
Type	geosrs:Ellipsoid
Definition	Airy 1830 Ellipsoid
Example	geosrs:Airy1830

13.3.5. Instance: geosrs:AiryModified1849

Table 371 — geosrs:AiryModified1849

URI	https://w3id.org/geosrs/AiryModified1849
Type	geosrs:Ellipsoid
Definition	Airy 1849 Modified Ellipsoid
Example	geosrs:AiryModified1849

13.3.6. Instance: geosrs:International1924

Table 372 — geosrs:International1924

URI	https://w3id.org/geosrs/International1924
Type	geosrs:Ellipsoid
Definition	International 1924 Ellipsoid
Example	geosrs:International1924

13.3.7. Instance: geosrs:AustralianNationalSpheroid

Table 373 — geosrs:AustralianNationalSpheroid

URI	https://w3id.org/geosrs/AustralianNationalSpheroid
Type	geosrs:Ellipsoid
Definition	Australian National Spheroid
Example	geosrs:AustralianNationalSpheroid

13.3.8. Instance: geosrs:Everest1930

Table 374 — geosrs:Everest1930

URI	https://w3id.org/geosrs/Everest1930
Type	geosrs:Ellipsoid
Definition	Everest 1930 Spheroid

13.3.9. Instance: geosrs:Clarke1866

Table 375 — geosrs:Clarke1866

URI	https://w3id.org/geosrs/Clarke1866
Type	geosrs:Ellipsoid
Definition	Clarke 1866 Spheroid
Example	geosrs:Clarke1866

13.3.10. Instance: geosrs:Plessis1817

Table 376 — geosrs:Plessis1817

URI	https://w3id.org/geosrs/Plessis1817
Type	geosrs:Ellipsoid
Definition	Plessis 1817 Spheroid
Example	geosrs:Plessis1817

13.3.11. Instance: geosrs:Danish1876

Table 377 — geosrs:Danish1876

URI	https://w3id.org/geosrs/Danish1876
Type	geosrs:Ellipsoid
Definition	Danish 1876 Spheroid
Example	geosrs:Danish1876

13.3.12. Instance: geosrs:Struve1860

Table 378 — geosrs:Struve1860

URI	https://w3id.org/geosrs/Struve1860
Type	geosrs:Ellipsoid
Definition	Struve 1860 Spheroid
Example	geosrs:Struve1860

13.3.13. Instance: geosrs:IAG1975

Table 379 — geosrs:IAG1975

URI	https://w3id.org/geosrs/IAG1975

Type	geosrs:Ellipsoid
Definition	IAG 1975 Spheroid
Example	geosrs:IAG1975

13.3.14. Instance: geosrs:Clarke1858

Table 380 — geosrs:Clarke1858

URI	https://w3id.org/geosrs/Clarke1858
Type	geosrs:Ellipsoid
Definition	Clarke 1858 Spheroid
Example	geosrs:Clarke1858

13.3.15. Instance: geosrs:Clarke1880

Table 381 — geosrs:Clarke1880

URI	https://w3id.org/geosrs/Clarke1880
Type	geosrs:Ellipsoid
Definition	Clarke 1880 Spheroid
Example	geosrs:Clarke1880

13.3.16. Instance: geosrs:Helmert1906

Table 382 — geosrs:Helmert1906

URI	https://w3id.org/geosrs/Helmert1906
Type	geosrs:Ellipsoid

Definition	Helmert 1906 Spheroid
Example	geosrs:Helmert1906

13.3.17. Instance: geosrs:CGCS2000

Table 383 — geosrs:CGCS2000

URI	https://w3id.org/geosrs/CGCS2000
Type	geosrs:Ellipsoid
Definition	CGCS2000 Spheroid
Example	geosrs:CGCS2000

13.3.18. Instance: geosrs:GSK-2011

Table 384 — geosrs:GSK-2011

URI	https://w3id.org/geosrs/GSK-2011
Type	geosrs:Ellipsoid
Definition	GSK-2011 Spheroid

13.3.19. Instance: geosrs:Zach1812

Table 385 — geosrs:Zach1812

URI	https://w3id.org/geosrs/Zach1812
Type	geosrs:Ellipsoid
Definition	Zach 1812 Spheroid
Example	geosrs:Zach1812

13.3.20. Instance: geosrs:Clarke1880ARC

Table 386 — geosrs:Clarke1880ARC

URI	https://w3id.org/geosrs/Clarke1880ARC
Type	geosrs:Ellipsoid
Definition	Clarke 1880 (Arc) Spheroid
Example	geosrs:Clarke1880ARC

13.3.21. Instance: geosrs:Clarke1880IGN

Table 387 — geosrs:Clarke1880IGN

URI	https://w3id.org/geosrs/Clarke1880IGN
Type	geosrs:Ellipsoid
Definition	Clarke 1880 (Ing) Spheroid
Example	geosrs:Clarke1880IGN

13.3.22. Instance: geosrs:WGS66

Table 388 — geosrs:WGS66

URI	https://w3id.org/geosrs/WGS66
Type	geosrs:Ellipsoid
Definition	WGS 66 Spheroid

13.3.23. Instance: geosrs:WGS72

Table 389 — geosrs:WGS72

URI	https://w3id.org/geosrs/WGS72
Type	geosrs:Ellipsoid
Definition	WGS 72 Spheroid
Example	geosrs:WGS72

13.3.24. Instance: geosrs:WGS84

Table 390 — geosrs:WGS84

URI	https://w3id.org/geosrs/WGS84
Type	geosrs:Ellipsoid
Definition	WGS 84 Spheroid
Example	geosrs:WGS84

13.3.25. Instance: geosrs:Krassowsky1940

Table 391 — geosrs:Krassowsky1940

URI	https://w3id.org/geosrs/Krassowsky1940
Type	geosrs:Ellipsoid
Definition	Krassowsky 1940 Spheroid
Example	geosrs:Krassowsky1940

A

ANNEX A (NORMATIVE) ABSTRACT TEST SUITE

ANNEX A
(NORMATIVE)
ABSTRACT TEST SUITE

A.0. Overview

A.0. Overview

This Annex lists tests for the Conformance Classes defined in the main body sections of this Specification with links to their Requirements and test purpose method and type. Conformance classes may be used to signify the compatibility of a given implementation to parts of the CRS Ontology standard. They may be stated as part of a SPARQL 1.1 Service Description [SPARQLSERVDESC] .

A.1. Conformance Class: Core

CONFORMANCE CLASS A.1: 06-CORE.ADOC	
IDENTIFIER	`/conf/core`
REQUIREMENTS CLASS	Requirements class 1: `/req/core`
CONFORMANCE TESTS	Abstract test A.1: `/conf/core/Coordinate_Reference_System_Parameters` Abstract test A.2: `/conf/core/Coordinate_Reference_System_Types` Abstract test A.3: `/conf/core/Coordinate_Reference_System_Properties`

A.1.1. Coordinate Reference System Parameters

ABSTRACT TEST A.1	
IDENTIFIER	`/conf/core/Coordinate_Reference_System_Parameters`

ABSTRACT TEST A.1	
REQUIREMENT	Requirement 1: `/req/core/Coordinate_Reference_System_Parameters`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:AreaOfUse geosrs:Extent geosrs:GeographicBoundingBox geosrs:AxesList geosrs:SingleCRSList return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:AreaOfUse geosrs:Extent geosrs:GeographicBoundingBox geosrs:AxesList geosrs:SingleCRSList

A.1.2. Coordinate Reference System Types

ABSTRACT TEST A.2	
IDENTIFIER	`/conf/core/Coordinate_Reference_System_Types`
REQUIREMENT	Requirement 3: `/req/core/Coordinate_Reference_System_Types`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:BoundCRS geosrs:CompoundCRS geosrs:CRS geosrs:EngineeringCRS geosrs:GeocentricCRS geosrs:GeodeticCRS geosrs:GeographicCRS geosrs:ParametricCRS geosrs:ProjectedCRS geosrs:SelenographicCRS geosrs:ReferenceSystem geosrs:SingleCRS geosrs:SpatialReferenceSystem geosrs:SpatioParametricCompoundCRS geosrs:SpatioParametricTemporalCompoundCRS geosrs:SpatioTemporalCompoundCRS geosrs:StaticCRS geosrs:TemporalCRS geosrs:VerticalCRS return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:BoundCRS geosrs:CompoundCRS geosrs:CRS geosrs:EngineeringCRS geosrs:GeocentricCRS geosrs:GeodeticCRS geosrs:GeographicCRS geosrs:ParametricCRS geosrs:ProjectedCRS geosrs:SelenographicCRS geosrs:ReferenceSystem geosrs:SingleCRS geosrs:SpatialReferenceSystem geosrs:SpatioParametricCompoundCRS geosrs:SpatioParametricTemporalCompoundCRS geosrs:SpatioTemporalCompoundCRS geosrs:StaticCRS geosrs:TemporalCRS geosrs:VerticalCRS

A.1.3. Coordinate Reference System Properties

ABSTRACT TEST A.3	
IDENTIFIER	`/conf/core/Coordinate_Reference_System_Properties`
REQUIREMENT	Requirement 2: `/req/core/Coordinate_Reference_System_Properties`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:baseCRS geosrs:conversion geosrs:coordinateSystem geosrs: datum geosrs:datumEnsemble geosrs:domainOfValidity geosrs:method geocrs:asProj4 geocrs:as ProjJSON geocrs:asWKT geosrs:EPSGcode return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:baseCRS geosrs:conversion geosrs:coordinateSystem geosrs:datum geosrs:datum Ensemble geosrs:domainOfValidity geosrs:method geocrs:asProj4 geocrs:asProjJSON geocrs:as WKT geosrs:EPSGcode

A.2. Conformance Class: Co

CONFORMANCE CLASS A.2: 07-CO_MODULE.ADOC	
IDENTIFIER	`/conf/co`
REQUIREMENTS CLASS	Requirements class 2: `/req/co`
CONFORMANCE TESTS	Abstract test A.4: `/conf/co/Coordinate_Operation_Methods` Abstract test A.5: `/conf/co/Coordinate_Operation_Parameters` Abstract test A.6: `/conf/co/Coordinate_Operation_Categories` Abstract test A.7: `/conf/co/Coordinate_Operation_Properties`

A.2.1. Coordinate Operation Methods

ABSTRACT TEST A.4	
IDENTIFIER	`/conf/co/Coordinate_Operation_Methods`
REQUIREMENT	Requirement 5: `/req/co/Coordinate_Operation_Methods`

ABSTRACT TEST A.4	
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:CoordinateOperation geosrs:PassThroughOperation geosrs:ConcatenatedOperation geosrs:SingleOperation geosrs:Transformation geosrs:Conversion geosrs:PointMotionOperation geosrs:OperationMethod return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:CoordinateOperation geosrs:PassThroughOperation geosrs:ConcatenatedOperation geosrs:SingleOperation geosrs:Transformation geosrs:Conversion geosrs:PointMotionOperation geosrs:OperationMethod

A.2.2. Coordinate Operation Parameters

ABSTRACT TEST A.5	
IDENTIFIER	/conf/co/Coordinate_Operation_Parameters
REQUIREMENT	Requirement 6: /req/co/Coordinate_Operation_Parameters
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:GeneralOperationParameter geosrs:OperationParameterGroup geosrs:OperationParameter geosrs:GeneralParameterValue geosrs:ParameterValueGroup geosrs:OperationParameterValue return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:GeneralOperationParameter geosrs:OperationParameterGroup geosrs:OperationParameter geosrs:GeneralParameterValue geosrs:ParameterValueGroup geosrs:OperationParameterValue

A.2.3. Coordinate Operation Categories

ABSTRACT TEST A.6	
IDENTIFIER	/conf/co/Coordinate_Operation_Categories
REQUIREMENT	Requirement 4: /req/co/Coordinate_Operation_Categories

ABSTRACT TEST A.6	
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:GeographicObject geosrs:RegisterOperations geosrs:Scale Operation geosrs:RotationOperation geosrs:IdentityOperation geosrs:ShearOperation geosrs: TranslationOperation geosrs:AffineTransformationOperation geocrs:CoordinateTransformation Operation return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:GeographicObject geosrs:RegisterOperations geosrs:ScaleOperation geosrs:Rotation Operation geosrs:IdentityOperation geosrs:ShearOperation geosrs:TranslationOperation geosrs: AffineTransformationOperation geocrs:CoordinateTransformationOperation

A.2.4. Coordinate Operation Properties

ABSTRACT TEST A.7	
IDENTIFIER	/conf/co/Coordinate_Operation_Properties
REQUIREMENT	Requirement 7: /req/co/Coordinate_Operation_Properties
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:derivingConversion geosrs:parameter geosrs:sourceCRS geosrs:targetCRS return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:derivingConversion geosrs:parameter geosrs:sourceCRS geosrs:targetCRS

A.3. Conformance Class: Cs

CONFORMANCE CLASS A.3: 08-CS_MODULE.ADOC	
IDENTIFIER	/conf/cs
REQUIREMENTS CLASS	Requirements class 3: /req/cs

CONFORMANCE CLASS A.3: 08-CS_MODULE.ADOC

CONFORMANCE TESTS	Abstract test A.8: `/conf/cs/Temporal_Coordinate_Systems` Abstract test A.9: `/conf/cs/3D_Coordinate_Systems` Abstract test A.10: `/conf/cs/Coordinate_System_Types` Abstract test A.11: `/conf/cs/Celestial_Coordinate_Systems` Abstract test A.12: `/conf/cs/Coordinate_System_Components` Abstract test A.13: `/conf/cs/Coordinate_System_Properties`

A.3.1. Temporal Coordinate Systems

ABSTRACT TEST A.8

IDENTIFIER	`/conf/cs/Temporal_Coordinate_Systems`
REQUIREMENT	Requirement 13: `/req/cs/Temporal_Coordinate_Systems`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:1DCoordinateSystem geosrs:DateTimeTemporalCoordinateSystem geosrs:TemporalCountCoordinateSystem geosrs:TemporalCoordinateSystem geosrs:TemporalMeasureCoordinateSystem return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:1DCoordinateSystem geosrs:DateTimeTemporalCoordinateSystem geosrs:TemporalCountCoordinateSystem geosrs:TemporalCoordinateSystem geosrs:TemporalMeasureCoordinateSystem

A.3.2. 3D Coordinate Systems

ABSTRACT TEST A.9

IDENTIFIER	`/conf/cs/3D_Coordinate_Systems`
REQUIREMENT	Requirement 8: `/req/cs/3D_Coordinate_Systems`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:3DCoordinateSystem geosrs:ConicalCoordinateSystem geosrs:CylindricalCoordinateSystem geosrs:EllipsoidalCoordinateSystem geosrs:SphericalCoordinateSystem return the correct result on a test dataset.

ABSTRACT TEST A.9	
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:3DCoordinateSystem geosrs:ConicalCoordinateSystem geosrs:CylindricalCoordinateSystem geosrs:EllipsoidalCoordinateSystem geosrs:SphericalCoordinateSystem

A.3.3. Coordinate System Types

ABSTRACT TEST A.10	
IDENTIFIER	/conf/cs/Coordinate_System_Types
REQUIREMENT	Requirement 12: /req/cs/Coordinate_System_Types
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:CoordinateSystem geosrs:AffineCoordinateSystem geosrs:BarycentricCoordinateSystem geosrs:CartesianCoordinateSystem geosrs:CurvilinearCoordinateSystem geosrs:EngineeringCoordinateSystem geosrs:GeodeticCoordinateSystem geosrs:GeographicalCoordinateSystem geosrs:GridCoordinateSystem geosrs:HexagonalCoordinateSystem geosrs:LocalCoordinateSystem geosrs:ObliqueCoordinateSystem geosrs:OrdinalCoordinateSystem geosrs:OrthogonalCoordinateSystem geosrs:ParametricCoordinateSystem geosrs:PlanarCoordinateSystem geosrs:PolarCoordinateSystem geosrs:VerticalCoordinateSystem return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:CoordinateSystem geosrs:AffineCoordinateSystem geosrs:BarycentricCoordinateSystem geosrs:CartesianCoordinateSystem geosrs:CurvilinearCoordinateSystem geosrs:EngineeringCoordinateSystem geosrs:GeodeticCoordinateSystem geosrs:GeographicalCoordinateSystem geosrs:GridCoordinateSystem geosrs:HexagonalCoordinateSystem geosrs:LocalCoordinateSystem geosrs:ObliqueCoordinateSystem geosrs:OrdinalCoordinateSystem geosrs:OrthogonalCoordinateSystem geosrs:ParametricCoordinateSystem geosrs:PlanarCoordinateSystem geosrs:PolarCoordinateSystem geosrs:VerticalCoordinateSystem

A.3.4. Celestial Coordinate Systems

ABSTRACT TEST A.11	
IDENTIFIER	/conf/cs/Celestial_Coordinate_Systems

ABSTRACT TEST A.11

REQUIREMENT	Requirement 9: /req/cs/Celestial_Coordinate_Systems
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:CelestialCoordinateSystem geosrs:EclipticCoordinate System geosrs:EquatorialCoordinateSystem geosrs:GalacticCoordinateSystem geosrs:Horizontal CoordinateSystem geosrs:PerifocalCoordinateSystem geosrs:SuperGalacticCS return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:CelestialCoordinateSystem geosrs:EclipticCoordinateSystem geosrs:EquatorialCoordinate System geosrs:GalacticCoordinateSystem geosrs:HorizontalCoordinateSystem geosrs:Perifocal CoordinateSystem geosrs:SuperGalacticCS

A.3.5. Coordinate System Components

ABSTRACT TEST A.12

IDENTIFIER	/conf/cs/Coordinate_System_Components
REQUIREMENT	Requirement 10: /req/cs/Coordinate_System_Components
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:CoordinateSystemAxis return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:CoordinateSystemAxis

A.3.6. Coordinate System Properties

ABSTRACT TEST A.13

IDENTIFIER	/conf/cs/Coordinate_System_Properties
REQUIREMENT	Requirement 11: /req/cs/Coordinate_System_Properties

ABSTRACT TEST A.13

TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:axis geosrs:axisDirection return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:axis geosrs:axisDirection

A.4. Conformance Class: Datum

CONFORMANCE CLASS A.4: 09-DATUM_MODULE.ADOC

IDENTIFIER	`/conf/datum`
REQUIREMENTS CLASS	Requirements class 4: `/req/datum`
CONFORMANCE TESTS	Abstract test A.14: `/conf/datum/Datum_Types` Abstract test A.15: `/conf/datum/Datum_Parameters` Abstract test A.16: `/conf/datum/Spheroid_Types` Abstract test A.17: `/conf/datum/Datum_Properties` Abstract test A.18: `/conf/datum/Spheroid_Properties`

A.4.1. Datum Types

ABSTRACT TEST A.14

IDENTIFIER	`/conf/datum/Datum_Types`
REQUIREMENT	Requirement 16: `/req/datum/Datum_Types`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:Datum geosrs:GeodeticDatum geosrs:DynamicGeodetic ReferenceFrame geosrs:VerticalDatum geosrs:DynamicVerticalDatum geosrs:ParametricDatum geosrs:EngineeringDatum geosrs:TemporalDatum geosrs:DatumEnsemble return the correct result on a test dataset.

ABSTRACT TEST A.14	
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:Datum geosrs:GeodeticDatum geosrs:DynamicGeodeticReferenceFrame geosrs:Vertical Datum geosrs:DynamicVerticalDatum geosrs:ParametricDatum geosrs:EngineeringDatum geosrs: TemporalDatum geosrs:DatumEnsemble

A.4.2. Datum Parameters

ABSTRACT TEST A.15	
IDENTIFIER	`/conf/datum/Datum_Parameters`
REQUIREMENT	Requirement 14: `/req/datum/Datum_Parameters`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:PrimeMeridian geosrs:DefiningParameter return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:PrimeMeridian geosrs:DefiningParameter

A.4.3. Spheroid Types

ABSTRACT TEST A.16	
IDENTIFIER	`/conf/datum/Spheroid_Types`
REQUIREMENT	Requirement 18: `/req/datum/Spheroid_Types`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:Ellipsoid geosrs:TriaxialEllipsoid return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:Ellipsoid geosrs:TriaxialEllipsoid

A.4.4. Datum Properties

ABSTRACT TEST A.17	
IDENTIFIER	`/conf/datum/Datum_Properties`
REQUIREMENT	Requirement 15: `/req/datum/Datum_Properties`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:datumDefiningParameter geosrs:ellipsoid geosrs:prime Meridian return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:datumDefiningParameter geosrs:ellipsoid geosrs:primeMeridian

A.4.5. Spheroid Properties

ABSTRACT TEST A.18	
IDENTIFIER	`/conf/datum/Spheroid_Properties`
REQUIREMENT	Requirement 17: `/req/datum/Spheroid_Properties`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:eccentricity geosrs:inverseFlattening geosrs:isSphere geosrs:semiMajorAxis geosrs:semiMinorAxis return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:eccentricity geosrs:inverseFlattening geosrs:isSphere geosrs:semiMajorAxis geosrs:semiMinorAxis

A.5. Conformance Class: Srsapplication

CONFORMANCE CLASS A.5: 10-SRSAPPLICATION_MODULE.ADOC

IDENTIFIER	`/conf/srsapplication`
REQUIREMENTS CLASS	Requirements class 5: `/req/srsapplication`
CONFORMANCE TESTS	Abstract test A.19: `/conf/srsapplication/SRS_Application_Types` Abstract test A.20: `/conf/srsapplication/Map_Types`

A.5.1. SRS Application Types

ABSTRACT TEST A.19	
IDENTIFIER	`/conf/srsapplication/SRS_Application_Types`
REQUIREMENT	Requirement 20: `/req/srsapplication/SRS_Application_Types`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:SRSApplication geosrs:SpatialReferencing geosrs:Engineering Survey geosrs:SatelliteSurvey geosrs:SatelliteNavigation geosrs:CoastalHydrography geosrs: OffshoreEngineering geosrs:Hydrography geosrs:Drilling geosrs:OilAndGasExploration return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:SRSApplication geosrs:SpatialReferencing geosrs:EngineeringSurvey geosrs:Satellite Survey geosrs:SatelliteNavigation geosrs:CoastalHydrography geosrs:OffshoreEngineering geosrs:Hydrography geosrs:Drilling geosrs:OilAndGasExploration

A.5.2. Map Types

ABSTRACT TEST A.20	
IDENTIFIER	`/conf/srsapplication/Map_Types`
REQUIREMENT	Requirement 19: `/req/srsapplication/Map_Types`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:CadastreMap geosrs:NauticalChart geosrs:ThematicMap geosrs:TopographicMap geosrs:WeatherMap return the correct result on a test dataset.

ABSTRACT TEST A.20	
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:CadastreMap geosrs:NauticalChart geosrs:ThematicMap geosrs:TopographicMap geosrs:WeatherMap

A.6. Conformance Class: Projections

CONFORMANCE CLASS A.6: 11-PROJECTIONS_MODULE.ADOC	
IDENTIFIER	`/conf/projections`
REQUIREMENTS CLASS	Requirements class 6: `/req/projections`
CONFORMANCE TESTS	Abstract test A.21: `/conf/projections/Lenticular_Projections` Abstract test A.22: `/conf/projections/Conformal_Projections` Abstract test A.23: `/conf/projections/Minimum_Error_Projections` Abstract test A.24: `/conf/projections/Pseudo_Azimuthal_Projections` Abstract test A.25: `/conf/projections/Equal_Area_Projections` Abstract test A.26: `/conf/projections/Pseudo_Conical_Projections` Abstract test A.27: `/conf/projections/Globular_Projections` Abstract test A.28: `/conf/projections/Pseudo_Cylindrical_Projections` Abstract test A.29: `/conf/projections/Archaic_Projections` Abstract test A.30: `/conf/projections/Cylindrical_Projections` Abstract test A.31: `/conf/projections/Compromise_Projections` Abstract test A.32: `/conf/projections/Polyhedral_Projections` Abstract test A.33: `/conf/projections/Equidistant_Projections` Abstract test A.34: `/conf/projections/Azimuthal_Projections` Abstract test A.35: `/conf/projections/Conical_Projections` Abstract test A.36: `/conf/projections/Perspective_Projections` Abstract test A.37: `/conf/projections/Stereographic_Projections` Abstract test A.38: `/conf/projections/Polyconic_Projections` Abstract test A.39: `/conf/projections/Projection`

A.6.1. Lenticular Projections

ABSTRACT TEST A.21	
IDENTIFIER	`/conf/projections/Lenticular_Projections`

ABSTRACT TEST A.21

REQUIREMENT	Requirement 30: `/req/projections/Lenticular_Projections`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:A4Projection geosrs:BriesemeisterProjection geosrs:CiricIProjection geosrs:CupolaProjection geosrs:DedistortProjection geosrs:DietrichKitadaProjection geosrs:FranculaIIIProjection geosrs:FranculaIVProjection geosrs:FranculaIXProjection geosrs:FranculaVIIIProjection geosrs:FranculaVProjection geosrs:FranculaXIIIProjection geosrs:FranculaXIIProjection geosrs:FranculaXIVProjection geosrs:HamusoidalProjection geosrs:KissProjection return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:A4Projection geosrs:BriesemeisterProjection geosrs:CiricIProjection geosrs:CupolaProjection geosrs:DedistortProjection geosrs:DietrichKitadaProjection geosrs:FranculaIIIProjection geosrs:FranculaIVProjection geosrs:FranculaIXProjection geosrs:FranculaVIIIProjection geosrs:FranculaVProjection geosrs:FranculaXIIIProjection geosrs:FranculaXIIProjection geosrs:FranculaXIVProjection geosrs:HamusoidalProjection geosrs:KissProjection

A.6.2. Conformal Projections

ABSTRACT TEST A.22

IDENTIFIER	`/conf/projections/Conformal_Projections`
REQUIREMENT	Requirement 24: `/req/projections/Conformal_Projections`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:AdamsProjection geosrs:AdamsWorldInASquareIIProjection geosrs:AdamsWorldInASquareIProjection geosrs:AugustEpicycloidalProjection geosrs:CoxConformalProjection geosrs:EisenlohrProjection geosrs:GS50Projection geosrs:PeirceQuincuncialProjection geosrs:StereographicProjection return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:AdamsProjection geosrs:AdamsWorldInASquareIIProjection geosrs:AdamsWorldInASquareIProjection geosrs:AugustEpicycloidalProjection geosrs:CoxConformalProjection geosrs:EisenlohrProjection geosrs:GS50Projection geosrs:PeirceQuincuncialProjection geosrs:StereographicProjection

A.6.3. Minimum Error Projections

ABSTRACT TEST A.23	
IDENTIFIER	`/conf/projections/Minimum_Error_Projections`
REQUIREMENT	Requirement 31: `/req/projections/Minimum_Error_Projections`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:AiryProjection return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:AiryProjection

A.6.4. Pseudo Azimuthal Projections

ABSTRACT TEST A.24	
IDENTIFIER	`/conf/projections/Pseudo_Azimuthal_Projections`
REQUIREMENT	Requirement 36: `/req/projections/Pseudo_Azimuthal_Projections`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:AitoffObliqueProjection geosrs:AitoffProjection geosrs:BartholomewProjection geosrs:HammerProjection geosrs:PseudoAzimuthalProjection geosrs:Strebe1995Projection geosrs:WinkelTripelProjection return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:AitoffObliqueProjection geosrs:AitoffProjection geosrs:BartholomewProjection geosrs:HammerProjection geosrs:PseudoAzimuthalProjection geosrs:Strebe1995Projection geosrs:WinkelTripelProjection

A.6.5. Equal Area Projections

ABSTRACT TEST A.25

IDENTIFIER	`/conf/projections/Equal_Area_Projections`
REQUIREMENT	Requirement 27: `/req/projections/Equal_Area_Projections`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:AlbersEqualAreaProjection geosrs:AzimuthalEqualArea Projection geosrs:CylindricalEqualArea geosrs:EqualAreaProjection geosrs:GallPetersProjection geosrs:HoboDyerProjection geosrs:LambertAzimuthalEqualArea geosrs:LambertCylindrical EqualAreaProjection geosrs:ObliqueCylindricalEqualAreaProjection geosrs:SmythEqualSurface Projection geosrs:ToblerWorldInASquareProjection geosrs:TransverseCylindricalEqualArea Projection geosrs:TrystanEdwardsProjection geosrs:WiechelProjection return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:AlbersEqualAreaProjection geosrs:AzimuthalEqualAreaProjection geosrs:Cylindrical EqualArea geosrs:EqualAreaProjection geosrs:GallPetersProjection geosrs:HoboDyerProjection geosrs:LambertAzimuthalEqualArea geosrs:LambertCylindricalEqualAreaProjection geosrs: ObliqueCylindricalEqualAreaProjection geosrs:SmythEqualSurfaceProjection geosrs:ToblerWorld InASquareProjection geosrs:TransverseCylindricalEqualAreaProjection geosrs:TrystanEdwards Projection geosrs:WiechelProjection

A.6.6. Pseudo Conical Projections

ABSTRACT TEST A.26

IDENTIFIER	`/conf/projections/Pseudo_Conical_Projections`
REQUIREMENT	Requirement 37: `/req/projections/Pseudo_Conical_Projections`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:AmericanPolyconicProjection geosrs:BonneProjection geosrs: BottomleyProjection geosrs:NicolosiGlobularProjection geosrs:PseudoConicalProjection geosrs: PtolemyIIProjection geosrs:StabiusWernerIIProjection geosrs:WernerProjection return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:AmericanPolyconicProjection geosrs:BonneProjection geosrs:BottomleyProjection geosrs: NicolosiGlobularProjection geosrs:PseudoConicalProjection geosrs:PtolemyIIProjection geosrs: StabiusWernerIIProjection geosrs:WernerProjection

A.6.7. Globular Projections

ABSTRACT TEST A.27	
IDENTIFIER	`/conf/projections/Globular_Projections`
REQUIREMENT	Requirement 29: `/req/projections/Globular_Projections`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:ApianGlobularIProjection geosrs:BaconGlobularProjection geosrs:FournierGlobularIProjection return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:ApianGlobularIProjection geosrs:BaconGlobularProjection geosrs:FournierGlobularIProjection

A.6.8. Pseudo Cylindrical Projections

ABSTRACT TEST A.28	
IDENTIFIER	`/conf/projections/Pseudo_Cylindrical_Projections`
REQUIREMENT	Requirement 38: `/req/projections/Pseudo_Cylindrical_Projections`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:ApianIIProjection geosrs:AtlantisProjection geosrs:BaranyiIIIProjection geosrs:BaranyiIIProjection geosrs:BaranyiIProjection geosrs:BaranyiIVProjection geosrs:BoggsEumorphicProjection geosrs:BromleyProjection geosrs:CabotProjection geosrs:CollignonProjection geosrs:CrasterParabolicProjection geosrs:DeakinMinimumErrorProjection geosrs:Eckert1Projection geosrs:Eckert2Projection geosrs:Eckert3Projection geosrs:Eckert4Projection geosrs:Eckert5Projection geosrs:Eckert6Projection geosrs:EqualEarthProjection geosrs:FaheyProjection geosrs:FoucautProjection geosrs:FoucautSinusoidalProjection geosrs:FournierIIProjection geosrs:GinzburgVIIIProjection geosrs:GoodeHomolosineProjection geosrs:HEALPixProjection geosrs:HatanoAsymmetricalEqualAreaProjection geosrs:HufnagelProjection geosrs:Kavrayskiy7Projection geosrs:LoximuthalProjection geosrs:MayrProjection geosrs:McBrydeThomasFlatPolarParabolicProjection geosrs:McBrydeThomasFlatPolarQuarticProjection geosrs:McBrydeThomasFlatPolarSinusoidalProjection geosrs:McBrydeThomasIIProjection geosrs:McBrydeThomasIProjection geosrs:NaturalEarth2Projection geosrs:NaturalEarthProjection geosrs:NellHammerProjection geosrs:NellProjection geosrs:OrteliusOvalProjection geosrs:

ABSTRACT TEST A.28

	PseudoCylindricalProjection geosrs:PutninsP1Projection geosrs:PutninsP2Projection geosrs: PutninsP3Projection geosrs:PutninsP5Projection geosrs:PutninsP6Projection geosrs:Quartic AuthalicProjection geosrs:RobinsonProjection geosrs:SinusoidalProjection geosrs:TheTimes Projection geosrs:ToblerG1Projection geosrs:ToblerHyperellipticalProjection geosrs:Wagner IIIProjection geosrs:WagnerIIProjection geosrs:WagnerIProjection geosrs:WagnerIVProjection geosrs:WagnerVIProjection geosrs:WagnerVProjection geosrs:WerenskioldIProjection geosrs: PutninsP3'Projection geosrs:PutninsP4'Projection geosrs:PutninsP5'Projection geosrs:Putnins P6'Projection return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:ApianIIProjection geosrs:AtlantisProjection geosrs:BaranyiIIIProjection geosrs:Baranyi IIProjection geosrs:BaranyiIProjection geosrs:BaranyiIVProjection geosrs:BoggsEumorphic Projection geosrs:BromleyProjection geosrs:CabotProjection geosrs:CollignonProjection geosrs: CrasterParabolicProjection geosrs:DeakinMinimumErrorProjection geosrs:Eckert1Projection geosrs:Eckert2Projection geosrs:Eckert3Projection geosrs:Eckert4Projection geosrs: Eckert5Projection geosrs:Eckert6Projection geosrs:EqualEarthProjection geosrs:FaheyProjection geosrs:FoucautProjection geosrs:FoucautSinusoidalProjection geosrs:FournierIIProjection geosrs: GinzburgVIIIProjection geosrs:GoodeHomolosineProjection geosrs:HEALPixProjection geosrs: HatanoAsymmetricalEqualAreaProjection geosrs:HufnagelProjection geosrs:Kavrayskiy7Projection geosrs:LoximuthalProjection geosrs:MayrProjection geosrs:McBrydeThomasFlatPolarParabolic Projection geosrs:McBrydeThomasFlatPolarQuarticProjection geosrs:McBrydeThomasFlatPolar SinusoidalProjection geosrs:McBrydeThomasIIProjection geosrs:McBrydeThomasIProjection geosrs:NaturalEarth2Projection geosrs:NaturalEarthProjection geosrs:NellHammerProjection geosrs:NellProjection geosrs:OrteliusOvalProjection geosrs:PseudoCylindricalProjection geosrs: PutninsP1Projection geosrs:PutninsP2Projection geosrs:PutninsP3Projection geosrs:Putnins P5Projection geosrs:PutninsP6Projection geosrs:QuarticAuthalicProjection geosrs:Robinson Projection geosrs:SinusoidalProjection geosrs:TheTimesProjection geosrs:ToblerG1Projection geosrs:ToblerHyperellipticalProjection geosrs:WagnerIIIProjection geosrs:WagnerIIProjection geosrs:WagnerIProjection geosrs:WagnerIVProjection geosrs:WagnerVIProjection geosrs: WagnerVProjection geosrs:WerenskioldIProjection geosrs:PutninsP3'Projection geosrs:Putnins P4'Projection geosrs:PutninsP5'Projection geosrs:PutninsP6'Projection

A.6.9. Archaic Projections

ABSTRACT TEST A.29

IDENTIFIER	`/conf/projections/Archaic_Projections`
REQUIREMENT	Requirement 21: `/req/projections/Archaic_Projections`
TEST PURPOSE	Check conformance with this requirement

ABSTRACT TEST A.29	
TEST METHOD	Verify that queries involving geosrs:ArchaicProjection geosrs:PtolemyIProjection return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:ArchaicProjection geosrs:PtolemyIProjection

A.6.10. Cylindrical Projections

ABSTRACT TEST A.30	
IDENTIFIER	/conf/projections/Cylindrical_Projections
REQUIREMENT	Requirement 26: /req/projections/Cylindrical_Projections
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:ArdenCloseProjection geosrs:BSAMCylindricalProjection geosrs:BalthasartProjection geosrs:BehrmannProjection geosrs:BraunPerspectiveProjection geosrs:BraunStereographicProjection geosrs:CompactMillerProjection geosrs:CylindricalProjection geosrs:CylindricalStereographicProjection geosrs:KarchenkoShabanovaProjection geosrs:Laborde Projection geosrs:MercatorProjection geosrs:MillerProjection geosrs:PattersonCylindrical Projection geosrs:PavlovProjection geosrs:ToblerCylindricalIIProjection geosrs:ToblerCylindrical IProjection geosrs:TransverseMercatorProjection geosrs:UrmayevIIIProjection geosrs:Web MercatorProjection return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:ArdenCloseProjection geosrs:BSAMCylindricalProjection geosrs:BalthasartProjection geosrs:BehrmannProjection geosrs:BraunPerspectiveProjection geosrs:BraunStereographic Projection geosrs:CompactMillerProjection geosrs:CylindricalProjection geosrs:Cylindrical StereographicProjection geosrs:KarchenkoShabanovaProjection geosrs:LabordeProjection geosrs:MercatorProjection geosrs:MillerProjection geosrs:PattersonCylindricalProjection geosrs: PavlovProjection geosrs:ToblerCylindricalIIProjection geosrs:ToblerCylindricalIProjection geosrs: TransverseMercatorProjection geosrs:UrmayevIIIProjection geosrs:WebMercatorProjection

A.6.11. Compromise Projections

ABSTRACT TEST A.31

IDENTIFIER	`/conf/projections/Compromise_Projections`
REQUIREMENT	Requirement 23: `/req/projections/Compromise_Projections`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:ArmadilloProjection geosrs:BakerDinomicProjection geosrs:BertinProjection geosrs:ChamberlinTrimetricProjection geosrs:DenoyerSemiEllipticalProjection geosrs:FairgrieveProjection geosrs:LarriveeProjection geosrs:PetermannStarProjection geosrs:SpilhausOceanicProjection geosrs:VanDerGrintenIIIProjection geosrs:WinkelIIIProjection geosrs:WinkelIIProjection geosrs:WinkelSnyderProjection return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:ArmadilloProjection geosrs:BakerDinomicProjection geosrs:BertinProjection geosrs:ChamberlinTrimetricProjection geosrs:DenoyerSemiEllipticalProjection geosrs:FairgrieveProjection geosrs:LarriveeProjection geosrs:PetermannStarProjection geosrs:SpilhausOceanicProjection geosrs:VanDerGrintenIIIProjection geosrs:WinkelIIIProjection geosrs:WinkelIIProjection geosrs:WinkelSnyderProjection

A.6.12. Polyhedral Projections

ABSTRACT TEST A.32

IDENTIFIER	`/conf/projections/Polyhedral_Projections`
REQUIREMENT	Requirement 34: `/req/projections/Polyhedral_Projections`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:AuthaGraphProjection geosrs:CahillKeyesProjection geosrs:CollignonButterflyProjection geosrs:DodecahedralProjection geosrs:DymaxionProjection geosrs:GnomonicButterflyProjection geosrs:GnomonicCubedSphereProjection geosrs:GnomonicIcosahedronProjection geosrs:GuyouProjection geosrs:IcosahedralProjection geosrs:LeeProjection geosrs:MyrahedalProjection geosrs:OctantProjection geosrs:PolyhedralProjection geosrs:QuadrilateralizedSphericalCubeProjection geosrs:WatermanButterflyProjection return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:AuthaGraphProjection geosrs:CahillKeyesProjection geosrs:CollignonButterflyProjection geosrs:DodecahedralProjection geosrs:DymaxionProjection geosrs:GnomonicButterflyProjection geosrs:GnomonicCubedSphereProjection geosrs:GnomonicIcosahedronProjection geosrs:Guyou

Projection geosrs:IcosahedralProjection geosrs:LeeProjection geosrs:MyrahedalProjection geosrs:OctantProjection geosrs:PolyhedralProjection geosrs:QuadrilateralizedSphericalCubeProjection geosrs:WatermanButterflyProjection

A.6.13. Equidistant Projections

ABSTRACT TEST A.33

IDENTIFIER	`/conf/projections/Equidistant_Projections`
REQUIREMENT	Requirement 28: `/req/projections/Equidistant_Projections`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:AzimuthalEquidistantProjection geosrs:BerghausStar Projection geosrs:CassiniProjection geosrs:EquidistantConicProjection geosrs:Equidistant CylindricalProjection geosrs:EquidistantProjection geosrs:EquirectangularProjection geosrs: ObliquePlateCarreeProjection geosrs:PlateCarreeProjection geosrs:TwoPointEquidistant Projection return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:AzimuthalEquidistantProjection geosrs:BerghausStarProjection geosrs:CassiniProjection geosrs:EquidistantConicProjection geosrs:EquidistantCylindricalProjection geosrs:Equidistant Projection geosrs:EquirectangularProjection geosrs:ObliquePlateCarreeProjection geosrs:Plate CarreeProjection geosrs:TwoPointEquidistantProjection

A.6.14. Azimuthal Projections

ABSTRACT TEST A.34

IDENTIFIER	`/conf/projections/Azimuthal_Projections`
REQUIREMENT	Requirement 22: `/req/projections/Azimuthal_Projections`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:AzimuthalProjection geosrs:BreusingGeometricProjection geosrs:BreusingHarmonicProjection geosrs:GinzburgIIProjection geosrs:GinzburgIProjection geosrs:GnomonicProjection geosrs:JamesAzimuthalProjection return the correct result on a test dataset.

ABSTRACT TEST A.34

TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:AzimuthalProjection geosrs:BreusingGeometricProjection geosrs:BreusingHarmonic Projection geosrs:GinzburgIIProjection geosrs:GinzburgIProjection geosrs:GnomonicProjection geosrs:JamesAzimuthalProjection

A.6.15. Conical Projections

ABSTRACT TEST A.35

IDENTIFIER	`/conf/projections/Conical_Projections`
REQUIREMENT	Requirement 25: `/req/projections/Conical_Projections`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:BipolarObliqueConicConformalProjection geosrs:CentralConic Projection geosrs:HerschelConformalConicProjection geosrs:Krovak geosrs:LambertConformal ConicProjection geosrs:MurdochIIIProjection geosrs:MurdochIIProjection geosrs:Murdoch IProjection geosrs:SchjerningIProjection geosrs:VitkovskyIProjection return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:BipolarObliqueConicConformalProjection geosrs:CentralConicProjection geosrs:Herschel ConformalConicProjection geosrs:Krovak geosrs:LambertConformalConicProjection geosrs: MurdochIIIProjection geosrs:MurdochIIProjection geosrs:MurdochIProjection geosrs:Schjerning IProjection geosrs:VitkovskyIProjection

A.6.16. Perspective Projections

ABSTRACT TEST A.36

IDENTIFIER	`/conf/projections/Perspective_Projections`
REQUIREMENT	Requirement 32: `/req/projections/Perspective_Projections`
TEST PURPOSE	Check conformance with this requirement

ABSTRACT TEST A.36

TEST METHOD	Verify that queries involving geosrs:CentralCylindricalProjection geosrs:GeneralVertical PerspectiveProjection geosrs:GilbertTwoWorldPerspectiveProjection geosrs:LaHireProjection geosrs:LorgnaProjection geosrs:LowryProjection geosrs:OrthographicProjection geosrs: PerspectiveConicProjection geosrs:PerspectiveProjection geosrs:TiltedPerspectiveProjection geosrs:VerticalPerspectiveProjection return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:CentralCylindricalProjection geosrs:GeneralVerticalPerspectiveProjection geosrs:Gilbert TwoWorldPerspectiveProjection geosrs:LaHireProjection geosrs:LorgnaProjection geosrs:Lowry Projection geosrs:OrthographicProjection geosrs:PerspectiveConicProjection geosrs:Perspective Projection geosrs:TiltedPerspectiveProjection geosrs:VerticalPerspectiveProjection

A.6.17. Stereographic Projections

ABSTRACT TEST A.37

IDENTIFIER	`/conf/projections/Stereographic_Projections`
REQUIREMENT	Requirement 39: `/req/projections/Stereographic_Projections`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:GallStereographicProjection geosrs:MillerOblated StereographicProjection geosrs:RoussilheProjection return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:GallStereographicProjection geosrs:MillerOblatedStereographicProjection geosrs: RoussilheProjection

A.6.18. Polyconic Projections

ABSTRACT TEST A.38

IDENTIFIER	`/conf/projections/Polyconic_Projections`
REQUIREMENT	Requirement 33: `/req/projections/Polyconic_Projections`
TEST PURPOSE	Check conformance with this requirement

ABSTRACT TEST A.38	
TEST METHOD	Verify that queries involving geosrs:GinzburgIVProjection geosrs:GinzburgIXProjection geosrs: GinzburgVIProjection geosrs:GinzburgVProjection geosrs:GottWagnerProjection geosrs:Hill EucyclicProjection geosrs:LagrangeProjection geosrs:LaskowskiProjection geosrs:Polyconic Projection geosrs:RectangularPolyconicProjection geosrs:StabiusWernerIIIProjection geosrs: StabiusWernerIProjection geosrs:VanDerGrintenIIProjection geosrs:VanDerGrintenIProjection geosrs:VanDerGrintenIVProjection geosrs:WagnerIXProjection geosrs:WagnerVIIIProjection geosrs:WagnerVIIProjection return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:GinzburgIVProjection geosrs:GinzburgIXProjection geosrs:GinzburgVIProjection geosrs: GinzburgVProjection geosrs:GottWagnerProjection geosrs:HillEucyclicProjection geosrs:Lagrange Projection geosrs:LaskowskiProjection geosrs:PolyconicProjection geosrs:RectangularPolyconic Projection geosrs:StabiusWernerIIIProjection geosrs:StabiusWernerIProjection geosrs:Van DerGrintenIIProjection geosrs:VanDerGrintenIProjection geosrs:VanDerGrintenIVProjection geosrs:WagnerIXProjection geosrs:WagnerVIIIProjection geosrs:WagnerVIIProjection

A.6.19. Projection

ABSTRACT TEST A.39	
IDENTIFIER	`/conf/projections/Projection`
REQUIREMENT	Requirement 35: `/req/projections/Projection`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:Projection return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:Projection

A.7. Conformance Class: Planet

CONFORMANCE CLASS A.7: 12-PLANET_MODULE.ADOC

IDENTIFIER	`/conf/planet`
REQUIREMENTS CLASS	Requirements class 7: `/req/planet`
CONFORMANCE TEST	Abstract test A.40: `/conf/planet/Interstellar_Body`

A.7.1. Interstellar Body

ABSTRACT TEST A.40

IDENTIFIER	`/conf/planet/Interstellar_Body`
REQUIREMENT	Requirement 40: `/req/planet/Interstellar_Body`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:ArtificialSatellite geosrs:Asteroid geosrs:Comet geosrs:Dwarf Planet geosrs:InterstellarBody geosrs:Moon geosrs:NaturalSatellite geosrs:Planet geosrs:Planet Status geosrs:Plutoid geosrs:Star return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:ArtificialSatellite geosrs:Asteroid geosrs:Comet geosrs:DwarfPlanet geosrs:Interstellar Body geosrs:Moon geosrs:NaturalSatellite geosrs:Planet geosrs:PlanetStatus geosrs:Plutoid geosrs:Star

A.8. Conformance Class: Instances

CONFORMANCE CLASS A.8: 13-INSTANCES.ADOC

IDENTIFIER	`/conf/instances`
REQUIREMENTS CLASS	Requirements class 8: `/req/instances`
CONFORMANCE TESTS	Abstract test A.41: `/conf/instances/Coordinate_System_Axis` Abstract test A.42: `/conf/instances/Spheroids` Abstract test A.43: `/conf/instances/SRS_Literal_Types`

A.8.1. Coordinate System Axis

ABSTRACT TEST A.41	
IDENTIFIER	`/conf/instances/Coordinate_System_Axis`
REQUIREMENT	Requirement 41: `/req/instances/Coordinate_System_Axis`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:down geosrs:east geosrs:north geosrs:south geosrs:up geosrs:west return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:down geosrs:east geosrs:north geosrs:south geosrs:up geosrs:west

A.8.2. Spheroids

ABSTRACT TEST A.42	
IDENTIFIER	`/conf/instances/Spheroids`
REQUIREMENT	Requirement 43: `/req/instances/Spheroids`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:GRS1980 geosrs:GRS67 geosrs:PZ90 geosrs:Airy1830 geosrs:AiryModified1849 geosrs:International1924 geosrs:AustralianNationalSpheroid geosrs:Everest1930 geosrs:Clarke1866 geosrs:Plessis1817 geosrs:Danish1876 geosrs:Struve1860 geosrs:IAG1975 geosrs:Clarke1858 geosrs:Clarke1880 geosrs:Helmert1906 geosrs:CGCS2000 geosrs:GSK-2011 geosrs:Zach1812 geosrs:Clarke1880ARC geosrs:Clarke1880IGN geosrs:WGS66 geosrs:WGS72 geosrs:WGS84 geosrs:Krassowsky1940 return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:GRS1980 geosrs:GRS67 geosrs:PZ90 geosrs:Airy1830 geosrs:AiryModified1849 geosrs:International1924 geosrs:AustralianNationalSpheroid geosrs:Everest1930 geosrs:Clarke1866 geosrs:Plessis1817 geosrs:Danish1876 geosrs:Struve1860 geosrs:IAG1975 geosrs:Clarke1858 geosrs:Clarke1880 geosrs:Helmert1906 geosrs:CGCS2000 geosrs:GSK-2011 geosrs:Zach1812

	geosrs:Clarke1880ARC geosrs:Clarke1880IGN geosrs:WGS66 geosrs:WGS72 geosrs:WGS84 geosrs:Krassowsky1940

A.8.3. SRS Literal Types

ABSTRACT TEST A.43

IDENTIFIER	`/conf/instances/SRS_Literal_Types`
REQUIREMENT	Requirement 42: `/req/instances/SRS_Literal_Types`
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:proj4Literal geosrs:projJSONLiteral geosrs:wktLiteral return the correct result on a test dataset.
TEST-METHOD-TYPE	Capabilities
REFERENCE	geosrs:proj4Literal geosrs:projJSONLiteral geosrs:wktLiteral

B

ANNEX B (INFORMATIVE) ALIGNMENTS

———

B ANNEX B (INFORMATIVE) ALIGNMENTS

Overview

Overview

The prefixes used for the ontologies mapped to in all following sections are given in the following table.

Table B.1 — Alignment: Namespaces

ign:	http://data.ign.fr/def/ignf#
iso19111:	http://def.isotc211.org/iso19112/2019/SpatialReferencingByGeographicIdentifier#
geosrs:	http://www.opengis.net/ont/geosparql#
ifc:	https://standards.buildingsmart.org/IFC/DEV/IFC4/ADD2_TC1/OWL/
owl:	http://www.w3.org/2002/07/owl#
prov:	http://www.w3.org/ns/prov#
rdf:	http://www.w3.org/1999/02/22-rdf-syntax-ns#
rdfs:	http://www.w3.org/2000/01/rdf-schema#

B.1. IGN Ontology

Table B.2 — Alignment: IGN Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CoordinateSystem	owl:equivalentClass	ign:CoordinateSystem	-
geosrs:Datum	owl:equivalentClass	ign:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	ign:Ellipsoid	-
geosrs:Conversion	owl:equivalentClass	ign:Conversion	-
geosrs:CoordinateOperation	owl:equivalentClass	ign:CoordinateOperation	-
geosrs:OperationMethod	owl:equivalentClass	ign:OperationMethod	-
geosrs:OperationParameter	owl:equivalentClass	ign:OperationParameter	-
geosrs:OperationParameterValue	owl:equivalentClass	ign:OperationParameterValue	-
geosrs:SingleOperation	owl:equivalentClass	ign:SingleOperation	-
geosrs:Transformation	owl:equivalentClass	ign:Transformation	-
geosrs:CartesianCoordinateSystem	owl:equivalentClass	ign:CartesianCS	-
geosrs:CoordinateSystem	owl:equivalentClass	ign:CoordinateSystem	-
geosrs:CoordinateSystemAxis	owl:equivalentClass	ign:CoordinateSystemAxis	-
geosrs:EllipsoidalCoordinateSystem	owl:equivalentClass	ign:EllipsoidalCS	-
geosrs:VerticalCoordinateSystem	owl:equivalentClass	ign:VerticalCS	-
geosrs:Datum	owl:equivalentClass	ign:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	ign:Ellipsoid	-
geosrs:GeodeticDatum	owl:equivalentClass	ign:GeodeticDatum	-
geosrs:PrimeMeridian	owl:equivalentClass	ign:PrimeMeridian	-
geosrs:VerticalDatum	owl:equivalentClass	ign:VerticalDatum	-
geosrs:AxesList	owl:equivalentClass	ign:AxesList	-

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CRS	owl:equivalentClass	ign:CRS	-
geosrs:CompoundCRS	owl:equivalentClass	ign:CompoundCRS	-
geosrs:Extent	owl:equivalentClass	ign:Extent	-
geosrs:GeodeticCRS	owl:equivalentClass	ign:GeodeticCRS	-
geosrs:GeographicBoundingBox	owl:equivalentClass	ign:GeographicBoundingBox	-
geosrs:ProjectedCRS	owl:equivalentClass	ign:ProjectedCRS	-
geosrs:SingleCRS	owl:equivalentClass	ign:SingleCRS	-
geosrs:SingleCRSList	owl:equivalentClass	ign:SingleCRSList	-
geosrs:VerticalCRS	owl:equivalentClass	ign:VerticalCRS	-

B.2. ISO19111 Ontology

Table B.3 — Alignment: ISO19111 Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CoordinateSystem	owl:equivalentClass	iso19111:CoordinateSystem	-
geosrs:Datum	owl:equivalentClass	iso19111:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	iso19111:Ellipsoid	-
geosrs:CRS	owl:equivalentClass	iso19111:CRS	-
geosrs:CompoundCRS	owl:equivalentClass	iso19111:CompoundCRS	-
geosrs:EngineeringCRS	owl:equivalentClass	iso19111:EngineeringCRS	-
geosrs:GeodeticCRS	owl:equivalentClass	iso19111:GeodeticCRS	-

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:GeographicCRS	owl:equivalentClass	iso19111:GeographicCRS	-
geosrs:ParametricCRS	owl:equivalentClass	iso19111:ParametricCRS	-
geosrs:ProjectedCRS	owl:equivalentClass	iso19111:ProjectedCRS	-
geosrs:SingleCRS	owl:equivalentClass	iso19111:SingleCRS	-
geosrs:TemporalCRS	owl:equivalentClass	iso19111:TemporalCRS	-
geosrs:VerticalCRS	owl:equivalentClass	iso19111:VerticalCRS	-

B.3. IFC Ontology

Table B.4 — Alignment: IFC Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:AxisDirection	owl:equivalentClass	ifc:IfcDirection	-
geosrs:CRS	owl:equivalentClass	ifc:IfcCoordinateReferenceSystem	-
geosrs:CoordinateOperation	owl:equivalentClass	ifc:IfcCoordinateOperation	-
geosrs:ProjectedCRS	owl:equivalentClass	ifc:IfcProjectedCRS	-
geosrs:axis	owl:equivalentProperty	ifc:axis_IfcAxis1Placement	-
geosrs:sourceCRS	owl:equivalentProperty	ifc:sourceCRS	-
geosrs:targetCRS	owl:equivalentProperty	ifc:targetCRS	-

B.4. IGN Ontology

Table B.5 — Alignment: IGN Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CoordinateSystem	owl:equivalentClass	ign:CoordinateSystem	-
geosrs:Datum	owl:equivalentClass	ign:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	ign:Ellipsoid	-
geosrs:Conversion	owl:equivalentClass	ign:Conversion	-
geosrs:CoordinateOperation	owl:equivalentClass	ign:CoordinateOperation	-
geosrs:OperationMethod	owl:equivalentClass	ign:OperationMethod	-
geosrs:OperationParameter	owl:equivalentClass	ign:OperationParameter	-
geosrs:OperationParameterValue	owl:equivalentClass	ign:OperationParameterValue	-
geosrs:SingleOperation	owl:equivalentClass	ign:SingleOperation	-
geosrs:Transformation	owl:equivalentClass	ign:Transformation	-
geosrs:CartesianCoordinateSystem	owl:equivalentClass	ign:CartesianCS	-
geosrs:CoordinateSystem	owl:equivalentClass	ign:CoordinateSystem	-
geosrs:CoordinateSystemAxis	owl:equivalentClass	ign:CoordinateSystemAxis	-
geosrs:EllipsoidalCoordinateSystem	owl:equivalentClass	ign:EllipsoidalCS	-
geosrs:VerticalCoordinateSystem	owl:equivalentClass	ign:VerticalCS	-
geosrs:Datum	owl:equivalentClass	ign:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	ign:Ellipsoid	-
geosrs:GeodeticDatum	owl:equivalentClass	ign:GeodeticDatum	-
geosrs:PrimeMeridian	owl:equivalentClass	ign:PrimeMeridian	-
geosrs:VerticalDatum	owl:equivalentClass	ign:VerticalDatum	-
geosrs:AxesList	owl:equivalentClass	ign:AxesList	-

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CRS	owl:equivalentClass	ign:CRS	-
geosrs:CompoundCRS	owl:equivalentClass	ign:CompoundCRS	-
geosrs:Extent	owl:equivalentClass	ign:Extent	-
geosrs:GeodeticCRS	owl:equivalentClass	ign:GeodeticCRS	-
geosrs:GeographicBoundingBox	owl:equivalentClass	ign:GeographicBoundingBox	-
geosrs:ProjectedCRS	owl:equivalentClass	ign:ProjectedCRS	-
geosrs:SingleCRS	owl:equivalentClass	ign:SingleCRS	-
geosrs:SingleCRSList	owl:equivalentClass	ign:SingleCRSList	-
geosrs:VerticalCRS	owl:equivalentClass	ign:VerticalCRS	-

B.5. ISO19111 Ontology

Table B.6 — Alignment: ISO19111 Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CoordinateSystem	owl:equivalentClass	iso19111:CoordinateSystem	-
geosrs:Datum	owl:equivalentClass	iso19111:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	iso19111:Ellipsoid	-
geosrs:CRS	owl:equivalentClass	iso19111:CRS	-
geosrs:CompoundCRS	owl:equivalentClass	iso19111:CompoundCRS	-
geosrs:EngineeringCRS	owl:equivalentClass	iso19111:EngineeringCRS	-
geosrs:GeodeticCRS	owl:equivalentClass	iso19111:GeodeticCRS	-

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:GeographicCRS	owl:equivalentClass	iso19111:GeographicCRS	-
geosrs:ParametricCRS	owl:equivalentClass	iso19111:ParametricCRS	-
geosrs:ProjectedCRS	owl:equivalentClass	iso19111:ProjectedCRS	-
geosrs:SingleCRS	owl:equivalentClass	iso19111:SingleCRS	-
geosrs:TemporalCRS	owl:equivalentClass	iso19111:TemporalCRS	-
geosrs:VerticalCRS	owl:equivalentClass	iso19111:VerticalCRS	-

B.6. IFC Ontology

Table B.7 — Alignment: IFC Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:AxisDirection	owl:equivalentClass	ifc:IfcDirection	-
geosrs:CRS	owl:equivalentClass	ifc:IfcCoordinateReferenceSystem	-
geosrs:CoordinateOperation	owl:equivalentClass	ifc:IfcCoordinateOperation	-
geosrs:ProjectedCRS	owl:equivalentClass	ifc:IfcProjectedCRS	-
geosrs:axis	owl:equivalentProperty	ifc:axis_IfcAxis1Placement	-
geosrs:sourceCRS	owl:equivalentProperty	ifc:sourceCRS	-
geosrs:targetCRS	owl:equivalentProperty	ifc:targetCRS	-

B.7. IGN Ontology

Table B.8 — Alignment: IGN Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CoordinateSystem	owl:equivalentClass	ign:CoordinateSystem	-
geosrs:Datum	owl:equivalentClass	ign:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	ign:Ellipsoid	-
geosrs:Conversion	owl:equivalentClass	ign:Conversion	-
geosrs:CoordinateOperation	owl:equivalentClass	ign:CoordinateOperation	-
geosrs:OperationMethod	owl:equivalentClass	ign:OperationMethod	-
geosrs:OperationParameter	owl:equivalentClass	ign:OperationParameter	-
geosrs:OperationParameterValue	owl:equivalentClass	ign:OperationParameterValue	-
geosrs:SingleOperation	owl:equivalentClass	ign:SingleOperation	-
geosrs:Transformation	owl:equivalentClass	ign:Transformation	-
geosrs:CartesianCoordinateSystem	owl:equivalentClass	ign:CartesianCS	-
geosrs:CoordinateSystem	owl:equivalentClass	ign:CoordinateSystem	-
geosrs:CoordinateSystemAxis	owl:equivalentClass	ign:CoordinateSystemAxis	-
geosrs:EllipsoidalCoordinateSystem	owl:equivalentClass	ign:EllipsoidalCS	-
geosrs:VerticalCoordinateSystem	owl:equivalentClass	ign:VerticalCS	-
geosrs:Datum	owl:equivalentClass	ign:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	ign:Ellipsoid	-
geosrs:GeodeticDatum	owl:equivalentClass	ign:GeodeticDatum	-
geosrs:PrimeMeridian	owl:equivalentClass	ign:PrimeMeridian	-
geosrs:VerticalDatum	owl:equivalentClass	ign:VerticalDatum	-
geosrs:AxesList	owl:equivalentClass	ign:AxesList	-

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CRS	owl:equivalentClass	ign:CRS	-
geosrs:CompoundCRS	owl:equivalentClass	ign:CompoundCRS	-
geosrs:Extent	owl:equivalentClass	ign:Extent	-
geosrs:GeodeticCRS	owl:equivalentClass	ign:GeodeticCRS	-
geosrs:GeographicBoundingBox	owl:equivalentClass	ign:GeographicBoundingBox	-
geosrs:ProjectedCRS	owl:equivalentClass	ign:ProjectedCRS	-
geosrs:SingleCRS	owl:equivalentClass	ign:SingleCRS	-
geosrs:SingleCRSList	owl:equivalentClass	ign:SingleCRSList	-
geosrs:VerticalCRS	owl:equivalentClass	ign:VerticalCRS	-

B.8. ISO19111 Ontology

Table B.9 — Alignment: ISO19111 Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CoordinateSystem	owl:equivalentClass	iso19111:CoordinateSystem	-
geosrs:Datum	owl:equivalentClass	iso19111:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	iso19111:Ellipsoid	-
geosrs:CRS	owl:equivalentClass	iso19111:CRS	-
geosrs:CompoundCRS	owl:equivalentClass	iso19111:CompoundCRS	-
geosrs:EngineeringCRS	owl:equivalentClass	iso19111:EngineeringCRS	-
geosrs:GeodeticCRS	owl:equivalentClass	iso19111:GeodeticCRS	-

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:GeographicCRS	owl:equivalentClass	iso19111:GeographicCRS	-
geosrs:ParametricCRS	owl:equivalentClass	iso19111:ParametricCRS	-
geosrs:ProjectedCRS	owl:equivalentClass	iso19111:ProjectedCRS	-
geosrs:SingleCRS	owl:equivalentClass	iso19111:SingleCRS	-
geosrs:TemporalCRS	owl:equivalentClass	iso19111:TemporalCRS	-
geosrs:VerticalCRS	owl:equivalentClass	iso19111:VerticalCRS	-

B.9. IFC Ontology

Table B.10 — Alignment: IFC Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:AxisDirection	owl:equivalentClass	ifc:IfcDirection	-
geosrs:CRS	owl:equivalentClass	ifc:IfcCoordinateReferenceSystem	-
geosrs:CoordinateOperation	owl:equivalentClass	ifc:IfcCoordinateOperation	-
geosrs:ProjectedCRS	owl:equivalentClass	ifc:IfcProjectedCRS	-
geosrs:axis	owl:equivalentProperty	ifc:axis_IfcAxis1Placement	-
geosrs:sourceCRS	owl:equivalentProperty	ifc:sourceCRS	-
geosrs:targetCRS	owl:equivalentProperty	ifc:targetCRS	-

B.10. IGN Ontology

Table B.11 — Alignment: IGN Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CoordinateSystem	owl:equivalentClass	ign:CoordinateSystem	-
geosrs:Datum	owl:equivalentClass	ign:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	ign:Ellipsoid	-
geosrs:Conversion	owl:equivalentClass	ign:Conversion	-
geosrs:CoordinateOperation	owl:equivalentClass	ign:CoordinateOperation	-
geosrs:OperationMethod	owl:equivalentClass	ign:OperationMethod	-
geosrs:OperationParameter	owl:equivalentClass	ign:OperationParameter	-
geosrs:OperationParameterValue	owl:equivalentClass	ign:OperationParameterValue	-
geosrs:SingleOperation	owl:equivalentClass	ign:SingleOperation	-
geosrs:Transformation	owl:equivalentClass	ign:Transformation	-
geosrs:CartesianCoordinateSystem	owl:equivalentClass	ign:CartesianCS	-
geosrs:CoordinateSystem	owl:equivalentClass	ign:CoordinateSystem	-
geosrs:CoordinateSystemAxis	owl:equivalentClass	ign:CoordinateSystemAxis	-
geosrs:EllipsoidalCoordinateSystem	owl:equivalentClass	ign:EllipsoidalCS	-
geosrs:VerticalCoordinateSystem	owl:equivalentClass	ign:VerticalCS	-
geosrs:Datum	owl:equivalentClass	ign:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	ign:Ellipsoid	-
geosrs:GeodeticDatum	owl:equivalentClass	ign:GeodeticDatum	-
geosrs:PrimeMeridian	owl:equivalentClass	ign:PrimeMeridian	-
geosrs:VerticalDatum	owl:equivalentClass	ign:VerticalDatum	-
geosrs:AxesList	owl:equivalentClass	ign:AxesList	-

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CRS	owl:equivalentClass	ign:CRS	-
geosrs:CompoundCRS	owl:equivalentClass	ign:CompoundCRS	-
geosrs:Extent	owl:equivalentClass	ign:Extent	-
geosrs:GeodeticCRS	owl:equivalentClass	ign:GeodeticCRS	-
geosrs:GeographicBoundingBox	owl:equivalentClass	ign:GeographicBoundingBox	-
geosrs:ProjectedCRS	owl:equivalentClass	ign:ProjectedCRS	-
geosrs:SingleCRS	owl:equivalentClass	ign:SingleCRS	-
geosrs:SingleCRSList	owl:equivalentClass	ign:SingleCRSList	-
geosrs:VerticalCRS	owl:equivalentClass	ign:VerticalCRS	-

B.11. ISO19111 Ontology

Table B.12 — Alignment: ISO19111 Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CoordinateSystem	owl:equivalentClass	iso19111:CoordinateSystem	-
geosrs:Datum	owl:equivalentClass	iso19111:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	iso19111:Ellipsoid	-
geosrs:CRS	owl:equivalentClass	iso19111:CRS	-
geosrs:CompoundCRS	owl:equivalentClass	iso19111:CompoundCRS	-
geosrs:EngineeringCRS	owl:equivalentClass	iso19111:EngineeringCRS	-
geosrs:GeodeticCRS	owl:equivalentClass	iso19111:GeodeticCRS	-

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:GeographicCRS	owl:equivalentClass	iso19111:GeographicCRS	-
geosrs:ParametricCRS	owl:equivalentClass	iso19111:ParametricCRS	-
geosrs:ProjectedCRS	owl:equivalentClass	iso19111:ProjectedCRS	-
geosrs:SingleCRS	owl:equivalentClass	iso19111:SingleCRS	-
geosrs:TemporalCRS	owl:equivalentClass	iso19111:TemporalCRS	-
geosrs:VerticalCRS	owl:equivalentClass	iso19111:VerticalCRS	-

B.12. IFC Ontology

Table B.13 — Alignment: IFC Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:AxisDirection	owl:equivalentClass	ifc:IfcDirection	-
geosrs:CRS	owl:equivalentClass	ifc:IfcCoordinateReferenceSystem	-
geosrs:CoordinateOperation	owl:equivalentClass	ifc:IfcCoordinateOperation	-
geosrs:ProjectedCRS	owl:equivalentClass	ifc:IfcProjectedCRS	-
geosrs:axis	owl:equivalentProperty	ifc:axis_IfcAxis1Placement	-
geosrs:sourceCRS	owl:equivalentProperty	ifc:sourceCRS	-
geosrs:targetCRS	owl:equivalentProperty	ifc:targetCRS	-

C

ANNEX C (INFORMATIVE) SHACL SHAPES

ANNEX C (INFORMATIVE) SHACL SHAPES

This section introduces SHACL shapes which can be used to verify graphs encoded using the vocabulary defined in this specification.

Overview

Overview

SHACL shapes in this specification are subdivided by the same module designations as used previously. In order to verify a graph a single validation file of SHACL shapes is provided alongside this specification.

C.1. SHACL Shapes: Core

Table C.1 — Core

LABEL	TARGETNODE	PROPERTY	CLASS	MINCOUNT	MAXCOUNT	COMMENT
Shape S1	geosrs:CRS	geosrs:coordinate System	geosrs:CoordinateSystem	1	1	A coordinate reference system should have exactly one coordinate system
Shape S2	geosrs:CRS	geosrs:domain OfValidity	geosrs:AreaOfUse	1	-	A coordinate reference system should have at least one area of use

LABEL	TARGETNODE	PROPERTY	CLASS	MINCOUNT	MAXCOUNT	COMMENT
Shape S3	geosrs:CRS	geosrs:datum	geosrs:Datum	1	1	A coordinate reference system should have exactly one datum
Shape S4	geosrs:CRS	geosrs:datum Ensemble	geosrs:DatumEnsemble	1	1	A coordinate reference system may have exactly one datum ensemble
Shape S5	geosrs: CompoundCRS	geosrs:includes SRS	geosrs:SingleCRS	1	-	A compound coordinate reference system should consist of at least one single coordinate reference system
Shape S6	geosrs: GeodeticCRS	geosrs:coordinate System	geosrs:GeodeticCoordinate System	1	1	A geodetic coordinate reference system should have exactly one geodetic coordinate system
Shape S7	geosrs: GeographicCRS	geosrs:datum	geosrs:GeodeticDatum	1	1	A geographic coordinate reference system should have exactly one geodetic datum
Shape S8	geosrs: GeographicCRS	geosrs:coordinate System	geosrs:EllipsoidalCoordinate System	1	1	A geographic coordinate reference

LABEL	TARGETNODE	PROPERTY	CLASS	MINCOUNT	MAXCOUNT	COMMENT
						system should have exactly one ellipsoidal coordinate system
Shape S9	geosrs: ParametricCRS	geosrs:datum	geosrs:ParametricDatum	1	1	A parametric coordinate reference system should have exactly one parametric datum
Shape S10	geosrs: ProjectedCRS	geosrs:conversion	geosrs:Conversion	1	-	A projected coordinate reference system should have at least one conversion
Shape S11	geosrs:Single CRS	geosrs:coordinate System	geosrs:CoordinateSystem	1	1	A single coordinate reference system should have exactly one coordinate system
Shape S12	geosrs:Single CRS	geosrs:datum	geosrs:Datum	1	1	A single coordinate reference system should have exactly one datum
Shape S13	geosrs: TemporalCRS	geosrs:datum	geosrs:TemporalDatum	1	1	A projected coordinate reference system should have exactly one temporal datum

C.2. SHACL Shapes: Datum

Table C.2 — Datum

LABEL	TARGETNODE	PROPERTY	CLASS	MINCOUNT	MAXCOUNT	COMMENT
Shape S1	geosrs:Parametric Datum	geosrs:defining Parameter	geosrs:Defining Parameter	1	-	A parametric datum should have at least one defining parameter

C.3. SHACL Shapes: Cs

Table C.3 — Cs

LABEL	TARGETNODE	PROPERTY	CLASS	MINCOUNT	MAXCOUNT	COMI
Shape S1	geosrs:3DCoordinateSystem	geosrs:axis	geosrs:Coordinate SystemAxis	3	-	A 3D coordinate system should have at least three axis
Shape S2	geosrs:ConicalCoordinateSystem	geosrs:axis	geosrs:Coordinate SystemAxis	3	-	A conical coordinate system should have at least three axis
Shape S3	geosrs:CoordinateSystem	geosrs:axis	geosrs:Coordinate SystemAxis	1	-	A coordinate system

LABEL	TARGETNODE	PROPERTY	CLASS	MINCOUNT	MAXCOUNT	COMI
						should have at least one axis
Shape S4	geosrs:CoordinateSystemAxis	geosrs:axis Direction	geosrs:AxisDirection	1	1	A coordinate system axis should have exactly one axis direction
Shape S5	geosrs:CylindricalCoordinateSystem	geosrs:axis	geosrs:Coordinate SystemAxis	3	-	A cylindrical coordinate system should have at least three axis
Shape S6	geosrs:DateTimeTemporal CoordinateSystem	geosrs:axis	geosrs:Coordinate SystemAxis	1	1	A date time temporal coordinate system should have exactly one axis
Shape S7	geosrs:PlanarCoordinateSystem	geosrs:axis	geosrs:Coordinate SystemAxis	2	-	A planar coordinate system should have at least

LABEL	TARGETNODE	PROPERTY	CLASS	MINCOUNT	MAXCOUNT	COMP
						two axis
Shape S8	geosrs:TemporalCoordinateSystem	geosrs:axis	geosrs:Coordinate SystemAxis	1	1	A temporal coordinate system should have exactly one axis
Shape S9	geosrs:TemporalCountCoordinate System	geosrs:axis	geosrs:Coordinate SystemAxis	1	1	A temporal count coordinate system should have exactly one axis
Shape S10	geosrs:TemporalMeasureCoordinate System	geosrs:axis	geosrs:Coordinate SystemAxis	1	1	A temporal measure coordinate system should have exactly one axis

D

ANNEX D (INFORMATIVE) APPLICATION EXAMPLES

D ANNEX D (INFORMATIVE) APPLICATION EXAMPLES

Overview

Overview

D.1. Minimum Example

D.2. Elaborate Example

E

ANNEX E (INFORMATIVE) JSON-LD CONTEXT

E ANNEX E (INFORMATIVE) JSON-LD CONTEXT

We provide JSON-LD contexts to be compatible with other JSON-based formats which provide coordinate reference system data.

Overview

Overview

E.1. Compatibility to PROJJSON

PROJSON is an established format to share geospatial data which has emerge from the PROJ library and encodes the WKT encoding of coordiante references systems. By adding a JSON-LD context to the PROJJSON standard we achieve an immediate compatibility with an established standard simply by extending it by one simple statement.

```
{
    "@context": "https://opengeospatial.github.io/ontology-crs/context/geosrs-context.json",
    "$schema": "https://proj.org/schemas/v0.7/projjson.schema.json",
    ...
}
```

<div align="center">**Listing E.1**</div>

We provide examples of application of this JSON-LD context with the distribution of this standard.

E.2. Compatibility to OGCJSON

The OGC CRS working group is aiming towards the creation of their own JSON format for CRS. The JSON-LD context we provide aims to be compatible with both PROJJSON and OGCJSON.

F

ANNEX F (INFORMATIVE) REVISION HISTORY

F ANNEX F
(INFORMATIVE)
REVISION HISTORY

DATE	RELEASE	AUTHOR	PRIMARY CLAUSES MODIFIED	DESCRIPTION
2016-04-28	0.1	G. Editor	all	initial version

BIBLIOGRAPHY

BIBLIOGRAPHY

NOTE: The TC has approved Springer LNCS as the official document citation type. Springer LNCS is widely used in technical and computer science journals and other publications For citations in the text please use square brackets and consecutive numbers: [1], [2], [3] Actual References: [n] Journal: Author Surname, A.: Title. Publication Title. Volume number, Issue number, Pages Used (Year Published)

[1]   ISO: ISO 19142, *Geographic information — Web Feature Service*. International Organization for Standardization, Geneva https://www.iso.org/standard/42136.html.

[2]   W3C: **Data Catalog Vocabulary,** W3C Recommendation 16 January 2014, https://www.w3.org/TR/vocab-dcat/

[3]   IANA: **Link Relation Types,** https://www.iana.org/assignments/link-relations/link-relations.xml

[4]   W3C/OGC: **Spatial Data on the Web Best Practices,** W3C Working Group Note 28 September 2017, https://www.w3.org/TR/sdw-bp/

[5]   W3C: **Data on the Web Best Practices,** W3C Recommendation 31 January 2017, https://www.w3.org/TR/dwbp/

[6]   Ben-Kiki, O., Evans, C., Ingy döt Net: **YAML Ain't Markup Language,** https://yaml.org/

[7]   OGC: **Web Feature Service 2.0,** http://docs.opengeospatial.org/is/09-025r2/09-025r2.html

[8]   Berners-Lee, T., Fielding, R., Masinter, L.: **IETF RFC 3986 — Uniform Resource Identifier (URI): Generic Syntax,** http://tools.ietf.org/rfc/rfc3986.txt

[9]   Car NJ, Homburg T: GeoSPARQL 1.1: Motivations, Details and Applications of the Decadal Update to the Most Important Geospatial LOD Standard. *ISPRS International Journal of Geo-Information* vol. 11 no. 2, p. 117 (2022).