

OGC® DOCUMENT: 18-053R2

External identifier of this OGC® document: <http://www.opengis.net/docs/CS/3DTiles/1.0>



Open
Geospatial
Consortium

OGC DOCUMENT TITLE

COMMUNITY STANDARD

APPROVED

Version: 1.0

Submission Date: 2018-06-04

Approval Date: 2018-12-14

Publication Date: 2019-01-31

Editor: Patrick Cozzi, Sean Lilley

Notice: This document is an OGC Member approved international standard. This document is available on a royalty free, non-discriminatory basis. Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

License Agreement

Use of this document is subject to the license agreement at <https://www.ogc.org/license>

Copyright notice

Copyright © 2025 Open Geospatial Consortium

To obtain additional rights of use, visit <https://www.ogc.org/legal>

Note

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. The Open Geospatial Consortium shall not be held responsible for identifying any or all such patent rights.

Recipients of this document are requested to submit, with their comments, notification of any relevant patent claims or other intellectual property rights of which they may be aware that might be infringed by any implementation of the standard set forth in this document, and to provide supporting documentation.

CONTENTS

I. ABSTRACT	xii
II. KEYWORDS	xii
III. PREFACE	xiii
IV. SECURITY CONSIDERATIONS	xiv
V. SUBMITTERS	xiv
VI. SOURCE OF THE CONTENT FOR THIS OGC DOCUMENT	xiv
VII. VALIDITY OF CONTENT	xiv
VIII. FUTURE WORK	xiv
IX. CONTRIBUTORS	xv
1. SCOPE	2
2. CONFORMANCE	4
3. NORMATIVE REFERENCES	6
4. TERMS AND DEFINITIONS	8
5. CONVENTIONS	10
5.1. Identifiers	10
5.2. Other conventions	10
6. CORE	12
6.1. Coordinate Reference System Types	12
7. COORDINATE OPERATION MODULE	18
8. COORDINATE SYSTEM MODULE	20
8.1. Celestial Coordinate Systems	20
8.2. Coordinate System Types	22
8.3. Orthogonal Coordinate Systems	26
9. DATUM MODULE	28

9.1. DatumTypes	28
10. SRS APPLICATION MODULE	32
11. PROJECTIONS MODULE	34
11.1. Azimuthal Projections	35
11.2. Compromise Projections	36
11.3. Conformal Projections	40
11.4. Conical Projections	42
11.5. Cylindrical Projections	45
11.6. Equal Area Projections	49
11.7. Equidistant Projections	51
11.8. Globular Projections	53
11.9. Lenticular Projections	54
11.10. Minimum Error Projections	58
11.11. Perspective Projections	59
11.12. Polyconic Projections	62
11.13. Polyhedral Projections	66
11.14. Pseudo Azimuthal Projections	70
11.15. Pseudo Conical Projections	71
11.16. Pseudo Cylindrical Projections	73
11.17. Stereographic Projections	88
12. PLANET MODULE	91
ANNEX A (INFORMATIVE) ALIGNMENTS	95
Overview	
A.1. IGN Ontology	95
A.2. ISO19111 Ontology	97
A.3. IFC Ontology	98
ANNEX B (INFORMATIVE) SHACL SHAPES	100
Overview	
ANNEX C (INFORMATIVE) REVISION HISTORY	102
BIBLIOGRAPHY	104

LIST OF TABLES

Table 1 — geosrs:BoundCRS	12
Table 2 — geosrs:CompoundCRS	13
Table 3 — geosrs:GeocentricCRS	13
Table 4 — geosrs:ParametricCRS	13

Table 5 – geosrs:SelenographicCRS	14
Table 6 – geosrs:SpatioParametricCompoundCRS	14
Table 7 – geosrs:SpatioParametricTemporalCompoundCRS	14
Table 8 – geosrs:SpatioTemporalCompoundCRS	15
Table 9 – geosrs:StaticCRS	15
Table 10 – geosrs:TemporalCRS	15
Table 11 – geosrs:VerticalCRS	15
Table 12 – geosrs:EclipticCoordinateSystem	20
Table 13 – geosrs:EquatorialCoordinateSystem	21
Table 14 – geosrs:GalacticCoordinateSystem	21
Table 15 – geosrs:HorizontalCoordinateSystem	21
Table 16 – geosrs:PerifocalCoordinateSystem	22
Table 17 – geosrs:SuperGalacticCS	22
Table 18 – geosrs:1DCoordinateSystem	23
Table 19 – geosrs:3DCoordinateSystem	23
Table 20 – geosrs:AffineCoordinateSystem	23
Table 21 – geosrs:BarycentricCoordinateSystem	23
Table 22 – geosrs:CelestialCoordinateSystem	24
Table 23 – geosrs:CurvilinearCoordinateSystem	24
Table 24 – geosrs:GeodeticCoordinateSystem	24
Table 25 – geosrs:GridCoordinateSystem	25
Table 26 – geosrs:LocalCoordinateSystem	25
Table 27 – geosrs:ObliqueCoordinateSystem	25
Table 28 – geosrs:PlanarCoordinateSystem	25
Table 29 – geosrs:ConicalCoordinateSystem	26
Table 30 – geosrs:DynamicGeodeticReferenceFrame	28
Table 31 – geosrs:DynamicVerticalDatum	29
Table 32 – geosrs:ParametricDatum	29
Table 33 – geosrs:EngineeringDatum	29
Table 34 – geosrs:TemporalDatum	30
Table 35 – geosrs:DatumEnsemble	30
Table 36 – geosrs:BreusingGeometricProjection	35
Table 37 – geosrs:BreusingHarmonicProjection	35
Table 38 – geosrs:GinzburgIIProjection	35
Table 39 – geosrs:GinzburgIProjection	36
Table 40 – geosrs:GnomonicProjection	36
Table 41 – geosrs:JamesAzimuthalProjection	36
Table 42 – geosrs:ArmadilloProjection	37
Table 43 – geosrs:BakerDinomicProjection	37
Table 44 – geosrs:BertinProjection	37
Table 45 – geosrs:ChamberlinTrimetricProjection	37

Table 46 – geosrs:DenoyerSemiEllipticalProjection	38
Table 47 – geosrs:FairgrieveProjection	38
Table 48 – geosrs:LarriveeProjection	38
Table 49 – geosrs:PetermannStarProjection	38
Table 50 – geosrs:SpilhausOceanicProjection	39
Table 51 – geosrs:VanDerGrintenIIIProjection	39
Table 52 – geosrs:WinkelIIIProjection	39
Table 53 – geosrs:WinkelIIProjection	39
Table 54 – geosrs:WinkelSnyderProjection	39
Table 55 – geosrs:AdamsProjection	40
Table 56 – geosrs:AdamsWorldInASquareIIProjection	40
Table 57 – geosrs:AdamsWorldInASquareIProjection	41
Table 58 – geosrs:AugustEpicycloidalProjection	41
Table 59 – geosrs:CoxConformalProjection	41
Table 60 – geosrs:EisenlohrProjection	41
Table 61 – geosrs:GS50Projection	42
Table 62 – geosrs:PeirceQuincuncialProjection	42
Table 63 – geosrs:StereographicProjection	42
Table 64 – geosrs:BipolarObliqueConicConformalProjection	43
Table 65 – geosrs:CentralConicProjection	43
Table 66 – geosrs:HerschelConformalConicProjection	43
Table 67 – geosrs:Krovak	43
Table 68 – geosrs:LambertConformalConicProjection	44
Table 69 – geosrs:MurdochIIIProjection	44
Table 70 – geosrs:MurdochIIProjection	44
Table 71 – geosrs:MurdochIProjection	44
Table 72 – geosrs:SchjernerIProjection	44
Table 73 – geosrs:VitkovskyIProjection	45
Table 74 – geosrs:ArdenCloseProjection	45
Table 75 – geosrs:BraunPerspectiveProjection	46
Table 76 – geosrs:CompactMillerProjection	46
Table 77 – geosrs:CylindricalStereographicProjection	46
Table 78 – geosrs:KarchenkoShabanovaProjection	46
Table 79 – geosrs:LabordeProjection	46
Table 80 – geosrs:MercatorProjection	47
Table 81 – geosrs:MillerProjection	47
Table 82 – geosrs:PattersonCylindricalProjection	47
Table 83 – geosrs:PavlovProjection	47
Table 84 – geosrs:ToblerCylindricalIIIProjection	48
Table 85 – geosrs:ToblerCylindricalIIProjection	48
Table 86 – geosrs:UrmayevIIIProjection	48

Table 87 – geosrs:WebMercatorProjection	48
Table 88 – geosrs:AlbersEqualAreaProjection	49
Table 89 – geosrs:AzimuthalEqualAreaProjection	49
Table 90 – geosrs:CylindricalEqualArea	49
Table 91 – geosrs:GallPetersProjection	50
Table 92 – geosrs:HoboDyerProjection	50
Table 93 – geosrs:LambertAzimuthalEqualArea	50
Table 94 – geosrs:TrystanEdwardsProjection	50
Table 95 – geosrs:WiechelProjection	51
Table 96 – geosrs:AzimuthalEquidistantProjection	51
Table 97 – geosrs:BerghausStarProjection	51
Table 98 – geosrs:CassiniProjection	52
Table 99 – geosrs:EquidistantConicProjection	52
Table 100 – geosrs:EquidistantCylindricalProjection	52
Table 101 – geosrs:EquirectangularProjection	52
Table 102 – geosrs:ObliquePlateCarreeProjection	53
Table 103 – geosrs:PlateCarreeProjection	53
Table 104 – geosrs:TwoPointEquidistantProjection	53
Table 105 – geosrs:ApianGlobularIProjection	54
Table 106 – geosrs:BaconGlobularProjection	54
Table 107 – geosrs:FournierGlobularIProjection	54
Table 108 – geosrs:A4Projection	55
Table 109 – geosrs:BriesemeisterProjection	55
Table 110 – geosrs:CiricIProjection	55
Table 111 – geosrs:CupolaProjection	55
Table 112 – geosrs:DedistortProjection	56
Table 113 – geosrs:DietrichKitadaProjection	56
Table 114 – geosrs:FranculaIIIProjection	56
Table 115 – geosrs:FranculaIVProjection	56
Table 116 – geosrs:FranculaXProjection	57
Table 117 – geosrs:FranculaVIIIProjection	57
Table 118 – geosrs:FranculaVProjection	57
Table 119 – geosrs:FranculaXIIIProjection	57
Table 120 – geosrs:FranculaXIIProjection	58
Table 121 – geosrs:FranculaXIVProjection	58
Table 122 – geosrs:HamusoidalProjection	58
Table 123 – geosrs:KissProjection	58
Table 124 – geosrs:AiryProjection	59
Table 125 – geosrs:CentralCylindricalProjection	59
Table 126 – geosrs:GeneralVerticalPerspectiveProjection	60
Table 127 – geosrs:GilbertTwoWorldPerspectiveProjection	60

Table 128 – geosrs:LaHireProjection	60
Table 129 – geosrs:LorgnaProjection	60
Table 130 – geosrs:LowryProjection	61
Table 131 – geosrs:OrthographicProjection	61
Table 132 – geosrs:PerspectiveConicProjection	61
Table 133 – geosrs:TiltedPerspectiveProjection	61
Table 134 – geosrs:VerticalPerspectiveProjection	62
Table 135 – geosrs:GinzburgIVProjection	62
Table 136 – geosrs:GinzburgIXProjection	62
Table 137 – geosrs:GinzburgVIPProjection	63
Table 138 – geosrs:GinzburgVProjection	63
Table 139 – geosrs:GottWagnerProjection	63
Table 140 – geosrs:HillEucyclicProjection	63
Table 141 – geosrs:LagrangeProjection	64
Table 142 – geosrs:LaskowskiProjection	64
Table 143 – geosrs:RectangularPolyconicProjection	64
Table 144 – geosrs:StabiusWernerIIIProjection	64
Table 145 – geosrs:StabiusWernerIProjection	64
Table 146 – geosrs:VanDerGrintenIIProjection	65
Table 147 – geosrs:VanDerGrintenIProjection	65
Table 148 – geosrs:VanDerGrintenIVProjection	65
Table 149 – geosrs:WagnerIXProjection	65
Table 150 – geosrs:WagnerVIIIProjection	66
Table 151 – geosrs:WagnerVIIProjection	66
Table 152 – geosrs:AuthaGraphProjection	67
Table 153 – geosrs:CahillKeyesProjection	67
Table 154 – geosrs:CollignonButterflyProjection	67
Table 155 – geosrs:DodecahedralProjection	67
Table 156 – geosrs:DymaxionProjection	67
Table 157 – geosrs:GnomonicButterflyProjection	68
Table 158 – geosrs:GnomonicCubedSphereProjection	68
Table 159 – geosrs:GnomonicIcosahedronProjection	68
Table 160 – geosrs:GyouyouProjection	68
Table 161 – geosrs:IcosahedralProjection	69
Table 162 – geosrs:LeeProjection	69
Table 163 – geosrs:MyrahedralProjection	69
Table 164 – geosrs:OctantProjection	69
Table 165 – geosrs:QuadrilateralizedSphericalCubeProjection	70
Table 166 – geosrs:WatermanButterflyProjection	70
Table 167 – geosrs:AitoffObliqueProjection	70
Table 168 – geosrs:AitoffProjection	71

Table 169 – geosrs:HammerProjection	71
Table 170 – geosrs:Strebe1995Projection	71
Table 171 – geosrs:WinkelTripelProjection	71
Table 172 – geosrs:AmericanPolyconicProjection	72
Table 173 – geosrs:BonneProjection	72
Table 174 – geosrs:BottomleyProjection	72
Table 175 – geosrs:NicolosiGlobularProjection	73
Table 176 – geosrs:PtolemyIIProjection	73
Table 177 – geosrs:WernerProjection	73
Table 178 – geosrs:ApianIIProjection	74
Table 179 – geosrs:AtlantisProjection	74
Table 180 – geosrs:BaranyIIIProjection	75
Table 181 – geosrs:BaranyIIProjection	75
Table 182 – geosrs:BaranyIProjection	75
Table 183 – geosrs:BaranyIVProjection	75
Table 184 – geosrs:BoggsEumorphicProjection	75
Table 185 – geosrs:BromleyProjection	76
Table 186 – geosrs:CabotProjection	76
Table 187 – geosrs:CollignonProjection	76
Table 188 – geosrs:CrasterParabolicProjection	76
Table 189 – geosrs:DeakinMinimumErrorProjection	77
Table 190 – geosrs:Eckert1Projection	77
Table 191 – geosrs:Eckert2Projection	77
Table 192 – geosrs:Eckert3Projection	77
Table 193 – geosrs:Eckert4Projection	78
Table 194 – geosrs:Eckert5Projection	78
Table 195 – geosrs:Eckert6Projection	78
Table 196 – geosrs:EqualEarthProjection	78
Table 197 – geosrs:FaheyProjection	78
Table 198 – geosrs:FoucautProjection	79
Table 199 – geosrs:FoucautSinusoidalProjection	79
Table 200 – geosrs:FournierIIProjection	79
Table 201 – geosrs:GinzburgVIIIProjection	79
Table 202 – geosrs:GoodeHomolosineProjection	80
Table 203 – geosrs:HEALPixProjection	80
Table 204 – geosrs:HufnagelProjection	80
Table 205 – geosrs:Kavrayskiy7Projection	80
Table 206 – geosrs:LoximuthalProjection	80
Table 207 – geosrs:MayrProjection	81
Table 208 – geosrs:McBrydeThomasFlatPolarParabolicProjection	81
Table 209 – geosrs:McBrydeThomasFlatPolarQuarticProjection	81

Table 210 – geosrs:McBrydeThomasFlatPolarSinusoidalProjection	81
Table 211 – geosrs:McBrydeThomasIIProjection	82
Table 212 – geosrs:McBrydeThomasIProjection	82
Table 213 – geosrs:NaturalEarth2Projection	82
Table 214 – geosrs:NaturalEarthProjection	82
Table 215 – geosrs:NellHammerProjection	83
Table 216 – geosrs:NellProjection	83
Table 217 – geosrs:OrteliusOvalProjection	83
Table 218 – geosrs:PutninsP1Projection	83
Table 219 – geosrs:PutninsP2Projection	83
Table 220 – geosrs:PutninsP3Projection	84
Table 221 – geosrs:PutninsP5Projection	84
Table 222 – geosrs:PutninsP6Projection	84
Table 223 – geosrs:QuarticAuthalicProjection	84
Table 224 – geosrs:RobinsonProjection	85
Table 225 – geosrs:SinusoidalProjection	85
Table 226 – geosrs:TheTimesProjection	85
Table 227 – geosrs:ToblerG1Projection	85
Table 228 – geosrs:ToblerHyperellipticalProjection	85
Table 229 – geosrs:WagnerIIIProjection	86
Table 230 – geosrs:WagnerIIProjection	86
Table 231 – geosrs:WagnerIProjection	86
Table 232 – geosrs:WagnerIVProjection	86
Table 233 – geosrs:WagnerVProjection	87
Table 234 – geosrs:WagnerVProjection	87
Table 235 – geosrs:WerenskioldIProjection	87
Table 236 – geosrs:PutninsP3'Projection	87
Table 237 – geosrs:PutninsP4'Projection	87
Table 238 – geosrs:PutninsP5'Projection	88
Table 239 – geosrs:PutninsP6'Projection	88
Table 240 – geosrs:MillerOblatedStereographicProjection	88
Table 241 – geosrs:RoussilheProjection	89
Table A.1 – Alignment: Namespaces	95
Table A.2 – Alignment: IGN Ontology	96
Table A.3 – Alignment: ISO19111 Ontology	97
Table A.4 – Alignment: IFC Ontology	98

LIST OF RECOMMENDATIONS

.....	12
.....	20
.....	28
.....	34
.....	12
.....	20
.....	22
.....	26
.....	28
.....	35
.....	36
.....	40
.....	42
.....	45
.....	49
.....	51
.....	53
.....	54
.....	59
.....	59
.....	62
.....	66
.....	70
.....	72
.....	73
.....	88



ABSTRACT

<Insert Abstract Text here>



KEYWORDS

The following are keywords to be used by search engines and document catalogues.

keyword_1, keyword_2, keyword_3, etc.



PREFACE

NOTE: Insert Preface Text here. Give OGC specific commentary: describe the technical content, reason for document, history of the document and precursors, and plans for future work.

There are two ways to specify the Preface: “simple clause” or “full clause”

If the Preface does not contain subclauses, it is considered a simple preface clause. This one is entered as text after the `.Preface` label and must be placed between the AsciiDoc document attributes and the first AsciiDoc section title. It should not be give a section title of its own.

If the Preface contains subclauses, it needs to be encoded as a full preface clause. This one is recognized as a full Metanorma AsciiDoc section with the title “Preface”, i.e. `== Preface`. (Simple preface content can also be encoded like full preface.)



SECURITY CONSIDERATIONS

No security considerations have been made for this Standard.



SUBMITTERS

All questions regarding this submission should be directed to the editor or the submitters:

NAME	AFFILIATION	OGC MEMBER
Steve Liang	University of Calgary, Canada / SensorUp Inc.	Yes



SOURCE OF THE CONTENT FOR THIS OGC DOCUMENT



VALIDITY OF CONTENT



FUTURE WORK

NOTE:If you need to place any further sections in the preface area use the [.preface] attribute.



CONTRIBUTORS

Additional contributors to this Standard include the following:

Individual name(s), Organization



1

SCOPE



SCOPE

<Insert Scope text here>

NOTE: Give the subject of the document and the aspects of that scope covered by the document.



2

CONFORMANCE



CONFORMANCE

<Insert conformance content here>

NOTE: Provide a short description of the content approached in subsequent sections and the main subject of the document



3

NORMATIVE REFERENCES

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Identification of Common Molecular Subsequences. Smith, T.F., Waterman, M.S., J. Mol. Biol. 147, 195–197 (1981)

ZIB Structure Prediction Pipeline: Composing a Complex Biological Workflow through Web Services. May, P., Ehrlich, H.C., Steinke, T. In: Nagel, W.E., Walter, W.V., Lehner, W. (eds.) Euro-Par 2006. LNCS, vol. 4128, pp. 1148–1158. Springer, Heidelberg (2006)

The Grid: Blueprint for a New Computing Infrastructure., Foster, I., Kesselman, C.. Morgan Kaufmann, San Francisco (1999).

Grid Information Services for Distributed Resource Sharing. Czajkowski, K., Fitzgerald, S., Foster, I., Kesselman, C. In: 10th IEEE International Symposium on High Performance Distributed Computing, pp. 181–184. IEEE Press, New York (2001)



4

TERMS AND DEFINITIONS

This document uses the terms defined in OGC Policy Directive 49, which is based on the ISO/IEC Directives, Part 2, Rules for the structure and drafting of International Standards. In particular, the word “shall” (not “must”) is the verb form used to indicate a requirement to be strictly followed to conform to this document and OGC documents do not use the equivalent phrases in the ISO/IEC Directives, Part 2.

This document also uses terms defined in the OGC Standard for Modular specifications (OGC 08-131r3), also known as the ‘ModSpec’. The definitions of terms such as standard, specification, requirement, and conformance test are provided in the ModSpec.

For the purposes of this document, the following additional terms and definitions apply.

4.1. example term

term used for exemplary purposes

Note 1 to entry: An example note.

Example Here’s an example of an example term.

[SOURCE:]



5

CONVENTIONS

NOTE: This section provides details and examples for any conventions used in the document. Examples of conventions are symbols, abbreviations, use of XML schema, or special notes regarding how to read the document.

5.1. Identifiers

The normative provisions in this standard are denoted by the URI

<http://www.opengis.net/spec/{standard}/{m.n}>

All requirements and conformance tests that appear in this document are denoted by partial URIs which are relative to this base.

5.2. Other conventions

<Place any other convention needed with its corresponding title>



6

CORE

This clause establishes the **Core** Requirements class, with IRI `/req/core`, which has a corresponding Conformance Class, **Core**, with IRI `/conf/core`.

Requirements class 1: 06-core.adoc Extension

IDENTIFIER	<code>/req/06-core.adoc</code>
TARGET TYPE	Implementation Specification
REQUIREMENT	<code>/req/Coordinate_Reference_System_Types</code>

6.1. Coordinate Reference System Types

Requirement 1: Coordinate Reference System Types

IDENTIFIER	<code>/req/Coordinate_Reference_System_Types</code>
STATEMENT	Implementations shall allow the RDFS classes <code>geosrs:BoundCRS</code> , <code>geosrs:CompoundCRS</code> , <code>geosrs:EngineeringCRS</code> , <code>geosrs:GeocentricCRS</code> , <code>geosrs:GeodeticCRS</code> , <code>geosrs:GeographicCRS</code> , <code>geosrs:ParametricCRS</code> , <code>geosrs:ProjectedCRS</code> , <code>geosrs:SelenographicCRS</code> , <code>geosrs:SpatioParametricCompoundCRS</code> , <code>geosrs:SpatioParametricTemporalCompoundCRS</code> , <code>geosrs:SpatioTemporalCompoundCRS</code> , <code>geosrs:StaticCRS</code> , <code>geosrs:TemporalCRS</code> , <code>geosrs:VerticalCRS</code> to be used in SPARQL graph patterns.

6.1.1. Class: `geosrs:BoundCRS`

Table 1 — `geosrs:BoundCRS`

URI	https://w3id.org/geosrs/srs/BoundCRS
Super-classes	BoundCRS

6.1.2. Class: geosrs:CompoundCRS

Table 2 — geosrs:CompoundCRS

URI	https://w3id.org/geosrs/srs/CompoundCRS
Definition	Coordinate reference system using at least two independent single coordinate reference systems. Cf. ISO 19111:2007:2007-07, parts 8.2.3.c, 8.2.4, table 6 and annex B.1.2.4.
Super-classes	CompoundCRS

6.1.3. Class: geosrs:GeocentricCRS

Table 3 — geosrs:GeocentricCRS

URI	https://w3id.org/geosrs/srs/GeocentricCRS
Definition	A cartesian coordinate reference system that represents locations in the vicinity of the Earth (including its surface, interior, atmosphere, and surrounding outer space) as X, Y, and Z measurements from its center of mass. Commonly used to track the orbits of satellites.
Super-classes	GeocentricCRS

6.1.4. Class: geosrs:ParametricCRS

Table 4 — geosrs:ParametricCRS

URI	https://w3id.org/geosrs/srs/ParametricCRS
Definition	Coordinate Reference System based on a parametric datum
Super-classes	ParametricCRS

6.1.5. Class: geosrs:SelenographicCRS

Table 5 — geosrs:SelenographicCRS

URI	https://w3id.org/geosrs/srs/SelenographicCRS
Definition	Coordinate Reference System to refer locations on the surface of the Earth's Moon.
Super-classes	SelenographicCRS

6.1.6. Class: geosrs:SpatioParametricCompoundCRS

Table 6 — geosrs:SpatioParametricCompoundCRS

URI	https://w3id.org/geosrs/srs/SpatioParametricCompoundCRS
Definition	A spatio-parametric coordinate reference system is a compound CRS in which one component is a geographic 2D, projected 2D or engineering 2D CRS, supplemented by a parametric CRS to create a three-dimensional CRS
Super-classes	SpatioParametricCompoundCRS

6.1.7. Class: geosrs:SpatioParametricTemporalCompoundCRS

Table 7 — geosrs:SpatioParametricTemporalCompoundCRS

URI	https://w3id.org/geosrs/srs/SpatioParametricTemporalCompoundCRS
Definition	Coordinate reference system combining a spatio-parametric reference system with at least one temporal reference system
Super-classes	SpatioParametricTemporalCompoundCRS

6.1.8. Class: geosrs:SpatioTemporalCompoundCRS

Table 8 — geosrs:SpatioTemporalCompoundCRS

URI	https://w3id.org/geosrs/srs/SpatioTemporalCompoundCRS
Definition	Coordinate reference system combining a spatial reference system with at least one temporal reference system
Super-classes	SpatioTemporalCompoundCRS

6.1.9. Class: geosrs:StaticCRS

Table 9 — geosrs:StaticCRS

URI	https://w3id.org/geosrs/srs/StaticCRS
Definition	Coordinate Reference System that has a static reference frame
Super-classes	StaticCRS

6.1.10. Class: geosrs:TemporalCRS

Table 10 — geosrs:TemporalCRS

URI	https://w3id.org/geosrs/srs/TemporalCRS
Definition	Coordinate Reference System based on a temporal datum
Super-classes	TemporalCRS

6.1.11. Class: geosrs:VerticalCRS

Table 11 — geosrs:VerticalCRS

URI	https://w3id.org/geosrs/srs/VerticalCRS
Definition	One-dimensional coordinate reference system associated with a vertical datum and used for recording heights or depths. Ellipsoidal heights are not captured in a vertical coordinate reference system but as part of a 3D coordinates tuple defined in a geodetic 3D coordinate

	reference system. Cf. ISO 19111:2007:2007-07, parts 8.2.2.b, table 14 and annex B.1.2.1.b.
Super-classes	<u>VerticalCRS</u>

7

COORDINATE OPERATION MODULE

7

COORDINATE OPERATION MODULE

This clause establishes the **Co** Requirements class, with IRI /req/co, which has a corresponding Conformance Class, **Co**, with IRI /conf/co.



8

COORDINATE SYSTEM MODULE

This clause establishes the **CS** Requirements class, with IRI `/req/cs`, which has a corresponding Conformance Class, **CS**, with IRI `/conf/cs`.

Requirements class 2: 08-cs_extension.adoc Extension

IDENTIFIER	<code>/req/08-cs_extension.adoc</code>
TARGET TYPE	Implementation Specification
	<code>/req/Coordinate_System_Types</code>
REQUIREMENT	<code>/req/Orthogonal_Coordinate_Systems</code>
	<code>/req/Celestial_Coordinate_Systems</code>

8.1. Celestial Coordinate Systems

Requirement 2: Celestial Coordinate Systems

IDENTIFIER	<code>/req/Celestial_Coordinate_Systems</code>
STATEMENT	Implementations shall allow the RDFS classes <code>geosrs:EclipticCoordinateSystem</code> , <code>geosrs:EquatorialCoordinateSystem</code> , <code>geosrs:GalacticCoordinateSystem</code> , <code>geosrs:HorizontalCoordinateSystem</code> , <code>geosrs:PerifocalCoordinateSystem</code> , <code>geosrs:SuperGalacticCS</code> to be used in SPARQL graph patterns.

8.1.1. Class: `geosrs:EclipticCoordinateSystem`

Table 12 — `geosrs:EclipticCoordinateSystem`

URI	https://w3id.org/geosrs/cs/EclipticCoordinateSystem
Definition	An ecliptic coordinate system is used for representing the apparent positions and orbits of solar system objects.
Super-classes	<code>EclipticCoordinateSystem</code>

8.1.2. Class: geosrs:EquatorialCoordinateSystem

Table 13 — geosrs:EquatorialCoordinateSystem

URI	https://w3id.org/geosrs/cs/EquatorialCoordinateSystem
Definition	A celestial coordinate system in which an object's position on the celestial sphere is described in terms of its north-south declination and east-west right ascension, measured relative to the celestial equator and vernal equinox, respectively.
Super-classes	EquatorialCoordinateSystem

8.1.3. Class: geosrs:GalacticCoordinateSystem

Table 14 — geosrs:GalacticCoordinateSystem

URI	https://w3id.org/geosrs/cs/GalacticCoordinateSystem
Definition	A coordinate system with the Sun as its center, the primary direction aligned with the approximate center of the Milky Way Galaxy, and the fundamental plane parallel to an approximation of the galactic plane but offset to its north.
Super-classes	CelestialCoordinateSystem 3DCoordinateSystem

8.1.4. Class: geosrs:HorizontalCoordinateSystem

Table 15 — geosrs:HorizontalCoordinateSystem

URI	https://w3id.org/geosrs/cs/HorizontalCoordinateSystem
Definition	A horizontal coordinate system is a celestial coordinate system that uses the observer's local horizon as the fundamental plane.
Super-classes	HorizontalCoordinateSystem

8.1.5. Class: geosrs:PerifocalCoordinateSystem

Table 16 — geosrs:PerifocalCoordinateSystem

URI	https://w3id.org/geosrs/cs/PerifocalCoordinateSystem
Definition	A frame of reference centered at the focus of the orbit, i.e. the celestial body about which the orbit is centered.
Super-classes	PerifocalCoordinateSystem

8.1.6. Class: geosrs:SuperGalacticCS

Table 17 — geosrs:SuperGalacticCS

URI	https://w3id.org/geosrs/cs/SuperGalacticCS
Definition	A reference frame for the supercluster of galaxies that contains the Milky Way galaxy, referenced to a local relatively flat collection of galaxy clusters used to define the supergalactic plane.
Super-classes	CelestialCoordinateSystem 3DCoordinateSystem

8.2. Coordinate System Types

Requirement 3: Coordinate System Types

IDENTIFIER /req/Coordinate_System_Types

STATEMENT Implementations shall allow the RDFS classes geosrs:1DCoordinateSystem, geosrs:3DCoordinateSystem, geosrs:AffineCoordinateSystem, geosrs:BarycentricCoordinateSystem, geosrs:CartesianCoordinateSystem, geosrs:CelestialCoordinateSystem, geosrs:CurvilinearCoordinateSystem, geosrs:GeodeticCoordinateSystem, geosrs:GridCoordinateSystem, geosrs:LocalCoordinateSystem, geosrs:ObliqueCoordinateSystem, geosrs:OrdinalCoordinateSystem, geosrs:PlanarCoordinateSystem to be used in SPARQL graph patterns.

8.2.1. Class: geosrs:1DCoordinateSystem

Table 18 — geosrs:1DCoordinateSystem

URI	https://w3id.org/geosrs/cs/1DCoordinateSystem
Definition	Non-repeating sequence of coordinate system axes that spans a given coordinate space in one dimension
Super-classes	1DCoordinateSystem

8.2.2. Class: geosrs:3DCoordinateSystem

Table 19 — geosrs:3DCoordinateSystem

URI	https://w3id.org/geosrs/cs/3DCoordinateSystem
Definition	Non-repeating sequence of coordinate system axes that spans a given coordinate space in three dimensions
Super-classes	3DCoordinateSystem

8.2.3. Class: geosrs:AffineCoordinateSystem

Table 20 — geosrs:AffineCoordinateSystem

URI	https://w3id.org/geosrs/cs/AffineCoordinateSystem
Definition	Coordinate system in Euclidean space with straight axes that are not necessarily mutually perpendicular
Super-classes	AffineCoordinateSystem

8.2.4. Class: geosrs:BarycentricCoordinateSystem

Table 21 — geosrs:BarycentricCoordinateSystem

URI	https://w3id.org/geosrs/cs/BarycentricCoordinateSystem
-----	---

Definition	A coordinate system in which the location of a point is specified by reference to a simplex (a triangle for points in a plane, a tetrahedron for points in three-dimensional space, etc.)
Super-classes	<u>BarycentricCoordinateSystem</u>

8.2.5. Class: geosrs:CelestialCoordinateSystem

Table 22 — geosrs:CelestialCoordinateSystem

URI	<u>https://w3id.org/geosrs/cs/CelestialCoordinateSystem</u>
Definition	A coordinate system for specifying positions of celestial objects relative to physical reference points
Super-classes	<u>CelestialCoordinateSystem</u>

8.2.6. Class: geosrs:CurvilinearCoordinateSystem

Table 23 — geosrs:CurvilinearCoordinateSystem

URI	<u>https://w3id.org/geosrs/cs/CurvilinearCoordinateSystem</u>
Definition	A coordinate system for the Euclidean space in which the coordinate lines may be curved
Super-classes	<u>CurvilinearCoordinateSystem</u>

8.2.7. Class: geosrs:GeodeticCoordinateSystem

Table 24 — geosrs:GeodeticCoordinateSystem

URI	<u>https://w3id.org/geosrs/cs/GeodeticCoordinateSystem</u>
Definition	Coordinate system used by a Geodetic CRS, one of a Cartesian coordinate system or a spherical coordinate system.
Super-classes	<u>GeodeticCoordinateSystem</u>

8.2.8. Class: geosrs:GridCoordinateSystem

Table 25 — geosrs:GridCoordinateSystem

URI	https://w3id.org/geosrs/cs/GridCoordinateSystem
Definition	A grid coordinate system identifies areas within a grid.
Super-classes	GridCoordinateSystem

8.2.9. Class: geosrs:LocalCoordinateSystem

Table 26 — geosrs:LocalCoordinateSystem

URI	https://w3id.org/geosrs/cs/LocalCoordinateSystem
Definition	Coordinate system with a point of local reference.
Super-classes	LocalCoordinateSystem

8.2.10. Class: geosrs:ObliqueCoordinateSystem

Table 27 — geosrs:ObliqueCoordinateSystem

URI	https://w3id.org/geosrs/cs/ObliqueCoordinateSystem
Definition	A plane coordinate system whose axes are not perpendicular.
Super-classes	ObliqueCoordinateSystem

8.2.11. Class: geosrs:PlanarCoordinateSystem

Table 28 — geosrs:PlanarCoordinateSystem

URI	https://w3id.org/geosrs/cs/PlanarCoordinateSystem
-----	---

Definition	A two-dimensional measurement system that locates features on a plane based on their distance from an origin (0,0) along two perpendicular axes.
Super-classes	PlanarCoordinateSystem

8.3. Orthogonal Coordinate Systems

Requirement 4: Orthogonal Coordinate Systems	
IDENTIFIER	/req/Orthogonal_Coordinate_Systems
STATEMENT	Implementations shall allow the RDFS classes <code>geosrs:ConicalCoordinateSystem</code> , <code>geosrs:EllipsoidalCoordinateSystem</code> to be used in SPARQL graph patterns.

8.3.1. Class: `geosrs:ConicalCoordinateSystem`

Table 29 — `geosrs:ConicalCoordinateSystem`

URI	https://w3id.org/geosrs/cs/ConicalCoordinateSystem
Definition	A conical coordinate system is a three-dimensional orthogonal coordinate system consisting of concentric spheres (described by their radius <i>r</i>) and by two families of perpendicular cones, aligned along the z- and x-axes, respectively
Super-classes	ConicalCoordinateSystem

9

DATUM MODULE

This clause establishes the **Datum** Requirements class, with IRI `/req/datum`, which has a corresponding Conformance Class, **Datum**, with IRI `/conf/datum`.

Requirements class 3: 09-datum_extension.adoc Extension

IDENTIFIER	<code>/req/09-datum_extension.adoc</code>
TARGET TYPE	Implementation Specification
REQUIREMENT	<code>/req/DatumTypes</code>

9.1. DatumTypes

Requirement 5: DatumTypes

IDENTIFIER	<code>/req/DatumTypes</code>
STATEMENT	Implementations shall allow the RDFS classes <code>geosrs:GeodeticDatum</code> , <code>geosrs:DynamicGeodeticReferenceFrame</code> , <code>geosrs:VerticalDatum</code> , <code>geosrs:DynamicVerticalDatum</code> , <code>geosrs:ParametricDatum</code> , <code>geosrs:EngineeringDatum</code> , <code>geosrs:TemporalDatum</code> , <code>geosrs:DatumEnsemble</code> to be used in SPARQL graph patterns.

9.1.1. Class: `geosrs:DynamicGeodeticReferenceFrame`

Table 30 — `geosrs:DynamicGeodeticReferenceFrame`

URI	https://w3id.org/geosrs/datum/DynamicGeodeticReferenceFrame
Definition	Geodetic reference frame in which some of the parameters describe time evolution of defining station coordinates Example: defining station coordinates having linear velocities to account for crustal motion.
Super-classes	DynamicGeodeticReferenceFrame

9.1.2. Class: geosrs:DynamicVerticalDatum

Table 31 — geosrs:DynamicVerticalDatum

URI	https://w3id.org/geosrs/datum/DynamicVerticalDatum
Definition	Vertical reference frame in which some of the defining parameters have time dependencyExample: Defining station heights have velocity to account for post-glacial isostatic rebound motion. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.
Super-classes	DynamicVerticalDatum

9.1.3. Class: geosrs:ParametricDatum

Table 32 — geosrs:ParametricDatum

URI	https://w3id.org/geosrs/datum/ParametricDatum
Definition	Textual description and/or a set of parameters identifying a particular reference surface used as the origin of a parametric coordinate system, including its position with respect to the Earth. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.
Super-classes	ParametricDatum

9.1.4. Class: geosrs:EngineeringDatum

Table 33 — geosrs:EngineeringDatum

URI	https://w3id.org/geosrs/datum/EngineeringDatum
Definition	Definition of the origin and orientation of an engineering coordinate reference systemNote: The origin can be fixed with respect to the Earth (such as a defined point at a construction site), or be a defined point on a moving vehicle (such as on a ship or satellite), or a defined point of an image. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.

Super-classes	EngineeringDatum
---------------	----------------------------------

9.1.5. Class: geosrs:TemporalDatum

Table 34 — geosrs:TemporalDatum

URI	https://w3id.org/geosrs/datum/TemporalDatum
Definition	Definition of the relationship of a temporal coordinate system to an objectNote: The object is normally time on the Earth. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.
Super-classes	TemporalDatum

9.1.6. Class: geosrs:DatumEnsemble

Table 35 — geosrs:DatumEnsemble

URI	https://w3id.org/geosrs/datum/DatumEnsemble
Definition	A collection of two or more datums (or if geodetic or vertical, a collection of two or more reference frames) that are realizations of one Conventional Reference System and which for all but the highest accuracy requirements may be considered to be insignificantly different from each other. Note: Within the datum ensemble every frame or datum is constrained to be a realization of the same reference system. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.

10

SRS APPLICATION MODULE

This clause establishes the **SRSAPP** Requirements class, with IRI /req/srsapp, which has a corresponding Conformance Class, **SRSAPP**, with IRI /conf/srsapp.



11

PROJECTIONS MODULE

This clause establishes the **PROJ** Requirements class, with IRI `/req/proj`, which has a corresponding Conformance Class, **PROJ**, with IRI `/conf/proj`.

Requirements class 4: 11-projections_extension.adoc Extension

IDENTIFIER	<code>/req/11-projections_extension.adoc</code>
------------	---

TARGET TYPE	Implementation Specification
-------------	------------------------------

	<code>/req/Lenticular_Projections</code>
--	--

	<code>/req/Conformal_Projections</code>
--	---

	<code>/req/Minimum_Error_Projections</code>
--	---

	<code>/req/Pseudo_Azimuthal_Projections</code>
--	--

	<code>/req/Equal_Area_Projections</code>
--	--

	<code>/req/Pseudo_Conical_Projections</code>
--	--

	<code>/req/Globular_Projections</code>
--	--

	<code>/req/Pseudo_Cylindrical_Projections</code>
--	--

REQUIREMENT	<code>/req/Cylindrical_Projections</code>
-------------	---

	<code>/req/Compromise_Projections</code>
--	--

	<code>/req/Polyhedral_Projections</code>
--	--

	<code>/req/Equidistant_Projections</code>
--	---

	<code>/req/Conical_Projections</code>
--	---------------------------------------

	<code>/req/Azimuthal_Projections</code>
--	---

	<code>/req/Perspective_Projections</code>
--	---

	<code>/req/Polyconic_Projections</code>
--	---

	<code>/req/Stereographic_Projections</code>
--	---

11.1. Azimuthal Projections

Requirement 6: Azimuthal Projections

IDENTIFIER	/req/Azimuthal_Projections
STATEMENT	Implementations shall allow the RDFS classes <code>geosrs:BreusingGeometricProjection</code> , <code>geosrs:BreusingHarmonicProjection</code> , <code>geosrs:GinzburgIIProjection</code> , <code>geosrs:GinzburgIProjection</code> , <code>geosrs:GnomonicProjection</code> , <code>geosrs:JamesAzimuthalProjection</code> to be used in SPARQL graph patterns.

11.1.1. Class: `geosrs:BreusingGeometricProjection`

Table 36 — `geosrs:BreusingGeometricProjection`

URI	https://w3id.org/geosrs/projection/BreusingGeometricProjection
Super-classes	BreusingGeometricProjection

11.1.2. Class: `geosrs:BreusingHarmonicProjection`

Table 37 — `geosrs:BreusingHarmonicProjection`

URI	https://w3id.org/geosrs/projection/BreusingHarmonicProjection
Super-classes	BreusingHarmonicProjection

11.1.3. Class: `geosrs:GinzburgIIProjection`

Table 38 — `geosrs:GinzburgIIProjection`

URI	https://w3id.org/geosrs/projection/GinzburgIIProjection
Super-classes	GinzburgIIProjection

11.1.4. Class: geosrs:GinzburgIProjection

Table 39 — geosrs:GinzburgIProjection

URI	https://w3id.org/geosrs/projection/GinzburgIProjection
Super-classes	GinzburgIProjection

11.1.5. Class: geosrs:GnomonicProjection

Table 40 — geosrs:GnomonicProjection

URI	https://w3id.org/geosrs/projection/GnomonicProjection
Super-classes	GnomonicProjection

11.1.6. Class: geosrs:JamesAzimuthalProjection

Table 41 — geosrs:JamesAzimuthalProjection

URI	https://w3id.org/geosrs/projection/JamesAzimuthalProjection
Super-classes	JamesAzimuthalProjection

11.2. Compromise Projections

Requirement 7: Compromise Projections

IDENTIFIER /req/Compromise_Projections

STATEMENT Implementations shall allow the RDFS classes geosrs:ArmadilloProjection, geosrs:BakerDinomicProjection, geosrs:BertinProjection, geosrs:ChamberlinTrimetricProjection, geosrs:DenoyerSemiEllipticalProjection, geosrs:FairgrieveProjection, geosrs:LarriveeProjection, geosrs:PetermannStarProjection, geosrs:SpilhausOceanicProjection, geosrs:VanDerGrintenIIIProjection, geosrs:

Requirement 7: Compromise Projections

`WinkelIIProjection`, `geosrs:WinkelIIProjection`, `geosrs:WinkelSnyderProjection` to be used in SPARQL graph patterns.

11.2.1. Class: `geosrs:ArmadilloProjection`

Table 42 — `geosrs:ArmadilloProjection`

URI	https://w3id.org/geosrs/projection/ArmadilloProjection
Super-classes	<code>ArmadilloProjection</code>

11.2.2. Class: `geosrs:BakerDinomicProjection`

Table 43 — `geosrs:BakerDinomicProjection`

URI	https://w3id.org/geosrs/projection/BakerDinomicProjection
Super-classes	<code>BakerDinomicProjection</code>

11.2.3. Class: `geosrs:BertinProjection`

Table 44 — `geosrs:BertinProjection`

URI	https://w3id.org/geosrs/projection/BertinProjection
Super-classes	<code>BertinProjection</code>

11.2.4. Class: `geosrs:ChamberlinTrimetricProjection`

Table 45 — `geosrs:ChamberlinTrimetricProjection`

URI	https://w3id.org/geosrs/projection/ChamberlinTrimetricProjection
Super-classes	<code>ChamberlinTrimetricProjection</code>

11.2.5. Class: geosrs:DenoyerSemiEllipticalProjection

Table 46 — geosrs:DenoyerSemiEllipticalProjection

URI	https://w3id.org/geosrs/projection/DenoyerSemiEllipticalProjection
Super-classes	DenoyerSemiEllipticalProjection

11.2.6. Class: geosrs:FairgrieveProjection

Table 47 — geosrs:FairgrieveProjection

URI	https://w3id.org/geosrs/projection/FairgrieveProjection
Super-classes	FairgrieveProjection

11.2.7. Class: geosrs:LarriveeProjection

Table 48 — geosrs:LarriveeProjection

URI	https://w3id.org/geosrs/projection/LarriveeProjection
Super-classes	LarriveeProjection

11.2.8. Class: geosrs:PetermannStarProjection

Table 49 — geosrs:PetermannStarProjection

URI	https://w3id.org/geosrs/projection/PetermannStarProjection
Super-classes	PetermannStarProjection

11.2.9. Class: geosrs:SpilhausOceanicProjection

Table 50 — geosrs:SpilhausOceanicProjection

URI	https://w3id.org/geosrs/projection/SpilhausOceanicProjection
Super-classes	SpilhausOceanicProjection

11.2.10. Class: geosrs:VanDerGrintenIIIProjection

Table 51 — geosrs:VanDerGrintenIIIProjection

URI	https://w3id.org/geosrs/projection/VanDerGrintenIIIProjection
Super-classes	VanDerGrintenIIIProjection

11.2.11. Class: geosrs:WinkelIIIProjection

Table 52 — geosrs:WinkelIIIProjection

URI	https://w3id.org/geosrs/projection/WinkelIIIProjection
Super-classes	WinkelIIIProjection

11.2.12. Class: geosrs:WinkelIIProjection

Table 53 — geosrs:WinkelIIProjection

URI	https://w3id.org/geosrs/projection/WinkelIIProjection
Super-classes	WinkelIIProjection

11.2.13. Class: geosrs:WinkelSnyderProjection

Table 54 — geosrs:WinkelSnyderProjection

URI	https://w3id.org/geosrs/projection/WinkelSnyderProjection
-----	---

11.3. Conformal Projections

Requirement 8: Conformal Projections

IDENTIFIER /req/Conformal_Projections

STATEMENT Implementations shall allow the RDFS classes `geosrs:AdamsProjection`, `geosrs:AdamsWorldInASquareIIProjection`, `geosrs:AdamsWorldInASquareIProjection`, `geosrs:AugustEpicycloidalProjection`, `geosrs:CoxConformalProjection`, `geosrs:EisenlohrProjection`, `geosrs:GS50Projection`, `geosrs:PeirceQuincuncialProjection`, `geosrs:StereographicProjection` to be used in SPARQL graph patterns.

11.3.1. Class: `geosrs:AdamsProjection`

Table 55 — `geosrs:AdamsProjection`

URI	https://w3id.org/geosrs/projection/AdamsProjection
Super-classes	AdamsProjection

11.3.2. Class: `geosrs:AdamsWorldInASquareIIProjection`

Table 56 — `geosrs:AdamsWorldInASquareIIProjection`

URI	https://w3id.org/geosrs/projection/AdamsWorldInASquareIIProjection
Super-classes	AdamsWorldInASquareIIProjection

11.3.3. Class: `geosrs:AdamsWorldInASquareIProjection`

Table 57 — geosrs:AdamsWorldInASquareIProjection

URI	https://w3id.org/geosrs/projection/AdamsWorldInASquareIProjection
Super-classes	AdamsWorldInASquareIProjection

11.3.4. Class: geosrs:AugustEpicycloidalProjection

Table 58 — geosrs:AugustEpicycloidalProjection

URI	https://w3id.org/geosrs/projection/AugustEpicycloidalProjection
Definition	A projection in which every angle between two curves that cross each other on a celestial body is preserved in the image of the projection
Super-classes	AugustEpicycloidalProjection

11.3.5. Class: geosrs:CoxConformalProjection

Table 59 — geosrs:CoxConformalProjection

URI	https://w3id.org/geosrs/projection/CoxConformalProjection
Super-classes	CoxConformalProjection

11.3.6. Class: geosrs:EisenlohrProjection

Table 60 — geosrs:EisenlohrProjection

URI	https://w3id.org/geosrs/projection/EisenlohrProjection
Super-classes	EisenlohrProjection

11.3.7. Class: geosrs:GS50Projection

Table 61 — geosrs:GS50Projection

URI	https://w3id.org/geosrs/projection/GS50Projection
Super-classes	GS50Projection

11.3.8. Class: geosrs:PeirceQuincuncialProjection

Table 62 — geosrs:PeirceQuincuncialProjection

URI	https://w3id.org/geosrs/projection/PeirceQuincuncialProjection
Super-classes	PeirceQuincuncialProjection

11.3.9. Class: geosrs:StereographicProjection

Table 63 — geosrs:StereographicProjection

URI	https://w3id.org/geosrs/projection/StereographicProjection
Super-classes	StereographicProjection

11.4. Conical Projections

Requirement 9: Conical Projections	
IDENTIFIER	/req/Conical_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs: BipolarObliqueConicConformalProjection, geosrs:CentralConicProjection, geosrs:HerschelConformalConicProjection, geosrs:Krovak, geosrs:LambertConformalConicProjection, geosrs:MurdochIIIProjection, geosrs:MurdochIIProjection, geosrs:MurdochIProjection, geosrs:SchjernerIProjection, geosrs:VitkovskyIProjection to be used in SPARQL graph patterns.

11.4.1. Class: geosrs:BipolarObliqueConicConformalProjection

Table 64 — geosrs:BipolarObliqueConicConformalProjection

URI	https://w3id.org/geosrs/projection/BipolarObliqueConicConformalProjection
Super-classes	BipolarObliqueConicConformalProjection

11.4.2. Class: geosrs:CentralConicProjection

Table 65 — geosrs:CentralConicProjection

URI	https://w3id.org/geosrs/projection/CentralConicProjection
Super-classes	CentralConicProjection

11.4.3. Class: geosrs:HerschelConformalConicProjection

Table 66 — geosrs:HerschelConformalConicProjection

URI	https://w3id.org/geosrs/projection/HerschelConformalConicProjection
Super-classes	HerschelConformalConicProjection

11.4.4. Class: geosrs:Krovak

Table 67 — geosrs:Krovak

URI	https://w3id.org/geosrs/projection/Krovak
Super-classes	Krovak

11.4.5. Class: geosrs:LambertConformalConicProjection

Table 68 — geosrs:LambertConformalConicProjection

URI	https://w3id.org/geosrs/projection/LambertConformalConicProjection
Super-classes	LambertConformalConicProjection

11.4.6. Class: geosrs:MurdochIIIProjection

Table 69 — geosrs:MurdochIIIProjection

URI	https://w3id.org/geosrs/projection/MurdochIIIProjection
Super-classes	MurdochIIIProjection

11.4.7. Class: geosrs:MurdochIIProjection

Table 70 — geosrs:MurdochIIProjection

URI	https://w3id.org/geosrs/projection/MurdochIIProjection
Super-classes	MurdochIIProjection

11.4.8. Class: geosrs:MurdochIProjection

Table 71 — geosrs:MurdochIProjection

URI	https://w3id.org/geosrs/projection/MurdochIProjection
Super-classes	MurdochIProjection

11.4.9. Class: geosrs:SchjernerIProjection

Table 72 — geosrs:SchjernerIProjection

URI	https://w3id.org/geosrs/projection/SchjernerIProjection
Super-classes	SchjernerIProjection

11.4.10. Class: geosrs:VitkovskyIProjection

Table 73 — geosrs:VitkovskyIProjection

URI	https://w3id.org/geosrs/projection/VitkovskyIProjection
Super-classes	VitkovskyIProjection

11.5. Cylindrical Projections

Requirement 10: Cylindrical Projections

IDENTIFIER /req/Cylindrical_Projections

STATEMENT

Implementations shall allow the RDFS classes geosrs:ArdenCloseProjection, geosrs: BraunPerspectiveProjection, geosrs:CompactMillerProjection, geosrs: CylindricalStereographicProjection, geosrs:KarchenkoShabanovaProjection, geosrs:LabordeProjection, geosrs:MercatorProjection, geosrs:MillerProjection, geosrs:PattersonCylindricalProjection, geosrs:PavlovProjection, geosrs: ToblerCylindricalIIProjection, geosrs:ToblerCylindricalIProjection, geosrs: UrmayevIIIProjection, geosrs:WebMercatorProjection to be used in SPARQL graph patterns.

11.5.1. Class: geosrs:ArdenCloseProjection

Table 74 — geosrs:ArdenCloseProjection

URI	https://w3id.org/geosrs/projection/ArdenCloseProjection
Super-classes	ArdenCloseProjection

11.5.2. Class: geosrs:BraunPerspectiveProjection

Table 75 — geosrs:BraunPerspectiveProjection

URI	https://w3id.org/geosrs/projection/BraunPerspectiveProjection
Super-classes	BraunPerspectiveProjection

11.5.3. Class: geosrs:CompactMillerProjection

Table 76 — geosrs:CompactMillerProjection

URI	https://w3id.org/geosrs/projection/CompactMillerProjection
Super-classes	CompactMillerProjection

11.5.4. Class: geosrs:CylindricalStereographicProjection

Table 77 — geosrs:CylindricalStereographicProjection

URI	https://w3id.org/geosrs/projection/CylindricalStereographicProjection
Super-classes	CylindricalStereographicProjection

11.5.5. Class: geosrs:KarchenkoShabanovaProjection

Table 78 — geosrs:KarchenkoShabanovaProjection

URI	https://w3id.org/geosrs/projection/KarchenkoShabanovaProjection
Super-classes	KarchenkoShabanovaProjection

11.5.6. Class: geosrs:LabordeProjection

Table 79 — geosrs:LabordeProjection

URI	https://w3id.org/geosrs/projection/LabordeProjection
-----	---

Super-classes	LabordeProjection
---------------	-----------------------------------

11.5.7. Class: geosrs:MercatorProjection

Table 80 — geosrs:MercatorProjection

URI	https://w3id.org/geosrs/projection/MercatorProjection
Super-classes	MercatorProjection

11.5.8. Class: geosrs:MillerProjection

Table 81 — geosrs:MillerProjection

URI	https://w3id.org/geosrs/projection/MillerProjection
Super-classes	MillerProjection

11.5.9. Class: geosrs:PattersonCylindricalProjection

Table 82 — geosrs:PattersonCylindricalProjection

URI	https://w3id.org/geosrs/projection/PattersonCylindricalProjection
Super-classes	PattersonCylindricalProjection

11.5.10. Class: geosrs:PavlovProjection

Table 83 — geosrs:PavlovProjection

URI	https://w3id.org/geosrs/projection/PavlovProjection
Super-classes	PavlovProjection

11.5.11. Class: geosrs:ToblerCylindricalIIIProjection

Table 84 — geosrs:ToblerCylindricalIIIProjection

URI	https://w3id.org/geosrs/projection/ToblerCylindricalIIIProjection
Super-classes	ToblerCylindricalIIIProjection

11.5.12. Class: geosrs:ToblerCylindricalIIProjection

Table 85 — geosrs:ToblerCylindricalIIProjection

URI	https://w3id.org/geosrs/projection/ToblerCylindricalIIProjection
Super-classes	ToblerCylindricalIIProjection

11.5.13. Class: geosrs:UrmayevIIIProjection

Table 86 — geosrs:UrmayevIIIProjection

URI	https://w3id.org/geosrs/projection/UrmayevIIIProjection
Super-classes	UrmayevIIIProjection

11.5.14. Class: geosrs:WebMercatorProjection

Table 87 — geosrs:WebMercatorProjection

URI	https://w3id.org/geosrs/projection/WebMercatorProjection
Super-classes	WebMercatorProjection

11.6. Equal Area Projections

Requirement 11: Equal Area Projections

IDENTIFIER /req/Equal_Area_Projections

STATEMENT Implementations shall allow the RDFS classes `geosrs:AlbersEqualAreaProjection`, `geosrs:AzimuthalEqualAreaProjection`, `geosrs:CylindricalEqualArea`, `geosrs:GallPetersProjection`, `geosrs:HoboDyerProjection`, `geosrs:LambertAzimuthalEqualArea`, `geosrs:TrystanEdwardsProjection`, `geosrs:WiechelProjection` to be used in SPARQL graph patterns.

11.6.1. Class: `geosrs:AlbersEqualAreaProjection`

Table 88 — `geosrs:AlbersEqualAreaProjection`

URI	https://w3id.org/geosrs/projection/AlbersEqualAreaProjection
Super-classes	AlbersEqualAreaProjection

11.6.2. Class: `geosrs:AzimuthalEqualAreaProjection`

Table 89 — `geosrs:AzimuthalEqualAreaProjection`

URI	https://w3id.org/geosrs/projection/AzimuthalEqualAreaProjection
Super-classes	AzimuthalEqualAreaProjection

11.6.3. Class: `geosrs:CylindricalEqualArea`

Table 90 — `geosrs:CylindricalEqualArea`

URI	https://w3id.org/geosrs/projection/CylindricalEqualArea
Super-classes	CylindricalEqualArea

11.6.4. Class: geosrs:GallPetersProjection

Table 91 — geosrs:GallPetersProjection

URI	https://w3id.org/geosrs/projection/GallPetersProjection
Super-classes	GallPetersProjection

11.6.5. Class: geosrs:HoboDyerProjection

Table 92 — geosrs:HoboDyerProjection

URI	https://w3id.org/geosrs/projection/HoboDyerProjection
Super-classes	HoboDyerProjection

11.6.6. Class: geosrs:LambertAzimuthalEqualArea

Table 93 — geosrs:LambertAzimuthalEqualArea

URI	https://w3id.org/geosrs/projection/LambertAzimuthalEqualArea
Super-classes	LambertAzimuthalEqualArea

11.6.7. Class: geosrs:TrystanEdwardsProjection

Table 94 — geosrs:TrystanEdwardsProjection

URI	https://w3id.org/geosrs/projection/TrystanEdwardsProjection
Super-classes	TrystanEdwardsProjection

11.6.8. Class: geosrs:WiechelProjection

Table 95 — geosrs:WiechelProjection

URI	https://w3id.org/geosrs/projection/WichelProjection
Super-classes	WiechelProjection

11.7. Equidistant Projections

Requirement 12: Equidistant Projections

IDENTIFIER /req/Equidistant_Projections

STATEMENT

Implementations shall allow the RDFS classes geosrs:AzimuthalEquidistantProjection, geosrs:BerghausStarProjection, geosrs:CassiniProjection, geosrs:EquidistantConicProjection, geosrs:EquidistantCylindricalProjection, geosrs:EquirectangularProjection, geosrs:ObliquePlateCarreeProjection, geosrs:PlateCarreeProjection, geosrs:TwoPointEquidistantProjection to be used in SPARQL graph patterns.

11.7.1. Class: geosrs:AzimuthalEquidistantProjection

Table 96 — geosrs:AzimuthalEquidistantProjection

URI	https://w3id.org/geosrs/projection/AzimuthalEquidistantProjection
Super-classes	AzimuthalEquidistantProjection

11.7.2. Class: geosrs:BerghausStarProjection

Table 97 — geosrs:BerghausStarProjection

URI	https://w3id.org/geosrs/projection/BerghausStarProjection
Super-classes	BerghausStarProjection

11.7.3. Class: geosrs:CassiniProjection

Table 98 — geosrs:CassiniProjection

URI	https://w3id.org/geosrs/projection/CassiniProjection
Definition	A map projection first described in an approximate form by César-François Cassini de Thury in 1745
Super-classes	CassiniProjection

11.7.4. Class: geosrs:EquidistantConicProjection

Table 99 — geosrs:EquidistantConicProjection

URI	https://w3id.org/geosrs/projection/EquidistantConicProjection
Super-classes	EquidistantConicProjection

11.7.5. Class: geosrs:EquidistantCylindricalProjection

Table 100 — geosrs:EquidistantCylindricalProjection

URI	https://w3id.org/geosrs/projection/EquidistantCylindricalProjection
Super-classes	EquidistantCylindricalProjection

11.7.6. Class: geosrs:EquirectangularProjection

Table 101 — geosrs:EquirectangularProjection

URI	https://w3id.org/geosrs/projection/EquirectangularProjection
Super-classes	EquirectangularProjection

11.7.7. Class: geosrs:ObliquePlateCarreeProjection

Table 102 — geosrs:ObliquePlateCarreeProjection

URI	https://w3id.org/geosrs/projection/ObliquePlateCarreeProjection
Super-classes	ObliquePlateCarreeProjection

11.7.8. Class: geosrs:PlateCarreeProjection

Table 103 — geosrs:PlateCarreeProjection

URI	https://w3id.org/geosrs/projection/PlateCarreeProjection
Super-classes	PlateCarreeProjection

11.7.9. Class: geosrs:TwoPointEquidistantProjection

Table 104 — geosrs:TwoPointEquidistantProjection

URI	https://w3id.org/geosrs/projection/TwoPointEquidistantProjection
Super-classes	TwoPointEquidistantProjection

11.8. Globular Projections

Requirement 13: Globular Projections

IDENTIFIER /req/Globular_Projections

STATEMENT Implementations shall allow the RDFS classes `geosrs:ApianGlobularIProjection`, `geosrs:BaconGlobularProjection`, `geosrs:FournierGlobularIProjection` to be used in SPARQL graph patterns.

11.8.1. Class: geosrs:ApianGlobularIProjection

Table 105 — geosrs:ApianGlobularIProjection

URI	https://w3id.org/geosrs/projection/ApianGlobularIProjection
Super-classes	ApianGlobularIProjection

11.8.2. Class: geosrs:BaconGlobularProjection

Table 106 — geosrs:BaconGlobularProjection

URI	https://w3id.org/geosrs/projection/BaconGlobularProjection
Super-classes	BaconGlobularProjection

11.8.3. Class: geosrs:FournierGlobularIProjection

Table 107 — geosrs:FournierGlobularIProjection

URI	https://w3id.org/geosrs/projection/FournierGlobularIProjection
Super-classes	FournierGlobularIProjection

11.9. Lenticular Projections

Requirement 14: Lenticular Projections

IDENTIFIER /req/Lenticular_Projections

STATEMENT Implementations shall allow the RDFS classes geosrs:A4Projection, geosrs:BriesemeisterProjection, geosrs:CiricIProjection, geosrs:CupolaProjection, geosrs:DedistortProjection, geosrs:DietrichKitadaProjection, geosrs:FranculaIIIProjection, geosrs:FranculaIVProjection, geosrs:FranculaIXProjection,

Requirement 14: Lenticular Projections

geosrs:FranculaVIIIProjection, geosrs:FranculaVProjection, geosrs:FranculaXIIIProjection, geosrs:FranculaXIIProjection, geosrs:FranculaXIVProjection, geosrs:HamusoidalProjection, geosrs:KissProjection to be used in SPARQL graph patterns.

11.9.1. Class: geosrs:A4Projection

Table 108 — geosrs:A4Projection

URI	https://w3id.org/geosrs/projection/A4Projection
Super-classes	A4Projection

11.9.2. Class: geosrs:BriesemeisterProjection

Table 109 — geosrs:BriesemeisterProjection

URI	https://w3id.org/geosrs/projection/BriesemeisterProjection
Super-classes	BriesemeisterProjection

11.9.3. Class: geosrs:CiriclProjection

Table 110 — geosrs:CiriclProjection

URI	https://w3id.org/geosrs/projection/CiriclProjection
Super-classes	CiriclProjection

11.9.4. Class: geosrs:CupolaProjection

Table 111 — geosrs:CupolaProjection

URI	https://w3id.org/geosrs/projection/CupolaProjection
-----	---

Super-classes	<u>CupolaProjection</u>
---------------	---

11.9.5. Class: geosrs:DedistortProjection

Table 112 — geosrs:DedistortProjection

URI	<u>https://w3id.org/geosrs/projection/DedistortProjection</u>
Super-classes	<u>DedistortProjection</u>

11.9.6. Class: geosrs:DietrichKitadaProjection

Table 113 — geosrs:DietrichKitadaProjection

URI	<u>https://w3id.org/geosrs/projection/DietrichKitadaProjection</u>
Super-classes	<u>DietrichKitadaProjection</u>

11.9.7. Class: geosrs:FranculaIIIProjection

Table 114 — geosrs:FranculaIIIProjection

URI	<u>https://w3id.org/geosrs/projection/FranculaIIIProjection</u>
Super-classes	<u>FranculaIIIProjection</u>

11.9.8. Class: geosrs:FranculaIVProjection

Table 115 — geosrs:FranculaIVProjection

URI	<u>https://w3id.org/geosrs/projection/FranculaIVProjection</u>
Super-classes	<u>FranculaIVProjection</u>

11.9.9. Class: geosrs:FranculaIXProjection

Table 116 — geosrs:FranculaIXProjection

URI	https://w3id.org/geosrs/projection/FranculaIXProjection
Super-classes	FranculaIXProjection

11.9.10. Class: geosrs:FranculaVIIIProjection

Table 117 — geosrs:FranculaVIIIProjection

URI	https://w3id.org/geosrs/projection/FranculaVIIIProjection
Super-classes	FranculaVIIIProjection

11.9.11. Class: geosrs:FranculaVProjection

Table 118 — geosrs:FranculaVProjection

URI	https://w3id.org/geosrs/projection/FranculaVProjection
Super-classes	FranculaVProjection

11.9.12. Class: geosrs:FranculaXIIIProjection

Table 119 — geosrs:FranculaXIIIProjection

URI	https://w3id.org/geosrs/projection/FranculaXIIIProjection
Super-classes	FranculaXIIIProjection

11.9.13. Class: geosrs:FranculaXIIProjection

Table 120 — geosrs:FranculaXIIProjection

URI	https://w3id.org/geosrs/projection/FranculaXIIProjection
Super-classes	FranculaXIIProjection

11.9.14. Class: geosrs:FranculaXIVProjection

Table 121 — geosrs:FranculaXIVProjection

URI	https://w3id.org/geosrs/projection/FranculaXIVProjection
Super-classes	FranculaXIVProjection

11.9.15. Class: geosrs:HamusoidalProjection

Table 122 — geosrs:HamusoidalProjection

URI	https://w3id.org/geosrs/projection/HamusoidalProjection
Super-classes	HamusoidalProjection

11.9.16. Class: geosrs:KissProjection

Table 123 — geosrs:KissProjection

URI	https://w3id.org/geosrs/projection/KissProjection
Super-classes	KissProjection

11.10. Minimum Error Projections

Requirement 15: Minimum Error Projections

IDENTIFIER /req/Minimum_Error_Projections

STATEMENT Implementations shall allow the RDFS classes `geosrs:AiryProjection` to be used in SPARQL graph patterns.

11.10.1. Class: `geosrs:AiryProjection`

Table 124 — `geosrs:AiryProjection`

URI	https://w3id.org/geosrs/projection/AiryProjection
Definition	An azimuthal minimum error projection for the region within the small or great circle defined by an angular distance, from the tangency point of the plane
Super-classes	AiryProjection

11.11. Perspective Projections

Requirement 16: Perspective Projections

IDENTIFIER /req/Perspective_Projections

STATEMENT Implementations shall allow the RDFS classes `geosrs:CentralCylindricalProjection`, `geosrs:GeneralVerticalPerspectiveProjection`, `geosrs:GilbertTwoWorldPerspectiveProjection`, `geosrs:LaHireProjection`, `geosrs:LorgnaProjection`, `geosrs:LowryProjection`, `geosrs:OrthographicProjection`, `geosrs:PerspectiveConicProjection`, `geosrs:TiltedPerspectiveProjection`, `geosrs:VerticalPerspectiveProjection` to be used in SPARQL graph patterns.

11.11.1. Class: `geosrs:CentralCylindricalProjection`

Table 125 — `geosrs:CentralCylindricalProjection`

URI	https://w3id.org/geosrs/projection/CentralCylindricalProjection
-----	---

Super-classes	CentralCylindricalProjection
---------------	--

11.11.2. Class: geosrs:GeneralVerticalPerspectiveProjection

Table 126 — geosrs:GeneralVerticalPerspectiveProjection

URI	https://w3id.org/geosrs/projection/GeneralVerticalPerspectiveProjection
Super-classes	GeneralVerticalPerspectiveProjection

11.11.3. Class: geosrs:GilbertTwoWorldPerspectiveProjection

Table 127 — geosrs:GilbertTwoWorldPerspectiveProjection

URI	https://w3id.org/geosrs/projection/GilbertTwoWorldPerspectiveProjection
Super-classes	GilbertTwoWorldPerspectiveProjection

11.11.4. Class: geosrs:LaHireProjection

Table 128 — geosrs:LaHireProjection

URI	https://w3id.org/geosrs/projection/LaHireProjection
Super-classes	LaHireProjection

11.11.5. Class: geosrs:LorgnaProjection

Table 129 — geosrs:LorgnaProjection

URI	https://w3id.org/geosrs/projection/LorgnaProjection
Super-classes	LorgnaProjection

11.11.6. Class: geosrs:LowryProjection

Table 130 — geosrs:LowryProjection

URI	https://w3id.org/geosrs/projection/LowryProjection
Super-classes	LowryProjection

11.11.7. Class: geosrs:OrthographicProjection

Table 131 — geosrs:OrthographicProjection

URI	https://w3id.org/geosrs/projection/OrthographicProjection
Super-classes	OrthographicProjection

11.11.8. Class: geosrs:PerspectiveConicProjection

Table 132 — geosrs:PerspectiveConicProjection

URI	https://w3id.org/geosrs/projection/PerspectiveConicProjection
Super-classes	PerspectiveConicProjection

11.11.9. Class: geosrs:TiltedPerspectiveProjection

Table 133 — geosrs:TiltedPerspectiveProjection

URI	https://w3id.org/geosrs/projection/TiltedPerspectiveProjection
Super-classes	TiltedPerspectiveProjection

11.11.10. Class: geosrs:VerticalPerspectiveProjection

Table 134 — geosrs:VerticalPerspectiveProjection

URI	https://w3id.org/geosrs/projection/VerticalPerspectiveProjection
Super-classes	VerticalPerspectiveProjection

11.12. Polyconic Projections

Requirement 17: Polyconic Projections

IDENTIFIER /req/Polyconic_Projections

Implementations shall allow the RDFS classes geosrs:GinzburgIVProjection, geosrs:GinzburgIXProjection, geosrs:GinzburgVIPProjection, geosrs:GinzburgVProjection, geosrs:GottWagnerProjection, geosrs:HillEucyclicProjection, geosrs:LagrangeProjection, geosrs:LaskowskiProjection, geosrs:RectangularPolyconicProjection, geosrs:StabiusWernerIIIPProjection, geosrs:StabiusWernerIProjection, geosrs:VanDerGrintenIIPProjection, geosrs:VanDerGrintenIProjection, geosrs:VanDerGrintenIVProjection, geosrs:WagnerIXProjection, geosrs:WagnerVIIIPProjection, geosrs:WagnerVIIPProjection to be used in SPARQL graph patterns.

11.12.1. Class: geosrs:GinzburgIVProjection

Table 135 — geosrs:GinzburgIVProjection

URI	https://w3id.org/geosrs/projection/GinzburgIVProjection
Super-classes	GinzburgIVProjection

11.12.2. Class: geosrs:GinzburgIXProjection

Table 136 — geosrs:GinzburgIXProjection

URI	https://w3id.org/geosrs/projection/GinzburgIXProjection
Super-classes	GinzburgIXProjection

11.12.3. Class: geosrs:GinzburgVIProjection

Table 137 — geosrs:GinzburgVIProjection

URI	https://w3id.org/geosrs/projection/GinzburgVIProjection
Super-classes	GinzburgVIProjection

11.12.4. Class: geosrs:GinzburgVProjection

Table 138 — geosrs:GinzburgVProjection

URI	https://w3id.org/geosrs/projection/GinzburgVProjection
Super-classes	GinzburgVProjection

11.12.5. Class: geosrs:GottWagnerProjection

Table 139 — geosrs:GottWagnerProjection

URI	https://w3id.org/geosrs/projection/GottWagnerProjection
Super-classes	GottWagnerProjection

11.12.6. Class: geosrs:HillEucyclicProjection

Table 140 — geosrs:HillEucyclicProjection

URI	https://w3id.org/geosrs/projection/HillEucyclicProjection
Super-classes	HillEucyclicProjection

11.12.7. Class: geosrs:LagrangeProjection

Table 141 — geosrs:LagrangeProjection

URI	https://w3id.org/geosrs/projection/LagrangeProjection
Super-classes	LagrangeProjection

11.12.8. Class: geosrs:LaskowskiProjection

Table 142 — geosrs:LaskowskiProjection

URI	https://w3id.org/geosrs/projection/LaskowskiProjection
Super-classes	LaskowskiProjection

11.12.9. Class: geosrs:RectangularPolyconicProjection

Table 143 — geosrs:RectangularPolyconicProjection

URI	https://w3id.org/geosrs/projection/RectangularPolyconicProjection
Super-classes	RectangularPolyconicProjection

11.12.10. Class: geosrs:StabiusWernerIIIProjection

Table 144 — geosrs:StabiusWernerIIIProjection

URI	https://w3id.org/geosrs/projection/StabiusWernerIIIProjection
Super-classes	StabiusWernerIIIProjection

11.12.11. Class: geosrs:StabiusWernerIProjection

Table 145 — geosrs:StabiusWernerIProjection

URI	https://w3id.org/geosrs/projection/StabiusWernerIProjection
-----	---

Super-classes	StabiusWernerIProjection
---------------	--

11.12.12. Class: geosrs:VanDerGrintenIIProjection

Table 146 — geosrs:VanDerGrintenIIProjection

URI	https://w3id.org/geosrs/projection/VanDerGrintenIIProjection
Super-classes	VanDerGrintenIIProjection

11.12.13. Class: geosrs:VanDerGrintenIProjection

Table 147 — geosrs:VanDerGrintenIProjection

URI	https://w3id.org/geosrs/projection/VanDerGrintenIProjection
Super-classes	VanDerGrintenIProjection

11.12.14. Class: geosrs:VanDerGrintenIVProjection

Table 148 — geosrs:VanDerGrintenIVProjection

URI	https://w3id.org/geosrs/projection/VanDerGrintenIVProjection
Super-classes	VanDerGrintenIVProjection

11.12.15. Class: geosrs:WagnerIXProjection

Table 149 — geosrs:WagnerIXProjection

URI	https://w3id.org/geosrs/projection/WagnerIXProjection
Super-classes	WagnerIXProjection

11.12.16. Class: geosrs:WagnerVIIIProjection

Table 150 — geosrs:WagnerVIIIProjection

URI	https://w3id.org/geosrs/projection/WagnerVIIIProjection
Super-classes	WagnerVIIIProjection

11.12.17. Class: geosrs:WagnerVIIProjection

Table 151 — geosrs:WagnerVIIProjection

URI	https://w3id.org/geosrs/projection/WagnerVIIProjection
Super-classes	WagnerVIIProjection

11.13. Polyhedral Projections

Requirement 18: Polyhedral Projections

IDENTIFIER /req/Polyhedral_Projections

STATEMENT

Implementations shall allow the RDFS classes geosrs:AuthaGraphProjection, geosrs:CahillKeyesProjection, geosrs:CollignonButterflyProjection, geosrs:DodecahedralProjection, geosrs:DymaxionProjection, geosrs:GnomonicButterflyProjection, geosrs:GnomonicCubedSphereProjection, geosrs:GnomonicIcosahedronProjection, geosrs:GuyouProjection, geosrs:IcosahedralProjection, geosrs:LeeProjection, geosrs:MyrahedalProjection, geosrs:OctantProjection, geosrs:QuadrilateralizedSphericalCubeProjection, geosrs:WatermanButterflyProjection to be used in SPARQL graph patterns.

11.13.1. Class: geosrs:AuthaGraphProjection

Table 152 — geosrs:AuthaGraphProjection

URI	https://w3id.org/geosrs/projection/AuthaGraphProjection
Super-classes	AuthaGraphProjection

11.13.2. Class: geosrs:CahillKeyesProjection

Table 153 — geosrs:CahillKeyesProjection

URI	https://w3id.org/geosrs/projection/CahillKeyesProjection
Super-classes	CahillKeyesProjection

11.13.3. Class: geosrs:CollignonButterflyProjection

Table 154 — geosrs:CollignonButterflyProjection

URI	https://w3id.org/geosrs/projection/CollignonButterflyProjection
Super-classes	CollignonButterflyProjection

11.13.4. Class: geosrs:DodecahedralProjection

Table 155 — geosrs:DodecahedralProjection

URI	https://w3id.org/geosrs/projection/DodecahedralProjection
Super-classes	DodecahedralProjection

11.13.5. Class: geosrs:DymaxionProjection

Table 156 — geosrs:DymaxionProjection

URI	https://w3id.org/geosrs/projection/DymaxionProjection
-----	---

Super-classes	DymaxionProjection
---------------	------------------------------------

11.13.6. Class: geosrs:GnomonicButterflyProjection

Table 157 — geosrs:GnomonicButterflyProjection

URI	https://w3id.org/geosrs/projection/GnomonicButterflyProjection
Super-classes	GnomonicButterflyProjection

11.13.7. Class: geosrs:GnomonicCubedSphereProjection

Table 158 — geosrs:GnomonicCubedSphereProjection

URI	https://w3id.org/geosrs/projection/GnomonicCubedSphereProjection
Super-classes	GnomonicCubedSphereProjection

11.13.8. Class: geosrs:GnomonicIcosahedronProjection

Table 159 — geosrs:GnomonicIcosahedronProjection

URI	https://w3id.org/geosrs/projection/GnomonicIcosahedronProjection
Super-classes	GnomonicIcosahedronProjection

11.13.9. Class: geosrs:GuyouProjection

Table 160 — geosrs:GuyouProjection

URI	https://w3id.org/geosrs/projection/GuyouProjection
Super-classes	GuyouProjection

11.13.10. Class: geosrs:IcosahedralProjection

Table 161 — geosrs:IcosahedralProjection

URI	https://w3id.org/geosrs/projection/IcosahedralProjection
Super-classes	IcosahedralProjection

11.13.11. Class: geosrs:LeeProjection

Table 162 — geosrs:LeeProjection

URI	https://w3id.org/geosrs/projection/LeeProjection
Super-classes	LeeProjection

11.13.12. Class: geosrs:MyrahedralProjection

Table 163 — geosrs:MyrahedralProjection

URI	https://w3id.org/geosrs/projection/MyrahedralProjection
Super-classes	MyrahedralProjection

11.13.13. Class: geosrs:OctantProjection

Table 164 — geosrs:OctantProjection

URI	https://w3id.org/geosrs/projection/OctantProjection
Super-classes	OctantProjection

11.13.14. Class: geosrs:QuadrilateralizedSphericalCubeProjection

Table 165 — geosrs:QuadrilateralizedSphericalCubeProjection

URI	https://w3id.org/geosrs/projection/QuadrilateralizedSphericalCubeProjection
Super-classes	QuadrilateralizedSphericalCubeProjection

11.13.15. Class: geosrs:WatermanButterflyProjection

Table 166 — geosrs:WatermanButterflyProjection

URI	https://w3id.org/geosrs/projection/WatermanButterflyProjection
Super-classes	WatermanButterflyProjection

11.14. Pseudo Azimuthal Projections

Requirement 19: Pseudo Azimuthal Projections

IDENTIFIER /req/Pseudo_Azimuthal_Projections

STATEMENT Implementations shall allow the RDFS classes geosrs:AitoffObliqueProjection, geosrs:AitoffProjection, geosrs:HammerProjection, geosrs:Strebe1995Projection, geosrs:WinkelTripelProjection to be used in SPARQL graph patterns.

11.14.1. Class: geosrs:AitoffObliqueProjection

Table 167 — geosrs:AitoffObliqueProjection

URI	https://w3id.org/geosrs/projection/AitoffObliqueProjection
Super-classes	AitoffObliqueProjection

11.14.2. Class: geosrs:AitoffProjection

Table 168 — geosrs:AitoffProjection

URI	https://w3id.org/geosrs/projection/AitoffProjection
Definition	A modified azimuthal projection whose graticule takes the form of an ellipse
Super-classes	AitoffProjection

11.14.3. Class: geosrs:HammerProjection

Table 169 — geosrs:HammerProjection

URI	https://w3id.org/geosrs/projection/HammerProjection
Super-classes	HammerProjection

11.14.4. Class: geosrs:Strebe1995Projection

Table 170 — geosrs:Strebe1995Projection

URI	https://w3id.org/geosrs/projection/Strebe1995Projection
Super-classes	Strebe1995Projection

11.14.5. Class: geosrs:WinkelTripelProjection

Table 171 — geosrs:WinkelTripelProjection

URI	https://w3id.org/geosrs/projection/WinkelTripelProjection
Super-classes	WinkelTripelProjection

11.15. Pseudo Conical Projections

Requirement 20: Pseudo Conical Projections

IDENTIFIER /req/Pseudo_Conical_Projections

STATEMENT Implementations shall allow the RDFS classes `geosrs:AmericanPolyconicProjection`, `geosrs:BonneProjection`, `geosrs:BottomleyProjection`, `geosrs:NicolosiGlobularProjection`, `geosrs:PtolemyIIProjection`, `geosrs:WernerProjection` to be used in SPARQL graph patterns.

11.15.1. Class: `geosrs:AmericanPolyconicProjection`

Table 172 — `geosrs:AmericanPolyconicProjection`

URI	https://w3id.org/geosrs/projection/AmericanPolyconicProjection
Super-classes	AmericanPolyconicProjection

11.15.2. Class: `geosrs:BonneProjection`

Table 173 — `geosrs:BonneProjection`

URI	https://w3id.org/geosrs/projection/BonneProjection
Super-classes	BonneProjection

11.15.3. Class: `geosrs:BottomleyProjection`

Table 174 — `geosrs:BottomleyProjection`

URI	https://w3id.org/geosrs/projection/BottomleyProjection
Super-classes	BottomleyProjection

11.15.4. Class: `geosrs:NicolosiGlobularProjection`

Table 175 — geosrs:NicolosiGlobularProjection

URI	https://w3id.org/geosrs/projection/NicolosiGlobularProjection
Super-classes	NicolosiGlobularProjection

11.15.5. Class: geosrs:PtolemyIIProjection

Table 176 — geosrs:PtolemyIIProjection

URI	https://w3id.org/geosrs/projection/PtolemyIIProjection
Super-classes	PtolemyIIProjection

11.15.6. Class: geosrs:WernerProjection

Table 177 — geosrs:WernerProjection

URI	https://w3id.org/geosrs/projection/WernerProjection
Super-classes	WernerProjection

11.16. Pseudo Cylindrical Projections

Requirement 21: Pseudo Cylindrical Projections

IDENTIFIER /req/Pseudo_Cylindrical_Projections

STATEMENT

Implementations shall allow the RDFS classes geosrs:ApianIIProjection, geosrs:AtlantisProjection, geosrs:BaranyiIIIProjection, geosrs:BaranyiIIProjection, geosrs:BaranyiIProjection, geosrs:BaranyiIVProjection, geosrs:BoggsEumorphicProjection, geosrs:BromleyProjection, geosrs:CabotProjection, geosrs:CollignonProjection, geosrs:CrasterParabolicProjection, geosrs:DeakinMinimumErrorProjection, geosrs:Eckert1Projection, geosrs:Eckert2Projection, geosrs:Eckert3Projection, geosrs:Eckert4Projection, geosrs:Eckert5Projection, geosrs:Eckert6Projection, geosrs:EqualEarthProjection, geosrs:FaheyProjection, geosrs:FoucaltProjection, geosrs:FoucaltSinusoidalProjection, geosrs:FournierIIProjection, geosrs:GinzburgVIIIProjection, geosrs:

Requirement 21: Pseudo Cylindrical Projections

GoodeHomolosineProjection, geosrs:HEALPixProjection, geosrs:HufnagelProjection, geosrs:Kavrayskiy7Projection, geosrs:LoximuthalProjection, geosrs:MayrProjection, geosrs:McBrydeThomasFlatPolarParabolicProjection, geosrs:McBrydeThomasFlatPolarQuarticProjection, geosrs:McBrydeThomasFlatPolarSinusoidalProjection, geosrs:McBrydeThomasIIProjection, geosrs:McBrydeThomasIProjection, geosrs:NaturalEarth2Projection, geosrs:NaturalEarthProjection, geosrs:NellHammerProjection, geosrs:NellProjection, geosrs:OrteliusOvalProjection, geosrs:PutninsP1Projection, geosrs:PutninsP2Projection, geosrs:PutninsP3Projection, geosrs:PutninsP5Projection, geosrs:PutninsP6Projection, geosrs:QuarticAuthalicProjection, geosrs:RobinsonProjection, geosrs:SinusoidalProjection, geosrs:TheTimesProjection, geosrs:ToblerG1Projection, geosrs:ToblerHyperellipticalProjection, geosrs:WagnerIIIProjection, geosrs:WagnerIIProjection, geosrs:WagnerIProjection, geosrs:WagnerIVProjection, geosrs:WagnerVIProjection, geosrs:WagnerVProjection, geosrs:WerenskioldIProjection, geosrs:PutninsP3'Projection, geosrs:PutninsP4'Projection, geosrs:PutninsP5'Projection, geosrs:PutninsP6'Projection to be used in SPARQL graph patterns.

11.16.1. Class: geosrs:ApianIIProjection

Table 178 — geosrs:ApianIIProjection

URI	https://w3id.org/geosrs/projection/ApianIIProjection
Super-classes	ApianIIProjection

11.16.2. Class: geosrs:AtlantisProjection

Table 179 — geosrs:AtlantisProjection

URI	https://w3id.org/geosrs/projection/AtlantisProjection
Super-classes	AtlantisProjection

11.16.3. Class: geosrs:BaranyiIIIProjection

Table 180 — geosrs:BaranyillProjection

URI	https://w3id.org/geosrs/projection/BaranyillProjection
Super-classes	BaranyillProjection

11.16.4. Class: geosrs:BaranyillProjection

Table 181 — geosrs:BaranyillProjection

URI	https://w3id.org/geosrs/projection/BaranyillProjection
Super-classes	BaranyillProjection

11.16.5. Class: geosrs:BaranyilProjection

Table 182 — geosrs:BaranyilProjection

URI	https://w3id.org/geosrs/projection/BaranyilProjection
Super-classes	BaranyilProjection

11.16.6. Class: geosrs:BaranyilVProjection

Table 183 — geosrs:BaranyilVProjection

URI	https://w3id.org/geosrs/projection/BaranyilVProjection
Super-classes	BaranyilVProjection

11.16.7. Class: geosrs:BoggsEumorphicProjection

Table 184 — geosrs:BoggsEumorphicProjection

URI	https://w3id.org/geosrs/projection/BoggsEumorphicProjection
Super-classes	BoggsEumorphicProjection

11.16.8. Class: geosrs:BromleyProjection

Table 185 — geosrs:BromleyProjection

URI	https://w3id.org/geosrs/projection/BromleyProjection
Super-classes	BromleyProjection

11.16.9. Class: geosrs:CabotProjection

Table 186 — geosrs:CabotProjection

URI	https://w3id.org/geosrs/projection/CabotProjection
Super-classes	CabotProjection

11.16.10. Class: geosrs:CollignonProjection

Table 187 — geosrs:CollignonProjection

URI	https://w3id.org/geosrs/projection/CollignonProjection
Definition	An equal-area pseudocylindrical projection that maps the sphere onto a triangle or diamond
Super-classes	CollignonProjection

11.16.11. Class: geosrs:CrasterParabolicProjection

Table 188 — geosrs:CrasterParabolicProjection

URI	https://w3id.org/geosrs/projection/CrasterParabolicProjection
Super-classes	CrasterParabolicProjection

11.16.12. Class: geosrs:DeakinMinimumErrorProjection

Table 189 — geosrs:DeakinMinimumErrorProjection

URI	https://w3id.org/geosrs/projection/DeakinMinimumErrorProjection
Super-classes	DeakinMinimumErrorProjection

11.16.13. Class: geosrs:Eckert1Projection

Table 190 — geosrs:Eckert1Projection

URI	https://w3id.org/geosrs/projection/Eckert1Projection
Super-classes	Eckert1Projection

11.16.14. Class: geosrs:Eckert2Projection

Table 191 — geosrs:Eckert2Projection

URI	https://w3id.org/geosrs/projection/Eckert2Projection
Super-classes	Eckert2Projection

11.16.15. Class: geosrs:Eckert3Projection

Table 192 — geosrs:Eckert3Projection

URI	https://w3id.org/geosrs/projection/Eckert3Projection
Super-classes	Eckert3Projection

11.16.16. Class: geosrs:Eckert4Projection

Table 193 — geosrs:Eckert4Projection

URI	https://w3id.org/geosrs/projection/Eckert4Projection
Super-classes	Eckert4Projection

11.16.17. Class: geosrs:Eckert5Projection

Table 194 — geosrs:Eckert5Projection

URI	https://w3id.org/geosrs/projection/Eckert5Projection
Super-classes	Eckert5Projection

11.16.18. Class: geosrs:Eckert6Projection

Table 195 — geosrs:Eckert6Projection

URI	https://w3id.org/geosrs/projection/Eckert6Projection
Super-classes	Eckert6Projection

11.16.19. Class: geosrs:EqualEarthProjection

Table 196 — geosrs:EqualEarthProjection

URI	https://w3id.org/geosrs/projection/EqualEarthProjection
Super-classes	EqualEarthProjection

11.16.20. Class: geosrs:FaheyProjection

Table 197 — geosrs:FaheyProjection

URI	https://w3id.org/geosrs/projection/FaheyProjection
Super-classes	FaheyProjection

11.16.21. Class: geosrs:FoucautProjection

Table 198 — geosrs:FoucautProjection

URI	https://w3id.org/geosrs/projection/FoucautProjection
Super-classes	FoucautProjection

11.16.22. Class: geosrs:FoucautSinusoidalProjection

Table 199 — geosrs:FoucautSinusoidalProjection

URI	https://w3id.org/geosrs/projection/FoucautSinusoidalProjection
Super-classes	FoucautSinusoidalProjection

11.16.23. Class: geosrs:FournierIIProjection

Table 200 — geosrs:FournierIIProjection

URI	https://w3id.org/geosrs/projection/FournierIIProjection
Super-classes	FournierIIProjection

11.16.24. Class: geosrs:GinzburgVIIIProjection

Table 201 — geosrs:GinzburgVIIIProjection

URI	https://w3id.org/geosrs/projection/GinzburgVIIIProjection
Super-classes	GinzburgVIIIProjection

11.16.25. Class: geosrs:GoodeHomolosineProjection

Table 202 — geosrs:GoodeHomolosineProjection

URI	https://w3id.org/geosrs/projection/GoodeHomolosineProjection
Super-classes	GoodeHomolosineProjection

11.16.26. Class: geosrs:HEALPixProjection

Table 203 — geosrs:HEALPixProjection

URI	https://w3id.org/geosrs/projection/HEALPixProjection
Super-classes	HEALPixProjection

11.16.27. Class: geosrs:HufnagelProjection

Table 204 — geosrs:HufnagelProjection

URI	https://w3id.org/geosrs/projection/HufnagelProjection
Super-classes	HufnagelProjection

11.16.28. Class: geosrs:Kavrayskiy7Projection

Table 205 — geosrs:Kavrayskiy7Projection

URI	https://w3id.org/geosrs/projection/Kavrayskiy7Projection
Super-classes	Kavrayskiy7Projection

11.16.29. Class: geosrs:LoximuthalProjection

Table 206 — geosrs:LoximuthalProjection

URI	https://w3id.org/geosrs/projection/LoximuthalProjection
Super-classes	LoximuthalProjection

11.16.30. Class: geosrs:MayrProjection

Table 207 — geosrs:MayrProjection

URI	https://w3id.org/geosrs/projection/MayrProjection
Super-classes	MayrProjection

11.16.31. Class: geosrs:McBrydeThomasFlatPolarParabolicProjection

Table 208 — geosrs:McBrydeThomasFlatPolarParabolicProjection

URI	https://w3id.org/geosrs/projection/McBrydeThomasFlatPolarParabolicProjection
Super-classes	McBrydeThomasFlatPolarParabolicProjection

11.16.32. Class: geosrs:McBrydeThomasFlatPolarQuarticProjection

Table 209 — geosrs:McBrydeThomasFlatPolarQuarticProjection

URI	https://w3id.org/geosrs/projection/McBrydeThomasFlatPolarQuarticProjection
Super-classes	McBrydeThomasFlatPolarQuarticProjection

11.16.33. Class: geosrs:McBrydeThomasFlatPolarSinusoidalProjection

Table 210 — geosrs:McBrydeThomasFlatPolarSinusoidalProjection

URI	https://w3id.org/geosrs/projection/McBrydeThomasFlatPolarSinusoidalProjection
Super-classes	McBrydeThomasFlatPolarSinusoidalProjection

11.16.34. Class: geosrs:McBrydeThomasIIProjection

Table 211 — geosrs:McBrydeThomasIIProjection

URI	https://w3id.org/geosrs/projection/McBrydeThomasIIProjection
Super-classes	McBrydeThomasIIProjection

11.16.35. Class: geosrs:McBrydeThomasIProjection

Table 212 — geosrs:McBrydeThomasIProjection

URI	https://w3id.org/geosrs/projection/McBrydeThomasIProjection
Super-classes	McBrydeThomasIProjection

11.16.36. Class: geosrs:NaturalEarth2Projection

Table 213 — geosrs:NaturalEarth2Projection

URI	https://w3id.org/geosrs/projection/NaturalEarth2Projection
Super-classes	NaturalEarth2Projection

11.16.37. Class: geosrs:NaturalEarthProjection

Table 214 — geosrs:NaturalEarthProjection

URI	https://w3id.org/geosrs/projection/NaturalEarthProjection
Definition	A pseudocylindrical map projection designed by Tom Patterson and introduced in 2008
Super-classes	NaturalEarthProjection

11.16.38. Class: geosrs:NellHammerProjection

Table 215 — geosrs:NellHammerProjection

URI	https://w3id.org/geosrs/projection/NellHammerProjection
Super-classes	NellHammerProjection

11.16.39. Class: geosrs:NellProjection

Table 216 — geosrs:NellProjection

URI	https://w3id.org/geosrs/projection/NellProjection
Super-classes	NellProjection

11.16.40. Class: geosrs:OrteliusOvalProjection

Table 217 — geosrs:OrteliusOvalProjection

URI	https://w3id.org/geosrs/projection/OrteliusOvalProjection
Super-classes	OrteliusOvalProjection

11.16.41. Class: geosrs:PutninsP1Projection

Table 218 — geosrs:PutninsP1Projection

URI	https://w3id.org/geosrs/projection/PutninsP1Projection
Super-classes	PutninsP1Projection

11.16.42. Class: geosrs:PutninsP2Projection

Table 219 — geosrs:PutninsP2Projection

URI	https://w3id.org/geosrs/projection/PutninsP2Projection
Super-classes	PutninsP2Projection

11.16.43. Class: geosrs:PutninsP3Projection

Table 220 — geosrs:PutninsP3Projection

URI	https://w3id.org/geosrs/projection/PutninsP3Projection
Super-classes	PutninsP3Projection

11.16.44. Class: geosrs:PutninsP5Projection

Table 221 — geosrs:PutninsP5Projection

URI	https://w3id.org/geosrs/projection/PutninsP5Projection
Super-classes	PutninsP5Projection

11.16.45. Class: geosrs:PutninsP6Projection

Table 222 — geosrs:PutninsP6Projection

URI	https://w3id.org/geosrs/projection/PutninsP6Projection
Super-classes	PutninsP6Projection

11.16.46. Class: geosrs:QuarticAuthalicProjection

Table 223 — geosrs:QuarticAuthalicProjection

URI	https://w3id.org/geosrs/projection/QuarticAuthalicProjection
Super-classes	QuarticAuthalicProjection

11.16.47. Class: geosrs:RobinsonProjection

Table 224 — geosrs:RobinsonProjection

URI	https://w3id.org/geosrs/projection/RobinsonProjection
Super-classes	RobinsonProjection

11.16.48. Class: geosrs:SinusoidalProjection

Table 225 — geosrs:SinusoidalProjection

URI	https://w3id.org/geosrs/projection/SinusoidalProjection
Super-classes	SinusoidalProjection

11.16.49. Class: geosrs:TheTimesProjection

Table 226 — geosrs:TheTimesProjection

URI	https://w3id.org/geosrs/projection/TheTimesProjection
Super-classes	TheTimesProjection

11.16.50. Class: geosrs:ToblerG1Projection

Table 227 — geosrs:ToblerG1Projection

URI	https://w3id.org/geosrs/projection/ToblerG1Projection
Super-classes	ToblerG1Projection

11.16.51. Class: geosrs:ToblerHyperellipticalProjection

Table 228 — geosrs:ToblerHyperellipticalProjection

URI	https://w3id.org/geosrs/projection/ToblerHyperellipticalProjection
Super-classes	ToblerHyperellipticalProjection

11.16.52. Class: geosrs:WagnerIIIProjection

Table 229 — geosrs:WagnerIIIProjection

URI	https://w3id.org/geosrs/projection/WagnerIIIProjection
Super-classes	WagnerIIIProjection

11.16.53. Class: geosrs:WagnerIIProjection

Table 230 — geosrs:WagnerIIProjection

URI	https://w3id.org/geosrs/projection/WagnerIIProjection
Super-classes	WagnerIIProjection

11.16.54. Class: geosrs:WagnerIProjection

Table 231 — geosrs:WagnerIProjection

URI	https://w3id.org/geosrs/projection/WagnerIProjection
Super-classes	WagnerIProjection

11.16.55. Class: geosrs:WagnerIVProjection

Table 232 — geosrs:WagnerIVProjection

URI	https://w3id.org/geosrs/projection/WagnerIVProjection
Super-classes	WagnerIVProjection

11.16.56. Class: geosrs:WagnerVProjection

Table 233 — geosrs:WagnerVIProjection

URI	https://w3id.org/geosrs/projection/WagnerVIProjection
Super-classes	WagnerVIProjection

11.16.57. Class: geosrs:WagnerVProjection

Table 234 — geosrs:WagnerVProjection

URI	https://w3id.org/geosrs/projection/WagnerVProjection
Super-classes	WagnerVProjection

11.16.58. Class: geosrs:WerenskioldIProjection

Table 235 — geosrs:WerenskioldIProjection

URI	https://w3id.org/geosrs/projection/WerenskioldIProjection
Super-classes	WerenskioldIProjection

11.16.59. Class: geosrs:PutninsP3'Projection

Table 236 — geosrs:PutninsP3'Projection

URI	https://w3id.org/geosrs/projection/PutninsP3'Projection
Super-classes	PutninsP3'Projection

11.16.60. Class: geosrs:PutninsP4'Projection

Table 237 — geosrs:PutninsP4'Projection

URI	https://w3id.org/geosrs/projection/PutninsP4'Projection
Super-classes	PutninsP4'Projection

11.16.61. Class: geosrs:PutninsP5'Projection

Table 238 — geosrs:PutninsP5'Projection

URI	https://w3id.org/geosrs/projection/PutninsP5'Projection
Super-classes	PutninsP5'Projection

11.16.62. Class: geosrs:PutninsP6'Projection

Table 239 — geosrs:PutninsP6'Projection

URI	https://w3id.org/geosrs/projection/PutninsP6'Projection
Super-classes	PutninsP6'Projection

11.17. Stereographic Projections

Requirement 22: Stereographic Projections

IDENTIFIER /req/Stereographic_Projections

STATEMENT Implementations shall allow the RDFS classes geosrs:MillerOblatedStereographicProjection, geosrs:RoussilheProjection to be used in SPARQL graph patterns.

11.17.1. Class: geosrs:MillerOblatedStereographicProjection

Table 240 — geosrs:MillerOblatedStereographicProjection

URI	https://w3id.org/geosrs/projection/MillerOblatedStereographicProjection
Super-classes	MillerOblatedStereographicProjection

11.17.2. Class: geosrs:RoussilheProjection

Table 241 — geosrs:RoussilheProjection

URI	https://w3id.org/geosrs/projection/RoussilheProjection
Super-classes	RoussilheProjection



12

PLANET MODULE

This clause establishes the **PLANET** Requirements class, with IRI /req/planet, which has a corresponding Conformance Class, **PLANET**, with IRI /conf/planet.





ANNEX A (INFORMATIVE) ALIGNMENTS



ANNEX A

(INFORMATIVE)

ALIGNMENTS

Overview

Overview

The prefixes used for the ontologies mapped to in all following sections are given in the following table.

Table A.1 — Alignment: Namespaces

ign:	http://data.ign.fr/def/ignf#
iso19111:	http://def.isotc211.org/iso19112/2019/SpatialReferencingByGeographicIdentifier#
geosrs:	http://www.opengis.net/ont/geosparql#
ifc:	https://standards.buildingsmart.org/IFC/DEV/IFC4/ADD2_TC1/OWL/
owl:	http://www.w3.org/2002/07/owl#
prov:	http://www.w3.org/ns/prov#
rdf:	http://www.w3.org/1999/02/22-rdf-syntax-ns#
rdfs:	http://www.w3.org/2000/01/rdf-schema#

A.1. IGN Ontology

Table A.2 – Alignment: IGN Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CoordinateSystem	owl:equivalentClass	ign:CoordinateSystem	-
geosrs:Datum	owl:equivalentClass	ign:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	ign:Ellipsoid	-
geosrs:Conversion	owl:equivalentClass	ign:Conversion	-
geosrs:CoordinateOperation	owl:equivalentClass	ign:CoordinateOperation	-
geosrs:OperationMethod	owl:equivalentClass	ign:OperationMethod	-
geosrs:OperationParameter	owl:equivalentClass	ign:OperationParameter	-
geosrs:OperationParameterValue	owl:equivalentClass	ign:OperationParameterValue	-
geosrs:SingleOperation	owl:equivalentClass	ign:SingleOperation	-
geosrs:Transformation	owl:equivalentClass	ign:Transformation	-
geosrs:CartesianCoordinateSystem	owl:equivalentClass	ign:CartesianCS	-
geosrs:CoordinateSystem	owl:equivalentClass	ign:CoordinateSystem	-
geosrs:CoordinateSystemAxis	owl:equivalentClass	ign:CoordinateSystemAxis	-
geosrs:EllipsoidalCoordinateSystem	owl:equivalentClass	ign:EllipsoidalCS	-
geosrs:VerticalCoordinateSystem	owl:equivalentClass	ign:VerticalCS	-
geosrs:Datum	owl:equivalentClass	ign:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	ign:Ellipsoid	-
geosrs:GeodeticDatum	owl:equivalentClass	ign:GeodeticDatum	-
geosrs:PrimeMeridian	owl:equivalentClass	ign:PrimeMeridian	-
geosrs:VerticalDatum	owl:equivalentClass	ign:VerticalDatum	-
geosrs:AxesList	owl:equivalentClass	ign:AxesList	-

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CRS	owl:equivalentClass	ign:CRS	-
geosrs:CompoundCRS	owl:equivalentClass	ign:CompoundCRS	-
geosrs:Extent	owl:equivalentClass	ign:Extent	-
geosrs:GeodeticCRS	owl:equivalentClass	ign:GeodeticCRS	-
geosrs:GeographicBoundingBox	owl:equivalentClass	ign:GeographicBoundingBox	-
geosrs:ProjectedCRS	owl:equivalentClass	ign:ProjectedCRS	-
geosrs:SingleCRS	owl:equivalentClass	ign:SingleCRS	-
geosrs:SingleCRSList	owl:equivalentClass	ign:SingleCRSList	-
geosrs:VerticalCRS	owl:equivalentClass	ign:VerticalCRS	-

A.2. ISO19111 Ontology

Table A.3 – Alignment: ISO19111 Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CoordinateSystem	owl:equivalentClass	iso19111:CoordinateSystem	-
geosrs:Datum	owl:equivalentClass	iso19111:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	iso19111:Ellipsoid	-
geosrs:CRS	owl:equivalentClass	iso19111:CRS	-
geosrs:CompoundCRS	owl:equivalentClass	iso19111:CompoundCRS	-
geosrs:EngineeringCRS	owl:equivalentClass	iso19111:EngineeringCRS	-
geosrs:GeodeticCRS	owl:equivalentClass	iso19111:GeodeticCRS	-

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:GeographicCRS	owl:equivalentClass	iso19111:GeographicCRS	-
geosrs:ParametricCRS	owl:equivalentClass	iso19111:ParametricCRS	-
geosrs:ProjectedCRS	owl:equivalentClass	iso19111:ProjectedCRS	-
geosrs:SingleCRS	owl:equivalentClass	iso19111:SingleCRS	-
geosrs:TemporalCRS	owl:equivalentClass	iso19111:TemporalCRS	-
geosrs:VerticalCRS	owl:equivalentClass	iso19111:VerticalCRS	-

A.3. IFC Ontology

Table A.4 – Alignment: IFC Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:AxisDirection	owl:equivalentClass	ifc:IfcDirection	-
geosrs:CRS	owl:equivalentClass	ifc:IfcCoordinateReferenceSystem	-
geosrs:CoordinateOperation	owl:equivalentClass	ifc:IfcCoordinateOperation	-
geosrs:ProjectedCRS	owl:equivalentClass	ifc:IfcProjectedCRS	-
geosrs:axis	owl:equivalentProperty	ifc:axis_IfcAxis1Placement	-
geosrs:sourceCRS	owl:equivalentProperty	ifc:sourceCRS	-
geosrs:targetCRS	owl:equivalentProperty	ifc:targetCRS	-



ANNEX B (INFORMATIVE) SHACL SHAPES



ANNEX B (INFORMATIVE) SHACL SHAPES

Overview

Overview



ANNEX C (INFORMATIVE) REVISION HISTORY



ANNEX C (INFORMATIVE) REVISION HISTORY

DATE	RELEASE	AUTHOR	PRIMARY CLAUSES MODIFIED	DESCRIPTION
2016-04-28	0.1	G. Editor	all	initial version



BIBLIOGRAPHY





BIBLIOGRAPHY

NOTE: The TC has approved Springer LNCS as the official document citation type. Springer LNCS is widely used in technical and computer science journals and other publications. For citations in the text please use square brackets and consecutive numbers: [1], [2], [3]. Actual References: [n] Journal: Author Surname, A.: Title. Publication Title. Volume number, Issue number, Pages Used (Year Published)

- [1] ISO: ISO 19142, *Geographic information – Web Feature Service*. International Organization for Standardization, Geneva <https://www.iso.org/standard/42136.html>.
- [2] W3C: **Data Catalog Vocabulary**, W3C Recommendation 16 January 2014, <https://www.w3.org/TR/vocab-dcat/>
- [3] IANA: **Link Relation Types**, <https://www.iana.org/assignments/link-relations/link-relations.xml>
- [4] W3C/OGC: **Spatial Data on the Web Best Practices**, W3C Working Group Note 28 September 2017, <https://www.w3.org/TR/sdw-bp/>
- [5] W3C: **Data on the Web Best Practices**, W3C Recommendation 31 January 2017, <https://www.w3.org/TR/dwbp/>
- [6] Ben-Kiki, O., Evans, C., Ingy döt Net: **YAML Ain't Markup Language**, <https://yaml.org/>
- [7] OGC: **Web Feature Service 2.0**, <http://docs.opengeospatial.org/is/09-025r2/09-025r2.html>
- [8] Berners-Lee, T., Fielding, R., Masinter, L.: **IETF RFC 3986 – Uniform Resource Identifier (URI): Generic Syntax**, <http://tools.ietf.org/rfc/rfc3986.txt>