#### OGC® DOCUMENT: 18-053R2

External identifier of this OGC® document: http://www.opengis.net/docs/CS/3DTiles/1.0



# OGC DOCUMENT TITLE

**COMMUNITY STANDARD** 

**APPROVED** 

Version: 1.0

Submission Date: 2018-06-04 Approval Date: 2018-12-14 Publication Date: 2019-01-31 Editor: Patrick Cozzi, Sean Lilley

**Notice:** This document is an OGC Member approved international standard. This document is available on a royalty free, non-discriminatory basis. Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.



#### License Agreement

Use of this document is subject to the license agreement at <a href="https://www.ogc.org/license">https://www.ogc.org/license</a>

#### Copyright notice

Copyright © 2025 Open Geospatial Consortium To obtain additional rights of use, visithttps://www.ogc.org/legal

#### Note

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. The Open Geospatial Consortium shall not be held responsible for identifying any or all such patent rights.

Recipients of this document are requested to submit, with their comments, notification of any relevant patent claims or other intellectual property rights of which they may be aware that might be infringed by any implementation of the standard set forth in this document, and to provide supporting documentation.

# CONTENTS

l.	ABSTRACT	xvi
II.	KEYWORDS	xvi
III.	PREFACE	xvii
IV.	SECURITY CONSIDERATIONS	xix
V.	SUBMITTERS	xix
VI.	SOURCE OF THE CONTENT FOR THIS OGC DOCUMENT	xix
VII.	VALIDITY OF CONTENT	xix
VIII	FUTURE WORK	xix
IX.	CONTRIBUTORS	X>
1.	SCOPE	2
2.	CONFORMANCE	4
3.	NORMATIVE REFERENCES	6
4.	TERMS AND DEFINITIONS	8
5.	CONVENTIONS	10
	CORE  6.1. Coordinate Reference System Parameters  6.2. Coordinate Reference System Properties  6.3. Coordinate Reference System Types	13 14
7.	COORDINATE OPERATION MODULE  7.1. Coordinate Operation Categories  7.2. Coordinate Operation Methods  7.3. Coordinate Operation Parameters  7.4. Coordinate Operation Properties	27 30
	7.7. Coordinate Operation Hoperties	∪∠

8.	COORDINATE SYSTEM MODULE	36
	8.1. 3D Coordinate Systems	36
	8.2. Celestial Coordinate Systems	38
	8.3. Coordinate System Components	40
	8.4. Coordinate System Properties	40
	8.5. Coordinate System Types	41
	8.6. Temporal Coordinate Systems	46
9.	DATUM MODULE	
	9.1. Datum Parameters	
	9.2. Datum Properties	
	9.3. Datum Types	
	9.4. Spheroid Properties	
	9.5. Spheroid Types	56
10.	SRS APPLICATION MODULE	
	10.1. Map Types	
	10.2. SRS Application Types	61
11.	PROJECTIONS MODULE	
	11.1. Azimuthal Projections	
	11.2. Compromise Projections	
	11.3. Conformal Projections	
	11.4. Conical Projections	
	11.5. Cylindrical Projections	
	11.6. Equal Area Projections	
	11.7. Equidistant Projections	
	11.8. Globular Projections	
	11.9. Lenticular Projections	
	11.10. Minimum Error Projections	
	11.11. Perspective Projections	
	11.12. Polyconic Projections	
	11.13. Polyhedral Projections	
	11.14. Pseudo Azimuthal Projections	
	11.15. Pseudo Conical Projections	
	11.16. Pseudo Cylindrical Projections	
	11.17. Stereographic Projections	120
12.	PLANET MODULE	
	12.1. Interstellar Body	123
13.	COMMON INSTANCES	127
	13.1. Coordinate System Axis	
	13.2. SRS Literal Types	129
	13.3 Spheroids	130

	ANNEX A (NORMATIVE) ABSTRACT TEST SUITE	
	A.O. Overview	
	A.1. Conformance Class: Core	
	A.2. Conformance Class: Co	
	A.3. Conformance Class: Cs	
	A.4. Conformance Class: Datum	154
	A.5. Conformance Class: Srsapplication	157
	A.6. Conformance Class: Projections	158
	A.7. Conformance Class: Planet	169
	A.8. Conformance Class: Instances	170
	ANNEX B (INFORMATIVE) ALIGNMENTS	
	B.1. IGN Ontology	
	B.2. ISO19111 Ontology	
	B.3. IFC Ontology	
	ANINEY C (INFORMATIVE) CHACL CHAREC	170
	ANNEX C (INFORMATIVE) SHACL SHAPES  Overview	
	ANNEY D (INFORMATIVE) ADDITION EVANADITE	100
	ANNEX D (INFORMATIVE) APPLICATION EXAMPLES	
	Overview	
	D.1. Minimum Example	
	D.2. Elaborate Example	180
	ANNEX E (INFORMATIVE) JSON-LD CONTEXT	
	E.1. Compatibility to PROJJSON	
	E.2. Compatibility to OGCJSON	
	ANNEX F (INFORMATIVE) REVISION HISTORY	184
	BIBLIOGRAPHY	186
–		
.151	OF TABLES	
	Table 1 — geosrs:AreaOfUse	13
	Table 2 — geosrs:Extent	
	Table 3 — geosrs:GeographicBoundingBox	
	Table 4 — geosrs:AxesList	
	Table 5 — geosrs:SingleCRSList	
	Table 6 — geosrs:baseCRS	
	Table 7 — geosrs:conversion	15

Table 8 — geosrs:coordinateSystem	15
Table 9 — geosrs:datum	16
Table 10 — geosrs:datumEnsemble	16
Table 11 — geosrs:domainOfValidity	16
Table 12 — geosrs:method	17
Table 13 — geocrs:asProj4	17
Table 14 — geocrs:asProjJSON	17
Table 15 — geocrs:asWKT	18
Table 16 — geosrs:EPSGcode	18
Table 17 — geosrs:BoundCRS	19
Table 18 — geosrs:CompoundCRS	19
Table 19 — geosrs:CRS	20
Table 20 — geosrs:EngineeringCRS	20
Table 21 — geosrs:GeocentricCRS	20
Table 22 — geosrs:GeodeticCRS	21
Table 23 — geosrs:GeographicCRS	21
Table 24 — geosrs:ParametricCRS	21
Table 25 — geosrs:ProjectedCRS	22
Table 26 — geosrs:SelenographicCRS	22
Table 27 — geosrs:ReferenceSystem	22
Table 28 — geosrs:SingleCRS	22
Table 29 — geosrs:SpatialReferenceSystem	23
Table 30 — geosrs:SpatioParametricCompoundCRS	23
Table 31 — geosrs:SpatioParametricTemporalCompoundCRS	23
Table 32 — geosrs:SpatioTemporalCompoundCRS	24
Table 33 — geosrs:StaticCRS	24
Table 34 — geosrs:TemporalCRS	24
Table 35 — geosrs:VerticalCRS	25
Table 36 — geosrs:GeographicObject	27
Table 37 — geosrs:RegisterOperations	28
Table 38 — geosrs:ScaleOperation	28
Table 39 — geosrs:RotationOperation	28
Table 40 — geosrs:IdentityOperation	28
Table 41 — geosrs:ShearOperation	29
Table 42 — geosrs:TranslationOperation	29
Table 43 — geosrs:AffineTransformationOperation	29
Table 44 — geocrs:CoordinateTransformationOperation	30
Table 45 — geosrs:PassThroughOperation	30
Table 46 — geosrs:ConcatenatedOperation	
Table 47 — geosrs:PointMotionOperation	31
Table 48 — geosrs:OperationParameterGroup	

Table 49 –	geosrs:ParameterValueGroup	32
Table 50 –	geosrs:derivingConversion	33
Table 51 –	geosrs:parameter	33
Table 52 –	geosrs:sourceCRS	34
Table 53 –	geosrs:targetCRS	34
Table 54 –	geosrs:3DCoordinateSystem	37
Table 55 –	geosrs:ConicalCoordinateSystem	37
Table 56 –	geosrs:CylindricalCoordinateSystem	37
Table 57 –	geosrs:CelestialCoordinateSystem	38
Table 58 –	geosrs:EclipticCoordinateSystem	38
Table 59 –	geosrs:EquatorialCoordinateSystem	39
Table 60 –	geosrs:GalacticCoordinateSystem	39
Table 61 –	geosrs:HorizontalCoordinateSystem	39
Table 62 –	geosrs:PerifocalCoordinateSystem	40
Table 63 –	geosrs:SuperGalacticCS	40
Table 64 –	- geosrs:axis	41
Table 65 –	geosrs:axisDirection	41
Table 66 –	geosrs:AffineCoordinateSystem	42
Table 67 –	geosrs:BarycentricCoordinateSystem	42
Table 68 –	geosrs:CurvilinearCoordinateSystem	43
Table 69 –	geosrs:EngineeringCoordinateSystem	43
Table 70 –	geosrs:GeodeticCoordinateSystem	43
Table 71 –	geosrs:GeographicalCoordinateSystem	43
Table 72 –	geosrs:GridCoordinateSystem	44
Table 73 –	geosrs:HexagonalCoordinateSystem	44
Table 74 –	geosrs:LocalCoordinateSystem	44
Table 75 –	geosrs:ObliqueCoordinateSystem	45
Table 76 –	geosrs:OrthogonalCoordinateSystem	45
Table 77 –	geosrs:PlanarCoordinateSystem	45
Table 78 –	geosrs:1DCoordinateSystem	46
Table 79 –	geosrs:DateTimeTemporalCoordinateSystem	46
Table 80 –	geosrs:TemporalCountCoordinateSystem	47
Table 81 –	geosrs:TemporalCoordinateSystem	47
Table 82 –	geosrs:TemporalMeasureCoordinateSystem	47
Table 83 –	geosrs:DefiningParameter	49
Table 84 –	geosrs:datumDefiningParameter	50
	geosrs:ellipsoid	
	geosrs:primeMeridian	
	geosrs:DynamicGeodeticReferenceFrame	
	geosrs:DynamicVerticalDatum	
	geosrs:ParametricDatum	

Table 90 — geosrs:EngineeringDatum	53
Table 91 — geosrs:TemporalDatum	53
Table 92 — geosrs:DatumEnsemble	53
Table 93 — geosrs:eccentricity	54
Table 94 — geosrs:inverseFlattening	54
Table 95 — geosrs:isSphere	55
Table 96 — geosrs:semiMajorAxis	55
Table 97 — geosrs:semiMinorAxis	56
Table 98 — geosrs:TriaxialEllipsoid	56
Table 99 — geosrs:CadastreMap	59
Table 100 — geosrs:NauticalChart	60
Table 101 — geosrs:ThematicMap	60
Table 102 — geosrs:TopographicMap	60
Table 103 — geosrs:WeatherMap	61
Table 104 — geosrs:SRSApplication	61
Table 105 — geosrs:SpatialReferencing	61
Table 106 — geosrs:EngineeringSurvey	62
Table 107 — geosrs:SatelliteSurvey	62
Table 108 — geosrs:SatelliteNavigation	62
Table 109 — geosrs:CoastalHydrography	62
Table 110 — geosrs:OffshoreEngineering	63
Table 111 — geosrs:Hydrography	63
Table 112 — geosrs:Drilling	63
Table 113 — geosrs:OilAndGasExploration	63
Table 114 — geosrs:BreusingGeometricProjection	67
Table 115 — geosrs:BreusingHarmonicProjection	67
Table 116 — geosrs:GinzburgIIProjection	67
Table 117 — geosrs:GinzburglProjection	
Table 118 — geosrs:GnomonicProjection	68
Table 119 — geosrs:JamesAzimuthalProjection	
Table 120 — geosrs:ArmadilloProjection	69
Table 121 — geosrs:BakerDinomicProjection	
Table 122 — geosrs:BertinProjection	69
Table 123 — geosrs:ChamberlinTrimetricProjection	
Table 124 — geosrs:DenoyerSemiEllipticalProjection	
Table 125 — geosrs:FairgrieveProjection	70
Table 126 — geosrs:LarriveeProjection	
Table 127 — geosrs:PetermannStarProjection	
Table 128 — geosrs:SpilhausOceanicProjection	
Table 129 — geosrs:VanDerGrintenIIIProjection	
Table 130 — geosrs:WinkelIIProjection	71

Table 131 — geosrs:WinkellProjection	71
Table 132 — geosrs:WinkelSnyderProjection	71
Table 133 — geosrs:AdamsProjection	72
Table 134 — geosrs:AdamsWorldInASquareIIProjection	72
Table 135 — geosrs:AdamsWorldInASquareIProjection	73
Table 136 — geosrs:AugustEpicycloidalProjection	73
Table 137 — geosrs:CoxConformalProjection	73
Table 138 — geosrs:EisenlohrProjection	73
Table 139 — geosrs:GS50Projection	74
Table 140 — geosrs:PeirceQuincuncialProjection	74
Table 141 — geosrs:StereographicProjection	74
Table 142 — geosrs:BipolarObliqueConicConformalProjection	75
Table 143 — geosrs:CentralConicProjection	75
Table 144 — geosrs:HerschelConformalConicProjection	75
Table 145 — geosrs:Krovak	75
Table 146 — geosrs:LambertConformalConicProjection	76
Table 147 — geosrs:MurdochIIIProjection	76
Table 148 — geosrs:MurdochIIProjection	76
Table 149 — geosrs:MurdochlProjection	76
Table 150 — geosrs:SchjerningIProjection	77
Table 151 — geosrs:VitkovskylProjection	77
Table 152 — geosrs:ArdenCloseProjection	77
Table 153 — geosrs:BraunPerspectiveProjection	78
Table 154 — geosrs:CompactMillerProjection	78
Table 155 — geosrs:CylindricalStereographicProjection	78
Table 156 — geosrs:KarchenkoShabanovaProjection	78
Table 157 — geosrs:LabordeProjection	79
Table 158 — geosrs:MercatorProjection	79
Table 159 — geosrs:MillerProjection	79
Table 160 — geosrs:PattersonCylindricalProjection	79
Table 161 — geosrs:PavlovProjection	80
Table 162 — geosrs:ToblerCylindricalIIProjection	80
Table 163 — geosrs:ToblerCylindricallProjection	80
Table 164 — geosrs:UrmayevIIIProjection	80
Table 165 — geosrs:WebMercatorProjection	80
Table 166 — geosrs:AlbersEqualAreaProjection	81
Table 167 — geosrs:AzimuthalEqualAreaProjection	81
Table 168 — geosrs:CylindricalEqualArea	82
Table 169 — geosrs:GallPetersProjection	82
Table 170 — geosrs:HoboDyerProjection	
Table 171 — geosrs:LambertAzimuthalEqualArea	82

Table 172 — geosrs:TrystanEdwardsProjection	82
Table 173 — geosrs:WiechelProjection	83
Table 174 — geosrs:AzimuthalEquidistantProjection	83
Table 175 — geosrs:BerghausStarProjection	84
Table 176 — geosrs:CassiniProjection	84
Table 177 — geosrs:EquidistantConicProjection	84
Table 178 — geosrs:EquidistantCylindricalProjection	84
Table 179 — geosrs:EquirectangularProjection	85
Table 180 — geosrs:ObliquePlateCarreeProjection	85
Table 181 — geosrs:PlateCarreeProjection	85
Table 182 — geosrs:TwoPointEquidistantProjection	85
Table 183 — geosrs:ApianGlobularIProjection	86
Table 184 — geosrs:BaconGlobularProjection	86
Table 185 — geosrs:FournierGlobularIProjection	86
Table 186 — geosrs:A4Projection	87
Table 187 — geosrs:BriesemeisterProjection	87
Table 188 — geosrs:CiriclProjection	87
Table 189 — geosrs:CupolaProjection	88
Table 190 — geosrs:DedistortProjection	88
Table 191 — geosrs:DietrichKitadaProjection	88
Table 192 — geosrs:FranculaIIIProjection	88
Table 193 — geosrs:FranculaIVProjection	89
Table 194 — geosrs:FranculalXProjection	89
Table 195 — geosrs:FranculaVIIIProjection	89
Table 196 — geosrs:FranculaVProjection	89
Table 197 — geosrs:FranculaXIIIProjection	89
Table 198 — geosrs:FranculaXIIProjection	90
Table 199 — geosrs:FranculaXIVProjection	90
Table 200 — geosrs:HamusoidalProjection	90
Table 201 — geosrs:KissProjection	90
Table 202 — geosrs:AiryProjection	91
Table 203 — geosrs:CentralCylindricalProjection	92
Table 204 — geosrs:GeneralVerticalPerspectiveProjection	92
Table 205 — geosrs:GilbertTwoWorldPerspectiveProjection	92
Table 206 — geosrs:LaHireProjection	92
Table 207 — geosrs:LorgnaProjection	93
Table 208 — geosrs:LowryProjection	93
Table 209 — geosrs:OrthographicProjection	93
Table 210 — geosrs:PerspectiveConicProjection	93
Table 211 — geosrs:TiltedPerspectiveProjection	
Table 212 — geosrs:VerticalPerspectiveProjection	94

Table 213 — geosrs:GinzburgIVProjection	94
Table 214 — geosrs:GinzburgIXProjection	95
Table 215 — geosrs:GinzburgVIProjection	95
Table 216 — geosrs:GinzburgVProjection	95
Table 217 — geosrs:GottWagnerProjection	95
Table 218 — geosrs:HillEucyclicProjection	96
Table 219 — geosrs:LagrangeProjection	96
Table 220 — geosrs:LaskowskiProjection	96
Table 221 — geosrs:RectangularPolyconicProjection	96
Table 222 — geosrs:StabiusWernerIIIProjection	96
Table 223 — geosrs:StabiusWernerlProjection	97
Table 224 — geosrs:VanDerGrintenIIProjection	97
Table 225 — geosrs:VanDerGrintenIProjection	97
Table 226 — geosrs:VanDerGrintenIVProjection	97
Table 227 — geosrs:WagnerIXProjection	98
Table 228 — geosrs:WagnerVIIIProjection	98
Table 229 — geosrs:WagnerVIIProjection	98
Table 230 — geosrs:AuthaGraphProjection	99
Table 231 — geosrs:CahillKeyesProjection	99
Table 232 — geosrs:CollignonButterflyProjection	99
Table 233 — geosrs:DodecahedralProjection	99
Table 234 — geosrs:DymaxionProjection	100
Table 235 — geosrs:GnomonicButterflyProjection	100
Table 236 — geosrs:GnomonicCubedSphereProjection	100
Table 237 — geosrs:GnomoniclcosahedronProjection	100
Table 238 — geosrs:GuyouProjection	100
Table 239 — geosrs:IcosahedralProjection	101
Table 240 — geosrs:LeeProjection	101
Table 241 — geosrs:MyrahedalProjection	101
Table 242 — geosrs:OctantProjection	101
Table 243 — geosrs:QuadrilateralizedSphericalCubeProjection	102
Table 244 — geosrs:WatermanButterflyProjection	102
Table 245 — geosrs:AitoffObliqueProjection	102
Table 246 — geosrs:AitoffProjection	103
Table 247 — geosrs:HammerProjection	103
Table 248 — geosrs:Strebe1995Projection	103
Table 249 — geosrs:WinkelTripelProjection	103
Table 250 — geosrs:AmericanPolyconicProjection	104
Table 251 — geosrs:BonneProjection	104
Table 252 — geosrs:BottomleyProjection	104
Table 253 — geosrs:NicolosiGlobularProjection	

Table 254 — geosrs:PtolemyIIProjection	105
Table 255 — geosrs:WernerProjection	105
Table 256 — geosrs:ApianIIProjection	106
Table 257 — geosrs:AtlantisProjection	106
Table 258 — geosrs:BaranyillIProjection	106
Table 259 — geosrs:BaranyillProjection	107
Table 260 — geosrs:BaranyilProjection	107
Table 261 — geosrs:BaranyilVProjection	107
Table 262 — geosrs:BoggsEumorphicProjection	107
Table 263 — geosrs:BromleyProjection	108
Table 264 — geosrs:CabotProjection	108
Table 265 — geosrs:CollignonProjection	108
Table 266 — geosrs:CrasterParabolicProjection	108
Table 267 — geosrs:DeakinMinimumErrorProjection	109
Table 268 — geosrs:Eckert1Projection	109
Table 269 — geosrs:Eckert2Projection	109
Table 270 — geosrs:Eckert3Projection	109
Table 271 — geosrs:Eckert4Projection	110
Table 272 — geosrs:Eckert5Projection	110
Table 273 — geosrs:Eckert6Projection	110
Table 274 — geosrs:EqualEarthProjection	110
Table 275 — geosrs:FaheyProjection	110
Table 276 — geosrs:FoucautProjection	111
Table 277 — geosrs:FoucautSinusoidalProjection	111
Table 278 — geosrs:FournierIIProjection	111
Table 279 — geosrs:GinzburgVIIIProjection	111
Table 280 — geosrs:GoodeHomolosineProjection	112
Table 281 — geosrs:HEALPixProjection	112
Table 282 — geosrs:HufnagelProjection	112
Table 283 — geosrs:Kavrayskiy7Projection	112
Table 284 — geosrs:LoximuthalProjection	113
Table 285 — geosrs:MayrProjection	113
$Table\ 286-geosrs: McBryde Thomas Flat Polar Parabolic Projection\$	113
${\it Table~287-geosrs:} McBryde Thomas Flat Polar Quartic Projection~$	113
$Table\ 288-geosrs: McBryde Thomas Flat Polar Sinusoidal Projection\$	113
Table 289 — geosrs:McBrydeThomasIIProjection	114
Table 290 — geosrs:McBrydeThomasIProjection	114
Table 291 — geosrs:NaturalEarth2Projection	
Table 292 — geosrs:NaturalEarthProjection	114
Table 293 — geosrs:NellHammerProjection	115
Table 294 — geosrs:NellProjection	115

Table 295 — geosrs:OrteliusOvalProjection	115
Table 296 — geosrs:PutninsP1Projection	115
Table 297 — geosrs:PutninsP2Projection	116
Table 298 — geosrs:PutninsP3Projection	116
Table 299 — geosrs:PutninsP5Projection	116
Table 300 — geosrs:PutninsP6Projection	116
Table 301 — geosrs:QuarticAuthalicProjection	116
Table 302 — geosrs:RobinsonProjection	117
Table 303 — geosrs:SinusoidalProjection	117
Table 304 — geosrs:TheTimesProjection	117
Table 305 — geosrs:ToblerG1Projection	117
Table 306 — geosrs:ToblerHyperellipticalProjection	118
Table 307 — geosrs:WagnerIIIProjection	118
Table 308 — geosrs:WagnerIIProjection	118
Table 309 — geosrs:WagnerIProjection	118
Table 310 — geosrs:WagnerIVProjection	118
Table 311 — geosrs:WagnerVIProjection	119
Table 312 — geosrs:WagnerVProjection	119
Table 313 — geosrs:WerenskioldIProjection	119
Table 314 — geosrs:PutninsP3'Projection	119
Table 315 — geosrs:PutninsP4'Projection	120
Table 316 — geosrs:PutninsP5'Projection	120
Table 317 — geosrs:PutninsP6'Projection	120
Table 318 — geosrs:MillerOblatedStereographicProjection	121
Table 319 — geosrs:RoussilheProjection	121
Table 320 — geosrs:ArtificialSatellite	123
Table 321 — geosrs:Asteroid	123
Table 322 — geosrs:Comet	124
Table 323 — geosrs:DwarfPlanet	124
Table 324 — geosrs:InterstellarBody	124
Table 325 — geosrs:Moon	124
Table 326 — geosrs:NaturalSatellite	124
Table 327 — geosrs:Planet	125
Table 328 — geosrs:PlanetStatus	125
Table 329 — geosrs:Plutoid	125
Table 330 — geosrs:Star	125
Table 331 — geosrs:down	127
Table 332 — geosrs:east	128
Table 333 — geosrs:north	128
Table 334 — geosrs:south	128
Table 335 — geosrs:up	128

Table 336 — geosrs:west	129
Table 337 — geosrs:proj4Literal	129
Table 338 — geosrs:projJSONLiteral	130
Table 339 — geosrs:wktLiteral	130
Table 340 — geosrs:GRS1980	131
Table 341 — geosrs:GRS67	131
Table 342 — geosrs:PZ90	131
Table 343 — geosrs:Airy1830	132
Table 344 — geosrs:AiryModified1849	132
Table 345 — geosrs:International1924	132
Table 346 — geosrs:AustralianNationalSpheroid	133
Table 347 — geosrs:Everest1930	133
Table 348 — geosrs:Clarke1866	133
Table 349 — geosrs:Plessis1817	134
Table 350 — geosrs:Danish1876	134
Table 351 — geosrs:Struve1860	134
Table 352 — geosrs:IAG1975	134
Table 353 — geosrs:Clarke1858	135
Table 354 — geosrs:Clarke1880	135
Table 355 — geosrs:Helmert1906	135
Table 356 — geosrs:CGCS2000	136
Table 357 — geosrs:GSK-2011	136
Table 358 — geosrs:Zach1812	136
Table 359 — geosrs:Clarke1880ARC	137
Table 360 — geosrs:Clarke1880IGN	137
Table 361 — geosrs:WGS66	137
Table 362 — geosrs:WGS72	138
Table 363 — geosrs:WGS84	138
Table 364 — geosrs:Krassowsky1940	138
Table B.1 — Alignment: Namespaces	173
Table B.2 — Alignment: IGN Ontology	174
Table B.3 — Alignment: ISO19111 Ontology	175
Table B.4 — Alignment: IFC Ontology	176

# LIST OF FIGURES

Figure 1	1	12	2
i igai c	L		-

# LIST OF NORMATIVE STATEMENTS

REQUIREMENTS CLASS 1: 06-CORE.ADOC EXTENSION	12
REQUIREMENTS CLASS 2: 07-CO_MODULE.ADOC EXTENSION	27
REQUIREMENTS CLASS 3: 08-CS_MODULE.ADOC EXTENSION	36
REQUIREMENTS CLASS 4: 09-DATUM_MODULE.ADOC EXTENSION	49
REQUIREMENTS CLASS 5: 10-SRSAPPLICATION_MODULE.ADOC EXTENSION	59
REQUIREMENTS CLASS 6: 11-PROJECTIONS_MODULE.ADOC EXTENSION	66
REQUIREMENTS CLASS 7: 12-PLANET_MODULE.ADOC EXTENSION	123
REQUIREMENTS CLASS 8: 13-INSTANCES.ADOC EXTENSION	127
REQUIREMENT 1: COORDINATE REFERENCE SYSTEM PARAMETERS	13
REQUIREMENT 2: COORDINATE REFERENCE SYSTEM PROPERTIES	14
REQUIREMENT 3: COORDINATE REFERENCE SYSTEM TYPES	19
REQUIREMENT 4: COORDINATE OPERATION CATEGORIES	27
REQUIREMENT 5: COORDINATE OPERATION METHODS	30
REQUIREMENT 6: COORDINATE OPERATION PARAMETERS	32
REQUIREMENT 7: COORDINATE OPERATION PROPERTIES	33
REQUIREMENT 8: 3D COORDINATE SYSTEMS	36
REQUIREMENT 9: CELESTIAL COORDINATE SYSTEMS	38
REQUIREMENT 10: COORDINATE SYSTEM COMPONENTS	40
REQUIREMENT 11: COORDINATE SYSTEM PROPERTIES	40
REQUIREMENT 12: COORDINATE SYSTEM TYPES	42
REQUIREMENT 13: TEMPORAL COORDINATE SYSTEMS	46
REQUIREMENT 14: DATUM PARAMETERS	49
REQUIREMENT 15: DATUM PROPERTIES	50
REQUIREMENT 16: DATUM TYPES	51
REQUIREMENT 17: SPHEROID PROPERTIES	54
REQUIREMENT 18: SPHEROID TYPES	56
REQUIREMENT 19: MAP TYPES	59
REQUIREMENT 20: SRS APPLICATION TYPES	61
REQUIREMENT 21: AZIMUTHAL PROJECTIONS	67
REQUIREMENT 22: COMPROMISE PROJECTIONS	68
REQUIREMENT 23: CONFORMAL PROJECTIONS	72

REQUIREMENT 24: CONICAL PROJECTIONS	74
REQUIREMENT 25: CYLINDRICAL PROJECTIONS	77
REQUIREMENT 26: EQUAL AREA PROJECTIONS	81
REQUIREMENT 27: EQUIDISTANT PROJECTIONS	83
REQUIREMENT 28: GLOBULAR PROJECTIONS	86
REQUIREMENT 29: LENTICULAR PROJECTIONS	87
REQUIREMENT 30: MINIMUM ERROR PROJECTIONS	91
REQUIREMENT 31: PERSPECTIVE PROJECTIONS	91
REQUIREMENT 32: POLYCONIC PROJECTIONS	
REQUIREMENT 33: POLYHEDRAL PROJECTIONS	98
REQUIREMENT 34: PSEUDO AZIMUTHAL PROJECTIONS	102
REQUIREMENT 35: PSEUDO CONICAL PROJECTIONS	
REQUIREMENT 36: PSEUDO CYLINDRICAL PROJECTIONS	105
REQUIREMENT 37: STEREOGRAPHIC PROJECTIONS	120
REQUIREMENT 38: INTERSTELLAR BODY	
REQUIREMENT 39: COORDINATE SYSTEM AXIS	127
REQUIREMENT 40: SRS LITERAL TYPES	129
REQUIREMENT 41: SPHEROIDS	130
CONFORMANCE CLASS A.1: 06-CORE.ADOC	146
CONFORMANCE CLASS A.2: 07-CO_MODULE.ADOC	
CONFORMANCE CLASS A.3: 08-CS_MODULE.ADOC	
CONFORMANCE CLASS A.4: 09-DATUM_MODULE.ADOC	
CONFORMANCE CLASS A.5: 10-SRSAPPLICATION_MODULE.ADOC	
CONFORMANCE CLASS A.6: 11-PROJECTIONS_MODULE.ADOC	
CONFORMANCE CLASS A.7: 12-PLANET_MODULE.ADOC	
CONFORMANCE CLASS A.8: 13-INSTANCES.ADOC	170



<Insert Abstract Text here>



The following are keywords to be used by search engines and document catalogues.

keyword\_1, keyword\_2, keyword\_3, etc.

# PREFACE

This document establishes the OGC CRS ontology and its submodules. The definition of elements of coordinate reference systems is an essential part of geospatial data provision. However, until now, coordinate reference systems and their components could not be represented in an OGC-standardized semantic web vocabulary. This document introduces the ontology model, its classes and properties, application examples and can serve as the foundation of a semantic web based coordinate system registry at OGC. Special attention is given to the compatibility of the CRS Ontology vocabulary to other OGC-endorsed Semantic Web standards such as GeoSPARQL and alignments to other data standards are provided as part of this specification.

**NOTE:** Insert Preface Text here. Give OGC specific commentary: describe the technical content, reason for document, history of the document and precursors, and plans for future work.

There are two ways to specify the Preface: "simple clause" or "full clasuse"

If the Preface does not contain subclauses, it is considered a simple preface clause. This one is entered as text after the .Preface label and must be placed between the AsciiDoc document attributes and the first AsciiDoc section title. It should not be give a section title of its own.

If the Preface contains subclauses, it needs to be encoded as a full preface clause. This one is recognized as a full Metanorma AsciiDoc section with te title "Preface", i.e. == Preface. (Simple preface content can also be encoded like full preface.)



### SECURITY CONSIDERATIONS

No security considerations have been made for this Standard.



#### **SUBMITTERS**

All questions regarding this submission should be directed to the editor or the submitters:

NAME	AFFILIATION	OGC MEMBER
Luís Moreira de Sousa	Instituto Superior Técnico: Lisbon, PT	Yes
Timo Homburg	Mainz University Of Applied Sciences	No
Nathalie Abadie	IGN France	Yes
Ghislain Atemezing	European Union Agency for Railways (ERA)	Yes



# SOURCE OF THE CONTENT FOR THIS OGC DOCUMENT



## VALIDITY OF CONTENT



### **FUTURE WORK**

**NOTE:** If you need to place any further sections in the preface area use the [.preface] attribute.



Additional contributors to this Standard include the following: Individual name(s), Organization



# 1 SCOPE

<Insert Scope text here>

**NOTE:** Give the subject of the document and the aspects of that scope covered by the document.

2

# CONFORMANCE



# CONFORMANCE

<Insert conformance content here>

**NOTE:** Provide a short description of the content approached in subsequent sections and the main subject of the document

3

# NORMATIVE REFERENCES



### NORMATIVE REFERENCES

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

- Identification of Common Molecular Subsequences. Smith, T.F., Waterman, M.S., J. Mol. Biol. 147, 195–197 (1981)
- ZIB Structure Prediction Pipeline: Composing a Complex Biological Workflow through Web Services.

  May, P., Ehrlich, H.C., Steinke, T. In: Nagel, W.E., Walter, W.V., Lehner, W. (eds.)

  Euro-Par 2006. LNCS, vol. 4128, pp. 1148–1158. Springer, Heidelberg (2006)
- The Grid: Blueprint for a New Computing Infrastructure., Foster, I., Kesselman, C.. Morgan Kaufmann, San Francisco (1999).
- Grid Information Services for Distributed Resource Sharing. Czajkowski, K., Fitzgerald, S., Foster, I., Kesselman, C. In: 10th IEEE International Symposium on High Performance Distributed Computing, pp. 181–184. IEEE Press, New York (2001)



# TERMS AND DEFINITIONS



#### TERMS AND DEFINITIONS

This document uses the terms defined in <u>OGC Policy Directive 49</u>, which is based on the ISO/IEC Directives, Part 2, Rules for the structure and drafting of International Standards. In particular, the word "shall" (not "must") is the verb form used to indicate a requirement to be strictly followed to conform to this document and OGC documents do not use the equivalent phrases in the ISO/IEC Directives, Part 2.

This document also uses terms defined in the OGC Standard for Modular specifications (OGC 08-131r3), also known as the 'ModSpec'. The definitions of terms such as standard, specification, requirement, and conformance test are provided in the ModSpec.

For the purposes of this document, the following additional terms and definitions apply.

### 4.1. example term

term used for exemplary purposes

Note 1 to entry: An example note.

Example Here's an example of an example term.

[SOURCE: ]

5 CONVENTIONS

# 5

### **CONVENTIONS**

**NOTE:** This section provides details and examples for any conventions used in the document. Examples of conventions are symbols, abbreviations, use of XML schema, or special notes regarding how to read the document.

#### 5.1. Identifiers

The normative provisions in this standard are denoted by the URI

http://www.opengis.net/spec/{standard}/{m.n}

All requirements and conformance tests that appear in this document are denoted by partial URIs which are relative to this base.

#### 5.2. Other conventions

<Place any other convention needed with its corresponding title>



# 6 CORE

This clause establishes the **Core** Requirements class, with IRI /req/core, which has a corresponding Conformance Class, **Core**, with IRI /conf/core.

The Core module establishes a set of classes and properties which define the building blocks of a spatial reference system definition. Some of the definitions are extended in specialized modules related to the Core module.



Figure 1

From a base class SpatialReferenceSystem, we define a class for a coordinate system, as the superclass of all spatial reference systems describing locations using coorindates. These SpatialReferenceSystems are described using a Datum and a coordinate system definitions with at least one coordinate axis. Together with several subtypes of coordnate reference system, these definitions complete the Core module.

REQUIREMENTS CLASS 1: 06-CORE.ADOC EXTENSION	
IDENTIFIER	/req/core
TARGET TYPE	Implementation Specification
	/req/core/Coordinate_Reference_System_Parameters
REQUIREMENT	/req/core/Coordinate_Reference_System_Types
	/req/core/Coordinate_Reference_System_Properties

# 6.1. Coordinate Reference System Parameters

REQUIREMENT 1: COORDINATE REFERENCE SYSTEM PARAMETERS		
IDENTIFIER	/req/core/Coordinate_Reference_System_Parameters	
STATEMENT	Implementations shall allow the RDFS classes geosrs:AreaOfUse, geosrs:Extent, geosrs: GeographicBoundingBox, geosrs:AxesList, geosrs:SingleCRSList to be used in SPARQL graph patterns.	

#### 6.1.1. Class: geosrs:AreaOfUse

#### **Table 1** − geosrs:AreaOfUse

URI	https://w3id.org/geosrs/srs/AreaOfUse
Definition	Area within which a coordinate operation may be used.
Example	geosrs:AreaOfUse

#### 6.1.2. Class: geosrs:Extent

**Table 2** — geosrs:Extent

URI	https://w3id.org/geosrs/srs/Extent
Definition	Geographic area or time interval in which the referring object is valid. Cf. ISO 19115-1:2014:2014-04, part 6.6.1 and table B.15 line 335.

### 6.1.3. Class: geosrs:GeographicBoundingBox

 $\textbf{Table 3}-\mathsf{geosrs:} Geographic Bounding Box$ 

URI	https://w3id.org/geosrs/srs/GeographicBoundingBox
Definition	Frame delimiting an area of interest. See ISO 19115-1:2014:2014-04, part 6.6.1 and table B.15.1 line 344.

#### 6.1.4. Class: geosrs:AxesList

#### **Table 4** — geosrs:AxesList

URI	https://w3id.org/geosrs/srs/AxesList
Definition	Ordered list of coordinate system axes.

#### 6.1.5. Class: geosrs:SingleCRSList

**Table 5** − geosrs:SingleCRSList

URI	https://w3id.org/geosrs/srs/SingleCRSList
Definition	Ordered list of simple reference coordinate systems.

## 6.2. Coordinate Reference System Properties

REQUIREMEN	IT 2: COORDINATE REFERENCE SYSTEM PROPERTIES
IDENTIFIER	/req/core/Coordinate_Reference_System_Properties
STATEMENT	Implementations shall allow the RDFS properties geosrs:baseCRS, geosrs:conversion, geosrs: coordinateSystem, geosrs:datum, geosrs:datumEnsemble, geosrs:domainOfValidity, geosrs: method, geocrs:asProj4, geocrs:asProjJSON, geocrs:asWKT, geosrs:EPSGcode to be used in SPARQL graph patterns.

### 6.2.1. Property: geosrs:baseCRS

**Table 6** — geosrs:baseCRS

URI	https://w3id.org/geosrs/srs/baseCRS
Туре	owl:ObjectProperty

Definition	The geodetic coordinate reference system on which a projected coordinate reference system is based. Cf. ISO 19111:2007:2007-07, table 11, association role base CRS.
Range	GeodeticCRS
Domain	<u>ProjectedCRS</u>

## 6.2.2. Property: geosrs:conversion

**Table 7** — geosrs:conversion

URI	https://w3id.org/geosrs/srs/conversion
Туре	owl:ObjectProperty
Definition	The conversion used to define a projected coordinate reference system. Cf. ISO 19111:2007:2007-07, table 7, named association Definition.
Range	Conversion
Domain	CRS

### 6.2.3. Property: geosrs:coordinateSystem

**Table 8** — geosrs:coordinateSystem

URI	https://w3id.org/geosrs/srs/coordinateSystem
Туре	owl:ObjectProperty
Definition	The property relates a coordinate reference system to its coordinate system
Range	<u>CoordinateSystem</u>
Domain	CRS
Example	geosrs:coordinateSystem

#### 6.2.4. Property: geosrs:datum

**Table 9** — geosrs:datum

URI	https://w3id.org/geosrs/srs/datum
Туре	owl:ObjectProperty
Definition	The property relates a coordinate reference system to a datum
Range	<u>Datum</u>
Domain	CRS

### 6.2.5. Property: geosrs:datumEnsemble

**Table 10** — geosrs:datumEnsemble

URI	https://w3id.org/geosrs/srs/datumEnsemble
Туре	owl:ObjectProperty
Definition	Indicates a single CRS referring to a collection of one or more datums (Datum Ensemble)
Range	<u>DatumEnsemble</u>
Domain	<u>SingleCRS</u>

### 6.2.6. Property: geosrs:domainOfValidity

**Table 11** — geosrs:domainOfValidity

URI	https://w3id.org/geosrs/srs/domainOfValidity
Туре	owl:ObjectProperty
Definition	Geographic area or time interval in which the referring object is valid. Cf. ISO 19111:2007:2007-07, tables 4, 33 and 42, attribute domainOfValidity.

Range	<u>AreaOfUse</u>
Domain	CRS

# 6.2.7. Property: geosrs:method

#### **Table 12** — geosrs:method

URI	https://w3id.org/geosrs/srs/method
Туре	owl:ObjectProperty
Range	<u>CoordinateOperation</u>
Domain	CRS

# 6.2.8. Property: geocrs:asProj4

#### **Table 13** — geocrs:asProj4

URI	geocrs:asProj4
Туре	owl:DatatypeProperty
Definition	PROJ4 string defining a CRS. Note: this paradigm is ambiguous and presently considered outdated.
Range	proj4Literal
Domain	CRS

# 6.2.9. Property: geocrs:asProjJSON

**Table 14** — geocrs:asProjJSON

URI	geocrs:asProjJSON
Туре	owl:DatatypeProperty

Definition	CRS definition encoded as a JSON object interpretable by PROJ4.
Range	projJSONLiteral
Domain	CRS

#### 6.2.10. Property: geocrs:asWKT

**Table 15** — geocrs:asWKT

URI	geocrs:asWKT
Туре	owl:DatatypeProperty
Definition	CRS definition encoded according to the Well Known Text structure. Cf. ISO 19162:2019.
Range	wktLiteral
Domain	CRS

# 6.2.11. Property: geosrs:EPSGcode

**Table 16** — geosrs:EPSGcode

URI	https://w3id.org/geosrs/srs/EPSGcode
Туре	owl:DatatypeProperty
Definition	Identifier of this resource in the EPSG Geodetic Parameter Dataset.
Range	xsd:string

# 6.3. Coordinate Reference System Types

#### **REQUIREMENT 3: COORDINATE REFERENCE SYSTEM TYPES**

IDENTIFIER	/req/core/Coordinate_Reference_System_Types
STATEMENT	Implementations shall allow the RDFS classes geosrs:BoundCRS, geosrs:CompoundCRS, geosrs: CRS, geosrs:EngineeringCRS, geosrs:GeocentricCRS, geosrs:GeodeticCRS, geosrs:GeographicCRS, geosrs:ParametricCRS, geosrs:ProjectedCRS, geosrs:SelenographicCRS, geosrs:ReferenceSystem, geosrs:SingleCRS, geosrs:SpatialReferenceSystem, geosrs:SpatioParametricCompoundCRS, geosrs: SpatioParametricTemporalCompoundCRS, geosrs:SpatioTemporalCompoundCRS, geosrs:StaticCRS, geosrs:TemporalCRS, geosrs:VerticalCRS to be used in SPARQL graph patterns.

Coordinate reference systems are typed according to their area of application, e.g. Geodetic vs. Engineering vs. TemporalCRS and by their ability to contain further

#### 6.3.1. Class: geosrs:BoundCRS

**Table 17** — geosrs:BoundCRS

URI	https://w3id.org/geosrs/srs/BoundCRS
Super-classes	CRS

#### 6.3.2. Class: geosrs:CompoundCRS

**Table 18** — geosrs:CompoundCRS

URI	https://w3id.org/geosrs/srs/CompoundCRS
Definition	Coordinate reference system using at least two independent single coordinate reference systems. Cf. ISO 19111:2007:2007-07, parts 8.2.3.c, 8.2.4, table 6 and annex B.1.2.4.
Super-classes	CRS
Example	geosrs:CompoundCRS

#### 6.3.3. Class: geosrs:CRS

**Table 19** — geosrs:CRS

URI	https://w3id.org/geosrs/srs/CRS
Definition	Depending on the spatial dimension of coordinates (1D, 2D, 3D), this piece of metadata is used for specifying the elements of definition associated to a given set of coordinates: its datum, its ellipsoid, its prime meridian, the type of coordinates (geocentric, geographic, projected,), the coordinates units of measure, when appropriate the cartographic projection used, the vertical coordinate reference system.
Super-classes	<u>SpatialReferenceSystem</u>

# 6.3.4. Class: geosrs:EngineeringCRS

**Table 20** — geosrs:EngineeringCRS

URI	https://w3id.org/geosrs/srs/EngineeringCRS
Definition	A contextually local coordinate reference system which can be divided into two broad categories: — earth-fixed systems applied to engineering activities on or near the surface of the earth; — CRSs on moving platforms such as road vehicles, vessels, aircraft or spacecraft.
Super-classes	CRS

# 6.3.5. Class: geosrs:GeocentricCRS

**Table 21** — geosrs:GeocentricCRS

URI	https://w3id.org/geosrs/srs/GeocentricCRS
Definition	A cartesian coordinate reference system that represents locations in the vicinity of the Earth (including its surface, interior, atmosphere, and surrounding outer space) as X, Y, and Z measurements from its center of mass. Commonly used to track the orbits of satellites.
Super-classes	CRS
Example	geosrs:GeocentricCRS

#### 6.3.6. Class: geosrs:GeodeticCRS

**Table 22** — geosrs:GeodeticCRS

URI	https://w3id.org/geosrs/srs/GeodeticCRS
Definition	Coordinate Reference System associated with a geodetic datum. Cf. ISO 19111:2007:2007-07, part 8.2.2.a, table 10 and annex B.1.2.1.a.
Super-classes	CRS

# 6.3.7. Class: geosrs:GeographicCRS

**Table 23** — geosrs:GeographicCRS

URI	https://w3id.org/geosrs/srs/GeographicCRS
Definition	Coordinate Reference System that has a geodetic reference frame and an ellipsoidal coordinate system
Super-classes	CRS
Example	geosrs:GeographicCRS

#### 6.3.8. Class: geosrs:ParametricCRS

**Table 24** — geosrs:ParametricCRS

URI	https://w3id.org/geosrs/srs/ParametricCRS
Definition	Coordinate Reference System based on a parametric datum
Super-classes	CRS

#### 6.3.9. Class: geosrs:ProjectedCRS

#### **Table 25** — geosrs:ProjectedCRS

URI	https://w3id.org/geosrs/srs/ProjectedCRS
Definition	Coordinate Reference System derived from a two-dimensional geodetic coordinate reference system by applying a map projection. Cf. ISO 19111:2007:2007-07, part 8.2.3.b, table 11 and annex B.1.2.3.
Super-classes	CRS
Example	geosrs:ProjectedCRS

# 6.3.10. Class: geosrs:SelenographicCRS

**Table 26** — geosrs:SelenographicCRS

URI	https://w3id.org/geosrs/srs/SelenographicCRS
Definition	Coordinate Reference System to refer locations on the surface of the Earth's Moon.
Super-classes	CRS

## 6.3.11. Class: geosrs:ReferenceSystem

**Table 27** — geosrs:ReferenceSystem

URI	https://w3id.org/geosrs/srs/ReferenceSystem
Definition	An abstract coordinate system, whose origin, orientation and scale are specified in physical space. It is based on a set of reference points, defined as geometric points whose position is identified physically and mathematically.

#### 6.3.12. Class: geosrs:SingleCRS

**Table 28** — geosrs:SingleCRS

URI	https://w3id.org/geosrs/srs/SingleCRS

Definition	Coordinate reference system consisting of one coordinate system and one datum. Cf. ISO 19111:2007:2007-07, table 5.
Super-classes	CRS

# 6.3.13. Class: geosrs:SpatialReferenceSystem

**Table 29** — geosrs:SpatialReferenceSystem

URI	https://w3id.org/geosrs/srs/SpatialReferenceSystem
Definition	A spatial reference system (SRS) is a system for establishing spatial position. A spatial reference system can use geographic identifiers (place names, for example), coordinates (in which case it is a coordinate reference system), or identifiers with structured geometry (in which case it is a discrete global grid system).
Super-classes	ReferenceSystem

#### 6.3.14. Class: geosrs:SpatioParametricCompoundCRS

**Table 30** — geosrs:SpatioParametricCompoundCRS

URI	https://w3id.org/geosrs/srs/ SpatioParametricCompoundCRS
Definition	A spatio-parametric coordinate reference system is a compound CRS in which one component is a geographic 2D, projected 2D or engineering 2D CRS, supplemented by a parametric CRS to create a three-dimensional CRS
Super-classes	CompoundCRS

#### **6.3.15.** Class: geosrs:SpatioParametricTemporalCompoundCRS

 $\textbf{Table 31} - \mathsf{geosrs:} Spatio Parametric Temporal Compound CRS$ 

URI	https://w3id.org/geosrs/srs/
OKI	<u>SpatioParametricTemporalCompoundCRS</u>

Definition	Coordinate reference system combining a spatio- parametric reference system with at least one temporal reference system
Super-classes	<u>SpatioParametricCompoundCRS</u>

# 6.3.16. Class: geosrs:SpatioTemporalCompoundCRS

 Table 32 — geosrs:SpatioTemporalCompoundCRS

URI	https://w3id.org/geosrs/srs/ SpatioTemporalCompoundCRS
Definition	Coordinate reference system combining a spatial reference system with at least one temporal reference system
Super-classes	CompoundCRS

#### 6.3.17. Class: geosrs:StaticCRS

**Table 33** — geosrs:StaticCRS

URI	https://w3id.org/geosrs/srs/StaticCRS
Definition	Coordinate Reference System that has a static reference frame
Super-classes	CRS

# 6.3.18. Class: geosrs:TemporalCRS

**Table 34** — geosrs:TemporalCRS

URI	https://w3id.org/geosrs/srs/TemporalCRS
Definition	Coordinate Reference System based on a temporal datum
Super-classes	CRS

# 6.3.19. Class: geosrs: Vertical CRS

 $\textbf{Table 35} - \mathsf{geosrs:} \mathsf{VerticalCRS}$ 

URI	https://w3id.org/geosrs/srs/VerticalCRS
Definition	One-dimensional coordinate reference system associated with a vertical datum and used for recording heights or depths. Ellipsoidal heights are not captured in a vertical coordinate reference system but as part of a 3D coordinates tuple defined in a geodetic 3D coordinate reference system. Cf. ISO 19111:2007:2007-07, parts 8.2.2.b, table 14 and annex B.1.2.1.b.
Super-classes	CRS
Example	geosrs:VerticalCRS



# COORDINATE OPERATION MODULE



# COORDINATE OPERATION MODULE

This clause establishes the **Co** Requirements class, with IRI /req/co, which has a corresponding Conformance Class, **Co**, with IRI /conf/co.

REQUIREMENTS CLASS 2: 07-CO_MODULE.ADOC EXTENSION	
IDENTIFIER	/req/co_module
TARGET TYPE	Implementation Specification
REQUIREMENT	/req/co_module/Coordinate_Operation_Methods
	/req/co_module/Coordinate_Operation_Parameters
	/req/co_module/Coordinate_Operation_Categories
	/req/co_module/Coordinate_Operation_Properties

# 7.1. Coordinate Operation Categories

REQUIREMENT 4: COORDINATE OPERATION CATEGORIES	
IDENTIFIER	/req/co_module/Coordinate_Operation_Categories
STATEMENT	Implementations shall allow the RDFS classes geosrs:GeographicObject, geosrs:Register Operations, geosrs:ScaleOperation, geosrs:RotationOperation, geosrs:IdentityOperation, geosrs: ShearOperation, geosrs:TranslationOperation, geosrs:AfflineTransformationOperation, geocrs: CoordinateTransformationOperation to be used in SPARQL graph patterns.

# 7.1.1. Class: geosrs:GeographicObject

#### **Table 36** — geosrs:GeographicObject

URI	https://w3id.org/geosrs/co/GeographicObject
Definition	Identifier of a geographic feature of which the coordinates are used as operation parameters.

#### 7.1.2. Class: geosrs:RegisterOperations

**Table 37** — geosrs:RegisterOperations

URI	https://w3id.org/geosrs/co/RegisterOperations
Definition	Operations supported in the Coordinate Operations package.

#### 7.1.3. Class: geosrs:ScaleOperation

**Table 38** — geosrs:ScaleOperation

URI	https://w3id.org/geosrs/co/ScaleOperation
Definition	Scale transformation operation
Super-classes	Affine Transformation Operation

# 7.1.4. Class: geosrs:RotationOperation

**Table 39** — geosrs:RotationOperation

URI	https://w3id.org/geosrs/co/RotationOperation
Definition	Rotation transformation operation
Super-classes	<u>AffineTransformationOperation</u>

#### 7.1.5. Class: geosrs:IdentityOperation

**Table 40** — geosrs:IdentityOperation

URI	https://w3id.org/geosrs/co/IdentityOperation

Definition	Identity transformation operation
Super-classes	<u>AffineTransformationOperation</u>

#### 7.1.6. Class: geosrs:ShearOperation

**Table 41** — geosrs:ShearOperation

URI	https://w3id.org/geosrs/co/ShearOperation
Definition	Shear transformation operation
Super-classes	<u>AffineTransformationOperation</u>

#### 7.1.7. Class: geosrs:TranslationOperation

**Table 42** — geosrs:TranslationOperation

URI	https://w3id.org/geosrs/co/TranslationOperation
Definition	Translation transformation operation
Super-classes	<u>AffineTransformationOperation</u>

#### 7.1.8. Class: geosrs:AffineTransformationOperation

**Table 43** — geosrs:AffineTransformationOperation

URI	https://w3id.org/geosrs/co/ AffineTransformationOperation
Definition	Affine coordinate transformation operation
Super-classes	CoordinateTransformationOperation []

# 7.1.9. Class: geocrs:CoordinateTransformationOperation

Table 44- geocrs: Coordinate Transformation Operation

URI	geocrs:CoordinateTransformationOperation[]
Definition	Coordinate operation in which the two coordinate reference systems are based on different datums.
Super-classes	SingleOperation

# 7.2. Coordinate Operation Methods

REQUIREMENT 5: COORDINATE OPERATION METHODS	
IDENTIFIER	/req/co_module/Coordinate_Operation_Methods
STATEMENT	Implementations shall allow the RDFS classes geosrs:CoordinateOperation, geosrs:PassThrough Operation, geosrs:ConcatenatedOperation, geosrs:SingleOperation, geosrs:Transformation, geosrs:Conversion, geosrs:PointMotionOperation, geosrs:OperationMethod to be used in SPARQL graph patterns.

#### 7.2.1. Class: geosrs:PassThroughOperation

**Table 45** — geosrs:PassThroughOperation

URI	https://w3id.org/geosrs/co/PassThroughOperation
Definition	Specification of a subset of coordinate tuples that is subject to a coordinate operation
Super-classes	<u>CoordinateOperation</u>

#### 7.2.2. Class: geosrs:ConcatenatedOperation

**Table 46** — geosrs:ConcatenatedOperation

URI	https://w3id.org/geosrs/co/ConcatenatedOperation
Definition	Ordered sequence of two or more single coordinate operations. Note: The sequence of coordinate operations
	is constrained by the requirement that the source

	coordinate reference system of step (n + 1) shall be the same as the target coordinate reference system of step (n). The source coordinate reference system of the first step and the target coordinate reference system of the last step are the source and target coordinate reference system associated with the concatenated coordinate operation. For a concatenated coordinate operation sequence of n coordinate operations: source CRS (concatenated coordinate operation) .eq. source CRS (coordinate operation step 1) target CRS (coordinate operation step i) .eq. source CRS (coordinate operation step i) .eq. source CRS (coordinate operation step i) .eq. target CRS (coordinate operation step n) Instead of a forward coordinate operation, an inverse coordinate operation may be used for one or more of the coordinate operation steps mentioned above, if the inverse coordinate operation is uniquely defined by the forward coordinate operation method.
Super-classes	<u>CoordinateOperation</u>

# 7.2.3. Class: geosrs:PointMotionOperation

**Table 47** — geosrs:PointMotionOperation

URI	https://w3id.org/geosrs/co/PointMotionOperation
Definition	Mathematical operation that decribes the change of coordinate values within one coordinate reference system due to the motion of the point between one coordinate epoch and another coordinate epoch Note: In this document the motion is due to tectonic plate movement or deformation.
Super-classes	SingleOperation

# 7.3. Coordinate Operation Parameters

#### REQUIREMENT 6: COORDINATE OPERATION PARAMETERS

IDENTIFIER	/req/co_module/Coordinate_Operation_Parameters
STATEMENT	Implementations shall allow the RDFS classes geosrs:GeneralOperationParameter, geosrs: OperationParameterGroup, geosrs:OperationParameter, geosrs:GeneralParameterValue, geosrs: ParameterValueGroup, geosrs:OperationParameterValue to be used in SPARQL graph patterns.

#### 7.3.1. Class: geosrs:OperationParameterGroup

**Table 48** — geosrs:OperationParameterGroup

URI	https://w3id.org/geosrs/co/OperationParameterGroup
Definition	Definition of a group of related parameters used by a coordinate operation method.
Super-classes	<u>GeneralOperationParameter</u>

# 7.3.2. Class: geosrs:ParameterValueGroup

**Table 49** — geosrs:ParameterValueGroup

URI	https://w3id.org/geosrs/co/ParameterValueGroup
Definition	Group of related parameter values. Note: The same group can be repeated more than once in a coordinate operation or higher level ParameterValueGroup, if those instances contain different values of one or more ParameterValues which suitably distinguish among those groups.
Super-classes	<u>GeneralParameterValue</u>

# 7.4. Coordinate Operation Properties

# 

**STATEMENT**Implementations shall allow the RDFS properties geosrs:derivingConversion, geosrs: parameter, geosrs:sourceCRS, geosrs:targetCRS to be used in SPARQL graph patterns.

#### 7.4.1. Property: geosrs:derivingConversion

**Table 50** — geosrs:derivingConversion

URI	https://w3id.org/geosrs/co/derivingConversion
Туре	owl:ObjectProperty
Definition	Relates a derived CRS to a conversion
Range	Conversion
Domain	DerivedCRS

#### 7.4.2. Property: geosrs:parameter

**Table 51** — geosrs:parameter

URI	https://w3id.org/geosrs/co/parameter
Туре	owl:ObjectProperty
Definition	Value of the datum-defining parameter
Range	<u>OperationParameter</u>
Domain	Conversion

#### 7.4.3. Property: geosrs:sourceCRS

**Table 52** — geosrs:sourceCRS

URI	https://w3id.org/geosrs/co/sourceCRS
Туре	owl:ObjectProperty
Definition	The coordinate reference system associated to the data used as input of a given operation. Cf. ISO 19111:2007:2007-07, table 42, named association Source.
Range	CRS
Domain	<u>CoordinateOperation</u>
Example	geosrs:sourceCRS

# 7.4.4. Property: geosrs:targetCRS

**Table 53** — geosrs:targetCRS

URI	https://w3id.org/geosrs/co/targetCRS
Туре	owl:ObjectProperty
Definition	The coordinate reference system associated to the data obtained as output of a given operation. Cf. ISO 19111:2007:2007-07, table 42, named association Target.
Range	CRS
Domain	<u>CoordinateOperation</u>

8

# COORDINATE SYSTEM MODULE



# COORDINATE SYSTEM MODULE

This clause establishes the **CS** Requirements class, with IRI /req/cs, which has a corresponding Conformance Class, **CS**, with IRI /conf/cs.

The coordinate system module introduces different types of coordinate systems which are dinstinguished in geospatial science and applications. Coordinate systems are distinguished by their area of use, i.e planetary or interstellar and by their multidimensionality.

REQUIREMENTS CLASS 3: 08-CS_MODULE.ADOC EXTENSION	
IDENTIFIER	/req/cs_module
TARGET TYPE	Implementation Specification
REQUIREMENT	/req/cs_module/Temporal_Coordinate_Systems
	/req/cs_module/3D_Coordinate_Systems
	/req/cs_module/Coordinate_System_Types
	/req/cs_module/Celestial_Coordinate_Systems
	/req/cs_module/Coordinate_System_Components
	/req/cs_module/Coordinate_System_Properties

# 8.1. 3D Coordinate Systems

REQUIREMENT 8: 3D COORDINATE SYSTEMS	
IDENTIFIER	/req/cs_module/3D_Coordinate_Systems
STATEMENT	Implementations shall allow the RDFS classes geosrs:3DCoordinateSystem, geosrs:Conical CoordinateSystem, geosrs:CylindricalCoordinateSystem, geosrs:EllipsoidalCoordinateSystem, geosrs:SphericalCoordinateSystem to be used in SPARQL graph patterns.

#### 8.1.1. Class: geosrs:3DCoordinateSystem

The class geosrs:3DCoordinateSystem describes a coordinate system in three dimesions. These coordinate systems are common for 3D representations or 2D representations with a time aspect.

**Table 54** — geosrs:3DCoordinateSystem

URI	https://w3id.org/geosrs/cs/3DCoordinateSystem
Definition	Non-repeating sequence of coordinate system axes that spans a given coordinate space in three dimensions
Super-classes	CoordinateSystem
Example	geosrs:3DCoordinateSystem

#### 8.1.2. Class: geosrs:ConicalCoordinateSystem

**Table 55** — geosrs:ConicalCoordinateSystem

URI	https://w3id.org/geosrs/cs/ConicalCoordinateSystem
Definition	A conical coordinate system is a three-dimensional orthogonal coordinate system consisting of concentric spheres (described by their radius r) and by two families of perpendicular cones, aligned along the z- and x-axes, respectively
Super-classes	<u>OrthogonalCoordinateSystem</u>

#### 8.1.3. Class: geosrs:CylindricalCoordinateSystem

**Table 56** — geosrs:CylindricalCoordinateSystem

URI	https://w3id.org/geosrs/cs/CylindricalCoordinateSystem
Definition	Three-dimensional coordinate system in Euclidean space in which position is specified by two linear coordinates and one angular coordinate

# 8.2. Celestial Coordinate Systems

REQUIREMENT 9: CELESTIAL COORDINATE SYSTEMS	
IDENTIFIER	/req/cs_module/Celestial_Coordinate_Systems
STATEMENT	Implementations shall allow the RDFS classes geosrs:CelestialCoordinateSystem, geosrs:Ecliptic CoordinateSystem, geosrs:EquatorialCoordinateSystem, geosrs:GalacticCoordinateSystem, geosrs: HorizontalCoordinateSystem, geosrs:PerifocalCoordinateSystem, geosrs:SuperGalacticCS to be used in SPARQL graph patterns.

#### 8.2.1. Class: geosrs:CelestialCoordinateSystem

**Table 57** — geosrs:CelestialCoordinateSystem

URI	https://w3id.org/geosrs/cs/CelestialCoordinateSystem
Definition	A coordinate system for specifying positions of celestial objects relative to physical reference points
Super-classes	CoordinateSystem

#### 8.2.2. Class: geosrs:EclipticCoordinateSystem

**Table 58** — geosrs:EclipticCoordinateSystem

URI	https://w3id.org/geosrs/cs/EclipticCoordinateSystem
Definition	An ecliptic coordinate system is used for representing the apparent positions and orbits of solar system objects.
Super-classes	<u>CelestialCoordinateSystem</u>

### 8.2.3. Class: geosrs:EquatorialCoordinateSystem

**Table 59** — geosrs:EquatorialCoordinateSystem

URI	https://w3id.org/geosrs/cs/EquatorialCoordinateSystem
Definition	A celestial coordinate system in which an object's position on the celestial sphere is described in terms of its north-south declination and east-west right ascension, measured relative to the celestial equator and vernal equinox, respectively.
Super-classes	<u>CelestialCoordinateSystem</u>

#### 8.2.4. Class: geosrs:GalacticCoordinateSystem

**Table 60** — geosrs:GalacticCoordinateSystem

URI	https://w3id.org/geosrs/cs/GalacticCoordinateSystem
Definition	A coordinate system with the Sun as its center, the primary direction aligned with the approximate center of the Milky Way Galaxy, and the fundamental plane parallel to an approximation of the galactic plane but offset to its north.
Super-classes	CelestialCoordinateSystem 3DCoordinateSystem

# 8.2.5. Class: geosrs:HorizontalCoordinateSystem

 $\textbf{Table 61}- {\tt geosrs:} Horizontal Coordinate System$ 

URI	https://w3id.org/geosrs/cs/HorizontalCoordinateSystem
Definition	A horizontal coordinate system is a celestial coordinate system that uses the observer's local horizon as the fundamental plane.
Super-classes	<u>CelestialCoordinateSystem</u>

#### 8.2.6. Class: geosrs:PerifocalCoordinateSystem

**Table 62** — geosrs:PerifocalCoordinateSystem

URI	https://w3id.org/geosrs/cs/PerifocalCoordinateSystem
Definition	A frame of reference centered at the focus of the orbit, i. e. the celestial body about which the orbit is centered.
Super-classes	<u>CelestialCoordinateSystem</u>

# 8.2.7. Class: geosrs:SuperGalacticCS

**Table 63** — geosrs:SuperGalacticCS

URI	https://w3id.org/geosrs/cs/SuperGalacticCS
Definition	A reference frame for the supercluster of galaxies that contains the Milky Way galaxy, referenced to a local relatively flat collection of galaxy clusters used to define the supergalactic plane.
Super-classes	CelestialCoordinateSystem 3DCoordinateSystem

# 8.3. Coordinate System Components

REQUIREMENT 10: COORDINATE SYSTEM COMPONENTS		
IDENTIFIER	/req/cs_module/Coordinate_System_Components	
STATEMENT	Implementations shall allow the RDFS classes geosrs:CoordinateSystemAxis to be used in SPARQL graph patterns.	

# 8.4. Coordinate System Properties

REQUIREMENT 11	: COORDINATE SYSTEM PROPERTIES
IDENTIFIER	/req/cs_module/Coordinate_System_Properties

#### **REQUIREMENT 11: COORDINATE SYSTEM PROPERTIES**

STATEMENT

Implementations shall allow the RDFS properties geosrs:axis, geosrs:axisDirection to be used in SPARQL graph patterns.

#### 8.4.1. Property: geosrs:axis

#### **Table 64** — geosrs:axis

URI	https://w3id.org/geosrs/cs/axis
Туре	owl:ObjectProperty
Definition	The property relates a coordinate system to one of its axis
Range	Axis
Domain	<u>CoordinateSystem</u>

#### 8.4.2. Property: geosrs:axisDirection

**Table 65** — geosrs:axisDirection

URI	https://w3id.org/geosrs/cs/axisDirection
Туре	owl:ObjectProperty
Definition	The direction of an axis. Cf. ISO 19111:2007:2007-07, table 27, attribute coordinate system axis direction.
Range	AxisDirection
Domain	Axis
Example	geosrs:axisDirection

# 8.5. Coordinate System Types

#### **REQUIREMENT 12: COORDINATE SYSTEM TYPES**

IDENTIFIER	/req/cs_module/Coordinate_System_Types
STATEMENT	Implementations shall allow the RDFS classes geosrs:CoordinateSystem, geosrs:AffineCoordinate System, geosrs:BarycentricCoordinateSystem, geosrs:CartesianCoordinateSystem, geosrs:Curvilinear CoordinateSystem, geosrs:EngineeringCoordinateSystem, geosrs:GeodeticCoordinateSystem, geosrs:GeographicalCoordinateSystem, geosrs:GridCoordinateSystem, geosrs:HexagonalCoordinateSystem, geosrs:LocalCoordinateSystem, geosrs:ObliqueCoordinateSystem, geosrs:OrdinalCoordinateSystem, geosrs:OrthogonalCoordinateSystem, geosrs:ParametricCoordinateSystem, geosrs:PlanarCoordinateSystem, geosrs:PolarCoordinateSystem, geosrs:VerticalCoordinateSystem to be used in SPARQL graph patterns.

#### 8.5.1. Class: geosrs:AffineCoordinateSystem

**Table 66** — geosrs:AffineCoordinateSystem

URI	https://w3id.org/geosrs/cs/AffineCoordinateSystem
Definition	Coordinate system in Euclidean space with straight axes that are not necessarily mutually perpendicular
Super-classes	<u>CoordinateSystem</u>

# 8.5.2. Class: geosrs:BarycentricCoordinateSystem

Table 67 - geosrs: Barycentric Coordinate System

URI	https://w3id.org/geosrs/cs/BarycentricCoordinateSystem
Definition	A coordinate system in which the location of a point is specified by reference to a simplex (a triangle for points in a plane, a tetrahedron for points in three-dimensional space, etc.)
Super-classes	CoordinateSystem

#### 8.5.3. Class: geosrs:CurvilinearCoordinateSystem

**Table 68** — geosrs:CurvilinearCoordinateSystem

URI	https://w3id.org/geosrs/cs/CurvilinearCoordinateSystem
Definition	A coordinate system for the Euclidean space in which the coordinate lines may be curved
Super-classes	CoordinateSystem

# 8.5.4. Class: geosrs:EngineeringCoordinateSystem

 $\textbf{Table 69}- {\tt geosrs:} Engineering Coordinate System$ 

URI	https://w3id.org/geosrs/cs/ EngineeringCoordinateSystem
Definition	Coordinate system used by an engineering coordinate reference system, one of an affine coordinate system, a Cartesian coordinate system, a cylindrical coordinate system, a linear coordinate system, an ordinal coordinate system, a polar coordinate system or a spherical coordinate system
Super-classes	<u>CoordinateSystem</u>

#### 8.5.5. Class: geosrs:GeodeticCoordinateSystem

Table 70 - geosrs: Geodetic Coordinate System

URI	https://w3id.org/geosrs/cs/GeodeticCoordinateSystem
Definition	Coordinate system used by a Geodetic CRS, one of a Cartesian coordinate system or a spherical coordinate system.
Super-classes	<u>CoordinateSystem</u>

#### 8.5.6. Class: geosrs:GeographicalCoordinateSystem

**Table 71** — geosrs:GeographicalCoordinateSystem

URI	https://w3id.org/geosrs/cs/ GeographicalCoordinateSystem
	<u>OcographicalCoordinateSystem</u>

Definition	Spherical or geodetic coordinate system for measuring and communicating positions directly on Earth as latitude and longitude.
Super-classes	$\underline{Spherical Coordinate System} \ \underline{Geodetic Coordinate System}$

# 8.5.7. Class: geosrs:GridCoordinateSystem

 Table 72 — geosrs:GridCoordinateSystem

URI	https://w3id.org/geosrs/cs/GridCoordinateSystem
Definition	A grid coordinate system identifies areas within a grid.
Super-classes	CoordinateSystem

# 8.5.8. Class: geosrs:HexagonalCoordinateSystem

 Table 73 — geosrs:HexagonalCoordinateSystem

URI	https://w3id.org/geosrs/cs/HexagonalCoordinateSystem
Definition	A hexagonal coordinate system identifies areas within a hexagonal lattice.
Super-classes	<u>GridCoordinateSystem</u>

# 8.5.9. Class: geosrs:LocalCoordinateSystem

 $\textbf{Table 74} - \mathsf{geosrs:} Local Coordinate System$ 

URI	https://w3id.org/geosrs/cs/LocalCoordinateSystem
Definition	Coordinate system with a point of local reference.
Super-classes	<u>CoordinateSystem</u>

#### 8.5.10. Class: geosrs:ObliqueCoordinateSystem

**Table 75** — geosrs:ObliqueCoordinateSystem

URI	https://w3id.org/geosrs/cs/ObliqueCoordinateSystem
Definition	A plane coordinate system whose axes are not perpendicular.
Super-classes	CoordinateSystem

#### 8.5.11. Class: geosrs:OrthogonalCoordinateSystem

**Table 76** — geosrs:OrthogonalCoordinateSystem

URI	https://w3id.org/geosrs/cs/OrthogonalCoordinateSystem
Definition	A orthogonal coordinate system is a system of curvilinear coordinates in which each family of surfaces intersects the others at right angles.
Super-classes	CurvilinearCoordinateSystem

#### 8.5.12. Class: geosrs:PlanarCoordinateSystem

**Table 77** — geosrs:PlanarCoordinateSystem

URI	https://w3id.org/geosrs/cs/PlanarCoordinateSystem
Definition	A two-dimensional measurement system that locates features on a plane based on their distance from an origin (0,0) along two perpendicular axes.
Super-classes	CoordinateSystem
Example	geosrs:PlanarCoordinateSystem

# 8.6. Temporal Coordinate Systems

REQUIREMENT 13: TEMPORAL COORDINATE SYSTEMS	
IDENTIFIER	/req/cs_module/Temporal_Coordinate_Systems
STATEMENT	Implementations shall allow the RDFS classes geosrs:1DCoordinateSystem, geosrs:Date TimeTemporalCoordinateSystem, geosrs:TemporalCountCoordinateSystem, geosrs:Temporal CoordinateSystem, geosrs:TemporalMeasureCoordinateSystem to be used in SPARQL graph patterns.

#### 8.6.1. Class: geosrs:1DCoordinateSystem

The class geosrs:1DCoordinateSystem describes a coordinate system with only one dimension. Often, these definitions include temporal coordinate systems which only represent time using one coordinate system axis.

**Table 78** — geosrs:1DCoordinateSystem

URI	https://w3id.org/geosrs/cs/1DCoordinateSystem
Definition	Non-repeating sequence of coordinate system axes that spans a given coordinate space in one dimension
Super-classes	CoordinateSystem

#### 8.6.2. Class: geosrs:DateTimeTemporalCoordinateSystem

**Table 79** — geosrs:DateTimeTemporalCoordinateSystem

URI	https://w3id.org/geosrs/cs/ DateTimeTemporalCoordinateSystem
Definition	One-dimensional coordinate system used to record time in dateTime representation as defined in ISO 8601.
Super-classes	<u>TemporalCoordinateSystem</u>

#### 8.6.3. Class: geosrs:TemporalCountCoordinateSystem

Table 80 - geosrs: Temporal Count Coordinate System

URI	https://w3id.org/geosrs/cs/ TemporalCountCoordinateSystem
Definition	One-dimensional coordinate system used to record time as an integer count.
Super-classes	TemporalCoordinateSystem

#### 8.6.4. Class: geosrs:TemporalCoordinateSystem

**Table 81** — geosrs:TemporalCoordinateSystem

URI	https://w3id.org/geosrs/cs/TemporalCoordinateSystem
Definition	One-dimensional coordinate system where the axis is time.
Super-classes	1DCoordinateSystem

# 8.6.5. Class: geosrs:TemporalMeasureCoordinateSystem

**Table 82** — geosrs:TemporalMeasureCoordinateSystem

URI	https://w3id.org/geosrs/cs/ TemporalMeasureCoordinateSystem
Definition	One-dimensional coordinate system used to record a time as a real number.
Super-classes	<u>TemporalCoordinateSystem</u>



# DATUM MODULE

# 9

# **DATUM MODULE**

This clause establishes the **Datum** Requirements class, with IRI /req/datum, which has a corresponding Conformance Class, **Datum**, with IRI /conf/datum.

REQUIREMENTS CLASS 4: 09-DATUM_MODULE.ADOC EXTENSION	
IDENTIFIER	/req/datum_module
TARGET TYPE	Implementation Specification
	/req/datum_module/Datum_Types
	/req/datum_module/Datum_Parameters
REQUIREMENT	/req/datum_module/Spheroid_Types
	/req/datum_module/Datum_Properties
	/req/datum_module/Spheroid_Properties

# 9.1. Datum Parameters

REQUIREMENT 14: DATUM PARAMETERS	
IDENTIFIER	/req/datum_module/Datum_Parameters
STATEMENT	Implementations shall allow the RDFS classes geosrs:PrimeMeridian, geosrs:DefiningParameter to be used in SPARQL graph patterns.

# 9.1.1. Class: geosrs:DefiningParameter

#### $\textbf{Table 83} - \mathsf{geosrs:} \mathsf{DefiningParameter}$

URI	https://w3id.org/geosrs/datum/DefiningParameter
Definition	Parameter value, an ordered sequence of values, or a reference to a file of parameter values that define

# 9.2. Datum Properties

REQUIREMENT 15: DATUM PROPERTIES	
IDENTIFIER	/req/datum_module/Datum_Properties
STATEMENT	Implementations shall allow the RDFS properties geosrs:datumDefiningParameter, geosrs: ellipsoid, geosrs:primeMeridian to be used in SPARQL graph patterns.

# 9.2.1. Property: geosrs:datumDefiningParameter

**Table 84** — geosrs:datumDefiningParameter

URI	https://w3id.org/geosrs/datum/datumDefiningParameter
Туре	owl:ObjectProperty
Definition	Parameter used to define the parametric datum
Range	<u>DefiningParameter</u>
Domain	ParametricDatum

# 9.2.2. Property: geosrs:ellipsoid

Table 85 — geosrs:ellipsoid

URI	https://w3id.org/geosrs/datum/ellipsoid
Туре	owl:ObjectProperty
Definition	The properties relates a datum to its ellipsoid definition
Range	Ellipsoid

Domain	<u>Datum</u>
Example	geosrs:ellipsoid

# 9.2.3. Property: geosrs:primeMeridian

**Table 86** — geosrs:primeMeridian

URI	https://w3id.org/geosrs/datum/primeMeridian
Туре	owl:ObjectProperty
Definition	The prime meridian used by a geodetic datum. Cf. ISO 19111:2007:2007-07, table 34, association role prime Meridian.
Range	<u>PrimeMeridian</u>
Domain	<u>Datum</u>
Example	geosrs:primeMeridian

# 9.3. Datum Types

REQUIREMENT 16: DATUM TYPES	
IDENTIFIER	/req/datum_module/Datum_Types
STATEMENT	Implementations shall allow the RDFS classes geosrs:Datum, geosrs:GeodeticDatum, geosrs:DynamicGeodeticReferenceFrame, geosrs:VerticalDatum, geosrs:DynamicVerticalDatum, geosrs:ParametricDatum, geosrs:EngineeringDatum, geosrs:TemporalDatum, geosrs:DatumEnsemble to be used in SPARQL graph patterns.

# 9.3.1. Class: geosrs:DynamicGeodeticReferenceFrame

**Table 87** — geosrs:DynamicGeodeticReferenceFrame

URI	https://w3id.org/geosrs/datum/ DynamicGeodeticReferenceFrame
Definition	Geodetic reference frame in which some of the parameters describe time evolution of defining station coordinatesExample: defining station coordinates having linear velocities to account for crustal motion.
Super-classes	GeodeticDatum

# 9.3.2. Class: geosrs:DynamicVerticalDatum

 $\textbf{Table 88} - \mathsf{geosrs:DynamicVerticalDatum}$ 

URI	https://w3id.org/geosrs/datum/DynamicVerticalDatum
Definition	Vertical reference frame in which some of the defining parameters have time dependencyExample: Defining station heights have velocity to account for post-glacial isostatic rebound motion. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.
Super-classes	<u>VerticalDatum</u>
Example	geosrs:DynamicVerticalDatum

# 9.3.3. Class: geosrs:ParametricDatum

**Table 89** — geosrs:ParametricDatum

URI	https://w3id.org/geosrs/datum/ParametricDatum
Definition	Textual description and/or a set of parameters identifying a particular reference surface used as the origin of a parametric coordinate system, including its position with respect to the Earth. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.
Super-classes	<u>Datum</u>

# 9.3.4. Class: geosrs:EngineeringDatum

**Table 90** — geosrs:EngineeringDatum

URI	https://w3id.org/geosrs/datum/EngineeringDatum
Definition	Definition of the origin and orientation of an engineering coordinate reference systemNote: The origin can be fixed with respect to the Earth (such as a defined point at a construction site), or be a defined point on a moving vehicle (such as on a ship or satellite), or a defined point of an image. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.
Super-classes	<u>Datum</u>

# 9.3.5. Class: geosrs:TemporalDatum

**Table 91** — geosrs:TemporalDatum

URI	https://w3id.org/geosrs/datum/TemporalDatum
Definition	Definition of the relationship of a temporal coordinate system to an objectNote: The object is normally time on the Earth. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.
Super-classes	<u>Datum</u>

# 9.3.6. Class: geosrs:DatumEnsemble

**Table 92** — geosrs:DatumEnsemble

URI	https://w3id.org/geosrs/datum/DatumEnsemble
Definition	A collection of two or more datums (or if geodetic or vertical, a collection of two or more reference frames) that are realizations of one Conventional Reference System and which for all but the highest accuracy requirements may be considered to be insignificantly different from each other. Note: Within the datum ensemble every frame or datum is constrained to be

# 9.4. Spheroid Properties

REQUIREMENT 17: SPHEROID PROPERTIES	
IDENTIFIER	/req/datum_module/Spheroid_Properties
STATEMENT	Implementations shall allow the RDFS properties geosrs:eccentricity, geosrs:inverseFlattening, geosrs:isSphere, geosrs:semiMajorAxis, geosrs:semiMinorAxis to be used in SPARQL graph patterns.

# 9.4.1. Property: geosrs:eccentricity

**Table 93** — geosrs:eccentricity

URI	https://w3id.org/geosrs/datum/eccentricity
Туре	owl:DatatypeProperty
Definition	A measure of how much an ellipse deviates from a perfect circle.
Range	xsd:double
Domain	Ellipsoid
Example	geosrs:eccentricity

# 9.4.2. Property: geosrs:inverseFlattening

**Table 94** — geosrs:inverseFlattening

URI	https://w3id.org/geosrs/datum/inverseFlattening
Туре	owl:DatatypeProperty

Definition	Indicates the inverse flattening value of an ellipsoid, expressed as a number or a ratio (percentage rate, parts per million, etc.). Cf. ISO 19111:2007:2007-07, table 37, attribute inverse flattening
Range	xsd:double
Domain	Ellipsoid
Example	geosrs:inverseFlattening

# 9.4.3. Property: geosrs:isSphere

**Table 95** — geosrs:isSphere

URI	https://w3id.org/geosrs/datum/isSphere
Туре	owl:DatatypeProperty
Definition	Indicates whether the ellipsoid is a sphere. Cf. ISO 19111:2007:2007-07, table 37, attribute ellipsoid= sphere indicator.
Range	xsd:boolean
Domain	Ellipsoid
Example	geosrs:isSphere

# 9.4.4. Property: geosrs:semiMajorAxis

**Table 96** — geosrs:semiMajorAxis

URI	https://w3id.org/geosrs/datum/semiMajorAxis
Туре	owl:DatatypeProperty
Definition	Indicates the length of the semi major axis of an ellipsoid. Cf. ISO 19111:2007:2007-07, table 36, attribute length of semi-major axis.
Range	xsd:double

Domain	Ellipsoid
Example	geosrs:semiMajorAxis

# 9.4.5. Property: geosrs:semiMinorAxis

#### **Table 97** — geosrs:semiMinorAxis

URI	https://w3id.org/geosrs/datum/semiMinorAxis
Туре	owl:DatatypeProperty
Definition	Indicates the length of the semi minor axis of an ellipsoid. Cf. ISO 19111:2007:2007-07, table 37, attribute length of semi-minor axis.
Range	xsd:double
Domain	Ellipsoid
Example	geosrs:semiMinorAxis

# 9.5. Spheroid Types

REQUIREMENT 18: SPHEROID TYPES	
IDENTIFIER	/req/datum_module/Spheroid_Types
STATEMENT	Implementations shall allow the RDFS classes geosrs:Ellipsoid, geosrs:TriaxialEllipsoid to be used in SPARQL graph patterns.

# 9.5.1. Class: geosrs:TriaxialEllipsoid

#### **Table 98** — geosrs:TriaxialEllipsoid

URI	https://w3id.org/geosrs/datum/TriaxialEllipsoid

Surface of an analytic ellipsoid defined by three axes of different length. Also referred as scalene ellipsoid.

Definition



# SRS APPLICATION MODULE



# SRS APPLICATION MODULE

This clause establishes the **SRSAPP** Requirements class, with IRI /req/srsapp, which has a corresponding Conformance Class, **SRSAPP**, with IRI /conf/srsapp.

REQUIREMENTS CLASS 5: 10-SRSAPPLICATION_MODULE.ADOC EXTENSION	
IDENTIFIER	/req/srsapplication_module
TARGET TYPE	Implementation Specification
REQUIREMENT	/req/srsapplication_module/SRS_Application_Types
	/req/srsapplication_module/Map_Types

# 10.1. Map Types

REQUIREMENT 19: MAP TYPES	
IDENTIFIER	/req/srsapplication_module/Map_Types
STATEMENT	Implementations shall allow the RDFS classes geosrs:CadastreMap, geosrs:NauticalChart, geosrs: ThematicMap, geosrs:TopographicMap, geosrs:WeatherMap to be used in SPARQL graph patterns.

# 10.1.1. Class: geosrs:CadastreMap

#### **Table 99** — geosrs:CadastreMap

URI	https://w3id.org/geosrs/application/CadastreMap
Definition	A map displaying a cadastre.
Super-classes	SRSApplication
Example	geosrs:CadastreMap

# 10.1.2. Class: geosrs:NauticalChart

**Table 100** — geosrs:NauticalChart

URI	https://w3id.org/geosrs/application/NauticalChart
Definition	A graphic representation of a sea area and adjacent coastal regions.
Super-classes	SRSApplication

# 10.1.3. Class: geosrs:ThematicMap

**Table 101** — geosrs:ThematicMap

URI	https://w3id.org/geosrs/application/ThematicMap
Definition	A map used to highlight a specific phenomenon.
Super-classes	SRSApplication

# 10.1.4. Class: geosrs:TopographicMap

 Table 102 — geosrs:TopographicMap

URI	https://w3id.org/geosrs/application/TopographicMap
Definition	A type of map characterized by large-scale detail and quantitative representation of relief.
Super-classes	SRSApplication
Example	geosrs:TopographicMap

# 10.1.5. Class: geosrs:WeatherMap

#### **Table 103** — geosrs:WeatherMap

URI	https://w3id.org/geosrs/application/WeatherMap
Definition	A map for showing the local direction in which weather systems are moving.
Super-classes	SRSApplication

# 10.2. SRS Application Types

REQUIREMENT 20: SRS APPLICATION TYPES	
IDENTIFIER	/req/srsapplication_module/SRS_Application_Types
STATEMENT	Implementations shall allow the RDFS classes geosrs:SRSApplication, geosrs:SpatialReferencing, geosrs:EngineeringSurvey, geosrs:SatelliteSurvey, geosrs:SatelliteNavigation, geosrs:Coastal Hydrography, geosrs:OffshoreEngineering, geosrs:Hydrography, geosrs:Drilling, geosrs:OilAndGas Exploration to be used in SPARQL graph patterns.

# 10.2.1. Class: geosrs:SRSApplication

**Table 104** — geosrs:SRSApplication

URI	https://w3id.org/geosrs/application/SRSApplication
Definition	An application for which a spatial reference system is used.

# 10.2.2. Class: geosrs:SpatialReferencing

**Table 105** — geosrs:SpatialReferencing

URI	https://w3id.org/geosrs/application/SpatialReferencing
Super-classes	SRSApplication

# 10.2.3. Class: geosrs:EngineeringSurvey

#### **Table 106** — geosrs:EngineeringSurvey

URI	https://w3id.org/geosrs/application/EngineeringSurvey
Super-classes	SRSApplication
Example	geosrs:EngineeringSurvey

# 10.2.4. Class: geosrs:SatelliteSurvey

#### **Table 107** — geosrs:SatelliteSurvey

URI	https://w3id.org/geosrs/application/SatelliteSurvey
Super-classes	SRSApplication

# 10.2.5. Class: geosrs:SatelliteNavigation

#### **Table 108** — geosrs:SatelliteNavigation

URI	https://w3id.org/geosrs/application/SatelliteNavigation
Super-classes	<u>SRSApplication</u>

# 10.2.6. Class: geosrs:CoastalHydrography

#### **Table 109** — geosrs:CoastalHydrography

URI	https://w3id.org/geosrs/application/CoastalHydrography
Super-classes	SRSApplication
Example	geosrs:CoastalHydrography

#### 10.2.7. Class: geosrs:OffshoreEngineering

#### **Table 110** — geosrs:OffshoreEngineering

URI	https://w3id.org/geosrs/application/OffshoreEngineering
Super-classes	<u>SRSApplication</u>
Example	geosrs:OffshoreEngineering

# 10.2.8. Class: geosrs:Hydrography

#### **Table 111** — geosrs:Hydrography

URI	https://w3id.org/geosrs/application/Hydrography
Super-classes	SRSApplication
Example	geosrs:Hydrography

# 10.2.9. Class: geosrs:Drilling

#### **Table 112** — geosrs:Drilling

URI	https://w3id.org/geosrs/application/Drilling
Super-classes	SRSApplication
Example	geosrs:Drilling

# 10.2.10. Class: geosrs:OilAndGasExploration

#### **Table 113** — geosrs:OilAndGasExploration

URI <a href="https://w3id.org/geosrs/application/">https://w3id.org/geosrs/application/</a> OilAndGasExploration	
--	--

Super-classes <u>SRSApplication</u>



# PROJECTIONS MODULE



# PROJECTIONS MODULE

This clause establishes the **PROJ** Requirements class, with IRI /req/proj, which has a corresponding Conformance Class, **PROJ**, with IRI /conf/proj.

REQUIREMENTS CLASS 6: 11-PROJECT	IONS_MODULE.ADOC EXTENSION
IDENTIFIER	/req/projections_module
TARGET TYPE	Implementation Specification
	/req/projections_module/Lenticular_Projections
	/req/projections_module/Conformal_Projections
	/req/projections_module/Minimum_Error_Projections
	/req/projections_module/Pseudo_Azimuthal_Projections
	/req/projections_module/Equal_Area_Projections
	/req/projections_module/Pseudo_Conical_Projections
	/req/projections_module/Globular_Projections
	/req/projections_module/Pseudo_Cylindrical_Projections
REQUIREMENT	/req/projections_module/Cylindrical_Projections
	/req/projections_module/Compromise_Projections
	/req/projections_module/Polyhedral_Projections
	/req/projections_module/Equidistant_Projections
	/req/projections_module/Conical_Projections
	/req/projections_module/Azimuthal_Projections
	/req/projections_module/Perspective_Projections
	/req/projections_module/Polyconic_Projections
	/req/projections_module/Stereographic_Projections

# 11.1. Azimuthal Projections

REQUIREMENT 21: AZIMUTHAL PROJECTIONS	
IDENTIFIER	/req/projections_module/Azimuthal_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:BreusingGeometricProjection, geosrs: BreusingHarmonicProjection, geosrs:GinzburgIIProjection, geosrs:GinzburgIProjection, geosrs: GnomonicProjection, geosrs:JamesAzimuthalProjection to be used in SPARQL graph patterns.

# 11.1.1. Class: geosrs:BreusingGeometricProjection

**Table 114** — geosrs:BreusingGeometricProjection

URI	https://w3id.org/geosrs/projection/ BreusingGeometricProjection
Super-classes	AzimuthalProjection

# 11.1.2. Class: geosrs:BreusingHarmonicProjection

**Table 115** — geosrs:BreusingHarmonicProjection

URI	https://w3id.org/geosrs/projection/ BreusingHarmonicProjection
Super-classes	<u>AzimuthalProjection</u>

# 11.1.3. Class: geosrs:GinzburgIIProjection

**Table 116** — geosrs:GinzburgIIProjection

URI	https://w3id.org/geosrs/projection/GinzburgIIProjection
Super-classes	AzimuthalProjection

#### 11.1.4. Class: geosrs:GinzburglProjection

#### **Table 117** — geosrs:GinzburglProjection

URI	https://w3id.org/geosrs/projection/GinzburglProjection
Super-classes	AzimuthalProjection

#### 11.1.5. Class: geosrs:GnomonicProjection

#### **Table 118** — geosrs:GnomonicProjection

URI	https://w3id.org/geosrs/projection/GnomonicProjection
Super-classes	AzimuthalProjection

# 11.1.6. Class: geosrs:JamesAzimuthalProjection

**Table 119** — geosrs:JamesAzimuthalProjection

URI	https://w3id.org/geosrs/projection/ JamesAzimuthalProjection
Super-classes	AzimuthalProjection

# 11.2. Compromise Projections

REQUIREMENT 22: COMPROMISE PROJECTIONS	
IDENTIFIER	/req/projections_module/Compromise_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:ArmadilloProjection, geosrs:BakerDinomic Projection, geosrs:BertinProjection, geosrs:ChamberlinTrimetricProjection, geosrs:DenoyerSemi EllipticalProjection, geosrs:FairgrieveProjection, geosrs:LarriveeProjection, geosrs:PetermannStar Projection, geosrs:SpilhausOceanicProjection, geosrs:VanDerGrintenIIIProjection, geosrs:Winkel

#### **REQUIREMENT 22: COMPROMISE PROJECTIONS**

IIProjection, geosrs: WinkelIProjection, geosrs: WinkelSnyderProjection to be used in SPARQL graph patterns.

#### 11.2.1. Class: geosrs:ArmadilloProjection

#### **Table 120** — geosrs:ArmadilloProjection

URI	https://w3id.org/geosrs/projection/ArmadilloProjection
Super-classes	CompromiseProjection

#### 11.2.2. Class: geosrs:BakerDinomicProjection

**Table 121** — geosrs:BakerDinomicProjection

URI	https://w3id.org/geosrs/projection/ BakerDinomicProjection
Super-classes	CompromiseProjection

# 11.2.3. Class: geosrs:BertinProjection

**Table 122** — geosrs:BertinProjection

URI	https://w3id.org/geosrs/projection/BertinProjection
Super-classes	<u>CompromiseProjection</u>

# 11.2.4. Class: geosrs:ChamberlinTrimetricProjection

**Table 123** — geosrs:ChamberlinTrimetricProjection

URI	https://w3id.org/geosrs/projection/ ChamberlinTrimetricProjection
Super-classes	CompromiseProjection

#### 11.2.5. Class: geosrs:DenoyerSemiEllipticalProjection

**Table 124** — geosrs:DenoyerSemiEllipticalProjection

URI	https://w3id.org/geosrs/projection/ DenoyerSemiEllipticalProjection
Super-classes	<u>CompromiseProjection</u>

#### 11.2.6. Class: geosrs:FairgrieveProjection

**Table 125** — geosrs:FairgrieveProjection

URI	https://w3id.org/geosrs/projection/FairgrieveProjection
Super-classes	CompromiseProjection

# 11.2.7. Class: geosrs:LarriveeProjection

**Table 126** — geosrs:LarriveeProjection

URI	https://w3id.org/geosrs/projection/LarriveeProjection
Super-classes	CompromiseProjection

# 11.2.8. Class: geosrs:PetermannStarProjection

**Table 127** — geosrs:PetermannStarProjection

URI	https://w3id.org/geosrs/projection/ PetermannStarProjection
Super-classes	<u>CompromiseProjection</u>

# 11.2.9. Class: geosrs:SpilhausOceanicProjection

**Table 128** — geosrs:SpilhausOceanicProjection

URI	https://w3id.org/geosrs/projection/ SpilhausOceanicProjection
Super-classes	<u>CompromiseProjection</u>

#### 11.2.10. Class: geosrs:VanDerGrintenIIIProjection

**Table 129** — geosrs:VanDerGrintenIIIProjection

URI	https://w3id.org/geosrs/projection/ VanDerGrintenIIIProjection
Super-classes	CompromiseProjection

#### 11.2.11. Class: geosrs:WinkelIIProjection

**Table 130** — geosrs:WinkelIIProjection

URI	https://w3id.org/geosrs/projection/WinkellIProjection
Super-classes	<u>CompromiseProjection</u>

#### 11.2.12. Class: geosrs:WinkellProjection

**Table 131** — geosrs:WinkellProjection

URI	https://w3id.org/geosrs/projection/WinkelIProjection
Super-classes	<u>CompromiseProjection</u>

#### 11.2.13. Class: geosrs:WinkelSnyderProjection

**Table 132** — geosrs:WinkelSnyderProjection

URI	https://w3id.org/geosrs/projection/
	WinkelSnyderProjection

# 11.3. Conformal Projections

REQUIREMENT 23: CONFORMAL PROJECTIONS	
IDENTIFIER	/req/projections_module/Conformal_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:AdamsProjection, geosrs:AdamsWorld InASquareIIProjection, geosrs:AdamsWorldInASquareIIProjection, geosrs:AugustEpicycloidal Projection, geosrs:CoxConformalProjection, geosrs:EisenlohrProjection, geosrs:GS50Projection, geosrs:PeirceQuincuncialProjection, geosrs:StereographicProjection to be used in SPARQL graph patterns.

# 11.3.1. Class: geosrs:AdamsProjection

#### **Table 133** — geosrs:AdamsProjection

URI	https://w3id.org/geosrs/projection/AdamsProjection
Super-classes	<u>ConformalProjection</u>

# 11.3.2. Class: geosrs:AdamsWorldInASquareIIProjection

**Table 134** — geosrs:AdamsWorldInASquareIIProjection

URI	https://w3id.org/geosrs/projection/ AdamsWorldInASquareIIProjection
Super-classes	ConformalProjection

# 11.3.3. Class: geosrs:AdamsWorldInASquareIProjection

 Table 135 — geosrs:AdamsWorldInASquareIProjection

URI	https://w3id.org/geosrs/projection/ AdamsWorldInASquareIProjection
Super-classes	ConformalProjection

#### 11.3.4. Class: geosrs:AugustEpicycloidalProjection

**Table 136** — geosrs:AugustEpicycloidalProjection

URI	https://w3id.org/geosrs/projection/ AugustEpicycloidalProjection
Definition	A projection in which every angle between two curves that crosss each other on a celestical body is preserved in the image of the projection
Super-classes	ConformalProjection

# 11.3.5. Class: geosrs:CoxConformalProjection

**Table 137** — geosrs:CoxConformalProjection

URI	https://w3id.org/geosrs/projection/ CoxConformalProjection
Super-classes	ConformalProjection

# 11.3.6. Class: geosrs:EisenlohrProjection

**Table 138** — geosrs:EisenlohrProjection

URI	https://w3id.org/geosrs/projection/EisenlohrProjection
Super-classes	ConformalProjection

#### 11.3.7. Class: geosrs:GS50Projection

#### **Table 139** — geosrs:GS50Projection

URI	https://w3id.org/geosrs/projection/GS50Projection
Super-classes	ConformalProjection

#### 11.3.8. Class: geosrs:PeirceQuincuncialProjection

#### **Table 140** — geosrs:PeirceQuincuncialProjection

URI	https://w3id.org/geosrs/projection/ PeirceQuincuncialProjection
Super-classes	ConformalProjection

#### 11.3.9. Class: geosrs:StereographicProjection

**Table 141** — geosrs:StereographicProjection

URI	https://w3id.org/geosrs/projection/ StereographicProjection
Super-classes	<u>ConformalProjection</u>
Example	geosrs:StereographicProjection

# 11.4. Conical Projections

# REQUIREMENT 24: CONICAL PROJECTIONS IDENTIFIER /req/projections\_module/Conical\_Projections Implementations shall allow the RDFS classes geosrs:BipolarObliqueConicConformalProjection, geosrs:CentralConicProjection, geosrs:HerschelConformalConicProjection, geosrs:Krovak, geosrs: STATEMENT LambertConformalConicProjection, geosrs:MurdochIIIProjection, geosrs:MurdochIIProjection, geosrs:MurdochIIProjection, geosrs:VitkovskyIProjection to be used in SPARQL graph patterns.

#### 11.4.1. Class: geosrs:BipolarObliqueConicConformalProjection

 Table 142 — geosrs:BipolarObliqueConicConformalProjection

URI	https://w3id.org/geosrs/projection/ BipolarObliqueConicConformalProjection
Super-classes	<u>ConicalProjection</u>

#### 11.4.2. Class: geosrs:CentralConicProjection

**Table 143** — geosrs:CentralConicProjection

URI	https://w3id.org/geosrs/projection/ CentralConicProjection
Super-classes	ConicalProjection

# 11.4.3. Class: geosrs:HerschelConformalConicProjection

**Table 144** — geosrs:HerschelConformalConicProjection

URI	https://w3id.org/geosrs/projection/ HerschelConformalConicProjection
Super-classes	ConicalProjection

# 11.4.4. Class: geosrs:Krovak

**Table 145** — geosrs:Krovak

URI	https://w3id.org/geosrs/projection/Krovak
Super-classes	ConicalProjection
Example	geosrs:Krovak

#### 11.4.5. Class: geosrs:LambertConformalConicProjection

#### **Table 146** — geosrs:LambertConformalConicProjection

URI	https://w3id.org/geosrs/projection/ LambertConformalConicProjection
Super-classes	<u>ConicalProjection</u>

#### 11.4.6. Class: geosrs:MurdochIIIProjection

#### **Table 147** — geosrs:MurdochIIIProjection

URI	https://w3id.org/geosrs/projection/MurdochIIIProjection
Super-classes	ConicalProjection

#### 11.4.7. Class: geosrs:MurdochIIProjection

#### **Table 148** — geosrs:MurdochIIProjection

URI	https://w3id.org/geosrs/projection/MurdochIIProjection
Super-classes	<u>ConicalProjection</u>

#### 11.4.8. Class: geosrs:MurdochlProjection

#### **Table 149** — geosrs:MurdochlProjection

URI	https://w3id.org/geosrs/projection/MurdochlProjection
Super-classes	ConicalProjection

#### 11.4.9. Class: geosrs:SchjerninglProjection

**Table 150** — geosrs:SchjerninglProjection

URI	https://w3id.org/geosrs/projection/SchjerninglProjection
Super-classes	<u>ConicalProjection</u>

# 11.4.10. Class: geosrs:VitkovskylProjection

**Table 151** — geosrs:VitkovskylProjection

URI	https://w3id.org/geosrs/projection/VitkovskylProjection
Super-classes	<u>ConicalProjection</u>

# 11.5. Cylindrical Projections

REQUIREMENT 25: CYLINDRICAL PROJECTIONS	
IDENTIFIER	/req/projections_module/Cylindrical_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:ArdenCloseProjection, geosrs:Braun PerspectiveProjection, geosrs:CompactMillerProjection, geosrs:CylindricalStereographicProjection, geosrs:KarchenkoShabanovaProjection, geosrs:LabordeProjection, geosrs:MercatorProjection, geosrs:MillerProjection, geosrs:PattersonCylindricalProjection, geosrs:PavlovProjection, geosrs: ToblerCylindricalIIProjection, geosrs:UrmayevIIIProjection, geosrs:WebMercatorProjection to be used in SPARQL graph patterns.

# 11.5.1. Class: geosrs:ArdenCloseProjection

**Table 152** — geosrs:ArdenCloseProjection

URI	https://w3id.org/geosrs/projection/ ArdenCloseProjection
Super-classes	<u>CylindricalProjection</u>

#### 11.5.2. Class: geosrs:BraunPerspectiveProjection

**Table 153** — geosrs:BraunPerspectiveProjection

URI	https://w3id.org/geosrs/projection/ BraunPerspectiveProjection
Super-classes	<u>CylindricalProjection</u>

#### 11.5.3. Class: geosrs:CompactMillerProjection

**Table 154** — geosrs:CompactMillerProjection

URI	https://w3id.org/geosrs/projection/ CompactMillerProjection
Super-classes	CylindricalProjection

# 11.5.4. Class: geosrs:CylindricalStereographicProjection

**Table 155** — geosrs:CylindricalStereographicProjection

URI	https://w3id.org/geosrs/projection/ CylindricalStereographicProjection
Super-classes	CylindricalProjection

# 11.5.5. Class: geosrs:KarchenkoShabanovaProjection

**Table 156** — geosrs:KarchenkoShabanovaProjection

URI	https://w3id.org/geosrs/projection/ KarchenkoShabanovaProjection
Super-classes	CylindricalProjection

# 11.5.6. Class: geosrs:LabordeProjection

**Table 157** — geosrs:LabordeProjection

URI	https://w3id.org/geosrs/projection/LabordeProjection
Super-classes	CylindricalProjection
Example	geosrs:LabordeProjection

#### 11.5.7. Class: geosrs:MercatorProjection

**Table 158** — geosrs:MercatorProjection

URI	https://w3id.org/geosrs/projection/MercatorProjection
Super-classes	<u>CylindricalProjection</u>
Example	geosrs:MercatorProjection

# 11.5.8. Class: geosrs:MillerProjection

**Table 159** — geosrs:MillerProjection

URI	https://w3id.org/geosrs/projection/MillerProjection
Super-classes	CylindricalProjection

# 11.5.9. Class: geosrs:PattersonCylindricalProjection

**Table 160** — geosrs:PattersonCylindricalProjection

URI	https://w3id.org/geosrs/projection/ PattersonCylindricalProjection
Super-classes	<u>CylindricalProjection</u>

#### 11.5.10. Class: geosrs:PavlovProjection

#### **Table 161** — geosrs:PavlovProjection

URI	https://w3id.org/geosrs/projection/PavlovProjection
Super-classes	CylindricalProjection

# 11.5.11. Class: geosrs:ToblerCylindricalIIProjection

#### **Table 162** — geosrs:ToblerCylindricalIIProjection

URI	https://w3id.org/geosrs/projection/ ToblerCylindricalIIProjection
Super-classes	CylindricalProjection

#### 11.5.12. Class: geosrs:ToblerCylindricalIProjection

#### **Table 163** — geosrs:ToblerCylindricallProjection

URI	https://w3id.org/geosrs/projection/ ToblerCylindricallProjection
Super-classes	CylindricalProjection

#### 11.5.13. Class: geosrs:UrmayevIIIProjection

**Table 164** — geosrs:UrmayevIIIProjection

URI	https://w3id.org/geosrs/projection/UrmayevIIIProjection
Super-classes	CylindricalProjection

# 11.5.14. Class: geosrs:WebMercatorProjection

**Table 165** — geosrs:WebMercatorProjection

URI	https://w3id.org/geosrs/projection/
OKI	<u>WebMercatorProjection</u>

# 11.6. Equal Area Projections

REQUIREMENT 26: EQUAL AREA PROJECTIONS	
IDENTIFIER	/req/projections_module/Equal_Area_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:AlbersEqualAreaProjection, geosrs:Azimuthal EqualAreaProjection, geosrs:CylindricalEqualArea, geosrs:GallPetersProjection, geosrs:HoboDyer Projection, geosrs:LambertAzimuthalEqualArea, geosrs:TrystanEdwardsProjection, geosrs:Wiechel Projection to be used in SPARQL graph patterns.

#### 11.6.1. Class: geosrs:AlbersEqualAreaProjection

**Table 166** — geosrs:AlbersEqualAreaProjection

URI	https://w3id.org/geosrs/projection/ AlbersEqualAreaProjection
Super-classes	<u>EqualAreaProjection</u>
Example	geosrs:AlbersEqualAreaProjection

# 11.6.2. Class: geosrs:AzimuthalEqualAreaProjection

**Table 167** — geosrs:AzimuthalEqualAreaProjection

URI	https://w3id.org/geosrs/projection/ AzimuthalEqualAreaProjection
Super-classes	EqualAreaProjection

#### 11.6.3. Class: geosrs:CylindricalEqualArea

**Table 168** — geosrs:CylindricalEqualArea

URI	https://w3id.org/geosrs/projection/CylindricalEqualArea
Super-classes	<u>EqualAreaProjection</u>
Example	geosrs:CylindricalEqualArea

#### 11.6.4. Class: geosrs:GallPetersProjection

**Table 169** — geosrs:GallPetersProjection

URI	https://w3id.org/geosrs/projection/GallPetersProjection
Super-classes	<u>EqualAreaProjection</u>

#### 11.6.5. Class: geosrs:HoboDyerProjection

**Table 170** — geosrs:HoboDyerProjection

URI	https://w3id.org/geosrs/projection/HoboDyerProjection
Super-classes	EqualAreaProjection

# 11.6.6. Class: geosrs:LambertAzimuthalEqualArea

**Table 171** — geosrs:LambertAzimuthalEqualArea

URI	https://w3id.org/geosrs/projection/ LambertAzimuthalEqualArea
Super-classes	<u>EqualAreaProjection</u>

# 11.6.7. Class: geosrs:TrystanEdwardsProjection

**Table 172** — geosrs:TrystanEdwardsProjection

URI	https://w3id.org/geosrs/projection/
ON	<u>TrystanEdwardsProjection</u>

# 11.6.8. Class: geosrs:WiechelProjection

**Table 173** — geosrs:WiechelProjection

URI	https://w3id.org/geosrs/projection/WiechelProjection
Super-classes	<u>EqualAreaProjection</u>

# 11.7. Equidistant Projections

REQUIREMENT 27: EQUIDISTANT PROJECTIONS	
IDENTIFIER	/req/projections_module/Equidistant_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:AzimuthalEquidistantProjection, geosrs: BerghausStarProjection, geosrs:CassiniProjection, geosrs:EquidistantConicProjection, geosrs: EquidistantCylindricalProjection, geosrs:EquirectangularProjection, geosrs:ObliquePlateCarree Projection, geosrs:PlateCarreeProjection, geosrs:TwoPointEquidistantProjection to be used in SPARQL graph patterns.

# 11.7.1. Class: geosrs:AzimuthalEquidistantProjection

**Table 174** — geosrs:AzimuthalEquidistantProjection

URI	https://w3id.org/geosrs/projection/ AzimuthalEquidistantProjection
Super-classes	<u>EquidistantProjection</u>
Example	geosrs:AzimuthalEquidistantProjection

# 11.7.2. Class: geosrs:BerghausStarProjection

**Table 175** — geosrs:BerghausStarProjection

URI	https://w3id.org/geosrs/projection/ BerghausStarProjection
Super-classes	<u>EquidistantProjection</u>

#### 11.7.3. Class: geosrs:CassiniProjection

**Table 176** — geosrs:CassiniProjection

URI	https://w3id.org/geosrs/projection/CassiniProjection
Definition	A map projection first described in an approximate form by César-François Cassini de Thury in 1745
Super-classes	<u>EquidistantProjection</u>
Example	geosrs:CassiniProjection

# 11.7.4. Class: geosrs:EquidistantConicProjection

**Table 177** — geosrs:EquidistantConicProjection

URI	https://w3id.org/geosrs/projection/ EquidistantConicProjection
Super-classes	<u>EquidistantProjection</u>

# 11.7.5. Class: geosrs:EquidistantCylindricalProjection

**Table 178** — geosrs:EquidistantCylindricalProjection

URI	https://w3id.org/geosrs/projection/ EquidistantCylindricalProjection
Super-classes	<u>EquidistantProjection</u>
Example	geosrs:EquidistantCylindricalProjection

#### 11.7.6. Class: geosrs: Equirectangular Projection

#### **Table 179** — geosrs:EquirectangularProjection

URI	https://w3id.org/geosrs/projection/ EquirectangularProjection
Super-classes	<u>EquidistantProjection</u>

#### 11.7.7. Class: geosrs:ObliquePlateCarreeProjection

#### **Table 180** — geosrs:ObliquePlateCarreeProjection

URI	https://w3id.org/geosrs/projection/ ObliquePlateCarreeProjection
Super-classes	<u>EquidistantProjection</u>

# 11.7.8. Class: geosrs:PlateCarreeProjection

#### **Table 181** — geosrs:PlateCarreeProjection

URI	https://w3id.org/geosrs/projection/ PlateCarreeProjection
Super-classes	<u>EquidistantProjection</u>

# 11.7.9. Class: geosrs:TwoPointEquidistantProjection

**Table 182** — geosrs:TwoPointEquidistantProjection

URI	https://w3id.org/geosrs/projection/ TwoPointEquidistantProjection
Super-classes	<u>EquidistantProjection</u>

# 11.8. Globular Projections

REQUIREMENT 28: GLOBULAR PROJECTIONS

IDENTIFIER /req/projections\_module/Globular\_Projections

STATEMENT Implementations shall allow the RDFS classes geosrs:ApianGlobularIProjection, geosrs:Bacon GlobularProjection, geosrs:FournierGlobularIProjection to be used in SPARQL graph patterns.

#### 11.8.1. Class: geosrs:ApianGlobularIProjection

#### **Table 183** — geosrs:ApianGlobularlProjection

URI	https://w3id.org/geosrs/projection/ ApianGlobularlProjection
Super-classes	<u>GlobularProjection</u>

#### 11.8.2. Class: geosrs:BaconGlobularProjection

#### **Table 184** — geosrs:BaconGlobularProjection

URI	https://w3id.org/geosrs/projection/ BaconGlobularProjection
Super-classes	GlobularProjection

#### 11.8.3. Class: geosrs:FournierGlobularIProjection

**Table 185** — geosrs:FournierGlobularlProjection

URI	https://w3id.org/geosrs/projection/ FournierGlobularlProjection
Super-classes	<u>GlobularProjection</u>

# 11.9. Lenticular Projections

REQUIREM	ENT 29: LENTICULAR PROJECTIONS
IDENTIFIER	/req/projections_module/Lenticular_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:A4Projection, geosrs:BriesemeisterProjection, geosrs:CiricIProjection, geosrs:CupolaProjection, geosrs:DedistortProjection, geosrs:DietrichKitada Projection, geosrs:FranculaIIIProjection, geosrs:FranculaIVProjection, geosrs:FranculaIXProjection, geosrs:FranculaVIIIProjection, geosrs:FranculaVProjection, geosrs:FranculaXIIIProjection, geosrs:FranculaXIVProjection, geosrs:HamusoidalProjection, geosrs:Kiss Projection to be used in SPARQL graph patterns.

# 11.9.1. Class: geosrs:A4Projection

#### **Table 186** — geosrs:A4Projection

URI	https://w3id.org/geosrs/projection/A4Projection
Super-classes	<u>LenticularProjection</u>

# 11.9.2. Class: geosrs:BriesemeisterProjection

**Table 187** — geosrs:BriesemeisterProjection

URI	https://w3id.org/geosrs/projection/ BriesemeisterProjection
Super-classes	<u>LenticularProjection</u>

# 11.9.3. Class: geosrs:CiriclProjection

#### **Table 188** — geosrs:CiriclProjection

URI	https://w3id.org/geosrs/projection/CiriclProjection
Super-classes	<u>LenticularProjection</u>

#### 11.9.4. Class: geosrs:CupolaProjection

#### **Table 189** — geosrs:CupolaProjection

URI	https://w3id.org/geosrs/projection/CupolaProjection
Super-classes	<u>LenticularProjection</u>

#### 11.9.5. Class: geosrs:DedistortProjection

#### **Table 190** — geosrs:DedistortProjection

URI	https://w3id.org/geosrs/projection/DedistortProjection
Super-classes	<u>LenticularProjection</u>

### 11.9.6. Class: geosrs:DietrichKitadaProjection

#### **Table 191** — geosrs:DietrichKitadaProjection

URI	https://w3id.org/geosrs/projection/ DietrichKitadaProjection
Super-classes	<u>LenticularProjection</u>

# 11.9.7. Class: geosrs:FranculalIIProjection

**Table 192** — geosrs:FranculaIIIProjection

URI	https://w3id.org/geosrs/projection/FranculalIIProjection
Super-classes	<u>LenticularProjection</u>

#### 11.9.8. Class: geosrs:FranculalVProjection

### **Table 193** — geosrs:FranculalVProjection

URI	https://w3id.org/geosrs/projection/FranculalVProjection
Super-classes	<u>LenticularProjection</u>

# 11.9.9. Class: geosrs:FranculalXProjection

### **Table 194** — geosrs:FranculalXProjection

URI	https://w3id.org/geosrs/projection/FranculalXProjection
Super-classes	<u>LenticularProjection</u>

# 11.9.10. Class: geosrs:FranculaVIIIProjection

### **Table 195** — geosrs:FranculaVIIIProjection

URI	https://w3id.org/geosrs/projection/ FranculaVIIIProjection
Super-classes	<u>LenticularProjection</u>

# 11.9.11. Class: geosrs:FranculaVProjection

**Table 196** — geosrs:FranculaVProjection

URI	https://w3id.org/geosrs/projection/FranculaVProjection
Super-classes	<u>LenticularProjection</u>

# 11.9.12. Class: geosrs:FranculaXIIIProjection

### **Table 197** — geosrs:FranculaXIIIProjection

URI	https://w3id.org/geosrs/projection/ FranculaXIIIProjection
Super-classes	<u>LenticularProjection</u>

# 11.9.13. Class: geosrs:FranculaXIIProjection

### **Table 198** — geosrs:FranculaXIIProjection

URI	https://w3id.org/geosrs/projection/FranculaXIIProjection
Super-classes	<u>LenticularProjection</u>

# 11.9.14. Class: geosrs:FranculaXIVProjection

# **Table 199** — geosrs:FranculaXIVProjection

URI	https://w3id.org/geosrs/projection/ FranculaXIVProjection
Super-classes	<u>LenticularProjection</u>

# 11.9.15. Class: geosrs:HamusoidalProjection

### **Table 200** — geosrs:HamusoidalProjection

URI	https://w3id.org/geosrs/projection/ HamusoidalProjection
Super-classes	<u>LenticularProjection</u>

# 11.9.16. Class: geosrs:KissProjection

### **Table 201** — geosrs:KissProjection

URI	https://w3id.org/geosrs/projection/KissProjection
Super-classes	<u>LenticularProjection</u>

# 11.10. Minimum Error Projections

REQUIREMENT 30: MINIMUM ERROR PROJECTIONS	
IDENTIFIER	/req/projections_module/Minimum_Error_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:AiryProjection to be used in SPARQL graph patterns.

# 11.10.1. Class: geosrs:AiryProjection

# **Table 202** — geosrs:AiryProjection

URI	https://w3id.org/geosrs/projection/AiryProjection
Definition	An azimuthal minimum error projection for the region within the small or great circle defined by an angular distance, from the tangency point of the plane
Super-classes	MinimumErrorProjection
Example	geosrs:AiryProjection

# 11.11. Perspective Projections

REQUIREMENT 31: PERSPECTIVE PROJECTIONS	
IDENTIFIER	/req/projections_module/Perspective_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:CentralCylindricalProjection, geosrs:General VerticalPerspectiveProjection, geosrs:GilbertTwoWorldPerspectiveProjection, geosrs:LaHire Projection, geosrs:LorgnaProjection, geosrs:LowryProjection, geosrs:OrthographicProjection, geosrs:PerspectiveConicProjection, geosrs:TiltedPerspectiveProjection, geosrs:VerticalPerspective Projection to be used in SPARQL graph patterns.

# 11.11.1. Class: geosrs:CentralCylindricalProjection

### **Table 203** — geosrs:CentralCylindricalProjection

URI	https://w3id.org/geosrs/projection/ CentralCylindricalProjection
Super-classes	<u>PerspectiveProjection</u>
Example	geosrs:CentralCylindricalProjection

# 11.11.2. Class: geosrs:GeneralVerticalPerspectiveProjection

### **Table 204** — geosrs:GeneralVerticalPerspectiveProjection

URI	https://w3id.org/geosrs/projection/ GeneralVerticalPerspectiveProjection
Super-classes	<u>PerspectiveProjection</u>

# 11.11.3. Class: geosrs:GilbertTwoWorldPerspectiveProjection

### **Table 205** — geosrs:GilbertTwoWorldPerspectiveProjection

URI	https://w3id.org/geosrs/projection/ GilbertTwoWorldPerspectiveProjection
Super-classes	PerspectiveProjection

# 11.11.4. Class: geosrs:LaHireProjection

### **Table 206** — geosrs:LaHireProjection

URI	https://w3id.org/geosrs/projection/LaHireProjection
Super-classes	<u>PerspectiveProjection</u>

# 11.11.5. Class: geosrs:LorgnaProjection

### **Table 207** — geosrs:LorgnaProjection

URI	https://w3id.org/geosrs/projection/LorgnaProjection
Super-classes	PerspectiveProjection

# 11.11.6. Class: geosrs:LowryProjection

### **Table 208** — geosrs:LowryProjection

URI	https://w3id.org/geosrs/projection/LowryProjection
Super-classes	PerspectiveProjection

# 11.11.7. Class: geosrs:OrthographicProjection

### **Table 209** — geosrs:OrthographicProjection

URI	https://w3id.org/geosrs/projection/ OrthographicProjection
Super-classes	PerspectiveProjection

# 11.11.8. Class: geosrs:PerspectiveConicProjection

### **Table 210** — geosrs:PerspectiveConicProjection

URI	https://w3id.org/geosrs/projection/ PerspectiveConicProjection
Super-classes	PerspectiveProjection

# 11.11.9. Class: geosrs:TiltedPerspectiveProjection

**Table 211** — geosrs:TiltedPerspectiveProjection

URI	https://w3id.org/geosrs/projection/ TiltedPerspectiveProjection
Super-classes	PerspectiveProjection

# 11.11.10. Class: geosrs: Vertical Perspective Projection

**Table 212** — geosrs:VerticalPerspectiveProjection

URI	https://w3id.org/geosrs/projection/ VerticalPerspectiveProjection
Super-classes	PerspectiveProjection

# 11.12. Polyconic Projections

REQUIREMENT 32: POLYCONIC PROJECTIONS	
IDENTIFIER	/req/projections_module/Polyconic_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:GinzburgIVProjection, geosrs:Ginzburg IXProjection, geosrs:GinzburgVIProjection, geosrs:GinzburgVProjection, geosrs:GottWagner Projection, geosrs:HillEucyclicProjection, geosrs:LagrangeProjection, geosrs:LaskowskiProjection, geosrs:RectangularPolyconicProjection, geosrs:StabiusWernerIIIProjection, geosrs:StabiusWerner IProjection, geosrs:VanDerGrintenIIProjection, geosrs:VanDerGrintenIVProjection, geosrs:WagnerVIIIProjection, geosrs:Wagner VIIProjection to be used in SPARQL graph patterns.

# 11.12.1. Class: geosrs:GinzburgIVProjection

**Table 213** — geosrs:GinzburgIVProjection

URI	https://w3id.org/geosrs/projection/GinzburgIVProjection
Super-classes	PolyconicProjection

# 11.12.2. Class: geosrs:GinzburgIXProjection

### **Table 214** — geosrs:GinzburgIXProjection

URI	https://w3id.org/geosrs/projection/GinzburglXProjection
Super-classes	PolyconicProjection

# 11.12.3. Class: geosrs:GinzburgVIProjection

### **Table 215** — geosrs:GinzburgVIProjection

URI	https://w3id.org/geosrs/projection/GinzburgVIProjection
Super-classes	<u>PolyconicProjection</u>

# 11.12.4. Class: geosrs:GinzburgVProjection

### **Table 216** — geosrs:GinzburgVProjection

URI	https://w3id.org/geosrs/projection/GinzburgVProjection
Super-classes	PolyconicProjection

# 11.12.5. Class: geosrs:GottWagnerProjection

### **Table 217** — geosrs:GottWagnerProjection

URI	https://w3id.org/geosrs/projection/ GottWagnerProjection
Super-classes	PolyconicProjection

# 11.12.6. Class: geosrs:HillEucyclicProjection

### **Table 218** — geosrs:HillEucyclicProjection

URI	https://w3id.org/geosrs/projection/HillEucyclicProjection
Super-classes	PolyconicProjection

# 11.12.7. Class: geosrs:LagrangeProjection

### **Table 219** — geosrs:LagrangeProjection

URI	https://w3id.org/geosrs/projection/LagrangeProjection
Super-classes	<u>PolyconicProjection</u>

# 11.12.8. Class: geosrs:LaskowskiProjection

### **Table 220** — geosrs:LaskowskiProjection

URI	https://w3id.org/geosrs/projection/LaskowskiProjection
Super-classes	<u>PolyconicProjection</u>

# 11.12.9. Class: geosrs:RectangularPolyconicProjection

**Table 221** — geosrs:RectangularPolyconicProjection

URI	https://w3id.org/geosrs/projection/ RectangularPolyconicProjection
Super-classes	<u>PolyconicProjection</u>

# 11.12.10. Class: geosrs:StabiusWernerIIIProjection

### **Table 222** — geosrs:StabiusWernerIIIProjection

URI	https://w3id.org/geosrs/projection/ StabiusWernerIIIProjection
Super-classes	PolyconicProjection

# 11.12.11. Class: geosrs:StabiusWernerlProjection

### **Table 223** — geosrs:StabiusWernerlProjection

URI	https://w3id.org/geosrs/projection/ StabiusWernerlProjection
Super-classes	PolyconicProjection

### 11.12.12. Class: geosrs:VanDerGrintenIIProjection

### **Table 224** — geosrs:VanDerGrintenIIProjection

URI	https://w3id.org/geosrs/projection/ VanDerGrintenIIProjection
Super-classes	<u>PolyconicProjection</u>

# 11.12.13. Class: geosrs:VanDerGrintenlProjection

### **Table 225** — geosrs:VanDerGrintenIProjection

URI	https://w3id.org/geosrs/projection/ VanDerGrintenlProjection
Super-classes	PolyconicProjection

# 11.12.14. Class: geosrs:VanDerGrintenIVProjection

### **Table 226** — geosrs:VanDerGrintenIVProjection

URI	https://w3id.org/geosrs/projection/ VanDerGrintenIVProjection
Super-classes	<u>PolyconicProjection</u>

# 11.12.15. Class: geosrs: Wagner IXProjection

### **Table 227** — geosrs:WagnerIXProjection

URI	https://w3id.org/geosrs/projection/WagnerIXProjection
Super-classes	PolyconicProjection

# 11.12.16. Class: geosrs:WagnerVIIIProjection

### Table 228 — geosrs:WagnerVIIIProjection

URI	https://w3id.org/geosrs/projection/WagnerVIIIProjection
Super-classes	PolyconicProjection

# 11.12.17. Class: geosrs: Wagner VII Projection

**Table 229** — geosrs:WagnerVIIProjection

URI	https://w3id.org/geosrs/projection/WagnerVIIProjection
Super-classes	PolyconicProjection

# 11.13. Polyhedral Projections

REQUIREMENT 33: POLYHEDRAL PROJECTIONS	
IDENTIFIER	/req/projections_module/Polyhedral_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:AuthaGraphProjection, geosrs:CahillKeyes Projection, geosrs:CollignonButterflyProjection, geosrs:DodecahedralProjection, geosrs:Dymaxion Projection, geosrs:GnomonicButterflyProjection, geosrs:GnomonicCubedSphereProjection, geosrs:GnomonicIcosahedronProjection, geosrs:GuyouProjection, geosrs:IcosahedralProjection, geosrs:Lee Projection, geosrs:MyrahedalProjection, geosrs:OctantProjection, geosrs:QuadrilateralizedSpherical CubeProjection, geosrs:WatermanButterflyProjection to be used in SPARQL graph patterns.

### 11.13.1. Class: geosrs: Autha Graph Projection

### **Table 230** — geosrs:AuthaGraphProjection

URI	https://w3id.org/geosrs/projection/ AuthaGraphProjection
Super-classes	<u>PolyhedralProjection</u>

# 11.13.2. Class: geosrs:CahillKeyesProjection

### **Table 231** — geosrs:CahillKeyesProjection

URI	https://w3id.org/geosrs/projection/CahillKeyesProjection
Super-classes	PolyhedralProjection

# 11.13.3. Class: geosrs:CollignonButterflyProjection

### **Table 232** — geosrs:CollignonButterflyProjection

URI	https://w3id.org/geosrs/projection/ CollignonButterflyProjection
Super-classes	PolyhedralProjection

# 11.13.4. Class: geosrs:DodecahedralProjection

### **Table 233** — geosrs:DodecahedralProjection

URI	https://w3id.org/geosrs/projection/ DodecahedralProjection
Super-classes	PolyhedralProjection

# 11.13.5. Class: geosrs:DymaxionProjection

### **Table 234** — geosrs:DymaxionProjection

URI	https://w3id.org/geosrs/projection/DymaxionProjection
Super-classes	PolyhedralProjection

# 11.13.6. Class: geosrs:GnomonicButterflyProjection

### **Table 235** — geosrs:GnomonicButterflyProjection

URI	https://w3id.org/geosrs/projection/ GnomonicButterflyProjection
Super-classes	PolyhedralProjection

# 11.13.7. Class: geosrs:GnomonicCubedSphereProjection

### **Table 236** — geosrs:GnomonicCubedSphereProjection

URI	https://w3id.org/geosrs/projection/ GnomonicCubedSphereProjection
Super-classes	<u>PolyhedralProjection</u>

# 11.13.8. Class: geosrs:GnomoniclcosahedronProjection

### **Table 237** — geosrs:GnomoniclcosahedronProjection

URI	https://w3id.org/geosrs/projection/ GnomoniclcosahedronProjection
Super-classes	<u>PolyhedralProjection</u>

# 11.13.9. Class: geosrs:GuyouProjection

### **Table 238** — geosrs:GuyouProjection

URI	https://w3id.org/geosrs/projection/GuyouProjection

# 11.13.10. Class: geosrs:lcosahedralProjection

### **Table 239** — geosrs:lcosahedralProjection

URI	https://w3id.org/geosrs/projection/IcosahedralProjection
Super-classes	<u>PolyhedralProjection</u>

# 11.13.11. Class: geosrs:LeeProjection

### **Table 240** — geosrs:LeeProjection

URI	https://w3id.org/geosrs/projection/LeeProjection
Super-classes	<u>PolyhedralProjection</u>

# 11.13.12. Class: geosrs:MyrahedalProjection

### **Table 241** — geosrs:MyrahedalProjection

URI	https://w3id.org/geosrs/projection/MyrahedalProjection
Super-classes	<u>PolyhedralProjection</u>

# 11.13.13. Class: geosrs:OctantProjection

### **Table 242** — geosrs:OctantProjection

URI	https://w3id.org/geosrs/projection/OctantProjection
Super-classes	PolyhedralProjection

# 11.13.14. Class: geosrs:QuadrilateralizedSphericalCubeProjection

 $\textbf{Table 243}- {\tt geosrs:} Quadrilateralized Spherical Cube Projection$ 

URI	https://w3id.org/geosrs/projection/ QuadrilateralizedSphericalCubeProjection
Super-classes	PolyhedralProjection

# 11.13.15. Class: geosrs:WatermanButterflyProjection

**Table 244** — geosrs:WatermanButterflyProjection

URI	https://w3id.org/geosrs/projection/ WatermanButterflyProjection
Super-classes	<u>PolyhedralProjection</u>

# 11.14. Pseudo Azimuthal Projections

REQUIREMENT 34: PSEUDO AZIMUTHAL PROJECTIONS	
IDENTIFIER	/req/projections_module/Pseudo_Azimuthal_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:AitoffObliqueProjection, geosrs:Aitoff Projection, geosrs:HammerProjection, geosrs:Strebe1995Projection, geosrs:WinkelTripel Projection to be used in SPARQL graph patterns.

# 11.14.1. Class: geosrs:AitoffObliqueProjection

**Table 245** — geosrs:AitoffObliqueProjection

URI	https://w3id.org/geosrs/projection/ AitoffObliqueProjection
Super-classes	<u>PseudoAzimuthalProjection</u>

# 11.14.2. Class: geosrs:AitoffProjection

### **Table 246** — geosrs:AitoffProjection

URI	https://w3id.org/geosrs/projection/AitoffProjection
Definition	A modified azimuthal projection whose graticule takes the form of an ellipse
Super-classes	<u>PseudoAzimuthalProjection</u>

# 11.14.3. Class: geosrs:HammerProjection

### **Table 247** — geosrs:HammerProjection

URI	https://w3id.org/geosrs/projection/HammerProjection
Super-classes	<u>PseudoAzimuthalProjection</u>

# 11.14.4. Class: geosrs:Strebe1995Projection

### **Table 248** — geosrs:Strebe1995Projection

URI	https://w3id.org/geosrs/projection/ Strebe1995Projection
Super-classes	<u>PseudoAzimuthalProjection</u>

# 11.14.5. Class: geosrs:WinkelTripelProjection

**Table 249** — geosrs:WinkelTripelProjection

URI	https://w3id.org/geosrs/projection/ WinkelTripelProjection
Super-classes	<u>PseudoAzimuthalProjection</u>

# 11.15. Pseudo Conical Projections

REQUIREMENT 35: PSEUDO CONICAL PROJECTIONS	
IDENTIFIER	/req/projections_module/Pseudo_Conical_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:AmericanPolyconicProjection, geosrs: BonneProjection, geosrs:BottomleyProjection, geosrs:NicolosiGlobularProjection, geosrs:Ptolemy IIProjection, geosrs:WernerProjection to be used in SPARQL graph patterns.

# 11.15.1. Class: geosrs:AmericanPolyconicProjection

**Table 250** — geosrs:AmericanPolyconicProjection

URI	https://w3id.org/geosrs/projection/ AmericanPolyconicProjection
Super-classes	<u>PseudoConicalProjection</u>
Example	geosrs:AmericanPolyconicProjection

# 11.15.2. Class: geosrs:BonneProjection

**Table 251** — geosrs:BonneProjection

URI	https://w3id.org/geosrs/projection/BonneProjection
Super-classes	<u>PseudoConicalProjection</u>

# 11.15.3. Class: geosrs:BottomleyProjection

**Table 252** — geosrs:BottomleyProjection

URI	https://w3id.org/geosrs/projection/BottomleyProjection
Super-classes	<u>PseudoConicalProjection</u>

### 11.15.4. Class: geosrs:NicolosiGlobularProjection

### **Table 253** — geosrs:NicolosiGlobularProjection

URI	https://w3id.org/geosrs/projection/ NicolosiGlobularProjection
Super-classes	<u>PseudoConicalProjection</u>

### 11.15.5. Class: geosrs:PtolemyIIProjection

### **Table 254** — geosrs:PtolemyIIProjection

URI	https://w3id.org/geosrs/projection/PtolemyllProjection
Super-classes	<u>PseudoConicalProjection</u>

# 11.15.6. Class: geosrs:WernerProjection

### **Table 255** — geosrs:WernerProjection

URI	https://w3id.org/geosrs/projection/WernerProjection
Super-classes	<u>PseudoConicalProjection</u>

# 11.16. Pseudo Cylindrical Projections

# REQUIREMENT 36: PSEUDO CYLINDRICAL PROJECTIONS IDENTIFIER /req/projections\_module/Pseudo\_Cylindrical\_Projections Implementations shall allow the RDFS classes geosrs:ApianIIProjection, geosrs:AtlantisProjection, geosrs:BaranyiIIIProjection, geosrs:BaranyiIIProjection, geosrs:BaranyiIIProjection, geosrs:BaranyiIIProjection, geosrs:BaranyiIIProjection, geosrs:CabotProjection, geosrs:CollignonProjection, geosrs:CrasterParabolicProjection, geosrs:DeakinMinimumError Projection, geosrs:Eckert1Projection, geosrs:Eckert2Projection, geosrs:Eckert3Projection, geosrs:

### REQUIREMENT 36: PSEUDO CYLINDRICAL PROJECTIONS

Eckert4Projection, geosrs:Eckert5Projection, geosrs:Eckert6Projection, geosrs:EqualEarth Projection, geosrs:FaheyProjection, geosrs:FoucautProjection, geosrs:FoucautSinusoidalProjection, geosrs:FournierIIProjection, geosrs:GinzburgVIIIProjection, geosrs:GoodeHomolosineProjection, geosrs:HEALPixProjection, geosrs:HufnagelProjection, geosrs:Kavrayskiy7Projection, geosrs: LoximuthalProjection, geosrs:MayrProjection, geosrs:McBrydeThomasFlatPolarParabolicProjection, geosrs:McBrydeThomasFlatPolarQuarticProjection, geosrs:McBrydeThomasFlatPolarSinusoidal Projection, geosrs:McBrydeThomasIProjection, geosrs:McBrydeThomasIProjection, geosrs:Natural Earth2Projection, geosrs:NaturalEarthProjection, geosrs:NellHammerProjection, geosrs:Nell Projection, geosrs:OrteliusOvalProjection, geosrs:PutninsP1Projection, geosrs:PutninsP2Projection, geosrs:PutninsP3Projection, geosrs:PutninsP5Projection, geosrs:PutninsP6Projection, geosrs: QuarticAuthalicProjection, geosrs:RobinsonProjection, geosrs:SinusoidalProjection, geosrs:The TimesProjection, geosrs:ToblerG1Projection, geosrs:ToblerHyperellipticalProjection, geosrs:Wagner IIIProjection, geosrs: WagnerIIProjection, geosrs: WagnerIProjection, geosrs: WagnerIVProjection, geosrs:WagnerVIProjection, geosrs:WagnerVProjection, geosrs:WerenskioldIProjection, geosrs: PutninsP3'Projection, geosrs:PutninsP4'Projection, geosrs:PutninsP5'Projection, geosrs:Putnins P6'Projection to be used in SPARQL graph patterns.

### 11.16.1. Class: geosrs:ApianIIProjection

### **Table 256** — geosrs:ApianIIProjection

URI	https://w3id.org/geosrs/projection/ApianIIProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.2. Class: geosrs:AtlantisProjection

### **Table 257** — geosrs:AtlantisProjection

URI	https://w3id.org/geosrs/projection/AtlantisProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.3. Class: geosrs:BaranyillIProjection

### **Table 258** — geosrs:BaranyillIProjection

URI	https://w3id.org/geosrs/projection/BaranyiIIIProjection

# 11.16.4. Class: geosrs:BaranyillProjection

### **Table 259** — geosrs:BaranyillProjection

URI	https://w3id.org/geosrs/projection/BaranyillProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.5. Class: geosrs:BaranyilProjection

### **Table 260** — geosrs:BaranyilProjection

URI	https://w3id.org/geosrs/projection/BaranyilProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.6. Class: geosrs:BaranyilVProjection

### **Table 261** — geosrs:BaranyilVProjection

URI	https://w3id.org/geosrs/projection/BaranyilVProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.7. Class: geosrs:BoggsEumorphicProjection

### **Table 262** — geosrs:BoggsEumorphicProjection

URI	https://w3id.org/geosrs/projection/ BoggsEumorphicProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.8. Class: geosrs:BromleyProjection

### **Table 263** — geosrs:BromleyProjection

URI	https://w3id.org/geosrs/projection/BromleyProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.9. Class: geosrs:CabotProjection

### **Table 264** — geosrs:CabotProjection

URI	https://w3id.org/geosrs/projection/CabotProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.10. Class: geosrs:CollignonProjection

### **Table 265** — geosrs:CollignonProjection

URI	https://w3id.org/geosrs/projection/CollignonProjection
Definition	An equal-area pseudocylindrical projection that maps the sphere onto a triangle or diamond
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.11. Class: geosrs:CrasterParabolicProjection

### **Table 266** — geosrs:CrasterParabolicProjection

URI	https://w3id.org/geosrs/projection/ CrasterParabolicProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.12. Class: geosrs: Deakin Minimum Error Projection

### **Table 267** — geosrs:DeakinMinimumErrorProjection

URI	https://w3id.org/geosrs/projection/ DeakinMinimumErrorProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.13. Class: geosrs:Eckert1Projection

### **Table 268** — geosrs:Eckert1Projection

URI	https://w3id.org/geosrs/projection/Eckert1Projection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.14. Class: geosrs:Eckert2Projection

### **Table 269** — geosrs:Eckert2Projection

URI	https://w3id.org/geosrs/projection/Eckert2Projection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.15. Class: geosrs:Eckert3Projection

### **Table 270** — geosrs:Eckert3Projection

URI	https://w3id.org/geosrs/projection/Eckert3Projection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.16. Class: geosrs: Eckert4Projection

### **Table 271** — geosrs:Eckert4Projection

URI	https://w3id.org/geosrs/projection/Eckert4Projection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.17. Class: geosrs:Eckert5Projection

### **Table 272** — geosrs:Eckert5Projection

URI	https://w3id.org/geosrs/projection/Eckert5Projection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.18. Class: geosrs:Eckert6Projection

### **Table 273** — geosrs:Eckert6Projection

URI	https://w3id.org/geosrs/projection/Eckert6Projection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.19. Class: geosrs:EqualEarthProjection

### **Table 274** — geosrs:EqualEarthProjection

URI	https://w3id.org/geosrs/projection/EqualEarthProjection
Super-classes	<u>PseudoCylindricalProjection</u>
Example	geosrs:EqualEarthProjection

# 11.16.20. Class: geosrs:FaheyProjection

### **Table 275** — geosrs:FaheyProjection

URI	https://w3id.org/geosrs/projection/FaheyProjection

# 11.16.21. Class: geosrs:FoucautProjection

### **Table 276** — geosrs:FoucautProjection

URI	https://w3id.org/geosrs/projection/FoucautProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.22. Class: geosrs:FoucautSinusoidalProjection

### **Table 277** — geosrs:FoucautSinusoidalProjection

URI	https://w3id.org/geosrs/projection/ FoucautSinusoidalProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.23. Class: geosrs:FournierIIProjection

### **Table 278** — geosrs:FournierIIProjection

URI	https://w3id.org/geosrs/projection/FournierIIProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.24. Class: geosrs:GinzburgVIIIProjection

### **Table 279** — geosrs:GinzburgVIIIProjection

URI	https://w3id.org/geosrs/projection/ GinzburgVIIIProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.25. Class: geosrs:GoodeHomolosineProjection

### **Table 280** — geosrs:GoodeHomolosineProjection

URI	https://w3id.org/geosrs/projection/ GoodeHomolosineProjection
Super-classes	PseudoCylindricalProjection

# 11.16.26. Class: geosrs: HEALPixProjection

### **Table 281** — geosrs:HEALPixProjection

URI	https://w3id.org/geosrs/projection/HEALPixProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.27. Class: geosrs:HufnagelProjection

### **Table 282** — geosrs:HufnagelProjection

URI	https://w3id.org/geosrs/projection/HufnagelProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.28. Class: geosrs:Kavrayskiy7Projection

### **Table 283** — geosrs:Kavrayskiy7Projection

URI	https://w3id.org/geosrs/projection/ Kavrayskiy7Projection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.29. Class: geosrs:LoximuthalProjection

### **Table 284** — geosrs:LoximuthalProjection

URI	https://w3id.org/geosrs/projection/LoximuthalProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.30. Class: geosrs:MayrProjection

### **Table 285** — geosrs:MayrProjection

URI	https://w3id.org/geosrs/projection/MayrProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.31. Class: geosrs:McBrydeThomasFlatPolarParabolicProjection

### **Table 286** — geosrs:McBrydeThomasFlatPolarParabolicProjection

URI	https://w3id.org/geosrs/projection/ McBrydeThomasFlatPolarParabolicProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.32. Class: geosrs:McBrydeThomasFlatPolarQuarticProjection

### **Table 287** — geosrs:McBrydeThomasFlatPolarQuarticProjection

URI	https://w3id.org/geosrs/projection/ McBrydeThomasFlatPolarQuarticProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.33. Class: geosrs:McBrydeThomasFlatPolarSinusoidalProjection

### **Table 288** — geosrs:McBrydeThomasFlatPolarSinusoidalProjection

# 11.16.34. Class: geosrs:McBrydeThomasIIProjection

### **Table 289** — geosrs:McBrydeThomasIIProjection

URI	https://w3id.org/geosrs/projection/ McBrydeThomasIIProjection
Super-classes	PseudoCylindricalProjection

# 11.16.35. Class: geosrs:McBrydeThomasIProjection

### **Table 290** — geosrs:McBrydeThomaslProjection

URI	https://w3id.org/geosrs/projection/ McBrydeThomaslProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.36. Class: geosrs: Natural Earth 2 Projection

### **Table 291** — geosrs:NaturalEarth2Projection

URI	https://w3id.org/geosrs/projection/ NaturalEarth2Projection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.37. Class: geosrs:NaturalEarthProjection

### **Table 292** — geosrs:NaturalEarthProjection

URI	https://w3id.org/geosrs/projection/ NaturalEarthProjection
Definition	A pseudocylindrical map projection designed by Tom Patterson and introduced in 2008
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.38. Class: geosrs:NellHammerProjection

### **Table 293** — geosrs:NellHammerProjection

URI	https://w3id.org/geosrs/projection/ NellHammerProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.39. Class: geosrs: Nell Projection

### **Table 294** — geosrs:NellProjection

URI	https://w3id.org/geosrs/projection/NellProjection
Super-classes	PseudoCylindricalProjection

# 11.16.40. Class: geosrs:OrteliusOvalProjection

### **Table 295** — geosrs:OrteliusOvalProjection

URI	https://w3id.org/geosrs/projection/ OrteliusOvalProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.41. Class: geosrs:PutninsP1Projection

### **Table 296** — geosrs:PutninsP1Projection

URI	https://w3id.org/geosrs/projection/PutninsP1Projection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.42. Class: geosrs:PutninsP2Projection

### **Table 297** — geosrs:PutninsP2Projection

URI	https://w3id.org/geosrs/projection/PutninsP2Projection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.43. Class: geosrs:PutninsP3Projection

### **Table 298** — geosrs:PutninsP3Projection

URI	https://w3id.org/geosrs/projection/PutninsP3Projection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.44. Class: geosrs:PutninsP5Projection

### **Table 299** — geosrs:PutninsP5Projection

URI	https://w3id.org/geosrs/projection/PutninsP5Projection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.45. Class: geosrs:PutninsP6Projection

### **Table 300** — geosrs:PutninsP6Projection

URI	https://w3id.org/geosrs/projection/PutninsP6Projection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.46. Class: geosrs:QuarticAuthalicProjection

### **Table 301** — geosrs:QuarticAuthalicProjection

URI	https://w3id.org/geosrs/projection/ QuarticAuthalicProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.47. Class: geosrs:RobinsonProjection

### **Table 302** — geosrs:RobinsonProjection

URI	https://w3id.org/geosrs/projection/RobinsonProjection
Super-classes	<u>PseudoCylindricalProjection</u>

### 11.16.48. Class: geosrs:SinusoidalProjection

### **Table 303** — geosrs:SinusoidalProjection

URI	https://w3id.org/geosrs/projection/SinusoidalProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.49. Class: geosrs:TheTimesProjection

# **Table 304** — geosrs:TheTimesProjection

URI	https://w3id.org/geosrs/projection/TheTimesProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.50. Class: geosrs:ToblerG1Projection

### **Table 305** — geosrs:ToblerG1Projection

URI	https://w3id.org/geosrs/projection/ToblerG1Projection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.51. Class: geosrs:ToblerHyperellipticalProjection

### **Table 306** — geosrs:ToblerHyperellipticalProjection

URI	https://w3id.org/geosrs/projection/ ToblerHyperellipticalProjection
Super-classes	<u>PseudoCylindricalProjection</u>

### 11.16.52. Class: geosrs: Wagner III Projection

### **Table 307** — geosrs:WagnerIIIProjection

URI	https://w3id.org/geosrs/projection/WagnerIIIProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.53. Class: geosrs: Wagner II Projection

### **Table 308** — geosrs:WagnerIIProjection

URI	https://w3id.org/geosrs/projection/WagnerIIProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.54. Class: geosrs: Wagner I Projection

### **Table 309** — geosrs:WagnerlProjection

URI	https://w3id.org/geosrs/projection/WagnerlProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.55. Class: geosrs: Wagner IV Projection

### **Table 310** — geosrs:WagnerIVProjection

URI	https://w3id.org/geosrs/projection/WagnerIVProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.56. Class: geosrs: Wagner VIProjection

### **Table 311** — geosrs:WagnerVIProjection

URI	https://w3id.org/geosrs/projection/WagnerVIProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.57. Class: geosrs: Wagner VProjection

### **Table 312** — geosrs:WagnerVProjection

URI	https://w3id.org/geosrs/projection/WagnerVProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.58. Class: geosrs: Werenskiold I Projection

### **Table 313** — geosrs:WerenskioldlProjection

URI	https://w3id.org/geosrs/projection/ WerenskioldIProjection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.59. Class: geosrs:PutninsP3'Projection

### **Table 314** — geosrs:PutninsP3'Projection

URI	https://w3id.org/geosrs/projection/PutninsP3'Projection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.60. Class: geosrs:PutninsP4'Projection

### **Table 315** — geosrs:PutninsP4'Projection

URI	https://w3id.org/geosrs/projection/PutninsP4'Projection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.61. Class: geosrs:PutninsP5'Projection

### **Table 316** — geosrs:PutninsP5'Projection

URI	https://w3id.org/geosrs/projection/PutninsP5'Projection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.16.62. Class: geosrs:PutninsP6'Projection

**Table 317** — geosrs:PutninsP6'Projection

URI	https://w3id.org/geosrs/projection/PutninsP6'Projection
Super-classes	<u>PseudoCylindricalProjection</u>

# 11.17. Stereographic Projections

REQUIREMENT 37: STEREOGRAPHIC PROJECTIONS	
IDENTIFIER	/req/projections_module/Stereographic_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:MillerOblatedStereographicProjection, geosrs:RoussilheProjection to be used in SPARQL graph patterns.

# 11.17.1. Class: geosrs:MillerOblatedStereographicProjection

 $\textbf{Table 318}- {\tt geosrs:} \textbf{MillerOblatedStereographicProjection}$ 

URI	https://w3id.org/geosrs/projection/ MillerOblatedStereographicProjection
Super-classes	<u>StereographicProjection</u>

# 11.17.2. Class: geosrs:RoussilheProjection

**Table 319** — geosrs:RoussilheProjection

URI	https://w3id.org/geosrs/projection/RoussilheProjection
Super-classes	StereographicProjection



# PLANET MODULE

# 12 PLANET MODULE

This clause establishes the **PLANET** Requirements class, with IRI /req/planet, which has a corresponding Conformance Class, **PLANET**, with IRI /conf/planet.

REQUIREMENTS CLASS 7: 12-PLANET_MODULE.ADOC EXTENSION		
IDENTIFIER	/req/planet_module	
TARGET TYPE	Implementation Specification	
REQUIREMENT	/req/planet_module/Interstellar_Body	

# 12.1. Interstellar Body

REQUIREMENT 38: INTERSTELLAR BODY		
IDENTIFIER	/req/planet_module/Interstellar_Body	
STATEMENT	Implementations shall allow the RDFS classes geosrs:ArtificialSatellite, geosrs:Asteroid, geosrs: Comet, geosrs:DwarfPlanet, geosrs:InterstellarBody, geosrs:Moon, geosrs:NaturalSatellite, geosrs: Planet, geosrs:PlanetStatus, geosrs:Plutoid, geosrs:Star to be used in SPARQL graph patterns.	

# 12.1.1. Class: geosrs:ArtificialSatellite

### **Table 320** — geosrs:ArtificialSatellite

URI	https://w3id.org/geosrs/planet/ArtificialSatellite

# 12.1.2. Class: geosrs:Asteroid

### **Table 321** — geosrs:Asteroid

URI	https://w3id.org/geosrs/planet/Asteroid

### 12.1.3. Class: geosrs:Comet

**Table 322** — geosrs:Comet

URI <a href="https://w3id.org/geosrs/planet/Comet">https://w3id.org/geosrs/planet/Comet</a>

# 12.1.4. Class: geosrs:DwarfPlanet

**Table 323** — geosrs:DwarfPlanet

URI https://w3id.org/geosrs/planet/DwarfPlanet

# 12.1.5. Class: geosrs:InterstellarBody

**Table 324** — geosrs:InterstellarBody

URI <a href="https://w3id.org/geosrs/planet/InterstellarBody">https://w3id.org/geosrs/planet/InterstellarBody</a>

# 12.1.6. Class: geosrs:Moon

Table 325 — geosrs:Moon

URI <a href="https://w3id.org/geosrs/planet/Moon">https://w3id.org/geosrs/planet/Moon</a>

# 12.1.7. Class: geosrs:NaturalSatellite

**Table 326** — geosrs:NaturalSatellite

URI <a href="https://w3id.org/geosrs/planet/NaturalSatellite">https://w3id.org/geosrs/planet/NaturalSatellite</a>

# 12.1.8. Class: geosrs:Planet

### **Table 327** — geosrs:Planet

URI <a href="https://w3id.org/geosrs/planet/Planet">https://w3id.org/geosrs/planet/Planet</a>

### 12.1.9. Class: geosrs:PlanetStatus

### **Table 328** — geosrs:PlanetStatus

URI <a href="https://w3id.org/geosrs/planet/PlanetStatus">https://w3id.org/geosrs/planet/PlanetStatus</a>

### 12.1.10. Class: geosrs:Plutoid

### **Table 329** — geosrs:Plutoid

URI <a href="https://w3id.org/geosrs/planet/Plutoid">https://w3id.org/geosrs/planet/Plutoid</a>

### 12.1.11. Class: geosrs:Star

### Table 330 — geosrs:Star

URI <a href="https://w3id.org/geosrs/planet/Star">https://w3id.org/geosrs/planet/Star</a>

13

### COMMON INSTANCES



### **COMMON INSTANCES**

This clause establishes common instances which are needed in CRS specifications as Requirement class **INSTANCES**, with IRI /req/instances, which has a corresponding Conformance Class, **INSTANCES**, with IRI /conf/instances.

REQUIREMENTS CLASS 8: 13-INSTANCES.ADOC EXTENSION	
IDENTIFIER	/req/instances
TARGET TYPE	Implementation Specification
	/req/instances/SRS_Literal_Types
REQUIREMENT	/req/instances/Coordinate_System_Axis
	/req/instances/Spheroids

### 13.1. Coordinate System Axis

REQUIREMENT 39: COORDINATE SYSTEM AXIS	
IDENTIFIER	/req/instances/Coordinate_System_Axis
STATEMENT	Implementations shall allow the RDFS instances geosrs:down, geosrs:east, geosrs:north, geosrs: south, geosrs:up, geosrs:west to be used in SPARQL graph patterns.

### 13.1.1. Instance: geosrs:down

### Table 331 — geosrs:down

URI	https://w3id.org/geosrs/down
Туре	geosrs:AxisDirection
Definition	Downwards axis direction

### 13.1.2. Instance: geosrs:east

### Table 332 — geosrs:east

URI	https://w3id.org/geosrs/east
Туре	geosrs:AxisDirection
Definition	east axis direction

### 13.1.3. Instance: geosrs:north

### Table 333 — geosrs:north

URI	https://w3id.org/geosrs/north
Туре	geosrs:AxisDirection
Definition	North axis direction

### 13.1.4. Instance: geosrs:south

### **Table 334** — geosrs:south

URI	https://w3id.org/geosrs/south
Туре	geosrs:AxisDirection
Definition	South axis direction

### 13.1.5. Instance: geosrs:up

### Table 335 — geosrs:up

URI	https://w3id.org/geosrs/up

Туре	geosrs:AxisDirection
Definition	Up axis direction

### 13.1.6. Instance: geosrs:west

### **Table 336** — geosrs:west

URI	https://w3id.org/geosrs/west
Туре	geosrs:AxisDirection
Definition	West axis direction

### 13.2. SRS Literal Types

REQUIREMENT 40: SRS LITERAL TYPES	
IDENTIFIER	/req/instances/SRS_Literal_Types
STATEMENT	Implementations shall allow the RDFS instances geosrs:proj4Literal, geosrs:projJSONLiteral, geosrs:wktLiteral to be used in SPARQL graph patterns.

### 13.2.1. Instance: geosrs:proj4Literal

### $\textbf{Table 337} - \mathsf{geosrs:}\mathsf{proj4Literal}$

URI	https://w3id.org/geosrs/proj4Literal
Туре	rdf:Datatype[rdf:Datatype]
Definition	A literal which stores a proj4 String
Example	geosrs:proj4Literal

### 13.2.2. Instance: geosrs:projJSONLiteral

**Table 338** — geosrs:projJSONLiteral

URI	https://w3id.org/geosrs/projJSONLiteral
Туре	rdf:Dataype[rdf:Dataype]
Definition	A literal which stores a projection JSON (ProjJSON) String
Example	geosrs:projJSONLiteral

### 13.2.3. Instance: geosrs:wktLiteral

**Table 339** — geosrs:wktLiteral

URI	https://w3id.org/geosrs/wktLiteral
Туре	rdf:Datatype[rdf:Datatype]
Definition	A literal which stores a WKT for CRS String
Example	geosrs:wktLiteral

### 13.3. Spheroids

REQUIREMENT 41: SPHEROIDS	
IDENTIFIER	/req/instances/Spheroids
STATEMENT	Implementations shall allow the RDFS instances geosrs:GRS1980, geosrs:GRS67, geosrs:PZ90, geosrs:Airy1830, geosrs:AiryModified1849, geosrs:International1924, geosrs:AustralianNational Spheroid, geosrs:Everest1930, geosrs:Clarke1866, geosrs:Plessis1817, geosrs:Danish1876, geosrs: Struve1860, geosrs:IAG1975, geosrs:Clarke1858, geosrs:Clarke1880, geosrs:Helmert1906, geosrs: CGCS2000, geosrs:GSK-2011, geosrs:Zach1812, geosrs:Clarke1880ARC, geosrs:Clarke1880IGN, geosrs:WGS66, geosrs:WGS72, geosrs:WGS84, geosrs:Krassowsky1940 to be used in SPARQL graph patterns.

### 13.3.1. Instance: geosrs:GRS1980

### **Table 340** — geosrs:GRS1980

URI	https://w3id.org/geosrs/GRS1980
Туре	geosrs:Ellipsoid
Definition	GRS 1980 Ellipsoid
Example	geosrs:GRS1980

### 13.3.2. Instance: geosrs:GRS67

**Table 341** — geosrs:GRS67

URI	https://w3id.org/geosrs/GRS67
Туре	geosrs:Ellipsoid
Definition	GRS 67 Ellipsoid
Example	geosrs:GRS67

### 13.3.3. Instance: geosrs:PZ90

Table 342 — geosrs:PZ90

URI	https://w3id.org/geosrs/PZ90
Туре	geosrs:Ellipsoid
Definition	PZ 90 Ellipsoid
Example	geosrs:PZ90

### 13.3.4. Instance: geosrs:Airy1830

Table 343 — geosrs:Airy1830

URI	https://w3id.org/geosrs/Airy1830
Туре	geosrs:Ellipsoid
Definition	Airy 1830 Ellipsoid
Example	geosrs:Airy1830

### 13.3.5. Instance: geosrs:AiryModified1849

**Table 344** — geosrs:AiryModified1849

URI	https://w3id.org/geosrs/AiryModified1849
Туре	geosrs:Ellipsoid
Definition	Airy 1849 Modified Ellipsoid
Example	geosrs:AiryModified1849

### 13.3.6. Instance: geosrs:International1924

**Table 345** — geosrs:International1924

URI	https://w3id.org/geosrs/International1924
Туре	geosrs:Ellipsoid
Definition	International 1924 Ellipsoid
Example	geosrs:International1924

### 13.3.7. Instance: geosrs:AustralianNationalSpheroid

**Table 346** — geosrs:AustralianNationalSpheroid

URI	https://w3id.org/geosrs/AustralianNationalSpheroid
Туре	geosrs:Ellipsoid
Definition	Australian National Spheroid
Example	geosrs:AustralianNationalSpheroid

### 13.3.8. Instance: geosrs:Everest1930

**Table 347** — geosrs:Everest1930

URI	https://w3id.org/geosrs/Everest1930
Туре	geosrs:Ellipsoid
Definition	Everest 1930 Spheroid

### 13.3.9. Instance: geosrs:Clarke1866

Table 348 — geosrs:Clarke1866

URI	https://w3id.org/geosrs/Clarke1866
Туре	geosrs:Ellipsoid
Definition	Clarke 1866 Spheroid
Example	geosrs:Clarke1866

### 13.3.10. Instance: geosrs:Plessis1817

**Table 349** — geosrs:Plessis1817

URI	https://w3id.org/geosrs/Plessis1817
Туре	geosrs:Ellipsoid
Definition	Plessis 1817 Spheroid
Example	geosrs:Plessis1817

### 13.3.11. Instance: geosrs:Danish1876

**Table 350** — geosrs:Danish1876

URI	https://w3id.org/geosrs/Danish1876
Туре	geosrs:Ellipsoid
Definition	Danish 1876 Spheroid
Example	geosrs:Danish1876

### 13.3.12. Instance: geosrs:Struve1860

Table 351 — geosrs:Struve1860

URI	https://w3id.org/geosrs/Struve1860
Туре	geosrs:Ellipsoid
Definition	Struve 1860 Spheroid
Example	geosrs:Struve1860

### 13.3.13. Instance: geosrs:IAG1975

**Table 352** — geosrs:IAG1975

URI	https://w3id.org/geosrs/IAG1975

Туре	geosrs:Ellipsoid
Definition	IAG 1975 Spheroid
Example	geosrs:IAG1975

### 13.3.14. Instance: geosrs:Clarke1858

### Table 353 — geosrs:Clarke1858

URI	https://w3id.org/geosrs/Clarke1858
Туре	geosrs:Ellipsoid
Definition	Clarke 1858 Spheroid
Example	geosrs:Clarke1858

### 13.3.15. Instance: geosrs:Clarke1880

### Table 354 — geosrs:Clarke1880

URI	https://w3id.org/geosrs/Clarke1880
Туре	geosrs:Ellipsoid
Definition	Clarke 1880 Spheroid
Example	geosrs:Clarke1880

### 13.3.16. Instance: geosrs:Helmert1906

**Table 355** — geosrs:Helmert1906

URI	https://w3id.org/geosrs/Helmert1906
Туре	geosrs:Ellipsoid

Definition	Helmert 1906 Spheroid
Example	geosrs:Helmert1906

### 13.3.17. Instance: geosrs:CGCS2000

### **Table 356** — geosrs:CGCS2000

URI	https://w3id.org/geosrs/CGCS2000
Туре	geosrs:Ellipsoid
Definition	CGCS2000 Spheroid
Example	geosrs:CGCS2000

### 13.3.18. Instance: geosrs:GSK-2011

### **Table 357** — geosrs:GSK-2011

URI	https://w3id.org/geosrs/GSK-2011
Туре	geosrs:Ellipsoid
Definition	GSK-2011 Spheroid

### 13.3.19. Instance: geosrs:Zach1812

### Table 358 — geosrs:Zach1812

URI	https://w3id.org/geosrs/Zach1812
Туре	geosrs:Ellipsoid
Definition	Zach 1812 Spheroid
Example	geosrs:Zach1812

### 13.3.20. Instance: geosrs:Clarke1880ARC

**Table 359** — geosrs:Clarke1880ARC

URI	https://w3id.org/geosrs/Clarke1880ARC
Туре	geosrs:Ellipsoid
Definition	Clarke 1880 (Arc) Spheroid
Example	geosrs:Clarke1880ARC

### 13.3.21. Instance: geosrs:Clarke1880IGN

**Table 360** — geosrs:Clarke1880IGN

URI	https://w3id.org/geosrs/Clarke1880IGN
Туре	geosrs:Ellipsoid
Definition	Clarke 1880 (Ing) Spheroid
Example	geosrs:Clarke1880IGN

### 13.3.22. Instance: geosrs:WGS66

Table 361 — geosrs:WGS66

URI	https://w3id.org/geosrs/WGS66
Туре	geosrs:Ellipsoid
Definition	WGS 66 Spheroid

### 13.3.23. Instance: geosrs:WGS72

### **Table 362** – geosrs:WGS72

URI	https://w3id.org/geosrs/WGS72
Туре	geosrs:Ellipsoid
Definition	WGS 72 Spheroid
Example	geosrs:WGS72

### 13.3.24. Instance: geosrs:WGS84

**Table 363** — geosrs:WGS84

URI	https://w3id.org/geosrs/WGS84
Туре	geosrs:Ellipsoid
Definition	WGS 84 Spheroid
Example	geosrs:WGS84

### 13.3.25. Instance: geosrs:Krassowsky1940

**Table 364** — geosrs:Krassowsky1940

URI	https://w3id.org/geosrs/Krassowsky1940
Туре	geosrs:Ellipsoid
Definition	Krassowsky 1940 Spheroid
Example	geosrs:Krassowsky1940









## ANNEX A (NORMATIVE) ABSTRACT TEST SUITE



### ANNEX A (NORMATIVE) ABSTRACT TEST SUITE

A.O. Overview

### A.O. Overview

This Annex lists tests for the Conformance Classes defined in the main body sections of this Specification with links to their Requirements and test purpose method and type. Conformance classes may be used to signify the compatibility of a given implementation to parts of the CRS Ontology standard. They may be stated as part of a SPARQL 1.1 Service Description [SPARQLSERVDESC] .

### A.1. Conformance Class: Core

CONFORMANCE CLASS A.1: 06-CORE.ADOC	
IDENTIFIER	/conf/06-core.adoc
REQUIREMENTS CLASS	/req/06-core.adoc
CONFORMANCE TESTS	Abstract test A.1: /conf/06-core.adoc/Coordinate_Reference_System_ Parameters Abstract test A.2: /conf/06-core.adoc/Coordinate_Reference_System_Types Abstract test A.3: /conf/06-core.adoc/Coordinate_Reference_System_ Properties

### **A.1.1. Coordinate Reference System Parameters**

ABSTRACT TEST A.1	
IDENTIFIER	/conf/06-core.adoc/Coordinate_Reference_System_Parameters
REQUIREMENT	/req/06-core.adoc/Coordinate_Reference_System_Parameters
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:AreaOfUse geosrs:Extent geosrs:GeographicBoundingBox geosrs:AxesList geosrs:SingleCRSList return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	geosrs:AreaOfUse geosrs:Extent geosrs:GeographicBoundingBox geosrs:AxesList geosrs:Single CRSList

### A.1.2. Coordinate Reference System Types

ABSTRACT TEST A.2		
IDENTIFIER	/conf/06-core.adoc/Coordinate_Reference_System_Types	
REQUIREMENT	/req/06-core.adoc/Coordinate_Reference_System_Types	
TEST PURPOSE	Check conformance with this requirement	
TEST METHOD	Verify that queries involving geosrs:BoundCRS geosrs:CompoundCRS geosrs:CRS geosrs: EngineeringCRS geosrs:GeocentricCRS geosrs:GeodeticCRS geosrs:GeographicCRS geosrs: ParametricCRS geosrs:ProjectedCRS geosrs:SelenographicCRS geosrs:ReferenceSystem geosrs: SingleCRS geosrs:SpatialReferenceSystem geosrs:SpatioParametricCompoundCRS geosrs:Spatio ParametricTemporalCompoundCRS geosrs:SpatioTemporalCompoundCRS geosrs:StaticCRS geosrs:TemporalCRS geosrs:VerticalCRS return the correct result on a test dataset.	
TEST- METHOD-TYPE	Capabilities	
REFERENCE	geosrs:BoundCRS geosrs:CompoundCRS geosrs:CRS geosrs:EngineeringCRS geosrs:Geocentric CRS geosrs:GeodeticCRS geosrs:GeographicCRS geosrs:ParametricCRS geosrs:ProjectedCRS geosrs:SelenographicCRS geosrs:ReferenceSystem geosrs:SingleCRS geosrs:SpatialReference System geosrs:SpatioParametricCompoundCRS geosrs:SpatioParametricTemporalCompoundCRS geosrs:SpatioTemporalCompoundCRS geosrs:StaticCRS geosrs:TemporalCRS geosrs:VerticalCRS	

### A.1.3. Coordinate Reference System Properties

### ABSTRACT TEST A.3 **IDENTIFIER** /conf/06-core.adoc/Coordinate\_Reference\_System\_Properties REQUIREMENT /req/06-core.adoc/Coordinate\_Reference\_System\_Properties TEST PURPOSE Check conformance with this requirement Verify that queries involving geosrs:baseCRS geosrs:conversion geosrs:coordinateSystem geosrs: **TEST METHOD** datum geosrs:datumEnsemble geosrs:domainOfValidity geosrs:method geocrs:asProj4 geocrs:as ProjJSON geocrs:asWKT geosrs:EPSGcode return the correct result on a test dataset. **TEST-METHOD-**Capabilities **TYPE** geosrs:baseCRS geosrs:conversion geosrs:coordinateSystem geosrs:datum geosrs:datum REFERENCE Ensemble geosrs:domainOfValidity geosrs:method geocrs:asProj4 geocrs:asProjJSON geocrs:as WKT geosrs:EPSGcode

### A.2. Conformance Class: Co

CONFORMANCE CLASS A.2: 07-CO_MODULE.ADOC		
IDENTIFIER	/conf/07-co_module.adoc	
REQUIREMENTS CLASS	/req/07-co_module.adoc	
CONFORMANCE TESTS	Abstract test A.4: /conf/07-co_module.adoc/Coordinate_Operation_Methods Abstract test A.5: /conf/07-co_module.adoc/Coordinate_Operation_ Parameters Abstract test A.6: /conf/07-co_module.adoc/Coordinate_Operation_ Categories Abstract test A.7: /conf/07-co_module.adoc/Coordinate_Operation_ Properties	

### A.2.1. Coordinate Operation Methods

ABSTRACT TEST A.4	
IDENTIFIER	/conf/07-co_module.adoc/Coordinate_Operation_Methods

ABSTRACT TEST A.4	
REQUIREMENT	/req/07-co_module.adoc/Coordinate_Operation_Methods
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:CoordinateOperation geosrs:PassThroughOperation geosrs: ConcatenatedOperation geosrs:SingleOperation geosrs:Transformation geosrs:Conversion geosrs:PointMotionOperation geosrs:OperationMethod return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	geosrs:CoordinateOperation geosrs:PassThroughOperation geosrs:ConcatenatedOperation geosrs:SingleOperation geosrs:Transformation geosrs:Conversion geosrs:PointMotionOperation geosrs:OperationMethod

### A.2.2. Coordinate Operation Parameters

ABSTRACT TEST A.5	
IDENTIFIER	/conf/07-co_module.adoc/Coordinate_Operation_Parameters
REQUIREMENT	/req/07-co_module.adoc/Coordinate_Operation_Parameters
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:GeneralOperationParameter geosrs:OperationParameter Group geosrs:OperationParameter geosrs:GeneralParameterValue geosrs:ParameterValueGroup geosrs:OperationParameterValue return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	geosrs:GeneralOperationParameter geosrs:OperationParameterGroup geosrs:Operation Parameter geosrs:GeneralParameterValue geosrs:ParameterValueGroup geosrs:Operation ParameterValue

### A.2.3. Coordinate Operation Categories

ABSTRACT TEST A.6	
IDENTIFIER	/conf/07-co_module.adoc/Coordinate_Operation_Categories

ABSTRACT TEST A.6	
REQUIREMENT	/req/07-co_module.adoc/Coordinate_Operation_Categories
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:GeographicObject geosrs:RegisterOperations geosrs:Scale Operation geosrs:RotationOperation geosrs:IdentityOperation geosrs:ShearOperation geosrs:TranslationOperation geosrs:AffineTransformationOperation geocrs:CoordinateTransformationOperation return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	geosrs:GeographicObject geosrs:RegisterOperations geosrs:ScaleOperation geosrs:Rotation Operation geosrs:IdentityOperation geosrs:ShearOperation geosrs:TranslationOperation geosrs: AffineTransformationOperation geocrs:CoordinateTransformationOperation

### **A.2.4. Coordinate Operation Properties**

ABSTRACT TEST A.7	
IDENTIFIER	/conf/07-co_module.adoc/Coordinate_Operation_Properties
REQUIREMENT	/req/07-co_module.adoc/Coordinate_Operation_Properties
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:derivingConversion geosrs:parameter geosrs:sourceCRS geosrs:targetCRS return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	geosrs:derivingConversion geosrs:parameter geosrs:sourceCRS geosrs:targetCRS

### A.3. Conformance Class: Cs

CONFORMANCE	E CLASS A.3: 08-CS_MODULE.ADOC
IDENTIFIER	/conf/08-cs_module.adoc

## CONFORMANCE CLASS A.3: 08-CS\_MODULE.ADOC REQUIREMENTS CLASS /req/08-cs\_module.adoc Abstract test A.8: /conf/08-cs\_module.adoc/Temporal\_Coordinate\_Systems Abstract test A.9: /conf/08-cs\_module.adoc/3D\_Coordinate\_Systems Abstract test A.10: /conf/08-cs\_module.adoc/Coordinate\_System\_Types Abstract test A.11: /conf/08-cs\_module.adoc/Celestial\_Coordinate\_Systems Abstract test A.12: /conf/08-cs\_module.adoc/Coordinate\_System\_Components Abstract test A.13: /conf/08-cs\_module.adoc/Coordinate\_System\_Properties

### A.3.1. Temporal Coordinate Systems

ABSTRACT TEST A.8	
IDENTIFIER	/conf/08-cs_module.adoc/Temporal_Coordinate_Systems
REQUIREMENT	/req/08-cs_module.adoc/Temporal_Coordinate_Systems
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:1DCoordinateSystem geosrs:DateTimeTemporalCoordinate System geosrs:TemporalCountCoordinateSystem geosrs:TemporalCoordinateSystem geosrs: TemporalMeasureCoordinateSystem return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	$geosrs: 1DCoordinate System\ geosrs: Date Time Temporal Coordinate System\ geosrs: Temporal Count Coordinate System\ geosrs: Temporal Coordinate System\ geosrs: Temporal Measure Coordinate System\ Geosphia Coordinate System\ Geosphia\ Geosphia Coordinate System\ Geosphia\ G$

### A.3.2. 3D Coordinate Systems

ABSTRACT TEST A.9	
IDENTIFIER	/conf/08-cs_module.adoc/3D_Coordinate_Systems
REQUIREMENT	/req/08-cs_module.adoc/3D_Coordinate_Systems
TEST PURPOSE	Check conformance with this requirement

ABSTRACT TEST A.9	
TEST METHOD	Verify that queries involving geosrs:3DCoordinateSystem geosrs:ConicalCoordinateSystem geosrs:CylindricalCoordinateSystem geosrs:EllipsoidalCoordinateSystem geosrs:Spherical CoordinateSystem return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	geosrs:3DCoordinateSystem geosrs:ConicalCoordinateSystem geosrs:CylindricalCoordinateSystem geosrs:EllipsoidalCoordinateSystem geosrs:SphericalCoordinateSystem

### A.3.3. Coordinate System Types

onf/08-cs_module.adoc/Coordinate_System_Types
eq/08-cs_module.adoc/Coordinate_System_Types
neck conformance with this requirement
erify that queries involving geosrs:CoordinateSystem geosrs:AffineCoordinateSystem geosrs: arycentricCoordinateSystem geosrs:CartesianCoordinateSystem geosrs:CurvilinearCoordinate stem geosrs:EngineeringCoordinateSystem geosrs:GeodeticCoordinateSystem geosrs: eographicalCoordinateSystem geosrs:GridCoordinateSystem geosrs:HexagonalCoordinate stem geosrs:LocalCoordinateSystem geosrs:ObliqueCoordinateSystem geosrs:Ordinal coordinateSystem geosrs:OrthogonalCoordinateSystem geosrs:ParametricCoordinateSystem osrs:PlanarCoordinateSystem geosrs:PolarCoordinateSystem geosrs:VerticalCoordinateSystem turn the correct result on a test dataset.
pabilities
osrs:CoordinateSystem geosrs:AffineCoordinateSystem geosrs:BarycentricCoordinateSystem osrs:CartesianCoordinateSystem geosrs:CurvilinearCoordinateSystem geosrs:Engineering oordinateSystem geosrs:GeodeticCoordinateSystem geosrs:GeographicalCoordinateSystem osrs:GridCoordinateSystem geosrs:HexagonalCoordinateSystem geosrs:LocalCoordinateSystem geosrs:ObliqueCoordinateSystem geosrs:OrdinalCoordinateSystem geosrs:Orthogonal oordinateSystem geosrs:ParametricCoordinateSystem geosrs:PlanarCoordinateSystem geosrs:

### A.3.4. Celestial Coordinate Systems

ABSTRACT TEST A.11	
IDENTIFIER	/conf/08-cs_module.adoc/Celestial_Coordinate_Systems
REQUIREMENT	/req/08-cs_module.adoc/Celestial_Coordinate_Systems
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:CelestialCoordinateSystem geosrs:EclipticCoordinate System geosrs:EquatorialCoordinateSystem geosrs:GalacticCoordinateSystem geosrs:Horizontal CoordinateSystem geosrs:PerifocalCoordinateSystem geosrs:SuperGalacticCS return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	geosrs:CelestialCoordinateSystem geosrs:EclipticCoordinateSystem geosrs:EquatorialCoordinate System geosrs:GalacticCoordinateSystem geosrs:HorizontalCoordinateSystem geosrs:Perifocal CoordinateSystem geosrs:SuperGalacticCS

### A.3.5. Coordinate System Components

ABSTRACT TEST A.12	
IDENTIFIER	<pre>/conf/08-cs_module.adoc/Coordinate_System_Components</pre>
REQUIREMENT	/req/08-cs_module.adoc/Coordinate_System_Components
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:CoordinateSystemAxis return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	geosrs:CoordinateSystemAxis

### **A.3.6. Coordinate System Properties**

ABSTRACT TEST	TA.13
IDENTIFIER	/conf/08-cs_module.adoc/Coordinate_System_Properties

ABSTRACT TEST A.13	
REQUIREMENT	/req/08-cs_module.adoc/Coordinate_System_Properties
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:axis geosrs:axisDirection return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	geosrs:axis geosrs:axisDirection

### A.4. Conformance Class: Datum

CONFORMANCE CLASS A.4: 09-DATUM_MODULE.ADOC		
IDENTIFIER	/conf/09-datum_module.adoc	
REQUIREMENTS CLASS	/req/09-datum_module.adoc	
CONFORMANCE TESTS	Abstract test A.14: /conf/09-datum_module.adoc/Datum_Types Abstract test A.15: /conf/09-datum_module.adoc/Datum_Parameters Abstract test A.16: /conf/09-datum_module.adoc/Spheroid_Types Abstract test A.17: /conf/09-datum_module.adoc/Datum_Properties Abstract test A.18: /conf/09-datum_module.adoc/Spheroid_Properties	

### A.4.1. Datum Types

ABSTRACT TEST A.14		
IDENTIFIER	/conf/09-datum_module.adoc/Datum_Types	
REQUIREMENT	/req/09-datum_module.adoc/Datum_Types	
TEST PURPOSE	Check conformance with this requirement	
TEST METHOD	Verify that queries involving geosrs:Datum geosrs:GeodeticDatum geosrs:DynamicGeodetic ReferenceFrame geosrs:VerticalDatum geosrs:DynamicVerticalDatum geosrs:ParametricDatum	

ABSTRACT TEST A.14		
	geosrs:EngineeringDatum geosrs:TemporalDatum geosrs:DatumEnsemble return the correct result on a test dataset.	
TEST-METHOD- TYPE	Capabilities	
REFERENCE	geosrs:Datum geosrs:GeodeticDatum geosrs:DynamicGeodeticReferenceFrame geosrs:Vertical Datum geosrs:DynamicVerticalDatum geosrs:ParametricDatum geosrs:EngineeringDatum geosrs: TemporalDatum geosrs:DatumEnsemble	

### A.4.2. Datum Parameters

ABSTRACT TEST A.15	
IDENTIFIER	/conf/09-datum_module.adoc/Datum_Parameters
REQUIREMENT	/req/09-datum_module.adoc/Datum_Parameters
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:PrimeMeridian geosrs:DefiningParameter return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	geosrs:PrimeMeridian geosrs:DefiningParameter

### A.4.3. Spheroid Types

ABSTRACT TEST A.16	
IDENTIFIER	/conf/09-datum_module.adoc/Spheroid_Types
REQUIREMENT	/req/09-datum_module.adoc/Spheroid_Types
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:Ellipsoid geosrs:TriaxialEllipsoid return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities

### **ABSTRACT TEST A.16**

**REFERENCE** geosrs:Ellipsoid geosrs:TriaxialEllipsoid

### A.4.4. Datum Properties

ABSTRACT TEST A.17	
IDENTIFIER	/conf/09-datum_module.adoc/Datum_Properties
REQUIREMENT	/req/09-datum_module.adoc/Datum_Properties
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:datumDefiningParameter geosrs:ellipsoid geosrs:prime Meridian return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	geosrs:datumDefiningParameter geosrs:ellipsoid geosrs:primeMeridian

### A.4.5. Spheroid Properties

ABSTRACT TEST A.18	
IDENTIFIER	<pre>/conf/09-datum_module.adoc/Spheroid_Properties</pre>
REQUIREMENT	/req/09-datum_module.adoc/Spheroid_Properties
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:eccentricity geosrs:inverseFlattening geosrs:isSphere geosrs:semiMajorAxis geosrs:semiMinorAxis return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	geosrs:eccentricity geosrs:inverseFlattening geosrs:isSphere geosrs:semiMajorAxis geosrs:semi MinorAxis

### A.5. Conformance Class: Srsapplication

CONFORMANCE CLASS A.5: 10-SRSAPPLICATION_MODULE.ADOC		
IDENTIFIER	/conf/10-srsapplication_module.adoc	
REQUIREMENTS CLASS	/req/10-srsapplication_module.adoc	
CONFORMANCE TESTS	Abstract test A.19: /conf/10-srsapplication_module.adoc/SRS_ Application_Types Abstract test A.20: /conf/10-srsapplication_module.adoc/Map_Types	

### A.5.1. SRS Application Types

ABSTRACT TEST A.19	
IDENTIFIER	/conf/10-srsapplication_module.adoc/SRS_Application_Types
REQUIREMENT	/req/10-srsapplication_module.adoc/SRS_Application_Types
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:SRSApplication geosrs:SpatialReferencing geosrs:Engineering Survey geosrs:SatelliteSurvey geosrs:SatelliteNavigation geosrs:CoastalHydrography geosrs: OffshoreEngineering geosrs:Hydrography geosrs:Drilling geosrs:OilAndGasExploration return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	geosrs:SRSApplication geosrs:SpatialReferencing geosrs:EngineeringSurvey geosrs:Satellite Survey geosrs:SatelliteNavigation geosrs:CoastalHydrography geosrs:OffshoreEngineering geosrs:Hydrography geosrs:Drilling geosrs:OilAndGasExploration

### A.5.2. Map Types

ABSTRACT TE	ST A.20
IDENTIFIER	/conf/10-srsapplication_module.adoc/Map_Types

ABSTRACT TEST A.20	
REQUIREMENT	/req/10-srsapplication_module.adoc/Map_Types
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:CadastreMap geosrs:NauticalChart geosrs:ThematicMap geosrs:TopographicMap geosrs:WeatherMap return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	geosrs:CadastreMap geosrs:NauticalChart geosrs:ThematicMap geosrs:TopographicMap geosrs:WeatherMap

### A.6. Conformance Class: Projections

CONFORMANCE CLA	SS A.6: 11-PROJECTIONS_MODULE.ADOC
IDENTIFIER	/conf/11-projections_module.adoc
REQUIREMENTS CLASS	/req/11-projections_module.adoc
CONFORMANCE TESTS	Abstract test A.21: /conf/11-projections_module.adoc/Lenticular_ Projections Abstract test A.22: /conf/11-projections_module.adoc/Conformal_ Projections Abstract test A.23: /conf/11-projections_module.adoc/Minimum_Error_ Projections Abstract test A.24: /conf/11-projections_module.adoc/Pseudo_Azimuthal_ Projections Abstract test A.25: /conf/11-projections_module.adoc/Equal_Area_ Projections Abstract test A.26: /conf/11-projections_module.adoc/Pseudo_Conical_ Projections Abstract test A.27: /conf/11-projections_module.adoc/Globular_ Projections Abstract test A.28: /conf/11-projections_module.adoc/Pseudo_ Cylindrical_Projections Abstract test A.29: /conf/11-projections_module.adoc/Cylindrical_ Projections Abstract test A.30: /conf/11-projections_module.adoc/Compromise_ Projections

# CONFORMANCE CLASS A.6: 11-PROJECTIONS\_MODULE.ADOC Abstract test A.31: /conf/11-projections\_module.adoc/Polyhedral\_ Projections Abstract test A.32: /conf/11-projections\_module.adoc/Equidistant\_ Projections Abstract test A.33: /conf/11-projections\_module.adoc/Conical\_ Projections Abstract test A.34: /conf/11-projections\_module.adoc/Azimuthal\_ Projections Abstract test A.35: /conf/11-projections\_module.adoc/Perspective\_ Projections Abstract test A.36: /conf/11-projections\_module.adoc/Polyconic\_ Projections Abstract test A.37: /conf/11-projections\_module.adoc/Stereographic\_ Projections

### A.6.1. Lenticular Projections

ABSTRACT TEST A.21		
IDENTIFIER	/conf/11-projections_module.adoc/Lenticular_Projections	
REQUIREMENT	/req/11-projections_module.adoc/Lenticular_Projections	
TEST PURPOSE	Check conformance with this requirement	
TEST METHOD	Verify that queries involving geosrs:A4Projection geosrs:BriesemeisterProjection geosrs:Ciric IProjection geosrs:CupolaProjection geosrs:DedistortProjection geosrs:DietrichKitadaProjection geosrs:FranculaIIIProjection geosrs:FranculaIVProjection geosrs:FranculaIXProjection geosrs:FranculaVIIIProjection geosrs:FranculaVProjection geosrs:FranculaXIIIProjection geosrs:FranculaXIVProjection geosrs:HamusoidalProjection geosrs:KissProjection return the correct result on a test dataset.	
TEST-METHOD- TYPE	Capabilities	
REFERENCE	geosrs:A4Projection geosrs:BriesemeisterProjection geosrs:CiricIProjection geosrs:Cupola Projection geosrs:DedistortProjection geosrs:DietrichKitadaProjection geosrs:Francula IIIProjection geosrs:FranculaIVProjection geosrs:FranculaIXProjection geosrs:Francula VIIIProjection geosrs:FranculaVProjection geosrs:FranculaXIIIProjection geosrs:Francula XIIProjection geosrs:FranculaXIVProjection geosrs:HamusoidalProjection geosrs:KissProjection	

### A.6.2. Conformal Projections

ABSTRACT TEST A.22		
IDENTIFIER	/conf/11-projections_module.adoc/Conformal_Projections	
REQUIREMENT	/req/11-projections_module.adoc/Conformal_Projections	
TEST PURPOSE	Check conformance with this requirement	
TEST METHOD	Verify that queries involving geosrs:AdamsProjection geosrs:AdamsWorldInASquareIIProjection geosrs:AdamsWorldInASquareIIProjection geosrs:AdamsWorldInASquareIIProjection geosrs:Cox ConformalProjection geosrs:EisenlohrProjection geosrs:GS50Projection geosrs:PeirceQuincuncial Projection geosrs:StereographicProjection return the correct result on a test dataset.	
TEST-METHOD- TYPE	Capabilities	
REFERENCE	geosrs:AdamsProjection geosrs:AdamsWorldInASquareIIProjection geosrs:AdamsWorld InASquareIProjection geosrs:AugustEpicycloidalProjection geosrs:CoxConformalProjection geosrs:EisenlohrProjection geosrs:GS50Projection geosrs:PeirceQuincuncialProjection geosrs: StereographicProjection	

### A.6.3. Minimum Error Projections

ABSTRACT TEST A.23		
IDENTIFIER	/conf/11-projections_module.adoc/Minimum_Error_Projections	
REQUIREMENT	/req/11-projections_module.adoc/Minimum_Error_Projections	
TEST PURPOSE	Check conformance with this requirement	
TEST METHOD	Verify that queries involving geosrs: AiryProjection return the correct result on a test dataset.	
TEST-METHOD- TYPE	Capabilities	
REFERENCE	geosrs:AiryProjection	

### A.6.4. Pseudo Azimuthal Projections

ABSTRACT TEST A.24	
IDENTIFIER	/conf/11-projections_module.adoc/Pseudo_Azimuthal_Projections
REQUIREMENT	/req/11-projections_module.adoc/Pseudo_Azimuthal_Projections
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:AitoffObliqueProjection geosrs:AitoffProjection geosrs: HammerProjection geosrs:Strebe1995Projection geosrs:WinkelTripelProjection return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	geosrs:AitoffObliqueProjection geosrs:AitoffProjection geosrs:HammerProjection geosrs: Strebe1995Projection geosrs:WinkelTripelProjection

### A.6.5. Equal Area Projections

ABSTRACT TEST A.25	
IDENTIFIER	/conf/11-projections_module.adoc/Equal_Area_Projections
REQUIREMENT	/req/11-projections_module.adoc/Equal_Area_Projections
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:AlbersEqualAreaProjection geosrs:AzimuthalEqualArea Projection geosrs:CylindricalEqualArea geosrs:GallPetersProjection geosrs:HoboDyerProjection geosrs:LambertAzimuthalEqualArea geosrs:TrystanEdwardsProjection geosrs:WiechelProjection return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	geosrs:AlbersEqualAreaProjection geosrs:AzimuthalEqualAreaProjection geosrs:CylindricalEqual Area geosrs:GallPetersProjection geosrs:HoboDyerProjection geosrs:LambertAzimuthalEqualArea geosrs:TrystanEdwardsProjection geosrs:WiechelProjection

### A.6.6. Pseudo Conical Projections

ABSTRACT TEST A.26	
IDENTIFIER	/conf/11-projections_module.adoc/Pseudo_Conical_Projections
REQUIREMENT	/req/11-projections_module.adoc/Pseudo_Conical_Projections
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:AmericanPolyconicProjection geosrs:BonneProjection geosrs:BottomleyProjection geosrs:NicolosiGlobularProjection geosrs:PtolemyIIProjection geosrs:WernerProjection return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	geosrs:AmericanPolyconicProjection geosrs:BonneProjection geosrs:BottomleyProjection geosrs: NicolosiGlobularProjection geosrs:PtolemyIIProjection geosrs:WernerProjection

### A.6.7. Globular Projections

ABSTRACT TEST A.27	
IDENTIFIER	/conf/11-projections_module.adoc/Globular_Projections
REQUIREMENT	/req/11-projections_module.adoc/Globular_Projections
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:ApianGlobularIProjection geosrs:BaconGlobularProjection geosrs:FournierGlobularIProjection return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	geosrs:ApianGlobularIProjection geosrs:BaconGlobularProjection geosrs:FournierGlobular IProjection

### A.6.8. Pseudo Cylindrical Projections

ABSTRACT TEST A.28	
IDENTIFIER	/conf/11-projections_module.adoc/Pseudo_Cylindrical_Projections
REQUIREMENT	/req/11-projections_module.adoc/Pseudo_Cylindrical_Projections

### **ABSTRACT TEST A.28**

### **TEST PURPOSE** Check conformance with this requirement

Verify that queries involving geosrs:ApianIIProjection geosrs:AtlantisProjection geosrs: BaranyillProjection geosrs:BaranyillProjection geosrs:Baranyil IVProjection geosrs:BoggsEumorphicProjection geosrs:BromleyProjection geosrs:CabotProjection geosrs:CollignonProjection geosrs:CrasterParabolicProjection geosrs:DeakinMinimumError Projection geosrs: Eckert 1 Projection geosrs: Eckert 2 Projection geosrs: Eckert 3 Projection geosrs: Eckert4Projection geosrs:Eckert5Projection geosrs:Eckert6Projection geosrs:EqualEarthProjection geosrs:FaheyProjection geosrs:FoucautProjection geosrs:FoucautSinusoidalProjection geosrs: FournierIIProjection geosrs:GinzburgVIIIProjection geosrs:GoodeHomolosineProjection geosrs: HEALPixProjection geosrs:HufnagelProjection geosrs:Kavrayskiy7Projection geosrs:Loximuthal Projection geosrs:MayrProjection geosrs:McBrydeThomasFlatPolarParabolicProjection geosrs:

### **TEST METHOD**

McBrydeThomasFlatPolarQuarticProjection geosrs:McBrydeThomasFlatPolarSinusoidal Projection geosrs:McBrydeThomasIIProjection geosrs:McBrydeThomasIProjection geosrs:Natural Earth2Projection geosrs:NaturalEarthProjection geosrs:NellHammerProjection geosrs:Nell Projection geosrs:OrteliusOvalProjection geosrs:PutninsP1Projection geosrs:PutninsP2Projection geosrs:PutninsP3Projection geosrs:PutninsP5Projection geosrs:PutninsP6Projection geosrs: QuarticAuthalicProjection geosrs:RobinsonProjection geosrs:SinusoidalProjection geosrs:The TimesProjection geosrs:ToblerG1Projection geosrs:ToblerHyperellipticalProjection geosrs:Wagner IIIProjection geosrs:WagnerIIProjection geosrs:WagnerIProjection geosrs:WagnerIVProjection geosrs:WagnerVIProjection geosrs:WagnerVProjection geosrs:WerenskioldIProjection geosrs: PutninsP3'Projection geosrs:PutninsP4'Projection geosrs:PutninsP5'Projection geosrs:Putnins P6'Projection return the correct result on a test dataset.

### TEST-METHOD-**TYPE**

### Capabilities

geosrs:ApianIIProjection geosrs:AtlantisProjection geosrs:BaranyiIIIProjection geosrs:Baranyi IIProjection geosrs:BaranyiIProjection geosrs:BaranyiIVProjection geosrs:BoggsEumorphic

CrasterParabolicProjection geosrs:DeakinMinimumErrorProjection geosrs:Eckert1Projection geosrs: Eckert2Projection geosrs: Eckert3Projection geosrs: Eckert4Projection geosrs: Eckert5Projection geosrs:Eckert6Projection geosrs:EqualEarthProjection geosrs:FaheyProjection

Projection geosrs:BromleyProjection geosrs:CabotProjection geosrs:CollignonProjection geosrs:

### **REFERENCE**

geosrs:FoucautProjection geosrs:FoucautSinusoidalProjection geosrs:FournierIIProjection geosrs: GinzburgVIIIProjection geosrs:GoodeHomolosineProjection geosrs:HEALPixProjection geosrs: HufnagelProjection geosrs:Kavrayskiy7Projection geosrs:LoximuthalProjection geosrs:Mayr Projection geosrs:McBrydeThomasFlatPolarParabolicProjection geosrs:McBrydeThomasFlat PolarQuarticProjection geosrs:McBrydeThomasFlatPolarSinusoidalProjection geosrs:McBryde ThomasIIProjection geosrs:McBrydeThomasIProjection geosrs:NaturalEarth2Projection geosrs: NaturalEarthProjection geosrs:NellHammerProjection geosrs:NellProjection geosrs:OrteliusOval Projection geosrs:PutninsP1Projection geosrs:PutninsP2Projection geosrs:PutninsP3Projection geosrs:PutninsP5Projection geosrs:PutninsP6Projection geosrs:QuarticAuthalicProjection geosrs:RobinsonProjection geosrs:SinusoidalProjection geosrs:TheTimesProjection geosrs:Tobler G1Projection geosrs:ToblerHyperellipticalProjection geosrs:WagnerIIIProjection geosrs:Wagner IIProjection geosrs:WagnerIProjection geosrs:WagnerIVProjection geosrs:WagnerVIProjection

### **ABSTRACT TEST A.28**

geosrs:WagnerVProjection geosrs:WerenskioldIProjection geosrs:PutninsP3'Projection geosrs:PutninsP4'Projection geosrs:PutninsP6'Projection

### A.6.9. Cylindrical Projections

ABSTRACT TEST A.29	
IDENTIFIER	/conf/11-projections_module.adoc/Cylindrical_Projections
REQUIREMENT	/req/11-projections_module.adoc/Cylindrical_Projections
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:ArdenCloseProjection geosrs:BraunPerspectiveProjection geosrs:CompactMillerProjection geosrs:CylindricalStereographicProjection geosrs:Karchenko ShabanovaProjection geosrs:LabordeProjection geosrs:MercatorProjection geosrs:MillerProjection geosrs:PattersonCylindricalProjection geosrs:PavlovProjection geosrs:ToblerCylindricalIIProjection geosrs:UrmayevIIIProjection geosrs:WebMercatorProjection return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	geosrs:ArdenCloseProjection geosrs:BraunPerspectiveProjection geosrs:CompactMillerProjection geosrs:CylindricalStereographicProjection geosrs:KarchenkoShabanovaProjection geosrs:Laborde Projection geosrs:MercatorProjection geosrs:MillerProjection geosrs:PattersonCylindrical Projection geosrs:PavlovProjection geosrs:ToblerCylindricalIIProjection geosrs:ToblerCylindrical IProjection geosrs:UrmayevIIIProjection geosrs:WebMercatorProjection

### A.6.10. Compromise Projections

ABSTRACT TEST A.30	
IDENTIFIER	/conf/11-projections_module.adoc/Compromise_Projections
REQUIREMENT	/req/11-projections_module.adoc/Compromise_Projections
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:ArmadilloProjection geosrs:BakerDinomicProjection geosrs: BertinProjection geosrs:ChamberlinTrimetricProjection geosrs:DenoyerSemiEllipticalProjection geosrs:FairgrieveProjection geosrs:LarriveeProjection geosrs:PetermannStarProjection geosrs:

ABSTRACT TEST A.30	
	SpilhausOceanicProjection geosrs:VanDerGrintenIIIProjection geosrs:WinkelIIProjection geosrs: WinkelIProjection geosrs:WinkelSnyderProjection return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	geosrs:ArmadilloProjection geosrs:BakerDinomicProjection geosrs:BertinProjection geosrs: ChamberlinTrimetricProjection geosrs:DenoyerSemiEllipticalProjection geosrs:FairgrieveProjection geosrs:LarriveeProjection geosrs:PetermannStarProjection geosrs:SpilhausOceanicProjection geosrs:VanDerGrintenIIIProjection geosrs:WinkelIIProjection geosrs:WinkelIProjection geosrs:WinkelIProjection geosrs:WinkelIProjection

### A.6.11. Polyhedral Projections

ABSTRACT TEST A.31	
IDENTIFIER	/conf/11-projections_module.adoc/Polyhedral_Projections
REQUIREMENT	/req/11-projections_module.adoc/Polyhedral_Projections
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:AuthaGraphProjection geosrs:CahillKeyesProjection geosrs: CollignonButterflyProjection geosrs:DodecahedralProjection geosrs:DymaxionProjection geosrs:GnomonicButterflyProjection geosrs:GnomonicCubedSphereProjection geosrs:Gnomonic lcosahedronProjection geosrs:GuyouProjection geosrs:IcosahedralProjection geosrs:LeeProjection geosrs:MyrahedalProjection geosrs:OctantProjection geosrs:QuadrilateralizedSphericalCube Projection geosrs:WatermanButterflyProjection return the correct result on a test dataset.
TEST- METHOD-TYPE	Capabilities
REFERENCE	geosrs:AuthaGraphProjection geosrs:CahillKeyesProjection geosrs:CollignonButterflyProjection geosrs:DodecahedralProjection geosrs:DymaxionProjection geosrs:GnomonicButterflyProjection geosrs:GnomonicCubedSphereProjection geosrs:GnomonicIcosahedronProjection geosrs:Guyou Projection geosrs:IcosahedralProjection geosrs:LeeProjection geosrs:MyrahedalProjection geosrs:OctantProjection geosrs:QuadrilateralizedSphericalCubeProjection geosrs:WatermanButterfly Projection

### A.6.12. Equidistant Projections

ABSTRACT TEST A.32	
IDENTIFIER	/conf/11-projections_module.adoc/Equidistant_Projections
REQUIREMENT	/req/11-projections_module.adoc/Equidistant_Projections
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:AzimuthalEquidistantProjection geosrs:BerghausStar Projection geosrs:CassiniProjection geosrs:EquidistantConicProjection geosrs:Equidistant CylindricalProjection geosrs:EquirectangularProjection geosrs:ObliquePlateCarreeProjection geosrs:PlateCarreeProjection geosrs:TwoPointEquidistantProjection return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	geosrs:AzimuthalEquidistantProjection geosrs:BerghausStarProjection geosrs:CassiniProjection geosrs:EquidistantConicProjection geosrs:EquidistantCylindricalProjection geosrs:Equirectangular Projection geosrs:ObliquePlateCarreeProjection geosrs:PlateCarreeProjection geosrs:TwoPoint EquidistantProjection

### A.6.13. Conical Projections

ABSTRACT TEST A.33	
IDENTIFIER	/conf/11-projections_module.adoc/Conical_Projections
REQUIREMENT	/req/11-projections_module.adoc/Conical_Projections
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:BipolarObliqueConicConformalProjection geosrs:CentralConic Projection geosrs:HerschelConformalConicProjection geosrs:Krovak geosrs:LambertConformal ConicProjection geosrs:MurdochIIIProjection geosrs:MurdochIIProjection geosrs:Murdoch IProjection geosrs:SchjerningIProjection geosrs:VitkovskyIProjection return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	geosrs:BipolarObliqueConicConformalProjection geosrs:CentralConicProjection geosrs:Herschel ConformalConicProjection geosrs:Krovak geosrs:LambertConformalConicProjection geosrs: MurdochIIIProjection geosrs:MurdochIIProjection geosrs:Schjerning IProjection geosrs:VitkovskyIProjection

### A.6.14. Azimuthal Projections

ABSTRACT TEST A.34	
IDENTIFIER	/conf/11-projections_module.adoc/Azimuthal_Projections
REQUIREMENT	/req/11-projections_module.adoc/Azimuthal_Projections
TEST PURPOSE	Check conformance with this requirement
TEST METHOD	Verify that queries involving geosrs:BreusingGeometricProjection geosrs:BreusingHarmonic Projection geosrs:GinzburgIIProjection geosrs:GinzburgIProjection geosrs:JamesAzimuthalProjection return the correct result on a test dataset.
TEST-METHOD- TYPE	Capabilities
REFERENCE	geosrs:BreusingGeometricProjection geosrs:BreusingHarmonicProjection geosrs:Ginzburg IIProjection geosrs:GinzburgIProjection geosrs:GnomonicProjection geosrs:JamesAzimuthal Projection

### A.6.15. Perspective Projections

ABSTRACT TEST A.35		
IDENTIFIER	/conf/11-projections_module.adoc/Perspective_Projections	
REQUIREMENT	/req/11-projections_module.adoc/Perspective_Projections	
TEST PURPOSE	Check conformance with this requirement	
TEST METHOD	Verify that queries involving geosrs:CentralCylindricalProjection geosrs:GeneralVertical PerspectiveProjection geosrs:GilbertTwoWorldPerspectiveProjection geosrs:LaHireProjection geosrs:LorgnaProjection geosrs:LowryProjection geosrs:OrthographicProjection geosrs: PerspectiveConicProjection geosrs:TiltedPerspectiveProjection geosrs:VerticalPerspective Projection return the correct result on a test dataset.	
TEST-METHOD- TYPE	Capabilities	
REFERENCE	geosrs:CentralCylindricalProjection geosrs:GeneralVerticalPerspectiveProjection geosrs:Gilbert TwoWorldPerspectiveProjection geosrs:LaHireProjection geosrs:LorgnaProjection geosrs:Lowry Projection geosrs:OrthographicProjection geosrs:PerspectiveConicProjection geosrs:Tilted PerspectiveProjection geosrs:VerticalPerspectiveProjection	

### A.6.16. Polyconic Projections

ABSTRACT TEST A.36			
IDENTIFIER	/conf/11-projections_module.adoc/Polyconic_Projections		
REQUIREMENT	/req/11-projections_module.adoc/Polyconic_Projections		
TEST PURPOSE	Check conformance with this requirement		
TEST METHOD	Verify that queries involving geosrs:GinzburgIVProjection geosrs:GinzburgIXProjection geosrs:GinzburgVIProjection geosrs:GinzburgVIProjection geosrs:GinzburgVIProjection geosrs:Hill EucyclicProjection geosrs:LagrangeProjection geosrs:LaskowskiProjection geosrs:Rectangular PolyconicProjection geosrs:StabiusWernerIIIProjection geosrs:StabiusWernerIProjection geosrs:VanDerGrintenIIProjection geosrs:VanDerGrintenIVProjection geosrs:WagnerIXProjection geosrs:WagnerVIIIProjection geosrs:WagnerVIIProjection return the correct result on a test dataset.		
TEST- METHOD-TYPE	Capabilities		
REFERENCE	geosrs:GinzburgIVProjection geosrs:GinzburgIXProjection geosrs:GinzburgVIProjection geosrs: GinzburgVProjection geosrs:GottWagnerProjection geosrs:HillEucyclicProjection geosrs:Lagrange Projection geosrs:LaskowskiProjection geosrs:RectangularPolyconicProjection geosrs:Stabius WernerIIIProjection geosrs:StabiusWernerIProjection geosrs:VanDerGrintenIIProjection geosrs: VanDerGrintenIProjection geosrs:VanDerGrintenIVProjection geosrs:WagnerIXProjection geosrs: WagnerVIIIProjection geosrs:WagnerVIIProjection		

### A.6.17. Stereographic Projections

ABSTRACT TEST A.37		
IDENTIFIER	/conf/11-projections_module.adoc/Stereographic_Projections	
REQUIREMENT	/req/11-projections_module.adoc/Stereographic_Projections	
TEST PURPOSE	Check conformance with this requirement	
TEST METHOD	Verify that queries involving geosrs:MillerOblatedStereographicProjection geosrs:Roussilhe Projection return the correct result on a test dataset.	
TEST-METHOD- TYPE	Capabilities	

### **ABSTRACT TEST A.37**

**REFERENCE** geosrs:MillerOblatedStereographicProjection geosrs:RoussilheProjection

### A.7. Conformance Class: Planet

CONFORMANCE CLASS A.7: 12-PLANET_MODULE.ADOC		
IDENTIFIER	/conf/12-planet_module.adoc	
REQUIREMENTS CLASS	/req/12-planet_module.adoc	
CONFORMANCE TEST	Abstract test A.38: /conf/12-planet_module.adoc/Interstellar_Body	

### A.7.1. Interstellar Body

ABSTRACT TEST A.38		
IDENTIFIER	/conf/12-planet_module.adoc/Interstellar_Body	
REQUIREMENT	/req/12-planet_module.adoc/Interstellar_Body	
TEST PURPOSE	Check conformance with this requirement	
TEST METHOD	Verify that queries involving geosrs:ArtificialSatellite geosrs:Asteroid geosrs:Comet geosrs:Dwarf Planet geosrs:InterstellarBody geosrs:Moon geosrs:NaturalSatellite geosrs:Planet geosrs:Planet Status geosrs:Plutoid geosrs:Star return the correct result on a test dataset.	
TEST-METHOD- TYPE	Capabilities	
REFERENCE	geosrs:ArtificialSatellite geosrs:Asteroid geosrs:Comet geosrs:DwarfPlanet geosrs:Interstellar Body geosrs:Moon geosrs:NaturalSatellite geosrs:Planet geosrs:PlanetStatus geosrs:Plutoid geosrs:Star	

### A.8. Conformance Class: Instances

CONFORMANCE CLASS A.8: 13-INSTANCES.ADOC		
IDENTIFIER	/conf/13-instances.adoc	
REQUIREMENTS CLASS	/req/13-instances.adoc	
CONFORMANCE TESTS	Abstract test A.39: /conf/13-instances.adoc/SRS_Literal_Types Abstract test A.40: /conf/13-instances.adoc/Coordinate_System_Axis Abstract test A.41: /conf/13-instances.adoc/Spheroids	

### A.8.1. SRS Literal Types

ABSTRACT TEST A.39		
IDENTIFIER	/conf/13-instances.adoc/SRS_Literal_Types	
REQUIREMENT	/req/13-instances.adoc/SRS_Literal_Types	
TEST PURPOSE	Check conformance with this requirement	
TEST METHOD	Verify that queries involving geosrs:proj4Literal geosrs:projJSONLiteral geosrs:wktLiteral return the correct result on a test dataset.	
TEST-METHOD- TYPE	Capabilities	
REFERENCE	geosrs:proj4Literal geosrs:projJSONLiteral geosrs:wktLiteral	

### A.8.2. Coordinate System Axis

ABSTRACT TEST A.40		
IDENTIFIER	/conf/13-instances.adoc/Coordinate_System_Axis	
REQUIREMENT	/req/13-instances.adoc/Coordinate_System_Axis	

ABSTRACT TEST A.40		
TEST PURPOSE	Check conformance with this requirement	
TEST METHOD	Verify that queries involving geosrs:down geosrs:east geosrs:north geosrs:south geosrs:up geosrs:west return the correct result on a test dataset.	
TEST-METHOD- TYPE	Capabilities	
REFERENCE	geosrs:down geosrs:east geosrs:north geosrs:south geosrs:up geosrs:west	

### A.8.3. Spheroids

ABSTRACT TEST A.41				
IDENTIFIER	/conf/13-instances.adoc/Spheroids			
REQUIREMENT	/req/13-instances.adoc/Spheroids			
TEST PURPOSE	Check conformance with this requirement			
TEST METHOD	Verify that queries involving geosrs:GRS1980 geosrs:GRS67 geosrs:PZ90 geosrs:Airy1830 geosrs:AiryModified1849 geosrs:International1924 geosrs:AustralianNationalSpheroid geosrs: Everest1930 geosrs:Clarke1866 geosrs:Plessis1817 geosrs:Danish1876 geosrs:Struve1860 geosrs:IAG1975 geosrs:Clarke1858 geosrs:Clarke1880 geosrs:Helmert1906 geosrs:CGCS2000 geosrs:GSK-2011 geosrs:Zach1812 geosrs:Clarke1880ARC geosrs:Clarke1880IGN geosrs: WGS66 geosrs:WGS72 geosrs:WGS84 geosrs:Krassowsky1940 return the correct result on a test dataset.			
TEST-METHOD- TYPE	Capabilities			
REFERENCE	geosrs:GRS1980 geosrs:GRS67 geosrs:PZ90 geosrs:Airy1830 geosrs:AiryModified1849 geosrs: International1924 geosrs:AustralianNationalSpheroid geosrs:Everest1930 geosrs:Clarke1866 geosrs:Plessis1817 geosrs:Danish1876 geosrs:Struve1860 geosrs:IAG1975 geosrs:Clarke1858 geosrs:Clarke1880 geosrs:Helmert1906 geosrs:CGCS2000 geosrs:GSK-2011 geosrs:Zach1812 geosrs:Clarke1880ARC geosrs:Clarke1880IGN geosrs:WGS66 geosrs:WGS72 geosrs:WGS84 geosrs:Krassowsky1940			



# ANNEX B (INFORMATIVE) ALIGNMENTS



# ANNEX B (INFORMATIVE) ALIGNMENTS

Overview

### Overview

The prefixes used for the ontologies mapped to in all following sections are given in the following table.

**Table B.1** — Alignment: Namespaces

ign:	http://data.ign.fr/def/ignf#
iso19111:	http://def.isotc211.org/iso19112/2019/SpatialReferencingByGeographicIdentifier#
geosrs:	http://www.opengis.net/ont/geosparql#
ifc:	https://standards.buildingsmart.org/IFC/DEV/IFC4/ADD2_TC1/OWL/
owl:	http://www.w3.org/2002/07/owl#
prov:	http://www.w3.org/ns/prov#
rdf:	http://www.w3.org/1999/02/22-rdf-syntax-ns#
rdfs:	http://www.w3.org/2000/01/rdf-schema#

### **B.1. IGN Ontology**

**Table B.2** — Alignment: IGN Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CoordinateSystem	owl:equivalentClass	ign:CoordinateSystem	-
geosrs:Datum	owl:equivalentClass	ign:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	ign:Ellipsoid	-
geosrs:Conversion	owl:equivalentClass	ign:Conversion	-
geosrs:CoordinateOperation	owl:equivalentClass	ign:CoordinateOperation	-
geosrs:OperationMethod	owl:equivalentClass	ign:OperationMethod	-
geosrs:OperationParameter	owl:equivalentClass	ign:OperationParameter	-
geosrs:OperationParameterValue	owl:equivalentClass	ign:OperationParameterValue	-
geosrs:SingleOperation	owl:equivalentClass	ign:SingleOperation	-
geosrs:Transformation	owl:equivalentClass	ign:Transformation	-
geosrs:CartesianCoordinateSystem	owl:equivalentClass	ign:CartesianCS	-
geosrs:CoordinateSystem	owl:equivalentClass	ign:CoordinateSystem	-
geosrs:CoordinateSystemAxis	owl:equivalentClass	ign:CoordinateSystemAxis	-
geosrs:EllipsoidalCoordinateSystem	owl:equivalentClass	ign:EllipsoidalCS	-
geosrs:VerticalCoordinateSystem	owl:equivalentClass	ign:VerticalCS	-
geosrs:Datum	owl:equivalentClass	ign:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	ign:Ellipsoid	-
geosrs:GeodeticDatum	owl:equivalentClass	ign:GeodeticDatum	-
geosrs:PrimeMeridian	owl:equivalentClass	ign:PrimeMeridian	-
geosrs:VerticalDatum	owl:equivalentClass	ign:VerticalDatum	-
geosrs:AxesList	owl:equivalentClass	ign:AxesList	-

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CRS	owl:equivalentClass	ign:CRS	-
geosrs:CompoundCRS	owl:equivalentClass	ign:CompoundCRS	-
geosrs:Extent	owl:equivalentClass	ign:Extent	-
geosrs:GeodeticCRS	owl:equivalentClass	ign:GeodeticCRS	-
geosrs:GeographicBoundingBox	owl:equivalentClass	ign:GeographicBoundingBox	-
geosrs:ProjectedCRS	owl:equivalentClass	ign:ProjectedCRS	-
geosrs:SingleCRS	owl:equivalentClass	ign:SingleCRS	-
geosrs:SingleCRSList	owl:equivalentClass	ign:SingleCRSList	-
geosrs:VerticalCRS	owl:equivalentClass	ign:VerticalCRS	-

### B.2. ISO19111 Ontology

**Table B.3** — Alignment: ISO19111 Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CoordinateSystem	owl:equivalentClass	iso19111:CoordinateSystem	-
geosrs:Datum	owl:equivalentClass	iso19111:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	iso19111:Ellipsoid	-
geosrs:CRS	owl:equivalentClass	iso19111:CRS	-
geosrs:CompoundCRS	owl:equivalentClass	iso19111:CompoundCRS	-
geosrs:EngineeringCRS	owl:equivalentClass	iso19111:EngineeringCRS	-
geosrs:GeodeticCRS	owl:equivalentClass	iso19111:GeodeticCRS	-

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:GeographicCRS	owl:equivalentClass	iso19111:GeographicCRS	-
geosrs:ParametricCRS	owl:equivalentClass	iso19111:ParametricCRS	-
geosrs:ProjectedCRS	owl:equivalentClass	iso19111:ProjectedCRS	-
geosrs:SingleCRS	owl:equivalentClass	iso19111:SingleCRS	-
geosrs:TemporalCRS	owl:equivalentClass	iso19111:TemporalCRS	-
geosrs:VerticalCRS	owl:equivalentClass	iso19111:VerticalCRS	-

### B.3. IFC Ontology

**Table B.4** — Alignment: IFC Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:AxisDirection	owl:equivalentClass	ifc:IfcDirection	-
geosrs:CRS	owl:equivalentClass	ifc:IfcCoordinateReferenceSystem	-
geosrs:CoordinateOperation	owl:equivalentClass	ifc:IfcCoordinateOperation	-
geosrs:ProjectedCRS	owl:equivalentClass	ifc:IfcProjectedCRS	-
geosrs:axis	owl:equivalentProperty	ifc:axis_lfcAxis1Placement	-
geosrs:sourceCRS	owl:equivalentProperty	ifc:sourceCRS	-
geosrs:targetCRS	owl:equivalentProperty	ifc:targetCRS	-



# ANNEX C (INFORMATIVE) SHACL SHAPES

# C ANNEX C (INFORMATIVE) SHACL SHAPES

Overview

Overview



## ANNEX D (INFORMATIVE) APPLICATION EXAMPLES

# D

# ANNEX D (INFORMATIVE) APPLICATION EXAMPLES

Overview

Overview

D.1. Minimum Example

D.2. Elaborate Example



# ANNEX E (INFORMATIVE) JSON-LD CONTEXT



# ANNEX E (INFORMATIVE) JSON-LD CONTEXT

We provide JSON-LD contexts to be compatible with other JSON-based formats which provide coordinate reference system data.

Overview

### Overview

### E.1. Compatibility to PROJJSON

<u>PROJSON</u> is an established format to share geospatial data which has emerge from the PROJ library and encodes the WKT encoding of coordiante references systems. By adding a JSON-LD context to the PROJJSON standard we achieve an immediate compatibility with an established standard simply by extending it by one simple statement.

```
{
    "@context": "https://opengeospatial.github.io/ontology-crs/context/geosrs-
context.json",
    "$schema": "https://proj.org/schemas/v0.7/projjson.schema.json",
    ...
}
```

### Listing E.1

We provide examples of application of this JSON-LD context with the distribution of this standard.

### E.2. Compatibility to OGCJSON

The OGC CRS working group is aiming towards the creation of their own JSON format for CRS. The JSON-LD context we provide aims to be compatible with both PROJJSON and OGCJSON.



# ANNEX F (INFORMATIVE) REVISION HISTORY

# F

### ANNEX F (INFORMATIVE) REVISION HISTORY

DATE	RELEASE	AUTHOR	PRIMARY CLAUSES MODIFIED	DESCRIPTION
2016-04-28	0.1	G. Editor	all	initial version

# BIBLIOGRAPHY

### BIBLIOGRAPHY

**NOTE:** The TC has approved Springer LNCS as the official document citation type. Springer LNCS is widely used in technical and computer science journals and other publications For citations in the text please use square brackets and consecutive numbers: [1], [2], [3] Actual References: [n] Journal: Author Surname, A.: Title. Publication Title. Volume number, Issue number, Pages Used (Year Published)

- [1] ISO: ISO 19142, Geographic information Web Feature Service. International Organization for Standardization, Geneva <a href="https://www.iso.org/standard/42136.html">https://www.iso.org/standard/42136.html</a>.
- [2] W3C: **Data Catalog Vocabulary**, W3C Recommendation 16 January 2014, <a href="https://www.w3.org/TR/vocab-dcat/">https://www.w3.org/TR/vocab-dcat/</a>
- [3] IANA: Link Relation Types, <a href="https://www.iana.org/assignments/link-relations/link-relations.xml">https://www.iana.org/assignments/link-relations/link-relations.xml</a>
- [4] W3C/OGC: **Spatial Data on the Web Best Practices,** W3C Working Group Note 28 September 2017, <a href="https://www.w3.org/TR/sdw-bp/">https://www.w3.org/TR/sdw-bp/</a>
- [5] W3C: Data on the Web Best Practices, W3C Recommendation 31 January 2017, <a href="https://www.w3.org/TR/dwbp/">https://www.w3.org/TR/dwbp/</a>
- [6] Ben-Kiki, O., Evans, C., Ingy döt Net: YAML Ain't Markup Language, https://yaml.org/
- [7] OGC: Web Feature Service 2.0, http://docs.opengeospatial.org/is/09-025r2/09-025r2. html
- [8] Berners-Lee, T., Fielding, R., Masinter, L.: IETF RFC 3986 Uniform Resource Identifier (URI): Generic Syntax, <a href="http://tools.ietf.org/rfc/rfc3986.txt">http://tools.ietf.org/rfc/rfc3986.txt</a>
- [9] Car NJ, Homburg T: GeoSPARQL 1.1: Motivations, Details and Applications of the Decadal Update to the Most Important Geospatial LOD Standard. *ISPRS International Journal of Geo-Information* vol. 11 no. 2, p. 117 (2022).