

OGC® DOCUMENT: 18-053R2

External identifier of this OGC® document: <http://www.opengis.net/docs/CS/3DTiles/1.0>



Open
Geospatial
Consortium

OGC DOCUMENT TITLE

COMMUNITY STANDARD

APPROVED

Version: 1.0

Submission Date: 2018-06-04

Approval Date: 2018-12-14

Publication Date: 2019-01-31

Editor: Patrick Cozzi, Sean Lilley

Notice: This document is an OGC Member approved international standard. This document is available on a royalty free, non-discriminatory basis. Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

License Agreement

Use of this document is subject to the license agreement at <https://www.ogc.org/license>

Copyright notice

Copyright © 2025 Open Geospatial Consortium

To obtain additional rights of use, visit <https://www.ogc.org/legal>

Note

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. The Open Geospatial Consortium shall not be held responsible for identifying any or all such patent rights.

Recipients of this document are requested to submit, with their comments, notification of any relevant patent claims or other intellectual property rights of which they may be aware that might be infringed by any implementation of the standard set forth in this document, and to provide supporting documentation.

CONTENTS

- I. ABSTRACTvi
- II. KEYWORDSvi
- III. PREFACEvii
- IV. SECURITY CONSIDERATIONSviii
- V. SUBMITTERSviii
- VI. SOURCE OF THE CONTENT FOR THIS OGC DOCUMENTviii
- VII. VALIDITY OF CONTENTviii
- VIII. FUTURE WORKviii
- IX. CONTRIBUTORSix
- 1. SCOPE 2
- 2. CONFORMANCE 4
- 3. NORMATIVE REFERENCES 6
- 4. TERMS AND DEFINITIONS 8
- 5. CONVENTIONS10
 - 5.1. Identifiers 10
 - 5.2. Other conventions 10
- 6. CORE 12
 - 6.1. Class: geosrs:geosrs:CartesianCoordinateSystem12
 - 6.2. Class: geosrs:geosrs:EllipsoidalCoordinateSystem12
 - 6.3. Class: geosrs:geosrs:LinearCoordinateSystem12
 - 6.4. Class: geosrs:geosrs:OrdinalCoordinateSystem12
 - 6.5. Class: geosrs:geosrs:ParametricCoordinateSystem 12
 - 6.6. Class: geosrs:geosrs:PolarCoordinateSystem13
 - 6.7. Class: geosrs:geosrs:SphericalCoordinateSystem 13
 - 6.8. Class: geosrs:geosrs:VerticalCoordinateSystem 13
 - 6.9. Class: geosrs:geosrs:CoordinateSystemAxis 13
 - 6.10. Class: geosrs:geosrs:AreaOfUse 13

6.11. Class: geosrs:geosrs:CRS	13
6.12. Class: geosrs:geosrs:EngineeringCRS	13
6.13. Class: geosrs:geosrs:GeodeticCRS	14
6.14. Class: geosrs:geosrs:GeographicCRS	14
6.15. Class: geosrs:geosrs:ProjectedCRS	14
6.16. Class: geosrs:geosrs:SingleCRS	14
6.17. Class: geosrs:geosrs:SpatialReferenceSystem	14
6.18. Class: geosrs:geosrs:CoordinateOperation	14
6.19. Class: geosrs:geosrs:SingleOperation	14
6.20. Class: geosrs:geosrs:Transformation	15
6.21. Class: geosrs:geosrs:Conversion	15
6.22. Class: geosrs:geosrs:OperationMethod	15
6.23. Class: geosrs:geosrs:OperationParameter	15
6.24. Class: geosrs:geosrs:OperationParameterValue	15
6.25. Class: geosrs:geosrs:Datum	15
6.26. Class: geosrs:geosrs:GeodeticDatum	15
6.27. Class: geosrs:geosrs:PrimeMeridian	16
6.28. Class: geosrs:geosrs:Ellipsoid	16
6.29. Class: geosrs:geosrs:VerticalDatum	16
 7. COORDINATE OPERATION MODULE	 18
8. COORDINATE SYSTEM MODULE	20
9. DATUM MODULE	22
10. SRS APPLICATION MODULE	24
11. PROJECTIONS MODULE	26
12. PLANET MODULE	28
 ANNEX A (INFORMATIVE) ALIGNMENTS	 32
Overview	
A.1. IGN CRS Ontology	32
A.2. ISO 19111 Ontology	33
A.3. IFCOWL Ontology	33
 ANNEX B (INFORMATIVE) SHACL SHAPES	 35
Overview	
 ANNEX C (INFORMATIVE) REVISION HISTORY	 37
 BIBLIOGRAPHY	 39

LIST OF TABLES

Table A.1 – Alignment: Namespaces 32

Table A.2 – Alignment: IGN CRS Ontology 33

Table A.3 – Alignment: ISO 19111 Ontology 33

Table A.4 – Alignment: IFCOWL Ontology33



ABSTRACT

<Insert Abstract Text here>



KEYWORDS

The following are keywords to be used by search engines and document catalogues.

keyword_1, keyword_2, keyword_3, etc.



PREFACE

NOTE: Insert Preface Text here. Give OGC specific commentary: describe the technical content, reason for document, history of the document and precursors, and plans for future work.

There are two ways to specify the Preface: “simple clause” or “full clause”

If the Preface does not contain subclauses, it is considered a simple preface clause. This one is entered as text after the `.Preface` label and must be placed between the AsciiDoc document attributes and the first AsciiDoc section title. It should not be give a section title of its own.

If the Preface contains subclauses, it needs to be encoded as a full preface clause. This one is recognized as a full Metanorma AsciiDoc section with the title “Preface”, i.e. `== Preface`. (Simple preface content can also be encoded like full preface.)



SECURITY CONSIDERATIONS

No security considerations have been made for this Standard.



SUBMITTERS

All questions regarding this submission should be directed to the editor or the submitters:

NAME	AFFILIATION	OGC MEMBER
Steve Liang	University of Calgary, Canada / SensorUp Inc.	Yes



SOURCE OF THE CONTENT FOR THIS OGC DOCUMENT



VALIDITY OF CONTENT



FUTURE WORK

NOTE:If you need to place any further sections in the preface area use the [.preface] attribute.



CONTRIBUTORS

Additional contributors to this Standard include the following:

Individual name(s), Organization

1

SCOPE



SCOPE

<Insert Scope text here>

NOTE: Give the subject of the document and the aspects of that scope covered by the document.



2

CONFORMANCE



CONFORMANCE

<Insert conformance content here>

NOTE: Provide a short description of the content approached in subsequent sections and the main subject of the document



3

NORMATIVE REFERENCES

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Identification of Common Molecular Subsequences. Smith, T.F., Waterman, M.S., J. Mol. Biol. 147, 195–197 (1981)

ZIB Structure Prediction Pipeline: Composing a Complex Biological Workflow through Web Services. May, P., Ehrlich, H.C., Steinke, T. In: Nagel, W.E., Walter, W.V., Lehner, W. (eds.) Euro-Par 2006. LNCS, vol. 4128, pp. 1148–1158. Springer, Heidelberg (2006)

The Grid: Blueprint for a New Computing Infrastructure., Foster, I., Kesselman, C.. Morgan Kaufmann, San Francisco (1999).

Grid Information Services for Distributed Resource Sharing. Czajkowski, K., Fitzgerald, S., Foster, I., Kesselman, C. In: 10th IEEE International Symposium on High Performance Distributed Computing, pp. 181–184. IEEE Press, New York (2001)



4

TERMS AND DEFINITIONS

This document uses the terms defined in OGC Policy Directive 49, which is based on the ISO/IEC Directives, Part 2, Rules for the structure and drafting of International Standards. In particular, the word “shall” (not “must”) is the verb form used to indicate a requirement to be strictly followed to conform to this document and OGC documents do not use the equivalent phrases in the ISO/IEC Directives, Part 2.

This document also uses terms defined in the OGC Standard for Modular specifications (OGC 08-131r3), also known as the ‘ModSpec’. The definitions of terms such as standard, specification, requirement, and conformance test are provided in the ModSpec.

For the purposes of this document, the following additional terms and definitions apply.

4.1. example term

term used for exemplary purposes

Note 1 to entry: An example note.

Example Here’s an example of an example term.

[SOURCE:]



5

CONVENTIONS

NOTE: This section provides details and examples for any conventions used in the document. Examples of conventions are symbols, abbreviations, use of XML schema, or special notes regarding how to read the document.

5.1. Identifiers

The normative provisions in this standard are denoted by the URI

<http://www.opengis.net/spec/{standard}/{m.n}>

All requirements and conformance tests that appear in this document are denoted by partial URIs which are relative to this base.

5.2. Other conventions

<Place any other convention needed with its corresponding title>



6

CORE

This clause establishes the **Core** Requirements class, with IRI `/req/core`, which has a corresponding Conformance Class, **Core**, with IRI `/conf/core`. ==== Class: `geosrs:geosrs:CoordinateSystem`

The class `geosrs:geosrs:CoordinateSystem` is defined by the following:

6.1. Class: `geosrs:geosrs:CartesianCoordinateSystem`

The class `geosrs:geosrs:CartesianCoordinateSystem` is defined by the following:

6.2. Class: `geosrs:geosrs:EllipsoidalCoordinateSystem`

The class `geosrs:geosrs:EllipsoidalCoordinateSystem` is defined by the following:

6.3. Class: `geosrs:geosrs:LinearCoordinateSystem`

The class `geosrs:geosrs:LinearCoordinateSystem` is defined by the following:

6.4. Class: `geosrs:geosrs:OrdinalCoordinateSystem`

The class `geosrs:geosrs:OrdinalCoordinateSystem` is defined by the following:

6.5. Class: `geosrs:geosrs:ParametricCoordinateSystem`

The class `geosrs:geosrs:ParametricCoordinateSystem` is defined by the following:

6.6. Class: geosrs:geosrs:PolarCoordinateSystem

The class geosrs:geosrs:PolarCoordinateSystem is defined by the following:

6.7. Class: geosrs:geosrs:SphericalCoordinateSystem

The class geosrs:geosrs:SphericalCoordinateSystem is defined by the following:

6.8. Class: geosrs:geosrs:VerticalCoordinateSystem

The class geosrs:geosrs:VerticalCoordinateSystem is defined by the following:

6.9. Class: geosrs:geosrs:CoordinateSystemAxis

The class geosrs:geosrs:CoordinateSystemAxis is defined by the following:

6.10. Class: geosrs:geosrs:AreaOfUse

The class geosrs:geosrs:AreaOfUse is defined by the following:

6.11. Class: geosrs:geosrs:CRS

The class geosrs:geosrs:CRS is defined by the following:

6.12. Class: geosrs:geosrs:EngineeringCRS

The class geosrs:geosrs:EngineeringCRS is defined by the following:

6.13. Class: geosrs:geosrs:GeodeticCRS

The class `geosrs:geosrs:GeodeticCRS` is defined by the following:

6.14. Class: geosrs:geosrs:GeographicCRS

The class `geosrs:geosrs:GeographicCRS` is defined by the following:

6.15. Class: geosrs:geosrs:ProjectedCRS

The class `geosrs:geosrs:ProjectedCRS` is defined by the following:

6.16. Class: geosrs:geosrs:SingleCRS

The class `geosrs:geosrs:SingleCRS` is defined by the following:

6.17. Class: geosrs:geosrs:SpatialReferenceSystem

The class `geosrs:geosrs:SpatialReferenceSystem` is defined by the following:

6.18. Class: geosrs:geosrs:CoordinateOperation

The class `geosrs:geosrs:CoordinateOperation` is defined by the following:

6.19. Class: geosrs:geosrs:SingleOperation

The class `geosrs:geosrs:SingleOperation` is defined by the following:

6.20. Class: geosrs:geosrs:Transformation

The class `geosrs:geosrs:Transformation` is defined by the following:

6.21. Class: geosrs:geosrs:Conversion

The class `geosrs:geosrs:Conversion` is defined by the following:

6.22. Class: geosrs:geosrs:OperationMethod

The class `geosrs:geosrs:OperationMethod` is defined by the following:

6.23. Class: geosrs:geosrs:OperationParameter

The class `geosrs:geosrs:OperationParameter` is defined by the following:

6.24. Class: geosrs:geosrs:OperationParameterValue

The class `geosrs:geosrs:OperationParameterValue` is defined by the following:

6.25. Class: geosrs:geosrs:Datum

The class `geosrs:geosrs:Datum` is defined by the following:

6.26. Class: geosrs:geosrs:GeodeticDatum

The class `geosrs:geosrs:GeodeticDatum` is defined by the following:

6.27. Class: geosrs:geosrs:PrimeMeridian

The class `geosrs:geosrs:PrimeMeridian` is defined by the following:

6.28. Class: geosrs:geosrs:Ellipsoid

The class `geosrs:geosrs:Ellipsoid` is defined by the following:

6.29. Class: geosrs:geosrs:VerticalDatum

The class `geosrs:geosrs:VerticalDatum` is defined by the following:

7

COORDINATE OPERATION MODULE



COORDINATE OPERATION MODULE

This clause establishes the **Co** Requirements class, with IRI /req/co, which has a corresponding Conformance Class, **Co**, with IRI /conf/co.



8

COORDINATE SYSTEM MODULE

This clause establishes the **CS** Requirements class, with IRI /req/cs, which has a corresponding Conformance Class, **CS**, with IRI /conf/cs.

9

DATUM MODULE



DATUM MODULE

This clause establishes the **Datum** Requirements class, with IRI /req/datum, which has a corresponding Conformance Class, **Datum**, with IRI /conf/datum.

10

SRS APPLICATION MODULE

This clause establishes the **SRSAPP** Requirements class, with IRI /req/srsapp, which has a corresponding Conformance Class, **SRSAPP**, with IRI /conf/srsapp.

11

PROJECTIONS MODULE

This clause establishes the **PROJ** Requirements class, with IRI /req/proj, which has a corresponding Conformance Class, **PROJ**, with IRI /conf/proj.



12

PLANET MODULE

This clause establishes the **PLANET** Requirements class, with IRI /req/planet, which has a corresponding Conformance Class, **PLANET**, with IRI /conf/planet.





ANNEX A (INFORMATIVE) ALIGNMENTS



ANNEX A

(INFORMATIVE)

ALIGNMENTS

Overview

Overview

The prefixes used for the ontologies mapped to in all following sections are given in the following table.

Table A.1 — Alignment: Namespaces

ign:	http://data.ign.fr/def/ignf#
iso19111:	http://def.isotc211.org/iso19112/2019/SpatialReferencingByGeographicIdentifier#
geosrs:	http://www.opengis.net/ont/geosparql#
ifc:	https://standards.buildingsmart.org/IFC/DEV/IFC4/ADD2_TC1/OWL/
owl:	http://www.w3.org/2002/07/owl#
prov:	http://www.w3.org/ns/prov#
rdf:	http://www.w3.org/1999/02/22-rdf-syntax-ns#
rdfs:	http://www.w3.org/2000/01/rdf-schema#

A.1. IGN CRS Ontology

Table A.2 — Alignment: IGN CRS Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CoordinateSystem	<u>owl:equivalentClass</u>	<u>ign:CoordinateSystem</u>	-
geosrs:Datum	<u>owl:equivalentClass</u>	<u>ign:Datum</u>	-
geosrs:Ellipsoid	<u>owl:equivalentClass</u>	<u>ign:Ellipsoid</u>	-

A.2. ISO 19111 Ontology

Table A.3 — Alignment: ISO 19111 Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CoordinateSystem	<u>owl:equivalentClass</u>	<u>iso19111:CoordinateSystem</u>	-
geosrs:Datum	<u>owl:equivalentClass</u>	<u>iso19111:Datum</u>	-
geosrs:Ellipsoid	<u>owl:equivalentClass</u>	<u>iso19111:Ellipsoid</u>	-

A.3. IFCOWL Ontology

Table A.4 — Alignment: IFCOWL Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CRS	<u>owl:equivalentClass</u>	<u>ifc:CoordinateReferenceSystem</u>	-



ANNEX B (INFORMATIVE) SHACL SHAPES



ANNEX B (INFORMATIVE) SHACL SHAPES

Overview

Overview



ANNEX C (INFORMATIVE) REVISION HISTORY



ANNEX C (INFORMATIVE) REVISION HISTORY

DATE	RELEASE	AUTHOR	PRIMARY CLAUSES MODIFIED	DESCRIPTION
2016-04-28	0.1	G. Editor	all	initial version



BIBLIOGRAPHY





BIBLIOGRAPHY

NOTE: The TC has approved Springer LNCS as the official document citation type. Springer LNCS is widely used in technical and computer science journals and other publications. For citations in the text please use square brackets and consecutive numbers: [1], [2], [3]. Actual References: [n] Journal: Author Surname, A.: Title. Publication Title. Volume number, Issue number, Pages Used (Year Published)

- [1] ISO: ISO 19142, *Geographic information – Web Feature Service*. International Organization for Standardization, Geneva <https://www.iso.org/standard/42136.html>.
- [2] W3C: **Data Catalog Vocabulary**, W3C Recommendation 16 January 2014, <https://www.w3.org/TR/vocab-dcat/>
- [3] IANA: **Link Relation Types**, <https://www.iana.org/assignments/link-relations/link-relations.xml>
- [4] W3C/OGC: **Spatial Data on the Web Best Practices**, W3C Working Group Note 28 September 2017, <https://www.w3.org/TR/sdw-bp/>
- [5] W3C: **Data on the Web Best Practices**, W3C Recommendation 31 January 2017, <https://www.w3.org/TR/dwbp/>
- [6] Ben-Kiki, O., Evans, C., Ingy döt Net: **YAML Ain't Markup Language**, <https://yaml.org/>
- [7] OGC: **Web Feature Service 2.0**, <http://docs.opengeospatial.org/is/09-025r2/09-025r2.html>
- [8] Berners-Lee, T., Fielding, R., Masinter, L.: **IETF RFC 3986 – Uniform Resource Identifier (URI): Generic Syntax**, <http://tools.ietf.org/rfc/rfc3986.txt>