



RETINA AI

BY COMPASS GROUP

DESIGN SYSTEM · V1.0

Store Manager Prototype

The foundational visual and interaction language for the Retina AI Store Manager mobile capture flow — colors, type, components and motion grounded in a warm, utility-first product experience.

Product

Retina AI · Compass Group

Surface

Phone-first capture flow

Stack

React · Tailwind · Lucide

Issued

May 2026

What this document is

The Store Manager prototype is the phone-shaped surface of Retina AI: a focused, no-chrome capture flow used by Compass Group store associates to onboard items via barcode and label photography. This system codifies the choices that make that flow feel calm, tactile, and quick — so future screens stay coherent.

DESIGN TENETS

- **Phone-first, full-bleed.** No surrounding chrome. Content fills the viewport; safe-areas respected.
- **Warm utility.** Cream surfaces and an amber primary signal “workwear,” not consumer flash.
- **One job per screen.** Each screen has a single primary action, anchored in a bottom action bar.
- **Quiet motion.** Subtle scanlines, pulses and toasts confirm progress without stealing focus.

WHERE THIS APPLIES

- Routes under `/store-manager/*` in the Retina app.
- Screens: Login, SSO, Articles, Capture (Barcode → Front → Back → More), Review, Progress, Done, Retry, Mark Irrelevant, Account.
- The shared `StoreManagerShell` + `StoreManagerLayout` wrappers and the toast/context provider.

Contents

1. 01 Overview & tenets
2. 02 Brand & logo
3. 03 Color system
4. 04 Typography
5. 05 Spacing, radius & elevation
6. 06 Iconography
7. 07 Components — buttons, pills, chips
8. 08 Components — capture surfaces
9. 09 Feedback — toasts, badges, progress
10. 10 Motion
11. 11 Layout & screen patterns
12. 12 Voice & tone

**RETINA AI**

BY COMPASS GROUP

MARK ANATOMY

A compass diagonal — needle and counter-arrow — set on a rounded amber tile. The diagonal references both navigation (Compass Group) and the act of capturing an item from corner to corner.

WORDMARK

RETINA set in Inter Bold, paired with a faint-grey **AI** to keep the AI signifier present but quiet. Tagline “by Compass Group” always uppercase, tracked 0.18em, in #9C9B94.

MINIMUM SIZE

Mark: 44 px minimum on screen. Wordmark + tagline lockup: 120 px wide minimum.

Brand voice in the mark**WARM**

Amber over cream evokes paper, packaging, retail backrooms — not a sci-fi scanner.

PRECISE

The diagonal is hairline; corners are crisp. Implies measurement, not branding flourish.





OPERATIONAL

The tagline carries the parent brand quietly. The app is a tool, not a marketing surface.








Color system

A single amber primary anchors every interactive surface; everything else recedes into warm neutrals (cream-on-stone) or quiet semantic tints. Avoid pure black and pure white in content — they break the warmth.

Primary (amber)

 Primary #C68A1E Buttons, focus, brand	 Primary / Hover #A8741A Hover, pressed	 Primary / Background #FBF3E0 Filter chips, accents	 Primary / Border #F4E4BC Chip outlines
 Brand Ink #7A5310 Text on amber tints	 Primary / Hover bg #F6E8C7 Strip hover	 Primary / Soft #F9F4EA Icon-button press	 Canvas Cream #FBF8F0 Phone background

Neutrals — ink & surfaces

 Ink / Primary #2B2A26 Headlines, body	 Ink / Secondary #44403C Paragraph copy	 Ink / Muted #9C9B94 Labels, hints	 Ink / Faint #C5C4BC Disabled, dividers
 Cream / 2 #F1ECDD Soft dividers, tracks	 Surface / Sub #F5F5F4 Inactive tiles	 Surface / Muted #ECECEB Counters, pills bg	 Surface / Card #FFFFFF Sheets, cards

Semantic

Success #5A8C1A Quality bar, "Good"	Success / 2 #7DBD3B Done borders	Scan #97C459 Scanline + dot	Success / Bg #EAF3DE Done tile fill
Error #A32D2D Errors, retry	Error / 2 #E24B4A Accent border	Error / Bg #FDE7E7 Banners, badges	Info / SSO #0067B8 Microsoft Entra

Pairing rule. Amber on cream, ink on cream, white on amber. Never put muted ink (#9C9B94) on white below 11 pt — fails AA. Use Ink Secondary (#44403C) instead.

DISPLAY / UI · INTER

Aa

Inter · 400 / 500 / 600 / 700 · feature settings cv11, ss01, ss03

The entire interface uses Inter. It pairs cleanly with the brand’s warm neutrals and reads well at small sizes on phones.

NUMERIC / CODE · JETBRAINS MONO

Aa

JetBrains Mono · 400 / 500

Reserved for GTINs, codes, and any tabular numerics where alignment matters. Never used for body copy.

Scale

DISPLAY

Retina AI

28 px · 700 ·
-0.4 px

TITLE XL

Review & Submit

22 px · 600

TITLE L

Capture flow

17 px · 600

TITLE M

Front label

16 px · 600

BODY

Tap a step below to start capturing this item.

14 px · 400

BODY S

Point at front label

13 px · 400

CAPTION

3 / 4 captured

11.5 px · 400

MICRO

BY COMPASS GROUP

11 px · 500 ·
0.18em

TAG

8901491100093

9 px · mono

Pairing rules

- Titles use **Ink Primary** (#2B2A26). Labels above icons use Ink Muted.
- All-caps text only at Micro/Tag sizes; always tracked 0.06–0.18em.
- Use font-weight: 500 for button labels — 600 reads too aggressive at button sizes.

- Number-heavy data (GTIN, percent, counts) → JetBrains Mono, never Inter.

Spacing, radius, elevation

SPACING SCALE


TOKEN	VALUE	USAGE
sp-1	2 px	Inner icon → label gap
sp-2	4 px	Tight stack inside chips
sp-3	6 px	Thumb-row gap, button gap
sp-4	8 px	Card inner stack
sp-5	12 px	Section-to-section in card
sp-6	14 px	Action-bar padding
sp-7	16 px	Screen edge padding
sp-8	24 px	Hero block padding

Bottom action bars must respect env(safe-area-inset-bottom) — minimum 14 px above the safe-area.

RADIUS SCALE

TOKEN	VALUE	USAGE
r-1	2 px	Quality-bar fills
r-2	4 px	Step pills
r-3	5 px	Counter badges
r-4	8 px	Buttons, thumbnails, toast
r-5	10 px	Callouts, banners
r-6	12 px	Scan frame, cards
r-xl	16 px	Bottom sheet top corners
r-pill	99 px	Filter chips, count badges

Elevation & surface treatment



FLAT

Default surface. 1 px #F1ECDD border. No shadow.



LIFTED

Toast, floating action sheets. 0 4px 14px rgba(0,0,0,0.25).



SCRIM

Modal overlay. rgba(0,0,0,0.4), inherits 38 px corner.

No drop shadows on resting UI. Cards, tiles, chips and pills sit flat on cream. Elevation is reserved for transient, focus-stealing UI — toasts, sheets, the SSO modal.

Lucide icons exclusively, rendered at 1.5–2 stroke weight. Default size 18×18, scaled to 14–22 in context. Icons take on the color of the text or button they sit beside — never tinted independently.

Inventory in the flow



Barcode



Camera



ScanLine



Check



ArrowLeft



Plus



Square



Alert

Sizing in context

- **Button leading icon** — 14–15 px, matches button text weight.
- **Header back affordance** — 20 px in a 36×36 tap target.
- **Thumbnail tile** — 15 px, centered above an 8 pt label.
- **Toast leading** — 14 px, always Scan green (#97C459) on amber fill.

Buttons, pills & chips


Buttons

PRIMARY

A rectangular button with a solid orange fill, rounded corners, and white text.

#C68A1E fill, white text, 8 px radius, 48 px min-height. One per screen. Always pinned to the bottom action bar with `border-top: 1px solid #F1ECDD`.

SECONDARY

A rectangular button with a white fill, a thin grey border, and grey text.

White fill, 1 px #C5C4BC border, ink-primary text. Pairs with a primary in a 0.55 / 1 flex ratio inside the action bar.

DISABLED STATE

A rectangular button with a lighter orange fill, rounded corners, and white text.

Opacity 0.55, `pointer-events: none`. Don't grey out — keep amber so the next available action remains visually present.

ICON-ONLY · HEADER



36×36 round tap target. #9C9B94 stroke. Active state tints background #F9F4EA.

Step pills

A row of four pill-shaped buttons. The first is orange with white text. The others are white with grey borders and grey text.


Used to scrub between capture steps. Off-state: white, 1 px #C5C4BC border, #9C9B94 text. On-state: amber fill, white text, weight 500. 4 px radius — pills, not chips.


Filter chips

A row of four pill-shaped chips. The first three are orange with white text. The last is orange with white text and a white plus sign.

Pill-shaped (99 px radius), amber-on-cream. The **+N** chip flips the colors — amber fill, white text — to read as a contained CTA, not a passive filter.

Status & counter badges


A row of four status or counter badges. The first is green with white text. The second is grey with grey text. The third is pink with white text. The fourth is orange with white text.



Capture surfaces


The capture screen is the heart of the prototype. It composes four distinct surfaces: a light **sub-bar**, a dark **camera stage**, a slim **quality bar**, a horizontal **thumbnail row**, and a pinned **action bar**.

Camera stage



BARCODE FRAMING


230×118 frame on a #080808 stage with a radial vignette. Green #97C459 corner markers (2.5 px) and a scanline that travels top→bottom on a 2.2 s ease (cubic-bezier(0.45, 0, 0.55, 1)).



LABEL FRAMING

For Front / Back / More: a 180×220 dashed frame in 35% white. Hint text in 45% white. No scanline — only the barcode step uses the green markers.

Thumbnail row



52×52 squares with 8 px radius. Three visual states: **Idle** (cream fill, #F1ECDD border) · **Active** (2 px amber border) · **Done** (#EAF3DE fill, #7DBD3B border, ink in #3B6D11). "More" uses a dashed border and a +N counter pill anchored top-right.

Quality bar

Quality Good

4 px track in #F1ECDD, fill in success green. Labels: **Low**, **Fair**, **Good**. Never show numeric percentages — the user only needs to know if it's acceptable.

Toasts, sheets & progress


Toast

A toast notification with a green dot and the text "Barcode captured".

Barcode captured

Amber pill, white text, scan-green leading dot. Slides up 8 px and fades in over 200 ms; auto-dismisses at 1.8 s. Anchored 84 px from the bottom — clears the action bar. One toast at a time; never stack.

Bottom sheet

A bottom sheet example with a grey header, a white filter bar, and three filter buttons: "Beverages", "Snacks", and "Dairy & eggs".

FILTER ARTICLES

Beverages

Snacks

Dairy & eggs

Top corners 16 px, white fill, sat on a `rgba(0,0,0,0.4)` scrim that inherits the phone-shell's 38 px corner. A 32×3 handle pill in #F1ECDD sits 10 px from the top.

Processing & states


PROCESSING

A pulsing amber dot.

Analyzing 2 of 4 items...

Pulsing amber dot, 1.5 s loop.


SUCCESS

A green pill with the text "3 / 4 captured".

3 / 4 captured

Done-state badge, no animation needed.

RETRY

A red pill with the text "Front blurry — retry".

Front blurry — retry

Error-bg + error-ink. Always paired with a remedy verb.

Motion language

Motion is reserved for confirming machine actions — the device is scanning, processing, succeeding. UI transitions themselves are nearly instant (≤ 200 ms), with no flourish.

SCANLINE · SM-SCANMOVE

Duration	2.2 s
Easing	cubic-bezier(0.45, 0, 0.55, 1)
Iterations	infinite
Track	top: 6 px $\rightarrow$ calc(100% – 8 px)
Opacity arc	0.4 $\rightarrow$ 1.0 $\rightarrow$ 0.4

Communicates active scanning. Only present on the Barcode step inside the camera stage.

PULSE · SM-PULSE

Duration	1.5 s
Easing	default ease
Opacity	1 $\rightarrow$ 0.5 $\rightarrow$ 1

Used on processing dots in the Progress and Articles screens.

TOAST SLIDE-IN

Duration	200 ms (in & out)
Translate	translateY(8px) $\rightarrow$ 0
Opacity	0 $\rightarrow$ 1
Visible window	1800 ms

CHIP HOVER


Property	background
Duration	150 ms
From $\rightarrow$ To	#FBF3E0 $\rightarrow$ #F6E8C7

Reduced motion. Honor prefers-reduced-motion: reduce — collapse the scanline to a static centered line, freeze pulses at 100% opacity, and skip the toast translation.

Screen patterns


Every screen sits inside `.sm-outer` → `.sm-phone`, a full-viewport column on cream. The flow uses four reusable patterns; almost every screen is built from one of them.

A · HERO + BOTTOM CTA




Login, SSO, Done. Centered hero block, single pinned primary at the bottom with safe-area padding.

B · SUB-BAR + STAGE + ACTION BAR




Capture, Barcode, Mark Irrelevant. The bottom action bar uses a 0.55 / 1 flex split for the secondary / primary pair.

C · LIST + FILTER STRIP



Articles screen. Filter strip is horizontally scrollable, last chip is always the +N flip-color CTA.

D · PROGRESS / STATUS



Progress and Done. Status uses a colored dot + role label; the quality-bar component is reused as a top-of-screen progress indicator.

How the app speaks

The user is on a clock, often standing, often interrupted. Copy is short, specific to the moment, and avoids both apology and celebration.

MICROCOPY PRINCIPLES

- **Verbs first.** "Capture front", "Retry barcode", "Mark irrelevant".
- **Name what was captured.** Toasts say "Barcode captured", not "Done".
- **Counts over percentages.** "3 / 4 captured", not "75% done".
- **One sentence ceiling.** Two only on error screens that need a remedy.

VOCABULARY

- **Article** — a product the manager is onboarding.
- **Capture** — taking one of barcode / front / back / more.
- **Mark irrelevant** — soft-deletes an article from this session.
- **SSO** — Microsoft Entra ID; never expand inline.
- **GTIN** — always uppercase, mono font.

Do & Don't

Do

"Front label captured" → toast on success.
"Point at front label" → hint inside the camera frame.
"Retry — image was blurry" → specific remedy.

Don't

"Great job! 🌟" — performative.
"Something went wrong." — generic and unactionable.
"Click here to continue." — desktop language, vague verb.

End-of-flow language

- **Done screen** — "Items submitted. You can capture another." Provide one secondary "Back to Articles" link.
- **Retry screen** — name the failed capture step, offer "Retake" as the primary action, "Skip" as secondary only when truly optional.
- **Mark Irrelevant** — confirm with a single line: "Removed from this session." No undo toast; the article re-appears in the list with a strike-through.

This system is alive. When you add a screen, name the pattern it follows (A–D) and the tokens it borrows. If a new pattern emerges, propose it as a section before shipping — coherence is a feature.