The Journal of Open Source Education

Special relativity in R: the `lorentz` package

Robin K. S. Hankin [1]

1 University of Stirling

DOI: 10.xxxxxx/draft

Software

- Review
- Repository
- Archive

Submitted: 16 December 2022
Published: unpublished

License
Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License (CC BY 4.0).

DRAFT

Introduction: the Lorentz transform in special relativity

In special relativity (Einstein, 1905), the Lorentz transforms (Lorentz, 1904) supercede their classical equivalent, the Galilean transforms. Lorentz transforms operate on four-vectors such as the four-velocity or four-potential and are usually operationalised as multiplication by a 4×4 matrix. A Lorentz transform takes the components of an arbitrary four-vector as observed in one coordinate system and returns the components observed in another system which is moving at constant velocity with respect to the first.

Statement of need

Einstein's theory of special relativity presents specific difficulties for its teaching and learning (Prado et al., 2020). One particularly problematic concept is that of four velocity, defined as the deriviative of an object's four-displacement with respect to its proper time (Resnick, 1968). Students are often left puzzled as to why an object with three degrees of freedom is described using an object with four components. Observing (correctly) that the familiar classical velocity addition law is incorrect for both three-velocities and four-velocities in relativistic mechanics, students may reasonably ask in what way four-velocities are preferable to three-velocities.

The `lorentz` package (Hankin, 2022) furnishes a consistent suite of computational functionality to give numerical illustration of many concepts of special relativity, including manipulation of three- and four- velocities. It is accessible to undergraduates, being written in the `R` programming language (R Core Team, 2022) which will be familiar to many physics students. The package allows the user to manipulate Lorentz boosts using familiar matrix multiplication, and in addition incorporates in an efficient and consistent interface to deal with many aspects of undergraduate-level relativity including active and passive transforms, four-mometum of photons, and in particular the difficult and nonintuitive behaviour of units in which $c \neq 1$ [such as S. I.]. The classical limit of $c = \infty$ is discussed explicitly and computationally. The package allows the user to employ efficient and natural vectorised R idiom in the context of relativistic kinematics.

The package was originally written to facilitate investigation into the nonassociative and noncommutative "gyrogroup" structure of three-velocities (Ungar, 1997); but the pedagogical impact of this is to reinforce the primacy of four-vectors in relativity. One student, using the package, succinctly offers the observation that "three-velocities suck": surely a profound insight.

Previous related work

There are a few existing software tools for working with Lorentz transforms, mostly developed in an educational context. Early work would include that of Horwitz et al. (1994), who describe `relLab`, a system for building a range of *gendanken* experiments in an interactive

graphical environment. The author asserts that it runs on "any Macintosh computer with one megabyte of RAM or more" but it is not clear whether the software is still available. More modern contributions would include the `OpenRelativity` toolkit (Sherin et al., 2016) which simulates the effects of special relativity in the `Unity` game engine. There are also many excellent github repos that provide functionality to create simple visual displays of Lorentz transforms of events (eg `https://github.com/nick1627/RelativityVisualisation`) although these are generally restricted to a single spatial dimension.

Educational models (in the sense of Pössel (2018)) for Einstein's general theory of relativity (Einstein, 1907) tend to be physical (Pössel, 2018); but software examples would include the present author's software (Hankin, 2021) for visualizing black holes and gravitational radiation.

The `lorentz` package: summary of high-level functionality

The `lorentz` package provides `R`-centric functionality for Lorentz transforms. It deals with formal Lorentz boosts and converts between three-velocities and four-velocities. Computational support for the nonassociative and noncommutative gyrogroup structure of relativistic three-velocity addition is included. Some functionality for relativistic transformation of tensors of order two such as the stress-energy tensor is given, with examples. In the package, the speed of light is one by default, but is user-settable and the classical limit is recovered by setting $c = \infty$. Both passive and active transforms are implemented. An extensive heuristic vignette detailing package idiom is included. There does not seem to be a known relativistic generalization of the classical distributive law $r(\mathbf{u} + \mathbf{v}) = r\mathbf{u} + r\mathbf{v}$ (Ungar, 1997). Ungar states that "It is hoped that one day a gyrodistributive law ... will be discovered. If exists, it is expected to be the standard distributive law relaxed by Thomas gyration in some unexpected way''. The package is used to execute a systematic sweep through possible distributive laws consistent with Ungar's suggestion, unfortunately without success.

References

Einstein, A. (1905). Über einen die erzeugung und verwandlung des lichtes betreffenden heuristischen gesichtspunkt. *Annalen Der Physik*, *322*(6), 132–148. https://doi.org/10.1002/andp.19053220607

Einstein, A. (1907). Kosmologische betrachtungen zur allgemeinen relativitätstheorie. *Sitzungsberichte Der Preußischen Akademie Der Wissenschaften*, *142*. https://doi.org/10.1007/978-3-663-19510-8_9

Hankin, R. K. S. (2021). General relativity in R: Visual representation of Schwarzschild space using different coordinate systems. *Journal of Open Source Education*, *4*(39), 91. https://doi.org/10.21105/jose.00091

Hankin, R. K. S. (2022). *A systematic search for a three-velocity gyrodistributive law in special relativity with the lorentz R package*. arXiv. https://doi.org/10.48550/ARXIV.2212.07005

Horwitz, P., Taylor, E. F., & Barowy, W. (1994). Teaching special relativity with a computer. *Computers in Physics*, *8*(1), 92–97. https://doi.org/10.1063/1.168517

Lorentz, H. A. (1904). Electromagnetic phenomena in a system moving with any velocity smaller than that of light. *Proceedings of Hte Royal Netherlands Academy of Arts and Sciences*, *6*, 809–831. https://doi.org/10.1007/978-94-015-3445-1_5

Pössel, M. (2018). *Relatively complicated? Using models to teach general relativity at different levels*. arXiv. https:/doi.org/10.48550/ARXIV.1812.11589

DRAFT

Prado, X., Domínguez, J. M., Area, I., Edelstein, J., Mira, J., & Paredes, Á. (2020). *Learning and teaching einstein's theory of special relativity: State of the art*. arXiv. https://doi.org/10.48550/ARXIV.2012.15149

R Core Team. (2022). *R: A language and environment for statistical computing*. R Foundation for Statistical Computing. https://www.R-project.org/

Resnick, R. (1968). *Introduction to special relativity*. John Wiley & Sons, Inc.

Sherin, Z. W., Cheu, R., Tan, P., & Kortemeyer, G. (2016). Visualizing relativity: The OpenRelativity project. *American Journal of Physics*, *84*(5), 369–374. https://doi.org/10.1119/1.4938057

Ungar, A. A. (1997). Thomas precession: Its underlying gyrogroup axioms and their use in hyperbolic geometry and relativistic physics. *Foundations of Physics*, *27*(6), 881–951. https://doi.org/10.1007/bf02550347

DRAFT