

seismolab: A Python package for analyzing space-based observations of variable stars

Attila Bódi ^{1,2}

1 HUN-REN CSFK Konkoly Observatory, Konkoly Thege M. út 15-17, Budapest, 1121, Hungary 2
Department of Astrophysical Sciences, Princeton University, 4 Ivy Lane, Princeton, NJ 08544, USA

DOI: [10.21105/joss.07118](https://doi.org/10.21105/joss.07118)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Warrick Ball](#)  

Reviewers:

- [@keatonb](#)
- [@darthoctopus](#)

Submitted: 06 August 2024

Published: 06 November 2024

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

Classical pulsating stars are characterized by periodic or multi-periodic brightness variations from several hundredths to a few tenths of relative magnitudes. The observation of these variable stars is essential for testing pulsation and stellar evolution models. The different forms of frequency spectra are powerful tools for comparing observations and theoretical models. Long-term period changes can reveal information about the motion of the variable star in a binary system ([Plachy et al., 2021](#)). Proper classification of variable stars, which usually requires rigorous analysis, is crucial to studying the properties of clear samples ([Tarczay-Nehéz et al., 2023](#)).

Upon entering the era of photometric space missions, the launch of the NASA *Kepler* and *TESS* missions have brought a new opportunity to expand the science of variable stars, enabling the characterization of short-term variability and the detection of millimagnitude-level variations. The latest generation of large photometric and astrometric surveys has greatly expanded the number of known, observed and classified variable stars. Mining these large data sets has led to new discoveries and more detailed analysis in this field ([Benkő et al., 2023](#); [Molnár et al., 2022](#); [Plachy et al., 2021](#)).

Several techniques have been developed to search for periodicity in light curves and also for any deviation from strictly periodic behavior. We have developed a Python package, *seismolab*, which implements various methods for downloading, analyzing, and visualizing data of variable stars from space-based surveys. The framework is primarily intended to be used with data obtained by the *Kepler*, *TESS* and *Gaia* surveys, but can also be used by other similar existing and future surveys. Some modules are also useful for analyzing ground-based observations.

Statement of need

seismolab is a fully Python-based, open-source package, built on top of popular Python packages such as NumPy ([Harris et al., 2020](#)), SciPy ([Virtanen et al., 2020](#)), PyMC ([Salvatier et al., 2016](#)) and Astropy ([Astropy Collaboration et al., 2013, 2018, 2022](#)). The framework contains the main analysis tools for the astronomical community working on the light curves of variable stars, primarily, but not exclusively, from space-based surveys. *seismolab* is a modular library that allows users to select the best methods for their particular science problem. It has six main modules which implement common operations often used by the variable star community, but available in limited or no form in other popular codes.

The *Gaia* module facilitates the derivation of basic stellar parameters (such as distance and corrected-brightnesses) by combining Bailer-Jones distance catalog ([Bailer-Jones et al., 2021](#)), galactic extinction maps ([Bovy et al., 2016](#)) and magnitudes from the Simbad catalog ([Wenger et al., 2000](#)) using different methods. The *fourier* module extends the standard Fourier analysis

with easily available visualization tools and instant estimation of Fourier parameters. The *template* and *OC* modules provide a flexible and automated version of commonly used methods for extracting the temporal variation of the amplitude, phase and zero-point of the dominant variation (Benkő et al., 2023; Sterken, 2005). The *inpainting* module helps to eliminate the artifacts seen in the Fourier- and time-frequency analysis caused by gaps and uneven sampling using the method of inpainting (Pires et al., 2009, 2015). The *tfa* module implements various techniques not available in other popular python packages to characterize light curves in the two-dimensional time-frequency plane (Kolláth & Buchler, 1997).

The documentation of *seismolab* consists of pages describing the various available functions, as well as tutorial notebooks.

Acknowledgements

This project has been supported by the KKP-137523 'SeismoLab' Élvi grant of the Hungarian Research, Development and Innovation Office (NKFIH).

References

- Astropy Collaboration, Price-Whelan, A. M., Lim, P. L., Earl, N., Starkman, N., Bradley, L., Shupe, D. L., Patil, A. A., Corrales, L., Brasseur, C. E., Nöthe, M., Donath, A., Tollerud, E., Morris, B. M., Ginsburg, A., Vaher, E., Weaver, B. A., Tocknell, J., Jamieson, W., ... Astropy Project Contributors. (2022). The Astropy Project: Sustaining and growing a community-oriented open-source project and the latest major release (v5.0) of the core package. *The Astrophysical Journal*, 935(2), 167. <https://doi.org/10.3847/1538-4357/ac7c74>
- Astropy Collaboration, Price-Whelan, A. M., Sipőcz, B. M., Günther, H. M., Lim, P. L., Crawford, S. M., Conseil, S., Shupe, D. L., Craig, M. W., Dencheva, N., Ginsburg, A., VanderPlas, J. T., Bradley, L. D., Pérez-Suárez, D., de Val-Borro, M., Aldcroft, T. L., Cruz, K. L., Robitaille, T. P., Tollerud, E. J., ... Astropy Contributors. (2018). The Astropy Project: Building an open-science project and status of the v2.0 core package. *The Astronomical Journal*, 156(3), 123. <https://doi.org/10.3847/1538-3881/aabc4f>
- Astropy Collaboration, Robitaille, T. P., Tollerud, E. J., Greenfield, P., Droettboom, M., Bray, E., Aldcroft, T., Davis, M., Ginsburg, A., Price-Whelan, A. M., Kerzendorf, W. E., Conley, A., Crighton, N., Barbary, K., Muna, D., Ferguson, H., Grollier, F., Parikh, M. M., Nair, P. H., ... Streicher, O. (2013). Astropy: A community Python package for astronomy. *Astronomy & Astrophysics*, 558, A33. <https://doi.org/10.1051/0004-6361/201322068>
- Bailer-Jones, C. A. L., Rybizki, J., Fouesneau, M., Demleitner, M., & Andrae, R. (2021). Estimating distances from parallaxes. V. Geometric and photogeometric distances to 1.47 billion stars in Gaia Early Data Release 3. *The Astronomical Journal*, 161(3), 147. <https://doi.org/10.3847/1538-3881/abd806>
- Benkő, J. M., Plachy, E., Netzel, H., Bódi, A., Molnár, L., & Pál, A. (2023). Time series analysis of bright TESS RRc stars: additional modes, phase variations, and more. *Monthly Notices of the Royal Astronomical Society*, 521(1), 443–462. <https://doi.org/10.1093/mnras/stad556>
- Bovy, J., Rix, H.-W., Green, G. M., Schlafly, E. F., & Finkbeiner, D. P. (2016). On Galactic density modeling in the presence of dust extinction. *The Astrophysical Journal*, 818(2), 130. <https://doi.org/10.3847/0004-637X/818/2/130>
- Harris, C. R., Millman, K. J., Walt, S. J. van der, Gommers, R., Virtanen, P., Cournapeau, D., Wieser, E., Taylor, J., Berg, S., Smith, N. J., Kern, R., Picus, M., Hoyer, S., Kerkwijk, M. H. van, Brett, M., Haldane, A., Río, J. F. del, Wiebe, M., Peterson, P., ... Oliphant, T. E. (2020). Array programming with NumPy. *Nature*, 585(7825), 357–362. <https://doi.org/10.1038/s41586-020-2649-2>

- Kolláth, Z., & Buchler, J. R. (1997). Time-frequency analysis of variable star light curves. *Annals of the New York Academy of Sciences*, 808, 116. <https://doi.org/10.1111/j.1749-6632.1997.tb51656.x>
- Molnár, L., Bódi, A., Pál, A., Bhardwaj, A., Hambsch, F.-J., Benkő, J. M., Derekas, A., Ebadi, M., Joyce, M., Hasanzadeh, A., Kolenberg, K., Lund, M. B., Nemec, J. M., Netzel, H., Ngeow, C.-C., Pepper, J., Plachy, E., Prudil, Z., Siverd, R. J., ... Ricker, G. R. (2022). First results on RR Lyrae stars with the TESS space telescope: Untangling the connections between mode content, colors, and distances. *The Astrophysical Journal Supplement Series*, 258(1), 8. <https://doi.org/10.3847/1538-4365/ac2ee2>
- Pires, S., Mathur, S., García, R. A., Ballot, J., Stello, D., & Sato, K. (2015). Gap interpolation by inpainting methods: Application to ground and space-based asteroseismic data. *Astronomy & Astrophysics*, 574, A18. <https://doi.org/10.1051/0004-6361/201322361>
- Pires, S., Starck, J.-L., Amara, A., Teyssier, R., Réfrégier, A., & Fadili, J. (2009). FAST STatistics for weak Lensing (FASTLens): fast method for weak lensing statistics and map making. *Monthly Notices of the Royal Astronomical Society*, 395(3), 1265–1279. <https://doi.org/10.1111/j.1365-2966.2009.14625.x>
- Plachy, E., Pál, A., Bódi, A., Szabó, P., Molnár, L., Szabados, L., Benkő, J. M., Anderson, R. I., Bellinger, E. P., Bhardwaj, A., Ebadi, M., Gazeas, K., Hambsch, F.-J., Hasanzadeh, A., Jurkovic, M. I., Kalaei, M. J., Kervella, P., Kolenberg, K., Mikołajczyk, P., ... Vanderspek, R. (2021). TESS observations of Cepheid stars: First light results. *The Astrophysical Journal Supplement Series*, 253(1), 11. <https://doi.org/10.3847/1538-4365/abd4e3>
- Salvatier, J., Wiecki, T. V., & Fonnesbeck, C. (2016). Probabilistic programming in Python using PyMC3. *PeerJ Computer Science*, 2, e55. <https://doi.org/10.7717/peerj-cs.1516>
- Sterken, C. (2005). The O-C diagram: Basic procedures. In C. Sterken (Ed.), *The light-time effect in astrophysics: Causes and cures of the O-C diagram* (Vol. 335, p. 3).
- Tarczay-Nehéz, D., Molnár, L., Bódi, A., & Szabó, R. (2023). Testing ultralow amplitude Cepheid candidates in the Galactic disk by TESS and Gaia. *Astronomy & Astrophysics*, 676, A28. <https://doi.org/10.1051/0004-6361/202346094>
- Virtanen, P., Gommers, R., Oliphant, T. E., Haberland, M., Reddy, T., Cournapeau, D., Burovski, E., Peterson, P., Weckesser, W., Bright, J., van der Walt, S. J., Brett, M., Wilson, J., Millman, K. J., Mayorov, N., Nelson, A. R. J., Jones, E., Kern, R., Larson, E., ... SciPy 1.0 Contributors. (2020). SciPy 1.0: Fundamental algorithms for scientific computing in Python. *Nature Methods*, 17, 261–272. <https://doi.org/10.1038/s41592-019-0686-2>
- Wenger, M., Ochsenbein, F., Egret, D., Dubois, P., Bonnarel, F., Borde, S., Genova, F., Jasiewicz, G., Laloë, S., Lesteven, S., & Monier, R. (2000). The SIMBAD astronomical database. The CDS reference database for astronomical objects. *Astronomy & Astrophysics Supplement*, 143, 9–22. <https://doi.org/10.1051/aas:2000332>