

¹ pyROX: Rapid Opacity X-sections

² **Sam de Regt**  ¹, **Siddharth Gandhi**  ^{2,3}, **Louis Siebenaler**  ¹, and **Darío González Picos** 

⁴ 1 Leiden Observatory, Leiden University, P.O. Box 9513, 2300 RA, Leiden, The Netherlands

⁵ Department of Physics, University of Warwick, Coventry CV4 7AL, UK
⁶ Centre for Exoplanets and Habitability, University of Warwick, Gibbet Hill Road, Coventry CV4 7AL, UK

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: Shane Maloney  

Reviewers:

- [@arjunsavel](#)
- [@kyleaoman](#)

Submitted: 30 April 2025

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](https://creativecommons.org/licenses/by/4.0/))³⁰.

⁷ Summary

⁸ In recent years, significant advances have been made in exoplanet and brown dwarf observations.
⁹ By using state-of-the-art models, astronomers can determine properties of their atmospheres,
¹⁰ such as temperatures, the presence of clouds, or the chemical abundances of molecules and atoms.
¹¹ Accurate and up-to-date opacities are crucial to avoid inconclusive or biased results,
¹² but it can be challenging to compute opacity cross-sections from the line lists provided by
¹³ various online databases.

¹⁴ We introduce pyROX, an easy-to-use Python package to calculate molecular and atomic cross-sections.
¹⁵ Since pyROX works on CPUs, it can compute a small line list on a regular workstation,
¹⁶ but it is also easily parallelised on a cluster for larger line lists. In addition to line opacities,
¹⁷ pyROX also supports calculations of collision-induced absorption. Tutorials are provided in the
¹⁸ online documentation which explain the configuration parameters and different functionalities of pyROX.

Statement of need

²¹ The advent of a new generation of telescopes and instruments has led to a dramatically increased quality in observations of exoplanets and brown dwarfs. Such sub-stellar objects are now observed over a wide wavelength range (1-20 μm) with JWST spectra (e.g. [August et al., 2023](#); [Carter et al., 2024](#); [Matthews et al., 2025](#); [Miles et al., 2023](#)), for instance, which was previously difficult to access. Developments in ground-based instrumentation allow astronomers to measure young exoplanet companions at closer separations to their host stars (e.g. [Landman et al., 2024](#); [Xuan, Mérand, et al., 2024](#)) and at high spectral resolutions (e.g. [Nortmann et al., 2025](#); [Xuan, Hsu, et al., 2024](#)). At the same time, progress has also been made in atmospheric modelling using software for radiative transfer, chemistry, circulation models, etc. (e.g. [Mollière et al., 2019](#); [Stock et al., 2018](#); [Wardenier et al., 2021](#)). Recently, these observations and software are coupled with sampling algorithms to characterise the atmospheres of the sub-stellar objects (e.g. [Barrado et al., 2023](#); [Brogi & Line, 2019](#); [Gibson et al., 2020](#); [Line et al., 2015](#)).

³⁴ Opacity cross-sections play a key role in accurately modelling sub-stellar atmospheres. Opacity governs the dominant energy transport mechanism (i.e. radiation or convection) which affects the thermal structure of the atmosphere ([Marley et al., 2021](#)). Furthermore, high-resolution studies require well-determined frequencies for the transition lines. Inaccuracies in line-list data can result in biased abundance constraints (e.g. [Brogi & Line, 2019](#); [de Regt et al., 2024](#)) or ambiguous (non)-detections of certain molecules (e.g. [de Regt et al., 2022](#); [Merritt et al., 2020](#); [Serindag et al., 2021](#)). It is therefore important that the most up-to-date and complete opacity data are used. However, it can be difficult to efficiently calculate opacity cross-sections from line lists that sometimes consist of billions of transitions.

43 To help resolve this challenge, we present pyROX, a user-friendly Python package to calculate
44 molecular and atomic cross-sections for applications in models of sub-stellar atmospheres.
45 pyROX supports line opacity calculations from the ExoMol ([Tennyson et al., 2024](#)), HITRAN
46 ([Gordon et al., 2022](#)), HITEMP ([Rothman et al., 2010](#)), and Kurucz¹ databases. Collision-
47 Induced Absorption (CIA) coefficients can also be calculated from the HITRAN and Borysow²
48 databases.

49 State of the field

50 Existing open source codes, such as [Cthulhu](#) ([Agrawal & MacDonald, 2024](#)), [ExoCross](#)
51 ([Yurchenko et al., 2018](#); [J. Zhang et al., 2024](#)) and [HELIOS-K](#) ([Grimm et al., 2021](#); [Grimm](#)
52 & [Heng, 2015](#)), can calculate cross-sections at comparable performances to pyROX. However,
53 ExoCross is written in Fortran and HELIOS-K utilises GPU-acceleration which can limit their
54 use to experts with the appropriate hardware. pyROX is a Python code that runs only on CPUs
55 which should make it accessible for the opacity needs of most astronomers. Notably, pyROX
56 supports cross-section calculations on any user-provided wavelength or wavenumber grid. This
57 enables the user to fix the spectral resolution ($\mathcal{R} = \lambda/\Delta\lambda$) which cannot be achieved with
58 equal wavelength- or wavenumber-spacing.

59 Software design

60 We aim to provide an easy-to-use, comprehensive, and efficient tool to calculate cross-sections
61 for atmospheric gases. These objectives are reflected in the main workflow of pyROX:

- 62 **Download and read files:** The necessary input files (line lists, partition functions,
63 broadening coefficients or CIA files) can be downloaded with a simple command. When
64 reading the relevant parameters, pyROX automatically handles the different data structures
65 of the supported databases (ExoMol, HITRAN/HITEMP, Kurucz, Borysow).
- 66 **Compute line-strengths and -widths:** For line-opacity calculations, pyROX calculates the
67 strength and broadening-widths for each line transition at the user-provided pressure
68 and temperature. Support is offered for various [pressure-broadening descriptions](#). At
69 this point, pyROX can speed up the line-profile computation by selecting only the main
70 line-strength contributors.
- 71 **Compute line profiles:** Next, pyROX computes the Voigt profiles as the real part of the
72 Faddeeva function (Eq. 12 of [Gandhi et al., 2020](#)). Although faster approximations
73 exist ([Schreier, 2018](#)), we currently support only the more accurate `scipy.special.wofz`
74 implementation³.
- 75 **Combine and save:** The line profiles are summed into wavelength-dependent cross-
76 sections for each temperature-pressure point. These cross-sections are saved into an
77 efficient HDF5 output file. For CIA calculations, pyROX restructures the coefficients read
78 from the input files into a wavelength- and temperature-dependent grid and also saves
79 these data to an HDF5 file. pyROX offers built-in support for converting its output into
80 the high-resolution opacities used by petitRADTRANS ([Mollière et al., 2019](#)). In future
81 releases, we plan to add conversions for other radiative transfer codes popular in the
82 exoplanet and brown dwarf communities.

83 Documentation for pyROX is available at <https://py-rox.readthedocs.io/en/latest/> and includes
84 examples to run the code. The detailed tutorials allow new users to get up to speed with the
85 available options and functionalities. We also welcome suggestions for new features, which
86 can be done by [opening an issue](#) on GitHub. If you want to contribute to pyROX, please read
87 the [documented guidelines](#).

¹<http://kurucz.harvard.edu/>

²<https://www.astro.ku.dk/~aborysow/programs/index.html>

³<https://docs.scipy.org/doc/scipy/reference/generated/scipy.special.wofz.html>

88 Research impact statement

89 Recent publications from our team have employed pyROX-computed cross-sections (e.g. de Regt
90 et al., 2025; D. González Picos et al., 2025; Darío González Picos et al., 2025; L. Siebenaler
91 et al., 2025; Louis Siebenaler & Miguel, 2025) and this reach is currently expanding to other
92 research groups as well (e.g van Sluijs et al., 2025; Y. Zhang et al., 2026).

93 AI usage disclosure

94 Generative AI tools (GPT-4o) were used in the writing of docstrings and code re-factoring. All
95 AI-generated additions or changes were reviewed and edited by the authors to verify that the
96 intended functionality was maintained. No AI tools were used in the writing of this paper and
97 online documentation.

98 Acknowledgements

99 S.d.R. acknowledges funding from NWO grant OCENW.M.21.010.

100 References

- 101 Agrawal, A., & MacDonald, R. (2024). Cthulhu: An Open Source Molecular and Atomic
102 Cross Section Computation Code for Substellar Atmospheres. *The Journal of Open Source
103 Software*, 9(102), 6894. <https://doi.org/10.21105/joss.06894>
- 104 August, P. C., Bean, J. L., Zhang, M., Lunine, J., Xue, Q., Line, M., & Smith, P. C. B.
105 (2023). Confirmation of Subsolar Metallicity for WASP-77Ab from JWST Thermal Emission
106 Spectroscopy. *Astrophysical Journal, Letters*, 953(2), L24. [https://doi.org/10.3847/2041-8213/ace828](https://doi.org/10.3847/2041-
107 8213/ace828)
- 108 Barrado, D., Mollière, P., Patapis, P., Min, M., Tremblin, P., Ardevol Martinez, F., Whiteford,
109 N., Vasist, M., Argyriou, I., Samland, M., Lagage, P.-O., Decin, L., Waters, R., Henning,
110 T., Morales-Calderón, M., Guedel, M., Vandenbussche, B., Absil, O., Baudoz, P., ... Wright,
111 G. (2023). $^{15}\text{NH}_3$ in the atmosphere of a cool brown dwarf. *Nature*, 624(7991), 263–266.
112 <https://doi.org/10.1038/s41586-023-06813-y>
- 113 Brogi, M., & Line, M. R. (2019). Retrieving Temperatures and Abundances of Exoplanet
114 Atmospheres with High-resolution Cross-correlation Spectroscopy. *Astronomical Journal*,
115 157(3), 114. <https://doi.org/10.3847/1538-3881/aaffd3>
- 116 Carter, A. L., May, E. M., Espinoza, N., Welbanks, L., Ahrer, E., Alderson, L., Brahm, R.,
117 Feinstein, A. D., Grant, D., Line, M., Morello, G., O'Steen, R., Radica, M., Rustamkulov,
118 Z., Stevenson, K. B., Turner, J. D., Alam, M. K., Anderson, D. R., Batalha, N. M., ...
119 Zhang, X. (2024). A benchmark JWST near-infrared spectrum for the exoplanet WASP-39
120 b. *Nature Astronomy*, 8, 1008–1019. <https://doi.org/10.1038/s41550-024-02292-x>
- 121 de Regt, S., Gandhi, S., Snellen, I. A. G., Zhang, Y., Ginski, C., González Picos, D., Kesseli,
122 A. Y., Landman, R., Mollière, P., Nasedkin, E., Sánchez-López, A., & Stolker, T. (2024).
123 The ESO SupJup Survey. I. Chemical and isotopic characterisation of the late L-dwarf
124 DENIS J0255-4700 with CRIRES⁺. *Astronomy and Astrophysics*, 688, A116. <https://doi.org/10.1051/0004-6361/202348508>
- 125 de Regt, S., Kesseli, A. Y., Snellen, I. A. G., Merritt, S. R., & Chubb, K. L. (2022). A
126 quantitative assessment of the VO line list: Inaccuracies hamper high-resolution VO
127 detections in exoplanet atmospheres. *Astronomy and Astrophysics*, 661, A109. <https://doi.org/10.1051/0004-6361/202142683>

- 130 de Regt, S., Snellen, I. A. G., Allard, N. F., González Picos, D., Gandhi, S., Grasser, N.,
 131 Landman, R., Mollière, P., Nasedkin, E., Stolk, T., & Zhang, Y. (2025). The ESO SupJup
 132 Survey: VII. Clouds and line asymmetries in CRIRES⁺ J-band spectra of the Luhman
 133 16 binary. *Astronomy and Astrophysics*, 696, A225. <https://doi.org/10.1051/0004-6361/202453190>
- 135 Gandhi, S., Brogi, M., Yurchenko, S. N., Tennyson, J., Coles, P. A., Webb, R. K., Birkby,
 136 J. L., Guilluy, G., Hawker, G. A., Madhusudhan, N., Bonomo, A. S., & Sozzetti, A.
 137 (2020). Molecular cross-sections for high-resolution spectroscopy of super-Earths, warm
 138 Neptunes, and hot Jupiters. *Monthly Notices of the RAS*, 495(1), 224–237. <https://doi.org/10.1093/mnras/staa981>
- 140 Gibson, N. P., Merritt, S., Nugroho, S. K., Cubillos, P. E., de Mooij, E. J. W., Mikal-Evans, T.,
 141 Fossati, L., Lothringer, J., Nikolov, N., Sing, D. K., Spake, J. J., Watson, C. A., & Wilson,
 142 J. (2020). Detection of Fe I in the atmosphere of the ultra-hot Jupiter WASP-121b, and a
 143 new likelihood-based approach for Doppler-resolved spectroscopy. *Monthly Notices of the
 144 RAS*, 493(2), 2215–2228. <https://doi.org/10.1093/mnras/staa228>
- 145 González Picos, D., de Regt, S., Gandhi, S., Grasser, N., & Snellen, I. A. G. (2025). Disentangling disc and atmospheric signatures of young brown dwarfs with JWST/NIRSpec.
 146 *Astronomy and Astrophysics*, 703, A65. <https://doi.org/10.1051/0004-6361/202555669>
- 148 González Picos, Darío, Snellen, I., & de Regt, S. (2025). Chemical evolution imprints in
 149 the rare isotopes of nearby M dwarfs. *Nature Astronomy*, 9(11), 1692–1700. <https://doi.org/10.1038/s41550-025-02641-4>
- 151 Gordon, I. E., Rothman, L. S., Hargreaves, R. J., Hashemi, R., Karlovets, E. V., Skinner,
 152 F. M., Conway, E. K., Hill, C., Kochanov, R. V., Tan, Y., Wcisło, P., Finenko, A.
 153 A., Nelson, K., Bernath, P. F., Birk, M., Boudon, V., Campargue, A., Chance, K. V.,
 154 Coustenis, A., ... Yurchenko, S. N. (2022). The HITRAN2020 molecular spectroscopic
 155 database. *Journal of Quantitative Spectroscopy and Radiative Transfer*, 277, 107949.
 156 <https://doi.org/10.1016/j.jqsrt.2021.107949>
- 157 Grimm, S. L., & Heng, K. (2015). HELIOS-K: An Ultrafast, Open-source Opacity Calculator
 158 for Radiative Transfer. *Astrophysical Journal*, 808(2), 182. <https://doi.org/10.1088/0004-637X/808/2/182>
- 160 Grimm, S. L., Malik, M., Kitzmann, D., Guzmán-Mesa, A., Hoeijmakers, H. J., Fisher, C.,
 161 Mendonça, J. M., Yurchenko, S. N., Tennyson, J., Alesina, F., Buchschacher, N., Burnier,
 162 J., Segransan, D., Kurucz, R. L., & Heng, K. (2021). HELIOS-K 2.0 Opacity Calculator
 163 and Open-source Opacity Database for Exoplanetary Atmospheres. *Astrophysical Journal*,
 164 *Supplement*, 253(1), 30. <https://doi.org/10.3847/1538-4365/abd773>
- 165 Landman, R., Stolk, T., Snellen, I. A. G., Costes, J., de Regt, S., Zhang, Y., Gandhi, S.,
 166 Molliere, P., Kesseli, A., Vigan, A., & Sanchez-López, A. (2024). β Pictoris b through the
 167 eyes of the upgraded CRIRES+. Atmospheric composition, spin rotation, and radial velocity.
 168 *Astronomy and Astrophysics*, 682, A48. <https://doi.org/10.1051/0004-6361/202347846>
- 169 Line, M. R., Teske, J., Burningham, B., Fortney, J. J., & Marley, M. S. (2015). Uniform
 170 Atmospheric Retrieval Analysis of Ultracool Dwarfs. I. Characterizing Benchmarks, GI
 171 570D and HD 3651B. *Astrophysical Journal*, 807(2), 183. <https://doi.org/10.1088/0004-637X/807/2/183>
- 173 Marley, M. S., Saumon, D., Visscher, C., Lupu, R., Freedman, R., Morley, C., Fortney,
 174 J. J., Seay, C., Smith, A. J. R. W., Teal, D. J., & Wang, R. (2021). The Sonora
 175 Brown Dwarf Atmosphere and Evolution Models. I. Model Description and Application to
 176 Cloudless Atmospheres in Rainout Chemical Equilibrium. *Astrophysical Journal*, 920(2),
 177 85. <https://doi.org/10.3847/1538-4357/ac141d>
- 178 Matthews, E. C., Mollière, P., Kühnle, H., Patapis, P., Whiteford, N., Samland, M., Lagage,

- 179 P.-O., Waters, R., Tsai, S.-M., Zahnle, K., Guedel, M., Henning, T., Vandenbussche,
 180 B., Absil, O., Argyriou, I., Barrado, D., Coulais, A., Glauser, A. M., Olofsson, G., ...
 181 Östlin, G. (2025). HCN and C₂H₂ in the Atmosphere of a T8.5+T9 Brown Dwarf Binary.
 182 *Astrophysical Journal, Letters*, 981(2), L31. <https://doi.org/10.3847/2041-8213/adb4ec>
- 183 Merritt, S. R., Gibson, N. P., Nugroho, S. K., de Mooij, E. J. W., Hooton, M. J., Matthews,
 184 S. M., McKemmish, L. K., Mikal-Evans, T., Nikolov, N., Sing, D. K., Spake, J. J.,
 185 & Watson, C. A. (2020). Non-detection of TiO and VO in the atmosphere of WASP-
 186 121b using high-resolution spectroscopy. *Astronomy and Astrophysics*, 636, A117. <https://doi.org/10.1051/0004-6361/201937409>
- 188 Miles, B. E., Biller, B. A., Patapis, P., Worthen, K., Rickman, E., Hoch, K. K. W., Skemer,
 189 A., Perrin, M. D., Whiteford, N., Chen, C. H., Sargent, B., Mukherjee, S., Morley, C. V.,
 190 Moran, S. E., Bonnefoy, M., Petrus, S., Carter, A. L., Choquet, E., Hinkley, S., ... Zhang, Z.
 191 (2023). The JWST Early-release Science Program for Direct Observations of Exoplanetary
 192 Systems II: A 1 to 20 μm Spectrum of the Planetary-mass Companion VHS 1256-1257 b.
 193 *Astrophysical Journal, Letters*, 946(1), L6. <https://doi.org/10.3847/2041-8213/acb04a>
- 194 Mollière, P., Wardenier, J. P., van Boekel, R., Henning, Th., Molaverdikhani, K., & Snellen,
 195 I. A. G. (2019). petitRADTRANS. A Python radiative transfer package for exoplanet
 196 characterization and retrieval. *Astronomy and Astrophysics*, 627, A67. <https://doi.org/10.1051/0004-6361/201935470>
- 198 Nortmann, L., Lesjak, F., Yan, F., Cont, D., Czesla, S., Lavail, A., Rains, A. D., Nagel, E., Boldt-
 199 Christmas, L., Hatzes, A., Reiners, A., Piskunov, N., Kochukhov, O., Heiter, U., Shulyak,
 200 D., Rengel, M., & Seemann, U. (2025). CRIRES⁺ transmission spectroscopy of WASP-127
 201 b: Detection of the resolved signatures of a supersonic equatorial jet and cool poles in
 202 a hot planet. *Astronomy and Astrophysics*, 693, A213. <https://doi.org/10.1051/0004-6361/202450438>
- 204 Rothman, L. S., Gordon, I. E., Barber, R. J., Dothe, H., Gamache, R. R., Goldman, A.,
 205 Perevalov, V. I., Tashkun, S. A., & Tennyson, J. (2010). HITEMP, the high-temperature
 206 molecular spectroscopic database. *Journal of Quantitative Spectroscopy and Radiative
 207 Transfer*, 111, 2139–2150. <https://doi.org/10.1016/j.jqsrt.2010.05.001>
- 208 Schreier, F. (2018). The Voigt and complex error function: Humlíček's rational approximation
 209 generalized. *Monthly Notices of the RAS*, 479(3), 3068–3075. <https://doi.org/10.1093/mnras/sty1680>
- 211 Serindag, D. B., Nugroho, S. K., Mollière, P., de Mooij, E. J. W., Gibson, N. P., & Snellen, I.
 212 A. G. (2021). Is TiO emission present in the ultra-hot Jupiter WASP-33b? A reassessment
 213 using the improved ExoMol TOTO line list. *Astronomy and Astrophysics*, 645, A90.
 214 <https://doi.org/10.1051/0004-6361/202039135>
- 215 Siebenaler, Louis, & Miguel, Y. (2025). Mean Opacity Tables for Probing the Interior and
 216 Atmosphere of Giant Planets. *Monthly Notices of the RAS*. <https://doi.org/10.1093/mnras/staf2205>
- 218 Siebenaler, L., Miguel, Y., de Regt, S., & Guillot, T. (2025). Conditions for radiative zones
 219 in the molecular hydrogen envelope of Jupiter and Saturn: The role of alkali metals.
 220 *Astronomy and Astrophysics*, 693, A308. <https://doi.org/10.1051/0004-6361/202452860>
- 221 Stock, J. W., Kitzmann, D., Patzer, A. B. C., & Sedlmayr, E. (2018). FastChem: A computer
 222 program for efficient complex chemical equilibrium calculations in the neutral/ionized gas
 223 phase with applications to stellar and planetary atmospheres. *Monthly Notices of the RAS*,
 224 479(1), 865–874. <https://doi.org/10.1093/mnras/sty1531>
- 225 Tennyson, J., Yurchenko, S. N., Zhang, J., Bowesman, C. A., Brady, R. P., Buldyrev, J.,
 226 Chubb, K. L., Gamache, R. R., Gorman, M. N., Guest, E. R., Hill, C., Kefala, K., Lynas-
 227 Gray, A. E., Mellor, T. M., McKemmish, L. K., Mitev, G. B., Mizus, I. I., Owens, A., Peng,

- 228 Z., ... Zobov, N. F. (2024). The 2024 release of the ExoMol database: Molecular line
229 lists for exoplanet and other hot atmospheres. *Journal of Quantitative Spectroscopy and*
230 *Radiative Transfer*, 326, 109083. <https://doi.org/10.1016/j.jqsrt.2024.109083>
- 231 van Sluijs, L., Rauscher, E., Kempton, E. M.-R., Kennedy, T., Malsky, I., Matsunaga, N.,
232 Meyer, M., McWilliam, A., Monnier, J. D., Otsubo, S., Sarugaku, Y., & Takeuchi, T.
233 (2025). First Results from WINERED: Detection of Emission Lines from Neutral Iron and
234 a Combined Set of Trace Species on the Dayside of WASP-189 b. *Astronomical Journal*,
235 170(4), 217. <https://doi.org/10.3847/1538-3881/adfb61>
- 236 Wardenier, J. P., Parmentier, V., Lee, E. K. H., Line, M. R., & Gharib-Nezhad, E. (2021).
237 Decomposing the iron cross-correlation signal of the ultra-hot Jupiter WASP-76b in
238 transmission using 3D Monte Carlo radiative transfer. *Monthly Notices of the RAS*, 506(1),
239 1258–1283. <https://doi.org/10.1093/mnras/stab1797>
- 240 Xuan, J. W., Hsu, C.-C., Finnerty, L., Wang, J., Ruffio, J.-B., Zhang, Y., Knutson, H. A.,
241 Mawet, D., Mamajek, E. E., Inglis, J., Wallack, N. L., Bryan, M. L., Blake, G. A., Mollière,
242 P., Hejazi, N., Baker, A., Bartos, R., Calvin, B., Cetre, S., ... Horstman, K. (2024).
243 Are These Planets or Brown Dwarfs? Broadly Solar Compositions from High-resolution
244 Atmospheric Retrievals of \sim 10–30 M_{Jup} Companions. *Astrophysical Journal*, 970(1), 71.
245 <https://doi.org/10.3847/1538-4357/ad4796>
- 246 Xuan, J. W., Mérand, A., Thompson, W., Zhang, Y., Lacour, S., Blakely, D., Mawet, D.,
247 Oppenheimer, R., Kammerer, J., Batygin, K., Sanghi, A., Wang, J., Ruffio, J.-B., Liu,
248 M. C., Knutson, H., Brandner, W., Burgasser, A., Rickman, E., Bowens-Rubin, R., ...
249 Woillez, J. (2024). The cool brown dwarf Gliese 229 B is a close binary. *Nature*, 634(8036),
250 1070–1074. <https://doi.org/10.1038/s41586-024-08064-x>
- 251 Yurchenko, S. N., Al-Refaie, A. F., & Tennyson, J. (2018). EXOCROSS: a general program
252 for generating spectra from molecular line lists. *Astronomy and Astrophysics*, 614, A131.
253 <https://doi.org/10.1051/0004-6361/201732531>
- 254 Zhang, J., Tennyson, J., & Yurchenko, S. N. (2024). PYEXOCROSS: a Python program
255 for generating spectra and cross-sections from molecular line lists. *RAS Techniques and*
256 *Instruments*, 3(1), 257–287. <https://doi.org/10.1093/rasti/rzae016>
- 257 Zhang, Y., Wardenier, J. P., Householder, A., Komacek, T. D., Kesseli, A. Y., Dai, F., Howard,
258 A. W., Inglis, J., Isaacson, H., Knutson, H. A., Mawet, D., Pino, L., Wallack, N., Xuan,
259 J. W., Carmichael, T. W., Huber, D., Lee, R. A., Saunders, N., Weiss, L., & Zhang, J.
260 (2026). Extreme Winds on the Emerging Dayside of an Ultrahot Jupiter. *Astrophysical*
261 *Journal, Letters*, 997(2), L40. <https://doi.org/10.3847/2041-8213/ae36a1>