

QuaRT: A toolkit for the exploration of quantum methods for radiation transport

Rasmit Devkota^{1,2} and John H. Wise^{1,3}

¹ School of Physics, Georgia Institute of Technology, Atlanta, GA ² School of Mathematics, Georgia Institute of Technology, Atlanta, GA ³ Center for Relativistic Astrophysics, Georgia Institute of Technology, Atlanta, GA

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Editor: [↗](#)

Submitted: 15 November 2025

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

QuaRT is a Python library for quantum simulation of radiative transfer in astrophysical and cosmological problems.

The source code for QuaRT is available on [GitHub](#). It can be installed via pip from the [pypi index](#). Its [documentation](#) is hosted publicly.

Statement of need

Computational cosmology, the use of simulations to study the evolution of the universe, is a rapidly-growing field of research, driven largely by the exponential increase in computing power following Moore's law. Numerous codes ([Brummel-Smith et al., 2019](#); [Bryan et al., 2014](#); [Davis et al., 2012](#); [Hayes & Norman, 2003](#); [Ilian T. Iliev et al., 2006](#); [Ilian T. Iliev et al., 2009](#); [Jiang et al., 2014](#); [Rahul Kannan et al., 2019](#); [R. Kannan et al., 2021](#); [O'Shea et al., 2015](#)) have been written to study questions about the early universe and to obtain a better understanding of the plethora of observational results which have come with new telescopes such as the James Webb Space Telescope ([Adams et al., 2024](#)). However, classical high-performance computing hardware is slowly approaching the fundamental quantum limit where electronics cannot be scaled down any further ([Powell, 2008](#)). Quantum computers present a potential path for further scaling of physical simulations by taking advantage of quantum phenomena such as superposition and entanglement which enable new models of computation. Many quantum algorithms have already been developed for the simulation of cosmological problems ([Joseph et al., 2021, 2022](#); [Kaufman et al., 2019](#); [Liu & Li, 2021](#); [Mocz & Szasz, 2021](#); [Wang & Wu, 2024](#); [Yamazaki et al., 2025](#)). Such simulations must model physical processes such as radiation transport from stars, magnetohydrodynamics of matter, gravitation between massive particles, gas chemistry, and the formation of structures such as stars, black holes, halos, and galaxies (e.g., [Brummel-Smith et al., 2019](#); [Hopkins et al., 2023](#)). Of these, radiation transport tends to be one of the most expensive steps due to the high dimensionality of the problem, but it also the most difficult to develop because of the lack of problems with analytical solutions ([Ilian T. Iliev et al., 2006](#); [Ilian T. Iliev et al., 2009](#)). Quantum algorithms have been formulated for radiation transport, such as those based on ray tracing ([Lu & Lin, 2022a, 2022b, 2023](#); [Mosier, 2023](#); [Santos et al., 2025](#)), random walks ([Lee et al., 2025](#)), and other novel differential equations solvers ([Gaitan et al., 2024](#)). Classical lattice Boltzmann methods (LBMs), which track the distribution of a quantity on a grid with discretized propagation directions ([McNamara & Zanetti, 1988](#)), have already been applied extensively to study radiation transport ([Bindra & Patil, 2012](#); [McCulloch & Bindra, 2016](#); [Mink et al., 2020](#); [Olsen & Rezzolla, 2025](#); [Weih et al., 2020](#)) and radiation hydrodynamics ([Asahina et al., 2020](#)). Quantum LBMs have also been constructed to study hydrodynamics ([Budinski, 2021](#); [Ljubomir, 2022](#); [Wawrzyniak, Winter, Schmidt, Indiniger,](#)

et al., 2025; Wawrzyniak, Winter, Schmidt, Indinger, et al., 2025) and radiation transport (Igarashi et al., 2024). These quantum LBMs reduce the memory constraints of classical simulations by storing information in quantum state amplitudes, the number of which grows exponentially with the number of qubits, enabling the storage of data with only logarithmic scaling with problem size. Individual simulation steps can thus be made very high resolution and only the necessary amount of data needs to be stored classically. However, existing quantum LBMs are not suited for cosmological problems because such simulations are typically non-scattering, but isotropic sources under stars are not accurately resolved angularly by LBMs due to their discretized angular structure. QuaRT features the first known implementation of a quantum LBM which accurately resolves isotropic sources in non-scattering media; it does so via a novel methodology which we refer to as “angular redistribution”, where radiation is redistributed between angular directions based on the expected angular distribution. This can even be done globally for an entire simulation domain with no increase in computational complexity, enabling larger and more accurate simulations of the evolution of the universe than currently possible.

Functionality

QuaRT uses Qiskit for circuit construction and Qiskit Aer for circuit execution (Javadi-Abhari et al., 2024).

The `qlbm_rt` module features the `simulate` method which is called to perform simulations with the lattice Boltzmann method. This method constructs the full quantum circuit for each timestep of the simulation and returns the lattice data.

The `qlbm_circuits` module features constructors for the necessary circuits for radiative transfer simulation in 1D, 2D, and 3D, including a constructor for the novel angular redistribution step. These constructors are called by the `simulate` method which composes them to construct the full quantum circuit.

QuaRT features a variety of utility methods for both general and quantum lattice Boltzmann methods in `lbm_utils` and `qlbm_utils`, respectively. It also features analysis utilities in the `analysis` module. These utilities are used by the `simulate` method for problem setup and analysis.

The `test` module features a variety of common test cases used for radiative transfer codes, including the isotropic source, opaque cloud shadow, and crossing radiation beams tests. These tests demonstrate the general correctness of the codebase, with a particular emphasis on the performance of the angular redistribution methodology.

There is also a set of demo notebooks including a fully-classical implementation for comparison with the quantum algorithm and some unit tests of experimental features.

Scholarly Work

QuaRT is currently being used to study lattice Boltzmann methods for radiative transfer (Devkota & Wise, 2025, in prep.).

Acknowledgements

JHW acknowledges support from NSF grants AST-2108020 and AST-2510197 and NASA grant 80NSSC21K1053. This research was supported in part through research cyberinfrastructure resources and services provided by the Partnership for an Advanced Computing Environment (PACE) at the Georgia Institute of Technology, Atlanta, Georgia, USA (PACE, 2017).

References

- Adams, N. J., Conselice, C. J., Austin, D., Harvey, T., Ferreira, L., Trussler, J., Juodžbalis, I., Li, Q., Windhorst, R., Cohen, S. H., Jansen, R. A., Summers, J., Tompkins, S., Driver, S. P., Robotham, A., D'Silva, J. C. J., Yan, H., Coe, D., Frye, B., ... Zitrin, A. (2024). EPOCHS. II. The ultraviolet luminosity function from 7.5 z z 13.5 using 180 arcmin² of deep, blank fields from the PEARLS survey and public JWST data. *The Astrophysical Journal*, 965(2), 169. <https://doi.org/10.3847/1538-4357/ad2a7b>
- Asahina, Y., Takahashi, H. R., & Ohsuga, K. (2020). A numerical scheme for general relativistic radiation magnetohydrodynamics based on solving a grid-based boltzmann equation. *The Astrophysical Journal*, 901(2), 96. <https://doi.org/10.3847/1538-4357/abaf51>
- Bindra, H., & Patil, D. V. (2012). Radiative or neutron transport modeling using a lattice boltzmann equation framework. *Physical Review E*, 86(1). <https://doi.org/10.1103/physreve.86.016706>
- Brummel-Smith, C., Bryan, G., Butsky, I., Corlies, L., Emerick, A., Forbes, J., Fujimoto, Y., Goldbaum, N., Grete, P., Hummels, C., Kim, J., Koh, D., Li, M., Li, Y., Li, X., O'Shea, B., Peeples, M., Regan, J., Salem, M., ... Zhao, F. (2019). ENZO: An adaptive mesh refinement code for astrophysics (version 2.6). *Journal of Open Source Software*, 4(42), 1636. <https://doi.org/10.21105/joss.01636>
- Bryan, G. L., Norman, M. L., O'Shea, B. W., Abel, T., Wise, J. H., Turk, M. J., Reynolds, D. R., Collins, D. C., Wang, P., Skillman, S. W., Smith, B., Harkness, R. P., Bordner, J., Kim, J., Kuhlen, M., Xu, H., Goldbaum, N., Hummels, C., Kritsuk, A. G., ... Li, Y. (2014). ENZO: AN ADAPTIVE MESH REFINEMENT CODE FOR ASTROPHYSICS. *The Astrophysical Journal Supplement Series*, 211(2), 19. <https://doi.org/10.1088/0067-0049/211/2/19>
- Budinski, L. (2021). Quantum algorithm for the advection–diffusion equation simulated with the lattice boltzmann method. *Quantum Information Processing*, 20(2). <https://doi.org/10.1007/s11128-021-02996-3>
- Davis, S. W., Stone, J. M., & Jiang, Y.-F. (2012). A RADIATION TRANSFER SOLVER FOR ATHENA USING SHORT CHARACTERISTICS. *The Astrophysical Journal Supplement Series*, 199(1), 9. <https://doi.org/10.1088/0067-0049/199/1/9>
- Devkota, R., & Wise, J. H. (2025). A novel quantum lattice Boltzmann methodology for cosmological radiation transport. *Phys. Rev. D*.
- Gaitan, F., Graziani, F., & Porter, M. D. (2024). Simulating nonlinear radiation diffusion through quantum computing. *International Journal of Theoretical Physics*, 63(10). <https://doi.org/10.1007/s10773-024-05800-x>
- Hayes, J. C., & Norman, M. L. (2003). Beyond flux-limited diffusion: Parallel algorithms for multidimensional radiation hydrodynamics. *The Astrophysical Journal Supplement Series*, 147(1), 197–220. <https://doi.org/10.1086/374658>
- Hopkins, P. F., Wetzel, A., Wheeler, C., Sanderson, R., Grudić, M. Y., Sameie, O., Boylan-Kolchin, M., Orr, M., Ma, X., Faucher-Giguère, C.-A., Kereš, D., Quataert, E., Su, K.-Y., Moreno, J., Feldmann, R., Bullock, J. S., Loebman, S. R., Anglés-Alcázar, D., Stern, J., ... Hayward, C. C. (2023). FIRE-3: updated stellar evolution models, yields, and microphysics and fitting functions for applications in galaxy simulations. 519(2), 3154–3181. <https://doi.org/10.1093/mnras/stac3489>
- Igarashi, A., Kadowaki, T., & Kawabata, S. (2024). Quantum algorithm for the radiative-transfer equation. *Physical Review Applied*, 21(3).
- Iliev, Ilian T., Ciardi, B., Alvarez, M. A., Maselli, A., Ferrara, A., Gnedin, N. Y., Mellema, G., Nakamoto, T., Norman, M. L., Razoumov, A. O., Rijkhorst, E.-J., Ritzerveld, J., Shapiro, P. R., Susa, H., Umemura, M., & Whalen, D. J. (2006). Cosmological radiative

- transfer codes comparison project – i. The static density field tests. *Monthly Notices of the Royal Astronomical Society*, 371(3), 1057–1086. <https://doi.org/10.1111/j.1365-2966.2006.10775.x>
- Iliev, Ilian T., Whalen, D., Mellema, G., Ahn, K., Baek, S., Gnedin, N. Y., Kravtsov, A. V., Norman, M., Raicevic, M., Reynolds, D. R., Sato, D., Shapiro, P. R., Semelin, B., Smidt, J., Susa, H., Theuns, T., & Umemura, M. (2009). Cosmological radiative transfer comparison project II. The radiation-hydrodynamic tests. *Mon. Not. R. Astron. Soc.*, 400(3).
- Javadi-Abhari, A., Treinish, M., Krsulich, K., Wood, C. J., Lishman, J., Gacon, J., Martiel, S., Nation, P. D., Bishop, L. S., Cross, A. W., Johnson, B. R., & Gambetta, J. M. (2024). *Quantum computing with Qiskit*. <https://doi.org/10.48550/arXiv.2405.08810>
- Jiang, Y.-F., Stone, J. M., & Davis, S. W. (2014). AN ALGORITHM FOR RADIATION MAGNETOHYDRODYNAMICS BASED ON SOLVING THE TIME-DEPENDENT TRANSFER EQUATION. *The Astrophysical Journal Supplement Series*, 213(1), 7. <https://doi.org/10.1088/0067-0049/213/1/7>
- Joseph, A., Varela, J.-P., Watts, M. P., White, T., Feng, Y., Hassan, M., & McGuigan, M. (2021). *Quantum computing for inflationary, dark energy and dark matter cosmology*. arXiv. <https://doi.org/10.48550/ARXIV.2105.13849>
- Joseph, A., White, T., Chandra, V., & McGuigan, M. (2022). *Quantum computing of schwarzschild-de sitter black holes and kantowski-sachs cosmology*. arXiv. <https://doi.org/10.48550/ARXIV.2202.09906>
- Kannan, R., Garaldi, E., Smith, A., Pakmor, R., Springel, V., Vogelsberger, M., & Hernquist, L. (2021). Introducing the <scp>thesan</scp> project: Radiation-magnetohydrodynamic simulations of the epoch of reionization. *Monthly Notices of the Royal Astronomical Society*, 511(3), 4005–4030. <https://doi.org/10.1093/mnras/stab3710>
- Kannan, Rahul, Vogelsberger, M., Marinacci, F., McKinnon, R., Pakmor, R., & Springel, V. (2019). <Scp>arepo-rt</scp>: Radiation hydrodynamics on a moving mesh. *Monthly Notices of the Royal Astronomical Society*, 485(1), 117–149. <https://doi.org/10.1093/mnras/stz287>
- Kaufman, A., Sundry, D., & McGuigan, M. (2019). Quantum computation for early universe cosmology. *2019 New York Scientific Data Summit (NYSDS)*, 1–6. <https://doi.org/10.1109/nysds.2019.8909801>
- Lee, E., Lee, S., & Kim, S. (2025). Quantum walk based monte carlo simulation for photon interaction cross sections. *Physical Review D*, 111(11). <https://doi.org/10.1103/physrevd.111.116001>
- Liu, J., & Li, Y.-Z. (2021). Quantum simulation of cosmic inflation. *Physical Review D*, 104(8). <https://doi.org/10.1103/physrevd.104.086013>
- Ljubomir, B. (2022). Quantum algorithm for the navier–stokes equations by using the streamfunction-vorticity formulation and the lattice boltzmann method. *International Journal of Quantum Information*, 20(02). <https://doi.org/10.1142/s0219749921500398>
- Lu, X., & Lin, H. (2022a). *A framework for quantum ray tracing*. <https://doi.org/10.48550/ARXIV.2203.15451>
- Lu, X., & Lin, H. (2022b). Quantum ray tracing with simulation. *SPIN*, 12(04). <https://doi.org/10.1142/s2010324722500308>
- Lu, X., & Lin, H. (2023). Improved quantum supersampling for quantum ray tracing. *Quantum Information Processing*, 22(10). <https://doi.org/10.1007/s11128-023-04114-x>
- McCulloch, R., & Bindra, H. (2016). Coupled radiative and conjugate heat transfer in participating media using lattice boltzmann methods. *Computers & Fluids*, 124,

- 261–269. <https://doi.org/10.1016/j.compfluid.2015.05.024>
- McNamara, G. R., & Zanetti, G. (1988). Use of the boltzmann equation to simulate lattice-gas automata. *Phys. Rev. Lett.*, 61, 2332–2335. <https://doi.org/10.1103/PhysRevLett.61.2332>
- Mink, A., McHardy, C., Bressel, L., Rauh, C., & Krause, M. J. (2020). Radiative transfer lattice boltzmann methods: 3D models and their performance in different regimes of radiative transfer. *Journal of Quantitative Spectroscopy and Radiative Transfer*, 243, 106810. <https://doi.org/10.1016/j.jqsrt.2019.106810>
- Mocz, P., & Szasz, A. (2021). Toward cosmological simulations of dark matter on quantum computers. *The Astrophysical Journal*, 910(1), 29. <https://doi.org/10.3847/1538-4357/abe6ac>
- Mosier, L. (2023). *Quantum ray marching: Reformulating light transport for quantum computers* [Master's Thesis]. University of Waterloo.
- O'Shea, B. W., Wise, J. H., Xu, H., & Norman, M. L. (2015). PROBING THE ULTRA-VIOLET LUMINOSITY FUNCTION OF THE EARLIEST GALAXIES WITH THE RENAISSANCE SIMULATIONS. *The Astrophysical Journal*, 807(1), L12. <https://doi.org/10.1088/2041-8205/807/1/L12>
- Olsen, T., & Rezzolla, L. (2025). General-relativistic lattice-boltzmann method for radiation transport. *Monthly Notices of the Royal Astronomical Society*, 541(2), 1305–1328. <https://doi.org/10.1093/mnras/staf992>
- PACE. (2017). *Partnership for an Advanced Computing Environment (PACE)*. <http://www.pace.gatech.edu>
- Powell, J. R. (2008). The quantum limit to moore's law. *Proceedings of the IEEE*, 96(8), 1247–1248. <https://doi.org/10.1109/JPROC.2008.925411>
- Santos, L. P., Bashford-Rogers, T., Barbosa, J., & Navrátil, P. (2025). Towards quantum ray tracing. *IEEE Transactions on Visualization and Computer Graphics*, 31(4), 2223–2234. <https://doi.org/10.1109/tvcg.2024.3386103>
- Wang, C.-C. E., & Wu, J.-H. P. (2024). *Quantum cosmology on quantum computer*. <https://doi.org/10.48550/ARXIV.2410.22485>
- Wawrzyniak, D., Winter, J., Schmidt, S., Indinger, T., Janßen, C. F., Schramm, U., & Adams, N. A. (2025). A quantum algorithm for the lattice-boltzmann method advection-diffusion equation. *Computer Physics Communications*, 306, 109373. <https://doi.org/10.1016/j.cpc.2024.109373>
- Wawrzyniak, D., Winter, J., Schmidt, S., Indiniger, T., Janßen, C. F., Schramm, U., & Adams, N. A. (2025). *Dynamic circuits for the quantum lattice-boltzmann method*. <https://doi.org/10.48550/ARXIV.2502.02131>
- Weih, L. R., Gabbana, A., Simeoni, D., Rezzolla, L., Succi, S., & Tripiccone, R. (2020). Beyond moments: Relativistic lattice boltzmann methods for radiative transport in computational astrophysics. *Monthly Notices of the Royal Astronomical Society*, 498(3), 3374–3394. <https://doi.org/10.1093/mnras/staa2575>
- Yamazaki, S., Uchida, F., Fujisawa, K., Miyamoto, K., & Yoshida, N. (2025). Quantum algorithm for collisionless boltzmann simulation of self-gravitating systems. *Computers & Fluids*, 288, 106527. <https://doi.org/10.1016/j.compfluid.2024.106527>