











The Population Synthesis Toolkit (PST) Python Library

Pablo Corcho-Caballero ^{1*}, Yago Ascasibar ^{2,3*}, and Daniel Jiménez-López ^{4*}

¹ Kapteyn Astronomical Institute, University of Groningen, The Netherlands ² Department of Theoretical Physics, Universidad Autónoma de Madrid (UAM), Spain ³ Centro de Investigación Avanzada en Física Fundamental (CIAFF-UAM), Spain ⁴ Observatorio Astronómico Nacional (OAN), Spain  Corresponding author * These authors contributed equally.

DOI: [10.21105/joss.08203](https://doi.org/10.21105/joss.08203)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Ivelina Momcheva](#)  

Reviewers:

- [@Sujay-Shankar](#)
- [@jrleja](#)

Submitted: 08 January 2025

Published: 28 July 2025

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

Stellar population synthesis is a crucial methodology in astrophysics, enabling the interpretation of the integrated light of galaxies and stellar clusters. By combining empirical and/or theoretical libraries of the spectral energy distributions emitted by simple stellar populations (SSPs) with star formation history (SFH) and chemical evolution models, population synthesis can help estimate essential properties of galaxies, such as total stellar mass, star formation rate, mass-weighted age, metallicity, and so on.

PST is a Python library that offers a comprehensive and flexible framework for stellar population synthesis. Its main goal is to easily and efficiently compute composite spectra using different galaxy evolution models and SSP libraries. It also incorporates additional effects such as cosmic redshift, dust extinction and attenuation, and computes several observable quantities derived from the spectra, including broadband photometric fluxes and equivalent widths.

State of the field

A number of software packages have been developed to support stellar population synthesis and modeling of galaxy spectral energy distributions. Tools such as [binary_c-python](#) ([Hendriks & Izzard, 2023](#)) and [SPISEA](#) ([Hosek et al., 2020](#)) are designed primarily for generating and analyzing simple stellar populations, often with a focus on individual stars, binaries, or star clusters. Meanwhile, libraries such as [python-FSPS](#) ([Johnson et al., 2024](#)), a Python interface to the Flexible Stellar Population Synthesis (FSPS) code ([Conroy et al., 2009](#); [Conroy & Gunn, 2010](#)), and the more recent [DSPS](#) ([Hearin et al., 2023](#)), implemented using JAX for efficient gradient computation and forward modeling, provide extensive modeling capabilities, although they are sometimes limited to a specific set of SSP models or isochrones.

Other packages put a stronger emphasis on fitting observed data to derive galaxy properties. Examples of these include Bayesian frameworks such as [CIGALE](#) ([Boquien et al., 2019](#)), [ProSpect](#) ([Robotham et al., 2020](#)) and [Prospector](#) ([Johnson et al., 2021](#)), which infer star formation histories and other physical parameters using spectro-photometric data. Alternative frequentist tools such as [PpXF](#) ([Cappellari & Emsellem, 2004](#)), [Starlight](#) ([Cid Fernandes et al., 2005](#)), or [Pipe3D](#) ([Sánchez et al., 2016](#)), are commonly used to extract stellar kinematics and stellar population parameters from observed galaxy spectra, often in the context of integral field spectroscopy.

Statement of need

The user-friendly modular framework of PST is designed to address the following challenges:

- Handle a broad variety of SSP libraries that are publicly available in heterogeneous native formats.
- Model arbitrarily complex galaxy star formation and chemical evolution histories.
- Enable the simultaneous and self-consistent analysis of photometric and spectroscopic data from different instruments.

PST is designed for astronomy researchers, especially those working in extragalactic astrophysics and stellar population synthesis, who require a flexible and extensible Python-based toolkit for modeling galaxy properties. PST is suited for users with intermediate to advanced Python expertise and familiarity with common data formats and concepts in astronomical spectroscopy and photometry.

The primary use cases are data analysis, synthetic model construction, and pipeline integration for studies involving stellar population synthesis (see the examples below). PST is particularly useful in workflows that combine observational data with theoretical models within a Bayesian or forward-modeling framework.

PST is currently a dependency of [PyKOALA](#) ([Corcho-Caballero et al., 2025](#)), another open-source Python package focused on reducing optical integral-field spectroscopic observations. There, PST is mainly used to derive broadband photometry. PST is also at the core of the Bayesian Estimator for Stellar Population Analysis ([BESTA](#), see also [Euclid Collaboration: Corcho-Caballero et al., 2025](#)), where it is coupled with the [CosmoSIS](#) ([Zuntz et al., 2015](#)) Monte Carlo sampling framework to infer the physical properties of galaxies from the observed colors and spectra.

Features and functionality

PST design is built around three main components. First, the SSP module enables the consistent use and manipulation of different SSP libraries. This allows for the seamless ingestion of models and data from various literature sources. The current version includes interfaces to a range of SSP models, including PopStar ([Mollá et al., 2009](#)), Bruzual and Charlot (BC03, [Bruzual & Charlot, 2003](#)), E-MILES ([Vazdekis et al., 2016](#)), and the X-Shooter Spectral Library (XSL, [Verro et al., 2022](#)) SSP models.

For any SSP model integrated into PST, the library provides tools for interpolating across stellar ages, metallicities, and wavelengths. Users can easily compute key SSP quantities, such as the stellar mass-to-light ratio in a given band, colors, and line indices.

Second, the `ChemicalEvolutionModel` classes represent the star formation and chemical enrichment histories required to produce composite spectral energy distributions and additional derived quantities. These classes implement several widely-used analytic prescriptions for modeling star formation histories (SFHs), such as exponentially-declining or log-normal models. They also implement complex SFH representations, such as table-based SFHs and particle-like data models. These models are particularly suitable for post-processing results from cosmological hydrodynamic simulations.

Third, PST features a dedicated observables module that can predict additional quantities from spectra, such as broadband photometric fluxes, colors, and equivalent widths, which are useful for estimating the strength of absorption or emission lines. PST includes automatic integration with the photometric filters provided by the [Spanish Virtual Observatory Filter Profile Service](#) ([Rodrigo et al., 2012, 2024](#); [Rodrigo & Solano, 2020](#)) for synthetic photometry calculations, as well as popular line indices such as the Lick system ([Worthey et al., 1994](#)).

Documentation and tutorials

To make PST easier to use, we provide a set of comprehensive tutorials in the form of Jupyter notebooks. These tutorials cover the following topics:

- Interacting with SSP models and exploring their fundamental properties.
- Producing composite spectra using:
 - Analytic SFH models;
 - Table-based SFH models;
 - Particle-like data representations.
- Predicting observable quantities for a grid of models.

Full documentation is available [online](#).

Acknowledgements

We acknowledge financial support from the Spanish State Research Agency (AEI/10.13039/501100011033) through grant PID2019-107408GB-C42.

Daniel Jiménez-López was supported by Fondo Europeo de Desarrollo Regional (MINECO/AEI/10.13039/501100011033/FEDER, UE), through a FPI-contract fellowship in the project PID2022-138560NB.

Our package relies on several widely used open-source Python libraries, including [NumPy](#) ([Harris et al., 2020](#)), [Matplotlib](#) ([Hunter, 2007](#)) and [Astropy](#) ([Astropy Collaboration et al., 2013, 2018, 2022](#)).

References

- Astropy Collaboration, Price-Whelan, A. M., Lim, P. L., Earl, N., Starkman, N., Bradley, L., Shupe, D. L., Patil, A. A., Corrales, L., Brasseur, C. E., N'othé, M., Donath, A., Tollerud, E., Morris, B. M., Ginsburg, A., Vaher, E., Weaver, B. A., Tocknell, J., Jamieson, W., ... Astropy Project Contributors. (2022). The Astropy Project: Sustaining and growing a community-oriented open-source project and the latest major release (v5.0) of the core package. *The Astrophysical Journal*, 935(2), 167. <https://doi.org/10.3847/1538-4357/ac7c74>
- Astropy Collaboration, Price-Whelan, A. M., Sipőcz, B. M., Günther, H. M., Lim, P. L., Crawford, S. M., Conseil, S., Shupe, D. L., Craig, M. W., Dencheva, N., Ginsburg, A., Van derPlas, J. T., Bradley, L. D., Pérez-Suárez, D., de Val-Borro, M., Aldcroft, T. L., Cruz, K. L., Robitaille, T. P., Tollerud, E. J., ... Astropy Contributors. (2018). The Astropy Project: Building an open-science project and status of the v2.0 core package. *The Astronomical Journal*, 156(3), 123. <https://doi.org/10.3847/1538-3881/aabc4f>
- Astropy Collaboration, Robitaille, T. P., Tollerud, E. J., Greenfield, P., Droettboom, M., Bray, E., Aldcroft, T., Davis, M., Ginsburg, A., Price-Whelan, A. M., Kerzendorf, W. E., Conley, A., Crighton, N., Barbary, K., Muna, D., Ferguson, H., Grollier, F., Parikh, M. M., Nair, P. H., ... Streicher, O. (2013). Astropy: A community Python package for astronomy. *Astronomy & Astrophysics*, 558, A33. <https://doi.org/10.1051/0004-6361/201322068>
- Boquien, M., Burgarella, D., Roehlly, Y., Buat, V., Ciesla, L., Corre, D., Inoue, A. K., & Salas, H. (2019). CIGALE: a python Code Investigating GALaxy Emission. *Astronomy & Astrophysics*, 622, A103. <https://doi.org/10.1051/0004-6361/201834156>
- Bruzual, G., & Charlot, S. (2003). Stellar population synthesis at the resolution of 2003. *Monthly Notices of the Royal Astronomical Society*, 344(4), 1000–1028. <https://doi.org/10.1046/j.1365-8711.2003.06897.x>

- Cappellari, M., & Emsellem, E. (2004). Parametric recovery of line-of-sight velocity distributions from absorption-line spectra of galaxies via penalized likelihood. *Publications of the Astronomical Society of the Pacific*, 116(816), 138–147. <https://doi.org/10.1086/381875>
- Cid Fernandes, R., Mateus, A., Sodré, L., Stasińska, G., & Gomes, J. M. (2005). Semi-empirical analysis of Sloan Digital Sky Survey galaxies - I. Spectral synthesis method. *Monthly Notices of the Royal Astronomical Society*, 358(2), 363–378. <https://doi.org/10.1111/j.1365-2966.2005.08752.x>
- Conroy, C., & Gunn, J. E. (2010). The propagation of uncertainties in stellar population synthesis modeling. III. Model calibration, comparison, and evaluation. *The Astrophysical Journal*, 712(2), 833–857. <https://doi.org/10.1088/0004-637X/712/2/833>
- Conroy, C., Gunn, J. E., & White, M. (2009). The propagation of uncertainties in stellar population synthesis modeling. I. The relevance of uncertain aspects of stellar evolution and the initial mass function to the derived physical properties of galaxies. *The Astrophysical Journal*, 699(1), 486–506. <https://doi.org/10.1088/0004-637X/699/1/486>
- Corcho-Caballero, P., Ascasibar, Y., López-Sánchez, A. R., González-Bolívar, M., Lorente, N., Tocknell, J., Jiménez-Ibarra, F., Daluwathumullagamage, P. J., Quattropiani, G., Owers, M., & Verdoes-Kleijn, G. A. (2025). *The PyKOALA Python library: A multi-instrument package for IFS data reduction*. <https://arxiv.org/abs/2507.18347>
- Euclid Collaboration: Corcho-Caballero, P., Ascasibar, Y., Verdoes Kleijn, G., Lovell, C. C., De Lucia, G., Cleland, C., Fontanot, F., Tortora, C., Koopmans, L. V. E., Moutard, T., Laigle, C., Nersesian, A., Shankar, F., Aghanim, N., Altieri, B., Amara, A., Andreon, S., Aussel, H., Baccigalupi, C., ... Tenti, M. (2025). Euclid Quick Data Release (Q1). A probabilistic classification of quenched galaxies. *arXiv e-Prints*, arXiv:2503.15315. <https://doi.org/10.48550/arXiv.2503.15315>
- Harris, C. R., Millman, K. J., Walt, S. J. van der, Gommers, R., Virtanen, P., Cournapeau, D., Wieser, E., Taylor, J., Berg, S., Smith, N. J., Kern, R., Picus, M., Hoyer, S., Kerkwijk, M. H. van, Brett, M., Haldane, A., Río, J. F. del, Wiebe, M., Peterson, P., ... Oliphant, T. E. (2020). Array programming with NumPy. *Nature*, 585(7825), 357–362. <https://doi.org/10.1038/s41586-020-2649-2>
- Hearin, A. P., Chaves-Montero, J., Alarcon, A., Becker, M. R., & Benson, A. (2023). DSPS: Differentiable stellar population synthesis. *Monthly Notices of the Royal Astronomical Society*, 521(2), 1741–1756. <https://doi.org/10.1093/mnras/stad456>
- Hendriks, D., & Izzard, R. (2023). binary_c-python: A Python-based stellar population synthesis tool and interface to binary_c. *The Journal of Open Source Software*, 8(85), 4642. <https://doi.org/10.21105/joss.04642>
- Hosek, M. W., Jr., Lu, J. R., Lam, C. Y., Gautam, A. K., Lockhart, K. E., Kim, D., & Jia, S. (2020). SPISEA: A Python-based simple stellar population synthesis code for star clusters. *The Astronomical Journal*, 160(3), 143. <https://doi.org/10.3847/1538-3881/aba533>
- Hunter, J. D. (2007). Matplotlib: A 2D graphics environment. *Computing in Science & Engineering*, 9(3), 90–95. <https://doi.org/10.1109/MCSE.2007.55>
- Johnson, B. D., Foreman-Mackey, D., Sick, J., Leja, J., Walmsley, M., Tollerud, E., Leung, H., Scott, S., & Park, M. (2024). *dfm/python-fsps: v0.4.7* (Version v0.4.7). Zenodo. <https://doi.org/10.5281/zenodo.12447779>
- Johnson, B. D., Leja, J., Conroy, C., & Speagle, J. S. (2021). Stellar population inference with Prospector. *The Astrophysical Journal Supplement Series*, 254(2), 22. <https://doi.org/10.3847/1538-4365/abef67>
- Mollá, M., García-Vargas, M. L., & Bressan, A. (2009). PopStar I: Evolutionary synthesis model description. *Monthly Notices of the Royal Astronomical Society*, 398(1), 451–470.

<https://doi.org/10.1111/j.1365-2966.2009.15160.x>

- Robotham, A. S. G., Bellstedt, S., Lagos, C. del P., Thorne, J. E., Davies, L. J., Driver, S. P., & Bravo, M. (2020). ProSpect: Generating spectral energy distributions with complex star formation and metallicity histories. *Monthly Notices of the Royal Astronomical Society*, 495(1), 905–931. <https://doi.org/10.1093/mnras/staa1116>
- Rodrigo, C., Cruz, P., Aguilar, J. F., Aller, A., Solano, E., Gálvez-Ortiz, M. C., Jiménez-Esteban, F., Mas-Buitrago, P., Bayo, A., Cortés-Contreras, M., Murillo-Ojeda, R., Bonoli, S., Cenarro, J., Dupke, R., López-Sanjuan, C., Marín-Franch, A., de Oliveira, C. M., Moles, M., Taylor, K., ... Ramió, H. V. (2024). Photometric segregation of dwarf and giant FGK stars using the SVO Filter Profile Service and photometric tools. *Astronomy & Astrophysics*, 689, A93. <https://doi.org/10.1051/0004-6361/202449998>
- Rodrigo, C., & Solano, E. (2020). The SVO Filter Profile Service. *XIV.0 Scientific Meeting (Virtual) of the Spanish Astronomical Society*, 182.
- Rodrigo, C., Solano, E., & Bayo, A. (2012). *SVO Filter Profile Service Version 1.0* (p. 1015). IVOA Working Draft 15 October 2012. <https://doi.org/10.5479/ADS/bib/2012ivoa.rept.1015R>
- Sánchez, S. F., Pérez, E., Sánchez-Blázquez, P., González, J. J., Rosáles-Ortega, F. F., Cano-Díaz, M., López-Cobá, C., Marino, R. A., Gil de Paz, A., Mollá, M., López-Sánchez, A. R., Ascasibar, Y., & Barrera-Ballesteros, J. (2016). Pipe3D, a pipeline to analyze integral field spectroscopy data: I. New fitting philosophy of FIT3D. *Revista Mexicana de Astronomía y Astrofísica*, 52, 21–53. <https://doi.org/10.48550/arXiv.1509.08552>
- Vazdekis, A., Koleva, M., Ricciardelli, E., Röck, B., & Falcón-Barroso, J. (2016). UV-extended E-MILES stellar population models: Young components in massive early-type galaxies. *Monthly Notices of the Royal Astronomical Society*, 463(4), 3409–3436. <https://doi.org/10.1093/mnras/stw2231>
- Verro, K., Trager, S. C., Peletier, R. F., Lançon, A., Arentsen, A., Chen, Y.-P., Coelho, P. R. T., Dries, M., Falcón-Barroso, J., Gonneau, A., Lyubenova, M., Martins, L., Prugniel, P., Sánchez-Blázquez, P., & Vazdekis, A. (2022). Modelling simple stellar populations in the near-ultraviolet to near-infrared with the X-shooter Spectral Library (XSL). *Astronomy & Astrophysics*, 661, A50. <https://doi.org/10.1051/0004-6361/202142387>
- Worthey, G., Faber, S. M., Gonzalez, J. J., & Burstein, D. (1994). Old stellar populations. V. Absorption feature indices for the complete Lick/IDS sample of stars. *The Astrophysical Journal Supplement Series*, 94, 687. <https://doi.org/10.1086/192087>
- Zuntz, J., Paterno, M., Jennings, E., Rudd, D., Manzotti, A., Dodelson, S., Bridle, S., Sehrish, S., & Kowalkowski, J. (2015). CosmoSIS: Modular cosmological parameter estimation. *Astronomy and Computing*, 12, 45–59. <https://doi.org/10.1016/j.ascom.2015.05.005>