





PyDislocDyn: A Python code for calculating dislocation drag and other crystal properties

Daniel N. Blaschke ^{1*}

¹ Los Alamos National Laboratory, Los Alamos, NM, 87545, USA  * These authors contributed equally.

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: 

Submitted: 02 September 2025

Published: unpublished

License

Authors of papers retain copyright
and release the work under a
Creative Commons Attribution 4.0
International License ([CC BY 4.0](#)).

Summary

PyDislocDyn is a suite of python programs designed to perform various calculations for basic research in dislocation dynamics in metals with various crystal symmetries in the continuum limit. In particular, one of its main purposes is to calculate dislocation drag from phonon wind. Additional features include the averaging of elastic constants for polycrystals, the calculation of the dislocation field including its limiting velocities, and the calculation of dislocation self-energy and line tension.

Introduction

Line defects in crystals, known as dislocations, play an important role in accommodating plastic deformation by gliding through the crystal (Austin, 2018; Blaschke & Luscher, 2021; Hansen et al., 2013; Lloyd, Clayton, Becker, et al., 2014; Luscher et al., 2016; Zuanetti et al., 2021). A good understanding of their properties, including how dislocations interact with obstacles (like grain boundaries, impurities, and other defects), is thus key to understanding material strength. At high deformation rates, gliding dislocations experience an opposing drag force due to phonon scattering, an effect known as phonon wind (Alshits, 1992; Gurrutxaga-Lerma et al., 2021; Nadgornyi, 1988; Johannes Weertman & Weertman, 1980). In a series of papers summarized in the review article of (Alshits, 1992), Alshits and co-workers developed a first-principles theory of dislocation drag in the continuum limit of an isotropic crystal, assuming small gliding velocities (i.e. a few percent of the transverse sound speed). A generalization of the phonon wind theory to large dislocation gliding velocities (up to the transverse sound speed) was later developed in (Blaschke et al., 2020), and further generalized to anisotropic crystals in (Blaschke, 2019). Simplified functional forms of dislocation drag (in some cases inspired by this theory (Blaschke & Luscher, 2021)) are used in single crystal plasticity simulations (Austin, 2018; Lloyd, Clayton, Austin, et al., 2014; Luscher et al., 2016; Manukhina et al., 2024; Ye et al., 2023; Zuanetti et al., 2021) as well as discrete dislocation dynamics (DDD) simulations (Akhondzadeh et al., 2023; Bertin et al., 2015, 2024; Cho et al., 2015; Gurrutxaga-Lerma et al., 2013; Kim et al., 2020; Tak et al., 2023).

Dislocation theory also predicts limiting velocities for dislocation glide where the elastic strain energy of the moving dislocation (and thereby also the drag coefficient from phonon wind) diverges (Blaschke, 2021b; Teutonico, 1961, 1962; Van Hull & Weertman, 1962; J. Weertman, 1962). This prediction, however, has its roots in the simplifying assumption of a “perfect” dislocation, which neglects the fact that dislocations have a finite core size in a real crystal. Even in the continuum theory, these velocities can be overcome in principle when the dislocation core is taken into account in a regularising fashion, see (Markenscoff & Huang, 2008; Pellegrini, 2018, 2020). Thus within real crystals, the “limiting velocities” can be seen as dislocation velocities that are hard, but not necessarily impossible, to overcome. In fact, a number of

molecular dynamics (MD) simulations of various cubic and hexagonal close-packed (hcp) metals (see e.g. (Dang et al., 2022; Duong & Demkowicz, 2023; Gumbsch & Gao, 1999; Jones et al., 2025; Olmsted et al., 2005; Oren et al., 2017; Peng et al., 2019; Tsuzuki et al., 2008) and references therein), as well as one experiment (Katagiri et al., 2023) on diamond, have predicted that dislocations can also glide at transonic or even supersonic speeds (i.e. above their highest limiting velocity). Due to technological limitations, tracking high speed dislocations in metals in real time remains challenging. Therefore, no transonic or supersonic dislocations have been directly observed in metals to date and the according MD results remain unconfirmed experimentally.

Apart from questions regarding the highest dislocation gliding velocities, mesoscale simulations in general also suffer from high uncertainties in modeling dislocation density evolution at high strain rates. For recent advances of the latter in face-centered cubic (fcc) metals, see (Hunter & Preston, 2022; Larkin et al., 2022) and references therein. Dislocation density evolution, however, is beyond the scope of our present code, PyDislocDyn, which focuses on properties of single dislocations.

Statement of need

One of the main purposes of the open source code PyDislocDyn is to provide a reference implementation of the first-principles theory of dislocation drag developed in (Blaschke, 2019; Blaschke et al., 2020). As one of the ingredients of phonon wind theory, the dislocation displacement gradient field in the continuum limit needs to be computed. PyDislocDyn makes use of the computationally efficient “integral method” for steady-state dislocations developed by Lothe and co-workers, which builds upon the earlier “sextic” formalism of Stroh and others. A review of this method can be found in the excellent article of Bacon et al. (Bacon et al., 1980) as well as the textbook of Hirth and Lothe (Hirth & Lothe, 1982).

Accounting for accelerating dislocations in phonon wind calculations would be too costly, computationally, given the expected subleading effect, see (Blaschke, 2021a; Blaschke, Dang, et al., 2023; Markenscoff & Ni, 1987) and references therein. Nonetheless, the displacement gradient fields of accelerating pure edge and screw dislocations for those slip systems featuring a reflection symmetry can be calculated separately within the code. While dislocations of arbitrary character angle are modeled according to the crystal symmetry (bcc, fcc, hcp, etc.) and slip system, the phonon spectrum is kept isotropic for simplicity (Blaschke, 2019).

Additionally, PyDislocDyn includes an implementation of the limiting velocities of dislocation glide following the recipe outlined in the review article (Blaschke, 2021b) in order to limit dislocation drag calculations to their range of validity on the one hand, but also to enable users to determine those limiting velocities in an accessible way for other purposes, such as interpreting molecular dynamics simulation results of dislocation glide (Blaschke, Chen, et al., 2021; Dang et al., 2022; Jones et al., 2025).

Features

Its main features can be summarized as:

- The code can compute isotropic averages of elastic constants using various methods, such as Voigt-Reuss-Hill averaging and Kroener’s method, see (Blaschke, 2017).
- It can compute the steady-state displacement (gradient) field of a dislocation for arbitrary character angle in an arbitrary crystal geometry (Bacon et al., 1980); a generalization to accelerating dislocations has been implemented for pure screw dislocations (Blaschke, 2021a) and pure edge dislocations (Blaschke, Dang, et al., 2023).
- We compute theoretical limiting velocities of dislocations in arbitrary slip systems and

with arbitrary character angle (Barnett et al., 1973; Blaschke, 2021b; Blaschke, Chen, et al., 2021; Teutonico, 1961).

- The code can compute the elastic strain energy and line tension for any dislocation (Blaschke & Szajewski, 2018).
- And most importantly, PyDislocDyn can compute the dislocation drag coefficient B from phonon wind for any dislocation at any velocity (Blaschke, 2019; Blaschke et al., 2020) or stress (Blaschke, Burakovsky, et al., 2021; Blaschke & Luscher, 2021). Given appropriate elastic constants, dislocation drag can in principle be computed for any temperature or pressure with PyDislocDyn as elucidated in (Blaschke, Burakovsky, et al., 2021). While calculating elastic constants is beyond the scope of PyDislocDyn, we do provide some tools to determine which types of deformations are sensitive to which elastic constants. This information can then be used as a starting point to computing elastic constants using other third party tools (Blaschke, Burakovsky, et al., 2021; Gu et al., 2019).

A number of additional tools for various crystal operations are available as well. In particular: computing sound speeds for any direction within the crystal, computing Rayleigh wave speeds (Barnett et al., 1973), converting various tensors to and from Voigt notation, converting between different sets of isotropic elastic constants, computing measures of anisotropy (Kube, 2016), determining ‘radiation-free’ dislocation velocities (Blaschke, Duong, et al., 2023; Gao et al., 1999), converting Miller indices to Cartesian coordinates, computing the elastic compliance tensors from the elastic constant tensors, converting the drag coefficient $B(v)$ to $B(\sigma)$ (i.e. a function of resolved shear stress instead of a function of velocity), and various visualization functions for the dislocation field and its drag coefficient. Many functions also support Sympy manipulations. For example, Voigt-Reuss-Hill averages of elastic constants can be computed symbolically as well as numerically. For further details on functionality, we refer the reader to the code manual and the Jupyter notebook containing examples, which are both included in the code distribution available on [Github](#).

Acknowledgements

Support from the Materials project within the Physics and Engineering Models (PEM) Sub-program element of the Advanced Simulation and Computing (ASC) Program at Los Alamos National Laboratory (LANL) is gratefully acknowledged. LANL, an affirmative action/equal opportunity employer, is operated by Triad National Security, LLC, for the National Nuclear Security Administration of the U.S. Department of Energy under contract 89233218NCA000001.

References

- Akhondzadeh, Sh., Kang, M., Sills, R. B., Ramesh, K. T., & Cai, W. (2023). Direct comparison between experiments and dislocation dynamics simulations of high rate deformation of single crystal copper. *Acta Materialia*, 250, 118851. <https://doi.org/10.1016/j.actamat.2023.118851>
- Alshits, V. I. (1992). The phonon-dislocation interaction and its role in dislocation dragging and thermal resistivity. In V. L. Indenbom & J. Lothe (Eds.), *Elastic strain fields and dislocation mobility* (Vol. 31, pp. 625–697). Elsevier. <https://doi.org/10.1016/B978-0-444-88773-3.50018-2>
- Austin, R. A. (2018). Elastic precursor wave decay in shock-compressed aluminum over a wide range of temperature. *Journal of Applied Physics*, 123(3), 035103. <https://doi.org/10.1063/1.5008280>
- Bacon, D. J., Barnett, D. M., & Scattergood, R. O. (1980). Anisotropic continuum theory

- of lattice defects. *Progress in Materials Science*, 23, 51–262. [https://doi.org/10.1016/0079-6425\(80\)90007-9](https://doi.org/10.1016/0079-6425(80)90007-9)
- Barnett, D. M., Lothe, J., Nishioka, K., & Asaro, R. J. (1973). Elastic surface waves in anisotropic crystals: A simplified method for calculating Rayleigh velocities using dislocation theory. *Journal of Physics F: Met. Phys.*, 3(6), 1083–1096. <https://doi.org/10.1088/0305-4608/3/6/001>
- Bertin, N., Bulatov, V. V., & Zhou, F. (2024). Learning dislocation dynamics mobility laws from large-scale MD simulations. *Npj Computational Materials*, 10(1), 192. <https://doi.org/10.1038/s41524-024-01378-4>
- Bertin, N., Upadhyay, M. V., Pradalier, C., & Capolungo, L. (2015). A FFT-based formulation for efficient mechanical fields computation in isotropic and anisotropic periodic discrete dislocation dynamics. *Modelling and Simulation in Materials Science and Engineering*, 23(6), 065009. <https://doi.org/10.1088/0965-0393/23/6/065009>
- Blaschke, D. N. (2017). Averaging of elastic constants for polycrystals. *Journal of Applied Physics*, 122, 145110. <https://doi.org/10.1063/1.4993443>
- Blaschke, D. N. (2019). Velocity dependent dislocation drag from phonon wind and crystal geometry. *Journal of Physics and Chemistry of Solids*, 124, 24–35. <https://doi.org/10.1016/j.jpcs.2018.08.032>
- Blaschke, D. N. (2021a). A general solution for accelerating screw dislocations in arbitrary slip systems with reflection symmetry. *Journal of the Mechanics and Physics of Solids*, 152, 104448. <https://doi.org/10.1016/j.jmps.2021.104448>
- Blaschke, D. N. (2021b). How to determine limiting velocities of dislocations in anisotropic crystals. *Journal of Physics: Cond. Mat.*, 33, 503005. <https://doi.org/10.1088/1361-648X/ac2970>
- Blaschke, D. N., Burakovsky, L., & Preston, D. L. (2021). On the temperature and density dependence of dislocation drag from phonon wind. *Journal of Applied Physics*, 130, 015901. <https://doi.org/10.1063/5.0054536>
- Blaschke, D. N., Chen, J., Fensin, S., & Szajewski, B. (2021). Clarifying the definition of “transonic” screw dislocations. *Philosophical Magazine*, 101, 997–1018. <https://doi.org/10.1080/14786435.2021.1876269>
- Blaschke, D. N., Dang, K., Fensin, S., & Luscher, D. J. (2023). Properties of accelerating edge dislocations in arbitrary slip systems with reflection symmetry. *Materials*, 16(11), 4019. <https://doi.org/10.3390/ma16114019>
- Blaschke, D. N., Duong, T., & Demkowicz, M. J. (2023). Comparing theoretical predictions of radiation-free velocities of edge dislocations to molecular dynamics simulations. *Physical Review B*, 108(22), 224102. <https://doi.org/10.1103/PhysRevB.108.224102>
- Blaschke, D. N., & Luscher, D. J. (2021). Dislocation drag and its influence on elastic precursor decay. *International Journal of Plasticity*, 144, 103030. <https://doi.org/10.1016/j.ijplas.2021.103030>
- Blaschke, D. N., Mottola, E., & Preston, D. L. (2020). Dislocation drag from phonon wind in an isotropic crystal at large velocities. *Philosophical Magazine*, 100(5), 571–600. <https://doi.org/10.1080/14786435.2019.1696484>
- Blaschke, D. N., & Szajewski, B. A. (2018). Line tension of a dislocation moving through an anisotropic crystal. *Philosophical Magazine*, 98, 2397–2424. <https://doi.org/10.1080/14786435.2018.1489152>
- Cho, J., Junge, T., Molinari, J.-F., & Anciaux, G. (2015). Toward a 3D coupled atomistic and discrete dislocation dynamics simulation: dislocation core structures and Peierls stresses

- 181 with several character angles in FCC aluminum. *Advanced Modeling and Simulation in*
 182 *Engineering Sciences*, 2(1), 12. <https://doi.org/10.1186/s40323-015-0028-6>
- 183 Dang, K., Blaschke, D. N., Fensin, S., & Luscher, D. J. (2022). Limiting velocities and
 184 transonic dislocations in Mg. *Computational Materials Science*, 215, 111786. <https://doi.org/10.1016/j.commatsci.2022.111786>
 185
- 186 Duong, T., & Demkowicz, M. J. (2023). Resonance with surface waves induces forbidden
 187 velocity bands in dislocation glide. *Journal of the Mechanics and Physics of Solids*, 180,
 188 105422. <https://doi.org/10.1016/j.jmps.2023.105422>
- 189 Gao, H., Huang, Y., Gumbsch, P., & Rosakis, A. J. (1999). On radiation-free transonic
 190 motion of cracks and dislocations. *Journal of the Mechanics and Physics of Solids*, 47(9),
 191 1941–1961. [https://doi.org/10.1016/S0022-5096\(98\)00126-4](https://doi.org/10.1016/S0022-5096(98)00126-4)
- 192 Gu, J., Wang, C., Sun, B., Zhang, W., & Liu, D. (2019). High-pressure third-order elastic con-
 193 stants of MgO single crystal: First-principles investigation. *Zeitschrift für Naturforschung*,
 194 74, 447–456. <https://doi.org/10.1515/zna-2018-0500>
- 195 Gumbsch, P., & Gao, H. (1999). Dislocations faster than the speed of sound. *Science*,
 196 283(5404), 965–968. <https://doi.org/10.1126/science.283.5404.965>
- 197 Gurrutxaga-Lerma, B., Balint, D. S., Dini, D., Eakins, D. E., & Sutton, A. P. (2013). A
 198 dynamic discrete dislocation plasticity method for the simulation of plastic relaxation
 199 under shock loading. *Proceedings of the Royal Society A*, 469(2156), 20130141. <https://doi.org/10.1098/rspa.2013.0141>
 200
- 201 Gurrutxaga-Lerma, B., Verschuere, J., Sutton, A. P., & Dini, D. (2021). The mechanics
 202 and physics of high-speed dislocations: A critical review. *International Materials Reviews*,
 203 66(4), 215–255. <https://doi.org/10.1080/09506608.2020.1749781>
- 204 Hansen, B. L., Beyerlein, I. J., Bronkhorst, C. A., Cerreta, E. K., & Dennis-Koller, D. (2013).
 205 A dislocation-based multi-rate single crystal plasticity model. *International Journal of*
 206 *Plasticity*, 44, 129–146. <https://doi.org/10.1016/j.ijplas.2012.12.006>
- 207 Hirth, J. P., & Lothe, J. (1982). *Theory of dislocations* (second). Wiley.
- 208 Hunter, A., & Preston, D. L. (2022). Analytic model of dislocation density evolution in
 209 fcc polycrystals accounting for dislocation generation, storage, and dynamic recovery
 210 mechanisms. *International Journal of Plasticity*, 151, 103178. <https://doi.org/10.1016/j.ijplas.2021.103178>
 211
- 212 Jones, K. R., Dang, K., Blaschke, D. N., Fensin, S. J., & Hunter, A. (2025). Exploring
 213 the relation between transonic dislocation glide and stacking fault width in FCC metals.
 214 *Modelling and Simulation in Materials Science and Engineering*, 33(2), 025020. <https://doi.org/10.1088/1361-651X/adb017>
 215
- 216 Katagiri, K., Pikuz, T., Fang, L., Albertazzi, B., Egashira, S., Inubushi, Y., Kamimura, G.,
 217 Kodama, R., Koenig, M., Kozioziemski, B., & others. (2023). Transonic dislocation
 218 propagation in diamond. *Science*, 382(6666), 69–72. <https://doi.org/10.1126/science.adh5563>
 219
- 220 Kim, S., Kim, H., Kang, K., & Kim, S. Y. (2020). Relativistic effect inducing drag on
 221 fast-moving dislocation in discrete system. *International Journal of Plasticity*, 126, 102629.
 222 <https://doi.org/10.1016/j.ijplas.2019.11.008>
- 223 Kube, C. M. (2016). Elastic anisotropy of crystals. *AIP Advances*, 6(9), 095209. <https://doi.org/10.1063/1.4962996>
 224
- 225 Larkin, K., Hunter, A., & Buechler, M. (2022). Simulation of dislocation evolution in
 226 microparticle impacts over a wide range of impact velocities. *International Journal of*
 227 *Plasticity*, 158, 103408. <https://doi.org/10.1016/j.ijplas.2022.103408>

- 228 Lloyd, J. T., Clayton, J. D., Austin, R. A., & McDowell, D. L. (2014). Plane wave simulation
229 of elastic-viscoplastic single crystals. *Journal of the Mechanics and Physics of Solids*, 69,
230 14–32. <https://doi.org/10.1016/j.jmps.2014.04.009>
- 231 Lloyd, J. T., Clayton, J. D., Becker, R., & McDowell, D. L. (2014). Simulation of shock
232 wave propagation in single crystal and polycrystalline aluminum. *International Journal of*
233 *Plasticity*, 60, 118–144. <https://doi.org/10.1016/j.ijplas.2014.04.012>
- 234 Luscher, D. J., Mayeur, J. R., Mourad, H. M., Hunter, A., & Kenamond, M. A. (2016).
235 Coupling continuum dislocation transport with crystal plasticity for application to shock
236 loading conditions. *International Journal of Plasticity*, 76, 111–129. <https://doi.org/10.1016/j.ijplas.2015.07.007>
- 238 Manukhina, K. D., Krasnikov, V. S., Voronin, D. S., & Mayer, A. E. (2024). Dislocation
239 activity in aluminum at ultra-high strain rates: Atomistic investigation and continuum
240 modeling. *Computational Materials Science*, 244, 113269. <https://doi.org/10.1016/j.commatsci.2024.113269>
- 242 Markenscoff, X., & Huang, S. (2008). Analysis for a screw dislocation accelerating through the
243 shear-wave speed barrier. *Journal of the Mechanics and Physics of Solids*, 56, 2225–2239.
244 <https://doi.org/10.1016/j.jmps.2008.01.005>
- 245 Markenscoff, X., & Ni, L. (1987). The transient motion of a dislocation in a solid of general
246 anisotropy. *Wave Motion*, 9(3), 191–199. [https://doi.org/10.1016/0165-2125\(87\)90009-6](https://doi.org/10.1016/0165-2125(87)90009-6)
- 247 Nadgorny, E. M. (1988). Dislocation dynamics and mechanical properties of crystals. *Progress*
248 *in Materials Science*, 31, 1–530. [https://doi.org/10.1016/0079-6425\(88\)90005-9](https://doi.org/10.1016/0079-6425(88)90005-9)
- 249 Olmsted, D. L., Hector Jr., L. G., Curtin, W. A., & Clifton, R. J. (2005). Atomistic simulations
250 of dislocation mobility in Al, Ni and Al/Mg alloys. *Modelling and Simulation in Materials*
251 *Science and Engineering*, 13, 371. <https://doi.org/10.1088/0965-0393/13/3/007>
- 252 Oren, E., Yahel, E., & Makov, G. (2017). Dislocation kinematics: A molecular dynamics
253 study in Cu. *Modelling and Simulation in Materials Science and Engineering*, 25, 025002.
254 <https://doi.org/10.1088/1361-651X/aa52a7>
- 255 Pellegrini, Y.-P. (2018). Uniformly-moving non-singular dislocations with ellipsoidal core shape
256 in anisotropic media. *Journal of Micromechanics and Molecular Physics*, 3(3 & 4), 1840004.
257 <https://doi.org/10.1142/S2424913018400040>
- 258 Pellegrini, Y.-P. (2020). *Dynamic Peach-Koehler self-force, inertia, and radiation damping of*
259 *a regularized dislocation*. <https://arxiv.org/abs/2005.12704>
- 260 Peng, S., Wei, Y., Jin, Z., & Yang, W. (2019). Supersonic screw dislocations gliding at
261 the shear wave speed. *Physical Review Letters*, 122, 045501. <https://doi.org/10.1103/PhysRevLett.122.045501>
- 263 Tak, T. N., Prakash, A., Samajdar, I., Benzerga, A. A., & Guruprasad, P. J. (2023). A
264 discrete dislocation dynamics framework for modeling polycrystal plasticity with hardening.
265 *International Journal of Solids and Structures*, 281, 112442. <https://doi.org/10.1016/j.ijsolstr.2023.112442>
- 267 Teutonico, L. J. (1961). Dynamical behavior of dislocations in anisotropic media. *Physical*
268 *Review*, 124, 1039–1045. <https://doi.org/10.1103/PhysRev.124.1039>
- 269 Teutonico, L. J. (1962). Uniformly moving dislocations of arbitrary orientation in anisotropic
270 media. *Physical Review*, 127, 413–418. <https://doi.org/10.1103/PhysRev.127.413>
- 271 Tsuzuki, H., Branicio, P. S., & Rino, J. P. (2008). Accelerating dislocations to transonic
272 and supersonic speeds in anisotropic metals. *Applied Physics Letters*, 92, 191909. <https://doi.org/10.1063/1.2921786>
- 274 Van Hull, A., & Weertman, J. (1962). Fast moving edge dislocations in various face-centered-

- 275 cubic metals. *Journal of Applied Physics*, 33(5), 1636–1637. [https://doi.org/10.1063/1.](https://doi.org/10.1063/1.1728802)
276 [1728802](https://doi.org/10.1063/1.1728802)
- 277 Weertman, J. (1962). Fast moving edge dislocations on the (110) plane in anisotropic body-
278 centred-cubic crystals. *Philosophical Magazine*, 7(76), 617–631. [https://doi.org/10.1080/](https://doi.org/10.1080/14786436208212628)
279 [14786436208212628](https://doi.org/10.1080/14786436208212628)
- 280 Weertman, Johannes, & Weertman, J. R. (1980). Moving dislocations. In F. R. N. Nabarro
281 (Ed.), *Moving dislocations* (Vol. 3, pp. 1–59). North Holland Pub. Co.
- 282 Ye, C., Liu, G., Chen, K., Liu, J., Hu, J., Yu, Y., Mao, Y., & Shen, Y. (2023). Unified crystal
283 plasticity model for fcc metals: From quasistatic to shock loading. *Physical Review B*, 107,
284 024105. <https://doi.org/10.1103/PhysRevB.107.024105>
- 285 Zuanetti, B., Luscher, D. J., Ramos, K., Bolme, C., & Prakash, V. (2021). Dynamic flow stress
286 of pure polycrystalline aluminum: Pressure-shear plate impact experiments and extension
287 of dislocation-based modeling to large strains. *Journal of the Mechanics and Physics of*
288 *Solids*, 146, 104185. <https://doi.org/10.1016/j.jmps.2020.104185>

DRAFT