

# <sup>1</sup> ONSAS: an Open Nonlinear Structural Analysis Solver <sup>2</sup> for GNU-Octave/MATLAB

<sup>3</sup> **Jorge Martín Pérez Zerpa<sup>1</sup>, Mauricio Camilo Vanzulli Pena<sup>2</sup>, Alexandre  
<sup>4</sup> Villié<sup>3</sup>, Joaquín Viera Sosa<sup>1</sup>, Sergio Ariel Merlin Chiozza<sup>1</sup>, Felipe Schaedler  
<sup>5</sup> de Almeida<sup>4</sup>, and Bruno Bazzano García<sup>1</sup>**

<sup>6</sup> **1** Instituto de Estructuras y Transporte, Facultad de Ingeniería, Universidad de la República, Montevideo,  
<sup>7</sup> Uruguay **2** Instituto de Ingeniería Mecánica y Producción Industrial, Facultad de Ingeniería, Universidad  
<sup>8</sup> de la República, Montevideo, Uruguay **3** Department of Mechanical Engineering, Polytechnique  
<sup>9</sup> Montréal, Montréal, Canada. **4** Department of Civil Engineering, Federal University of Rio Grande Do  
<sup>10</sup> Sul, Porto Alegre, Brazil

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

## Software

- [Review](#) ↗
- [Repository](#) ↗
- [Archive](#) ↗

---

Editor: [Anjali Sandip](#) ↗ 

## Reviewers:

- [@akchurinda](#)
- [@odakan](#)

Submitted: 07 June 2025

Published: unpublished

## License

Authors of papers retain copyright<sup>23</sup> and release the work under a<sup>24</sup> Creative Commons Attribution 4.0 International License ([CC BY 4.0](#))<sup>25</sup>.  
<sup>26</sup> The main goal of the present library is to provide an open implementation of the FEM for  
<sup>27</sup> nonlinear structural analysis problems. The library allows any non-expert user to solve static  
or dynamic problems considering highly nonlinear phenomena such as large rotations and/or  
nonlinear dynamics. The mathematical formulations implemented are based on relevant  
references, from classical textbooks ([Bathe, 1982](#); [Crisfield, 1997](#)) to recent journal articles  
([Battini & Pacoste, 2002](#); [Le et al., 2014](#)). Finally, the library can be executed in any platform  
supporting GNU-Octave/MATLAB, allowing its integration it with other software in the  
analysis/design process.

## <sup>11</sup> Summary

<sup>12</sup> The design of structures relies on the computation (or estimation) of the stress and defor-  
<sup>13</sup> mation developed by structural elements submitted to external loads. The Finite Element  
<sup>14</sup> Method (FEM) can be considered the most effective computational tool for structural analysis  
<sup>15</sup> ([Zienkiewicz, 1972](#)) with several commercial software being developed since the end of the  
<sup>16</sup> 20th century. In the last decades new paradigms, such as Building Information Modeling  
<sup>17</sup> or Parametric Design, have been applied to design in Engineering with increasing attention  
<sup>18</sup> to openness and automatization. Open-source software (OSS) for structural analysis might  
<sup>19</sup> represent a relevant asset for researchers and engineers providing solutions in design.

<sup>20</sup> The main goal of the present library is to provide an open implementation of the FEM for  
<sup>21</sup> nonlinear structural analysis problems. The library allows any non-expert user to solve static  
or dynamic problems considering highly nonlinear phenomena such as large rotations and/or  
nonlinear dynamics. The mathematical formulations implemented are based on relevant  
references, from classical textbooks ([Bathe, 1982](#); [Crisfield, 1997](#)) to recent journal articles  
([Battini & Pacoste, 2002](#); [Le et al., 2014](#)). Finally, the library can be executed in any platform  
supporting GNU-Octave/MATLAB, allowing its integration it with other software in the  
analysis/design process.

## <sup>28</sup> Statement of need

<sup>29</sup> As mentioned above, new innovative and open standards, such as BIM ([buildingSMART, 2018](#))  
<sup>30</sup> or SAF ([Group, 2023](#)), have emerged in the Engineering Design industries, allowing OSS to be  
<sup>31</sup> more easily integrated in workflows. Most of OSS FEM software are aimed to efficiently solve  
<sup>32</sup> general continuum-domain problems without natively considering structural elements ([Alnæs  
et al., 2015](#); [Hecht, 2012](#)). For structural analysis, libraries such as ([McKenna et al., 2000](#);  
[Taylor, 2014](#)) or more recently ([Wu et al., 2020](#)), can be found. However their code is written  
<sup>33</sup> in Fortran, C or C++, which represents a limitation for graduate students or researchers whose  
<sup>34</sup> expertise and user experience is focused on Octave/Matlab. A structural analysis library in  
<sup>35</sup> Octave/Matlab could provide a considerable group of Engineering professionals and academics,  
<sup>36</sup> software tools that are: easy-to-use, extendable and free (to use and inspect).

<sup>37</sup> The library presented in this article, called Open Nonlinear Structural Analysis Solver (ONSAS),  
<sup>38</sup> and its development started in 2017. Graduate students of a Nonlinear Structural Analysis

<sup>41</sup> course taught at the School of Engineering of *Universidad de la Repùblica* in Uruguay, were  
<sup>42</sup> introduced to the mathematical formulation of the Principle of Virtual Work (PVW), and its  
<sup>43</sup> numerical resolution methods for truss structures. The set of functions and scripts developed  
<sup>44</sup> was published in the course book ([Bazzano & Pérez Zerpa, 2017](#)).

<sup>45</sup> The posterior development of the code was mostly motivated by the research projects that users  
<sup>46</sup> worked on, and as the complexity of the problems posed increased, nonlinear analysis of frame  
<sup>47</sup> structural elements became needed. In 2019 an implementation of the co-rotational formulation  
<sup>48</sup> for nonlinear static analysis ([Battini & Pacoste, 2002](#)) was contributed by Prof. Battini.  
<sup>49</sup> During 2022 a consistent co-rotational formulation for dynamic analysis ([Le et al., 2014](#))  
<sup>50</sup> was implemented. To the best knowledge of the authors this library represents the first  
<sup>51</sup> open implementation of the cited dynamic co-rotational formulation. By the end of 2022  
<sup>52</sup> the nonlinear dynamic co-rotational formulation was applied to include aerodynamic loads in  
<sup>53</sup> frames, allowing to solve a new set of modeling problems such as wind turbine aerodynamic  
<sup>54</sup> analysis ([Vanzulli & Pérez Zerpa, 2023](#)). More recently a Vortex-Induced Vibrations model for  
<sup>55</sup> fluid-structure interaction was included ([Villié et al., 2024](#)). Currently, in the context of two  
<sup>56</sup> Master theses, a nonlinear shell element formulation and a formulation for plastic analysis of  
<sup>57</sup> frames considering softening hinges are being implemented.

## <sup>58</sup> Features and examples


<sup>59</sup> The library allows to solve static or dynamic structural analysis problems considering truss,  
<sup>60</sup> frame, plate, plane or solid elements. The mathematical formulation is based on the PVW  
<sup>61</sup> ([Crisfield, 1997](#)), thus a system of global balance equations is assembled:

$$(\mathbf{f}_{int}(\mathbf{u}_t) + \mathbf{f}_{vis}(\dot{\mathbf{u}}_t) + \mathbf{f}_{ine}(\mathbf{u}_t, \dot{\mathbf{u}}_t, \ddot{\mathbf{u}}_t)) \cdot \delta\mathbf{u} = (\mathbf{f}_{ext,t} + \mathbf{f}_{ext,add}(\mathbf{u}_t, \dot{\mathbf{u}}_t)) \cdot \delta\mathbf{u} \quad \forall \delta\mathbf{u} \in \mathcal{U}$$

<sup>62</sup> where  $\mathbf{f}_{int}$  and  $\mathbf{f}_{vis}$  are the vector of internal static and damping forces,  $\mathbf{f}_{ext,t}$  is the vector of  
<sup>63</sup> external forces,  $\mathbf{f}_{ext,add}$  is the vector of external additional forces (caused by different external  
<sup>64</sup> agents) that can be set by the user and  $\mathbf{f}_{ine}$  the vector of inertial forces. The vectors  $\mathbf{u}_t$ ,  $\dot{\mathbf{u}}_t$   
<sup>65</sup> and  $\ddot{\mathbf{u}}_t$ , represent the displacements, velocities and accelerations of all the degrees of freedom  
<sup>66</sup> of the structure at time  $t$ , respectively.

<sup>67</sup> For the numerical time integration, ONSAS includes built-in nonlinear solution strategies, such  
<sup>68</sup> as the Newton-Raphson and the Arc-Length methods, for static analyses, and the Newmark  
<sup>69</sup> and the  $\alpha$ -HHT methods for transient dynamic analyses. Linear modal analysis is available for  
<sup>70</sup> frame and truss elements. For solid elements, it is possible to compute the tangent matrix  
<sup>71</sup> associated with the internal forces by using the complex-step approach presented in ([Kiran &](#)  
<sup>72</sup> [Khandelwal, 2014](#)). For planar frame structures it is also possible to perform plastic analyses  
<sup>73</sup> considering softening hinges as described in ([Jukić et al., 2013](#)).

<sup>74</sup> The tool also allows the users to: import meshes from the open-source meshing software  
<sup>75</sup> GMSH ([Geuzaine & Remacle, 2009](#)), and export results as VTK files for visualization using  
<sup>76</sup> open-source tools such as Paraview ([Ahrens et al., 2005](#)). In Figure 1 subfigure a) a modal  
<sup>77</sup> analysis deformation is shown, while in subfigure b) the deformation of a deployable ring  
<sup>78</sup> problem, introduced in ([Yoshiaki et al., 1992](#)), showing the ability of ONSAS to solve large  
<sup>79</sup> displacements and rotations problems.



**Figure 1:** Visualization examples: a) two modes of deformation obtained for a multi-storey building; b) reference and deformed configuration of a deployable ring.

80 ONSAS was also applied in ([Forets et al., 2022](#)) for the computation of mass and stiffness FEM  
 81 matrices for the resolution of wave propagation and heat transfer problems using 2D triangular  
 82 plane elements. Finally, the current development of the library is mostly focused on adding  
 83 plastic analysis of frame elements, adding magnitudes to the generated visualization.

## 84 Acknowledgements

85 The authors would like to thank Professor Jean-Marc Battini for contributing functions for  
 86 computing the static forces of the co-rotational frame element. Also the authors would  
 87 like to thank Dr. Marcelo Forets, who made contributions in the application of automated  
 88 documentation generation tools, and MSc. Eng. Santiago Correa, who made contributions to  
 89 examples such as beamLinearVibration and specific contributions to the code. The contributions  
 90 of the authors are globally described in a file in the repository.

91 The development of ONSAS has been partially supported by funds provided by the following  
 92 agencies/projects: *Agencia Nacional de Investigación e Innovación* of Uruguay (via project  
 93 VIOLETA, code FSE\_1\_2016\_1\_131837, manager, Prof. Gabriel Usera), *Natural Sciences*  
 94 and *Engineering Research Council* of Canada (thanks to support by Prof. Frédérick Gosselin)  
 95 and *Comisión Sectorial de Investigación Científica* (CSIC) of Uruguay (via project I+D\_2019,  
 96 manager, Prof. Pérez Zerpa) and *Comisión Sectorial de Enseñanza* of Uruguay (project:  
 97 *Rediseño de prácticas de enseñanza y evaluación en Resistencia de Materiales*, manager,  
 98 Prof. Pérez Zerpa).

## 99 References

- 100 Ahrens, J., Geveci, B., & Law, C. (2005). ParaView: An end-user tool for large data visualization. In *Visualization handbook*. Elsevier. <https://doi.org/10.1016/b978-012387582-2/50038-1>
- 103 Alnæs, M. S., Blechta, J., Hake, J., Johansson, A., Kehlet, B., Logg, A., Richardson, C., Ring,  
 104 J., Rognes, M. E., & Wells, G. N. (2015). The FEniCS project version 1.5. *Archive of  
 105 Numerical Software*, 3(100). <https://doi.org/10.11588/ans.2015.100.20553>
- 106 Bathe, K.-J. (1982). *Finite Element Procedures in Engineering Analysis* (p. 736). Prentice-Hall.  
 107 ISBN: 978-0133173055
- 108 Battini, J. M., & Pacoste, C. (2002). Co-rotational beam elements with warping effects in  
 109 instability problems. *Computer Methods in Applied Mechanics and Engineering*, 191(17-18),  
 110 1755–1789. [https://doi.org/10.1016/S0045-7825\(01\)00352-8](https://doi.org/10.1016/S0045-7825(01)00352-8)

- 111 Bazzano, J. B., & Pérez Zerpa, J. (2017). *Introducción al análisis no lineal de estructuras: Texto del curso análisis no lineal de estructuras*. Facultad de Ingeniería, Universidad de la  
 112 República. [https://www.colibri.udelar.edu.uy/jspui/bitstream/20.500.12008/22106/1/Bazzano\\_P%a9rezZerpa\\_Introducci%b3n\\_al\\_An%c3%a1lisis\\_No\\_Lineal\\_de\\_Estructuras\\_2017.pdf](https://www.colibri.udelar.edu.uy/jspui/bitstream/20.500.12008/22106/1/Bazzano_P%a9rezZerpa_Introducci%b3n_al_An%c3%a1lisis_No_Lineal_de_Estructuras_2017.pdf)
- 116 buildingSMART. (2018). *Industry foundation classes*. <https://www.buildingsmart.org/standards/bsi-standards/industry-foundation-classes/>
- 118 Crisfield, M. A. (1997). *Non-Linear Finite Element Analysis Solids and Structure, Volume 2, Advanced Topics* (p. 508). Wiley. ISBN: 978-0471956495
- 120 Forets, M., Freire Caporale, D., & Pérez Zerpa, J. M. (2022). Combining set propagation with finite element methods for time integration in transient solid mechanics problems. *Computers & Structures*, 259, 106699. <https://doi.org/10.1016/j.compstruc.2021.106699>
- 123 Geuzaine, C., & Remacle, J.-F. (2009). Gmsh: A 3-d finite element mesh generator with built-in pre- and post-processing facilities. *International Journal for Numerical Methods in Engineering*, 79(11), 1309–1331. <https://doi.org/10.1002/nme.2579>
- 126 Group, N. (2023). *Structural analysis format documentation*. <https://www.saf.guide/en/stable/>
- 128 Hecht, F. (2012). New development in FreeFem++. *J. Numer. Math.*, 20(3-4), 251–265. <https://doi.org/10.1515/jnum-2012-0013>
- 130 Jukić, M., Brank, B., & Ibrahimbegović, A. (2013). Embedded discontinuity finite element formulation for failure analysis of planar reinforced concrete beams and frames. *Engineering Structures*, 50, 115–125. <https://doi.org/10.1016/j.engstruct.2012.07.028>
- 133 Kiran, R., & Khandelwal, K. (2014). Complex step derivative approximation for numerical evaluation of tangent moduli. *Computers & Structures*, 140, 1–13. <https://doi.org/10.1016/j.compstruc.2014.04.009>
- 136 Le, T. N., Battini, J. M., & Hjaj, M. (2014). A consistent 3D corotational beam element for nonlinear dynamic analysis of flexible structures. *Computer Methods in Applied Mechanics and Engineering*, 269, 538–565. <https://doi.org/10.1016/j.cma.2013.11.007>
- 139 McKenna, F., Fenves, G. L., & Scott, M. H. (2000). *Open system for earthquake engineering simulation*. University of California, Berkeley. <https://opensees.berkeley.edu>
- 141 Taylor, R. L. (2014). *FEAPpv a finite element analysis program: Personal version*. University of California, Berkeley. <http://projects.ce.berkeley.edu/feap/feappv/>
- 143 Vanzulli, M. C., & Pérez Zerpa, J. M. (2023). A co-rotational formulation for quasi-steady aerodynamic nonlinear analysis of frame structures. *Heliyon*, 9. <https://doi.org/10.1016/j.heliyon.2023.e19990>
- 146 Villié, A., Vanzulli, M. C., Pérez Zerpa, J. M., Vétel, J., Etienne, S., & Gosselin, F. P. (2024). Modeling vortex-induced vibrations of branched structures by coupling a 3D-corotational frame finite element formulation with wake-oscillators. *Journal of Fluids and Structures*, 125, 104074. <https://doi.org/10.1016/j.jfluidstructs.2024.104074>
- 150 Wu, W., Kosianka, J., Reed, H., Stull, C., & Earls, C. (2020). CU-BENs: A structural modeling finite element library. *SoftwareX*, 11. <https://doi.org/10.1016/j.softx.2020.100485>
- 152 Yoshiaki, G., Yasuhito, W., Toshihiro, K., & Makoto, O. (1992). Elastic buckling phenomenon applicable to deployable rings. *International Journal of Solids and Structures*, 29(7), 893–909. [https://doi.org/10.1016/0020-7683\(92\)90024-N](https://doi.org/10.1016/0020-7683(92)90024-N)
- 155 Zienkiewicz, O. C. (1972). *Introductory lectures on the finite element method*. <https://doi.org/10.1007/978-3-7091-2973-9>