

utdf2gmns: A Python Package for Mobility Simulation from UTDF to SUMO

Xiangyong Luo¹, Yiran Zhang², and Xuesong (Simon) Zhou³

¹ Oak Ridge National Laboratory, United States ² University of Washington, Seattle, WA, United States

³ Arizona State University, Tempe, AZ, United States

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Editor: [✉](#)

Submitted: 11 April 2025

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

UTDF2GMNS¹ implements an automated workflow for network coordination, traffic signal integration, and traffic flow conversion from Synchro to SUMO. The process begins with a comparative analysis of network topologies, data representations, and signal timing schemas in both environments. Converting Synchro UTDF data to a network ready for microsimulation poses several challenges, including accurate signal integration, spatial transformation, and preservation of turning flow fidelity. Signal conversion represents a primary bottleneck, as it demands precise mapping of phasing plans, timing parameters, and coordination strategies to ensure valid simulation results. Network conversion is further complicated by translating Synchro's relative coordinate system into georeferenced formats compatible with geographic information system tools. Furthermore, accurate transformation of turning movement data is essential for realistic intersection modeling.

Existing methods address only isolated conversion tasks and lack a fully automated, scalable end-to-end workflow. To fill this gap, we introduce [utdf2gmns](#), an open-source Python library that automates the transformation of Synchro UTDF files into GMNS-compliant SUMO networks. [utdf2gmns](#) provides automatic geocoding, Sigma-X engine integration for intersection analysis, robust SUMO network generation, and extensibility to other microsimulation platforms. Future work will extend support for adaptive signal control, integrate real-time data inputs, and enhance interoperability with additional simulation frameworks to promote reproducibility and collaborative traffic-modeling research.

Statement of need

Traffic microsimulation is essential for evaluating and improving urban transportation systems by providing high-resolution analysis of flow, congestion, and infrastructure performance. Such simulations depend on precise modeling of signal control, network geometry, and turning movements. Although Synchro's Universal Traffic Data Format (UTDF) delivers comprehensive intersection data, converting UTDF into simulation-ready networks remains manual, labor-intensive, and error-prone, limiting seamless interoperability with microsimulation platforms.

Several critical challenges remain when converting Synchro UTDF data into microsimulation-compatible networks, such as those required by Simulation of Urban Mobility (SUMO) ([Lopez et al., 2018](#)). First, accurate signal conversion demands detailed extraction and mapping of phasing, timing, and coordination parameters into standardized control formats; errors here can substantially degrade simulation fidelity. Second, network conversion requires transforming Synchro's relative coordinate system into georeferenced longitude–latitude coordinates for

¹This manuscript has been authored in part by UT-Battelle, LLC, under contract DE-AC05-00OR22725 with the US Department of Energy (DOE). The publisher acknowledges the US government license to provide public access under the [DOE Public Access Plan](#)

39 seamless GIS integration, a labor-intensive and error-prone process that limits scalability. Third,
40 realistic intersection dynamics hinge on precise turning movement conversion, which typically
41 involves extensive manual preprocessing; inaccuracies at this stage can propagate through the
42 simulation, undermining the validity of subsequent analyses.

43 To address these gaps(Ban et al., 2022; Coogan et al., 2021; Singh et al., 2017; Udomsilp et
44 al., 2017; Zhang et al., 2024), we present utdf2gmns (Luo and Zhou 2022), an open-source
45 Python tool that automates the conversion of Synchro UTDF files into GMNS-compliant
46 networks (Smith et al., 2020) and generates simulation-ready inputs for SUMO. By leveraging
47 the GMNS, a robust framework for standardized network representation (Berg et al., 2022;
48 Lu & Zhou, 2023; Luo, 2024; Luo et al., 2024), utdf2gmns enhances data consistency,
49 reproducibility, and collaboration through four core capabilities: it automates geocoding
50 of Synchro's relative coordinates into accurate longitude-latitude pairs; integrates with the
51 Sigma-X engine (Milan 2022) to extract and optimize key intersection metrics (phasing
52 diagrams, turning volumes, movement capacities, volume-to-capacity ratios, and control delays);
53 generates GMNS-compliant SUMO networks that fully preserve signal coordination, traffic
54 flows, and turning movements; and provides a modular architecture for extension to additional
55 microsimulation platforms, thereby promoting broader standardization and community-driven
56 development.

57 For detailed documentation, please refer to [Official Documentation](#)

58 Hands-On Tutorial

```
import utdf2gmns as ug

if __name__ == "__main__":

    region_name = "Region-name" # e.g. " Tempe, AZ"
    path_utdf = "Path-to-UTDF.csv" # e.g "datasets/data_bullhead_seg4/UTDF.csv"

    # Step 1: Initialize the UTDF2GMNS
    net = ug.UTDF2GMNS(utdf_filename=path_utdf, region_name=region_name)

    # Step 2: Geocode intersection
    net.geocode_utdf_intersections()

    # Step 3: convert UTDF network to GMNS format (csv)
    net.utdf_to_gmns(incl_utdf=True)

    # Step 4: convert UTDF network to SUMO
    net.utdf_to_sumo(sim_name="", disable_U_turn=True, sim_duration=7200)

    # Step 5 (optional): visualize the network
    net_map = ug.plot_net_mpl(net, save_fig=True, fig_name=f"{region_name}.png")
    net_map = ug.plot_net_keplergl(net,
                                    save_fig=True,
                                    fig_name=f"{region_name}.html")

    # Step 6: Sigma-X visualize signalized intersection
    # net.utdf_to_gmns_signal_ints()
```

Acknowledgements

Prof. Xuesong Simon Zhou from Arizona State University, for his valuable feedback and suggestions during the development of the project. Prof. Milan Zlatkovic from University of Wyoming, for the power of sigma-x engine to visualize signalized intersections. Yiran Zhang from University of Washington, for her valuable feedback and debugging of signal conversation during the early development of the project.

Additional support was provided by the U.S. Department of Energy (DOE), Office of Energy Efficiency and Renewable Energy (EERE), Vehicle Technologies Office. Any opinions, findings, and conclusions or recommendations expressed in this material are those of the author(s) and do not necessarily reflect the views of the USDOT, DOE, and the U.S. Government assumes no liability for the contents or use thereof.

References

- Ban, J., Angah, O., Zhang, Y., Guo, Q., & others. (2022). A multiscale simulation platform for connected and automated transportation systems. *Connected Cities for Smart Mobility Toward Accessible and Resilient ...*
- Berg, I., Smith, S., & Zhou, X. S. (2022). *GMNS: A Specification for Sharing Routable Road Networks*.
- Coogan, S., Thitsa, M., & others. (2021). *Coordinated Anti-Congestion Control Algorithms for Diverging Diamond Interchanges*. Georgia. Department of Transportation. Office of Performance-Based ...
- Lopez, P. A., Behrisch, M., Bieker-Walz, & others. (2018). Microscopic traffic simulation using sumo. *2018 21st International Conference on Intelligent Transportation Systems (ITSC)*, 2575–2582.
- Lu, J., & Zhou, X. S. (2023). Virtual track networks: A hierarchical modeling framework and open-source tools for simplified and efficient connected and automated mobility (CAM) system design based on general modeling network specification (GMNS). *Transportation Research Part C: Emerging Technologies*, 153, 104223.
- Luo, X. (2024). Strategic Planning for Scalable Electric Vehicle Charging Networks: Integrating Operational Dynamics and Spatial-Temporal Analysis [PhD thesis]. In *Arizona State University*.
- Luo, X., Kuby, M. J., Honma, Y., Kchaou-Boujelben, M., & Zhou, X. S. (2024). Innovation diffusion in EV charging location decisions: Integrating demand & supply through market dynamics. *Transportation Research Part C: Emerging Technologies*, 165, 104733.
- Singh, S. K., Komolkiti, P., & Aswakul, C. (2017). Impact analysis of start-up lost time at major intersections on sathorn road using a synchro optimization and a microscopic SUMO traffic simulation. *IEEE Access*, 6, 6327–6340.
- Smith, S., Berg, I., Yang, C., John, A., & others. (2020). *General Modeling Network Specification: documentation, software, and data*.
- Udomsilp, K., Arayakarnkul, T., Watarakitpaisarn, S., Komolkiti, P., Rudjanakanoknad, J., & Aswakul, C. (2017). Traffic data analysis on sathorn road with synchro optimization and traffic simulation. *Engineering Journal*, 21(6), 57–67.
- Zhang, Y., Fu, M., & Ban, X. (2024). Integration Traffic Signal Control From Synchro to SUMO. *SUMO Conference Proceedings*, 5, 147–162.