




# statConfR: An R Package for Static Models of Decision Confidence and Metacognition

Manuel Rausch <sup>1,2\*</sup>, Sascha Meyen <sup>3</sup>, and Sebastian Hellmann <sup>2,4\*</sup>

1 Hochschule Rhein-Waal, Fakultät Gesellschaft und Ökonomie, Germany 2 Katholische Universität Eichstätt-Ingolstadt, Philosophisch-pädagogische Fakultät, Germany 3 Eberhard Karls Universität Tübingen, Department of Computer Science, Tübingen, Germany 4 TUM School of Management, Technische Universität München, Germany \* These authors contributed equally.

DOI: [10.21105/joss.06966](https://doi.org/10.21105/joss.06966)

## Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: Samuel Forbes 

## Reviewers:

- [@haoxue-fan](#)
- [@christinamaher](#)

Submitted: 25 April 2024

Published: 21 February 2025

## License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](https://creativecommons.org/licenses/by/4.0/)).

## Summary

We present the statConfR package for R, which allows researchers to model binary discrimination responses and confidence ratings. For this purpose, the package provides functions to conveniently fit nine different static models of decision confidence:

- the signal detection rating model ([Green & Swets, 1966](#)),
- the Gaussian noise model ([Maniscalco & Lau, 2016](#)),
- the independent Gaussian model ([Rausch & Zehetleitner, 2017](#)),
- the weighted evidence and visibility model ([Rausch et al., 2018](#)),
- the lognormal noise model ([Shekhar & Rahnev, 2021](#)),
- the lognormal weighted evidence and visibility model ([Shekhar & Rahnev, 2024](#)),
- the independent truncated Gaussian model ([Rausch et al., 2023](#)) based on the model specification used for the original meta-d'/d' method ([Maniscalco & Lau, 2012](#); [Maniscalco & Lau, 2014](#)), and
- the independent truncated Gaussian model based on the model specification of Hmetad ([Fleming, 2017](#)).

In addition, the statConfR package provides functions for estimating different measures of metacognitive sensitivity (i.e., the degree to which humans are able to differentiate between correct and incorrect trials) and metacognitive efficiency (i.e., metacognitive sensitivity in relation to the ability to perform the task):

- meta-d'/d', the most widely-used measure of metacognitive efficiency, allowing both Maniscalco & Lau (2012)'s and Fleming (2017)'s model specification,
- Information-theoretic measures ([Dayan, 2023](#)), including
  - meta-I, an information-theoretic measures of metacognitive sensitivity,
  - $meta - I_1^r$  and  $meta - I_2^r$ , two measures of metacognitive efficiency proposed by Dayan (2023),
  - RMI, a novel measure of metacognitive accuracy, also derived from information theory.

Finally, the statConfR package includes an example data set previously published in Hellmann et al. (2023), with which the functions can be tested.

## Statement of need

Cognitive models of confidence are currently used implicitly and explicitly in a wide range of research areas in the cognitive sciences: In perception research, confidence judgments can

be used to quantify perceptual sensitivity based on receiver operating characteristics (Egan et al., 1959), a method based on the signal detection rating model (Green & Swets, 1966; Hautus et al., 2021). In metacognition research, the most popular measure of metacognitive performance, the meta- $d'/d'$  method (Maniscalco & Lau, 2012; Maniscalco & Lau, 2014), implicitly relies on the independent truncated Gaussian model (Rausch et al., 2023). Finally, confidence models have become a flourishing research topic in their own right (Boundy-Singer et al., 2022; Desender et al., 2021; Guggenmos, 2022; Hellmann et al., 2023, 2024; Pereira et al., 2021; Rausch et al., 2018, 2020; Shekhar & Rahnev, 2021, 2024). However, too few studies have empirically compared different confidence models (Rausch et al., 2018, 2020, 2023; Shekhar & Rahnev, 2021, 2024), so there is still no consensus about the computational principles underlying confidence judgments (Rahnev et al., 2022). This is problematic because meta- $d'/d'$  can be biased by discrimination sensitivity, discrimination criteria, and/or confidence criteria if the generative model underlying the data is not the independent truncated Gaussian model (Rausch et al., 2023). Likewise, receiver operating characteristics in rating experiments are only appropriate measures of discrimination sensitivity if the assumptions of the signal detection rating model are correct (Green & Swets, 1966; Hautus et al., 2021). At the time of writing, statConfR is the only available package for an open software that allows researchers to fit a comprehensive set of static models of decision confidence. The ReMeta toolbox provides Python code to fit a variety of different confidence models (Guggenmos, 2022), too, but some important models such as the independent truncated Gaussian model are missing. Previous studies modelling confidence have made their analysis scripts freely available on the OSF website (Rausch et al., 2018, 2020, 2023; Shekhar & Rahnev, 2021, 2024), but these analysis scripts are often tailored to specific experiments and require time and effort to adapt to new experiments. In addition, the documentation of these scripts is not always sufficient to be used without expert knowledge in cognitive modelling. Finally, the lognormal noise model and the lognormal weighted evidence and visibility model were previously only available implemented in MATLAB, so statConfR makes these confidence models available to researchers who do not have access to MATLAB. The statConfR package also provides a faithful implementation of meta- $d'/d'$ , which has been originally implemented in MATLAB (Maniscalco & Lau, 2012). Fleming provides MATLAB and R code for Hmetad, a Bayesian hierarchical version of meta- $d'/d'$  (Fleming, 2017), but notably he specifies the model slightly differently as in the original meta- $d'/d'$  (Rausch et al., 2023). To the best of our knowledge, there has been no open software available to estimate information-theoretic measures of metacognition up to now.

An important limitation of the models implemented in statConfR is that the dynamics of the decision process are not taken into account. This is a problem because confidence judgments are related to the dynamics of decision making (Hellmann et al., 2024; Pleskac & Busemeyer, 2010; Rahnev et al., 2020). However, most previously proposed dynamical models of confidence do not include a parameter to represent metacognitive ability. There is one proposal for a dynamical measure of metacognitive efficiency, the  $v$ -ratio (Desender et al., 2022), which is based on two-stage signal detection theory (Pleskac & Busemeyer, 2010), but two-stage signal detection theory has been outperformed by other models in a number of visual discrimination tasks (Hellmann et al., 2023, 2024; Shekhar & Rahnev, 2024). Thus, the static confidence models included in statConfR may still be useful for many researchers.

## Contact

For comments, bug reports, and feature suggestions please contact [manuel.rausch@hochschule-rhein-waal.de](mailto:manuel.rausch@hochschule-rhein-waal.de) or [sebastian.hellmann@tum.de](mailto:sebastian.hellmann@tum.de) or [submit an issue](#).

## Acknowledgements

This research was in part supported by grants RA2988/3-1, RA2988/4-1, and SFB 1233, Robust Vision: Inference Principles and Neural Mechanisms (TP C1, project number: 276693517) by

the Deutsche Forschungsgemeinschaft. The funders had no role in software design, decision to publish, or preparation of the manuscript. Author contributions: Manuel Rausch: Conceptualization, Data curation, Funding acquisition, Software, Validation, Writing - original draft. Sascha Meyen: Software. Sebastian Hellmann: Conceptualization, Software, Writing - review and editing. All participants who contributed to the data set provided written consent for participating in the experiment and for publishing their anonymized data in scientific repositories. The procedure was approved by the Ethics Committee of the Katholische Universität Eichstätt-Ingolstadt.

## References

- Boundy-Singer, Z. M., Ziemba, C. M., & Goris, R. L. T. (2022). Confidence reflects a noisy decision reliability estimate. *Nature Human Behaviour*, 7(1), 142–154. <https://doi.org/10.1038/s41562-022-01464-x>
- Dayan, P. (2023). Metacognitive information theory. *Open Mind*, 7, 392–411. [https://doi.org/10.1162/opmi\\_a\\_00091](https://doi.org/10.1162/opmi_a_00091)
- Desender, K., Donner, T. H., & Verguts, T. (2021). Dynamic expressions of confidence within an evidence accumulation framework. *Cognition*, 207(104522), 1–11. <https://doi.org/10.1016/j.cognition.2020.104522>
- Desender, K., Vermeylen, L., & Verguts, T. (2022). Dynamic influences on static measures of metacognition. *Nature Communications*, 13(1), 1–30. <https://doi.org/10.1038/s41467-022-31727-0>
- Egan, J. P., Schulman, A. I., & Greenberg, G. Z. (1959). Operating characteristics determined by binary decisions and by ratings. *Journal of the Acoustical Society of America*, 31(6), 768–773. <https://doi.org/10.1121/1.1907783>
- Fleming, S. M. (2017). HMeta-d: Hierarchical bayesian estimation of metacognitive efficiency from confidence ratings. *Neuroscience of Consciousness*, 1, 1–14. <https://doi.org/10.1093/nc/nix007>
- Green, D. M., & Swets, J. A. (1966). *Signal detection theory and psychophysics*. Wiley.
- Guggenmos, M. (2022). Reverse engineering of metacognition. *eLife*, 11, 1–29. <https://doi.org/10.7554/eLife.75420>
- Hautus, M. J., Macmillan, N. A., & Creelman, C. D. (2021). *Detection theory: A user's guide* (3rd ed.). Routledge.
- Hellmann, S., Zehetleitner, M., & Rausch, M. (2023). Simultaneous modeling of choice, confidence, and response time in visual perception. *Psychological Review*, 130(6), 1521–1543. <https://doi.org/10.1037/rev0000411>
- Hellmann, S., Zehetleitner, M., & Rausch, M. (2024). Confidence is influenced by evidence accumulation time in dynamical decision models. *Computational Brain & Behavior*. <https://doi.org/10.1007/s42113-024-00205-9>
- Maniscalco, B., & Lau, H. (2012). A signal detection theoretic method for estimating metacognitive sensitivity from confidence ratings. *Consciousness and Cognition*, 21(1), 422–430. <https://doi.org/10.1016/j.concog.2011.09.021>
- Maniscalco, B., & Lau, H. (2016). The signal processing architecture underlying subjective reports of sensory awareness. *Neuroscience of Consciousness*, 1, 1–17. <https://doi.org/10.1093/nc/niw002>
- Maniscalco, B., & Lau, H. C. (2014). Signal detection theory analysis of type 1 and type 2 data: Meta-d, response-specific meta-d, and the unequal variance SDT model. In S. M. Fleming & C. D. Frith (Eds.), *The cognitive neuroscience of metacognition* (pp. 25–66).

- Springer. [https://doi.org/10.1007/978-3-642-45190-4\\_3](https://doi.org/10.1007/978-3-642-45190-4_3)
- Pereira, M., Megevand, P., Tan, M. X., Chang, W., Wang, S., Rezai, A., Seeck, M., Corniola, M., Momjian, S., Bernasconi, F., Blanke, O., & Faivre, N. (2021). Evidence accumulation relates to perceptual consciousness and monitoring. *Nature Communications*, 12(1), 3261. <https://doi.org/10.1038/s41467-021-23540-y>
- Pleskac, T. J., & Busemeyer, J. R. (2010). Two-stage dynamic signal detection: A theory of choice, decision time, and confidence. *Psychological Review*, 117(3), 864–901. <https://doi.org/10.1037/a0019737>
- Rahnev, D., Balsdon, T., Charles, L., Gardelle, V. de, Denison, R., Desender, K., Faivre, N., Filevich, E., Fleming, S. M., Jehee, J., Lau, H., Lee, A. L. F., Locke, S. M., Mamassian, P., Odegaard, B., Peters, M. A. K., Reyes, G., Rouault, M., Sackur, J., ... Zylberberg, A. (2022). Consensus goals in the field of visual metacognition. *Perspectives on Psychological Science*, 17(6), 1746–1765. <https://doi.org/10.1177/17456916221075615>
- Rahnev, D., Desender, K., Lee, A. L. F., Adler, W. T., Aguilar-Lleyda, D., Akdoğan, B., Arbuzova, P., Atlas, L. Y., Balci, F., Bang, J. W., Bègue, I., Birney, D. P., Brady, T. F., Calder-Travis, J., Chetverikov, A., Clark, T. K., Davranche, K., Denison, R. N., Dildine, T. C., ... Zylberberg, A. (2020). The confidence database. *Nature Human Behaviour*, 4, 317–325. <https://doi.org/10.1038/s41562-019-0813-1>
- Rausch, M., Hellmann, S., & Zehetleitner, M. (2018). Confidence in masked orientation judgments is informed by both evidence and visibility. *Attention, Perception, and Psychophysics*, 80(1), 134–154. <https://doi.org/10.3758/s13414-017-1431-5>
- Rausch, M., Hellmann, S., & Zehetleitner, M. (2023). Measures of metacognitive efficiency across cognitive models of decision confidence. *Psychological Methods*. <https://doi.org/10.1037/met0000634>
- Rausch, M., & Zehetleitner, M. (2017). Should metacognition be measured by logistic regression? *Consciousness and Cognition*, 49, 291–312. <https://doi.org/10.1016/j.concog.2017.02.007>
- Rausch, M., Zehetleitner, M., Steinhäuser, M., & Maier, M. E. (2020). Cognitive modelling reveals distinct electrophysiological markers of decision confidence and error monitoring. *NeuroImage*, 218(116963), 1–14. <https://doi.org/10.1016/j.neuroimage.2020.116963>
- Shekhar, M., & Rahnev, D. (2021). The nature of metacognitive inefficiency in perceptual decision making. *Psychological Review*, 128(1), 45–70. <https://doi.org/10.1037/rev0000249>
- Shekhar, M., & Rahnev, D. (2024). How do humans give confidence? A comprehensive comparison of process models of perceptual metacognition. *Journal of Experimental Psychology: General*, 153(3), 656–688. <https://doi.org/10.1037/xge0001524>