

Pymagicc: A Python wrapper for the simple climate model MAGICC

Robert Gieseke¹, Sven N Willner^{1, 2}, and Matthias Mengel¹

¹ Potsdam Institute for Climate Impact Research, 14473 Potsdam, Germany ² University of Potsdam, 14476 Potsdam, Germany

DOI: [10.21105/joss.00502](https://doi.org/10.21105/joss.00502)

Software

- [Review](#) ↗
- [Repository](#) ↗
- [Archive](#) ↗

Submitted: 12 December 2017

Published: 15 December 2017

Licence

Authors of JOSS papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC-BY](#)).

Summary

Pymagicc is a Python wrapper for the Fortran-based reduced-complexity climate carbon cycle model MAGICC (Meinshausen, Raper, and Wigley 2011). Aiming at broadening the user base of MAGICC¹, Pymagicc provides a wrapper around the MAGICC binary², which runs on Windows and has been published under a Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported License³. Pymagicc runs on Windows, macOS and Linux and simplifies usage of the model by utilising DataFrames from the Pandas library (McKinney 2010) as a data structure for emissions scenarios. To read and write the text-based MAGICC configuration and output files in the Fortran Namelist format Pymagicc utilizes the f90nml (Ward 2017) library. All MAGICC model parameters and emissions scenarios can thus easily be modified through Pymagicc from Python.

MAGICC (Model for the Assessment of Greenhouse Gas Induced Climate Change) is widely used in the assessment of future emissions pathways in climate policy analyses, e.g. in the Fifth Assessment Report of the Intergovernmental Panel on Climate Change (IPCC 2014). Many Integrated Assessment Models (IAMs) utilize MAGICC to model the physical aspects of climate change. It has also been used to emulate complex atmosphere-ocean general circulation models (AOGCM) from the Coupled Model Intercomparison Projects⁴.

Pymagicc also facilitates comparisons with other recently published simple climate models available from or written in Python, such as OSCAR⁵ (Gasser et al. (2017)), Pyhector⁶ (Willner, Hartin, and Gieseke (2017), Hartin et al. (2015)), and FAIR⁷ (Millar et al. (2017)).

It can be installed using `pip` from the Python Package Index.⁸ To enable Pymagicc to run under Linux and macOS the Wine⁹ compatibility layer is used, usually being available from package managers.

Source code, documentation and issue tracker are available in Pymagicc's GitHub repository¹⁰. Usage examples are also contained in the repository as a Jupyter Notebook (Pérez

¹<http://magicc.org>

²<http://magicc.org/download6>

³<https://creativecommons.org/licenses/by-nc-sa/3.0/>

⁴<https://cmip.llnl.gov/>

⁵<https://github.com/tgasser/OSCAR>

⁶<https://github.com/openclimatedata/pyhector>

⁷<https://github.com/OMS-NetZero/FAIR-pro>

⁸<https://pypi.python.org/pypi/pymagicc>

⁹<https://www.winehq.org/>

¹⁰<https://github.com/openclimatedata/pymagicc>

and Granger 2007; Kluyver et al. 2016). Thanks to the Binder project¹¹, the example notebook can also be run interactively and explored without the need to install Pymagicc locally.

Acknowledgements

We thank the authors of MAGICC for making the binary available under a Creative Commons license and Johannes Gütschow and Louise Jeffery for helpful comments on earlier versions of Pymagicc and the manuscript.

References

- Gasser, T., P. Ciais, O. Boucher, Y. Quilcaille, M. Tortora, L. Bopp, and D. Hauglustaine. 2017. “The Compact Earth System Model Oscar V2.2: Description and First Results.” *Geoscientific Model Development* 10 (1):271–319. <https://doi.org/10.5194/gmd-10-271-2017>.
- Hartin, C. A., P. Patel, A. Schwarber, R. P. Link, and B. P. Bond-Lamberty. 2015. “A Simple Object-Oriented and Open-Source Model for Scientific and Policy Analyses of the Global Climate System – Hector V1.0.” *Geoscientific Model Development* 8 (4):939–55. <https://doi.org/10.5194/gmd-8-939-2015>.
- IPCC. 2014. *Climate Change 2014: Mitigation of Climate Change. Contribution of Working Group Iii to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Edited by O. Edenhofer, R. Pichs-Madruga, Y. Sokona, E. Farahani, S. Kadner, K. Seyboth, A. Adler, et al. Cambridge University Press, Cambridge; New York, NY.
- Kluyver, T., B. Ragan-Kelley, F. Pérez, B. Granger, M. Bussonnier, J. Frederic, K. Kelley, et al. 2016. “Jupyter Notebooks—a Publishing Format for Reproducible Computational Workflows.” *Positioning and Power in Academic Publishing: Players, Agents and Agendas*, 87–90. <https://doi.org/10.3233/978-1-61499-649-1-87>.
- McKinney, W. 2010. “Data Structures for Statistical Computing in Python.” In *Proceedings of the 9th Python in Science Conference*, edited by Stéfan van der Walt and Jarrod Millman, 51–56.
- Meinshausen, M., S. C. B. Raper, and T. M. L. Wigley. 2011. “Emulating Coupled Atmosphere-Ocean and Carbon Cycle Models with a Simpler Model, MAGICC6 – Part 1: Model Description and Calibration.” *Atmospheric Chemistry and Physics* 11 (4):1417–56. <https://doi.org/10.5194/acp-11-1417-2011>.
- Millar, R. J., Z. R. Nicholls, P. Friedlingstein, and M. R. Allen. 2017. “A Modified Impulse-Response Representation of the Global Near-Surface Air Temperature and Atmospheric Concentration Response to Carbon Dioxide Emissions.” *Atmospheric Chemistry and Physics* 17 (11):7213–28. <https://doi.org/10.5194/acp-17-7213-2017>.
- Pérez, F., and B. E. Granger. 2007. “IPython: A System for Interactive Scientific Computing.” *Computing in Science and Engineering* 9 (3). IEEE Computer Society:21–29. <https://doi.org/10.1109/MCSE.2007.53>.
- Ward, Marshall. 2017. “f90nml - a Python Module for Parsing Fortran Namelist Files.” <https://doi.org/10.5281/zenodo.1112518>.

¹¹<https://mybinder.org/>

Willner, S. N., C. A. Hartin, and R. Gieseke. 2017. “Pyhector: A Python Interface for the Simple Climate Model Hector.” *The Journal of Open Source Software* 2 (12). The Open Journal. <https://doi.org/10.21105/joss.00248>.