

VAtools: a python package for customizable annotation of VCF files

Susanna Kiwala^{1*}, Christopher A. Miller^{1,2*}, John E. Garza¹, Alexander J. Paul¹, Jason Walker¹, Obi L. Griffith^{1,2}, and Malachi Griffith^{1,2}

¹ Washington University in St Louis, USA ² Siteman Cancer Center, St Louis, MO * These authors contributed equally.

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Editor: [↗](#)

Submitted: 12 July 2026

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](https://creativecommons.org/licenses/by/4.0/)).

Summary:

VAtools (VCF Annotation Tools) is a package designed to ease manipulation of genomic data stored in the common VCF format, so that annotations can be added or extracted in a user-friendly manner.

Statement of need:

The VCF format is the de facto standard for reporting and sharing genomic variant data, but it exists within an ecosystem of bioinformatics tools that output a wide array of often ill-defined formats. In order to store data in a consistent manner and simplify downstream analyses, computational biologists and genomics researchers often need to integrate these results into a VCF file. Doing so with existing toolchains often requires complex multi-step machinations. We built VAtools to simplify some of the most common operations.

State of the field:

Several python libraries exist that allow programmatic access to a VCF, such as pysam, VCFPy, and PyVCF (Heger et al., 2026; Holtgrewe & Beule, 2016; Vermaat et al., 2023). Using these generally involves writing custom wrappers and requires detailed knowledge of both the structure of a VCF and of the input data. The VCF format is complex (with a 50-page specifications document as of version 4.5: <https://samtools.github.io/hts-specs/VCFv4.5.pdf>), it can be difficult to parse and manipulate, and this represents a substantial hurdle for many users. Other tools, like bcftools, support general command line manipulation, but rely on the same deep knowledge and have a complicated syntax (Danecek et al., 2021). VAtools was designed to provide a simple interface for annotating VCFs with some of the most common types of genomic data.

Software design:

VAtools was built with ease of use and modularity as the primary goals. VAtools was motivated by our own difficulty in preparing inputs for variant analyses, and provides tools that simplify a variety of common annotation tasks. Some are designed specifically around common genomic programs: vcf-readcount-annotator adds detailed metrics from bam-readcount, while vcf-expression-annotator can link variants to specific gene or transcript expression information from Kallisto or Stringtie, among others (Bray et al., 2016; Khanna et al., 2022; Pertea et al.,

2015). In addition, the package provides more general tools that can take arbitrary data with genomic coordinates and incorporate them into a VCF using `vcf-info-annotator` (e.g. dbSNP allele frequencies or ClinVar pathogenicity classifications). It also includes utilities for extracting variant effect annotation data from VCFs into tabular format via `vep-annotation-reporter`, fixing common issues with malformed VCFs with `vcf-genotype-annotator` and for sanity checking of results with `ref-transcript-mismatch-reporter`.

Creating this set of tools installable with a single call to `pip` fits well with the paradigms of genomic analysis, which favors rapid installation and the ability to prototype and iterate via the command line. These prototypes often mature into more complex genomic pipelines, for which modularity and containerization are critical. Distributing via `pip` and Bioconda enables easy installation and version management, as well as containerization that is critical to modern bioinformatics workflow engines like Toil, Cromwell, or Nextflow (Di Tommaso et al., 2017; Vivian et al., 2017; Voss et al., 2017).

VATools was built on top of the VCFPy library, selected over two alternatives in part because of its intuitive syntax that eases development and code review. PyVCF (or its new PyVCF3 fork) was not used because it lacks convenient accessors for modifying VCF headers and per-sample genotype fields. Another alternative, pysam, has faster I/O, but requires strict checking of `##contig` lines in the header. As many genomic pipelines do not produce such fields, we ultimately determined that using pysam would limit the reach of this tool. Though not built on the fastest library, VATools is nonetheless performant, annotating 1 million records with `vcf-info-annotator` in 47.8 seconds on a Macbook Pro M2 with 16Gb of RAM and using Python 3.14.0. Further optimizations are possible, but unnecessary for the typical use case of this tool, which operates on the scale of individual exomes (thousands of variants) to whole genomes (~3 million variants).

Research impact statement:

VATools was originally designed to work in concert with pVACtools (Hoang et al., 2026; Hundal et al., 2020), an immunotherapy tool that incorporates many different sources of data (VEP annotations, gene expression from multiple sources, allele specific expression, readcounts). Custom pipelines using VATools provided the underlying data for neoantigen and immunotherapy studies in pediatric ependymoma, lung cancer, and high-grade serous ovarian cancer (Garsed et al., 2022; Miller et al., 2018; Nicholas et al., 2026). More recently, VATools components have been incorporated into a pipeline called ImmunoNX (Singhal et al., 2025) that provides an end-to-end workflow for cancer vaccine design. It has also been used to create neoantigen vaccines in clinical trials for triple-negative breast cancer, follicular lymphoma, and glioblastoma (Garfinkle et al., 2026; Ramirez et al., 2024; Zhang et al., 2024), as well as at least 10 other clinical trials currently in progress.

Outside of cancer immunotherapy, VATools has found use in a variety of other contexts, including importing sequencing metrics to enable filtering of genomic variants in studies of leukemia and malignant peripheral nerve sheath tumors (Abel et al., 2023; Dehner et al., 2021) or in mouse models of skin cancer (Shea et al., 2023). It was also used in evolutionary studies of the amoeba *Dictyostelium discoideum* (Walker et al., 2024).

We expect that VATools will continue to be generally useful to the genomics community, enabling applications ranging from large-scale automated pipelines to small ad-hoc workflows. VATools is released under an MIT license to allow for broad reuse. The code is available at <https://github.com/griffithlab/vatools>, with documentation at <https://vatools.org>. Versioned releases are made available on PyPi (under the `vatools` package name), GitHub (<https://github.com/griffithlab/VATools/releases>), DockerHub (`griffithlab/vatools`), BioConda, and Zenodo (<https://doi.org/10.5281/zenodo.21079855>).

85 AI usage disclosure:

86 No AI was used in the first ~8 years of VAtools development, but starting in 2026, we have
87 used Claude Sonnet 4.6 for occasional assistance in adding new features or refactoring. All
88 code (whether generated by humans or AI) has undergone rigorous code review by the authors
89 of the package and each change must pass a comprehensive test suite integrated into the
90 repository.

91 Acknowledgements

92 MG was supported by the National Human Genome Research Institute (NHGRI) of the National
93 Institutes of Health (NIH) under Award Number R00HG007940. SK, MG and OLG were
94 supported by the NIH National Cancer Institute (NCI) under Award Numbers U01CA209936,
95 U01CA231844, U24CA237719, U24CA275783, U24CA305456, and R01CA301054. SK, MG
96 and OLG were supported by NIH National Center for Advancing Translational Sciences (NCATS)
97 under Award Number UL1TR002345. MG was supported by the V Foundation for Cancer
98 Research under Award Number V2018-007. MG and SK were supported by a gift from the
99 Goldberg Family Foundation. MG, OLG, SK and CAM were supported by the NCI under Award
100 Number U01CA248235. CAM was supported by the NCI under Award Number R50CA211782.

101 Abel, H. J., Oetjen, K. A., Miller, C. A., Ramakrishnan, S. M., Day, R. B., Helton, N. M.,
102 Fronick, C. C., Fulton, R. S., Heath, S. E., Tarnawsky, S. P., Nonavinkere Srivatsan,
103 S., Duncavage, E. J., Schroeder, M. C., Payton, J. E., Spencer, D. H., Walter, M. J.,
104 Westervelt, P., DiPersio, J. F., Ley, T. J., & Link, D. C. (2023). Genomic landscape
105 of TP53-mutated myeloid malignancies. *Blood Advances*, 7(16), 4586–4598. <https://doi.org/10.1182/bloodadvances.2023010156>
106

107 Bray, N. L., Pimentel, H., Melsted, P., & Pachter, L. (2016). Near-optimal probabilistic
108 RNA-seq quantification. *Nature Biotechnology*, 34(5), 525–527.

109 Danecek, P., Bonfield, J. K., Liddle, J., Marshall, J., Ohan, V., Pollard, M. O., Whitwham, A.,
110 Keane, T., McCarthy, S. A., Davies, R. M., & Li, H. (2021). Twelve years of SAMtools
111 and BCFtools. *GigaScience*, 10(2), giab008.

112 Dehner, C., Moon, C. I., Zhang, X., Zhou, Z., Miller, C., Xu, H., Wan, X., Yang, K., Mashl,
113 J., Gosline, S. J., Wang, Y., Zhang, X., Godec, A., Jones, P. A., Dahiya, S., Bhatia, H.,
114 Primeau, T., Li, S., Pollard, K., ... Hirbe, A. C. (2021). Chromosome 8 gain is associated
115 with high-grade transformation in MPNST. *JCI Insight*, 6(6), 146351.

116 Di Tommaso, P., Chatzou, M., Floden, E. W., Barja, P. P., Palumbo, E., & Notredame, C.
117 (2017). Nextflow enables reproducible computational workflows. *Nature Biotechnology*,
118 35(4), 316–319.

119 Garfinkle, E. A. R., Perales-Linares, R., Gimple, R. C., Livingstone, A. J., Roberts, K. F., Butt,
120 O. H., Goedegebuure, S. P., McLellan, M. D., Chang, G. S., Hundal, J., Yan, J., Navarro,
121 J. B., Paxton, S. A., Chattopadhyay, S., Cooch, N., Perales-Puchalt, A., Stavroulaki, K.,
122 Rochestie, S., Peters, J., ... Johanns, T. M. (2026). Adjuvant personalized multivalent
123 neoantigen DNA vaccination for MGMT unmethylated glioblastoma: A phase 1 trial.
124 *Nature Cancer*.

125 Garsed, D. W., Pandey, A., Fereday, S., Kennedy, C. J., Takahashi, K., Alsop, K., Hamilton, P.
126 T., Hendley, J., Chiew, Y.-E., Traficante, N., Provan, P., Ariyaratne, D., Au-Yeung, G.,
127 Bateman, N. W., Bowes, L., Brand, A., Christie, E. L., Cunningham, J. M., Friedlander,
128 M., ... Bowtell, D. D. L. (2022). The genomic and immune landscape of long-term survivors
129 of high-grade serous ovarian cancer. *Nature Genetics*, 54(12), 1853–1864.

130 Heger, A., Marshall, J., Jacobs, K., Beauchamp, K., Martin, M., Wu, D., Heger, A., Finkernagel,
131 F., Ryan, D., Beek, M. van den, Homer, N., Pearson, M., Kinsella, M., Soranzo, N., Dunn,

- 132 T., Schiller, B., amblina, Elghraoui, A., Dannon, ... Yalamanchili, R. (2026). *Pysam-*
133 *developers/pysam*. <https://github.com/pysam-developers/pysam>. <https://github.com/pysam-developers/pysam>
- 134
- 135 Hoang, M. H., Kiwala, S., Richters, M., Hendrickson, L., Xia, H., Schmidt, E., Miller, C. A.,
136 Cotto, K. C., Lichti, C. F., Skidmore, Z., Singhal, K., Yao, J. X., Li, J., Khanfar, M., Risch,
137 I., Ward, J., Govindan, R., Dunn, G., Johanns, T. M., ... Griffith, M. (2026). *pVACtools*
138 *v6: A comprehensive suite for neoantigen prediction, visualization, and therapy design*.
139 <https://arxiv.org/abs/2606.26659>
- 140 Holtgrewe, M., & Beule, D. (2016). VCFPy: A python 3 library with good support for both
141 reading and writing VCF. *Journal of Open Source Software*, 1(6), 85.
- 142 Hundal, J., Kiwala, S., McMichael, J., Miller, C. A., Xia, H., Wollam, A. T., Liu, C. J., Zhao,
143 S., Feng, Y.-Y., Graubert, A. P., Wollam, A. Z., Neichin, J., Neveau, M., Walker, J.,
144 Gillanders, W. E., Mardis, E. R., Griffith, O. L., & Griffith, M. (2020). pVACtools: A
145 computational toolkit to identify and visualize cancer neoantigens. *Cancer Immunology*
146 *Research*, 8(3), 409–420.
- 147 Khanna, A., Larson, D. E., Srivatsan, S. N., Mosior, M., Abbott, T. E., Kiwala, S., Ley, T. J.,
148 Duncavage, E. J., Walter, M. J., Walker, J. R., Griffith, O. L., Griffith, M., & Miller, C. A.
149 (2022). Bam-readcount - rapid generation of basepair-resolution sequence metrics. *Journal*
150 *of Open Source Software*, 7(69), 3722. <https://doi.org/10.21105/joss.03722>
- 151 Miller, C. A., Dahiya, S., Li, T., Fulton, R. S., Smyth, M. D., Dunn, G. P., Rubin, J. B., &
152 Mardis, E. R. (2018). Resistance-promoting effects of ependymoma treatment revealed
153 through genomic analysis of multiple recurrences in a single patient. *Cold Spring Harbor*
154 *Molecular Case Studies*, 4(2).
- 155 Nicholas, B., Bailey, A., McCann, K. J., Wood, O., Currall, E., Johnson, P., Elliott, T.,
156 Ottensmeier, C., & Skipp, P. (2026). Immunopeptidomics-guided identification of functional
157 neoantigens in non-small cell lung cancer. *Npj Precision Oncology*, 1–16.
- 158 Pertea, M., Pertea, G. M., Antonescu, C. M., Chang, T.-C., Mendell, J. T., & Salzberg, S. L.
159 (2015). StringTie enables improved reconstruction of a transcriptome from RNA-seq reads.
160 *Nature Biotechnology*, 33(3), 290–295.
- 161 Ramirez, C. A., Becker-Hapak, M., Singhal, K., Russler-Germain, D. A., Frenkel, F., Barnell, E.
162 K., McClain, E. D., Desai, S., Schappe, T., Onyeador, O. C., Kudryashova, O., Belousov,
163 V., Bagaev, A., Ocheredko, E., Kiwala, S., Hundal, J., Skidmore, Z. L., Watkins, M. P.,
164 Mooney, T. B., ... Fehniger, T. A. (2024). Neoantigen landscape supports feasibility of
165 personalized cancer vaccine for follicular lymphoma. *Blood Advances*, 8(15), 4035–4049.
- 166 Shea, L. K., Akhave, N. S., Sutton, L. A., Compton, L. A., York, C., Ramakrishnan, S.
167 M., Miller, C. A., Wartman, L. D., & Chen, D. Y. (2023). Combined Kdm6a and
168 Trp53 deficiency drives the development of squamous cell skin cancer in mice. *Journal of*
169 *Investigative Dermatology*, 143(2), 232–241.e6.
- 170 Singhal, K., Schmidt, E., Kiwala, S., Peter Goedegebuure, S., Miller, C. A., Xia, H., Cotto, K.
171 C., Li, J., Yao, J., Hendrickson, L., Richters, M. M., Hoang, M. H., Khanfar, M., Risch,
172 I., O’Laughlin, S., Myers, N., Vickery, T., Davies, S. R., Du, F., ... Griffith, M. (2025).
173 ImmunoNX: A robust bioinformatics workflow to support personalized neoantigen vaccine
174 trials. *arXiv [q-Bio.GN]*.
- 175 Vermaat, M., Quinlan, A., Roberts, I., Lasher, C., Casbon, J., Arindrarto, W., Dougherty, J.,
176 Brightman, S., Martin, M., Kaarel, Mořkovský, L., Miles, A., Abramowitz, M., Berg, R.
177 van den, Wenger, A., Chapman, B., Davis, S., Medina, J., McLean, C., ... Boocock, J.
178 (2023). *Jamescasbon/PyVCF*. <https://github.com/jamescasbon/PyVCF>. <https://github.com/jamescasbon/PyVCF>
- 179
- 180 Vivian, J., Rao, A. A., Nothaft, F. A., Ketchum, C., Armstrong, J., Novak, A., Pfeil, J.,

- 181 Narkizian, J., Deran, A. D., Musselman-Brown, A., Schmidt, H., Amstutz, P., Craft, B.,
182 Goldman, M., Rosenbloom, K., Cline, M., O'Connor, B., Hanna, M., Birger, C., ... Paten,
183 B. (2017). Toil enables reproducible, open source, big biomedical data analyses. *Nature*
184 *Biotechnology*, 35(4), 314–316.
- 185 Voss, K., Van der Auwera, G., & Gentry, J. (2017). Full-stack genomics pipelining with GATK4
186 + WDL + cromwell. *F1000Research*, 6, 1379. [https://doi.org/10.7490/f1000research.](https://doi.org/10.7490/f1000research.1114631.1)
187 [1114631.1](https://doi.org/10.7490/f1000research.1114631.1)
- 188 Walker, L. M., Sherpa, R. N., Ivaturi, S., Brock, D. A., Larsen, T. J., Walker, J. R.,
189 Strassmann, J. E., & Queller, D. C. (2024). Parallel evolution of the g protein-coupled
190 receptor GrIG and the loss of fruiting body formation in the social amoeba dictyostelium
191 discoideum evolved under low relatedness. *G3: Genes/Genomes/Genetics*, 14(1), jkad235.
192 <https://doi.org/10.1093/g3journal/jkad235>
- 193 Zhang, X., Goedegebuure, S. P., Chen, M. Y., Mishra, R., Zhang, F., Yu, Y. Y., Singhal, K.,
194 Li, L., Gao, F., Myers, N. B., Vickery, T., Hundal, J., McLellan, M. D., Sturmoski, M. A.,
195 Kim, S. W., Chen, I., Davidson, J. T., 4th, Sankpal, N. V., Myles, S., ... Gillanders, W.
196 E. (2024). Neoantigen DNA vaccines are safe, feasible, and induce neoantigen-specific
197 immune responses in triple-negative breast cancer patients. *Genome Medicine*, 16(1), 131.

DRAFT